

#



# UNITED STATES PRICE LIST



**EFFECTIVE AUGUST 1, 2023**

(REV 061623)

PHONE 204.632.1962 FAX 204.632.1960

**Vented Chase Technology for ZCV34/39/42 Models**

## TABLE OF CONTENTS

<b>Model Number</b>	<b>Description</b>	<b>Page Number</b>
FDV200S	Free Standing Direct Vent Stove	4
FDV350	Free Standing Direct Vent Stove	5
FDV451	Free Standing Direct Vent Stove	6
	Venting 4/7" - Direct Vent Stoves	7
ZCV3622	Zero Clearance Direct Vent Clean View 36"	8
ZCVRB3622	Zero Clearance Direct Vent Clean View - Linear	9
HBZDV3624	Zero Clearance Direct Vent Fireplace	10
HBZDV3628	Zero Clearance Direct Vent Fireplace	11
HBZDV4224	Zero Clearance Direct Vent Fireplace	12
HBZDV4228	Zero Clearance Direct Vent Fireplace	13
HBZDV4736	Zero Clearance Direct Vent Fireplace	14
ZCVRB47	Zero Clearance Direct Vent Clean View - Linear	15
ZCV34	Zero Clearance Direct Vent Clean View 34" - Tempered	16
ZCV34H	Zero Clearance Direct Vent Clean View 34" - Ceramic	18
ZCV39	Zero Clearance Direct Vent Clean View 39" - Tempered	20
ZCV39H	Zero Clearance Direct Vent Clean View 39" - Ceramic	22
ZCV42	Zero Clearance Direct Vent Clean View 42" - Tempered	24
ZCV42H	Zero Clearance Direct Vent Clean View 42" - Ceramic	26
	Venting - 4/7" Direct Vent Fireplaces	28
	Power Venting - 4/7" Direct Vent Fireplaces	29
MCVP42	Peninsula Clean View Direct Vent Fireplace - Tempered	30
MCVP42H	Peninsula Clean View Direct Vent Fireplace - Ceramic	31
MCVST42	See Through Clean View Direct Vent Fireplace - Tempered	32
MCVST42H	See Through Clean View Direct Vent Fireplace - Ceramic	33
ZCVRB60	Zero Clearance Direct Vent Clean View - Linear	34
	Venting - 5/8" Direct Vent Fireplaces	35
	Power Venting - 5/8" Direct Vent Fireplaces	36
IDV24	Direct Vent Fireplace Insert	37
IDV26	Direct Vent Fireplace Insert	39
IDV34	Direct Vent Fireplace Insert	41
IDV44	Direct Vent Fireplace Insert	43
FP2085/2785	Outdoor Fire Pits & Fire Bowl	45
OFP42	Outdoor Gas Fireplace	46
GL24/40	Gas Log Sets - Vented/Vent Free	47
ZVF33	Vent Free - Zero Clearance Firebox	48
ZVFCV39	Vent Free - Clean View Circulating Universal Fire Box	49
ZVFCV42	Vent Free - Clean View Circulating Universal Fire Box	50
ZVFCV47	Vent Free - Clean View Circulating Universal Fire Box	51
FVF350	Vent Free- Free Standing Stove	52



## Updates for August 1, 2023 Price List

### New Product Introduction

- The **ZCV39/42** will be manufactured where ventilation plates can be removed so the chase can be vented, allowing for cool touch walls, reduced mantel clearances and finished with combustible materials.

These units will be marked with a **VC** (Vented Chase) on all cartons, starting Serial Numbers:

- ZCV39 Tempered Starting Serial Number 35837+
  - ZCV39 Ceramic Starting Serial Number 5348+
  - ZCV42 Tempered Starting Serial Number 50892+
  - ZCV42 Ceramic Starting Serial Number 3622+
- 
- **Capri IDV24** – Direct Vent Insert – 24,000 BTU
    - 3/3" venting at maximum 40 ft vertical
    - 2/3" Venting with Maximum 25 ft vertical.
    - Minimum Fireplace Opening Required: 24-1/4" W x 18-1/2"H x 14" D
  
  - **Dexen IPI** will be used on **ZCV3622/ZCVRB3622** models.
    - We are now offering an optional cold climate switch **Part Number 1023-P055L** for the Dexen Valve System.

### Price Decreases (Bold Red Font on price list):

- **FP2085NT, FP2085LPT, FP2785LPT-FL**

### New items (Bold Red Font on price list):

- **LOGC86** – new log set for Fire Pits, and **LOGF200** New Fiber Log Set for FDV200S Free Standing Stoves. Vented Chase Grills (**V39EG, V39EGS**)

### Discontinued Products:

- VLBIT4, LOGC42, LOGC43, LOGC3, LOGC200
- Phase out of N7/LP7 millivolt 7-day timer valves.
- ZVF24 (Limited Availability)



August 1, 2023  
GAS FIREPLACE PRODUCTS

Rev 061623

Aug 2023

Product Number	Description	USA LIST
<b>FDV200S</b>	<b>FREE STANDING DIRECT VENT GAS STOVES:</b>	
	Listed for USA/Canada as a Vented Gas Fireplace, Dual Burner, Ceramic Glass, Glowing Embers, SIT Valve, Leg Model, Safety Screen, Fan, 4/7" Flue 30,000 BTU NG, 26,000 BTU Propane	

<b>STEP 1) CHOOSE MODEL - MILLIVOLT OR IPI P2</b>		
<b>FREE STANDING DIRECT VENT GAS STOVE</b>		
FDV200SN	Free Standing Stove - (as above) Millivolt - Natural Gas	2,951
FDV200SLP	Free Standing Stove - (as above) Millivolt - Propane	3,018
FDV200SNE	Free Standing Stove - IPI PF1 - Natural Gas	3,336
FDV200SLPE	Free Standing Stove - IPI PF1 - Propane	3,402
FDV200SNE2	Free Standing Stove - Proflame 2 IPI - Remote-Thermostat-Mod-Fan - NG	3,881
FDV200SLPE2	Free Standing Stove - Proflame 2 IPI - Remote-Thermostat-Mod-Fan - LP	3,948
200DV-CKLP	Conversion Kit - Millivolt - To Propane	108
200DV-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
200DV-CKLPI	Conversion Kit - IPI PF1 - To Propane	127
200DV-CKNGI	Conversion Kit - IPI PF1 - To Natural Gas	127
200DV-CKLP2	Conversion Kit - IPI Proflame 2 - To Propane	235
200DV-CKNG2	Conversion Kit - IPI Proflame 2 - To Natural Gas	235

<b>STEP 2) CHOOSE LOG SET</b>		
<b>LOG SETS</b>		
LOGC200	Log Set - Five Piece Cast Split Oak	307
<b>LOGF200</b>	Log Set - Fiber - Five Piece Split Oak	<b>NEW 375</b>

<b>OPTIONAL ACCESSORIES</b>		
F45FK	Fan Kit - PF1/MV w/Variable Speed Control (Temperature Sensing)	442
F45FK2	Fan Kit - for Proflame 2, (Replacement)	405
450FK-140	Fan Mounting Bracket for F45FK - (when installing on F5000, F300, F200)	40
FDV200RL	Refractory Liner	281
F200CSS	Safety Screen Barrier - (Replacement)	224

<b>OPTIONAL THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591



**August 1, 2023**  
**GAS FIREPLACE PRODUCTS**

Rev 061623

Aug 2023

Product Number	Description	USA LIST
<b>FDV350 FREE STANDING DIRECT VENT GAS STOVES:</b>		
	Listed for USA/Canada as a Vented Gas Fireplace, Dual Burner, Fan, Bay Viewing Area, Black Louver, Adjustable SIT Valve, 4/7 Flue, Certified for use in Mobile Home, Bedroom, and Bed sitting Room, Flat Black, 37,000 BTU - NG, 35,000 BTU - Propane	
FDV350N	Free Standing Stove - (as above) Millivolt - Natural Gas	2,562
FDV350LP	Free Standing Stove - (as above) Millivolt - Propane	2,652
FDV350NE	Free Standing Stove - IPI PF1 - Natural Gas	2,947
FDV350LPE	Free Standing Stove - IPI PF1 - Propane	3,037
FDV350NE2	Free Standing Stove - Proflame 2 IPI - Remote-Thermostat-Mod-Fan - NG	3,956
FDV350LPE2	Free Standing Stove - Proflame 2 IPI - Remote-Thermostat-Mod-Fan - LP	4,047
350DV-CKLP	Conversion Kit - Millivolt - To Propane	108
350DV-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
350DV-CKLPI	Conversion Kit - IPI PF1 - To Propane	127
350DV-CKNGI	Conversion Kit - IPI PF1 - To Natural Gas	127
350DV-CKLPI2	Conversion Kit - IPI PF2 - To Propane	235
350DV-CKNGI2	Conversion Kit - IPI PF2 - To Natural Gas	235
<b>DOOR FRONTS: (REQUIRED FOR EACH UNIT)</b>		
F35DB	Door Frame and Ceramic Glass - Black	874
<b>LOG SET (REQUIRED FOR EACH UNIT)</b>		
LOGF35	Log Set - Fiber Split Oak (F350,F300,IDV33)	479
<b>SAFETY BARRIER (REQUIRED FOR EACH UNIT)</b>		
F350CSS	SAFETY BARRIER	352
<b>ACCESSORIES:</b>		
F45FK	Fan Kit - PF1/MV w/Variable Speed (Temperature Sensing)	442
F45FK2	Fan Kit - for Proflame 2, (Replacement)	405
450FK-140	Fan Mounting Bracket for F45FK - (when installing on F5000, F300, F200)	40
F35RL	Refractory Liner	218
F35BVC	B-Vent Converter (4/7" DV to 4" B-Vent)	324
<b>OPTIONAL THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital Millivolt Wall Mount- MV/PF1	211
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591



August 1, 2023  
**GAS FIREPLACE PRODUCTS**  
 Rev 061623

**Aug 2023**  
**USA LIST**

Product Number	Description	USA LIST
<b>FDV451</b>	<b>FREE STANDING DIRECT VENT GAS STOVE:</b>	
	Listed for USA/Canada as a Vented Gas Fireplace, Dual Burner, Ceramic Glass, Glowing Embers, SIT Valve, Fan, 4/7" Flue, Black 34,500 BTU Natural Gas, 31,000 BTU Propane	
FDV451N	Free Standing Stove - (as above) Millivolt - Natural Gas	2,449
FDV451LP	Free Standing Stove - (as above) Millivolt - Propane	2,539
FDV451NE	Free Standing Stove - Proflame 1 IPI - Natural Gas	2,835
FDV451LPE	Free Standing Stove - Proflame 1 IPI - Propane	2,925
FDV451NE2	Free Standing Stove - Proflame 2 IPI - Remote-Thermostat-Mod-Fan - NG	3,838
FDV451LPE2	Free Standing Stove - Proflame 2 IPI - Remote-Thermostat-Mod-Fan - LP	3,929
450DV-CKLP	Conversion Kit - Millivolt - To Propane	108
450DV-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
450DV-CKLPI	Conversion Kit - IPI PF1 - To Propane	127
450DV-CKNGI	Conversion Kit - IPI PF1 - To Natural Gas	127
450DV-CKLP2	Conversion Kit - IPI Proflame 2 - To Propane	235
450DV-CKNG2	Conversion Kit - IPI Proflame 2 - To Natural Gas	235
<b>DOOR FRONTS: (REQUIRED FOR EACH UNIT)</b>		
F450FBL	Door Front and Vent Lid - Charcoal with Flat Black Posts and Safety Screen	638
<b>SIDE DOORS: (REQUIRED FOR EACH UNIT)</b>		
F451SDSBL	Side Doors - Black Frame - Solid Panel - Charcoal	411
<b>LOG SET OR MEDIA: (REQUIRED FOR EACH UNIT)</b>		
F45LG	Log Grate - FDV451/453 (Optional)	159
LOGF451	Log Set - Oak	552
<b>(Maximum Glass 15 lbs)</b>		
Z5GC	Glass Media - 1/2" Bronze - 5 lbs	127
RBCB1	Cannonballs - Assorted size and colors	446
<b>ACCESSORIES:</b>		
F45FK	Fan Kit - PF1/MV w/Variable Speed Control (Temperature Sensing)	442
F45FK2	Fan Kit - for Proflame 2, (Replacement)	405
450FK-140	Fan Mounting Bracket for F45FK - (when installing on F5000, F300, F200)	40
F451RLT	Refractory Liner - Traditional	460
F451RLH	Refractory Liner - Herringbone	460
F451PL	Porcelain Liner - 3 Piece	552
F35BVC	B-Vent Converter (4/7" DV to 4" B-Vent)	324
<b>OPTIONAL THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591



August 1, 2023  
GAS FIREPLACE PRODUCTS

Rev 061623

Aug 2023

Product Number	Description	USA LIST
<b>Horizontal Vent Starter Kit - (Direct Vent Stoves)</b>		
FDVHSK	Termination, Wall Thimble, Black Wall Trim Plate, Mill Pac, Black Trim Rings, 7" x 24" Black Pipe, 7" x 48" Black Pipe, 90 Degree Elbow, 4" x 8' Flex Pipe,	827
<b>Vertical Vent Starter Kit - (Direct Vent Stoves)</b>		
FDVVSK	Starter Kit Contains: Attic Insulation Shield, Fire Stop, Ceiling Trim Plate, Black Trim Rings, Roof Support, Spacer Springs(6), Mill Pac	377
<b>Horizontal Venting</b>		
FDVHT	Horizontal Vent Termination	234
FDVHSQ	Horizontal Square Vent Termination	290
FDVHSS	Horizontal Stucco Shield	76
FDVHSCU	Safety Cage Universal for Horizontal Termination	152
ZDVSS	Siding Shield - Heat Deflector for FDVHT Round Termination	37
ZDVSSLR	Siding Shield - Large Return - for FDVHSQ or FDVHT	89
ZDVWT	Wall Thimble (Horizontal Venting)	117
Z47ST24	Snorkel Termination - 24"	861
Z47ST36	Snorkel Termination - 36"	923
Z57STSC	Safety Cage for Snorkel Termination	240
<b>Vertical Venting</b>		
FDVVT40	Vertical Vent Termination - Convertible Between 15' & 40' Vertical	252
ZDVAIS	Attic Insulation Shield - 12"	126
Z7AIS24	Attic Insulation Shield - 24"	167
ZDVVOS	Offset Support	53
ZDVFS	Fire stop Spacer	53
ZDVRS	Roof Support	77
Z47GP36	Galvanized Pipe 4 and 7" Dia. x 36" (Vertical Installations)	248
Z47GP48	Galvanized Pipe 4 and 7" x 48" (Vertical Installations)	260
<b>Flashings - Vertical Venting</b>		
ZDVAAF	Flashing 7" c/w Storm Collar (1/12 to 7/12)	149
ZDVAF2	Flashing 7" c/w Storm Collar (8/12 to 12/12)	170
ZDVAF3	Flashing 7" c/w Storm Collar Flat	198
ZDV7SC	Storm Collar 7 Inch	28
<b>Vent Pipe 7" and Flex Pipe 4" - Clamps, Connectors</b>		
FDV48P	Black Pipe (7" Diameter x 48")	134
FDV36P	Black Pipe (7" Diameter x 36")	120
FDV24P	Black Pipe (7" Diameter x 24")	88
FDV12P	Black Pipe (7" Diameter x 12")	61
FDVE90	Black Elbow (7" Diameter x 90 Degree)	83
FDVE45	Black Elbow (7" Diameter x 45 Degree)	83
ZDV4FP8	Flex Pipe 4" Diameter x 8 FT (Spacer Springs Not Included)	117
ZDV4FP20	Flex Pipe 4" Diameter x 20 FT (Spacer Springs Not Included)	263
ZDV4FC	Flex Connector 4" Diameter	26
ZDV4FCL	Flex Clamp 4"	20
ZDV4SS	Spring 4" Standoff Spacer	20
<b>Hard Pipe Adapter - 4 x 6 5/8:</b>		
ZDVDKA	Dura-Vent Stove Adapter (for Direct Vent Stoves)	95
<b>7" Pipe Accessories</b>		
F7DBC	Decorative Black Collar 7"	48
F7DTP	Decorative Black Wall Trim Plate	51





August 1, 2023  
**GAS FIREPLACE PRODUCTS**  
 Rev 061623

**Aug 2023**  
**USA LIST**

Product Number	Description	USA LIST
<b>ZCV3622</b>	<b>ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE 36" WIDE</b>	
Clean View	Listed for USA/Canada as a Vented Gas Fireplace Tempered Glass, Tube Burner, Valve with Hi/Lo Adjustment, Wall Switch, Safety Screen, 4/7" Flue. 18,000 BTU Framing 36 3/8 W x 37 1/4 H x 17 1/2"D <b>(IPI DEXEN VALVE SYSTEM 9/22)</b>	
ZCV3622N	Fireplace, Millivolt Valve (as above) Natural Gas - SIT Valve	2,080
ZCV3622LP	Fireplace, Millivolt Valve (as above) Propane - SIT Valve	2,168
ZCV3622NE	Fireplace, IPI PF1 Valve (as above) Natural Gas - <b>Dexen Valve System</b>	2,469
ZCV3622LPE	Fireplace, IPI PF1 Valve (as above) Propane - <b>Dexen Valve System</b>	2,558
3622-CKLP	Conversion Kit - Millivolt - To Propane	108
3622-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
3622-CKLPI-DX	Conversion Kit - <b>DEXEN IPI</b> - To Propane	127
3622-CKNGI-DX	Conversion Kit - <b>DEXEN IPI</b> - To Natural Gas	127
3622-CKLPI	Conversion Kit - IPI - To Propane	127
3622-CKNGI	Conversion Kit - IPI - To Natural Gas	127
<b>LOG SET (REQUIRED FOR EACH UNIT)</b>		
LOGC51	Log Set - Split Oak (ZCV3622)	264
<b>OPTIONAL SURROUND (Covers Framing Dimensions - Unit must be installed flush to wall)</b>		
ZCV36S1BL	Surround Hearth Mount - Black (Coverage 34 1/16" H x 39" W)	340
<b>OPTIONAL - WALL SURROUND FLAT (COVERS 40 7/8" W X 37 1/4" H)</b>		
(The fireplace must be installed flush to drywall and raised a minimum 1/2" off floor)		
ZCV36SWFBL	Wall Surround - Flatt - Black - 3/4" Depth	533
<b>FIREPLACE ACCESSORIES OPTIONS:</b>		
ZCV3622PRL	Porcelain Reflective Panel Liner (3 PCE)	371
ZCV3622ML	Metal Brick Liner (3 PCE)	275
Z36FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
ZCV36CSS	Safety Screen Barrier (Replacement)	301
ULK2	Universal Light Kit - Two Lamps	368
ZCV36LMK	Lower Panel Magnet Kit	35
<b>OPTIONAL THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 <i>(Convenient and accessible location for Battery Backup for IPI Systems)</i>	260
<b>REMOTE CONTROL &amp; ACCESSORIES - For Dexen Valve System</b>		
GTRC-DX	Remote Control Dexen - Thermostat	378
<b>1023-P055L</b>	<b>CPI/IPI Switch for Dexen Valve System</b>	<b>NEW 89</b>
1023-PBSW1	Toggle Switch for Dexen - Toggle Between AC Power and Battery Backup	26
<b>REMOTE CONTROLS - For SIT Valve System</b>		
DCHS	<b>Heat Shield - Required for Millivolt Receivers</b>	26
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG*	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP *	832
P2BOX	<b>Heat Shield Box - P1/P2/MV - *Required when Fan Module is Installed in MV unit</b>	67
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1- Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591





August 1, 2023  
**GAS FIREPLACE PRODUCTS**  
 Rev 061623

**Aug 2023**  
**USA LIST**

Product Number	Description	USA LIST
<b>ZCVRB3622</b>	<b>ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE 36" Wide</b> Listed for USA/Canada as a Vented Gas Fireplace, Includes: Linear Burner, Decorative Bronze Glass, Valve with Hi/Lo Adjustment, Wall Switch, 4/7" Top Flue, Tempered Glass, Safety Screen, 17,500 BTU Framing 36 3/8 W x 37 1/4 H x 17 1/2"D <b>(IPI DEXEN VALVE SYSTEM 9/22)</b>	
ZCVRB3622N	Fireplace, Millivolt Valve (as above) Natural Gas	2,257
ZCVRB3622LP	Fireplace, Millivolt Valve (as above) Propane	2,349
ZCVRB3622NE	Fireplace, IPI PF1 Valve (as above) Natural Gas - <b>Dexen Valve System</b>	2,652
ZCVRB3622LPE	Fireplace, IPI PF1 Valve (as above) Propane - <b>Dexen Valve System</b>	2,744
3622RB-CKLP	Conversion Kit - Millivolt - To Propane	108
3622RB-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
3622RB-CKLPI-DX	Conversion Kit - <b>DEXEN IPI</b> - To Propane	127
3622RB-CKNGI-DX	Conversion Kit - <b>DEXEN IPI</b> - To Natural Gas	127
3622RB-CKLPI	Conversion Kit - IPI - To Propane	127
3622RB-CKNGI	Conversion Kit - IPI - To Natural Gas	127

<b>OPTIONAL SURROUND - 1 1/2" FRAME (COVERS 36" W X 22 1/2" H)</b>		
(The fireplace must be covered up to an 1/8" of the opening with noncombustible materials, no thicker than 3/4")		
ZCVRB36SBL	Surround Trim Kit -1 1/2" Wide - Black	483
ZCVRB36SSS	Surround Trim Kit - 1 1/2" Wide - Stainless Steel	804

<b>OPTIONAL - WALL SURROUND FLAT (COVERS 45 3/4" W X 34 5/8" H)</b>		
(The fireplace must be installed flush to drywall and raised a minimum 1/2" off floor)		
ZCVRB36SWFBL	Wall Surround - Flatt - Black - 3/4" Depth	533

**FIREPLACE ACCESSORIES OPTIONS:**

ULK2	Universal Light Kit - Two Lamps	368
Z3622PRL	Porcelain Reflective Panel Liner (3 PCE)	371
Z36FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
ZCVRB36CSS	Safety Screen Barrier (Replacement)	283

**THERMOSTATS AND REMOTE CONTROLS**

Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 <i>(Convenient and accessible location for Battery Backup for IPI Systems)</i>	260

**REMOTE CONTROL & ACCESSORIES - For Dexen Valve System**

GTRC-DX	Remote Control Dexen - Thermostat	378
<b>1023-P055L</b>	<b>CPI/IPI Switch for Dexen Valve System</b>	<b>NEW 89</b>
1023-PBSW1	Toggle Switch for Dexen - Toggle Between AC Power and Battery Backup	26

**REMOTE CONTROLS - For SIT Valve System**

DCHS	<b>Heat Shield - Required for Millivolt Receivers</b>	26
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	832
EGTRC	Remote Control IPI - Thermostat	435
EGTMRCN	Remote Control IPI - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI - Thermostat/Modulating - LP	591



August 1, 2023  
GAS FIREPLACE PRODUCTS

Rev 061623

Aug 2023

Product Number	Description	USA LIST
<b>HB3624</b>	<b>ZERO CLEARANCE DIRECT VENT GAS FIREPLACE - 36" WIDE</b>	
	Listed for USA/Canada as a Vented Gas Fireplace, Dual Burner, SIT Valve with Hi/Lo, Wall Switch, 4/7" Sloped Top Flue, Tempered Glass, Safety Screen. 24,000/22,000 BTU Framing Louvered 36 3/8" W x 35" H x 17" D	
HBZDV3624N	Fireplace, Millivolt Valve (as above) Natural Gas	2,280
HBZDV3624LP	Fireplace, Millivolt Valve (as above) Propane	2,381
HBZDV3624NE	Fireplace, IPI PF1 Valve (as above) Natural Gas	2,668
HBZDV3624LPE	Fireplace, IPI PF1 Valve (as above) Propane	2,774
3624HB-CKLP	Conversion Kit - Millivolt - To Propane	108
3624HB-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
3624HB-CKLPI	Conversion Kit - IPI - To Propane	127
3624HB-CKNGI	Conversion Kit - IPI - To Natural Gas	127
<b>LOG SET: (REQUIRED FOR EACH UNIT)</b>		
LOGC44	Log Set - Eight Piece - Burnt Oak (3320, 3624/28, 4224/28 Series)	240
<b>GRILL KIT OR DESIGNER CLEAN VIEW KIT: (REQUIRED FOR EACH UNIT)</b>		
HB36CVCK	Designer Clean View Circulating Kit	488
HB36GBL	Grill Kit - Black	122

**FIREPLACE ACCESSORIES OPTIONS:**

HB36RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	323
HB36RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	323
HB36PL	Porcelain Reflective Panel Liner (3 PCE)	558
Z36FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
HB36CSS	Safety Screen Barrier (Replacement)	301
HB36SBL	Surround - Black (For Louvered Unit Only)	340

**DECORATE THE BOTTOM OF YOUR FIREPLACE WITH LOG BITS:**

VLBIT6	Log Bits - Small Six Piece Kit	148
--------	--------------------------------	-----

**THERMOSTATS AND REMOTE CONTROLS**

Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 (Convenient and accessible location for Battery Backup for IPI Systems)	260
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	832
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
EGTFRCN	Remote Control IPI PF1 - Thermostat/Modulating/Fan - NG	873
EGTFRCP	Remote Control IPI PF1 - Thermostat/Modulating/Fan - LP	873



August 1, 2023  
**GAS FIREPLACE PRODUCTS**  
 Rev 061623

**Aug 2023**  
**USA LIST**

Product Number	Description	USA LIST
<b>HB3628</b>	<b>ZERO CLEARANCE DIRECT VENT GAS FIREPLACE - 36" WIDE</b>	
	Listed for USA/Canada as a Vented Gas Fireplace, SIT Valve with Hi/Lo Flame Adjustment Wall Switch, 4/7" Sloped Top Flue, Ceramic Glass, Safety Screen. 28,000/26,000 BTU Framing Louvered 36 3/8" W x 35" H x 17" D	
HBZDV3628N	Fireplace, Millivolt Valve (as above) Natural Gas	3,213
HBZDV3628LP	Fireplace, Millivolt Valve (as above) Propane	3,259
HBZDV3628NE	Fireplace, IPI PF1 Valve (as above) Natural Gas	3,604
HBZDV3628LPE	Fireplace, IPI PF1 Valve (as above) Propane	3,648
3628HB-CKLP	Conversion Kit - Millivolt - To Propane	108
3628HB-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
3628HB-CKLPI	Conversion Kit - IPI - To Propane	127
3628HB-CKNGI	Conversion Kit - IPI - To Natural Gas	127
<b>LOG SET: (REQUIRED FOR EACH UNIT)</b>		
LOGC44	Log Set - Eight Piece - Burnt Oak (3320, 3624/28, 4224/28 Series)	240
<b>GRILL KIT OR DESIGNER CLEAN VIEW KIT: (REQUIRED FOR EACH UNIT)</b>		
HB36CVCK	Designer Clean View Circulating Kit	488
HB36GBL	Grill Kit - Black	122

**FIREPLACE ACCESSORIES OPTIONS:**

HB36RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	323
HB36RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	323
HB36PL	Porcelain Reflective Panel Liner (3 PCE)	558
Z36FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
HB36CSS	Safety Screen Barrier (Replacement)	301
HB36SBL	Surround - Black (For Louvered Unit Only)	340

**DECORATE THE BOTTOM OF YOUR FIREPLACE WITH LOG BITS:**

VLBIT6	Log Bits - Small Six Piece Kit	148
--------	--------------------------------	-----

**THERMOSTATS AND REMOTE CONTROLS**

Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 (Convenient and accessible location for Battery Backup for IPI Systems)	260
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	832
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
EGTFRCN	Remote Control IPI PF1 - Thermostat/Modulating/Fan - NG	873
EGTFRCP	Remote Control IPI PF1 - Thermostat/Modulating/Fan - LP	873



August 1, 2023  
GAS FIREPLACE PRODUCTS

Rev 061623

Aug 2023

Product Number	Description	USA LIST
<b>HB4224</b>	<b>ZERO CLEARANCE DIRECT VENT GAS FIREPLACE - 42" WIDE:</b> Listed for USA/Canada as a Vented Gas Fireplace, Dual Burner, SIT Valve with Hi/Lo, Wall Switch, 4/7" Sloped Top Flue, Tempered Glass, Safety Screen. 24,000/22,000 BTU Framing Louvered 42 3/8" W x 37 1/4" H x 17" D	
HBZDV4224N	Fireplace, Millivolt Valve (as above) Natural Gas	2,628
HBZDV4224LP	Fireplace, Millivolt Valve (as above) Propane	2,687
HBZDV4224NE	Fireplace, IPI PF1 Valve (as above) Natural Gas	3,018
HBZDV4224LPE	Fireplace, IPI PF1 Valve (as above) Propane	3,075
4224HB-CKLP	Conversion Kit - Millivolt - To Propane	108
4224HB-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
4224HB-CKLPI	Conversion Kit - IPI - To Propane	127
4224HB-CKNGI	Conversion Kit - IPI - To Natural Gas	127
<b>LOG SET: (REQUIRED FOR EACH UNIT)</b>		
LOGC44	Log Set - Eight Piece - Burnt Oak (3320, 3624/28, 4224/28 Series)	240
<b>GRILL KIT OR DESIGNER CLEAN VIEW KIT: (REQUIRED FOR EACH UNIT)</b>		
HB42CVCK	Designer Clean View Circulating Kit	537
HB42GBL	Grill Kit - Black	134

**FIREPLACE ACCESSORIES OPTIONS:**

HB42RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	370
HB42RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	370
HB42PL	Porcelain Reflective Panel Liner (3 PCE)	615
Z36FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
HB42CSS	Safety Screen Barrier (Replacement)	314
HB42SBL	Surround - Black (For Louvered Unit Only)	358

**DECORATE THE BOTTOM OF YOUR FIREPLACE WITH LOG BITS:**

VLBIT6	Log Bits -Small Six Piece Kit	148
--------	-------------------------------	-----

**THERMOSTATS AND REMOTE CONTROLS**

Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 (Convenient and accessible location for Battery Backup for IPI Systems)	260
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	832
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
EGTFRCN	Remote Control IPI PF1 - Thermostat/Modulating/Fan - NG	873
EGTFRCP	Remote Control IPI PF1 - Thermostat/Modulating/Fan - LP	873



August 1, 2023  
GAS FIREPLACE PRODUCTS

Rev 061623

Aug 2023

Product Number	Description	USA LIST
<b>HB4228</b>	<b>ZERO CLEARANCE DIRECT VENT GAS FIREPLACE - 42" WIDE</b>	
	Listed for USA/Canada as a Vented Gas Fireplace, Dual Burner, SIT Valve with Hi/Lo Adjustment, Wall Switch, 4/7" Sloped Top Flue, Ceramic Glass, Safety Screen Framing Louvered 42 3/8" W x 37 1/4" H x 17" D. 28,000/26,000 BTU	
HBZDV4228N	Fireplace, Millivolt Valve (as above) Natural Gas	3,967
HBZDV4228LP	Fireplace, Millivolt Valve (as above) Propane	4,035
HBZDV4228NE	Fireplace, IPI PF1 Valve (as above) Natural Gas	4,354
HBZDV4228LPE	Fireplace, IPI PF1 Valve (as above) Propane	4,426
4228HB-CKLP	Conversion Kit - Millivolt - To Propane	108
4228HB-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
4228HB-CKLPI	Conversion Kit - IPI - To Propane	127
4228HB-CKNGI	Conversion Kit - IPI - To Natural Gas	127
<b>LOG SET: (REQUIRED FOR EACH UNIT)</b>		
LOGC44	Log Set - Eight Piece - Burnt Oak (3320, 3624/28, 4224/28 Series)	240
<b>GRILL KIT OR DESIGNER CLEAN VIEW KIT: (REQUIRED FOR EACH UNIT)</b>		
HB42CVCK	Designer Clean View Circulating Kit	537
HB42GBL	Grill Kit - Black	134

**FIREPLACE ACCESSORIES OPTIONS:**

HB42RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	370
HB42RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	370
HB42PL	Porcelain Reflective Panel Liner (3 PCE)	615
Z36FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
HB42CSS	Safety Screen Barrier (Replacement)	314
HB42SBL	Surround - Black (For Louvered Units only)	358

**DECORATE THE BOTTOM OF YOUR FIREPLACE WITH LOG BITS:**

VLBIT6	Log Bits - Small Six Piece Kit	148
--------	--------------------------------	-----

**THERMOSTATS AND REMOTE CONTROLS**

Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 (Convenient and accessible location for Battery Backup for IPI Systems)	260
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	832
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
EGTFRCN	Remote Control IPI PF1 - Thermostat/Modulating/Fan - NG	873
EGTFRCP	Remote Control IPI PF1 - Thermostat/Modulating/Fan - LP	873



August 1, 2023  
GAS FIREPLACE PRODUCTS

Rev 061623

Aug 2023

Product Number	Description	USA LIST
<b>HB4736</b>	<b>ZERO CLEARANCE DIRECT VENT GAS FIREPLACES 47" WIDE</b>	
	Listed for USA/Canada as a Vented Gas Fireplace. Safety Screen, Dual Burner SIT Valve with Hi/Lo Adjustment, Wall Switch, Tempered Glass, 4/7" Sloped Flue Framing (Louvered) 47 3/8" W x 43 1/8" H x 19 1/2" D. 40,000/36,000 BTU	
HBZDV4736N	Fireplace, Millivolt Valve (as above) Natural Gas	3,467
HBZDV4736LP	Fireplace, Millivolt Valve (as above) Propane	3,572
HBZDV4736NE	Fireplace, IPI PF1 Valve (as above) Natural Gas	3,857
HBZDV4736LPE	Fireplace, IPI PF1 Valve (as above) Propane	3,964
4740HB-CKLP	Conversion Kit - Millivolt - To Propane	108
4740HB-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
4740HB-CKLPI	Conversion Kit - IPI - To Propane	127
4740HB-CKNGI	Conversion Kit - IPI - To Natural Gas	127
<b>LOG SET (REQUIRED FOR EACH UNIT)</b>		
LOGF36	Log Set - Fiber Split Oak	639
<b>GRILL KIT OR DESIGNER CLEAN VIEW KIT: (REQUIRED FOR EACH UNIT)</b>		
HB47CVCK	Designer Clean View Circulating Kit	605
HB47GBL	Grill Kit - Black	157
<b>OPTIONAL BRICK OR PORCELAIN LINERS</b>		
HB47RLT	Refractory Fiber Brick Liner (4 PCE) - Traditional	529
HB47RLH	Refractory Fiber Brick Liner (4 PCE) - Herringbone	529
HB47RRH	Refractory Fiber Brick Liner (4 PCE) - Red Herringbone	529
HB47PL	Porcelain Reflective Panel Liner (3 PCE)	871
<b>OPTIONAL FIREPLACE ACCESSORIES</b>		
Z36FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
HB47CSS	Safety Screen Barrier (Replacement)	358
<b>DECORATE THE BOTTOM OF YOUR FIREPLACE WITH LOG BITS:</b>		
VLBIT6	Log Bits - Small Six Piece Kit	148
<b>THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 (Convenient and accessible location for Battery Backup for IPI Systems)	260
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	832
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
EGTFRCN	Remote Control IPI PF1 - Thermostat/Modulating/Fan - NG	873
EGTFRCP	Remote Control IPI PF1 - Thermostat/Modulating/Fan - LP	873



August 1, 2023  
GAS FIREPLACE PRODUCTS

Rev 061623

Aug 2023

Product Number	Description	USA LIST
<b>ZCVRB47</b>	<b>ZERO CLEARANCE DIRECT VENT LINEAR GAS FIREPLACE - 47" WIDE</b>	
	Listed for USA/Canada as a Vented Gas Fireplace, Includes: Linear Burner Bronze Glass Media, SIT Valve with Hi/Lo Flame Adjustment, Safety Screen, 4/7" Top Flue, Tempered Glass 40 5/8" W x 13 7/8" H, 24,500 BTU Framing 47" W x 38 3/4" H x 18 1/4" D, (Maximum Glass Media 5 LBS)	
	<p><b>The Fireplace Enclosure May Be Ventilated for Cool Touch Walls and reduced Mantel Clearances. Ventilation up to 105 Sq./Inches will be required. Minimum Enclosure Height is 70", see Manual for details.</b></p> <p><b>NOTE: To vent the chase, removal of vent shields is required</b></p>	
<b>ZERO CLEARANCE DIRECT VENT LINEAR GAS FIREPLACE</b>		
ZCVRB47N	Fireplace, Millivolt Valve (as above) Natural Gas	4,326
ZCVRB47LP	Fireplace, Millivolt Valve (as above) Propane	4,397
ZCVRB47NE	Fireplace, IPI PF1 Valve (as above) Natural Gas	4,703
ZCVRB47LPE	Fireplace, IPI PF1 Valve (as above) Propane	4,773
46ZRB-CKLP	Conversion Kit - Millivolt - To Propane	108
46ZRB-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
46ZRB-CKLPI	Conversion Kit - IPI - To Propane	127
46ZRB-CKNGI	Conversion Kit - IPI - To Natural Gas	127
<b>OPTIONAL - WHEN VENTILATING ENCLOSURE - VENTILATION UP TO 105 Sq./Inches REQUIRED</b>		
<b>Choose Grill or Custom Grill or Adequate Opening as per manual</b>		
VL60EGS	Grill - Enclosure Side (Pair) - Unfinished (15 1/4" W X 6 5/8" H)	420
V46EG	Grill - Front of Enclosure - Unfinished (46 9/16" W x 2 1/2" H)	247
<b>OPTIONAL WALL SURROUND - (COVERS 44 5/8"W X 17 3/4"H)</b>		
ZCVRB47S1BL	Surround Trim Kit -1 1/2" Wide - Black	483
ZCVRB47S1SS	Surround Trim Kit - 1 1/2" Wide - Stainless Steel	804
<b>OPTIONAL FIREPLACE ACCESSORIES</b>		
ZCVRB47PL	Porcelain Reflective Panel Liner (3 PCE)	513
RBCB1	Cannonballs - Assorted size and colors	446
Z46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
Z46FK2	Fan Kit - Proflame 2 (Replacement Part)	405
ULK2	Universal Light Kit - Two Lamps (For Millivolt/PF1)	368
ZCVRB47CSS	Safety Screen Barrier (Replacement)	378
V47PTLK	Tile Lip Kit - 3 Pce	86
<b>THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 (Convenient and accessible location for Battery Backup for IPI Systems)	260
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	832
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
EGTFRCN	Remote Control IPI PF1 - Thermostat/Modulating/Fan - NG	873
EGTFRCP	Remote Control IPI PF1 - Thermostat/Modulating/Fan - LP	873





August 1, 2023  
**GAS FIREPLACE PRODUCTS**  
 Rev 061623

**Aug 2023**  
**USA LIST**

Product Number	Description	USA LIST
----------------	-------------	----------

<b>ZCV34 VC</b>	<b>ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE</b>	
<b>Tempered Glass</b>	Listed for USA/Canada as a Vented Gas Fireplace, SIT Valve with Hi/Lo Flame Adjustment Wall Switch, 4/7" Sloped Top Flue, Tempered Glass Viewing Area 25 1/4" W x 20 3/4" H Safety Screen, Framing 33 1/4" W x 36 1/8" H x 18 1/8" D, BTU 19,000 NG, 18,000 Propane	

**The Fireplace Chase may be Vented for Cool Touch Walls and reduced Mantel Clearances. Ventilation Plates must be removed from top of appliance. Minimum Enclosure Height for a Vented Chase is 68". See Installation Manual for further details of Vented Chase options.**

**STEP 1) CHOOSE MODEL**

<b>ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE 39" WIDE</b>		
ZCV34N	Fireplace, Millivolt Valve (as above) Natural Gas	2,565
ZCV34LP	Fireplace, Millivolt Valve (as above) Propane`	2,660
ZCV34NE	Fireplace, IPI PF1 Valve (as above) Natural Gas	2,949
ZCV34LPE	Fireplace, IPI PF1 Valve (as above) Propane	3,045
34ZCV-CKLP	Conversion Kit - Millivolt - To Propane	108
34ZCV-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
34ZCV-CKLPI	Conversion Kit - IPI - To Propane	127
34ZCV-CKNGI	Conversion Kit - IPI - To Natural Gas	127

**STEP 2) CHOOSE GRILL FOR VENTILATION OR OTHER OPTIONAL CHASE SOLUTIONS**

<b>OPTIONAL - WHEN VENTILATING ENCLOSURE</b>		
V34EGS	Grill - Enclosure Side (Pair) - Unfinished - (Opening 10 1/4" W X 4 13/16" H)	400
V34EG	Grill - Enclosure Front - Unfinished - (Opening 31 3/8" W X 3 1/4"H)	300

**STEP 3) CHOOSE LOG SET OR GLASS MEDIA**

<b>LOG SET OR GLASS MEDIA: (REQUIRED FOR EACH UNIT)</b>		
LOGC44	Log Set - Eight Piece - Burnt Oak (3624/28, 4224/28 Series)	240
<b>Glass Media - (Maximum 10 lbs)</b>		
Z5GC	Glass Media - 1/2" Bronze - 5 lbs.	127
<b>Optional Media Accessories</b>		
RBCB1	Cannonballs - Assorted size and colors	446
VLBIT6	Log Bits - Small Six Piece Kit	148

**OPTIONAL BRICK AND PORCELAIN LINERS**

ZCV34RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	425
ZCV34RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	425
ZCV34PL	Porcelain Reflective Panel Liner (3 PCE)	585

**Optional Electrical Components and Pilot Shield**

Z46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
42MCPV-258-3	Pilot Shield - for ZCV34 (Replacement Part)	68

**OPTIONAL SURROUNDS, SAFETY SCREEN AND TILE LIP KIT**

ZCV34S1BL	Surround - Hearth Mount 2 3/4" Wide (Covers 33 7/8" W x 30 3/4" H)	465
ZCV34S1PFBL	Surround - Picture Frame 4" Wide (Covers 36 5/16" W x 33 3/8" H)	465
ZCV34S2PFBL	Surround - Picture Frame 1 5/8" Wide (Covers 31 11/16" W x 28 3/4" H)	430
ZCV34CSS	Safety Screen Barrier - Inside Fit (Replacement)	375
34ZCV-TLK	Tile Lip Kit - (for Finishing Materials - tile, brick)	85



August 1, 2023  
**GAS FIREPLACE PRODUCTS**

Rev 061623

Product Number	Description	Aug 2023 USA LIST
<b>THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 <i>(Convenient and accessible location for Battery Backup for IPI Systems)</i>	260
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
<b>Non Vented Chase with Horizontal Venting Requires a Wall Thimble Shield</b>		
Z58WTS	Horizontal Wall Thimble Shield (for Non Vented Chase)	54



August 1, 2023  
GAS FIREPLACE PRODUCTS

Rev 061623

Aug 2023

Product Number Description USA LIST

**ZCV34 VC ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE 39" WIDE**

**CERAMIC GLASS** Listed for USA/Canada as a Vented Gas Fireplace, Valve with Hi/Lo Flame Adjustment Wall Switch, 4/7" Sloped Top Flue, Ceramic Glass Viewing Area 25 1/4" W x 20 3/4" H Safety Screen, Framing 33 1/4" W x 36 1/8" H x 18 1/8" D, BTU 19,000 NG, 18,000 Propane

**The Fireplace Chase may be Vented for Cool Touch Walls and reduced Mantel Clearances. Ventilation Plates must be removed from top of appliance. Minimum Enclosure Height for a Vented Chase is 68". See Installation Manual for further details of Vented Chase options.**

**STEP 1) CHOOSE MODEL**

ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE 39" WIDE		
ZCV34NH	Fireplace, Millivolt Valve (as above) Natural Gas	3,125
ZCV34LPH	Fireplace, Millivolt Valve (as above) Propane	3,220
ZCV34NHE	Fireplace, IPI PF1 Valve (as above) Natural Gas	3,510
ZCV34LPHE	Fireplace, IPI PF1 Valve (as above) Propane	3,605
34ZCV-CKLP	Conversion Kit - Millivolt - To Propane	108
34ZCV-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
34ZCV-CKLPI	Conversion Kit - IPI - To Propane	127
34ZCV-CKNGI	Conversion Kit - IPI - To Natural Gas	127

**STEP 2) CHOOSE GRILL FOR VENTILATION OR OTHER OPTIONAL CHASE SOLUTIONS**

OPTIONAL - WHEN VENTILATING ENCLOSURE		
V34EGS	Grill - Enclosure Side (Pair) - Unfinished - (Opening 10 1/4" W X 4 13/16" H)	400
V34EG	Grill - Enclosure Front - Unfinished - (Opening 31 3/8" W X 3 1/4"H)	300

**STEP 3) CHOOSE LOG SET OR GLASS MEDIA**

LOG SET OR GLASS MEDIA: (REQUIRED FOR EACH UNIT)		
LOGC44	Log Set - Eight Piece - Burnt Oak (3624/28, 4224/28 Series)	240
<b>Glass Media - (Maximum 10 lbs)</b>		
Z5GC	Glass Media - 1/2" Bronze - 5 lbs.	127
<b>Optional Media Accessories</b>		
RBCB1	Cannonballs - Assorted size and colors	446
VLBIT6	Log Bits - Small Six Piece Kit	148

OPTIONAL BRICK AND PORCELAIN LINERS		
ZCV34RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	425
ZCV34RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	425
ZCV34PL	Porcelain Reflective Panel Liner (3 PCE)	585

Optional Electrical Components and Pilot Shield		
Z46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
42MCPV-258-3	Pilot Shield - for ZCV34 (Replacement Part)	68

OPTIONAL SURROUNDS, SAFETY SCREEN AND TILE LIP KIT		
ZCV34S1BL	Surround - Hearth Mount 2 3/4" Wide (Covers 33 7/8" W x 30 3/4" H)	465
ZCV34S1PFBL	Surround - Picture Frame 4" Wide (Covers 36 5/16" W x 33 3/8" H)	465
ZCV34S2PFBL	Surround - Picture Frame 1 5/8" Wide (Covers 31 11/16" W x 28 3/4" H)	430
ZCV34CSS	Safety Screen Barrier - Inside Fit (Replacement)	375
34ZCV-TLK	Tile Lip Kit - (for Finishing Materials - tile, brick)	85



August 1, 2023  
GAS FIREPLACE PRODUCTS

Rev 061623

Product Number	Description	Aug 2023 USA LIST
<b>THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 <i>(Convenient and accessible location for Battery Backup for IPI Systems)</i>	260
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
<b>Non Vented Chase with Horizontal Venting Requires a Wall Thimble Shield</b>		
Z58WTS	Horizontal Wall Thimble Shield (for Non Vented Chase)	54



August 1, 2023  
**GAS FIREPLACE PRODUCTS**  
 Rev 061623

**Aug 2023**  
**USA LIST**

Product Number	Description	USA LIST
<b>ZCV39 VC</b>	<b>ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE 39" WIDE</b>	
	Listed for USA/Canada as a Vented Gas Fireplace, SIT Valve with Hi/Lo Flame Adjustment Wall Switch, 4/7" Sloped Top Flue, Tempered Glass Viewing, 25,000 BTU Area 29 5/8" W x 24 1/8" H, Safety Screen, Framing 39 1/2" W x 37 7/8" H x 18 1/2" D	
<div style="border: 1px solid black; padding: 5px; margin: 10px auto; width: fit-content;"> <p><b>The Fireplace Chase may be Vented for Cool Touch Walls and reduced Mantel Clearances. Ventilation Plates must be removed from top of appliance. Minimum Enclosure Height for a Vented Chase is 72". See Installation Manual for further details of Vented Chase options.</b></p> </div>		
<b>STEP 1) CHOOSE MODEL</b>		
ZCV39N	Fireplace, Millivolt Valve (as above) Natural Gas	2,763
ZCV39LP	Fireplace, Millivolt Valve (as above) Propane	2,858
ZCV39NE	Fireplace, IPI PF1 Valve (as above) Natural Gas	3,148
ZCV39LPE	Fireplace, IPI PF1 Valve (as above) Propane	3,244
39ZCV-CKLP	Conversion Kit - Millivolt - To Propane	108
39ZCV-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
39ZCV-CKLPI	Conversion Kit - IPI - To Propane	127
39ZCV-CKNGI	Conversion Kit - IPI - To Natural Gas	127

<b>STEP 2) CHOOSE GRILL FOR VENTILATION OR OTHER OPTIONAL CHASE SOLUTIONS</b>		
<b>OPTIONAL - WHEN VENTILATING ENCLOSURE</b>		
<b>V39EGS</b>	Grill - Enclosure Side (Pair) - Unfinished - (Opening 12 1/2" x 6 1/8")	<b>440</b>
<b>V39EG</b>	Grill - Enclosure Front - Unfinished - (Opening 36 1/2" x 3 5/8" )	<b>310</b>

<b>STEP 3) CHOOSE LOG SET OR GLASS TRAY AND GLASS MEDIA</b>		
<b>LOG SET OR GLASS TRAY AND MEDIA: (REQUIRED FOR EACH UNIT)</b>		
LOGF3	Log Set - Oak - Five Piece - ZCV39/42	467
ZCV39GT	<b>Glass Tray for ZCV39 - (Requires 15 lbs of Glass Media)</b>	206
Z5GC	Glass Media - 1/2" Bronze - 5 lbs	127
RBCB1	Cannonballs - Assorted size and colors	446
ULK2	Universal Light Kit - Two Lamps (for use with ZCV39/42GT Glass Tray)	368
39ZCV-258	Pilot Shield - for ZCV39/42GT (Replacement Part)	68

<b>SURROUNDS AND SAFETY SCREEN</b>		
ZCV39S1BL	Surround - Hearth Mount 4" Wide (Covers 40 5/8" W x 35" H)	490
ZCV39S1PFBL	Surround - Picture Frame 4" Wide (Covers 40 5/8" W x 37" H)	490
ZCV39S2PFBL	Surround - Picture Frame 1 5/8" Wide (Covers 36 1/8" W x 32 1/2" H)	446
ZCV39CSS	Safety Screen Barrier - Outside Fit (Replacement)	378
ZCV39CSS2	Safety Screen Barrier - Inside Fit (Replacement)	378
ZCV39CSS2i	Safety Screen Barrier - Inside Fit - InvisiMesh (Replacement)	441

<b>FIREPLACE ACCESSORIES OPTIONS:</b>		
ZCV39RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	467
ZCV39RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	467
ZCV39RRH	Refractory Fiber Brick Liner (3 PCE) - Red Herringbone	467
ZCV39RLS	Refractory Fiber Brick Liner (3 PCE) - Stacked Brick	467
ZCV39PL	Porcelain Reflective Panel Liner (3 PCE)	605

Z46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
ZCV-TLK	Tile Lip Kit - (for Finishing Materials - tile, brick)	85

<b>DECORATE THE BOTTOM OF YOUR FIREPLACE WITH LOG BITS:</b>		
VLBIT6	Log Bits - Small Six Piece Kit	148



August 1, 2023  
GAS FIREPLACE PRODUCTS

Rev 061623

Product Number	Description	Aug 2023 USA LIST
<b>THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 <i>(Convenient and accessible location for Battery Backup for IPI Systems)</i>	260
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	832
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
EGTFRCN	Remote Control IPI PF1 - Thermostat/Modulating/Fan - NG	873
EGTFRCP	Remote Control IPI PF1 - Thermostat/Modulating/Fan - LP	873



August 1, 2023  
**GAS FIREPLACE PRODUCTS**  
 Rev 061623

**Aug 2023**  
**USA LIST**

Product Number	Description	USA LIST
<b>ZCV39H VC</b>	<b>ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE 39" WIDE</b>	
	Listed for USA/Canada as a Vented Gas Fireplace, SIT Valve with Hi/Lo Flame Adjustment Wall Switch, 4/7" Sloped Top Flue, Ceramic Glass Viewing, 28,000/29,000 BTU Area 29 5/8" W x 24 1/8" H, Safety Screen, Framing 39 1/2" W x 37 7/8" H x 18 1/2" D	
<div style="border: 1px solid black; padding: 5px; margin: 10px auto; width: fit-content;"> <p><b>The Fireplace Chase may be Vented for Cool Touch Walls and reduced Mantel Clearances. Ventilation Plates must be removed from top of appliance. Minimum Enclosure Height for a Vented Chase is 72". See Installation Manual for further details of Vented Chase options.</b></p> </div>		
<b>STEP 1) CHOOSE MODEL</b>		
ZCV39NH	Fireplace, Millivolt Valve (as above) Natural Gas	3,631
ZCV39LPH	Fireplace, Millivolt Valve (as above) Propane	3,727
ZCV39NHE	Fireplace, IPI PF1 Valve (as above) Natural Gas	4,020
ZCV39LPHE	Fireplace, IPI PF1 Valve (as above) Propane	4,116
39ZCV-CKLPH	Conversion Kit - Millivolt - To Propane	108
39ZCV-CKNGH	Conversion Kit - Millivolt - To Natural Gas	108
39ZCV-CKLPHI	Conversion Kit - IPI - To Propane	127
39ZCV-CKNHI	Conversion Kit - IPI - To Natural Gas	127

<b>STEP 2) CHOOSE GRILL FOR VENTILATION OR OTHER OPTIONAL CHASE SOLUTIONS</b>		
<b>OPTIONAL - WHEN VENTILATING ENCLOSURE</b>		
<b>V39EGS</b>	Grill - Enclosure Side (Pair) - Unfinished - (Opening 12 1/2" x 6 1/8")	<b>440</b>
<b>V39EG</b>	Grill - Enclosure Front - Unfinished - (Opening 36 1/2" x 3 5/8" )	<b>310</b>

<b>STEP 3) CHOOSE LOG SET OR GLASS TRAY AND GLASS MEDIA</b>		
<b>LOG SET OR GLASS TRAY AND MEDIA: (REQUIRED FOR EACH UNIT)</b>		
LOGF3	Log Set - Oak - Five Piece - ZCV39/42	467
ZCV39GT	<b>Glass Tray for ZCV39 - (Requires 15 lbs of Glass Media)</b>	206
Z5GC	Glass Media - 1/2" Bronze - 5 lbs	127
RBCB1	Cannonballs - Assorted size and colors	446
ULK2	Universal Light Kit - Two Lamps (for use with ZCV39/42GT Glass Tray)	368
39ZCV-258	Pilot Shield - for ZCV39/42GT (Replacement Part)	68

<b>SURROUNDS AND SAFETY SCREEN</b>		
ZCV39S1BL	Surround - Hearth Mount 4" Wide (Covers 40 5/8" W x 35" H)	490
ZCV39S1PFBL	Surround - Picture Frame 4" Wide (Covers 40 5/8" W x 37" H)	490
ZCV39S2PFBL	Surround - Picture Frame 1 5/8" Wide (Covers 36 1/8" W x 32 1/2" H)	446
ZCV39CSS	Safety Screen Barrier - Outside Fit (Replacement)	378
ZCV39CSS2	Safety Screen Barrier - Inside Fit (Replacement)	378
ZCV39CSS2i	Safety Screen Barrier - Inside Fit - InvisiMesh (Replacement)	441

<b>FIREPLACE ACCESSORIES OPTIONS:</b>		
ZCV39RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	467
ZCV39RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	467
ZCV39RRH	Refractory Fiber Brick Liner (3 PCE) - Red Herringbone	467
ZCV39RLS	Refractory Fiber Brick Liner (3 PCE) - Stacked Brick	467
ZCV39PL	Porcelain Reflective Panel Liner (3 PCE)	605

Z46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
ZCV-TLK	Tile Lip Kit - (for Finishing Materials - tile, brick)	85

<b>DECORATE THE BOTTOM OF YOUR FIREPLACE WITH LOG BITS:</b>		
VLBIT6	Log Bits - Small Six Piece Kit	148





August 1, 2023  
GAS FIREPLACE PRODUCTS

Rev 061623

Product Number	Description	Aug 2023 USA LIST
<b>THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 <i>(Convenient and accessible location for Battery Backup for IPI Systems)</i>	260
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	832
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
EGTFRCN	Remote Control IPI PF1 - Thermostat/Modulating/Fan - NG	873
EGTFRCP	Remote Control IPI PF1 - Thermostat/Modulating/Fan - LP	873



August 1, 2023  
GAS FIREPLACE PRODUCTS

Rev 061623

Aug 2023

Product Number Description USA LIST

Product Number	Description	USA LIST
<b>ZCV42 VC</b>	<b>ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE 42" Wide</b>	
	Listed for USA/Canada as a Vented Gas Fireplace, SIT Valve with Hi/Lo Flame Adjustment Wall Switch, 4/7" Sloped Top Flue, Tempered Glass Viewing, 25,000 BTU Area 33 5/8" W x 27 1/4" H, Safety Screen, Framing 42 1/2" W x 41" H x 18 1/2" D	
	<p><b>The Fireplace Chase may be Vented for Cool Touch Walls and reduced Mantel Clearances. Ventilation Plates must be removed from top of appliance. Minimum Enclosure Height for a Vented Chase is 72". See Installation Manual for further details of Vented Chase options.</b></p>	
<b>STEP 1) CHOOSE MODEL</b>		
ZCV42N	Fireplace, Millivolt Valve (as above) Natural Gas	3,098
ZCV42LP	Fireplace, Millivolt Valve (as above) Propane	3,196
ZCV42NE	Fireplace, IPI PF1 Valve (as above) Natural Gas	3,488
ZCV42LPE	Fireplace, IPI PF1 Valve (as above) Propane	3,585
42ZCV-CKLP	Conversion Kit - Millivolt - To Propane	108
42ZCV-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
42ZCV-CKLPI	Conversion Kit - IPI - To Propane	127
42ZCV-CKNGI	Conversion Kit - IPI - To Natural Gas	127

**STEP 2) CHOOSE GRILL FOR VENTILATION OR OTHER OPTIONAL CHASE SOLUTIONS**

OPTIONAL - WHEN VENTILATING ENCLOSURE		
<b>V39EGS</b>	Grill - Enclosure Side (Pair) - Unfinished - (Opening 12 1/2" x 6 1/8")	<b>440</b>
<b>V39EG</b>	Grill - Enclosure Front - Unfinished - (Opening 36 1/2" x 3 5/8" )	<b>310</b>

**STEP 3) CHOOSE LOG SET OR GLASS TRAY AND GLASS MEDIA**

LOG SET OR GLASS TRAY AND MEDIA: (REQUIRED FOR EACH UNIT)		
LOGF3	Log Set - Oak - Five Piece - ZCV39/42	467
ZCV42GT	<b>Glass Tray for ZCV42 - (Requires 20 lbs of Glass Media)</b>	<b>217</b>
Z5GC	Glass Media - 1/2" Bronze - 5 lbs	127
RBCB1	Cannonballs - Assorted size and colors	446
ULK2	Universal Light Kit - Two Lamps (for use with ZCV39/42GT Glass Tray)	368
39ZCV-258	Pilot Shield - for ZCV39/42GT (Replacement Part)	68

**SURROUNDS AND SAFETY SCREEN**

ZCV42S1BL	Surround - Hearth Mount 4" Wide (Covers 44 5/8" W x 38 1/8" H)	555
ZCV42S1PFBL	Surround - Picture Frame 4" Wide (Covers 44 5/8" W x 40 1/8" H)	555
ZCV42S2PFBL	Surround - Picture Frame 1 5/8" Wide (Covers 40 1/8" W x 35 5/8" H)	490
ZCV42CSS	Safety Screen Barrier - Outside Fit (Replacement)	426
ZCV42CSS2	Safety Screen Barrier - Inside Fit (Replacement)	426
ZCV42CSS2i	Safety Screen Barrier - Inside Fit - InvisiMesh (Replacement)	493

**FIREPLACE ACCESSORIES OPTIONS:**

ZCV42RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	509
ZCV42RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	509
ZCV42RRH	Refractory Fiber Brick Liner (3 PCE) - Red Herringbone	509
ZCV42RLS	Refractory Fiber Brick Liner (3 PCE) - Stacked Brick	509
ZCV42PL	Porcelain Reflective Panel Liner (3 PCE)	649
Z46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
ZCV-TLK	Tile Lip Kit - (for Finishing Materials - tile, brick)	85

**DECORATE THE BOTTOM OF YOUR FIREPLACE WITH LOG BITS:**

VLBIT6	Log Bits - Small Six Piece Kit	148
--------	--------------------------------	-----



August 1, 2023  
GAS FIREPLACE PRODUCTS

Rev 061623

Product Number	Description	Aug 2023 USA LIST
<b>THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 <i>(Convenient and accessible location for Battery Backup for IPI Systems)</i>	260
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	832
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
EGTFRCN	Remote Control IPI PF1 - Thermostat/Modulating/Fan - NG	873
EGTFRCP	Remote Control IPI PF1 - Thermostat/Modulating/Fan - LP	873



August 1, 2023  
GAS FIREPLACE PRODUCTS

Rev 061623

Aug 2023

Product Number Description USA LIST

Product Number	Description	USA LIST
<b>ZCV42H VC</b>	<b>ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE 42" Wide</b>	
	Listed for USA/Canada as a Vented Gas Fireplace, SIT Valve with Hi/Lo Flame Adjustment Wall Switch, 4/7" Sloped Top Flue, Ceramic Glass Viewing, 29,500/29,000 BTU Area 33 5/8" W x 27 1/4" H, Safety Screen, Framing 42 1/2" W x 41" H x 18 1/2" D	
	<p><b>The Fireplace Chase may be Vented for Cool Touch Walls and reduced Mantel Clearances. Ventilation Plates must be removed from top of appliance. Minimum Enclosure Height for a Vented Chase is 72". See Installation Manual for further details of Vented Chase options.</b></p>	
<b>STEP 1) CHOOSE MODEL</b>		
ZCV42NH	Fireplace, Millivolt Valve (as above) Natural Gas	4,424
ZCV42LPH	Fireplace, Millivolt Valve (as above) Propane	4,521
ZCV42NHE	Fireplace, IPI PF1 Valve (as above) Natural Gas	4,811
ZCV42LPHE	Fireplace, IPI PF1 Valve (as above) Propane	4,907
42ZCV-CKLPH	Conversion Kit - Millivolt - To Propane	108
42ZCV-CKNGH	Conversion Kit - Millivolt - To Natural Gas	108
42ZCV-CKLPHI	Conversion Kit - IPI - To Propane	127
42ZCV-CKNGHI	Conversion Kit - IPI - To Natural Gas	127

**STEP 2) CHOOSE GRILL FOR VENTILATION OR OTHER OPTIONAL CHASE SOLUTIONS**

OPTIONAL - WHEN VENTILATING ENCLOSURE		
<b>V39EGS</b>	Grill - Enclosure Side (Pair) - Unfinished - (Opening 12 1/2" x 6 1/8")	<b>440</b>
<b>V39EG</b>	Grill - Enclosure Front - Unfinished - (Opening 36 1/2" x 3 5/8" )	<b>310</b>

**STEP 3) CHOOSE LOG SET OR GLASS TRAY AND GLASS MEDIA**

LOG SET OR GLASS TRAY AND MEDIA: (REQUIRED FOR EACH UNIT)		
LOGF3	Log Set - Oak - Five Piece - ZCV39/42	467
ZCV42GT	<b>Glass Tray for ZCV42 - (Requires 20 lbs of Glass Media)</b>	<b>217</b>
Z5GC	Glass Media - 1/2" Bronze - 5 lbs	127
RBCB1	Cannonballs - Assorted size and colors	446
ULK2	Universal Light Kit - Two Lamps (for use with ZCV39/42GT Glass Tray)	368
39ZCV-258	Pilot Shield - for ZCV39/42GT (Replacement Part)	68

**SURROUNDS AND SAFETY SCREEN**

ZCV42S1BL	Surround - Hearth Mount 4" Wide (Covers 44 5/8" W x 38 1/8" H)	555
ZCV42S1PFBL	Surround - Picture Frame 4" Wide (Covers 44 5/8" W x 40 1/8" H)	555
ZCV42S2PFBL	Surround - Picture Frame 1 5/8" Wide (Covers 40 1/8" W x 35 5/8" H)	490
ZCV42CSS	Safety Screen Barrier - Outside Fit (Replacement)	426
ZCV42CSS2	Safety Screen Barrier - Inside Fit (Replacement)	426
ZCV42CSS2i	Safety Screen Barrier - Inside Fit - InvisiMesh (Replacement)	493

**FIREPLACE ACCESSORIES OPTIONS:**

ZCV42RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	509
ZCV42RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	509
ZCV42RRH	Refractory Fiber Brick Liner (3 PCE) - Red Herringbone	509
ZCV42RLS	Refractory Fiber Brick Liner (3 PCE) - Stacked Brick	509
ZCV42PL	Porcelain Reflective Panel Liner (3 PCE)	649
Z46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
ZCV-TLK	Tile Lip Kit - (for Finishing Materials - tile, brick)	85

**DECORATE THE BOTTOM OF YOUR FIREPLACE WITH LOG BITS:**

VLBIT6	Log Bits - Small Six Piece Kit	148
--------	--------------------------------	-----



August 1, 2023  
GAS FIREPLACE PRODUCTS

Rev 061623

Product Number	Description	Aug 2023 USA LIST
<b>THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 <i>(Convenient and accessible location for Battery Backup for IPI Systems)</i>	260
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	832
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
EGTFRCN	Remote Control IPI PF1 - Thermostat/Modulating/Fan - NG	873
EGTFRCP	Remote Control IPI PF1 - Thermostat/Modulating/Fan - LP	873



August 1, 2023  
GAS FIREPLACE PRODUCTS

Rev 061623

Product Number	Description	Aug 2023 USA LIST
<b>HORIZONTAL STARTER KITS 4/7"</b>		
ZDVHSK	Horizontal Round Termination Vent Starter Kit - 3 FT Length Termination, Wall Thimble, 36" Flex Pipe, Screws, Mill Pac	344
ZDVHKSQ	Horizontal Square Termination Vent Starter Kit - 3 FT Length Termination, Wall Thimble, 36" Flex Pipe, Screws, Mill Pac	406
ZDVHSK5	Horizontal Round Termination Vent Starter Kit - 5 FT Length Termination, Wall Thimble, 60" Flex Pipe, Screws, Mill Pac	426
ZDVHKSQ5	Horizontal Square Termination Vent Starter Kit - 5 FT Length Termination, Wall Thimble, 60" Flex Pipe, Screws, Mill Pac	491
<b>HORIZONTAL VENTING 4/7"</b>		
Z58WTS	Horizontal Wall Thimble Shield (for Non Vented Chase ZCV34)	54
FDVHT	Horizontal Round Vent Termination - 4/7	234
FDVHSQ	Horizontal Square Vent Termination 4/7	290
FDVHSCU	Safety Cage Universal for Horizontal Termination	152
FDVHSS	Horizontal Stucco Shield	76
Z47ST24	Snorkel Termination - 24"	861
Z47ST36	Snorkel Termination - 36"	923
Z57STSC	Safety Cage for Snorkel Termination	240
ZDVWT	Wall Thimble (Horizontal Venting)	117
ZDVSS	Siding Shield - Heat Deflector for FDVHT Round Termination	37
ZDVSSLR	Siding Shield - Large Return - for FDVHSQ or FDVHT	89
<b>VERTICAL VENTING 4/7"</b>		
FDVVT40	Vertical Vent Termination - 4/7	252
Z47VT	Vertical Vent Termination - (Skyline II/III - VRB46/ZRB46)	252
ZDVAIS	Attic Insulation Shield	126
Z7AIS24	Attic Insulation Shield - 24"	167
ZDVVOS	Offset Support	53
ZDVFS	Firestop Spacer	53
ZDVRS	Roof Support	77
Z47GP36	Galvanized Pipe 4 and 7" x 36" (Vertical Installations)	248
Z47GP48	Galvanized Pipe 4 and 7" x 48" (Vertical Installations)	260
<b>FLASHINGS - VERTICAL VENTING 4/7"</b>		
ZDVAAF	Flashing 7" c/w Storm Collar (1/12 to 7/12)	149
ZDVAF2	Flashing 7" c/w Storm Collar (8/12 to 12/12)	170
ZDVAF3	Flashing 7" c/w Storm Collar Flat	198
ZDV7SC	Storm Collar 7 "	28
<b>FLEX KITS 4/7", CLAMPS, CONNECTORS AND INSULATION SLEEVE</b>		
ZDVFK5	Flex Kit (4" & 7" Dia.) x 5FT (c/w Springs, Screws, Mill Pac)	233
ZDVFK8	Flex Kit (4" & 7" Dia.) x 8FT (c/w Springs, Screws, Mill Pac)	328
ZDVFK20	Flex Kit (4" & 7" Dia.) x 20FT (c/w Springs, Screws, Mill Pac)	621
ZDV4FC	Flex Connector 4" Diameter	26
ZDV7FC	Flex Connector 7" Diameter	38
ZDV4FCL	Flex Clamp 4"	20
ZDV7FCL	Flex Clamp 7"	21
ZDV4SS	Spring 4" Standoff Spacer	20
MDV38IS	Insulation Sleeve 3ft - for Low Enclosures	72
<b>HARD PIPE ADAPTERS - 4/6 5/8"</b>		
ZDV DFA	Dura-Vent Fireplace Adapter (Sloped Flue) (For ZDV3318/ZCV36/39/42/HBZDV36/42/47/MDV31)	148



August 1, 2023  
**GAS FIREPLACE PRODUCTS**  
 Rev 061623

Aug 2023

Product Number	Description	USA LIST
<b>HORIZONTAL POWER VENT STARTER KIT - 4/7"</b>		

<b>STEP 1) CHOOSE HORIZONTAL POWER VENT TERMINATION</b>		
<b>HORIZONTAL POWER VENT STARTER KIT</b>		
PVH58	Horizontal Power Vent Starter Kit - Exterior Mount	1,529
PVH58FM	Horizontal Power Vent Kit - Flush Mount (Includes: Power Vent Termination, Wall Thimble, 20 FT Harness, Mill Pac)	1,795
<b>Note: Must use a one foot section of 5/8 DV hard pipe to connect to the Power Vent Termination (not supplied)</b>		

<b>STEP 2) CHOOSE CONTROL MODULE OR HARNESS DEPENDENT ON VALVE SYSTEM</b>		
<b>CHOOSE POWER VENT CONTROL MODULE OR HARNESS BY SYSTEM TYPE:</b>		
PVC58MV	Power Vent Control Module - for Millivolt and Dexen Models	1,190
PVC58IPI	Power Vent Control Module - for Proflame 1 - IPI Models	1,190
584-X12	Harness for Proflame 2 IPI - Deluxe Models	100

<b>STEP 3) CHOOSE ADDITIONAL HARNESS EXTENSION (DISTANCE FROM POWER VENT TO APPLIANCE)</b>		
<b>CHOOSE APPROPRIATE LENGTH OF EXTENSION HARNESS:</b>		
(Distance from the power vent to the appliance)		
PVH20H	Harness Extension - 20 FT	396

<b>STEP 4) CHOOSE VENTING: SECTION 1 - HP 4x6-5/8", SECTION 2 - FLEX VENT 4/7", SECTION 3 - HP 3/5"</b>		
<b>SECTION 1 DIRECT VENT HARD PIPE 4x6-5/8" - for entire installation</b>		
(Two Adapters needed one at Flue and one at Termination)		
<b>Flue of Fireplace - Choose appropriate adapter for fireplace</b>		
ZDVDFDA	Duravent Fireplace Adapter 4x6-5/8 - Sloped Flue (for Gemini, Skyline, Solara, Solace, Bentley 39/42)	148
ZDVDKA	Duravent Stove Adapter 4x6-5/8" - Flat (Serene 47)	95
<b>Termination End</b>		
ZDVDIA	Duravent Hard Pipe Adapter - (used to connect 4/6 5/8 to 5/8 Hard Pipe)	222
<b>Note: Must use a one foot section of 5/8 DV hard pipe to connect to the Power Vent Termination (not supplied)</b>		
<b>SECTION 2 FLEX VENT 4/7" - Used for entire installation - order Z47PVA</b>		
<b>Termination End</b>		
Z47PVA	Flex Pipe Adapter Kit - (to adapt 4/7" flex to power vent 5/8" hard pipe)	206
<b>Note: Must use a one foot section of 5/8 DV hard pipe to connect to the Power Vent Termination (not supplied)</b>		
<b>FLEX VENTING KITS:</b>		
ZDVFK5	Flex Kit (4" & 7" Dia.) x 5' (c/w Springs, Screws, Mill Pac)	233
ZDVFK8	Flex Kit (4" & 7" Dia.) x 8' (c/w Springs, Screws, Mill Pac)	328
ZDVFK20	Flex Kit (4" & 7" Dia.) x 20' (c/w Springs, Screws, Mill Pac)	621
<b>SECTION 3 DIRECT VENT HARD PIPE 3/5" - for entire installation</b>		
(Three Adapters needed two at Flue and one at Termination)		
<b>Flue of Fireplace - Choose appropriate adapter for 4x6-5/8"</b>		
ZDVDFDA	Duravent Fireplace Adapter 4x6-5/8 - Sloped Flue	148
ZDVDKA	Duravent Stove Adapter 4x6-5/8" - Flat (Serene 47)	95
<b>Convert from 4x6-5/8" to 3/5" MG HP</b>		
PVA4635	Duravent Adapter- 4x6-5/8 TO 3/5 - FLUE	248
<b>Convert to Termination - 3/5" to 5/8"</b>		
PVA3558	Duravent Adapter for Power Vent Termination - 3/5" to 5/8"	248
<b>POWER VENT ACCESSORIES</b>		
ZDV4FC	Flex Connector 4" Diameter	26
ZDV7FC	Flex Connector 7" Diameter	38
ZDV4FCL	Flex Clamp 4"	20
ZDV7FCL	Flex Clamp 7"	21
ZDV4SS	Spring 4" Standoff Spacer	20
PVH58WT	Wall Thimble for Power Vent	159





August 1, 2023  
**GAS FIREPLACE PRODUCTS**

Rev 061623

Aug 2023

Product Number	Description	USA LIST
<b>MCVP42</b>	<b>MULTI-SIDED CLEAN VIEW PENINSULA DIRECT VENT FIREPLACE:</b> Listed for USA/Canada as a Vented Gas Fireplace, RH Burner, SIT Nova Valve with Hi/Lo Adjustment, Wall Switch, Safety Screens, Tempered Glass, 5/8" Sloped Flue 30,500 BTU NG, 28,500 BTU Propane	
MCVP42N	Peninsula Fireplace, Millivolt (as above) Natural Gas	5,759
MCVP42LP	Peninsula Fireplace, Millivolt (as above) Propane	5,854
MCVP42NE	Peninsula Fireplace, IPI PF1 (as above) Natural Gas	6,146
MCVP42LPE	Peninsula Fireplace, IPI PF1 (as above) Propane	6,242
42MP-CKLP	Conversion Kit - Millivolt - To Propane	108
42MP-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
42MP-CKLPI	Conversion Kit - IPI - To Propane	127
42MP-CKNGI	Conversion Kit - IPI - To Natural Gas	127
<b>CHOOSE LOG GRATE &amp; LOG SET OR GLASS TRAY &amp; MEDIA : (REQUIRED FOR EACH UNIT)</b>		
M42LG	<b>Log Grate - (need to choose log set) - (Not for Use with Propane Appliance)</b>	217
M42LOG4	<b>Log Set - KINGSMAN - Oak - 8 Pieces - (Not for Use with Propane Appliance)</b>	1,015
MP42GT	<b>Glass Tray for MCVP42 - (Requires Glass Media)</b> <b>(Maximum Amount of Glass: 5lbs for Burner, and 20lbs for Tray)</b>	217
M42LOG3	Log Set - KINGSMAN - Driftwood - 6 Pieces	1,015
Z5GC	Glass Media - 1/2" Bronze - 5 lbs	127
RBCB1	Cannonballs - Assorted size and colors	446
ULK3	Universal Light Kit - Two Lamps (for use with Glass Tray)	368
42MVB-258	Pilot Shield - for Glass Tray and Log Grate (Replacement Part)	68
<b>FIREPLACE ACCESSORIES OPTIONS:</b>		
MP42CSSS	Safety Screen Barrier - Small (Replacement)	232
MP42CSSL	Safety Screen Barrier - Large (Replacement)	314
MP42RLT	Refractory Fiber Brick Liner - Traditional	232
MP42PL	Porcelain Reflective Panel Liner	247
42MCVP-TLK	Tile Lip Kit - (8 Pce Kit, c/w Screws)	113
<b>DECORATE THE BOTTOM OF YOUR FIREPLACE WITH LOG BITS:</b>		
VLBIT6	Log Bits - Small Six Piece Kit	148
<b>THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 <i>(Convenient and accessible location for Battery Backup for IPI Systems)</i>	260
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	832
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
EGTFRCN	Remote Control IPI PF1 - Thermostat/Modulating/Fan - NG	873
EGTFRCP	Remote Control IPI PF1 - Thermostat/Modulating/Fan - LP	873



August 1, 2023  
GAS FIREPLACE PRODUCTS

Rev 061623

Aug 2023

Product Number	Description	USA LIST
<b>MCVP42</b>	<b>MULTI-SIDED CLEAN VIEW PENINSULAR DIRECT VENT FIREPLACE:</b> Listed for USA/Canada as a Vented Gas Fireplace, RH Burner, SIT Valve with Hi/Lo Adjustment, Wall Switch, Safety Screens, Ceramic Glass, 5/8" Sloped Flue 31,250 BTU NG, 29,000 BTU Propane	
MCVP42NH	Peninsula Fireplace, Millivolt (as above) Natural Gas	8,463
MCVP42LPH	Peninsula Fireplace, Millivolt (as above) Propane	8,557
MCVP42NHE	Peninsula Fireplace, IPI PF1 (as above) Natural Gas	8,849
MCVP42LPHE	Peninsula Fireplace, IPI PF1 (as above) Propane	8,945
42MP-CKLPH	Conversion Kit - Millivolt - To Propane	108
42MP-CKNGH	Conversion Kit - Millivolt - To Natural Gas	108
42MP-CKLPHI	Conversion Kit - IPI - To Propane	127
42MP-CKNGHI	Conversion Kit - IPI - To Natural Gas	127
<b>CHOOSE LOG GRATE &amp; LOG SET OR GLASS TRAY &amp; MEDIA : (REQUIRED FOR EACH UNIT)</b>		
M42LG	<b>Log Grate - (need to choose log set) - (Not for Use with Propane Appliance)</b>	217
M42LOG4	<b>Log Set - KINGSMAN - Oak - 8 Pieces - (Not for Use with Propane Appliance)</b>	1,015
MP42GT	<b>Glass Tray for MCVP42 - (Requires Glass Media)</b> <b>(Maximum Amount of Glass: 5lbs for Burner, and 20lbs for Tray)</b>	217
M42LOG3	Log Set - KINGSMAN - Driftwood - 6 Pieces	1,015
ZG5C	Glass Media - 1/2" Bronze - 5 lbs	127
RBCB1	Cannonballs - Assorted size and colors	446
ULK3	Universal Light Kit - Two Lamps (for use with Glass Tray)	368
42MVB-258	Pilot Shield - for Glass Tray and Log Grate (Replacement Part)	68
<b>FIREPLACE ACCESSORIES OPTIONS:</b>		
MP42CSSS	Safety Screen Barrier - Small (Replacement)	232
MP42CSSL	Safety Screen Barrier - Large (Replacement)	314
MP42RLT	Refractory Fiber Brick Liner - Traditional	232
MP42PL	Porcelain Reflective Panel Liner	247
42MCVP-TLK	Tile Lip Kit - (8 Pce Kit, c/w Screws)	113
<b>DECORATE THE BOTTOM OF YOUR FIREPLACE WITH LOG BITS:</b>		
VLBIT6	Log Bits - Small Six Piece Kit	148
<b>THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 <i>(Convenient and accessible location for Battery Backup for IPI Systems)</i>	260
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	832
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
EGTFRCN	Remote Control IPI PF1 - Thermostat/Modulating/Fan - NG	873
EGTFRCP	Remote Control IPI PF1 - Thermostat/Modulating/Fan - LP	873



August 1, 2023  
GAS FIREPLACE PRODUCTS

Rev 061623

Aug 2023

Product Number	Description	USA LIST
<b>MCVST42</b>	<b>MULTI-SIDED CLEAN VIEW SEE-THROUGH DIRECT VENT FIREPLACE:</b> Listed for USA/Canada as a Vented Gas Fireplace - RH Burner, SIT Valve with Hi/Lo Adjustment, Wall Switch, Safety Screens, Tempered Glass, 5/8" Sloped Flue 30,500 BTU NG, 29,000 BTU Propane	
MCVST42N	See Through Fireplace, Millivolt (as above) Natural Gas	5,894
MCVST42LP	See Through Fireplace, Millivolt (as above) Propane	5,997
MCVST42NE	See Through Fireplace, IPI PF1 (as above) Natural Gas	6,285
MCVST42LPE	See Through Fireplace, IPI PF1 (as above) Propane	6,407
42MST-CKLP	Conversion Kit - Millivolt - To Propane	108
42MST-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
42MST-CKLPI	Conversion Kit - IPI - To Propane	127
42MST-CKNGI	Conversion Kit - IPI - To Natural Gas	127
<b>CHOOSE LOG GRATE &amp; LOG SET OR GLASS TRAY &amp; MEDIA : (REQUIRED FOR EACH UNIT)</b>		
M42LG	<b>Log Grate - (need to choose log set)</b>	217
M42LOG4	Log Set - KINGSMAN - Oak - 8 Pieces	1,015
MST42GT	<b>Glass Tray for MCVST42 - (Requires Glass Media)</b> <b>(Maximum Amount of Glass: 5lbs for Burner, and 20lbs for Tray)</b>	217
M42LOG3	Log Set - KINGSMAN - Driftwood - 6 Pieces	1,015
ZG5C	Glass Media - 1/2" Bronze - 5 lbs	127
RBCB1	Cannonballs - Assorted size and colors	446
ULK3	Universal Light Kit - Two Lamps (for use with Glass Tray)	368
42MVB-258	Pilot Shield - for Glass Tray and Log Grate (Replacement Part)	68
<b>SURROUNDS, DESIGNER DOORS AND SAFETY SCREEN</b>		
ZCV42S1BL	Surround - Hearth Mount 4" Wide (Covers 44 5/8" W x 38 1/8" H)	555
ZCV42S1PFBL	Surround - Picture Frame 4" Wide (Covers 44 5/8" W x 40 1/8" H)	555
ZCV42S2PFBL	Surround - Picture Frame 1 5/8" Wide (Covers 40 1/8" W x 35 5/8" H)	490
<b>FIREPLACE ACCESSORIES OPTIONS:</b>		
ZCV42CSS	Safety Screen Barrier - Outside Fit (Replacement)	426
ZCV42CSS2	Safety Screen Barrier - Inside Fit (Replacement)	426
ZCV-TLK	Tile Lip Kit - (for Finishing Materials - tile, brick)	85
MST42RLT	Refractory Fiber Brick Liner (2 PCE) - Traditional	446
MST42PL	Porcelain Reflective Panel Liner (2 PCE)	494
Z46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
<b>THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 <i>(Convenient and accessible location for Battery Backup for IPI Systems)</i>	260
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	832
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
EGTFRCN	Remote Control IPI PF1 - Thermostat/Modulating/Fan - NG	873
EGTFRCP	Remote Control IPI PF1 - Thermostat/Modulating/Fan - LP	873



**August 1, 2023**  
**GAS FIREPLACE PRODUCTS**

Rev 061623

**Aug 2023**

<b>Product Number</b>	<b>Description</b>	<b>USA LIST</b>
<b>MCVST42</b>	<b>MULTI-SIDED CLEAN VIEW SEE-THROUGH DIRECT VENT FIREPLACE:</b> Listed for USA/Canada as a Vented Gas Fireplace - RH Burner, SIT Valve with Hi/Lo Adjustment, Wall Switch, Safety Screens, Ceramic Glass, 5/8" Sloped Flue 31,000 BTU NG, 29,250 BTU Propane	
MCVST42NH	See Through Fireplace, Millivolt (as above) Natural Gas	8,384
MCVST42LPH	See Through Fireplace, Millivolt (as above) Propane	8,478
MCVST42NHE	See Through Fireplace, IPI PF1 (as above) Natural Gas	8,769
MCVST42LPHE	See Through Fireplace, IPI PF1 (as above) Propane	8,865
42MST-CKLPH	Conversion Kit - Millivolt - To Propane	108
42MST-CKNGH	Conversion Kit - Millivolt - To Natural Gas	108
42MST-CKLPHI	Conversion Kit - IPI - To Propane	127
42MST-CKNGHI	Conversion Kit - IPI - To Natural Gas	127
<b>CHOOSE LOG GRATE &amp; LOG SET OR GLASS TRAY &amp; MEDIA : (REQUIRED FOR EACH UNIT)</b>		
M42LG	<b>Log Grate - (need to choose log set)</b>	217
M42LOG4	Log Set - KINGSMAN - Oak - 8 Pieces	1,015
MST42GT	<b>Glass Tray for MCVST42 - (Requires Glass Media)</b> <b>(Maximum Amount of Glass: 5lbs for Burner, and 20lbs for Tray)</b>	217
M42LOG3	Log Set - KINGSMAN - Driftwood - 6 Pieces	1,015
ZG5C	Glass Media - 1/2" Bronze - 5 lbs	127
RBCB1	Cannonballs - Assorted size and colors	446
ULK3	Universal Light Kit - Two Lamps (for use with Glass Tray)	368
42MVB-258	Pilot Shield - for Glass Tray and Log Grate (Replacement Part)	68
<b>SURROUNDS, DESIGNER DOORS AND SAFETY SCREEN</b>		
ZCV42S1BL	Surround - Hearth Mount 4" Wide (Covers 44 5/8" W x 38 1/8" H)	555
ZCV42S1PFBL	Surround - Picture Frame 4" Wide (Covers 44 5/8" W x 40 1/8" H)	555
ZCV42S2PFBL	Surround - Picture Frame 1 5/8" Wide (Covers 40 1/8" W x 35 5/8" H)	490
<b>FIREPLACE ACCESSORIES OPTIONS:</b>		
ZCV42CSS	Safety Screen Barrier - Outside Fit (Replacement)	426
ZCV42CSS2	Safety Screen Barrier - Inside Fit (Replacement)	426
ZCV-TLK	Tile Lip Kit - (for Finishing Materials - tile, brick)	85
MST42RLT	Refractory Fiber Brick Liner (2 PCE) - Traditional	446
MST42PL	Porcelain Reflective Panel Liner (2 PCE)	494
Z46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
<b>THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 <i>(Convenient and accessible location for Battery Backup for IPI Systems)</i>	260
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	832
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
EGTFRCN	Remote Control IPI PF1 - Thermostat/Modulating/Fan - NG	873
EGTFRCP	Remote Control IPI PF1 - Thermostat/Modulating/Fan - LP	873



August 1, 2023  
**GAS FIREPLACE PRODUCTS**  
 Rev 061623

**Aug 2023**  
**USA LIST**

Product Number	Description	USA LIST
<b>ZCVRB60</b>	<b>ZERO CLEARANCE DIRECT VENT LINEAR GAS FIREPLACE</b>	
	Listed for USA/Canada as a Vented Gas Fireplace, Includes: Linear Burner, Bronze Glass Media, SIT Valve with Hi/Lo Adjustment, 5/8" Top Flue, Tempered Glass 60 W x 17 7/8" H, Safety Screen Framing 66 9/16" W x 43" H x 19 1/4" D, 35,000 BTU, Max Media 10 LBS	
<div style="border: 1px solid black; padding: 5px;"> <p><b>The Fireplace Enclosure May Be Ventilated for Cool Touch Walls and reduced Mantel Clearances. Ventilation up to 200 Sq./Inches will be required. Minimum Enclosure Height is 76", see Manual for details.</b></p> <p><b>NOTE: To vent the chase, removal of vent shields is required</b></p> </div>		
<b>ZERO CLEARANCE DIRECT VENT LINEAR GAS FIREPLACE - 60"</b>		
ZCVRB60N	Fireplace Linear, Millivolt Valve (as above) Natural Gas	5,309
ZCVRB60LP	Fireplace Linear, Millivolt Valve (as above) Propane	5,389
ZCVRB60NE	Fireplace Linear, IPI PF1 Valve (as above) Natural Gas	5,675
ZCVRB60LPE	Fireplace Linear, IPI PF1 Valve (as above) Propane	5,743
60ZCVRB-CKLP	Conversion Kit - Millivolt - To Propane	108
60ZCVRB-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
60ZCVRB-CKLPI	Conversion Kit - IPI - To Propane	127
60ZCVRB-CKNGI	Conversion Kit - IPI - To Natural Gas	127
<b>OPTIONAL - WHEN VENTILATING ENCLOSURE - VENTILATION UP TO 200 Sq./Inches</b>		
<b>Choose Grill or Custom Grill or Adequate Opening as per manual</b>		
VL60EGS	Grill - Enclosure Side (Pair) - Unfinished (15 1/4" W X 6 5/8" H)	420
VL60EG	Grill - Front for Enclosure -Unfinished (60 5/8" W x 3 5/8" H)	386
<b>OPTIONAL WALL SURROUND - (COVERS 64"W X 23"H)</b>		
ZCVRB60S1BL	Surround Trim Kit -1 1/2" Wide - Black	866
ZCVRB60S1SS	Surround Trim Kit - 1 1/2" Wide - Stainless Steel	1,196
<b>OPTIONAL FIREPLACE ACCESSORIES</b>		
ZCVRB60PL	Porcelain Reflective Panel Liner (3 PCE)	639
RBCB1	Cannonballs - Assorted size and colors	446
Z46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
ULK64	Universal Light Kit - Four Lamps (For Millivolt/PF1)	613
ZCVRB60CSS	Safety Screen Barrier (Replacement)	399
V60PTLK	Tile Lip Kit	108
<b>THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 <i>(Convenient and accessible location for Battery Backup for IPI Systems)</i>	260
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	832
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
EGTFRCN	Remote Control IPI PF1 - Thermostat/Modulating/Fan - NG	873
EGTFRCP	Remote Control IPI PF1 - Thermostat/Modulating/Fan - LP	873

**\*NOTE: If using ICC Hard Pipe a starter piece of MG DuraVent must be used at Flue of Fireplace.**



August 1, 2023  
GAS FIREPLACE PRODUCTS

Rev 061623

Product Number	Description	Aug 2023 USA LIST
<b>HORIZONTAL STARTER KIT 5/8" - MCV42/MCVST42</b>		
Z58HSK5	Horizontal Vent Starter Kit - 5/8" X 5 FT Flex, Termination, Wall Thimble Wall Thimble Shield, Screws, and Mill Pac	490
<b>HORIZONTAL VENTING 5/8"</b>		
Z58HT	Horizontal Round Vent Termination - 5/8	259
Z58WTS	Horizontal Wall Thimble Shield (For Low Enclosures)	54
FDVHSCU	Horizontal Safety Cage	152
Z58WT	Horizontal Wall Thimble	117
Z58SS	Siding Shield - Heat Deflector for Horizontal Round Termination	37
<b>VERTICAL VENTING 5/8"</b>		
Z58VT	Vertical Vent Termination - 5/8	285
Z58AIS24	Attic Insulation Shield - 24"	176
ZDVVOS	Offset Support	53
Z58FS	Firestop Spacer	65
Z58RS	Roof Support	99
Z58GP36	Galvanized Pipe 5 and 8" Dia. x 36" (Vertical Installations)	287
<b>FLASHINGS - VERTICAL VENTING 5/8"</b>		
Z58AAF	Flashing 8" c/w Storm Collar (1/12 to 7/12)	219
Z58AF2	Flashing 8" c/w Storm Collar (8/12 to 12/12)	246
Z58AF3	Flashing 8" c/w Storm Collar Flat	219
ZDV8SC	Storm Collar 8 "	46
<b>FLEX KITS 5/8", CLAMPS AND CONNECTORS</b>		
Z58FK5	Flex Kit (5" & 8" Dia.) x 5' Expanded (c/w Springs, Screws, Mill Pac)	250
Z58FK8	Flex Kit (5" & 8" Dia.) x 8' Expanded (c/w Springs, Screws, Mill Pac)	353
Z58FK20	Flex Kit (5" & 8" Dia.) x 20' Expanded (c/w Springs, Screws, Mill Pac)	678
Z58MIS60	Mylar Insulation Sleeve - (8" x 5FT)	193
ZDV5FC	Flex Connector 5" Diameter	32
ZDV8FC	Flex Connector 8" Diameter	43
ZDV5FCL	Flex Clamp 5"	21
ZDV8FCL	Flex Clamp 8"	23
ZDV4SS	Spring - Standoff Spacer for Inner Pipe	20
<b>Hard Pipe Adapter - 5/8"</b>		
Z58DFA	Hard Pipe Adapter - 5/8" (MCVP42, MCVST42)	187

\*NOTE: If using ICC Hard Pipe a starter piece of MG Duravent must be used at Flue of Fireplace on Model ZCVRB6





August 1, 2023  
**GAS FIREPLACE PRODUCTS**  
 Rev 061623

**Aug 2023**  
**USA LIST**

Product Number	Description	USA LIST
<b>HORIZONTAL POWER VENTING - 5/8"</b>		

<b>STEP 1) CHOOSE HORIZONTAL POWER VENT TERMINATION</b>		
<b>HORIZONTAL POWER VENT STARTER KIT - 5/8"</b>		
PVH58	Horizontal Power Vent Starter Kit - Exterior Mount	1,529
PVH58FM	Horizontal Power Vent Kit - Flush Mount (Includes: Power Vent Termination, Wall Thimble, 20 FT Harness, Mill Pac)	1,795
<b>Note: Must use a one foot section of 5/8 DV hard pipe to connect to the Power Vent Termination (not supplied)</b>		

<b>STEP 2) CHOOSE CONTROL MODULE OR HARNESS DEPENDENT ON VALVE SYSTEM</b>		
<b>POWER VENT CONTROL MODULE OR HARNES BY SYSTEM TYPE:</b>		
PVC58MV	Power Vent Control Module - for Millivolt models	1,190
PVC58IPI	Power Vent Control Module - for Proflame 1 - IPI models	1,190
584-X12	Harness for Proflame 2 IPI - Deluxe Models	100

<b>STEP 3) CHOOSE ADDITIONAL HARNESS EXTENSION (DISTANCE FROM POWER VENT TO APPLIANCE)</b>		
<b>POWER VENT EXTENSION HARNESS: (Measure distance from the power vent to the appliance)</b>		
PVH20H	Harness Extension - 20 FT	396

<b>STEP 4) CHOOSE VENTING: SECTION 1 - HP 5/8", #2 - HP 4x6-5/8", #3 HP 3/5", #4 - FLEX 5/8"</b>		
<b>SECTION 1 DIRECT VENT HARD PIPE 5/8" - Used for entire installation - Order Z58DFA</b>		
Z58DFA	Duravent Hard Pipe Adapter - 5/8" (Sloped Flue Models MCVST42/MCVP42)	187
<b>NOTE : ZCVRB60 moels won't require Z58DFA adapter at flue</b>		
<b>SECTION 2 DV HARD PIPE 4x6-5/8" - Used for entire installation - Required Components Below</b>		
Z58DFA	Duravent Hard Pipe Adapter - 5/8" (Sloped Flue Models MCVST42/MCVP42/MQZCV48)	187
<b>NOTE: ZCVRB60 models will only require 1 FT Section of 5/8" Duravent at Flue</b>		
ZDVDRA	Duravent - REDUCER - 5/8" TO 4x6 5/8" ADAPTER (used at flue of fireplace)	222
<b>Termination End</b>		
ZDVDIA	Duravent Hard Pipe Adapter - (used to connect 4x6-5/8 to 5/8 Hard Pipe)	222
<b>Note: Must use a one foot section of 5/8 DV hard pipe to connect to the Power Vent Termination (not supplied)</b>		
<b>SECTION 3 DV HARD PIPE 3/5" - Used for entire installation - Required Components Below</b>		
Z58DFA	Duravent Hard Pipe Adapter - 5/8" (Sloped Flue Models MCVST42/MCVP42/MQZCV48)	187
<b>NOTE: ZCVRB60 models will only require 1 FT Section of 5/8" Duravent at Flue</b>		
PVA5835	Duravent Adapter- 5/8" TO 3/5" (used at flue of fireplace)	248
<b>Termination End</b>		
PVA3558	Duravent Adapter - 3/5" to 5/8" (at Termination)	248
<b>Note: Must use a one foot section of 5/8 DV hard pipe to connect to the Power Vent Termination (not supplied)</b>		

<b>SECTION 4 FLEX VENT - Used for entire installation - Order Z58PVA - Plus Applicable Venting</b>		
<b>Note: Must use a one foot section of 5/8 DV hard pipe to connect to the Power Vent Termination (not supplied)</b>		
Z58PVA	Flex Pipe Adapter Kit - (to adapt flex pipe to power vent to hard pipe)	76
<b>FLEX VENTING KITS:</b>		
Z58FK5	Flex Kit (5" & 8" Dia.) x 5' Expanded (c/w Springs, Screws, Mill Pac)	250
Z58FK8	Flex Kit (5" & 8" Dia.) x 8' Expanded (c/w Springs, Screws, Mill Pac)	353
Z58FK20	Flex Kit (5" & 8" Dia.) x 20' Expanded (c/w Springs, Screws, Mill Pac)	678

<b>OPTIONAL POWER VENT ACCESSORIES</b>		
ZDV5FC	Flex Connector 5" Diameter	32
ZDV8FC	Flex Connector 8" Diameter	43
ZDV5FCL	Flex Clamp 5"	21
ZDV8FCL	Flex Clamp 8"	23
ZDV4SS	Spring - Standoff Spacer for Inner Pipe	20
PVH58WT	Wall Thimble for Power Vent	159



August 1, 2023  
GAS FIREPLACE PRODUCTS

Rev 061623

Aug 2023

Product Number	Description	USA LIST
<b>IDV24</b>	<b>DIRECT VENT FIREPLACE INSERT</b>	
	Listed for USA/Canada as a Vented Gas Fireplace, Includes Dual Burner with Glowing Embers, Ceramic Glass, Adjustable Valve, Blower, Two Three Inch Flues 24,000 BTU/HR <b>Minimum Fireplace Opening (24 1/4" W x 18 1/2" H x 14" D)</b>	
<b>** Kingsman Flex Venting &amp; Termination Only **</b>		
<b>STEP 1) CHOOSE MODEL</b>		
<b>Direct Vent Insert - Natural Gas or Propane</b>		
IDV24N	Insert Direct Vent - Millivolt - Natural Gas	2,450
IDV24LP	Insert Direct Vent - Millivolt - Propane	2,510
IDV24NE	Insert Direct Vent - IPI PF1 - Natural Gas	2,800
IDV24LPE	Insert Direct Vent - IPI PF1 - Propane	2,860
IDV24NE2	Insert Direct Vent - IPI PF2 - Remote-Thermostat-Mod-Fan-Lights - NG	3,400
IDV24LPE2	Insert Direct Vent - IPI PF2 - Remote-Thermostat-Mod-Fan-Lights - Propane	3,480
24IDV-CKLP	Conversion Kit - Millivolt - To Propane	108
24IDV-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
24IDV-CKLPI	Conversion Kit - IPI - To Propane	127
24IDV-CKNGI	Conversion Kit - IPI - To Natural Gas	127
24IDV-CKLP2	Conversion Kit - IPI Proflame 2 - To Propane	235
24IDV-CKNG2	Conversion Kit - IPI Proflame 2 - To Natural Gas	235
<b>STEP 2) CHOOSE BETWEEN: LOG SET OR GLASS MEDIA</b>		
<b>LOG SET</b>		
LOGF24OAK	Log Set - Fiber Split Oak	555
42MVB-258	Pilot Shield - (Replacement Part)	68
<b>GLASS MEDIA &amp; CANNONBALLS (Don't use large cannonballs)</b>		
<b>(Maximum Glass 10 lbs)</b>		
Z5GC	Glass Media - 1/2" Bronze - 5 lbs	127
RBCB1	Cannonballs - Assorted size and colors	446
<b>STEP 3) CHOOSE CLEAN VIEW FRONT AND APPROPRIATE SURROUND</b>		
<b>CLEAN VIEW CV1</b>		
I24CV1BL	Clean View - Black - c/w Safety Screen - 30 1/2" W x 21 7/16" H x 15/16" D	595
<b>SURROUNDS - FOR USE WITH I34CV1/CV2 - CLEAN VIEW</b>		
I24S3827	Surround - Black (Covers 37 13/16" W x 27" H)	225
I24SPF3829	Surround - Picture Frame - Black (Covers 37 13/16" W x 28 7/8" H)	285
I24SU4541	Surround Universal - Black (Covers 45" W x 41" H)	240
<b>STEP 4) CHOOSE OPTIONAL ACCESSORIES</b>		
<b>Riser for Surrounds - Raises Coverage Height by 2 1/2"</b>		
I34R40	Riser For Surround (2 1/2") x 40" W	194
<b>FIREPLACE ACCESSORY OPTIONS</b>		
I24CSS	Safety Screen Barrier (Replacement) - I34SF1/MQ34DD1	281
IDV24RLT	Refractory Brick Liner (3 PCE)	425





August 1, 2023  
GAS FIREPLACE PRODUCTS

Rev 061623

Product Number	Description	Aug 2023 USA LIST
<b>THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591

**STEP 5) CHOOSE VENTING**

<b>VENTING COMPONENTS 3" &amp; 3"</b>		
IDVVT36	Vertical Vent Termination - (3/3"), Mill Pac and Screws	247
IDVFK25	Flex Pipe Kit ( 2 x 3" Dia x 25FT Gas Flex Liner)	539
IDVLCP	Block Off Plate - For Lower Chase (11 3/4" x 14 3/4")	50
ZDV3FC	Flex Connector 3" Diameter	26
<b>** Kingsman Flex Venting &amp; Termination Only **</b>		
<b>VENTING COMPONENTS 2" &amp; 3"</b>		
IDVVT36	Vertical Vent Termination - (3/3"), Mill Pac and Screws	247
I23FK25	Flex Pipe Kit ( 2"x 25FT & 3" x 25FT Gas Flex Liner)	539
I23FAK	Flue Adaptor Kit - 2 x 2" to 3" Increaser and 6" to 7" Increaser	90
IDVLCP	Block Off Plate - For Lower Chase (11 3/4" x 14 3/4")	50
ZDV2FC	Flex Connector 2" Diameter	26
ZDV3FC	Flex Connector 3" Diameter	26
<b>** Kingsman Flex Venting &amp; Termination Only **</b>		



August 1, 2023  
GAS FIREPLACE PRODUCTS

Rev 061623

Aug 2023

Product Number	Description	USA LIST
<b>IDV26</b>	<b>DIRECT VENT FIREPLACE INSERT</b>	
	Listed for USA/Canada as a Vented Gas Fireplace, Includes Dual Burner with Glowing Embers, Ceramic Glass, Blower and Safety Screen Two Three Inch Flues, 30,000 BTU/HR <b>(Minimum Size of Fireplace for installation 28/33" W x 19 1/2" H x 14 1/8"D)</b>	
IDV26N	Insert Direct Vent, Millivolt Valve (as above) - Natural Gas	3,148
IDV26LP	Insert Direct Vent, Millivolt Valve (as above) - Propane	3,231
IDV26NE	Insert Direct Vent - IPI PF1 - Natural Gas	3,538
IDV26LPE	Insert Direct Vent - IPI PF1 - Propane	3,621
IDV26NE2	Insert Direct Vent - Proflame 2 IPI - Remote-Thermostat-Mod-Fan - NG	4,134
IDV26LPE2	Insert Direct Vent - Proflame 2 IPI - Remote-Thermostat-Mod-Fan - LP	4,215
26IDV-CKLP	Conversion Kit - Millivolt - To Propane	108
26IDV-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
26IDV-CKLPI	Conversion Kit - IPI PF1 - To Propane	127
26IDV-CKNGI	Conversion Kit - IPI PF1 - To Natural Gas	127
26IDV-CKLP2	Conversion Kit - IPI Proflame 2 - To Propane	235
26IDV-CKNG2	Conversion Kit - IPI Proflame 2 - To Natural Gas	235
<b>LOG SET OR GLASS SUPPORT PLATFORM: (REQUIRED FOR EACH UNIT)</b>		
LOGF27	Log Set - Fiber Split Oak (IDV26)	543
RSP10	Glass Support Platform - with Bronze Decorative Glass - IDV26/34/44	682
36IDV-204	Pilot Shield - for RSP10 (Replacement Part)	68

<b>CHOOSE CLEAN VIEW FRONT (REQUIRED FOR EACH UNIT) AND SURROUND IF NEEDED</b>		
<b>Clean View Front - Slim - Measures 35 5/8"W x 22 3/4"H</b>		
(Components In for Minimum Fireplace Opening of 31" W)		
I26CV1BL	Clean View Front - Slim - Black - 1 3/4" Depth	353
I26CV3BL	Clean View Front - Slim - Black - 3 1/2" Depth	410
I26S1BL	Surround - Slim - Black - (Covers 42" W x 27 1/2"H)	235
I26SUBL	Surround Universal - Black (Three Sided 47 1/2"W x 28 5/8" H, Picture Frame Size 47 1/2" W x 35 5/8"H)	336
<b>Clean View Front - Series 1 - Picture Frame 35 5/8" W x 25 7/8"H</b>		
I26CVPF1BL	Clean View Front - Slim - Picture Frame - Black	467
I26SPF1BL	Surround Picture Frame - Slim - Black - (Covers 39 3/8"W x 29 3/4" H)	317
I26SUBL	Surround Universal - Black (Picture Frame Size 47 1/2" W x 35 5/8"H, Three Sided 47 1/2"W x 28 5/8" H)	336
<b>Clean View Front - Series 2 - Wide - Measures 44 5/8"W x 26 5/8"H</b>		
<b>(Components Out for Minimum Fireplace Opening of 28" W)</b>		
I26CV2BL	Clean View Front - Wide - Black	402
I26CVPF2BL	Clean View Front - Wide - Picture Frame - Black - (44 7/8" W x 33 1/2" H)	532
I26SUBL	Surround Universal - Black (Picture Frame Size 47 1/2" W x 35 5/8"H, Three Sided 47 1/2"W x 28 5/8" H)	336

**RISER FOR SURROUNDS - RAISES COVERAGE HEIGHT BY 2 1/2"**

I33R40	Riser For Surround (2 1/2") - For Use on I33S4028B	194
I33R44	Riser For Surround (2 1/2") - For Use on I33S4430B	194

**FIREPLACE ACCESSORY OPTIONS**

I26CSS	Safety Screen Barrier (Replacement)	252
IDV26RL	Refractory Brick Liner (3 PCE)	378
IDV26PRL	Porcelain Reflective Panel Liner (3 PCE)	444
I33CS	Mantel Clearance Shield	51



August 1, 2023  
GAS FIREPLACE PRODUCTS

Rev 061623

Product Number	Description	Aug 2023 USA LIST
<b>THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
<b>When Ordering e/GT-GTM Remote a 10 FT Harness is Required</b>		
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
1001-P904SI	<b>Wire Harness GTMF 584.904 10FT</b>	61
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
1001-P904SI	<b>Wire Harness GTMF 584.904 10FT</b>	61
<b>VENTING COMPONENTS</b>		
IDVVT36	Vertical Vent Termination - (3/3"), Mill Pac and Screws	247
IDVFK25	Flex Pipe Kit ( 2 x 3" Dia x 25FT Gas Flex Liner)	539
IDVLCP	Block Off Plate - For Lower Chase (11 3/4" x 14 3/4")	50
ZDV3FC	Flex Connector 3" Diameter	26

\*\*MG Duravent (Order Kit #46DVA-CL33)



August 1, 2023  
**GAS FIREPLACE PRODUCTS**  
 Rev 061623

**Aug 2023**  
**USA LIST**

Product Number	Description	USA LIST
<b>IDV34</b>	<b>DIRECT VENT FIREPLACE INSERT</b>	
	Listed for USA/Canada as a Vented Gas Fireplace, Includes Dual Burner with Glowing Embers, Ceramic Glass, SIT Valve, Blower, Two Three Inch Flues 31,000 BTU/HR Natural Gas, 28,500 BTU/HR Propane Minimum Fireplace Opening for CV1 - (28 5/8" W x 21 1/2" H x 17 3/4" D) Minimum Fireplace Opening for CV6 - (26 1/4" W x 21 3/8" H x 14 3/8" D)	

Direct Vent Insert - Natural Gas or Propane		
IDV34N	Insert Direct Vent - Millivolt - Natural Gas	2,730
IDV34LP	Insert Direct Vent - Millivolt - Propane	2,800
IDV34NE	Insert Direct Vent - IPI PF1 - Natural Gas	3,120
IDV34LPE	Insert Direct Vent - IPI PF1 - Propane	3,189
IDV34NE2	Insert Direct Vent - Proflame 2 IPI - Remote-Thermostat-Mod-Fan - NG	3,715
IDV34LPE2	Insert Direct Vent - Proflame 2 IPI - Remote-Thermostat-Mod-Fan - LP	3,784
33IDV-CKLP	Conversion Kit - Millivolt - To Propane	108
33IDV-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
33IDV-CKLPI	Conversion Kit - IPI - To Propane	127
33IDV-CKNGI	Conversion Kit - IPI - To Natural Gas	127
33IDV-CKLP2	Conversion Kit - IPI Proflame 2 - To Propane	235
33IDV-CKNG2	Conversion Kit - IPI Proflame 2 - To Natural Gas	235

LOG SET OR GLASS SUPPORT: (REQUIRED FOR EACH UNIT)		
LOGF35	Log Set - Fiber Split Oak (F350,F300,IDV33)	479
RSP10	Glass Support Platform - with Bronze Decorative Glass - IDV26/33/43	682
36IDV-204	Pilot Shield - for RSP10 (Replacement Part)	68

CLEAN VIEW CV1 - (REQUIRED FOR EACH UNIT)		
I34CV1BL	Clean View - Black - c/w Safety Screen - 35 1/4" W x 24 3/16" H x 13/16" D	614
SURROUNDS - (FOR ADDITIONAL COVERAGE)		
I34S3927BL	Surround - Black (Covers 39" W x 27 5/16" H)	232
I34SPF4131BL	Surround - Picture Frame - Black (Covers 41 1/8" W x 31 3/8" H)	299
I34SU4541BL	Surround Universal - Black (Covers 45" W x 41" H)	247

CLEAN VIEW CV6 - (Minimum Fireplace Opening - 26 1/4" W x 21 1/2"H x 15 3/4"D)		
I34CV6BL	Clean View w/ Backer Surround - Safety Screen - Black (Coverage - 37 5/8"W x 26 15/16"H x 2 3/4"D)	857
SURROUNDS - FOR USE WITH CLEAN VIEW		
I34S3927BL	Surround - Black (Covers 39" W x 27 5/16" H)	232
I34SPF4131BL	Surround - Picture Frame - Black (Covers 41 1/8" W x 31 3/8" H)	299
I34SU4541BL	Surround Universal - Black (Covers 45" W x 41" H)	247

Riser for Surrounds - Raises Coverage Height by 2 1/2"		
I34R40	Riser For Surround (2 1/2") x 40" W	194
I44R45	Riser For Surround (2 1/2") x 45" W	194

FIREPLACE ACCESSORY OPTIONS		
I34CSS	Safety Screen Barrier (Replacement) - MQ34SF1/MQ34DD1	281
I34CV1SS	Safety Screen Barrier (Replacement) - I34CV1/CV2	247
I33CS	Mantel Clearance Shield	51
IDV33RL	Refractory Brick Liner (3 PCE)	223
IDV33PRL	Porcelain Reflective Panel Liner (3 PCE)	518



August 1, 2023  
GAS FIREPLACE PRODUCTS

Rev 061623

Product Number	Description	Aug 2023 USA LIST
<b>VENTING COMPONENTS</b>		
IDVVT36	Vertical Vent Termination - (3/3"), Mill Pac and Screws	247
IDVFK25	Flex Pipe Kit ( 2 x 3" Dia x 25FT Gas Flex Liner)	539
IDVLCP	Block Off Plate - For Lower Chase (11 3/4" x 14 3/4")	50
ZDV3FC	Flex Connector 3" Diameter	26
<b>**MG Duravent (Order Kit #46DVA-CL33)</b>		
<b>THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591



August 1, 2023  
**GAS FIREPLACE PRODUCTS**  
 Rev 061623

**Aug 2023**  
**USA LIST**

Product Number	Description	USA LIST
<b>IDV44</b>	<b>DIRECT VENT FIREPLACE INSERT</b>	
	Listed for USA/Canada as a Vented Gas Fireplace, Includes Dual Burner with Glowing Embers, Ceramic Glass, SIT Valve, Blower, 3" Air Intake and 4" Exhaust, 34,250 BTU NG, 30,000 BTU LP Minimum Fireplace Opening: 32 7/8" W x 25 3/4" H x 18"D	
<b>Direct Vent Insert - Natural Gas or Propane</b>		
IDV44N	Insert Direct Vent - Millivolt - Natural Gas	3,342
IDV44LP	Insert Direct Vent - Millivolt - Propane	3,413
IDV44NE	Insert Direct Vent - IPI PF1 - Natural Gas	3,732
IDV44LPE	Insert Direct Vent - IPI PF1 - Propane	3,801
IDV44NE2	Insert Direct Vent - Proflame 2 IPI - Remote-Thermostat-Mod-Fan - NG	4,326
IDV44LPE2	Insert Direct Vent - Proflame 2 IPI - Remote-Thermostat-Mod-Fan - LP	4,399
36IDV-CKLP	Conversion Kit - Millivolt - To Propane	108
36IDV-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
36IDV-CKLPI	Conversion Kit - IPI - To Propane	127
36IDV-CKNGI	Conversion Kit - IPI - To Natural Gas	127
43IDV-CKLP2	Conversion Kit - IPI Proflame 2 - To Propane	235
43IDV-CKNG2	Conversion Kit - IPI Proflame 2 - To Natural Gas	235
<b>LOG SET OR ROCK SUPPORT OR GLASS SUPPORT PLATFORM: (REQUIRED FOR EACH UNIT)</b>		
LOGF36	Log Set - Fiber Split Oak	639
RSP10	Glass Support Platform - with Bronze Decorative Glass - IDV26/33/43	682
36IDV-204	Pilot Shield - for RSP10 (Replacement Part)	68
<b>CLEAN VIEW - (REQUIRED FOR EACH UNIT)</b>		
I44CV1BL	Clean View - Black - C/W Safety Screen - 39 9/16" W x 28 1/2"H x 13/16"D	601
<b>SURROUNDS - (FOR ADDITIONAL COVERAGE)</b>		
I44S4432BL	Surround - Black (Covers 44" W x 32 1/16" H)	283
I44SPF4436BL	Surround Picture Frame - Black (Covers 44" W x 36" H)	353
I44SU4742BL	Surround Universal - Black (Covers 47" W x 42" H)	290
<b>RISER FOR SURROUNDS - Raises Coverage Height by 2 1/2"</b>		
I44R45	Riser For Surround (2 1/2") x 45" W	194
<b>FIREPLACE ACCESSORY OPTIONS</b>		
IDV36RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	283
IDV36RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	283
IDV36PRL	Porcelain Reflective Panel Liner (3 PCE)	665
I33CS	Mantel Clearance Shield	51
I44CV1SS	Safety Screen Barrier (Replacement) - (I44CV1/CV2)	301
I43CSS	Safety Screen Barrier (Replacement) - (MQ44SF1BL/MQ44DD1BL)	339
<b>VENTING COMPONENTS</b>		
IDVVT43	Vertical Vent Termination - (4/3"), (Mill Pac and screws)	260
I43FK25	Flex Pipe Kit (3&4" Dia x 25FT Gas Flex Liner)	552
I43LCP	Block Off Plate - For Lower Chase (11 3/4" x 14 3/4")	50
ZDV3FC	Flex Connector 3" Diameter	26
ZDV4FC	Flex Connector 4" Diameter	26
<b>**MG Duravent Venting - (Order Kit #46DVA-CL34)</b>		



August 1, 2023  
**GAS FIREPLACE PRODUCTS**

Rev 061623

<b>Product Number</b>	<b>Description</b>	<b>Aug 2023 USA LIST</b>
<b>THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591



August 1, 2023  
GAS FIREPLACE PRODUCTS

Rev 061623

Aug 2023

Product Number	Description	USA LIST	
<b>OUTDOOR FIRE PITS:</b>			
Certified for USA and Canada to Outdoor Decorative Gas Standard Manual Valve with Thermocouple, Listed for Canada and USA			
<b>FP2085NT</b>	Round 20" Diameter - 57,000 BTU - Natural Gas	<b>649</b>	
<b>FP2085LPT</b>	Round 20" Diameter - 64,000 BTU - Propane c/w Reg and 5 FT Hose	<b>749</b>	
FP20COV	Cover for Round Fire Pit or Propane Tank	148	
FP20SSRT	Stainless Steel Decorative Ring - (for FP2085NT/LPT only)	175	
<b>FP2785LPT-FL</b>	Rectangular 27" x 20" - Propane - 1/4" Media c/w Reg & 5FT Hose and Flat Cover	<b>879</b>	
FP27COV	Cover for Rectangle Fire Pit (used with Log Set)	159	
<b>LOG SET OR MEDIA : (REQUIRED FOR EACH FIRE PIT)</b>			
<b>LOGC85</b>	Log Set - Four Piece Cast Oak - LTD Availability	<b>339</b>	
<b>LOGC86</b>	Log Set - Four Piece Cast Oak	<b>NEW 375</b>	
MLR1410	Media - 1/4" Lava Rock 10 lbs - (Modern Look, no logs required)	63	
<b>OUTDOOR FIRE BOWLS FOR THE FP2085 FIRE PIT (FIRE PIT NOT INCLUDED)</b>			
<b>OUTDOOR FIRE BOWLS FOR THE FP2085 FIRE PIT (FIRE PIT SOLD SEPERATELY)</b>			
Fire Bowl Includes: 1/4 Lava Rock x 20 Lbs, Leg Extension, Manual Valve Bracket, Filler Strip Ring and SS Flex Connector 30" Diameter x 14"H or 32" Diameter x 14"H			
<b>FPB30TBT</b>	Fire Bowl 30" Diameter - Concrete Textured Charcoal - T Series	<b>3,310</b>	
<b>FPB30SGT</b>	Fire Bowl 30" Diameter - Concrete Smooth Grey - T Series	<b>2,547</b>	
<b>FIRE BOWL OPTIONS:</b>			
<b>FPB30COVB</b>	Cover - Black (for Fire Bowl)	<b>311</b>	
FPB32TRG	Trim Ring (for FPB30/32 Fire Bowl) - Charcoal	471	
30FPB-KEYT	Key Way Valve Kit for New Thermcouple Fire Bowls (for use when using old FP2085N/LP Fire Pits)	254	
24OBT-MANCP	Control Panel Bracket - for Custom Fire Pit Tables	113	
<table border="1"> <tr> <td> <p><b>MEDIA REQUIREMENTS OPTIONS: (When not using LOGC85 Log Set)</b> One bag of 1/4" Lava Rock is required for the Fire Pit. If ordering a Fire Bowl the 1/4" media is included with the Fire Bowl.</p> </td> </tr> </table>			<p><b>MEDIA REQUIREMENTS OPTIONS: (When not using LOGC85 Log Set)</b> One bag of 1/4" Lava Rock is required for the Fire Pit. If ordering a Fire Bowl the 1/4" media is included with the Fire Bowl.</p>
<p><b>MEDIA REQUIREMENTS OPTIONS: (When not using LOGC85 Log Set)</b> One bag of 1/4" Lava Rock is required for the Fire Pit. If ordering a Fire Bowl the 1/4" media is included with the Fire Bowl.</p>			





August 1, 2023  
GAS FIREPLACE PRODUCTS

Rev 061623

Aug 2023

Product Number	Description	USA LIST
<b>OFP42</b>	<b>ZERO CLEARANCE OUTDOOR FIREPLACE - 42" WIDE:</b>	
	Listed for USA/Canada For Outdoor Use Only, SIT Nova TMV Valve with Hi/Lo Adjustment Wall Switch, Stainless Steel Screens, Framing 42 1/8" W x 38 1/4" H x 18 1/2" D 55,000 BTU	
	<b>CHOOSE BLACK OR STAINLESS FIREPLACE</b>	
OFP42N	Outdoor Fireplace, Satin Coat Black, Millivolt (as above) Natural Gas	\$2,668
OFP42NS	Outdoor Fireplace, Stainless Steel, Millivolt (as above) Natural Gas	4,118
42OFP-CKLP	Conversion Kit - To Propane	108
OFP42NE	Outdoor Fireplace, Satin Coat Black, IPI PF1 (as above) Natural Gas	3,112
OFP42NSE	Outdoor Fireplace, Stainless Steel, IPI PF1 (as above) Natural Gas	4,562
42OFP-CKLPI	Conversion Kit - IPI PF1 - Propane	127
	<b>LOG SET: (REQUIRED FOR EACH UNIT)</b>	
LOGF36	Log Set - Fiber Split Oak	639
LOGF37	Log Set - Split Oak (OFP42) - LTD Availability	654

**FIREPLACE ACCESSORIES OPTIONS:**

OFP42SS	Surround - Stainless Steel	1,026
OFP42WCSS	Weather Cover - Stainless Steel	783
OFP42WCBL	Weather Cover - Black	308
OFP42RLT	Brick Liner - Traditional	517
OFP42RLH	Brick Liner - Herringbone	517
OFP42SA	Spark Assist - (AA Battery not included)	94



August 1, 2023  
GAS FIREPLACE PRODUCTS

Rev 061623

Product Number	Description	Aug 2023 USA LIST
<b>VENTED/VENT FREE GAS LOG SETS: (Listed for USA and Canada)</b>		
Minimum Fireplace Dimensions:		
FOR 18" LOGS	(19" Front Width, 19" Back Width, 18 3/4" Height x 12 1/2" Depth)	
FOR 24" LOGS	(29" Front Width, 22 1/2" Back Width, 18 3/4" Height x 12 1/2" Depth)	
FOR 30" LOGS	(38" Front Width, 28" Back Width, 18 3/4" Height x 13 1/2" Depth)	
GLVF24MAN	Vent Free Gas Log Burner - Manual Valve 38,250 BTU/HR Natural Gas	712
GLVF24MAP	Vent Free Gas Log Burner - Manual Valve 38,000 BTU/HR Propane	712
GLVF24MVN	Vent Free Gas Log Burner - Millivolt Valve 38,250 BTU/HR Natural Gas	1,021
GLVF24MVP	Vent Free Gas Log Burner - Millivolt Valve 38,000 BTU/HR Propane	1,021
<b>LOG SET: (REQUIRED FOR EACH BURNER)</b>		
LOGF18	Log Set - Fiber Split Oak 18"	407
LOGF24	Log Set - Fiber Split Oak 24"	469
LOGF30	Log Set - Fiber Split Oak 30"	661
<b>Decorate the Bottom of Your Fireplace with Log Bits:</b>		
VLBIT6	Log Bits - Small Six Piece Kit	148
<b>VENT FREE HOODS - FOR USA ONLY</b>		
VFAHBL	Adjustable Vent Free Hood - Black	148



August 1, 2023  
**GAS FIREPLACE PRODUCTS**

Rev 061623

Product Number	Description	Aug 2023 USA LIST
<b>ZERO CLEARANCE VENT FREE FIREBOX - 33" WIDE</b>		
ZVF33P	Listed for USA, with Pull Screens, Framing 33 1/8" W x 31" H x 13 3/4" D	817
<b>BURNER SYSTEM (REQUIRED FOR ZVF33 FIREBOX)</b>		
<b>Burner Systems Controls are Hidden and Accessed Through Grill</b>		
ZVFB3330MAN	Vent Free Burner System - Manual Valve 30,000 BTU/HR Natural Gas	655
ZVFB3330MAP	Vent Free Burner System - Manual Valve 30,000 BTU/HR Propane	655
ZVFB3330MVN	Vent Free Burner System - Millivolt Valve 30,000 BTU/HR Natural Gas	858
ZVFB3330MVP	Vent Free Burner System - Millivolt Valve 30,000 BTU/HR Propane	858
<b>LOG SET: (REQUIRED FOR EACH UNIT)</b>		
LOGF18	Log Set - Fiber Split Oak 18"	407
LOGF24	Log Set - Fiber Split Oak 24"	469
<b>GRILL Kit: (Required for each unit)</b>		
VI30GBL	Grill Kit - Black	142
<b>FIREPLACE ACCESSORY OPTIONS:</b>		
ZVF33DS	Door Frame - c/w Fixed Screen	315
Z33FK	Fan Kit w/Variable Wall Mount Speed Control (Temperature Sensing)	434
<b>DECORATE THE BOTTOM OF YOUR FIREPLACE</b>		
VLBIT6	Log Bits - Small Six Piece Kit	148
<b>THERMOSTATS AND REMOTE CONTROLS</b>		
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	832
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211



August 1, 2023  
GAS FIREPLACE PRODUCTS

Rev 061623

Aug 2023

Product Number	Description	USA LIST
<b>ZERO CLEARANCE CLEAN VIEW CIRCULATING UNIVERSAL VENT FREE FIREBOX - 39" WIDE</b>		
ZVFCV39	Listed for USA, with Pull Screens, Framing 39 1/2" W x 37 5/16" H x 20 5/16" D	1,068
<b>BURNER WITH GRATE (Required for each unit)</b>		
GLVF24MAN	Vent Free Gas Log Burner - Manual Valve 38,250 BTU/HR Natural Gas	712
GLVF24MAP	Vent Free Gas Log Burner - Manual Valve 38,000 BTU/HR Propane	712
GLVF24MVN	Vent Free Gas Log Burner - Millivolt Valve 38,250 BTU/HR Natural Gas	1,021
GLVF24MVP	Vent Free Gas Log Burner - Millivolt Valve 38,000 BTU/HR Propane	1,021
<b>LOG SET: (Required for each unit)</b>		
LOGF18	Log Set - Fiber Split Oak 18"	407
LOGF24	Log Set - Fiber Split Oak 24"	469
<b>SURROUNDS AND SAFETY SCREEN</b>		
ZCV39S1BL	Surround - Hearth Mount 4" Wide (Covers 40 5/8" W x 35" H)	490
ZCV39S1PFBL	Surround - Picture Frame 4" Wide (Covers 40 5/8" W x 37" H)	490
ZCV39S2PFBL	Surround - Picture Frame 1 5/8" Wide (Covers 36 1/8" W x 32 1/2" H)	446
<b>FIREPLACE ACCESSORIES OPTIONS:</b>		
ZCV39RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	409
ZCV39RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	409
ZCV39RRH	Refractory Fiber Brick Liner (3 PCE) - Red Herringbone	409
ZCV39RLS	Refractory Fiber Brick Liner (3 PCE) - Stacked Brick	409
Z46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
ULK2	Universal Light Kit - Two Lamps	368
ZCV-TLK	Tile Lip Kit - (for Finishing Materials - tile, brick)	85
<b>DECORATE THE BOTTOM OF YOUR FIREPLACE</b>		
VLBIT6	Log Bits - Small Six Piece Kit	148
<b>THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	832



August 1, 2023  
GAS FIREPLACE PRODUCTS

Rev 061623

Aug 2023

Product Number	Description	USA LIST
<b>ZERO CLEARANCE CLEAN VIEW CIRCULATING UNIVERSAL VENT FREE FIREBOX - 42" WIDE</b>		
ZVFCV42	Listed for USA, with Pull Screens, Framing 42 1/2" W x 40 3/8" H x 20 5/16" D	1,178
<b>BURNER WITH GRATE (Required for each unit)</b>		
GLVF24MAN	Vent Free Gas Log Burner - Manual Valve 38,250 BTU/HR Natural Gas	712
GLVF24MAP	Vent Free Gas Log Burner - Manual Valve 38,000 BTU/HR Propane	712
GLVF24MVN	Vent Free Gas Log Burner - Millivolt Valve 38,250 BTU/HR Natural Gas	1,021
GLVF24MVP	Vent Free Gas Log Burner - Millivolt Valve 38,000 BTU/HR Propane	1,021
<b>LOG SET: (Required for each unit)</b>		
LOGF18	Log Set - Fiber Split Oak 18"	407
LOGF24	Log Set - Fiber Split Oak 24"	469

**SURROUNDS**

ZCV42S1BL	Surround - Hearth Mount 4" Wide (Covers 44 5/8" W x 38 1/8" H)	555
ZCV42S1PFBL	Surround - Picture Frame 4" Wide (Covers 44 5/8" W x 40 1/8" H)	555
ZCV42S2PFBL	Surround - Picture Frame 1 5/8" Wide (Covers 40 1/8" W x 35 5/8" H)	490

**FIREPLACE ACCESSORIES OPTIONS:**

ZCV42RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	446
ZCV42RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	446
ZCV42RRH	Refractory Fiber Brick Liner (3 PCE) - Red Herringbone	446
ZCV42RLS	Refractory Fiber Brick Liner (3 PCE) - Stacked Brick	446
Z46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
ULK2	Universal Light Kit - Two Lamps	368
ZCV-TLK	Tile Lip Kit - (for Finishing Materials - tile, brick)	85

**DECORATE THE BOTTOM OF YOUR FIREPLACE**

VLBIT6	Log Bits - Small Six Piece Kit	148
--------	--------------------------------	-----

**THERMOSTATS AND REMOTE CONTROLS**

Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	832



August 1, 2023  
GAS FIREPLACE PRODUCTS

Rev 061623

Product Number	Description	Aug 2023 USA LIST
<b>ZERO CLEARANCE CLEAN VIEW CIRCULATING UNIVERSAL VENT FREE FIREBOX - 47" Wide</b>		
ZVFCV47	Listed for USA, with Pull Screens, Framing 48 1/2" W x 45 7/16" H x 22 5/8" D	1,333
<b>BURNER WITH GRATE (Required for each unit)</b>		
GLVF24MAN	Vent Free Gas Log Burner - Manual Valve 38,250 BTU/HR Natural Gas	712
GLVF24MAP	Vent Free Gas Log Burner - Manual Valve 38,000 BTU/HR Propane	712
GLVF24MVN	Vent Free Gas Log Burner - Millivolt Valve 38,250 BTU/HR Natural Gas	1,021
GLVF24MVP	Vent Free Gas Log Burner - Millivolt Valve 38,000 BTU/HR Propane	1,021
<b>LOG SET: (Required for each unit)</b>		
LOGF18	Log Set - Fiber Split Oak 18"	407
LOGF24	Log Set - Fiber Split Oak 24"	469
LOGF30	Log Set - Fiber Split Oak 30"	661
<b>OPTIONAL ACCESSORIES</b>		
ZCV47S1BL	Surround - Hearth Mount 4" Wide (Coverage 50 9/16" W x 43 3/16" H)	624
ZCV48RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	688
ZCV48RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	688
ZCV48RLS	Refractory Fiber Brick Liner (3 PCE) - Stacked Brick	762
Z46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
ULK2	Universal Light Kit - Two Lamps	368
ZCV-TLK	Tile Lip Kit - (for Finishing Materials - tile, brick)	85
<b>DECORATE THE BOTTOM OF YOUR FIREPLACE</b>		
VLBIT6	Log Bits - Small Six Piece Kit	148
<b>THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	832



August 1, 2023  
GAS FIREPLACE PRODUCTS

Rev 061623

Product Number	Description	Aug 2023 USA LIST
<b>FREE STANDING VENT FREE STOVE</b>		
FVF350	Listed for USA as a Vent Free Firebox, Black with Louver	1,196
<b>BURNER SYSTEM (REQUIRED FOR FVF350 STOVE)</b>		
FVFB350MVN	Vent Free Burner System - Millivolt Valve 40,000 BTU/HR Natural Gas	972
FVFB350MVP	Vent Free Burner System - Millivolt Valve 40,000 BTU/HR Propane	972
<b>DOOR FRAME (REQUIRED FOR EACH FVF350 STOVE)</b>		
FVF350DB	Door Frame Black and Fixed Mesh Screen	405
<b>LOG SET: (REQUIRED FOR EACH FVF350 STOVE)</b>		
LOGF35	Log Set - Fiber Split Oak (F350,F300,IDV33)	479
<b>ACCESSORIES:</b>		
F45FK	Fan Kit w/Variable Speed Control (Temperature Sensing)	442
F35RL	Refractory Liner	218
<b>THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	832