



# UNITED STATES PRICE LIST



**EFFECTIVE AUGUST 1, 2023**

(REV 61923)

**PHONE 204.632.1962 FAX 204.632.1960**

**Bentley Vented Chase Technology for ZCV34/39/42/48**

## Table of Contents

Name	Model Number	Description	Page Number
		<b>Update Notes and Comments</b>	3
Aurora	OFP42	Outdoor Gas Fireplace	4
Bola	FPB30	Outdoor Fire Bowl	5
Capella 26	IDV26	Direct Vent Insert – 26	6
Capri 24	IDV24	Direct Vent Insert – 24	8
Capri 34	IDV34	Direct Vent Insert – 34	10
Capri 44	IDV44	Direct Vent Insert – 44	12
Bentley 34	ZCV34	Zero Clearance Direct Vent 34" - Tempered	14
Bentley 34	ZCV34H	Zero Clearance Direct Vent 34" - Ceramic	16
Bentley 39	ZCV39	Zero Clearance Direct Vent 39" - Tempered	18
Bentley 39	ZCV39H	Zero Clearance Direct Vent 39" - Ceramic	20
Bentley 42	ZCV42	Zero Clearance Direct Vent 42" - Tempered	22
Bentley 42	ZCV42H	Zero Clearance Direct Vent 42" - Ceramic	24
Skyline 36	ZCVRB3622	Zero Clearance Direct Vent - Linear Burner - Tempered	26
Skyline 42	MQRB4236	Zero Clearance Direct Vent - Linear Burner - Tempered	27
Serene 47	ZCVRB47	Zero Clearance Direct Vent - Linear Burner - Tempered	28
Solara II -36	ZCV3622	Zero Clearance Direct Vent 36" - Tempered	30
Solace 36	MQHBZDV3636	Zero Clearance Direct Vent 36" - Ceramic	31
Solace 42	MQHBZDV4236	Zero Clearance Direct Vent 42" - Ceramic	32
Solace 47	HBZDV4736	Zero Clearance Direct Vent 47" - Tempered	33
Solace II	HBZDV3624	Zero Clearance Direct Vent 36" - Tempered	34
Solace II	HBZDV3628	Zero Clearance Direct Vent 36" - Ceramic	35
Solace II	HBZDV4224	Zero Clearance Direct Vent 42" - Tempered	36
Solace II	HBZDV4228	Zero Clearance Direct Vent 42" - Ceramic	37
		<b>Venting for 4/7" Direct Vent Fireplaces</b>	38
		Power Venting for 4/7"	39
		<b>Kingsman Cross Reference for Marquis Collection Accessories</b>	40
Infinite	MQRB4436	Zero Clearance Direct Vent - Linear Fireplace	41
Infinite	MQRB5143	Zero Clearance Direct Vent - Linear Fireplace	42
		<b>Venting for 5/7" Direct Vent Fireplaces</b>	43
		Power Venting – 5/7"	44
Atrium	MCVP42	Peninsula Clean View Direct Vent – Tempered	45
Atrium	MCVP42H	Peninsula Clean View Direct Vent – Ceramic	46
Bentley 48	MQZCV48	Zero Clearance Direct Vent 48" - Tempered	47
Bentley ST	MCVST42	See Through Clean View Direct Vent – Tempered	49
Bentley ST	MCVST42H	See Through Clean View Direct Vent – Ceramic	51
Enclave 34	MQZCVBG34	Bay Peninsula Direct Vent Fireplace - Glass Barrier	53
Enclave 48	MQVL48	Linear Single Sided Direct Vent Fireplace - Glass Barrier	55
Enclave 48	MQVLBG48	Linear Bay Peninsula Direct Vent Fireplace - Glass Barrier	57
Enclave 60	MQVL60	Linear Single Sided Direct Vent Fireplace - Glass Barrier	59
Enclave 60	MQVLBG60	Linear Bay Peninsula Direct Vent Fireplace - Glass Barrier	61
Enclave 72	MQVL72	Linear Single Sided Direct Vent Fireplace - Glass Barrier	63
Enclave 72	MQVLBG72	Linear Bay Peninsula Direct Vent Fireplace - Glass Barrier	65
Serene 60	ZCVRB60	Linear Single Sided Direct Vent Fireplace - Screen Barrier	67
		<b>Venting for 5/8" Direct Vent Fireplaces</b>	69
		Power Venting - 5/8"	70
Grand Infinite	MQRB6961	Zero Clearance Direct Vent - Linear Burner	71
		<b>Venting for 7/10" Direct Vent Fireplaces</b>	72
		Power Venting – 7/10"	73
Sentinel	FDV350	Free Standing Stove – Direct Vent – Bay	74
Titan	FDV200S	Free Standing Stove – Direct Vent – Single Glass	75
Vantage	FDV451	Free Standing Stove – Direct Vent – Single Glass	76
Vantage	MQFDV453	Free Standing Stove – Direct Vent – Bay	78
		<b>Venting for 4/7" Direct Vent Stoves</b>	80



## Updates for August 1, 2023 Price List

### New Product Introduction

- The **Bentley 39/42/48** will be manufactured where ventilation plates can be removed so the chase can be vented, allowing for cool touch walls, reduced mantel clearances and finished with combustible materials.

These units will be marked with a **VC** (Vented Chase) on all cartons, starting Serial Numbers:

- ZCV39 Tempered Starting Serial Number 35837+
  - ZCV39 Ceramic Starting Serial Number 5348+
  - ZCV42 Tempered Starting Serial Number 50892+
  - ZCV42 Ceramic Starting Serial Number 3622+
  - ZCV48 Starting Serial Number TBA
- **Capri IDV24** – Direct Vent Insert – 24,000 BTU
    - 3/3” venting at maximum 40 ft vertical
    - 2/3” Venting with Maximum 25 ft vertical.
    - Minimum Fireplace Opening Required: 24-1/4” W x 18-1/2”H x 14” D
  - **Dexen IPI** will be used on **ZCV3622/ZCVRB3622** models.
    - We are now offering an optional cold climate switch **Part Number 1023-P055L** for the Dexen Valve System.

### Price Decreases (Bold Red Font on price list):

- **FP2085NT, FP2085LPT, FP2785LPT-FL, MQRB6961NE2/MQRB6961LPE2**

### New items (Bold Red Font on price list):

- **LOGC86** – new log set for Fire Pits, and **LOGF200** New Fiber Log Set for FDV200S Free Standing Stoves. Vented Chase Grills (**V39EG, V39EGS, V49EG, V49EGS**)

### Discontinued Products:

- VLBIT4, LOGC42, LOGC43, LOGC3, LOGC200
- MQVL48RGE will be replaced with MQVL72RGE (running change).
- Phase out of N7/LP7 millivolt 7-day timer valves.

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>Aurora</b>	<b>ZERO CLEARANCE OUTDOOR GAS FIREPLACE - 42" WIDE:</b>	
	Listed for USA/Canada For Outdoor Use Only, SIT Nova TMV Valve with Hi/Lo Adjustment, Wall Switch, Stainless Steel Screens, Framing 42 1/8" W x 38 1/4" H x 18 1/2" D	

<b>STEP 1) CHOOSE MODEL</b>		
<b>CHOOSE BLACK OR STAINLESS FIREPLACE</b>		
OFP42N	Outdoor Fireplace, Satin Coat Black, Millivolt (as above) NG, 55,000 BTU	\$2,668
OFP42NS	Outdoor Fireplace, Stainless Steel, Millivolt (as above) NG, 55,000 BTU	4,118
42OFP-CKLP	Conversion Kit - To Propane - 55,000 BTU	108
OFP42NE	Outdoor Fireplace, Satin Coat Black, IPI PF1 (as above) Natural Gas, 55,000 BTU	3,112
OFP42NSE	Outdoor Fireplace, Stainless Steel, IPI PF1 (as above) NG, 55,000 BTU	4,562
42OFP-CKLPI	Conversion Kit - IPI PF1 - Propane - 55,000 BTU	127

<b>STEP 2) CHOOSE BETWEEN: LOG SET, ROCKS OR GLASS MEDIA</b>		
<b>LOG SET OR ROCKS</b>		
MQROCK2	Rock Set - Contemporary Collection - Natural	349
MQROCK3	Rock Set - Contemporary Collection - Multi-Colored	349
MQSTONE	Decorative Stones (Requires base of Lava Rock or Glass Media)	405
LOGF36	Log Set - Fiber Split Oak	639
LOGF37	Log Set - Split Oak (Cast) - LTD Availability	654
<b>DECORATE THE BOTTOM OF THE FIREPLACE - (10 lbs of Glass Needed)</b>		
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	127
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	127
MQG5B	Glass Media - 1/2" Black - 5 lbs	127
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	127
MQG5W	Glass Media - 1/2" White - 5lbs	127

<b>OPTIONAL FIREPLACE ACCESSORIES</b>		
OFP42SS	Surround - Stainless Steel (For use with OFP42N)	1,026
OFP42WCSS	Weather Cover - Stainless Steel	783
OFP42WCBL	Weather Cover - Black	308
OFP42RLT	Brick Liner - Traditional	517
OFP42RLH	Brick Liner - Herringbone	517
OFP42SA	Spark Assist - (AA Battery not included)	94

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>Bola</b>	<b>OUTDOOR FIRE BOWLS FOR THE FP2085T FIRE PIT (Fire Pit Not Included)</b>	
	<b>OUTDOOR FIRE BOWLS FOR THE FP2085 FIRE PIT (FIRE PIT SOLD SEPERATELY)</b> Fire Bowl Includes: 1/4 Lava Rock x 20 Lbs, Leg Extensioin, Manual Valve Bracket, Filler Strip Ring and SS Flex Connector 30" Diameter x 14"H or 32" Diameter x 14"H	
<b>STEP 1) CHOOSE TYPE OF FIRE BOWL</b>		
<b>SMOOTH GREY OR TEXTURTED CHARCOAL FIRE BOWL</b>		
FPB30TBT	Fire Bowl 30" Diameter - Concrete Textured Charcoal - T Series	3,310
FPB30SGT	Fire Bowl 30" Diameter - Concrete Smooth Grey - T Series	2,547
<b>STEP 2) CHOOSE GAS TYPE OF FIRE PIT</b>		
<b>CHOOSE APPROPRIATE GAS TYPE OF FIRE PIT FOR ABOVE FIRE BOWL</b>		
FP2085NT	Round 20" Diameter - 57,000 BTU - Natural Gas	649
FP2085LPT	Round 20" Diameter - 64,000 BTU - Propane c/w Reg and 5 FT Hose	749
<b>STEP 3) CHOOSE LOG SET, MQSTONE OR OPTIONAL MEDIA</b>		
<b>LOG SET OR OPTIONAL MEDIA</b>		
LOGC85	Log Set - Four Piece Cast Oak - LTD Availability	339
LOGC86	Log Set - Four Piece Cast Oak	<b>NEW</b> 375
MQSTONE	Decorative Stones (Requires base of Lava Rock or Glass Media)	405
<b>Fire Bowls Require 40 lbs of Glass Media, FP2085/2785 Requires 20 lbs of Glass Media</b>		
MQG10C	Media - 1/4" Bronze Reflective Glass 10 lbs	182
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	127
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	127
MQG5B	Glass Media - 1/2" Black - 5 lbs	127
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	127
MQG5W	Glass Media - 1/2" White - 5lbs	127
<b>OPTIONAL ACCESSORIES - FIRE BOWL</b>		
FPB32TRG	Trim Ring (for FPB30/32 Fire Bowl) - Charcoal	471
FPB30COVB	Cover for Fire Bowl - Black	311
30FPB-KEYT	Key Way Valve Kit for New Thermcoupled Fire Bowls (for use when using old FP2085N/LP Fire Pits)	254
<b>OUTDOOR FIRE PITS:</b>		
	Certified for USA and Canada to Outdoor Decorative Gas Standard Manual Valve with Thermocouple, Listed for Canada and USA	
FP2085NT	Round 20" Diameter - 57,000 BTU - Natural Gas	649
FP2085LPT	Round 20" Diameter - 64,000 BTU - Propane c/w Reg and 5 FT Hose	749
FP20COV	Cover for Round Fire Pit or Propane Tank	148
FP20SSRT	Stainless Steel Decorative Ring - (for FP2085NT/LPT only)	175
FP2785LPT-FL	Rectangular 27" x 20" - Propane - 1/4" Media c/w Reg & 5FT Hose and Flat Cover Includes 1/4" Lava Rock, and NG conversion orifice.	879
FP27COV	Cover for Rectangle Fire Pit (used with LOGC85/86 Log Set)	159
<b>OPTIONAL ACCESSORIES - FIRE PITS</b>		
MLR1410	Media - 1/4" Lava Rock 10 lbs.	63
24OBT-MANCP	Control Panel Bracket - for Custom Fire Pit Tables	113
<b>CHOOSE LOG SET OR MEDIA FROM ABOVE (STEP 3)</b>		

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>Capella 26</b>	<b>Direct Vent Fireplace Insert</b>	
	Listed for USA/Canada as a Vented Gas Fireplace, Includes Dual Burner with Glowing Embers, Ceramic Glass, Blower and Safety Screen Two Three Inch Flues, 30,000 BTU/HR (Minimum Size of Fireplace for installation 28" W x 19 1/2" H x 14 1/8"D)	

<b>STEP 1) CHOOSE MODEL</b>		
<b>Direct Vent Insert - Natural Gas or Propane</b>		
<b>IDV26N</b>	<b>Insert Direct Vent, Millivolt Valve - Natural Gas</b>	<b>3,148</b>
<b>IDV26LP</b>	<b>Insert Direct Vent, Millivolt Valve - Propane</b>	<b>3,231</b>
<b>IDV26NE</b>	<b>Insert Direct Vent - IPI PF1 - Natural Gas</b>	<b>3,538</b>
<b>IDV26LPE</b>	<b>Insert Direct Vent - IPI PF1 - Propane</b>	<b>3,621</b>
<b>IDV26NE2</b>	<b>Insert Direct Vent - IPI PF2 - Remote-Thermostat-Mod-Fan - NG</b>	<b>4,134</b>
<b>IDV26LPE2</b>	<b>Insert Direct Vent - IPI PF2 - Remote-Thermostat-Mod-Fan - Propane</b>	<b>4,215</b>
<b>26IDV-CKLP</b>	<b>Conversion Kit - Millivolt - To Propane</b>	<b>108</b>
<b>26IDV-CKNG</b>	<b>Conversion Kit - Millivolt - To Natural Gas</b>	<b>108</b>
<b>26IDV-CKLPI</b>	<b>Conversion Kit - IPI PF1 - To Propane</b>	<b>127</b>
<b>26IDV-CKNGI</b>	<b>Conversion Kit - IPI PF1 - To Natural Gas</b>	<b>127</b>
<b>26IDV-CKLP2</b>	<b>Conversion Kit - IPI Proflame 2 - To Propane</b>	<b>235</b>
<b>26IDV-CKNG2</b>	<b>Conversion Kit - IPI Proflame 2 - To Natural Gas</b>	<b>235</b>

<b>STEP 2) CHOOSE BETWEEN: LOG SETS OR GLASS MEDIA PLATFORM OR ROCK SUPPORT PLATFORM</b>		
<b>LOG SETS - OAK</b>		
<b>MQLOGF26</b>	<b>Log Set - Fiber Split Oak - (7 Piece - IDV26)</b>	<b>598</b>
<b>LOGF27</b>	<b>Log Set - Fiber Split Oak (IDV26)</b>	<b>543</b>
<b>GLASS MEDIA SUPPORT PLATFORMS</b>		
<b>MQRSP8</b>	<b>Marquis Glass Support Platform - IDV26/34/44 (REQUIRES 5 LBS OF GLASS)</b>	<b>353</b>
<b>36IDV-205</b>	<b>Pilot Shield - for MQRSP8 (Replacement Part)</b>	<b>68</b>
<b>MQG5ZG</b>	<b>Glass Media - ZIRCON Glacier Ice - 5 lbs.</b>	<b>127</b>
<b>MQG5A</b>	<b>Glass Media - 1/2" Cobalt Blue - 5 lbs.</b>	<b>127</b>
<b>MQG5B</b>	<b>Glass Media - 1/2" Black - 5 lbs.</b>	<b>127</b>
<b>MQG5C</b>	<b>Glass Media - 1/2" Bronze - 5 lbs.</b>	<b>127</b>
<b>MQG5W</b>	<b>Glass Media - 1/2" White - 5lbs</b>	<b>127</b>
<b>MQEMBER3</b>	<b>Ember Chunks - (3 bags)</b>	<b>178</b>
<b>MQSTONE</b>	<b>Decorative Stones</b>	<b>405</b>
<b>RSP10</b>	<b>Kingsman Glass Support Platform - with 15LBS of Bronze Glass - IDV26/34/4</b>	<b>682</b>
<b>36IDV-204</b>	<b>Pilot Shield - for RSP10 or MQRSP11 (Replacement Part)</b>	<b>68</b>
<b>ROCK SUPPORT PLATFORM</b>		
<b>MQRSP4</b>	<b>Rock Support Platform - IDV26/34/44- (REQUIRES MQROCK SET BELOW)</b>	<b>325</b>
<b>MQROCK2</b>	<b>Rock Set - Contemporary Collection - Natural</b>	<b>349</b>
<b>MQROCK3</b>	<b>Rock Set - Contemporary Collection - Multi-Colored</b>	<b>349</b>

<b>STEP 3) CHOOSE A CLEAN VIEW FRONT (REQUIRED FOR EACH UNIT) AND SURROUND IF NEEDED:</b>		
<b>Series 1 - Components In - Minimum Fireplace Opening of 31" W x 19 1/2"H x 14 1/8"D</b>		
<b>Series 1 - Clean View - Slim - (35 5/8"W x 22 3/4"H)</b>		
<b>I26CV1BL</b>	<b>Clean View - Slim - Black - 1 3/4" Depth</b>	<b>353</b>
<b>I26CV3BL</b>	<b>Clean View - Slim - Black - 3 1/2" Depth</b>	<b>410</b>
<b>I26S1BL</b>	<b>Surround - Slim - Black - (Covers 42" W x 27 1/2"H)</b>	<b>235</b>
<b>I26SUBL</b>	<b>Surround Universal - Black</b>	<b>336</b>
	<b>(Three Sided 47 1/2"W x 28 5/8" H, Picture Frame Size 47 1/2" W x 35 5/8"H)</b>	

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>Series 1 - Clean View - Picture Frame (35 5/8" W x 25 7/8"H)</b>		
I26CVPF1BL	Clean View - Slim - Picture Frame - Black	467
I26SPF1BL	Surround Picture Frame - Slim - Black - (Covers 39 3/8"W x 29 3/4" H)	317
I26SUBL	Surround Universal - Black (Picture Frame Size 47 1/2" W x 35 5/8"H, Three Sided 47 1/2"W x 28 5/8" H)	336
<b>Series 2 - Components Out - Minimum Fireplace Opening of 28"W x 19 1/2"H x 14 1/8"D</b>		
<b>Series 2 - Clean View Front - Wide - (44 5/8"W x 26 5/8"H)</b>		
I26CV2BL	Clean View - Wide - Black	402
I26SUBL	Surround Universal - Black (Three Sided 47 1/2"W x 28 5/8" H, Picture Frame Size 47 1/2" W x 35 5/8"H)	
<b>Series 2 - Clean View Wide - Picture Frame (44 7/8" W x 33 1/2 "H)</b>		
I26CVPF2BL	Clean View Wide - Picture Frame - Black	532
I26SUBL	Surround Universal - Black (Picture Frame Size 47 1/2" W x 35 5/8"H, Three Sided 47 1/2"W x 28 5/8" H)	336

<b>STEP 5) CHOOSE OPTIONAL ACCESSORIES</b>		
<b>Riser for Surrounds - Raises Coverage Height by 2 1/2"</b>		
I33R40	Riser For Surround (2 1/2") - For Use on I26CV1 or CV3	194
I33R44	Riser For Surround (2 1/2") - For Use on I26S1	194
<b>FIREPLACE ACCESSORY OPTIONS</b>		
I26CSS	Safety Screen Barrier (Replacement)	252
IDV26RL	Refractory Brick Liner (3 PCE)	378
IDV26PRL	Porcelain Reflective Panel Liner (3 PCE)	444
I33CS	Mantel Clearance Shield	51
<b>THERMOSTATS AND REMOTE CONTOLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
<b>When Ordering e/GT-GTM Remote a 10 FT Harness is Required</b>		
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
1001-P904SI	Wire Harness GTMF 584.904 10FT	61
EGTRC	Remote Control IPI - Thermostat	435
EGTMRCN	Remote Control IPI - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI - Thermostat/Modulating - LP	591
1001-P904SI	<b>Wire Harness GTMF 584.904 10FT</b>	61
RCP2WIFI	<b>#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES</b> (CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)	234
<b>STEP 6) CHOOSE VENTING</b>		
<b>VENTING COMPONENTS</b>		
IDVVT36	Vertical Vent Termination - (3/3"), Mill Pac and Screws	247
IDVFK25	Flex Pipe Kit ( 2 x 3" Dia x 25FTGas Flex Liner)	539
IDVLCP	Block Off Plate - For Lower Chase (11 3/4" x 14 3/4")	50
ZDV3FC	Flex Connector 3" Diameter	26
<b>**MG Duravent (Order Kit #46DVA-CL33)</b>		

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>Capri 24</b>	<b>DIRECT VENT FIREPLACE INSERT</b>	
	Listed for USA/Canada as a Vented Gas Fireplace, Includes Dual Burner with Glowing Embers, Ceramic Glass, Adjustable Valve, Blower, Two Three Inch Flues 24,000 BTU/HR <b>Minimum Fireplace Opening (24 1/4" W x 18 1/2" H x 14" D)</b>	

**\*\* Kingsman Flex Venting & Termination Only \*\***

<b>STEP 1) CHOOSE MODEL</b>		
<b>Direct Vent Insert - Natural Gas or Propane</b>		
IDV24N	Insert Direct Vent - Millivolt - Natural Gas	2,450
IDV24LP	Insert Direct Vent - Millivolt - Propane	2,510
IDV24NE	Insert Direct Vent - IPI PF1 - Natural Gas	2,800
IDV24LPE	Insert Direct Vent - IPI PF1 - Propane	2,860
IDV24NE2	Insert Direct Vent - IPI PF2 - Remote-Thermostat-Mod-Fan-Lights - NG	3,400
IDV24LPE2	Insert Direct Vent - IPI PF2 - Remote-Thermostat-Mod-Fan-Lights - Propane	3,480
24IDV-CKLP	Conversion Kit - Millivolt - To Propane	108
24IDV-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
24IDV-CKLPI	Conversion Kit - IPI - To Propane	127
24IDV-CKNGI	Conversion Kit - IPI - To Natural Gas	127
24IDV-CKLP2	Conversion Kit - IPI Proflame 2 - To Propane	235
24IDV-CKNG2	Conversion Kit - IPI Proflame 2 - To Natural Gas	235

<b>STEP 2) CHOOSE BETWEEN: LOG SETS OR GLASS MEDIA</b>		
<b>LOG SETS - CHOOSE OAK OR DRIFTWOOD</b>		
LOGF24OAK	Log Set - Fiber Split Oak	555
MQLOGF24DW	Log Set - Driftwood	555
42MVB-258	Pilot Shield - (Replacement Part)	68
<b>GLASS MEDIA (Max 10 lbs) AND DECORATIVE STONES OR ROCKS</b>		
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs.	127
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs.	127
MQG5B	Glass Media - 1/2" Black - 5 lbs.	127
MQG5C	Glass Media - 1/2" Bronze - 5 lbs.	127
MQG5W	Glass Media - 1/2" White - 5lbs	127
RBCB1	Cannonballs - Assorted size and colors <i>(Don't use large cannonballs)</i>	446
MQEMBER3	Ember Chunks - (3 bags)	178
MQSTONE	Decorative Stones - 80 PCE Set	405
MQSTONE10	Decorative Stones - 10 PCE Set	80
MQROCK2	Rock Set - Contemporary Collection - Natural	349
MQROCK3	Rock Set - Contemporary Collection - Multi-Colored	349

<b>STEP 3) CHOOSE CLEAN VIEW FRONT AND APPROPRIATE SURROUND</b>		
<b>CLEAN VIEW CV1</b>		
I24CV1BL	Clean View - Black - c/w Safety Screen - 30 1/2" W x 21 7/16"H x 15/16" D	595
<b>SURROUNDS - FOR USE WITH I34CV1/CV2 - CLEAN VIEW</b>		
I24S3827	Surround - Black (Covers 37 13/16" W x 27" H)	225
I24SPF3829	Surround - Picture Frame - Black (Covers 37 13/16" W x 28 7/8" H)	285
I24SU4541	Surround Universal - Black (Covers 45" W x 41" H)	240
<b>STEP 4) CHOOSE OPTIONAL ACCESSORIES</b>		
<b>Riser for Surrounds - Raises Coverage Height by 2 1/2"</b>		
I34R40	Riser For Surround (2 1/2") x 40" W	194
<b>FIREPLACE ACCESSORY OPTIONS</b>		
I24CSS	Safety Screen Barrier (Replacement) - I34SF1/MQ34DD1	281
IDV24RLT	Refractory Brick Liner (3 PCE)	425



Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
EGTRC	Remote Control IPI - Thermostat	435
EGTMRCN	Remote Control IPI - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI - Thermostat/Modulating - LP	591
RCP2WIFI	<b>#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES</b> (CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)	234

<b>STEP 5) CHOOSE VENTING</b>		
<b>VENTING COMPONENTS 3" &amp; 3"</b>		
IDVVT36	Vertical Vent Termination - (3/3"), Mill Pac and Screws	247
IDVFK25	Flex Pipe Kit ( 2 x 3" Dia x 25FT Gas Flex Liner)	539
IDVLCP	Block Off Plate - For Lower Chase (11 3/4" x 14 3/4")	50
ZDV3FC	Flex Connector 3" Diameter	26
<b>** Kingsman Flex Venting &amp; Termination Only **</b>		
<b>VENTING COMPONENTS 2" &amp; 3"</b>		
IDVVT36	Vertical Vent Termination - (3/3"), Mill Pac and Screws	247
I23FK25	Flex Pipe Kit ( 2"x 25FT & 3" x 25FT Gas Flex Liner)	539
I23FAK	Flue Adaptor Kit - 2 x 2" to 3" Increaser and 6" to 7" Increaser	90
IDVLCP	Block Off Plate - For Lower Chase (11 3/4" x 14 3/4")	50
ZDV2FC	Flex Connector 2" Diameter	26
ZDV3FC	Flex Connector 3" Diameter	26
<b>** Kingsman Flex Venting &amp; Termination Only **</b>		

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>Capri 34</b>	<b>DIRECT VENT FIREPLACE INSERT</b>	
	Listed for USA/Canada as a Vented Gas Fireplace, Includes Dual Burner with Glowing Embers, Ceramic Glass, SIT Valve, Blower, Two Three Inch Flues 31,000 BTU/HR NG, 28,500 BTU/HR Propane Minimum Fireplace Opening for <b>CV1/2/3/4</b> - (28 5/8" W x 21 1/2" H x 17 3/4" D) Minimum Fireplace Opening for <b>CV6</b> - (26 1/4" W x 21 3/8" H x 14 3/8" D)	

**STEP 1) CHOOSE MODEL**

Direct Vent Insert - Natural Gas or Propane		
IDV34N	Insert Direct Vent - Millivolt - Natural Gas	2,730
IDV34LP	Insert Direct Vent - Millivolt - Propane	2,800
IDV34NE	Insert Direct Vent - IPI PF1 - Natural Gas	3,120
IDV34LPE	Insert Direct Vent - IPI PF1 - Propane	3,189
IDV34NE2	Insert Direct Vent - IPI PF2 - Remote-Thermostat-Mod-Fan - Natural Gas	3,715
IDV34LPE2	Insert Direct Vent - IPI PF2 - Remote-Thermostat-Mod-Fan - Propane	3,784
33IDV-CKLP	Conversion Kit - Millivolt - To Propane	108
33IDV-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
33IDV-CKLPI	Conversion Kit - IPI - To Propane	127
33IDV-CKNGI	Conversion Kit - IPI - To Natural Gas	127
33IDV-CKLP2	Conversion Kit - IPI Proflame 2 - To Propane	235
33IDV-CKNG2	Conversion Kit - IPI Proflame 2 - To Natural Gas	235

**STEP 2) CHOOSE BETWEEN: LOG SETS OR GLASS MEDIA PLATFORMS OR ROCK SUPPORT PLATFORM**

LOG SETS - CHOOSE OAK OR DRIFTWOOD		
LOGF35	Log Set - Fiber Split Oak (F350,F300,IDV33)	479
MQRSP11	Log Support Platform (Required if using MQLOGF33/34 or MQRBD4-MQRBRW)	240
MQLOGF33	Log Set - Driftwood (Requires MQRSP11)	724
MQLOGF34	Log Set - Oak Split (Requires MQRSP11)	613
MQRBRW	Log Set - Birch - Small Branch Set (Requires MQRSP11 and 15Lbs of Glass Me	533
MQRBD4	Drift Wood - Three Piece Set (Requires MQRSP11 and 15 lbs of Glass Media)	356
36IDV-204	Pilot Shield - for RSP10 or MQRSP11 (Replacement Part)	68
GLASS MEDIA SUPPORT PLATFORMS		
MQRSP8	Marquis Glass Support Platform - IDV26/33/43 (REQUIRES 5 LBS OF GLASS	353
RSP10	Glass Support Platform - with Bronze Glass Media - (IDV26/33/34/43/44)	682
36IDV-205	Pilot Shield - for MQRSP8 (Replacement Part)	68
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs.	127
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs.	127
MQG5B	Glass Media - 1/2" Black - 5 lbs.	127
MQG5C	Glass Media - 1/2" Bronze - 5 lbs.	127
MQG5W	Glass Media - 1/2" White - 5lbs	127
MQEMBER3	Ember Chunks - (3 bags)	178
MQSTONE	Decorative Stones - 80 PCE Set	405
MQSTONE10	Decorative Stones - 10 PCE Set	80
ROCK SUPPORT PLATFORM		
MQRSP4	Rock Support Platform - IDV26/33/43- (REQUIRES MQROCK SET BELOW)	325
MQROCK2	Rock Set - Contemporary Collection - Natural	349
MQROCK3	Rock Set - Contemporary Collection - Multi-Colored	349

**STEP 3) CHOOSE CLEAN VIEW FRONT AND APPROPRIATE SURROUND**

CLEAN VIEW CV1 AND CV2		
I34CV1BL	Clean View - Black - c/w Safety Screen - 35 1/4" W x 24 3/16" H x 13/16" D	614
MQ34CV2BL	Clean View - Black - c/w Safety Screen - 35 3/4" W x 24 11/16" H x 1 3/4" D	614
SURROUNDS - FOR USE WITH I34CV1/CV2 - CLEAN VIEW		
I34S3927BL	Surround - Black (Covers 39" W x 27 5/16" H)	232
I34SPF4131BL	Surround - Picture Frame - Black (Covers 41 1/8" W x 31 3/8" H)	299
I34SU4541BL	Surround Universal - Black (Covers 45" W x 41" H)	247

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>CLEAN VIEW CV3 - SCREEN DOOR FRAME OR DESIGNER DOOR REQUIRED</b>		
<b>When using a I34CV3 a Designer Door or Door Frame is Required</b>		
MQ34CV3BL	Clean View - Black - 37 1/8" W x 25 3/16" H x 1 7/16" D	629
MQ34DD1BL	Designer Door - Series 1 - c/w Safety Screen	859
MQ34SF1BL	Door Frame - c/w Safety Screen	479
<b>SURROUNDS - FOR USE WITH I34CV3 CLEAN VIEW</b>		
I34S3927BL	Surround - Black (Covers 39" W x 27 5/16" H)	232
I34SPF4131BL	Surround - Picture Frame - Black (Covers 41 1/8" W x 31 3/8" H)	299
I34SU4541BL	Surround Universal - Black (Covers 45" W x 41" H)	247
<b>CLEAN VIEW CV4PF PICTURE FRAME - SCREEN DOOR FRAME OR DESIGNER DOOR REQUIRED</b>		
<b>When using a I34CV4PF a Designer Door or Door Frame is Required</b>		
MQ34CV4PFBL	Clean View - Picture Frame - Black (37 1/8" W x 27 3/8" H x 1 7/16" D)	674
MQ34DD1BL	Designer Door - Series 1 - c/w Safety Screen	859
MQ34SF1BL	Door Frame - c/w Safety Screen	479
<b>SURROUNDS - FOR USE WITH I34CV4PF - CLEAN VIEW PICTURE FRAME</b>		
I34SPF4131BL	Surround - Picture Frame - Black (Covers 41 1/8" W x 31 3/8" H)	299
I34SU4541BL	Surround Universal - Black (Covers 45" W x 41" H)	247
<b>CLEAN VIEW CV6 - (Minimum Fireplace Opening - 26 1/4" W x 21 1/2"H x 15 3/4"D)</b>		
I34CV6BL	Clean View w/ Backer Surround - Safety Screen - Black (Coverage - 37 5/8"W x 26 15/16"H x 2 3/4"D)	857
<b>SURROUNDS - FOR USE WITH CLEAN VIEW</b>		
I34S3927BL	Surround - Black (Covers 39" W x 27 5/16" H)	232
I34SPF4131BL	Surround - Picture Frame - Black (Covers 41 1/8" W x 31 3/8" H)	299
I34SU4541BL	Surround Universal - Black (Covers 45" W x 41" H)	247
<b>STEP 4) CHOOSE OPTIONAL ACCESSORIES</b>		
<b>Riser for Surrounds - Raises Coverage Height by 2 1/2"</b>		
I34R40	Riser For Surround (2 1/2") x 40" W	194
I44R45	Riser For Surround (2 1/2") x 45" W	194
<b>FIREPLACE ACCESSORY OPTIONS</b>		
I34CSS	Safety Screen Barrier (Replacement) - I34SF1/MQ34DD1	281
I34CV1SS	Safety Screen Barrier (Replacement) - I34CV1/CV2	247
I33CS	Mantel Clearance Shield	51
IDV33RL	Refractory Brick Liner (3 PCE)	223
MQ33RLF	Brick Liner - Fluted (3 PCE)	515
IDV33PRL	Porcelain Reflective Panel Liner (3 PCE)	518
<b>THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
EGTRC	Remote Control IPI - Thermostat	435
EGTMRCN	Remote Control IPI - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI - Thermostat/Modulating - LP	591
RCP2WIFI	<b>#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES</b> (CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)	234
<b>STEP 5) CHOOSE VENTING</b>		
<b>VENTING COMPONENTS</b>		
IDVVT36	Vertical Vent Termination - (3/3"), Mill Pac and Screws	247
IDVFK25	Flex Pipe Kit ( 2 x 3" Dia x 25FTGas Flex Liner)	539
IDVLCF	Block Off Plate - For Lower Chase (11 3/4" x 14 3/4")	50
ZDV3FC	Flex Connector 3" Diameter	26
<b>**MG Duravent (Order Kit #46DVA-CL33)</b>		

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>Capri 44</b>	<b>DIRECT VENT FIREPLACE INSERT</b>	
	Listed for USA/Canada as a Vented Gas Fireplace, Includes Dual Burner with Glowing Embers, Ceramic Glass, SIT Valve, Fan, 3" Air Intake and 4" Exhaust, 34,250 BTU NG, 30,000 BTU LP Minimum Fireplace Opening: 32 7/8" W x 25 3/4" H x 18"D	

<b>STEP 1) CHOOSE MODEL</b>		
<b>Direct Vent Insert - Natural Gas or Propane</b>		
IDV44N	Insert Direct Vent - Millivolt - Natural Gas	3,342
IDV44LP	Insert Direct Vent - Millivolt - Propane	3,413
IDV44NE	Insert Direct Vent - IPI PF1 - Natural Gas	3,732
IDV44LPE	Insert Direct Vent - IPI PF1 - Propane	3,801
IDV44NE2	Insert Direct Vent - IPI PF2 - Remote-Thermostat-Mod-Fan - Natural Gas	4,326
IDV44LPE2	Insert Direct Vent - IPI PF2 - Remote-Thermostat-Mod-Fan - Propane	4,399
36IDV-CKLP	Conversion Kit - Millivolt - To Propane	108
36IDV-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
36IDV-CKLPI	Conversion Kit - IPI - To Propane	127
36IDV-CKNGI	Conversion Kit - IPI - To Natural Gas	127
43IDV-CKLP2	Conversion Kit - IPI Proflame 2 - To Propane	235
43IDV-CKNG2	Conversion Kit - IPI Proflame 2 - To Natural Gas	235

<b>STEP 2) CHOOSE BETWEEN: LOG SETS OR GLASS MEDIA PLATFORMS OR ROCK SUPPORT PLATFORM</b>		
<b>LOG SETS - CHOOSE OAK OR DRIFTWOOD</b>		
LOGF36	Log Set - Fiber Split Oak	639
MQRSP11	Log Support Platform (Required if using MQLOGF33/34 or MQRBD4-MQRBRW)	240
MQLOGF453	Log Set - Driftwood (Requires MQRSP11)	747
MQLOGF34	Log Set - Oak Split (Requires MQRSP11)	613
MQRBRW	Log Set - Birch (Requires MQRSP11)	533
MQRBD4	Drift Wood - Three Piece Set (Requires MQRSP11 and 15 lbs of Glass Media)	356
36IDV-204	Pilot Shield - for RSP10 or MQRSP11 (Replacement Part)	68
<b>GLASS MEDIA SUPPORT PLATFORMS</b>		
MQRSP8	Marquis Glass Support Platform - IDV26/34/44 (Requires 5 LBS of Glass)	353
36IDV-205	Pilot Shield - for MQRSP8 (Replacement Part)	68
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs.	127
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs.	127
MQG5B	Glass Media - 1/2" Black - 5 lbs.	127
MQG5C	Glass Media - 1/2" Bronze - 5 lbs.	127
MQG5W	Glass Media - 1/2" White - 5lbs	127
MQEMBER3	Ember Chunks - (3 bags)	178
MQSTONE	Decorative Stones - 80 PCE Set	405
MQSTONE10	Decorative Stones - 10 PCE Set	80
<b>ROCK SUPPORT PLATFORM</b>		
MQRSP4	Rock Support Platform - IDV26/33/43- (REQUIRES MQROCK SET BELOW)	325
MQROCK2	Rock Set - Contemporary Collection - Natural	349
MQROCK3	Rock Set - Contemporary Collection - Multi-Colored	349

<b>STEP 3) CHOOSE CLEAN VIEW AND APPROPRIATE SURROUND</b>		
<b>CLEAN VIEW - I44CV1 AND I44CV2</b>		
I44CV1BL	Clean View - Black - C/W Safety Screen - 39 9/16" W x 28 1/2"H x 13/16"D	601
MQ44CV2BL	Clean View - Black - C/W Safety Screen - 40 1/16" W x 29 1/16"H x 1 3/4"D	662
<b>SURROUNDS</b>		
I44S4432BL	Surround - Black (Covers 44" W x 32 1/16" H)	283
I44SPF4436BL	Surround Picture Frame - Black (Covers 44" W x 36" H)	353
I44SU4742BL	Surround Universal - Black (Covers 47" W x 42" H)	290

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>CLEAN VIEW - I44CV3 - SCREEN DOOR FRAME OR DESIGNER DOOR REQUIRED</b>		
<b>When using a I44CV3 a Designer Door or Door Frame is Required</b>		
MQ44CV3BL	Clean View - Black - 41 7/16" W x 29 1/8" H x 1 7/16" Depth	662
MQ44DD1BL	Designer Door - Series 1 - c/w Safety Screen	889
MQ44SF1BL	Door Frame - c/w Safety Screen	493
<b>SURROUNDS</b>		
I44S4432BL	Surround - Black (Covers 44" W x 32 1/16" H)	283
I44SPF4436BL	Surround Picture Frame - Black (Covers 44" W x 36" H)	353
I44SU4742BL	Surround Universal - Black (Covers 47" W x 42" H)	290

**STEP 4) CHOOSE OPTIONAL ACCESSORIES**

<b>RISER FOR SURROUNDS - Raises Coverage Height by 2 1/2"</b>		
I44R45	Riser For Surround (2 1/2") x 45" W	194
<b>FIREPLACE ACCESSORY OPTIONS</b>		
IDV36RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	283
IDV36RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	283
IDV36PRL	Porcelain Reflective Panel Liner (3 PCE)	665
MQ43RLF	Refractory Liner (3 PCE) - Fluted	471
I33CS	Mantel Clearance Shield	51
I44CV1SS	Safety Screen Barrier (Replacement) - (I44CV1/CV2)	301
I43CSS	Safety Screen Barrier (Replacement) - (I44SF1BL/MQ44DD1BL)	339
<b>THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
EGTRC	Remote Control IPI - Thermostat	435
EGTMRCN	Remote Control IPI - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI - Thermostat/Modulating - LP	591
RCP2WIFI	<b>#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES</b> (CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)	234

**STEP 5) CHOOSE VENTING**

<b>VENTING COMPONENTS</b>		
IDVVT43	Vertical Vent Termination - (4/3"), (Mill Pac and screws)	260
I43FK25	Flex Pipe Kit (3&4" Dia x 25FT Gas Flex Liner)	552
I43LCP	Block Off Plate - For Lower Chase (11 3/4" x 14 3/4")	50
ZDV3FC	Flex Connector 3" Diameter	26
ZDV4FC	Flex Connector 4" Diameter	26
<b>**MG Duravent Venting - (Order Kit #46DVA-CL34)</b>		

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>BENTLEY 34"</b>	<b>ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE</b>	
<b>Tempered Glass</b>	Listed for USA/Canada as a Vented Gas Fireplace, SIT Valve with Hi/Lo Flame Adjustment Wall Switch, 4/7" Sloped Top Flue, Tempered Glass Viewing Area 25 1/4" W x 20 3/4" H Safety Screen, Framing 33 1/4" W x 36 1/8" H x 18 1/8" D, BTU 19,000 NG, 18,000 Propane	
<div style="border: 1px solid black; padding: 5px; margin: 10px auto; width: fit-content;"> <p><b>The Fireplace Chase may be Vented for Cool Touch Walls and reduced Mantel Clearances. Ventilation Plates must be removed from top of appliance. Minimum Enclosure Height for a Vented Chase is 68". See Installation Manual for further details of Vented Chase options.</b></p> </div>		
<b>STEP 1) CHOOSE MODEL</b>		
<b>ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE 39" WIDE</b>		
ZCV34N	Fireplace, Millivolt Valve (as above) Natural Gas	2,565
ZCV34LP	Fireplace, Millivolt Valve (as above) Propane	2,660
ZCV34NE	Fireplace, IPI PF1 Valve (as above) Natural Gas	2,949
ZCV34LPE	Fireplace, IPI PF1 Valve (as above) Propane	3,045
ZCV34NE2	Fireplace, IPI PF2 - Remote-Thermostat-Mod-Fan-Lights - Natrual Gas	4,179
ZCV34LPE2	Fireplace, IPI PF2 - Remote-Thermostat-Mod-Fan-Lights - Propane	4,289
34ZCV-CKLP	Conversion Kit - Millivolt - To Propane	108
34ZCV-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
34ZCV-CKLPI	Conversion Kit - IPI - To Propane	127
34ZCV-CKNGI	Conversion Kit - IPI - To Natural Gas	127
34ZCV-CKLP2	Conversion Kit - IPI Proflame 2 - To Propane	235
34ZCV-CKNG2	Conversion Kit - IPI Proflame 2 - To Natural Gas	235
<b>STEP 2) CHOOSE GRILL FOR VENTILATION OR OTHER OPTIONAL CHASE SOLUTIONS</b>		
<b>OPTIONAL - WHEN VENTILATING ENCLOSURE</b>		
V34EGS	Grill - Enclosure Side (Pair) - Unfinished (11 1/4" W X 6" H)	400
V34EG	Grill - Enclosure Front - Unfinished (32 5/16" W X 4 3/8"H)	300
<b>STEP 3) CHOOSE LOG SET OR GLASS MEDIA ACCESSORIES</b>		
<b>LOG SET OR GLASS MEDIA: (REQUIRED FOR EACH UNIT)</b>		
MQLOGF34OAK	Log Set - Oak - Seven Piece -	729
MQLOGF34BW	Log Set - Birch - Seven Piece	969
MQLOGF453	Log Set - Driftwood	747
LOGC44	Log Set - Eight Piece - Burnt Oak (3624/28, 4224/28 Series)	240
<b>Glass Media - (Maximum 10 lbs)</b>		
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs.	127
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs.	127
MQG5B	Glass Media - 1/2" Black - 5 lbs.	127
MQG5C	Glass Media - 1/2" Bronze - 5 lbs.	127
MQG5W	Glass Media - 1/2" White - 5lbs	127
<b>Optional Media Accessories</b>		
MQROCK2	Rock Set - Contemporary Collection - Natural	349
MQROCK3	Rock Set - Contemporary Collection - Multi-Colored	349
MQRBD3	Drift Wood Log Set - 5 Pce	552
MQRBRW	Birch Wood Log Set - 5 Pce	533
MQEMBER	Ember Chunks (2 Bags)	127
MQSTONE	Decorative Stones - 80 PCE Set	405
MQSTONE10	Decorative Stones - 10 PCE Set	80
RBCB1	Cannonballs - Assorted size and colors	446
VLBIT6	Log Bits - Small Six Piece Kit	148

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>OPTIONAL BRICK AND PORCELAIN LINERS</b>		
ZCV34RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	425
ZCV34RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	425
ZCV34PL	Porcelain Reflective Panel Liner (3 PCE)	585
<b>Optional Electrical Components and Pilot Shield</b>		
Z46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
Z46FK2	Fan Kit - Proflame 2 (Replacement Part)	405
42MCVP-258-3	Pilot Shield - for ZCV34 (Replacement Part)	68
<b>OPTIONAL SURROUNDS, SAFETY SCREEN AND TILE LIP KIT</b>		
ZCV34S1BL	Surround - Hearth Mount 2 3/4" Wide (Covers 33 7/8" W x 30 3/4" H)	465
ZCV34S1PFBL	Surround - Picture Frame 4" Wide (Covers 36 5/16" W x 33 3/8" H)	465
ZCV34S2PFBL	Surround - Picture Frame 1 5/8" Wide (Covers 31 11/16" W x 28 3/4" H)	430
ZCV34CSS	Safety Screen Barrier - Inside Fit (Replacement)	375
34ZCV-TLK	Tile Lip Kit - (for Finishing Materials - tile, brick)	85
<b>OPTIONAL THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 (Convenient and accessible location for Battery Backup for IPI Systems)	260
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
RCP2WIFI	<b>#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES</b> <b>(CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)</b>	234
<b>Non Vented Chase with Horizontal Venting Requires a Wall Thimble Shield</b>		
Z58WTS	Horizontal Wall Thimble Shield (for Non Vented Chase)	54

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>BENTLEY 34"</b>	<b>ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE 39" WIDE</b>	
<b>CERAMIC GLASS</b>	Listed for USA/Canada as a Vented Gas Fireplace, Valve with Hi/Lo Flame Adjustment Wall Switch, 4/7" Sloped Top Flue, Ceramic Glass Viewing Area 25 1/4" W x 20 3/4" H Safety Screen, Framing 33 1/4" W x 36 1/8" H x 18 1/8" D, BTU 19,000 NG, 18,000 Propane	
<div style="border: 1px solid black; padding: 5px; margin: 10px auto; width: fit-content;"> <p><b>The Fireplace Chase may be Vented for Cool Touch Walls and reduced Mantel Clearances. Ventilation Plates must be removed from top of appliance. Minimum Enclosure Height for a Vented Chase is 68". See Installation Manual for further details of Vented Chase options.</b></p> </div>		
<b>STEP 1) CHOOSE MODEL</b>		
<b>ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE 39" WIDE</b>		
ZCV34NH	Fireplace, Millivolt Valve (as above) Natural Gas	3,125
ZCV34LPH	Fireplace, Millivolt Valve (as above) Propane	3,220
ZCV34NHE	Fireplace, IPI PF1 Valve (as above) Natural Gas	3,510
ZCV34LPHE	Fireplace, IPI PF1 Valve (as above) Propane	3,605
ZCV34NHE2	Fireplace, IPI PF2 - Remote-Thermostat-Mod-Fan-Lights - Natural Gas	4,750
ZCV34LPHE2	Fireplace, IPI PF2 - Remote-Thermostat-Mod-Fan-Lights - Propane	4,860
34ZCV-CKLP	Conversion Kit - Millivolt - To Propane	108
34ZCV-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
34ZCV-CKLPI	Conversion Kit - IPI - To Propane	127
34ZCV-CKNGI	Conversion Kit - IPI - To Natural Gas	127
34ZCV-CKLP2	Conversion Kit - IPI Proflame 2 - To Propane	235
34ZCV-CKNG2	Conversion Kit - IPI Proflame 2 - To Natural Gas	235
<b>STEP 2) CHOOSE GRILL FOR VENTILATION OR OTHER OPTIONAL CHASE SOLUTIONS</b>		
<b>OPTIONAL - WHEN VENTILATING ENCLOSURE</b>		
V34EGS	Grill - Enclosure Side (Pair) - Unfinished (11 1/4" W X 6" H)	400
V34EG	Grill - Enclosure Front - Unfinished (32 5/16" W X 4 3/8"H)	300
<b>STEP 3) CHOOSE LOG SET OR GLASS TRAY AND GLASS MEDIA</b>		
<b>LOG SET OR GLASS MEDIA: (REQUIRED FOR EACH UNIT)</b>		
MQLOGF34OAK	Log Set - Oak - Seven Piece -	729
MQLOGF34BW	Log Set - Birch - Seven Piece	969
MQLOGF453	Log Set - Driftwood	747
LOGC44	Log Set - Eight Piece - Burnt Oak (3624/28, 4224/28 Series)	240
<b>Glass Media - (Maximum 10 lbs)</b>		
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs.	127
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs.	127
MQG5B	Glass Media - 1/2" Black - 5 lbs.	127
MQG5C	Glass Media - 1/2" Bronze - 5 lbs.	127
MQG5W	Glass Media - 1/2" White - 5lbs	127
<b>Optional Media Accessories</b>		
MQROCK2	Rock Set - Contemporary Collection - Natural	349
MQROCK3	Rock Set - Contemporary Collection - Multi-Colored	349
MQRBD3	Drift Wood Log Set - 5 Pce	552
MQRBRW	Birch Wood Log Set - 5 Pce	533
MQEMBER	Ember Chunks (2 Bags)	127
MQSTONE	Decorative Stones - 80 PCE Set	405
MQSTONE10	Decorative Stones - 10 PCE Set	80
RBCB1	Cannonballs - Assorted size and colors	446
VLBIT6	Log Bits - Small Six Piece Kit	148



Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>OPTIONAL BRICK AND PORCELAIN LINERS</b>		
ZCV34RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	425
ZCV34RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	425
ZCV34PL	Porcelain Reflective Panel Liner (3 PCE)	585
<b>Optional Electrical Components and Pilot Shield</b>		
Z46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
Z46FK2	Fan Kit - Proflame 2 (Replacement Part)	405
42MCVP-258-3	Pilot Shield - for ZCV34 (Replacement Part)	68
<b>OPTIONAL SURROUNDS, SAFETY SCREEN AND TILE LIP KIT</b>		
ZCV34S1BL	Surround - Hearth Mount 2 3/4" Wide (Covers 33 7/8" W x 30 3/4" H)	465
ZCV34S1PFBL	Surround - Picture Frame 4" Wide (Covers 36 5/16" W x 33 3/8" H)	465
ZCV34S2PFBL	Surround - Picture Frame 1 5/8" Wide (Covers 31 11/16" W x 28 3/4" H)	430
ZCV34CSS	Safety Screen Barrier - Inside Fit (Replacement)	375
34ZCV-TLK	Tile Lip Kit - (for Finishing Materials - tile, brick)	85
<b>OPTIONAL THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 (Convenient and accessible location for Battery Backup for IPI Systems)	260
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
RCP2WIFI	<b>#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES</b> <b>(CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)</b>	234
<b>Non Vented Chase with Horizontal Venting Requires a Wall Thimble Shield</b>		
Z58WTS	Horizontal Wall Thimble Shield (for Non Vented Chase)	54

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>BENTLEY 39" VC</b>	<b>ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE 39" WIDE</b>	
	Listed for USA/Canada as a Vented Gas Fireplace, SIT Valve with Hi/Lo Flame Adjustment Wall Switch, 4/7" Sloped Top Flue, Tempered Glass Viewing, 25,000 BTU Area 29 5/8" W x 24 1/8" H, Safety Screen, Framing 39 1/2" W x 37 7/8" H x 18 1/2" D	
	<p><b>The Fireplace Chase may be Vented for Cool Touch Walls and reduced Mantel Clearances. Ventilation Plates must be removed from top of appliance.</b></p> <p><b>Minimum Enclosure Height for a Vented Chase is 72". See Installation Manual for further details of Vented Chase options.</b></p>	
<b>STEP 1) CHOOSE MODEL</b>		
	<b>ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE 39" WIDE</b>	
ZCV39N	Fireplace, Millivolt Valve (as above) Natural Gas	2,763
ZCV39LP	Fireplace, Millivolt Valve (as above) Propane	2,858
ZCV39NE	Fireplace, IPI PF1 Valve (as above) Natural Gas	3,148
ZCV39LPE	Fireplace, IPI PF1 Valve (as above) Propane	3,244
ZCV39NE2	Fireplace, IPI PF2 - Remote-Thermostat-Mod-Fan - Natural Gas	4,187
ZCV39LPE2	Fireplace, IPI PF2 - Remote-Thermostat-Mod-Fan - Propane	4,283
39ZCV-CKLP	Conversion Kit - Millivolt - To Propane	108
39ZCV-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
39ZCV-CKLPI	Conversion Kit - IPI - To Propane	127
39ZCV-CKNGI	Conversion Kit - IPI - To Natural Gas	127
39ZCV-CKLP2	Conversion Kit - IPI Proflame 2 - To Propane	235
39ZCV-CKNG2	Conversion Kit - IPI Proflame 2 - To Natural Gas	235
<b>STEP 2) CHOOSE GRILL FOR VENTILATION OR OTHER OPTIONAL CHASE SOLUTIONS</b>		
	<b>OPTIONAL - WHEN VENTILATING ENCLOSURE</b>	
V39EGS	Grill - Enclosure Side (Pair) - Unfinished - (Opening 12 1/2" x 6 1/8")	440
V39EG	Grill - Enclosure Front - Unfinished - (Opening 36 1/2" x 3 5/8" )	310
<b>STEP 3) CHOOSE LOG SET OR GLASS TRAY AND GLASS MEDIA</b>		
	<b>LOG SET OR GLASS TRAY AND MEDIA: (REQUIRED FOR EACH UNIT)</b>	
MQLOGF9	Log Set - Oak - Ten Piece - ZCV39/42	690
MQLOGF39BW	Log Set - Birch	1,130
LOGF3	Log Set - Oak - Five Piece - ZCV39/42	467
	<b>Glass Tray for ZCV39 - (Requires 15 lbs. of Glass Media)</b>	
ZCV39GT	<b>Glass Tray for ZCV39 - (Not for use with Brick Liners)</b>	206
MQ39D	Log Set - Drift Wood Four Piece Set - (Requires Glass Tray ZCV39/42GT)	441
MQ42D	Log Set - Drift Wood Six Piece Set - (Requires Glass Tray ZCV39/42GT)	690
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs.	127
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs.	127
MQG5B	Glass Media - 1/2" Black - 5 lbs.	127
MQG5C	Glass Media - 1/2" Bronze - 5 lbs.	127
MQG5W	Glass Media - 1/2" White - 5lbs	127
	<b>Optional Media Accessories</b>	
MQROCK2	Rock Set - Contemporary Collection - Natural	349
MQROCK3	Rock Set - Contemporary Collection - Multi-Colored	349
MQEMBER	Ember Chunks (2 Bags)	127
MQSTONE	Decorative Stones - 80 PCE Set	405
MQSTONE10	Decorative Stones - 10 PCE Set	80
RBCB1	Cannonballs - Assorted size and colors	446
VLBIT6	Log Bits - Small Six Piece Kit	148

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>OPTIONAL BRICK AND PORCELAIN LINERS</b>		
MQZCV39RLF	Refractory Fiber Brick Liner (3 PCE) - Fluted Liner	558
ZCV39RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	467
ZCV39RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	467
ZCV39RRH	Refractory Fiber Brick Liner (3 PCE) - Red Herringbone	467
ZCV39RLS	Refractory Fiber Brick Liner (3 PCE) - Stacked Brick	467
ZCV39PL	Porcelain Reflective Panel Liner (3 PCE)	605
<b>Optional Electrical Components and Pilot Shield</b>		
Z46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
Z46FK2	Fan Kit - Proflame 2 (Replacement Part)	405
ULK2	Universal Light Kit - Two Lamps (for use with ZCV39/42GT Glass Tray)	368
ULK2-P2	Universal Light Kit - Two Lamps (for use with Glass Tray Proflame 2)	368
39ZCV-258	Pilot Shield - for ZCV39GT (Replacement Part)	68
<b>OPTIONAL SURROUNDS, DESIGNER DOORS AND SAFETY SCREENS</b>		
ZCV39S1BL	Surround - Hearth Mount 4" Wide (Covers 40 5/8" W x 35" H)	490
ZCV39S1PFBL	Surround - Picture Frame 4" Wide (Covers 40 5/8" W x 37" H)	490
ZCV39S2PFBL	Surround - Picture Frame 1 5/8" Wide (Covers 36 1/8" W x 32 1/2" H)	446
MQ39DD1BL	Designer Door ZCV39 - Series 1 - Black c/w Safety Screen	1,201
MQ39DD2BL	Designer Door ZCV39 - Series 2 - Black c/w Safety Screen	1,280
MQ39DD3BL	Designer Door ZCV39 - Series 3 - Black c/w Safety Screen	1,280
ZCV39CSS	Safety Screen Barrier - Outside Fit (Replacement)	378
ZCV39CSS2i	Safety Screen Barrier - Inside Fit - InvisiMesh (Replacement)	441
ZCV-TLK	Tile Lip Kit - (for Finishing Materials - tile, brick)	85
<b>OPTIONAL THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 (Convenient and accessible location for Battery Backup for IPI Systems)	260
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	832
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
EGTFRCN	Remote Control IPI PF1 - Thermostat/Modulating/Fan - NG	873
EGTFRCP	Remote Control IPI PF1 - Thermostat/Modulating/Fan - LP	873
RCP2WIFI	<b>#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES</b> (CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)	234

Rev: 061923

Aug 2023

**Product Number** **Description** **USA LIST**

<b>BENTLEY 39" VC</b>	<b>ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE 39" WIDE</b>	
	Listed for USA/Canada as a Vented Gas Fireplace, SIT Valve with Hi/Lo Flame Adjustment Wall Switch, 4/7" Sloped Top Flue, Ceramic Glass Viewing, 28,000/29,000 BTU Area 29 5/8" W x 24 1/8" H, Safety Screen, Framing 39 1/2" W x 37 7/8" H x 18 1/2" D	

**The Fireplace Chase may be Vented for Cool Touch Walls and reduced Mantel Clearances. Ventilation Plates must be removed from top of appliance. Minimum Enclosure Height for a Vented Chase is 72". See Installation Manual for further details of Vented Chase options.**

**STEP 1) CHOOSE MODEL**

<b>ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE 39" WIDE</b>		
ZCV39NH	Fireplace, Millivolt Valve (as above) Natural Gas	3,631
ZCV39LPH	Fireplace, Millivolt Valve (as above) Propane	3,727
ZCV39NHE	Fireplace, IPI PF1 Valve (as above) Natural Gas	4,020
ZCV39LPHE	Fireplace, IPI PF1 Valve (as above) Propane	4,116
ZCV39NHE2	Fireplace, IPI PF2 - Remote-Thermostat-Mod-Fan - Natural Gas	5,059
ZCV39LPHE2	Fireplace, IPI PF2 - Remote-Thermostat-Mod-Fan - Propane	5,157
39ZCV-CKLPH	Conversion Kit - Millivolt - To Propane	108
39ZCV-CKNGH	Conversion Kit - Millivolt - To Natural Gas	108
39ZCV-CKLPHI	Conversion Kit - IPI - To Propane	127
39ZCV-CKNHI	Conversion Kit - IPI - To Natural Gas	127
39ZCV-CKLPH2	Conversion Kit - IPI Proflame 2 - To Propane	235
39ZCV-CKNGH2	Conversion Kit - IPI Proflame 2 - To Natural Gas	235

**STEP 2) CHOOSE GRILL FOR VENTILATION OR OTHER OPTIONAL CHASE SOLUTIONS**

<b>OPTIONAL - WHEN VENTILATING ENCLOSURE</b>		
V39EGS	Grill - Enclosure Side (Pair) - Unfinished - (Opening 12 1/2" x 6 1/8")	440
V39EG	Grill - Enclosure Front - Unfinished - (Opening 36 1/2" x 3 5/8" )	310

**STEP 3) CHOOSE LOG SET OR GLASS TRAY AND GLASS MEDIA**

<b>LOG SET OR GLASS TRAY AND MEDIA: (REQUIRED FOR EACH UNIT)</b>		
MQLOGF9	Log Set - Oak - Ten Piece - ZCV39/42	690
MQLOGF39BW	Log Set - Birch	1,130
LOGF3	Log Set - Oak - Five Piece - ZCV39/42	467
<b>Glass Tray for ZCV39 - (Requires 15 lbs. of Glass Media)</b>		
ZCV39GT	<b>Glass Tray for ZCV39 - (Not for use with Brick Liners)</b>	206
MQ39D	Log Set - Drift Wood Four Piece Set - (Requires Glass Tray ZCV39/42GT)	441
MQ42D	Log Set - Drift Wood Six Piece Set - (Requires Glass Tray ZCV39/42GT)	690
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs.	127
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs.	127
MQG5B	Glass Media - 1/2" Black - 5 lbs.	127
MQG5C	Glass Media - 1/2" Bronze - 5 lbs.	127
MQG5W	Glass Media - 1/2" White - 5lbs	127
<b>Optional Media Accessories</b>		
MQROCK2	Rock Set - Contemporary Collection - Natural	349
MQROCK3	Rock Set - Contemporary Collection - Multi-Colored	349
MQEMBER	Ember Chunks (2 Bags)	127
MQSTONE	Decorative Stones - 80 PCE Set	405
MQSTONE10	Decorative Stones - 10 PCE Set	80
RBCB1	Cannonballs - Assorted size and colors	446
VLBIT6	Log Bits - Small Six Piece Kit	148

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>OPTIONAL BRICK AND PORCELAIN LINERS</b>		
MQZCV39RLF	Refractory Fiber Brick Liner (3 PCE) - Fluted Liner	558
ZCV39RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	467
ZCV39RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	467
ZCV39RRH	Refractory Fiber Brick Liner (3 PCE) - Red Herringbone	467
ZCV39RLS	Refractory Fiber Brick Liner (3 PCE) - Stacked Brick	467
ZCV39PL	Porcelain Reflective Panel Liner (3 PCE)	605
<b>Optional Electrical Components and Pilot Shield</b>		
Z46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
Z46FK2	Fan Kit - Proflame 2 (Replacement Part)	405
ULK2	Universal Light Kit - Two Lamps (for use with ZCV39/42GT Glass Tray)	368
ULK2-P2	Universal Light Kit - Two Lamps (for use with Glass Tray Proflame 2)	368
39ZCV-258	Pilot Shield - for ZCV39GT (Replacement Part)	68
<b>OPTIONAL SURROUNDS, DESIGNER DOORS AND SAFETY SCREENS</b>		
ZCV39S1BL	Surround - Hearth Mount 4" Wide (Covers 40 5/8" W x 35" H)	490
ZCV39S1PFBL	Surround - Picture Frame 4" Wide (Covers 40 5/8" W x 37" H)	490
ZCV39S2PFBL	Surround - Picture Frame 1 5/8" Wide (Covers 36 1/8" W x 32 1/2" H)	446
MQ39DD1BL	Designer Door ZCV39 - Series 1 - Black c/w Safety Screen	1,201
MQ39DD2BL	Designer Door ZCV39 - Series 2 - Black c/w Safety Screen	1,280
MQ39DD3BL	Designer Door ZCV39 - Series 3 - Black c/w Safety Screen	1,280
ZCV39CSS	Safety Screen Barrier - Outside Fit (Replacement)	378
ZCV39CSS2i	Safety Screen Barrier - Inside Fit - InvisiMesh (Replacement)	441
ZCV-TLK	Tile Lip Kit - (for Finishing Materials - tile, brick)	85
<b>OPTIONAL THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 (Convenient and accessible location for Battery Backup for IPI Systems)	260
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCF	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	832
GTFRCF	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	832
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCF	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
EGTFRCN	Remote Control IPI PF1 - Thermostat/Modulating/Fan - NG	873
EGTFRCF	Remote Control IPI PF1 - Thermostat/Modulating/Fan - LP	873
RCP2WIFI	<b>#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES</b> (CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)	234

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>BENTLEY 42" VC</b>	<b>ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE 42" WIDE</b>	
	Listed for USA/Canada as a Vented Gas Fireplace, SIT Valve with Hi/Lo Flame Adjustment Wall Switch, 4/7" Sloped Top Flue, <b>Tempered Glass</b> Viewing, 25,000 BTU Area 33 5/8" W x 27 1/4" H, Safety Screen, Framing 42 1/2" W x 41" H x 18 1/2" D	

**The Fireplace Chase may be Vented for Cool Touch Walls and reduced Mantel Clearances. Ventilation Plates must be removed from top of appliance.  
Minimum Enclosure Height for a Vented Chase is 72". See Installation Manual for further details of Vented Chase options.**

<b>STEP 1) CHOOSE MODEL</b>		
<b>ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE 42" WIDE</b>		
ZCV42N	Fireplace, Millivolt Valve (as above) Natural Gas	3,098
ZCV42LP	Fireplace, Millivolt Valve (as above) Propane	3,196
ZCV42NE	Fireplace, IPI PF1 Valve (as above) Natural Gas	3,488
ZCV42LPE	Fireplace, IPI PF1 Valve (as above) Propane	3,585
ZCV42NE2	Fireplace, IPI PF2 - Remote-Thermostat-Mod-Fan - Natural Gas	4,526
ZCV42LPE2	Fireplace, IPI PF2 - Remote-Thermostat-Mod-Fan - Propane	4,624
42ZCV-CKLP	Conversion Kit - Millivolt - To Propane	108
42ZCV-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
42ZCV-CKLPI	Conversion Kit - IPI - To Propane	127
42ZCV-CKNGI	Conversion Kit - IPI - To Natural Gas	127
42ZCV-CKLP2	Conversion Kit - IPI Proflame 2 - To Propane	235
42ZCV-CKNG2	Conversion Kit - IPI Proflame 2 - To Natural Gas	235

<b>STEP 2) CHOOSE GRILL FOR VENTILATION OR OTHER OPTIONAL CHASE SOLUTIONS</b>		
<b>OPTIONAL - WHEN VENTILATING ENCLOSURE</b>		
V39EGS	Grill - Enclosure Side (Pair) - Unfinished - (Opening 12 1/2" x 6 1/8")	440
V39EG	Grill - Enclosure Front - Unfinished - (Opening 36 1/2" x 3 5/8" )	310

<b>STEP 3) CHOOSE LOG SET OR GLASS TRAY AND GLASS MEDIA</b>		
<b>LOG SET OR GLASS TRAY AND MEDIA: (REQUIRED FOR EACH UNIT)</b>		
MQLOGF9	Log Set - Oak - Ten Piece - ZCV39/42	690
MQLOGF39BW	Log Set - Birch	1,130
LOGF3	Log Set - Oak - Five Piece - ZCV39/42	467
<b>Glass Tray for ZCV42 - (Requires 20 lbs. of Glass Media)</b>		
ZCV42GT	<b>Glass Tray for ZCV42 - (Not for use with Brick Liners)</b>	217
MQ39D	Log Set - Drift Wood Four Piece Set - (Requires Glass Tray ZCV39/42GT)	441
MQ42D	Log Set - Drift Wood Six Piece Set - (Requires Glass Tray ZCV39/42GT)	690
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs.	127
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs.	127
MQG5B	Glass Media - 1/2" Black - 5 lbs.	127
MQG5C	Glass Media - 1/2" Bronze - 5 lbs.	127
MQG5W	Glass Media - 1/2" White - 5lbs	127
<b>Optional Media Accessories</b>		
MQROCK2	Rock Set - Contemporary Collection - Natural	349
MQROCK3	Rock Set - Contemporary Collection - Multi-Colored	349
MQEMBER	Ember Chunks (2 Bags)	127
MQSTONE	Decorative Stones - 80 PCE Set	405
MQSTONE10	Decorative Stones - 10 PCE Set	80
RBCB1	Cannonballs - Assorted size and colors	446
VLBIT6	Log Bits - Small Six Piece Kit	148

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>OPTIONAL BRICK AND PORCELAIN LINERS</b>		
MQZCV42RLF	Refractory Fiber Brick Liner (3 PCE) - Fluted Liner	608
ZCV42RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	509
ZCV42RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	509
ZCV42RRH	Refractory Fiber Brick Liner (3 PCE) - Red Herringbone	509
ZCV42RLS	Refractory Fiber Brick Liner (3 PCE) - Stacked Brick	509
ZCV42PL	Porcelain Reflective Panel Liner (3 PCE)	649
<b>Optional Electrical Components and Pilot Shield</b>		
Z46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
Z46FK2	Fan Kit - Proflame 2 (Replacement Part)	405
ULK2	Universal Light Kit - Two Lamps (for use with ZCV39/42GT Glass Tray)	368
ULK2-P2	Universal Light Kit - Two Lamps (for use with Glass Tray Proflame 2)	368
39ZCV-258	Pilot Shield - for ZCV39GT (Replacement Part)	68
<b>OPTIONAL SURROUNDS, DESIGNER DOORS AND SAFETY SCREENS</b>		
ZCV42S1BL	Surround - Hearth Mount 4" Wide (Covers 44 5/8" W x 38 1/8" H)	555
ZCV42S1PFBL	Surround - Picture Frame 4" Wide (Covers 44 5/8" W x 40 1/8" H)	555
ZCV42S2PFBL	Surround - Picture Frame 1 5/8" Wide (Covers 40 1/8" W x 35 5/8" H)	490
MQ42DD1BL	Designer Door ZCV42 - Series 1 - Black c/w Safety Screen	1,257
MQ42DD2BL	Designer Door ZCV42 - Series 2 - Black c/w Safety Screen	1,346
MQ42DD3BL	Designer Door ZCV42 - Series 3 - Black c/w Safety Screen	1,346
ZCV42CSS	Safety Screen Barrier - Outside Fit (Replacement)	426
ZCV42CSS2i	Safety Screen Barrier - Inside Fit - InvisiMesh (Replacement)	493
ZCV-TLK	Tile Lip Kit - (for Finishing Materials - tile, brick)	85
<b>OPTIONAL THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 (Convenient and accessible location for Battery Backup for IPI Systems)	260
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	832
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
EGTFRCN	Remote Control IPI PF1 - Thermostat/Modulating/Fan - NG	873
EGTFRCP	Remote Control IPI PF1 - Thermostat/Modulating/Fan - LP	873
RCP2WIFI	<b>#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES</b> (CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)	234

Rev: 061923

Aug 2023

**Product Number** **Description** **USA LIST**

<b>BENTLEY 42" VC</b>	<b>ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE 42" WIDE</b>	
	Listed for USA/Canada as a Vented Gas Fireplace, SIT Valve with Hi/Lo Flame Adjustment Wall Switch, 4/7" Sloped Top Flue, <b>Ceramic Glass</b> Viewing, 29,000/29,500 BTU Area 33 5/8" W x 27 1/4" H, Safety Screen, Framing 42 1/2" W x 41" H x 18 1/2" D	

**The Fireplace Chase may be Vented for Cool Touch Walls and reduced Mantel Clearances. Ventilation Plates must be removed from top of appliance. Minimum Enclosure Height for a Vented Chase is 72". See Installation Manual for further details of Vented Chase options.**

**STEP 1) CHOOSE MODEL**

<b>ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE 42" WIDE</b>		
ZCV42NH	Fireplace, Millivolt Valve (as above) Natural Gas	4,424
ZCV42LPH	Fireplace, Millivolt Valve (as above) Propane	4,521
ZCV42NHE	Fireplace, IPI PF1 Valve (as above) Natural Gas	4,811
ZCV42LPHE	Fireplace, IPI PF1 Valve (as above) Propane	4,907
ZCV42NHE2	Fireplace, IPI PF2 - Remote-Thermostat-Mod-Fan - Natural Gas	5,851
ZCV42LPHE2	Fireplace, IPI PF2 - Remote-Thermostat-Mod-Fan - Propane	5,947
42ZCV-CKLPH	Conversion Kit - Millivolt - To Propane	108
42ZCV-CKNGH	Conversion Kit - Millivolt - To Natural Gas	108
42ZCV-CKLPHI	Conversion Kit - IPI - To Propane	127
42ZCV-CKNGHI	Conversion Kit - IPI - To Natural Gas	127
42ZCV-CKLPH2	Conversion Kit - IPI Proflame 2 - To Propane	235
42ZCV-CKNGH2	Conversion Kit - IPI Proflame 2 - To Natural Gas	235

**STEP 2) CHOOSE GRILL FOR VENTILATION OR OTHER OPTIONAL CHASE SOLUTIONS**

<b>OPTIONAL - WHEN VENTILATING ENCLOSURE</b>		
V39EGS	Grill - Enclosure Side (Pair) - Unfinished - (Opening 12 1/2" x 6 1/8")	440
V39EG	Grill - Enclosure Front - Unfinished - (Opening 36 1/2" x 3 5/8" )	310

**STEP 3) CHOOSE LOG SET OR GLASS TRAY AND GLASS MEDIA**

<b>LOG SET OR GLASS TRAY AND MEDIA: (REQUIRED FOR EACH UNIT)</b>		
MQLOGF9	Log Set - Oak - Ten Piece - ZCV39/42	690
MQLOGF39BW	Log Set - Birch	1,130
LOGF3	Log Set - Oak - Five Piece - ZCV39/42	467
<b>Glass Tray for ZCV42 - (Requires 20 lbs. of Glass Media)</b>		
ZCV42GT	<b>Glass Tray for ZCV42 - (Not for use with Brick Liners)</b>	217
MQ39D	Log Set - Drift Wood Four Piece Set - (Requires Glass Tray ZCV39/42GT)	441
MQ42D	Log Set - Drift Wood Six Piece Set - (Requires Glass Tray ZCV39/42GT)	690
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs.	127
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs.	127
MQG5B	Glass Media - 1/2" Black - 5 lbs.	127
MQG5C	Glass Media - 1/2" Bronze - 5 lbs.	127
MQG5W	Glass Media - 1/2" White - 5lbs	127
<b>Optional Media Accessories</b>		
MQROCK2	Rock Set - Contemporary Collection - Natural	349
MQROCK3	Rock Set - Contemporary Collection - Multi-Colored	349
MQEMBER	Ember Chunks (2 Bags)	127
MQSTONE	Decorative Stones - 80 PCE Set	405
MQSTONE10	Decorative Stones - 10 PCE Set	80
RBCB1	Cannonballs - Assorted size and colors	446
VLBIT6	Log Bits - Small Six Piece Kit	148



Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>OPTIONAL BRICK AND PORCELAIN LINERS</b>		
MQZCV42RLF	Refractory Fiber Brick Liner (3 PCE) - Fluted Liner	608
ZCV42RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	509
ZCV42RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	509
ZCV42RRH	Refractory Fiber Brick Liner (3 PCE) - Red Herringbone	509
ZCV42RLS	Refractory Fiber Brick Liner (3 PCE) - Stacked Brick	509
ZCV42PL	Porcelain Reflective Panel Liner (3 PCE)	649

<b>Optional Electrical Components and Pilot Shield</b>		
Z46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
Z46FK2	Fan Kit - Proflame 2 (Replacement Part)	405
ULK2	Universal Light Kit - Two Lamps (for use with ZCV39/42GT Glass Tray)	368
ULK2-P2	Universal Light Kit - Two Lamps (for use with Glass Tray Proflame 2)	368
39ZCV-258	Pilot Shield - for ZCV39GT (Replacement Part)	68

<b>OPTIONAL SURROUNDS, DESIGNER DOORS AND SAFETY SCREENS</b>		
ZCV42S1BL	Surround - Hearth Mount 4" Wide (Covers 44 5/8" W x 38 1/8" H)	555
ZCV42S1PFBL	Surround - Picture Frame 4" Wide (Covers 44 5/8" W x 40 1/8" H)	555
ZCV42S2PFBL	Surround - Picture Frame 1 5/8" Wide (Covers 40 1/8" W x 35 5/8" H)	490
MQ42DD1BL	Designer Door ZCV42 - Series 1 - Black c/w Safety Screen	1,257
MQ42DD2BL	Designer Door ZCV42 - Series 2 - Black c/w Safety Screen	1,346
MQ42DD3BL	Designer Door ZCV42 - Series 3 - Black c/w Safety Screen	1,346
ZCV42CSS	Safety Screen Barrier - Outside Fit (Replacement)	426
ZCV42CSS2i	Safety Screen Barrier - Inside Fit - InvisiMesh (Replacement)	493
ZCV-TLK	Tile Lip Kit - (for Finishing Materials - tile, brick)	85

<b>OPTIONAL THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 (Convenient and accessible location for Battery Backup for IPI Systems)	260
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	832
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
EGTFRCN	Remote Control IPI PF1 - Thermostat/Modulating/Fan - NG	873
EGTFRCP	Remote Control IPI PF1 - Thermostat/Modulating/Fan - LP	873
RCP2WIFI	<b>#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES</b> (CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)	234

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>SKYLINE - 36</b>	<b>ZERO CLEARANCE CLEAN VIEW DIRECT VENT LINEAR GAS FIREPLACE</b>	
	Decorative Bronze Glass, Valve with Hi/Lo Adjustment, Wall Switch, 4/7" Top Flue, Tempered Glass, Safety Screen, 17,500 BTU Framing 36 3/8 W x 37 1/4 H x 17 1/2" D (IPI Dexen Valve System 9/22)	
<b>STEP 1) CHOOSE MODEL</b>		
<b>ZERO CLEARANCE CLEAN VIEW DIRECT VENT LINEAR GAS FIREPLACE</b>		
ZCVRB3622N	Fireplace Linear, Millivolt Valve (as above) Natural Gas - SIT Valve System	2,257
ZCVRB3622LP	Fireplace Linear, Millivolt Valve (as above) Propane - SIT Valve System	2,349
ZCVRB3622NE	Fireplace Linear, IPI Valve (as above) Natural Gas - <b>Dexen Valve System</b>	2,652
ZCVRB3622LPE	Fireplace Linear, IPI Valve (as above) Propane - <b>Dexen Valve System</b>	2,744
3622RB-CKLP	Conversion Kit - Millivolt - To Propane	108
3622RB-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
3622RB-CKLPI-DX	Conversion Kit - <b>DEXEN IPI</b> - To Propane	127
3622RB-CKNGI-DX	Conversion Kit - <b>DEXEN IPI</b> - To Natural Gas	127
<b>OPTIONAL SURROUND - EDGE (COVERS 36" W X 22 1/2" H)</b>		
(The fireplace must be covered up to an 1/8" of the opening with noncombustible materials, no thicker than 3/4")		
ZCVRB36SBL	Surround Trim Kit - 1 1/2" Wide - Black	483
ZCVRB36SSS	Surround Trim Kit - 1 1/2" Wide - Stainless Steel	804
<b>OPTIONAL - WALL SURROUND FLATT (COVERS 45 3/4" W X 34 5/8" H)</b>		
(The fireplace must be installed flush to drywall and raised a minimum 1/2" off floor)		
ZCVRB36SWFBL	Wall Surround - Flatt - Black - 3/4" Depth	533
<b>OPTIONAL MEDIA - DECORATE THE BOTTOM OF THE FIREPLACE</b>		
MQRBD1	Drift Wood (x4) and Rocks (x4)	406
MQRBD4	Drift Wood - Three Piece Set	356
MQROCK2	Rock Set - Contemporary Collection - Natural	349
MQROCK3	Rock Set - Contemporary Collection - Multi-Colored	349
MQSTONE10	Decorative Stones - 10 PCE Set	80
MQSTONE	Decorative Stones - 80 PCE Set	405
MQEMBER	Ember Chunks	127
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs.	127
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs.	127
MQG5B	Glass Media - 1/2" Black - 5 lbs.	127
MQG5C	Glass Media - 1/2" Bronze - 5 lbs.	127
MQG5W	Glass Media - 1/2" White - 5lbs	127
<b>OPTIONAL ACCESSORIES</b>		
ULK2	Universal Light Kit - Two Lamps	368
Z3622PRL	Porcelain Reflective Panel Liner (3 PCE)	371
Z36FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
ZCVRB36CSS	Safety Screen Barrier (Replacement)	283
<b>OPTIONAL THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 (Convenient and accessible location for Battery Backup for IPI Systems)	260
<b>REMOTE CONTROL &amp; ACCESSORIES - For Dexen Valve System</b>		
GTRC-DX	Remote Control Dexen - Thermostat	378
<b>1023-P055L</b>	<b>CPI/IPI Switch for Dexen Valve System</b>	<b>NEW 89</b>
1023-PBSW1	Toggle Switch for Dexen - Toggle Between AC Power and Battery Backup	26
<b>REMOTE CONTROLS - For SIT Valve System</b>		
DCHS	Heat Shield - Required for Millivolt Remote Receivers	26
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	832

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>SKYLINE - 42</b>	<b>ZERO CLEARANCE DIRECT VENT GAS FIREPLACES 42" WIDE</b>	
	Listed for USA/Canada as a Vented Gas Fireplace, Ribbon Burner, SIT Nova Valve with Hi/Lo Adjustment, Wall Switch, Safety Screen Tempered Glass, 4"7" Sloped Flue, White Ember Glass 5 Lbs. Framing Clean View Kit 43"H x 42 7/16" W, 19 1/2" D	

<b>STEP 1) CHOOSE MODEL</b>		
<b>ZERO CLEARANCE DIRECT VENT LINEAR GAS FIREPLACE</b>		
MQRB4236NT	Fireplace Tempered, Millivolt (as above) Natural Gas, 24,000 BTU	2,742
MQRB4236LPT	Fireplace Tempered, Millivolt (as above) Propane, 24,000 BTU	2,840
MQRB4236NTE	Fireplace Tempered, IPI (as above) Natural Gas, 24,000 BTU	3,132
MQRB4236LPTE	Fireplace Tempered, IPI (as above) Propane, 24,000 BTU	3,230
4236RBT-CKLP	Conversion Kit - Millivolt - To Propane	108
4236RBT-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
4236RBT-CKLPI	Conversion Kit - IPI - To Propane	127
4236RBT-CKNGI	Conversion Kit - IPI - To Natural Gas	127

<b>STEP 2) CHOOSE CLEAN VIEW KIT</b>		
<b>DESIGNER CLEAN VIEW KIT: (REQUIRED FOR EACH UNIT)</b>		
HB42CVCK	Designer Clean View Circulating Kit	537

<b>OPTIONAL MEDIA - DECORATE THE BOTTOM OF THE FIREPLACE</b>		
MQRBD1	Drift Wood (x4) and Rocks (x4)	406
MQRBD4	Drift Wood - Three Piece Set	356
MQROCK2	Rock Set - Contemporary Collection - Natural	349
MQROCK3	Rock Set - Contemporary Collection - Multi-Colored	349
MQSTONE10	Decorative Stones - 10 PCE Set	80
MQSTONE	Decorative Stones - 80 PCE Set	405
MQEMBER	Ember Chunks	127
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs.	127
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs.	127
MQG5B	Glass Media - 1/2" Black - 5 lbs.	127
MQG5C	Glass Media - 1/2" Bronze - 5 lbs.	127
MQG5W	Glass Media - 1/2" White - 5lbs	127

<b>OPTIONAL FIREPLACE ACCESSORIES</b>		
ULK2	Universal Light Kit - Two Lamps (Series II Appliances)	368
Z36FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
HB42CSS	Safety Screen Barrier (Replacement)	314

<b>OPTIONAL THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 <i>(Convenient and accessible location for Battery Backup for IPI Systems)</i>	260
GTRC	Remote Control Millivolt - Thermostat	368
GTMR CN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	832
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMR CN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
EGTFRCN	Remote Control IPI PF1 - Thermostat/Modulating/Fan - NG	873
EGTFRCP	Remote Control IPI PF1 - Thermostat/Modulating/Fan - LP	873

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>SERENE 47</b>	<b>ZERO CLEARANCE DIRECT VENT GAS FIREPLACE - 47" WIDE</b>	
	Listed for USA/Canada as a Vented Gas Fireplace, Includes: Linear Burner, Bronze Glass Media, SIT Valve with Hi/Lo Adjustment, 4/7" Top Flue, Tempered Glass 40 5/8 W x 13 7/8" H, Safety Screen Framing 47" W x 38 3/4" H x 18 1/4" D, 24,500 BTU, Max Media 5 LBS	
<div style="border: 1px solid black; padding: 5px;"> <p><b>The Fireplace Enclosure May Be Ventilated for Cool Touch Walls and reduced Mantel Clearances. Ventilation up to 105 Sq./Inches will be required. Minimum Enclosure Height is 70", see Manual for details.</b></p> <p><b>NOTE: To vent the chase, removal of vent shields is required</b></p> </div>		

<b>STEP 1) CHOOSE MODEL</b>		
<b>ZERO CLEARANCE DIRECT VENT LINEAR GAS FIREPLACE</b>		
ZCVRB47N	Fireplace Linear, Millivolt Valve (as above) Natural Gas	4,326
ZCVRB47LP	Fireplace Linear, Millivolt Valve (as above) Propane	4,397
ZCVRB47NE	Fireplace Linear, IPI PF1 Valve (as above) Natural Gas	4,703
ZCVRB47LPE	Fireplace Linear, IPI PF1 Valve (as above) Propane	4,773
MQZCVRB47NE2	Fireplace Linear, IPI PF2 - Remote-Thermostat-Mod-Fan-LED - Natural Gas	6,161
MQZCVRB47LPE2	Fireplace Linear, IPI PF2 - Remote-Thermostat-Mod-Fan-LED - Propane (LED LIGHTS ARE NOT DIMMIBLE)	6,266
46ZRB-CKLP	Conversion Kit - Millivolt - To Propane	108
46ZRB-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
46ZRB-CKLPI	Conversion Kit - IPI - To Propane	127
46ZRB-CKNGI	Conversion Kit - IPI - To Natural Gas	127
46VRB-CKLP2	Conversion Kit - IPI Proflame 2 - To Propane	235
46VRB-CKNG2	Conversion Kit - IPI Proflame 2 - To Natural Gas	235

<b>OPTIONAL - WHEN VENTILATING ENCLOSURE - VENTILATION UP TO 105 Sq./Inches</b>		
<b>Choose Grill or Custom Grill or Adequate Opening as per manual</b>		
VL60EGS	Grill - Enclosure Side (Pair) - Unfinished (15 1/4" W X 6 5/8" H)	420
V46EG	Grill - Front for Enclosure -Unfinished (46 9/16" W x 2 1/2" H)	247

<b>OPTIONAL WALL SURROUND - (COVERS 44 5/8"W X 17 3/4"H)</b>		
ZCVRB47S1BL	Surround Trim Kit -1 1/2" Wide - Black	483
ZCVRB47S1SS	Surround Trim Kit - 1 1/2" Wide - Stainless Steel	804

<b>OPTIONAL FIREPLACE ACCESSORIES</b>		
MQZCVRB47RLF	Refractory Liner - Fluted - (3 PCE)	608
ZCVRB47PL	Porcelain Reflective Panel Liner (3 PCE)	513
Z46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
Z46FK2	Fan Kit - Proflame 2 (Replacement Part)	405
ULK2	Universal Light Kit - Two Lamps (For Millivolt/PF1)	368
ZCVRB47CSS	Safety Screen Barrier (Replacement)	378
V47PTLK	Tile Lip Kit - 3 Pce	86

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>OPTIONAL MEDIA - DECORATE THE BOTTOM OF THE FIREPLACE</b>		
MQRBD1	Drift Wood (x4) and Rocks (x4)	406
MQRBD3	Drift Wood Log Set - 5 Pce	552
MQRBD4	Drift Wood Log Set - 3 Pce	356
MQ46D	Drift Wood Log Set - 3 Pce -(for Single Sided unit only)	409
MQRBRW	Birch Wood Log Set - 5 Pce	533
RBCB1	Cannonballs - Assorted size and colors	446
MQROCK2	Rock Set - Contemporary Collection - Natural	349
MQROCK3	Rock Set - Contemporary Collection - Multi-Colored	349
MQSTONE10	Decorative Stones - 10 PCE Set	80
MQSTONE	Decorative Stones - 80 PCE Set	405
MQEMBER	Ember Chunks	127
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	127
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	127
MQG5B	Glass Media - 1/2" Black - 5 lbs	127
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	127
MQG5W	Glass Media - 1/2" White - 5lbs	127
<b>OPTIONAL THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 <i>(Convenient and accessible location for Battery Backup for IPI Systems)</i>	260
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	832
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
EGTFRCN	Remote Control IPI PF1 - Thermostat/Modulating/Fan - NG	873
EGTFRCP	Remote Control IPI PF1 - Thermostat/Modulating/Fan - LP	873
RCP2WIFI	<b>#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES</b> <b>(CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)</b>	234

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>SOLARA II - 36"</b>	<b>ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE 36" WIDE</b>	
	Listed for USA/Canada as a Vented Gas Fireplace, Tube Burner, Tempered Glass Valve with Hi/Lo Adjustment, Wall Switch, Safety Screen 4/7" Flue, 18,000 BTU Framing 36 3/8 W x 37 1/4 H x 17 1/2"D <b>(IPI Dexen Valve System 9/22)</b>	

<b>STEP 1) CHOOSE MODEL</b>		
<b>ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE</b>		
ZCV3622N	Fireplace, Millivolt Valve (as above) Natural Gas - SIT Valve System	2,080
ZCV3622LP	Fireplace, Millivolt Valve (as above) Propane - SIT Valve System	2,168
ZCV3622NE	Fireplace, IPI PF1 Valve (as above) Natural Gas - <b>Dexen Valve System</b>	2,469
ZCV3622LPE	Fireplace, IPI PF1 Valve (as above) Propane - <b>Dexen Valve System</b>	2,558
3622-CKLP	Conversion Kit - Millivolt - To Propane	108
3622-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
3622-CKLPI-DX	Conversion Kit - DEXEN IPI - To Propane	127
3622-CKNGI-DX	Conversion Kit - DEXEN IPI - To Natural Gas	127
3622-CKLPI	Conversion Kit - IPI - To Propane	127
3622-CKNGI	Conversion Kit - IPI - To Natural Gas	127

<b>STEP 2) CHOOSE LOGS SET OR CONTEMPORARY ROCK COLLECTION</b>		
<b>LOG SET</b>		
MQLOGC22	Log Set - Split Oak	272
MQLOGC23	Log Set - Driftwood	301
<b>ROCK SUPPORT PLATFORM REQUIRED WHEN USING ROCKS</b>		
MQRSP5	<b>Rock Support Platform (MQ3318/3622)</b>	325
MQROCK2	Rock Set - Contemporary Collection - Natural	349
MQROCK3	Rock Set - Contemporary Collection - Multi-Colored	349

<b>OPTIONAL SURROUND (Covers Framing Dimensions - Unit must be installed flush to wall)</b>		
ZCV36S1BL	Surround Hearth Mount - Black (Coverage 34 1/16" H x 39" W)	340
<b>OPTIONAL - WALL SURROUND FLATT (COVERS 40 7/8" W X 37 1/4" H)</b>		
(The fireplace must be installed flush to drywall and raised a minimum 1/2" off floor)		
ZCV36SWFBL	Wall Surround - Flatt - Black - 3/4" Depth	533

<b>OPTIONAL FIREPLACE ACCESSORIES</b>		
ZCV3622PRL	Porcelain Reflective Panel Liner (3 PCE)	371
ZCV3622ML	Metal Brick Liner (3 PCE)	275
Z36FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
ZCV36CSS	Safety Screen Barrier (Replacement)	301
ULK2	Universal Light Kit - Two Lamps	368
ZCV36LMK	Lower Panel Magnet Kit	35

<b>DECORATE THE BOTTOM OF THE FIREPLACE</b>		
VLBIT6	Log Bits - Small Six Piece Kit	148

<b>OPTIONAL THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 (Convenient and accessible location for Battery Backup for IPI Systems)	260

<b>REMOTE CONTROL &amp; ACCESSORIES - For Dexen Valve System</b>		
GTRC-DX	Remote Control Dexen - Thermostat	378
<b>1023-P055L</b>	<b>CPI/IPI Switch for Dexen Valve System</b>	<b>NEW 89</b>
1023-PBSW1	Toggle Switch for Dexen - Toggle Between AC Power and Battery Backup	26

<b>REMOTE CONTROLS - For SIT Valve System</b>		
DCHS	<b>Heat Shield - Required for Millivolt Remote Receivers</b>	26
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG*	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP*	832
P2BOX	Heat Shield Box - P1/P2/MV - *Required when Fan Module is Installed in MV unit	67

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>SOLACE 36"</b>	<b>ZERO CLEARANCE DIRECT VENT GAS FIREPLACES - 36" WIDE:</b>	
	Listed for USA/Canada as a Vented Gas Fireplace. Dual Burner, SIT Adjustable Hi/Lo Valve, Wall Switch, Ceramic Glass, 4/7" Flue, Safety Screen Framing Louvered 36 3/8" W x 35" H x 17" D. 30,500/29,000 BTU	

<b>STEP 1) CHOOSE MODEL</b>		
<b>ZERO CLEARANCE DIRECT VENT GAS FIREPLACE</b>		
MQHBZDV3636N	Fireplace, Millivolt Valve (as above) Natural Gas	3,357
MQHBZDV3636LP	Fireplace, Millivolt Valve (as above) Propane`	3,400
MQHBZDV3636NE	Fireplace, IPI PF1 Valve (as above) Natural Gas	3,744
MQHBZDV3636LPE	Fireplace, IPI PF1 Valve (as above) Propane	3,789
3632HB-CKLP	Conversion Kit - Millivolt - To Propane	108
3632HB-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
3632HB-CKLPI	Conversion Kit - IPI - To Propane	127
3632HB-CKNGI	Conversion Kit - IPI - To Natural Gas	127

<b>STEP 2) CHOOSE LOGS SET OR CONTEMPORARY ROCK COLLECTION</b>		
<b>LOG SET</b>		
LOGF36	Log Set - Fiber Split Oak	639
<b>ROCK SUPPORT PLATFORM REQUIRED WHEN USING ROCKS</b>		
MQRSP2	Rock Support Platform (HB3636/4236)	325
MQROCK2	Rock Set - Contemporary Collection - Natural	349
MQROCK3	Rock Set - Contemporary Collection - Multi-Colored	349

<b>STEP 3) CHOOSE GRILL KIT OR CLEAN VIEW KIT</b>		
<b>GRILL KIT OR DESIGNER CLEAN VIEW KIT: (REQUIRED FOR EACH UNIT)</b>		
HB36CVCK	Designer Clean View Circulating Kit	488
HB36GBL	Grill Kit - Black	122

<b>OPTIONAL BRICK OR PORCELAIN LINERS</b>		
HB36RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	323
HB36RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	323
HB36PL	Porcelain Reflective Panel Liner (3 PCE)	558

<b>OPTIONAL SURROUND (FOR LOUVERED UNITS) - (Coverage 35 1/2" H x 41 1/8" W)</b>		
HB36SBL	Surround - Black	340

<b>OPTIONAL FIREPLACE ACCESSORIES</b>		
Z36FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
HB36CSS	Safety Screen Barrier (Replacement)	301

<b>DECORATE THE BOTTOM OF THE FIREPLACE</b>		
VLBIT6	Log Bits - Small Six Piece Kit	148
<b>OPTIONAL THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 <i>(Convenient and accessible location for Battery Backup for IPI Systems)</i>	260
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	832
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
EGTFRCN	Remote Control IPI PF1 - Thermostat/Modulating/Fan - NG	873
EGTFRCP	Remote Control IPI PF1 - Thermostat/Modulating/Fan - LP	873

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>SOLACE 42"</b>	<b>ZERO CLEARANCE DIRECT VENT GAS FIREPLACES 42" WIDE</b>	
	Listed for USA/Canada as a Vented Gas Fireplace. Dual Burner, SIT Adjustable Hi/Lo Valve, Wall Switch, Ceramic Glass, 4/7" Flue, Safety Screen Louvered Framing 42 3/8" W x 37 1/8" H x 17" D. 30,500/29,500 BTU	

<b>STEP 1) CHOOSE MODEL</b>		
<b>ZERO CLEARANCE DIRECT VENT GAS FIREPLACE</b>		
MQHBZDV4236N	Fireplace, Millivolt Valve (as above) Natural Gas	4,127
MQHBZDV4236LP	Fireplace, Millivolt Valve (as above) Propane	4,193
MQHBZDV4236NE	Fireplace, IPI PF1 Valve (as above) Natural Gas	4,516
MQHBZDV4236LPE	Fireplace, IPI PF1 Valve (as above) Propane	4,582
4232HB-CKLP	Conversion Kit - Millivolt - To Propane	108
4232HB-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
4232HB-CKLPI	Conversion Kit - IPI - To Propane	127
4232HB-CKNGI	Conversion Kit - IPI - To Natural Gas	127

<b>STEP 2) CHOOSE LOGS SET OR CONTEMPORARY ROCK COLLECTION</b>		
<b>LOG SET</b>		
LOGF36	Log Set - Fiber Split Oak	639
<b>ROCK SUPPORT PLATFORM REQUIRED WHEN USING ROCKS</b>		
MQRSP2	Rock Support Platform (HB3636/4236)	325
MQROCK2	Rock Set - Contemporary Collection - Natural	349
MQROCK3	Rock Set - Contemporary Collection - Multi-Colored	349

<b>STEP 3) CHOOSE GRILL KIT OR CLEAN VIEW KIT</b>		
<b>GRILL KIT OR DESIGNER CLEAN VIEW KIT: (REQUIRED FOR EACH UNIT)</b>		
HB42CVCK	Designer Clean View Circulating Kit	537
HB42GBL	Grill Kit - Black	134

<b>OPTIONAL BRICK OR PORCELAIN LINERS</b>		
HB42RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	370
HB42RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	370
HB42PL	Porcelain Reflective Panel Liner (3 PCE)	615

<b>OPTIONAL FIREPLACE ACCESSORIES</b>		
Z36FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
HB42CSS	Safety Screen Barrier (Replacement)	314

<b>DECORATE THE BOTTOM OF THE FIREPLACE</b>		
VLBIT6	Log Bits - Small Six Piece Kit	148

<b>SURROUNDS - FOR LOUVERED UNITS (Coverage 37 5/8" H x 45 1/8" W)</b>		
HB42SBL	Surround - Black	358

<b>OPTIONAL THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 (Convenient and accessible location for Battery Backup for IPI Systems)	260
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	832
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
EGTFRCN	Remote Control IPI PF1 - Thermostat/Modulating/Fan - NG	873
EGTFRCP	Remote Control IPI PF1 - Thermostat/Modulating/Fan - LP	873



Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>SOLACE 47"</b>	<b>ZERO CLEARANCE DIRECT VENT GAS FIREPLACES 47" WIDE</b>	
	Listed for USA/Canada as a Vented Gas Fireplace Dual Burner, SIT Valve with Hi/Lo Adjustment, Wall Switch, Tempered Glass Safety Screen, Four/Seven Sloped Flue, 40,000/36,000 BTU Framing (Louvered) 47 3/8" W x 43 1/8" H x 19 1/2" D	

**STEP 1) CHOOSE MODEL**

<b>ZERO CLEARANCE DIRECT VENT GAS FIREPLACE</b>		
HBZDV4736N	Fireplace, Millivolt Valve (as above) Natural Gas	3,467
HBZDV4736LP	Fireplace, Millivolt Valve (as above) Propane`	3,572
HBZDV4736NE	Fireplace, IPI PF1 Valve (as above) Natural Gas	3,857
HBZDV4736LPE	Fireplace, IPI PF1 Valve (as above) Propane	3,964
4740HB-CKLP	Conversion Kit - Millivolt - To Propane	108
4740HB-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
4740HB-CKLPI	Conversion Kit - IPI - To Propane	127
4740HB-CKNGI	Conversion Kit - IPI - To Natural Gas	127

**STEP 2) CHOOSE LOGS SET OR CONTEMPORARY ROCK COLLECTION**

<b>LOG SET</b>		
LOGF36	Log Set - Fiber Split Oak	639
<b>ROCK SUPPORT PLATFORM REQUIRED WHEN USING ROCKS</b>		
MQRSP1	Rock Support Platform (HB4736)	325
MQROCK2	Rock Set - Contemporary Collection - Natural	349
MQROCK3	Rock Set - Contemporary Collection - Multi-Colored	349

**STEP 3) CHOOSE GRILL KIT OR CLEAN VIEW KIT**

<b>GRILL KIT OR DESIGNER CLEAN VIEW KIT: (REQUIRED FOR EACH UNIT)</b>		
HB47CVCK	Designer Clean View Circulating Kit	605
HB47GBL	Grill Kit - Black	157

<b>OPTIONAL BRICK OR PORCELAIN LINERS</b>		
HB47RLT	Refractory Fiber Brick Liner (4 PCE) - Traditional	529
HB47RLH	Refractory Fiber Brick Liner (4 PCE) - Herringbone	529
HB47RRH	Refractory Fiber Brick Liner (4 PCE) - Red Herringbone	529
HB47PL	Porcelain Reflective Panel Liner (3 PCE)	871

<b>OPTIONAL FIREPLACE ACCESSORIES</b>		
Z36FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
HB47CSS	Safety Screen Barrier (Replacement)	358
<b>DECORATE THE BOTTOM OF YOUR FIREPLACE</b>		
VLBIT6	Log Bits - Small Six Piece Kit	148

<b>OPTIONAL THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 <i>(Convenient and accessible location for Battery Backup for IPI Systems)</i>	260
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	832
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
EGTFRCN	Remote Control IPI PF1 - Thermostat/Modulating/Fan - NG	873
EGTFRCP	Remote Control IPI PF1 - Thermostat/Modulating/Fan - LP	873

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>Solace II</b>	<b>ZERO CLEARANCE DIRECT VENT GAS FIREPLACE - 36" WIDE</b>	
<b>Tempered - 36</b>	Listed for USA/Canada as a Vented Gas Fireplace, Dual Burner, SIT Valve with Hi/Lo, Wall Switch, 4/7" Sloped Top Flue, Tempered Glass, Safety Screen. 24,000/22,000 BTU Framing Louvered 36 3/8" W x 35" H x 17" D	

**STEP 1) CHOOSE MODEL**

<b>ZERO CLEARANCE DIRECT VENT GAS FIREPLACE</b>		
HBZDV3624N	Fireplace, Millivolt Valve (as above) Natural Gas	2,280
HBZDV3624LP	Fireplace, Millivolt Valve (as above) Propane	2,381
HBZDV3624NE	Fireplace, IPI PF1 Valve (as above) Natural Gas	2,668
HBZDV3624LPE	Fireplace, IPI PF1 Valve (as above) Propane	2,774
3624HB-CKLP	Conversion Kit - Millivolt - To Propane	108
3624HB-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
3624HB-CKLPI	Conversion Kit - IPI - To Propane	127
3624HB-CKNGI	Conversion Kit - IPI - To Natural Gas	127

**STEP 2) CHOOSE LOGS SET OR CONTEMPORARY ROCK COLLECTION**

<b>LOG SET</b>		
LOGC44	Log Set - Eight Piece - Burnt Oak (3624/28, 4224/28 Series)	240
MQLOGC45	Log Set - Burnt Oak (Solace II)	373
<b>ROCK SUPPORT PLATFORM REQUIRED WHEN USING ROCKS</b>		
MQRSP3	<b>Rock Support Platform (HB3624/3628)</b>	325
MQROCK2	Rock Set - Contemporary Collection - Natural	349
MQROCK3	Rock Set - Contemporary Collection - Multi-Colored	349

**STEP 3) CHOOSE GRILL KIT OR CLEAN VIEW KIT**

<b>GRILL KIT OR DESIGNER CLEAN VIEW KIT: (REQUIRED FOR EACH UNIT)</b>		
HB36CVCK	Designer Clean View Circulating Kit	488
HB36GBL	Grill Kit - Black	122

<b>OPTIONAL BRICK OR PORCELAIN LINERS</b>		
HB36RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	323
HB36RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	323
HB36PL	Porcelain Reflective Panel Liner (3 PCE)	558

<b>OPTIONAL SURROUND (FOR LOUVERED UNITS) - (Coverage 35 1/2" H x 41 1/8" W)</b>		
HB36SBL	Surround - Black	340

<b>OPTIONAL FIREPLACE ACCESSORIES</b>		
Z36FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
HB36CSS	Safety Screen Barrier (Replacement)	301

<b>DECORATE THE BOTTOM OF THE FIREPLACE</b>		
VLBIT6	Log Bits - Small Six Piece Kit	148

<b>OPTIONAL THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 <i>(Convenient and accessible location for Battery Backup for IPI Systems)</i>	260
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	832
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
EGTFRCN	Remote Control IPI PF1 - Thermostat/Modulating/Fan - NG	873
EGTFRCP	Remote Control IPI PF1 - Thermostat/Modulating/Fan - LP	873

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>Solace II</b>	<b>ZERO CLEARANCE DIRECT VENT GAS FIREPLACE - 36" WIDE</b>	
<b>Ceramic - 36</b>	Listed for USA/Canada as a Vented Gas Fireplace, SIT Valve with Hi/Lo, Wall Switch, 4/7" Sloped Top Flue, Ceramic Glass, Safety Screen. 28,000/26,000 BTU Framing Louvered 36 3/8" W x 35" H x 17" D	

<b>STEP 1) CHOOSE MODEL</b>		
<b>ZERO CLEARANCE DIRECT VENT GAS FIREPLACE</b>		
HBZDV3628N	Fireplace, Millivolt Valve (as above) Natural Gas	3,213
HBZDV3628LP	Fireplace, Millivolt Valve (as above) Propane	3,259
HBZDV3628NE	Fireplace, IPI PF1 Valve (as above) Natural Gas	3,604
HBZDV3628LPE	Fireplace, IPI PF1 Valve (as above) Propane	3,648
3628HB-CKLP	Conversion Kit - Millivolt - To Propane	108
3628HB-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
3628HB-CKLPI	Conversion Kit - IPI - To Propane	127
3628HB-CKNGI	Conversion Kit - IPI - To Natural Gas	127

<b>STEP 2) CHOOSE LOGS SET OR CONTEMPORARY ROCK COLLECTION</b>		
<b>LOG SET</b>		
LOGC44	Log Set - Eight Piece - Burnt Oak (3320, 3624/28, 4224/28 Series)	240
MQLOGC45	Log Set - Burnt Oak (Solace II)	373
<b>ROCK SUPPORT PLATFORM REQUIRED WHEN USING ROCKS</b>		
MQRSP3	Rock Support Platform (HB3624/3628)	325
MQROCK2	Rock Set - Contemporary Collection - Natural	349
MQROCK3	Rock Set - Contemporary Collection - Multi-Colored	349

<b>STEP 3) CHOOSE GRILL KIT OR CLEAN VIEW KIT</b>		
<b>GRILL KIT OR DESIGNER CLEAN VIEW KIT: (REQUIRED FOR EACH UNIT)</b>		
HB36CVCK	Designer Clean View Circulating Kit	488
HB36GBL	Grill Kit - Black	122

<b>OPTIONAL BRICK OR PORCELAIN LINERS</b>		
HB36RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	323
HB36RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	323
HB36PL	Porcelain Reflective Panel Liner (3 PCE)	558

<b>OPTIONAL SURROUND (FOR LOUVERED UNITS) - (Coverage 35 1/2" H x 41 1/8" W)</b>		
HB36SBL	Surround - Black	340

<b>OPTIONAL FIREPLACE ACCESSORIES</b>		
Z36FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
HB36CSS	Safety Screen Barrier (Replacement)	301

<b>DECORATE THE BOTTOM OF THE FIREPLACE</b>		
VLBIT6	Log Bits - Small Six Piece Kit	148

<b>OPTIONAL THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 (Convenient and accessible location for Battery Backup for IPI Systems)	260
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	832
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
EGTFRCN	Remote Control IPI PF1 - Thermostat/Modulating/Fan - NG	873
EGTFRCP	Remote Control IPI PF1 - Thermostat/Modulating/Fan - LP	873

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>Solace II</b>	<b>ZERO CLEARANCE DIRECT VENT GAS FIREPLACE - 42" WIDE:</b>	
<b>Tempered - 42</b>	Listed for USA/Canada as a Vented Gas Fireplace, Dual Burner, SIT Valve with Hi/Lo, Wall Switch, 4/7" Sloped Top Flue, Tempered Glass, Safety Screen. 24,000/22,000 BTU Framing Louvered 42 3/8" W x 37 1/4" H x 17" D	

<b>STEP 1) CHOOSE MODEL</b>		
<b>ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE</b>		
HBZDV4224N	Fireplace, Millivolt Valve (as above) Natural Gas	2,628
HBZDV4224LP	Fireplace, Millivolt Valve (as above) Propane`	2,687
HBZDV4224NE	Fireplace, IPI PF1 Valve (as above) Natural Gas	3,018
HBZDV4224LPE	Fireplace, IPI PF1 Valve (as above) Propane	3,075
4224HB-CKLP	Conversion Kit - Millivolt - To Propane	108
4224HB-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
4224HB-CKLPI	Conversion Kit - IPI - To Propane	127
4224HB-CKNGI	Conversion Kit - IPI - To Natural Gas	127

<b>STEP 2) CHOOSE LOGS SET OR CONTEMPORARY ROCK COLLECTION</b>		
<b>LOG SET</b>		
LOGC44	Log Set - Eight Piece - Burnt Oak (3320, 3624/28, 4224/28 Series)	240
MQLOGC45	Log Set - Burnt Oak (Solace II)	373
<b>ROCK SUPPORT PLATFORM REQUIRED WHEN USING ROCKS</b>		
MQRSP3	Rock Support Platform (HB4224/4228)	325
MQROCK2	Rock Set - Contemporary Collection - Natural	349
MQROCK3	Rock Set - Contemporary Collection - Multi-Colored	349

<b>STEP 3) CHOOSE GRILL KIT OR CLEAN VIEW KIT</b>		
<b>GRILL KIT OR DESIGNER CLEAN VIEW KIT: (REQUIRED FOR EACH UNIT)</b>		
HB42CVCK	Designer Clean View Circulating Kit	537
HB42GBL	Grill Kit - Black	134

<b>OPTIONAL BRICK OR PORCELAIN LINERS</b>		
HB42RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	370
HB42RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	370
HB42PL	Porcelain Reflective Panel Liner (3 PCE)	615

<b>OPTIONAL FIREPLACE ACCESSORIES</b>		
Z36FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
HB42CSS	Safety Screen Barrier (Replacement)	314

<b>DECORATE THE BOTTOM OF THE FIREPLACE</b>		
VLBIT6	Log Bits - Small Six Piece Kit	148
<b>SURROUNDS - FOR LOUVERED UNITS (Coverage 37 5/8" H x 45 1/8" W)</b>		
HB42SBL	Surround - Black	358

<b>OPTIONAL THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 (Convenient and accessible location for Battery Backup for IPI Systems)	260
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	832
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
EGTFRCN	Remote Control IPI PF1 - Thermostat/Modulating/Fan - NG	873
EGTFRCP	Remote Control IPI PF1 - Thermostat/Modulating/Fan - LP	873

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>Solace II</b>	<b>ZERO CLEARANCE DIRECT VENT GAS FIREPLACE - 42" WIDE</b>	
<b>Ceramic - 42</b>	Listed for USA/Canada as a Vented Gas Fireplace, Dual Burner, SIT Valve with Hi/Lo, Wall Switch, 4/7" Sloped Top Flue, Ceramic Glass, Safety Screen. 28,000/26,000 BTU Framing Louvered 42 3/8" W x 37 1/4" H x 17" D	

<b>STEP 1) CHOOSE MODEL</b>		
<b>ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE</b>		
HBZDV4228N	Fireplace, Millivolt Valve (as above) Natural Gas	3,967
HBZDV4228LP	Fireplace, Millivolt Valve (as above) Propane	4,035
HBZDV4228NE	Fireplace, IPI PF1 Valve (as above) Natural Gas	4,354
HBZDV4228LPE	Fireplace, IPI PF1 Valve (as above) Propane	4,426
4228HB-CKLP	Conversion Kit - Millivolt - To Propane	108
4228HB-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
4228HB-CKLPI	Conversion Kit - IPI - To Propane	127
4228HB-CKNGI	Conversion Kit - IPI - To Natural Gas	127

<b>STEP 2) CHOOSE LOGS SET OR CONTEMPORARY ROCK COLLECTION</b>		
<b>LOG SET</b>		
LOGC44	Log Set - Eight Piece - Burnt Oak (3320, 3624/28, 4224/28 Series)	240
MQLOGC45	Log Set - Burnt Oak (Solace II)	373
<b>ROCK SUPPORT PLATFORM REQUIRED WHEN USING ROCKS</b>		
MQRSP3	Rock Support Platform (HB4224/4228)	325
MQROCK2	Rock Set - Contemporary Collection - Natural	349
MQROCK3	Rock Set - Contemporary Collection - Multi-Colored	349

<b>STEP 3) CHOOSE GRILL KIT OR CLEAN VIEW KIT</b>		
<b>GRILL KIT OR DESIGNER CLEAN VIEW KIT: (REQUIRED FOR EACH UNIT)</b>		
HB42CVCK	Designer Clean View Circulating Kit	537
HB42GBL	Grill Kit - Black	134

<b>OPTIONAL BRICK OR PORCELAIN LINERS</b>		
HB42RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	370
HB42RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	370
HB42PL	Porcelain Reflective Panel Liner (3 PCE)	615

<b>OPTIONAL FIREPLACE ACCESSORIES</b>		
Z36FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
HB42CSS	Safety Screen Barrier (Replacement)	314

<b>DECORATE THE BOTTOM OF THE FIREPLACE</b>		
VLBIT6	Log Bits - Small Six Piece Kit	148
<b>SURROUNDS - FOR LOUVERED UNITS (Coverage 37 5/8" H x 45 1/8" W)</b>		
HB42SBL	Surround - Black	358

<b>OPTIONAL THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 (Convenient and accessible location for Battery Backup for IPI Systems)	260
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	832
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
EGTFRCN	Remote Control IPI PF1 - Thermostat/Modulating/Fan - NG	873
EGTFRCP	Remote Control IPI PF1 - Thermostat/Modulating/Fan - LP	873

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>HORIZONTAL STARTER KITS 4/7"</b>		
ZDVHSK	Horizontal Round Termination Vent Starter Kit - 3 FT Length Termination, Wall Thimble, 36" Flex Pipe, Screws, Mill Pac	344
ZDVHSKSQ	Horizontal Square Termination Vent Starter Kit - 3 FT Length Termination, Wall Thimble, 36" Flex Pipe, Screws, Mill Pac	406
ZDVHSK5	Horizontal Round Termination Vent Starter Kit - 5 FT Length Termination, Wall Thimble, 60" Flex Pipe, Screws, Mill Pac	426
ZDVHSKSQ5	Horizontal Square Termination Vent Starter Kit - 5 FT Length Termination, Wall Thimble, 60" Flex Pipe, Screws, Mill Pac	491
<b>HORIZONTAL VENTING 4/7"</b>		
Z58WTS	Horizontal Wall Thimble Shield (for Non Vented Chase ZCV34)	54
FDVHT	Horizontal Round Vent Termination - 4/7	234
FDVHSQ	Horizontal Square Vent Termination 4/7	290
FDVHSCU	Safety Cage Universal for Horizontal Termination	152
FDVHSS	Horizontal Stucco Shield	76
Z47ST24	Snorkel Termination - 24"	861
Z47ST36	Snorkel Termination - 36"	923
Z57STSC	Safety Cage for Snorkel Termination	240
ZDVWT	Wall Thimble (Horizontal Venting)	117
ZDVSS	Siding Shield - Heat Deflector for FDVHT Round Termination	37
ZDVSSLR	Siding Shield - Large Return - for FDVHSQ or FDVHT	89
<b>VERTICAL VENTING 4/7"</b>		
FDVVT40	Vertical Vent Termination - 4/7	252
ZDVAIS	Attic Insulation Shield	126
Z7AIS24	Attic Insulation Shield - 24"	167
ZDVVOS	Offset Support	53
ZDVFS	Firestop Spacer	53
ZDVRS	Roof Support	77
Z47GP36	Galvanized Pipe 4 and 7" x 36" (Vertical Installations)	248
Z47GP48	Galvanized Pipe 4 and 7" x 48" (Vertical Installations)	260
<b>FLASHINGS - VERTICAL VENTING 4/7"</b>		
ZDVAAF	Flashing 7" c/w Storm Collar (1/12 to 7/12)	149
ZDVAF2	Flashing 7" c/w Storm Collar (8/12 to 12/12)	170
ZDVAF3	Flashing 7" c/w Storm Collar Flat	198
ZDV7SC	Storm Collar 7 "	28
<b>FLEX KITS 4/7", CLAMPS, CONNECTORS AND INSULATION SLEEVE</b>		
ZDVFK5	Flex Kit (4" & 7" Dia.) x 5FT (c/w Springs, Screws, Mill Pac)	233
ZDVFK8	Flex Kit (4" & 7" Dia.) x 8FT (c/w Springs, Screws, Mill Pac)	328
ZDVFK20	Flex Kit (4" & 7" Dia.) x 20FT (c/w Springs, Screws, Mill Pac)	621
ZDV4FC	Flex Connector 4" Diameter	26
ZDV7FC	Flex Connector 7" Diameter	38
ZDV4FCL	Flex Clamp 4"	20
ZDV7FCL	Flex Clamp 7"	21
ZDV4SS	Spring 4" Standoff Spacer	20
MDV38IS	Insulation Sleeve 3ft - for Low Enclosures	72
<b>HARD PIPE ADAPTERS - 4/6 5/8"</b>		
ZDV DFA	DuraVent Fireplace Adapter 4x6-5/8 - Sloped Flue (for Gemini, Skyline, Solara, Solace, Bentley 39/42)	148
ZDV DKA	DuraVent Stove Adapter 4x6-5/8" - Flat (Serene 47)	95

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>HORIZONTAL POWER VENT STARTER KIT- 4/7"</b>		

<b>STEP 1) CHOOSE HORIZONTAL POWER VENT TERMINATION</b>		
<b>HORIZONTAL POWER VENT STARTER KIT</b>		
PVH58	Horizontal Power Vent Starter Kit - Exterior Mount	1,529
PVH58FM	Horizontal Power Vent Kit - Flush Mount (Includes: Power Vent Termination, Wall Thimble, 20 FT Harness, Mill Pac)	1,795
<b>Note: Must use a one foot section of 5/8 DV hard pipe to connect to the Power Vent Termination (not supplied)</b>		

<b>STEP 2) CHOOSE CONTROL MODULE OR HARNESS DEPENDENT ON VALVE SYSTEM</b>		
<b>CHOOSE POWER VENT CONTROL MODULE OR HARNESS BY SYSTEM TYPE:</b>		
PVC58MV	Power Vent Control Module - for Millivolt and Dexen Models	1,190
PVC58IPI	Power Vent Control Module - for Proflame 1 - IPI Models	1,190
584-X12	Harness for Proflame 2 IPI - Deluxe Models	100

<b>STEP 3) CHOOSE ADDITIONAL HARNESS EXTENSION (DISTANCE FROM POWER VENT TO APPLIANCE)</b>		
<b>CHOOSE APPROPRIATE LENGTH OF EXTENSION HARNESS:</b>		
(Distance from the power vent to the appliance)		
PVH20H	Harness Extension - 20 FT	396

<b>STEP 4) CHOOSE VENTING: SECTION 1 - HP 4x6-5/8", SECTION 2 - FLEX VENT 4/7", SECTION 3 - HP 3/5"</b>		
<b>SECTION 1</b>	<b>DIRECT VENT HARD PIPE 4x6-5/8" - for entire installation</b> (Two Adapters needed one at Flue and one at Termination) <b>Flue of Fireplace - Choose appropriate adapter for fireplace</b>	
ZDVDFDA	Duravent Fireplace Adapter 4x6-5/8 - Sloped Flue (for Gemini, Skyline, Solara, Solace, Bentley 39/42)	148
ZDVDKA	Duravent Stove Adapter 4x6-5/8" - Flat (Serene 47)	95
<b>Termination End</b>		
ZDVDDIA	Duravent Hard Pipe Adapter - (used to connect 4/6 5/8 to 5/8 Hard Pipe)	222
<b>Note: Must use a one foot section of 5/8 DV hard pipe to connect to the Power Vent Termination (not supplied)</b>		
<b>SECTION 2</b>	<b>FLEX VENT 4/7" - Used for entire installation - order Z47PVA</b>	
<b>Termination End</b>		
Z47PVA	Flex Pipe Adapter Kit - (to adapt 4/7" flex to power vent 5/8" hard pipe)	206
<b>Note: Must use a one foot section of 5/8 DV hard pipe to connect to the Power Vent Termination (not supplied)</b>		
<b>FLEX VENTING KITS:</b>		
ZDVFK5	Flex Kit (4" & 7" Dia.) x 5' (c/w Springs, Screws, Mill Pac)	233
ZDVFK8	Flex Kit (4" & 7" Dia.) x 8' (c/w Springs, Screws, Mill Pac)	328
ZDVFK20	Flex Kit (4" & 7" Dia.) x 20' (c/w Springs, Screws, Mill Pac)	621
<b>SECTION 3</b>	<b>DIRECT VENT HARD PIPE 3/5" - for entire installation</b> (Three Adapters needed two at Flue and one at Termination)  <b>Flue of Fireplace - Choose appropriate adapter for 4x6-5/8"</b>	
ZDVDFDA	Duravent Fireplace Adapter 4x6-5/8 - Sloped Flue	148
ZDVDKA	Duravent Stove Adapter 4x6-5/8" - Flat (Serene 47)	95
<b>Convert from 4x6-5/8" to 3/5" MG HP</b>		
PVA4635	Duravent Adapter- 4x6-5/8 TO 3/5 - FLUE	248
<b>Convert to Termination - 3/5" to 5/8"</b>		
PVA3558	Duravent Adapter for Power Vent Termination - 3/5" to 5/8"	248
<b>Note: Must use a one foot section of 5/8 DV hard pipe to connect to the Power Vent Termination (not supplied)</b>		
<b>POWER VENT ACCESSORIES</b>		
ZDV4FC	Flex Connector 4" Diameter	26
ZDV7FC	Flex Connector 7" Diameter	38
ZDV4FCL	Flex Clamp 4"	20
ZDV7FCL	Flex Clamp 7"	21
ZDV4SS	Spring 4" Standoff Spacer	20
PVH58WT	Wall Thimble for Power Vent	159

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>KINGSMAN CROSS REFERENCE FOR MARQUIS COLLECTION ACCESSORIES:</b>		
<b>WHEN ORDERING A ROCK SET, A ROCK SUPPORT PLATFORM MUST ALSO BE ORDERED FOR APPROPRIATE MODE</b>		
MQROCK2	Rock Set - Contemporary Collection - Natural	349
MQROCK3	Rock Set - Contemporary Collection - Multi-Colored	349
MQRSP1	Rock Support Platform (HB4736)	325
MQRSP2	Rock Support Platform (HB3636/4236)	325
MQRSP3	Rock Support Platform (ZDV3320, HB3624/3628/4224/4228)	325
MQRSP4	Rock Support Platform (IDV33/34/43/44)	325
MQRSP7	Rock Support Platform (MDV31/39)	486
MQRSP8	Glass Support Platform - (IDV26/33/34/43/44)	353
RSP10	Glass Support Platform - with Bronze Glass Media - (IDV26/33/34/43/44)	682



Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>INFINITE LINEAR MULTI-SIDED DIRECT VENT FIREPLACE</b>		
36" Viewing Area	Listed for USA/Canada as a Vented Gas Fireplace: Linear LH Burner, Two Sides Open, SIT Valve with Hi/Lo Adjustment, Wall Switches, Safety Screen, Ceramic Glass, 5/7" Flue, Accent Lighting, Decorative Ember Glass, 33,000 BTU Maximum Glass Media is 5 LBS  <i>For use with Kingsman Flex Vent Only</i>	
<b>STEP 1) CHOOSE MODEL</b>		
<b>INFINITE LINEAR MULTI-SIDED DIRECT VENT FIREPLACE</b>		
MQRB4436NE2	Linear Fireplace, IPI PF2 - Remote-Thermostat-Mod-Lights - Natural Gas	5,959
MQRB4436LPE2	Linear Fireplace, IPI PF2 - Remote-Thermostat-Mod-Lights - Propane	6,046
4436MQ-CKLP2	Conversion Kit - IPI PF2 - To Propane	235
4436MQ-CKNG2	Conversion Kit - IPI PF2 - To Natural Gas	235
<b>STEP 2) CHOOSE YOUR VIEW KIT - SINGLE SIDE - BACK SHIELD KIT OR SEE THROUGH KIT</b>		
<b>CHOOSE YOUR VIEW KIT: (REQUIRED FOR EACH UNIT)</b>		
MQRB44BK	Back Shield Kit - Series II (Single Side) Shield & Cover, False Bottom, Access Pa	413
MQRB44SK	See-Through Kit - Series II Glass, Screen, False Bottom, Access Panel, Filler Po	2,104
<b>OPTIONAL WALL SURROUNDS</b>		
<b>INFINITE WALL SURROUND - (COVERS 44"W X 19"H)</b>		
MQRB4419SBL	Surround Trim Kit - 1 1/2" Wide - Black	483
MQRB4419SSS	Surround Trim Kit - 1 1/2" Wide - Stainless Steel	802
<b>INFINITE WALL SURROUND - (COVERS 50"W X 23 3/4"H)</b>		
MQRB4424SBL	Surround Trim Kit - 4" Wide - Black	740
MQRB4424SSS	Surround Trim Kit - 4" Wide - Stainless Steel	1,388
<b>OPTIONAL FLUTED LINERS OR PORCELAIN LINERS</b>		
MQRB44RLF	Refractory Liner - Fluted - (for Single Side Unit Only)	523
MQRB4436PLB	Porcelain Liner - Back - Single Side	301
MQRB5143PLE	Porcelain Liner - Ends - See Through or Single Side (5143/4436)	337
<b>OPTIONAL FIREPLACE ACCESSORIES</b>		
Z36FK2	Fan Kit - Proflame 2 (for Single Side Installation only)	405
MQRB44CSS	Safety Screen Barrier (Replacement)	360
<b>OPTIONAL MEDIA - DECORATE THE BOTTOM OF THE FIREPLACE</b>		
MQRBD1	Drift Wood (x4) and Rocks (x4)	406
MQRBD2	Drift Wood Branch Set - 3 pce Set	405
MQRBD3	Drift Wood Log Set - 5 Pce	552
MQRBD4	Drift Wood Log Set - 3 Pce	356
MQ46D	Drift Wood Log Set - 3 Pce -(for Single Sided unit only)	409
MQRBRW	Birch Wood Log Set - 5 Pce	533
RBCB1	Cannonballs - Assorted size and colors	446
MQROCK2	Rock Set - Contemporary Collection - Natural	349
MQROCK3	Rock Set - Contemporary Collection - Multi-Colored	349
MQSTONE10	Decorative Stones - 10 PCE Set	80
MQSTONE	Decorative Stones - 80 PCE Set	405
MQEMBER	Ember Chunks	127
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	127
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	127
MQG5B	Glass Media - 1/2" Black - 5 lbs	127
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	127
MQG5W	Glass Media - 1/2" White - 5lbs	127
<b>MQRB4436 for use with Kingsman Flex Vent only.</b>		
<b>OPTIONAL THERMOSTATS AND REMOTE CONTROLS</b>		
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 (Convenient and accessible location for Battery Backup for IPI Systems)	260
RCP2WIFI	<b>#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES</b> (CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)	234

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>INFINITE</b>	<b>LINEAR MULTI-SIDED DIRECT VENT FIREPLACE</b>	
43" Viewing Area	Listed for USA/Canada as a Vented Gas Fireplace: Linear LH Burner, Two Sides Open, SIT Valve with Hi/Lo Adjustment, Wall Switches, Safety Screen, Ceramic Glass, 5/7" Flue, Accent Lighting, Decorative Ember Glass, 40,000 BTU Maximum Glass Media is 10 LBS Natural Gas, 5 LBS Propane	
<b>STEP 1) CHOOSE MODEL</b>		
<b>INFINITE</b>	<b>LINEAR MULTI-SIDED DIRECT VENT FIREPLACE</b>	
MQRB5143NE2	Linear Fireplace, IPI PF2 - Remote-Thermostat-Mod-Lights - Natural Gas	6,675
MQRB5143LPE2	Linear Fireplace, IPI PF2 - Remote-Thermostat-Mod-Lights - Propane	6,761
5143MQ-CKLP2	Conversion Kit - IPI PF2 - To Propane	235
5143MQ-CKNG2	Conversion Kit - IPI PF2 - To Natural Gas	235
<b>STEP 2) CHOOSE YOUR VIEW KIT - SINGLE SIDE - BACK SHIELD KIT OR SEE THROUGH KIT</b>		
<b>CHOOSE YOUR VIEW KIT: (REQUIRED FOR EACH UNIT)</b>		
MQRB51BK	Back Shield Kit - Series II (Single View) Shield and Cover, False Bottom, Access I	467
MQRB51SK	See-Through Kit - Series II Glass, Screen, False Bottom, Access Panel, Filler Po:	2,450
<b>OPTIONAL WALL SURROUNDS</b>		
<b>INFINITE WALL SURROUND - (COVERS 51"W X 19"H)</b>		
MQRB5019SBL	Surround Trim Kit - 1 1/2" Wide - Black	524
MQRB5019SSS	Surround Trim Kit - 1 1/2" Wide - Stainless Steel	871
<b>INFINITE WALL SURROUND - (COVERS 57"W X 24"H)</b>		
MQRB5624SBL	Surround Trim Kit - 4" Wide - Black	817
MQRB5624SSS	Surround Trim Kit - 4" Wide - Stainless Steel	1,519
<b>OPTIONAL FLUTED LINERS OR PORCELAIN LINERS</b>		
MQRB51RLF	Refractory Liner - Fluted - Single Side only	696
MQRB5143PLB	Porcelain Liner - Back - Single Side	319
MQRB5143PLE	Porcelain Liner - Ends - See Through or Single Side	337
<b>OPTIONAL FIREPLACE ACCESSORIES</b>		
Z36FK	Fan Kit - PF1/MV w/Variable Speed (for Single Side Installation only)	434
Z36FK2	Fan Kit - Proflame 2 (for Single Side Installation only)	405
MQRB51CSS	Safety Screen Barrier (Replacement)	392
<b>OPTIONAL MEDIA - DECORATE THE BOTTOM OF THE FIREPLACE</b>		
MQRBD1	Drift Wood (x4) and Rocks (x4)	406
MQRBD2	Drift Wood Branch Set - 3 pce Set	405
MQRBD3	Drift Wood Log Set - 5 Pce	552
MQRBD4	Drift Wood Log Set - 3 Pce	356
MQ46D	Drift Wood Log Set - 3 Pce -(for Single Sided unit only)	409
MQRBRW	Birch Wood Log Set - 5 Pce	533
RBCB1	Cannonballs - Assorted size and colors	446
MQROCK2	Rock Set - Contemporary Collection - Natural	349
MQROCK3	Rock Set - Contemporary Collection - Multi-Colored	349
MQSTONE10	Decorative Stones - 10 PCE Set	80
MQSTONE	Decorative Stones - 80 PCE Set	405
MQEMBER	Ember Chunks	127
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	127
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	127
MQG5B	Glass Media - 1/2" Black - 5 lbs	127
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	127
MQG5W	Glass Media - 1/2" White - 5lbs	127
<b>OPTIONAL THERMOSTATS AND REMOTE CONTROLS</b>		
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 (Convenient and accessible location for Battery Backup for IPI Systems)	260
RCP2WIFI	<b>#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES</b> (CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)	234

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>HORIZONTAL STARTER KITS 5/7" - FOR COVE MQ3927 AND INFINITE MQ5143/4436</b>		
Z57HSK5	Horizontal Vent Starter Kit - 5/7" X 5 FT Flex, Termination, Wall Thimble Wall Thimble Shield, Screws, and Mill Pac	479
<b>HORIZONTAL VENTING 5/7"</b>		
Z57HT	Horizontal Round Vent Termination - 5/7	234
FDVHSS	Horizontal Stucco Shield	76
FDVHSCU	Horizontal Safety Cage	152
ZDVWT	Horizontal Wall Thimble	117
Z57WTS	Horizontal Wall Thimble Shield (Enclosures under 72")	52
ZDVSS	Siding Shield - Heat Deflector for Horizontal Round Termination	37
ZDVSSLR	Siding Shield - Large Return - for Square or Round Terminations	89
Z57ST24	Snorkel Termination - 24" - Infinite Series II	861
Z57ST36	Snorkel Termination - 36" - Infinite Series II	923
Z57STSC	Safety Cage for Snorkel Z57ST24,36	240
<b>VERTICAL VENTING 5/7"</b>		
Z57VT	Vertical Vent Termination - 5/7	259
ZDVAIS	Attic Insulation Shield	126
Z7AIS24	Attic Insulation Shield - 24"	167
ZDVVOS	Offset Support	53
ZDVFS	Firestop Spacer	53
ZDVRS	Roof Support	77
Z57GP36	Galvanized Pipe 5 and 7" Dia. x 36" (Vertical Installations)	274
<b>FLASHINGS - VERTICAL VENTING 5/7"</b>		
ZDVAAF	Flashing 7" c/w Storm Collar (1/12 to 7/12)	149
ZDVAF2	Flashing 7" c/w Storm Collar (8/12 to 12/12)	170
ZDVAF3	Flashing 7" c/w Storm Collar Flat	198
ZDV7SC	Storm Collar 7 "	28
<b>FLEX KITS - CLAMPS, CONNECTORS - 5/7"</b>		
Z57FK5	Flex Kit (5" & 7" Dia.) x 5FT (c/w Springs, Screws, Mill Pac)	250
Z57FK8	Flex Kit (5" & 7" Dia.) x 8FT (c/w Springs, Screws, Mill Pac)	353
Z57FK20	Flex Kit (5" & 7" Dia.) x 20FT (c/w Springs, Screws, Mill Pac)	678
ZDV5FC	Flex Connector 5" Diameter	32
ZDV7FC	Flex Connector 7" Diameter	38
ZDV5FCL	Flex Clamp 5"	21
ZDV7FCL	Flex Clamp 7"	21
ZDV5SS	Spring - Standoff Spacer for Inner Pipe	20
<b>HARD PIPE ADAPTER - FOR MQRB5143 AND MQ3927 MODELS ONLY</b>		
Z57DFA	Hard Pipe Adapter - 5/8" - For MQRB5143/MQ3927	142

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>FOR 5/7" VENTING</b>	<b>HORIZONTAL POWER VENT STARTER KIT- 5/8"</b>	
	Approved for Infinite MQRB4436, MQRB5143, and Cove MQZDV3927 (The MQZDV3927 Power Vent Control Module will have to be located outside of fireplace)	

<b>STEP 1) CHOOSE HORIZONTAL POWER VENT TERMINATION</b>		
<b>Horizontal Power Vent Starter Kit</b>		
PVH58	Horizontal Power Vent Starter Kit - Exterior Mount	1,529
PVH58FM	Horizontal Power Vent Kit - Flush Mount (Includes: Power Vent Termination, Wall Thimble, 20 FT Harness, Mill Pac)	1,795
<b>Note: Must use a one foot section of 5/8 DV hard pipe to connect to the Power Vent Termination (not supplied)</b>		

<b>STEP 2) CHOOSE CONTROL MODULE OR HARNESS (DEPENDENT ON VALVE SYSTEM)</b>		
<b>CHOOSE POWER VENT CONTROL MODULE OR HARNES BY SYSTEM TYPE:</b>		
PVC58MV	Power Vent Control Module - for Millivolt models	1,190
PVC58IPI	Power Vent Control Module - for Proflame 1 - IPI models	1,190
584-X12	Harness for Proflame 2 IPI - Deluxe Models	100

<b>STEP 3) CHOOSE ADDITIONAL HARNESS EXTENSION (DISTANCE FORM POWER VENT TO APPLIANCE)</b>		
<b>CHOOSE APPROPRIATE LENGTH OF EXTENSION HARNESS:</b>		
(Distance from the power vent to the appliance)		
PVH20H	Harness Extension - 20 FT	396

<b>STEP 4) CHOOSE VENTING: SECTION 1 - HP 5/8, #2 - HP 4x6-5/8, #3 - HP 3/5", #4 FLEX VENT 5/7</b>		
<b>SECTION 1 DIRECT VENT HARD PIPE 5/8" - Used for entire installation - Order Z57DFA</b>		
Z57DFA	Duravent - Hard Pipe Adapter -(5/7" to 5/8" at flue of fireplace)	142
<b>SECTION 2 DV HARD PIPE 4x6-5/8" - Used for entire installation - Order Z57DFA, ZDVDRA, ZDVDIA</b>		
Z57DFA	Duravent - Hard Pipe Adapter - 5/8" (at flue of fireplace)	142
ZDVDRA	Duravent - REDUCER - 5/8" TO 4x6 5/8" ADAPTER (used at flue of fireplace)	222
<b>Termination End</b>		
ZDVDIA	Duravent Hard Pipe Adapter - (used to connect 4/6 5/8 to 5/8 Hard Pipe)	222
<b>Note: Must use a one foot section of 5/8 DV hard pipe to connect to the Power Vent Termination (not supplied)</b>		
<b>SECTION 3 DV HARD PIPE 3/5" - Used for entire installation - Order Z57DFA, ZDVDRA, ZDVDIA</b>		
Z57DFA	Duravent - Hard Pipe Adapter - 5/8" (at flue of fireplace)	142
PVA5835	Duravent Adpater- 5/8" To 3/5" (at flue of fireplace)	248
<b>Termination End</b>		
PVA3558	Duravent Adapter - 3/5" To 5/8 - (at Termination)	248
<b>Note: Must use a one foot section of 5/8 DV hard pipe to connect to the Power Vent Termination (not supplied)</b>		
<b>SECTION 4 FLEX VENT - Used for entire installation - Order Z57PVA</b>		
<b>Note: Must use a one foot section of 5/8 DV hard pipe to connect to the Power Vent Termination (not supplied)</b>		
Z57PVA	Flex Pipe Adapter Kit - (to adapt flex 5/7" to power vent to hard pipe 5/8")	206
<b>FLEX VENTING KITS:</b>		
Z57FK5	Flex Kit (5" & 7" Dia.) x 5' Expanded (c/w Springs, Screws, Mill Pac)	250
Z57FK8	Flex Kit (5" & 7" Dia.) x 8' Expanded (c/w Springs, Screws, Mill Pac)	353
Z57FK20	Flex Kit (5" & 7" Dia.) x 20' Expanded (c/w Springs, Screws, Mill Pac)	678

<b>POWER VENT ACCESSORIES</b>		
ZDV5FC	Flex Connector 5" Diameter	32
ZDV7FC	Flex Connector 7" Diameter	38
ZDV5FCL	Flex Clamp 5"	21
ZDV7FCL	Flex Clamp 7"	21
ZDV5SS	Spring - Standoff Spacer for Inner Pipe	20
PVH58WT	Wall Thimble for Power Vent	159

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>ATRIUM</b>	<b>MULTI-SIDED CLEAN VIEW PENINSULA DIRECT VENT FIREPLACE:</b>	
	Listed for USA/Canada as a Vented Gas Fireplace - RH Burner, SIT Valve with Hi/Lo Adjustment, Wall Switch, Safety Screens, Tempered Glass 5/8" Sloped Flue. 30,250/28,500 BTU	

<b>STEP 1) CHOOSE MODEL</b>		
<b>PENINSULA DIRECT VENT FIREPLACE:</b>		
MCVP42N	Peninsula Fireplace, Millivolt (as above) Natural Gas	5,759
MCVP42LP	Peninsula Fireplace, Millivolt (as above) Propane	5,854
MCVP42NE	Peninsula Fireplace, IPI PF1 (as above) Natural Gas	6,146
MCVP42LPE	Peninsula Fireplace, IPI PF1 (as above) Propane	6,242
42MP-CKLP	Conversion Kit - Millivolt - To Propane	108
42MP-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
42MP-CKLPI	Conversion Kit - IPI - To Propane	127
42MP-CKNGI	Conversion Kit - IPI - To Natural Gas	127

<b>STEP 2) CHOOSE LOG GRATE AND LOG SET OR GLASS TRAY AND GLASS MEDIA OR LOG SET</b>		
<b>Log Grate and Log Set</b>		
M42LG	<b>Log Grate - (Requires Log Set) - (Not for Use with Propane Appliance)</b>	217
MQ42LOG1	Log Set - MARQUIS - Driftwood - 8 Pieces	1,015
MQ42LOG2	Log Set - MARQUIS - Oak - 7 Pieces - <b>(Not for Use with Propane Appliance)</b>	1,015
M42LOG4	Log Set - KINGSMAN - Oak - 8 Pieces - <b>(Not for Use with Propane Appliance)</b>	1,015
<b>Glass Tray - (Log Set or Media Required)</b>		
MP42GT	<b>Glass Tray - (No Media Required if using Log Sets)</b>	217
<b>(Maximum Amount of Glass: 5lbs for Burner, and 20lbs for Tray)</b>		
MQ42LOG1	Log Set - MARQUIS - Driftwood - 8 Pieces	1,015
MQ42LOG2	Log Set - MARQUIS - Oak - 7 Pieces - <b>(Not for Use with Propane Appliance)</b>	1,015
M42LOG3	Log Set - KINGSMAN - Driftwood - 6 Pieces	1,015
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs <b>(Max 10lbs Tube, 15 lbs for Tray)</b>	127
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	127
MQG5B	Glass Media - 1/2" Black - 5 lbs	127
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	127
MQG5W	Glass Media - 1/2" White - 5lbs	127
MQROCK2	Rock Set - Contemporary Collection - Natural	349
MQROCK3	Rock Set - Contemporary Collection - Multi-Colored	349
MQEMBER	Ember Chunks (2 Bags)	127
MQSTONE	Decorative Stones - 80 PCE Set	405
MQSTONE10	Decorative Stones - 10 PCE Set	80
RBCB1	Cannonballs - Assorted size and colors	446
<b>FIREPLACE ACCESSORIES OPTIONS:</b>		
ULK3	Universal Light Kit - Two Lamps (for use with Glass Tray)	368
42MVB-258	Pilot Shield - for Glass Tray and Log Grate (Replacement Part)	68
42MCVP-TLK	Tile Lip Kit - (8 Pce Kit, c/w Screws)	113
MP42CSSS	Safety Screen Barrier - Small (Replacement)	232
MP42CSSL	Safety Screen Barrier - Large (Replacement)	314
MP42RLT	Refractory Fiber Brick Liner - Traditional	232
MP42PL	Porcelain Reflective Panel Liner	247
<b>THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 <i>(Convenient and accessible location for Battery Backup for IPI Systems)</i>	260
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>ATRIUM</b>	<b>MULTI-SIDED CLEAN VIEW PENINSULAR DIRECT VENT FIREPLACE:</b>	
	Listed for USA/Canada as a Vented Gas Fireplace, RH Burner, SIT Valve with Hi/Lo Adjustment, Wall Switch, Safety Screens, Ceramic Glass 5/8" Sloped Flue. 31,250/29,000 BTU	
<b>STEP 1) CHOOSE MODEL</b>		
	<b>PENINSULA DIRECT VENT FIREPLACE:</b>	
MCVP42NH	Peninsula Fireplace, Millivolt (as above) Natural Gas	8,463
MCVP42LPH	Peninsula Fireplace, Millivolt (as above) Propane	8,557
MCVP42NHE	Peninsula Fireplace, IPI PF1 (as above) Natural Gas	8,849
MCVP42LPHE	Peninsula Fireplace, IPI PF1 (as above) Propane	8,945
42MP-CKLPH	Conversion Kit - Millivolt - To Propane	108
42MP-CKNGH	Conversion Kit - Millivolt - To Natural Gas	108
42MP-CKLPHI	Conversion Kit - IPI - To Propane	127
42MP-CKNGHI	Conversion Kit - IPI - To Natural Gas	127
<b>STEP 2) CHOOSE LOG GRATE AND LOG SET OR GLASS TRAY AND GLASS MEDIA OR LOG SET</b>		
	<b>Log Grate and Log Set</b>	
M42LG	<b>Log Grate - (Requires Log Set) - (Not for Use with Propane Appliance)</b>	217
MQ42LOG1	Log Set - MARQUIS - Driftwood - 8 Pieces	1,015
MQ42LOG2	Log Set - MARQUIS - Oak - 7 Pieces - <b>(Not for Use with Propane Appliance)</b>	1,015
M42LOG4	Log Set - KINGSMAN - Oak - 8 Pieces - <b>(Not for Use with Propane Appliance)</b>	1,015
	<b>Glass Tray - (Log Set or Media Required)</b>	
MP42GT	<b>Glass Tray - (No Media Required if using Log Sets)</b>	217
	<b>(Maximum Amount of Glass: 5lbs for Burner, and 20lbs for Tray)</b>	
MQ42LOG1	Log Set - MARQUIS - Driftwood - 8 Pieces	1,015
MQ42LOG2	Log Set - MARQUIS - Oak - 7 Pieces - <b>(Not for Use with Propane Appliance)</b>	1,015
M42LOG3	Log Set - KINGSMAN - Driftwood - 6 Pieces	1,015
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs <b>(Max 10lbs Tube, 15 lbs for Tray)</b>	127
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	127
MQG5B	Glass Media - 1/2" Black - 5 lbs	127
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	127
MQG5W	Glass Media - 1/2" White - 5lbs	127
MQROCK2	Rock Set - Contemporary Collection - Natural	349
MQROCK3	Rock Set - Contemporary Collection - Multi-Colored	349
MQEMBER	Ember Chunks (2 Bags)	127
MQSTONE	Decorative Stones - 80 PCE Set	405
MQSTONE10	Decorative Stones - 10 PCE Set	80
RBCB1	Cannonballs - Assorted size and colors	446
	<b>FIREPLACE ACCESSORIES OPTIONS:</b>	
ULK3	Universal Light Kit - Two Lamps (for use with Glass Tray)	368
42MVB-258	Pilot Shield - for Glass Tray and Log Grate (Replacement Part)	68
42MCVP-TLK	Tile Lip Kit - (8 Pce Kit, c/w Screws)	113
MP42CSSS	Safety Screen Barrier - Small (Replacement)	232
MP42CSSL	Safety Screen Barrier - Large (Replacement)	314
MP42RLT	Refractory Fiber Brick Liner - Traditional	232
MP42PL	Porcelain Reflective Panel Liner	247
	<b>DECORATE THE BOTTOM OF YOUR FIREPLACE WITH LOG BITS:</b>	
VLBIT6	Log Bits - Small Six Piece Kit	148
	<b>THERMOSTATS AND REMOTE CONTROLS</b>	
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 <i>(Convenient and accessible location for Battery Backup for IPI Systems)</i>	260
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>BENTLEY 48"</b>	<b>ZERO CLEARANCE CLEAN VIEW DIRECT VENT GAS FIREPLACE 48" Wide</b>	
	Listed for USA/Canada as a Vented Gas Fireplace, SIT Valve with Hi/Lo Flame Adjustment, Wall Switch, 5/8" Sloped Top Flue, Tempered Glass Viewing Area 39 7/16" W x 32" H, Safety Screen Invis-Mesh. 42,250 BTU Framing 48 1/2" W x 49 3/4" H x 23 1/4" D	

**The Fireplace Chase may be Vented for Cool Touch Walls and reduced Mantel Clearances. Ventilation Plates must be removed from top of appliance. Minimum Enclosure Height for a Vented Chase is 78" for Natural Gas and 80" for Propane. See Installation Manual for details of Vented Chase options.**

<b>STEP 1) CHOOSE MODEL</b>		
<b>ZERO CLEARANCE DIRECT VENT FIREPLACE:</b>		
MQZCV48N	Fireplace, Millivolt Valve (as above) Natural Gas	5,058
MQZCV48LP	Fireplace, Millivolt Valve (as above) Propane	5,167
MQZCV48NE	Fireplace, IPI PF1 Valve (as above) Natural Gas	5,403
MQZCV48LPE	Fireplace, IPI PF1 Valve (as above) Propane	5,506
MQZCV48NE2	Fireplace, IPI PF2 -Remote-Thermostat-Mod-Fan-Lights - Natural Gas	7,114
MQZCV48LPE2	Fireplace IPI PF2 -Remote-Thermostat-Mod-Fan-Lights - Propane	7,216
48ZCV-CKLPH	Conversion Kit - Millivolt - To Propane	108
48ZCV-CKNGH	Conversion Kit - Millivolt - To Natural Gas	108
48ZCV-CKLPHI	Conversion Kit - IPI - To Propane	127
48ZCV-CKNGHI	Conversion Kit - IPI - To Natural Gas	127
48ZCV-CKLP2	Conversion Kit - IPI PF2 - To Propane	235
48ZCV-CKNG2	Conversion Kit - IPI PF2 - To Natural Gas	235

<b>STEP 2) CHOOSE GRILL FOR VENTILATION OR OTHER OPTIONAL CHASE SOLUTIONS</b>		
<b>OPTIONAL - WHEN VENTILATING ENCLOSURE</b>		
<b>V49EGS</b>	Grill - Enclosure Side (Pair) - Unfinished - (Opening 15 1/4" x 6 5/8")	<b>484</b>
<b>V49EG</b>	Grill - Enclosure Front - Unfinished - (Opening 48 1/2" x 4 7/8")	<b>340</b>

<b>STEP 3) CHOOSE LOG SET OR GLASS TRAY AND DRIFTWOOD OR GLASS MEDIA</b>		
<b>Log Set</b>		
MQLOGF48	Log Set - Traditional Oak	1,440
MQLOGF48B	Log Set - Burnt Oak	1,440
MQLOGF39BW	Log Set - Birch	1,130
MQBBITS	Log Bit Kit - Birch	412
<b>Glass Tray for MQZCV48 - (Requires 25 lbs of Glass Media)</b>		
MQZCV48GT	<b>Glass Tray for MQZCV48</b>	<b>275</b>
MQLOGF48D	Log Set - Drift Wood - MQZCV48GT Tray Required - <b>(No Glass Media Required)</b>	<b>1,151</b>
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	127
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	127
MQG5B	Glass Media - 1/2" Black - 5 lbs	127
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	127
MQG5W	Glass Media - 1/2" White - 5lbs	127
<b>Optional Media Accessories</b>		
MQROCK2	Rock Set - Contemporary Collection - Natural	349
MQROCK3	Rock Set - Contemporary Collection - Multi-Colored	349
MQEMBER	Ember Chunks (2 Bags)	127
MQSTONE	Decorative Stones - 80 PCE Set	405
MQSTONE10	Decorative Stones - 10 PCE Set	80
RBCB1	Cannonballs - Assorted size and colors	446

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>OPTIONAL SURROUNDS, DESIGNER DOORS AND SAFETY SCREEN</b>		
ZCV47S1BL	Surround - Hearth Mount 4" Wide (Covers 50 9/16" W x 43 3/16" H)	624
MQ48DD1BL	Designer Door - Series 1 - Black c/w Safety Screen	1,353
MQ48DD2BL	Designer Door - Series 2 - Black c/w Safety Screen	1,519
MQ48DD3BL	Designer Door - Series 3 - Black c/w Safety Screen	1,584
ZCV48CSS	Safety Screen Barrier - Outside Fit (Replacement)	459
ZCV48CSS2	Safety Screen Barrier - Inside Fit (Replacement)	459
ZCV-TLK	Tile Lip Kit - (for Finishing Materials - tile, brick)	85

<b>OPTIONAL FIREPLACE ACCESSORIES</b>		
ZCV48RLT	Refractory Fiber Brick Liner (3 PCE) - Traditional	688
ZCV48RLH	Refractory Fiber Brick Liner (3 PCE) - Herringbone	688
ZCV48RLS	Refractory Fiber Brick Liner (3 PCE) - Stacked Brick	762
MQZCV48RLF	Refractory Fiber Brick Liner (3 PCE) - Fluted Liner	762
ZCV48PL	Porcelain Reflective Panel Liner (3 PCE)	963
Z46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
Z46FK2	Fan Kit - Proflame 2 (Replacement Part)	405
ULK4	Universal Light Kit - Four Lamps	718
48ZCV-258	Pilot Shield - for MQZCV48GT (Replacement Part)	73

<b>DECORATE THE BOTTOM OF YOUR FIREPLACE</b>		
VLBIT6	Log Bits - Small Six Piece Kit	148

<b>OPTIONAL THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 <i>(Convenient and accessible location for Battery Backup for IPI Systems)</i>	260
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	832
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
EGTFRCN	Remote Control IPI PF1 - Thermostat/Modulating/Fan - NG	873
EGTFRCP	Remote Control IPI PF1 - Thermostat/Modulating/Fan - LP	873
RCP2WIFI	<b>#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES</b> <b>(CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)</b>	234



Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>BENTLEY ST</b>	<b>MULTI-SIDED CLEAN VIEW SEE-THROUGH DIRECT VENT FIREPLACE:</b>	
	Listed for USA/Canada as a Vented Gas Fireplace, RH Burner, SIT Valve with Hi/Lo Adjustment, Wall Switch, Safety Screens, Tempered Glass 5/8" Sloped Flue. 30,500/28,500 BTU	

<b>STEP 1) CHOOSE MODEL</b>		
<b>SEE-THROUGH DIRECT VENT FIREPLACE:</b>		
MCVST42N	See Through Fireplace, Millivolt (as above) Natural Gas	5,894
MCVST42LP	See Through Fireplace, Millivolt (as above) Propane	5,997
MCVST42NE	See Through Fireplace, IPI (as above) Natural Gas	6,285
MCVST42LPE	See Through Fireplace, IPI (as above) Propane	6,407
42MST-CKLP	Conversion Kit - Millivolt - To Propane	108
42MST-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
42MST-CKLPI	Conversion Kit - IPI - To Propane	127
42MST-CKNGI	Conversion Kit - IPI - To Natural Gas	127

<b>STEP 2) CHOOSE LOG GRATE AND LOG SET OR GLASS TRAY AND LOG SET OR GLASS MEDIA</b>		
<b>Log Grate and Log Set</b>		
M42LG	<b>Log Grate - (need to choose log set)</b>	217
MQ42LOG1	Log Set - MARQUIS - Driftwood - 8 Pieces	1,015
MQ42LOG2	Log Set - MARQUIS - Oak - 7 Pieces	1,015
M42LOG4	Log Set - KINGSMAN - Oak - 8 Pieces	1,015
<b>Glass Tray - (Log Set or Media Required)</b>		
MST42GT	<b>Glass Tray for MCVST42 - (Requires Glass Media)</b>	217
	<b>(Maximum Amount of Glass: 5lbs for Burner, and 20lbs for Tray)</b>	
MQ42LOG1	Log Set - MARQUIS - Driftwood - 8 Pieces	1,015
MQ42LOG2	Log Set - MARQUIS - Oak - 7 Pieces	1,015
M42LOG3	Log Set - KINGSMAN - Driftwood - 6 Pieces	1,015
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	127
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	127
MQG5B	Glass Media - 1/2" Black - 5 lbs	127
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	127
MQG5W	Glass Media - 1/2" White - 5lbs	127
MQROCK2	Rock Set - Contemporary Collection - Natural	349
MQROCK3	Rock Set - Contemporary Collection - Multi-Colored	349
MQEMBER	Ember Chunks (2 Bags)	127
MQSTONE	Decorative Stones - 80 PCE Set	405
MQSTONE10	Decorative Stones - 10 PCE Set	80
RBCB1	Cannonballs - Assorted size and colors	446

<b>OPTIONAL SURROUNDS, DESIGNER DOORS AND SAFETY SCREEN</b>		
ZCV42S1BL	Surround - Hearth Mount 4" Wide (Covers 44 5/8" W x 38 1/8" H)	555
ZCV42S1PFBL	Surround - Picture Frame 4" Wide (Covers 44 5/8" W x 40 1/8" H)	555
ZCV42S2PFBL	Surround - Picture Frame 1 5/8" Wide (Covers 40 1/8" W x 35 5/8" H)	490
MQ42DD1BL	Designer Door ZCV42 - Series 1 - Black c/w Safety Screen	1,257
MQ42DD2BL	Designer Door ZCV42 - Series 2 - Black c/w Safety Screen	1,346
MQ42DD3BL	Designer Door ZCV42 - Series 3 - Black c/w Safety Screen	1,346
ZCV42CSS	Safety Screen Barrier - Outside Fit (Replacement)	426
ZCV42CSS2	Safety Screen Barrier - Inside Fit (Replacement)	426
ZCV-TLK	Tile Lip Kit - (for Finishing Materials - tile, brick)	85

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>OPTIONAL FIREPLACE ACCESSORIES</b>		
MST42RLT	Refractory Fiber Brick Liner (2 PCE) - Traditional	446
MST42PL	Porcelain Reflective Panel Liner (2 PCE)	494
Z46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
ULK3	Universal Light Kit - Two Lamps (for use with Glass Tray)	368
42MVB-258	Pilot Shield - for Glass Tray and Log Grate (Replacement Part)	68
<b>DECORATE THE BOTTOM OF YOUR FIREPLACE WITH LOG BITS:</b>		
VLBIT6	Log Bits - Small Six Piece Kit	148
<b>OPTIONAL THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 <i>(Convenient and accessible location for Battery Backup for IPI Systems)</i>	260
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	832
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
EGTFRCN	Remote Control IPI PF1 - Thermostat/Modulating/Fan - NG	873
EGTFRCP	Remote Control IPI PF1 - Thermostat/Modulating/Fan - LP	873

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>BENTLEY ST</b>	<b>MULTI-SIDED CLEAN VIEW SEE-THROUGH DIRECT VENT FIREPLACE:</b>	
	Listed for USA/Canada as a Vented Gas Fireplace, RH Burner, SIT Valve with Hi/Lo Adjustment, Wall Switch, Safety Screens, Ceramic Glass, 5/8" Sloped Flue. 31,500/28,500 BTU	

<b>STEP 1) CHOOSE MODEL</b>		
<b>SEE-THROUGH DIRECT VENT FIREPLACE:</b>		
MCVST42NH	See Through Fireplace, Millivolt (as above) Natural Gas	8,384
MCVST42LPH	See Through Fireplace, Millivolt (as above) Propane	8,478
MCVST42NHE	See Through Fireplace, IPI (as above) Natural Gas	8,769
MCVST42LPHE	See Through Fireplace, IPI (as above) Propane	8,865
42MST-CKLPH	Conversion Kit - Millivolt - To Propane	108
42MST-CKNGH	Conversion Kit - Millivolt - To Natural Gas	108
42MST-CKLPHI	Conversion Kit - IPI - To Propane	127
42MST-CKNGHI	Conversion Kit - IPI - To Natural Gas	127

<b>STEP 2) CHOOSE LOG GRATE AND LOG SET OR GLASS TRAY AND LOG SET OR GLASS MEDIA</b>		
<b>Log Grate and Log Set</b>		
M42LG	<b>Log Grate - (need to choose log set)</b>	217
MQ42LOG1	Log Set - MARQUIS - Driftwood - 8 Pieces	1,015
MQ42LOG2	Log Set - MARQUIS - Oak - 7 Pieces	1,015
M42LOG4	Log Set - KINGSMAN - Oak - 8 Pieces	1,015
<b>Glass Tray - (Log Set or Media Required)</b>		
MST42GT	<b>Glass Tray for MCVST42 - (Requires Glass Media)</b>	217
	<b>(Maximum Amount of Glass: 5lbs for Burner, and 20lbs for Tray)</b>	
MQ42LOG1	Log Set - MARQUIS - Driftwood - 8 Pieces	1,015
MQ42LOG2	Log Set - MARQUIS - Oak - 7 Pieces	1,015
M42LOG3	Log Set - KINGSMAN - Driftwood - 6 Pieces	1,015
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	127
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	127
MQG5B	Glass Media - 1/2" Black - 5 lbs	127
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	127
MQG5W	Glass Media - 1/2" White - 5lbs	127
MQROCK2	Rock Set - Contemporary Collection - Natural	349
MQROCK3	Rock Set - Contemporary Collection - Multi-Colored	349
MQEMBER	Ember Chunks (2 Bags)	127
MQSTONE	Decorative Stones - 80 PCE Set	405
MQSTONE10	Decorative Stones - 10 PCE Set	80
RBCB1	Cannonballs - Assorted size and colors	446

<b>OPTIONAL SURROUNDS, DESIGNER DOORS AND SAFETY SCREEN</b>		
ZCV42S1BL	Surround - Hearth Mount 4" Wide (Covers 44 5/8" W x 38 1/8" H)	555
ZCV42S1PFBL	Surround - Picture Frame 4" Wide (Covers 44 5/8" W x 40 1/8" H)	555
ZCV42S2PFBL	Surround - Picture Frame 1 5/8" Wide (Covers 40 1/8" W x 35 5/8" H)	490
MQ42DD1BL	Designer Door ZCV42 - Series 1 - Black c/w Safety Screen	1,257
MQ42DD2BL	Designer Door ZCV42 - Series 2 - Black c/w Safety Screen	1,346
MQ42DD3BL	Designer Door ZCV42 - Series 3 - Black c/w Safety Screen	1,346
ZCV42CSS	Safety Screen Barrier - Outside Fit (Replacement)	426
ZCV42CSS2	Safety Screen Barrier - Inside Fit (Replacement)	426
ZCV-TLK	Tile Lip Kit - (for Finishing Materials - tile, brick)	85

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>OPTIONAL FIREPLACE ACCESSORIES OPTIONS:</b>		
MST42RLT	Refractory Fiber Brick Liner (2 PCE) - Traditional	446
MST42PL	Porcelain Reflective Panel Liner (2 PCE)	494
Z46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
ULK3	Universal Light Kit - Two Lamps (for use with Glass Tray)	368
42MVB-258	Pilot Shield - for Glass Tray and Log Grate (Replacement Part)	68
<b>DECORATE THE BOTTOM OF YOUR FIREPLACE</b>		
VLBIT6	Log Bits - Small Six Piece Kit	148
<b>OPTIONAL THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 <i>(Convenient and accessible location for Battery Backup for IPI Systems)</i>	260
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	832
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
EGTFRCN	Remote Control IPI PF1 - Thermostat/Modulating/Fan - NG	873
EGTFRCP	Remote Control IPI PF1 - Thermostat/Modulating/Fan - LP	873

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>ENCLAVE 34 BAY</b>	<b>BAY PENINSULA - LINEAR DIRECT VENT FIREPLACE</b>	
BAY PENINSULA OR CORNER	Listed for USA/Canada as a Vented Gas Fireplace: Pan Burner, SIT Valve with Modulating BTU, Glass Safety Barrier, <b>Ceramic Glass on Glass</b> Halogen Accent Lighting x 2, Flue 5/8", 25,000 BTU NG, 24,000 BTU Propane	
<b>STEP 1) CHOOSE MODEL</b>		
<b>BAY PENINSULA - LINEAR DIRECT VENT FIREPLACE</b>		
MQZCVBG34NE2	Bay Peninsula, IPI PF2 - Remote-Thermostat-Mod-Lights - Natural Gas	7,695
MQZCVBG34LPE2	Bay Peninsula, IPI PF2 - Remote-Thermostat-Mod-Lights - Propane	7,805
34ZCVBG-CKLP2	Conversion Kit - IPI PF2 - To Propane	235
34ZCVBG-CKNG2	Conversion Kit - IPI PF2 - To Natural Gas	235
<b>CORNER KIT COVERSION FOR BAY PENISULA - CHANGE BAY INTO CORNER UNIT</b>		
ZCV34BGCK	Corner Conversion Kit - (One Small and Large Side Open) (Includes: Firebox Cover, Heat Shield, Inner Panel, Front Cover, Millpac and screws)	281

**This Fireplace requires the Chase to be Vented at the top of the enclosure.  
Minimum Enclosure Height is 72" measured from floor of appliance.  
See Installation Manual for further details of Vented Chase options.**

<b>STEP 2) CHOOSE GRILL FOR VENTILATION OR OTHER OPTIONAL CHASE SOLUTIONS</b>		
<b>CHASE MUST BE VENTED ABOVE THE APPLIANCE</b>		
V34EGS	Grill - Enclosure Side (Pair) - Unfinished (11 1/4" W X 6" H)	400
V34EG	Grill - Enclosure Front - Unfinished (32 5/16" W X 4 3/8"H)	300

<b>STEP 3) CHOOSE LOG SET OR GLASS MEDIA ACCESSORIES</b>		
<b>LOG SET OR GLASS MEDIA: (REQUIRED FOR EACH UNIT)</b>		
MQLOGF34OAK	Log Set - Oak - Seven Piece	729
MQLOGF34BW	Log Set - Birch - Seven Piece	969
MQ42D	Log Set - Drift Wood - Six Piece	690
MQLOGF453	Log Set - Driftwood - Five Piece	747
<b>GLASS MEDIA - (MAXIMUM 5 LBS)</b>		
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	127
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	127
MQG5B	Glass Media - 1/2" Black - 5 lbs	127
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	127
MQG5W	Glass Media - 1/2" White - 5lbs	127

<b>OPTIONAL MEDIA - MAY BE USED WITH GLASS MEDIA</b>		
MQRBD3	Drift Wood Log Set - 5 Pce	552
MQRBRW	Birch Wood Log Set - 5 Pce	533
RBCB1	Cannonballs - Assorted size and colors	446
MQSTONE10	Decorative Stones - 10 PCE Set	80
MQSTONE	Decorative Stones - 80 PCE Set	405
MQROCK2	Rock Set - Contemporary Collection - Natural	349
MQROCK3	Rock Set - Contemporary Collection - Multi-Colored	349
MQEMBER	Ember Chunks	127

<b>OPTIONAL FLUTED LINERS, PORCELAIN LINERS, OR REFLECTIVE GLASS LINERS</b>		
MQZCVBG34RLTB	Refractory Liner - Traditional - Back	365
MQZCVBG34RLTE	Refractory Liner - Traditional - End (Corner Unit Only)	195
MQZCVBG34RLFB	Refractory Liner - Fluted - Back	425
MQZCVBG34RLFE	Refractory Liner - Fluted - End (Corner Unit Only)	225
MQZCVBG34RGB	Reflective Glass Liner - Back	795
MQZCVBG34RGE	Reflective Glass Liner - End (L&R) (Corner Unit Only)	300

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>OPTIONAL FIREPLACE ACCESSORIES</b>		
34ZCVBG-TLK	<b>Tile Lip Kit - c/w Screws</b>	120
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 <i>(Convenient and accessible location for Battery Backup for IPI Systems)</i>	260
RCP2WIFI	<b>#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES</b> (CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED )	234

**\*NOTE:** If using ICC Hard Pipe a starter piece of MG Duravent must be used at Flue of Fireplace.

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>ENCLAVE 48</b>	<b>SINGLE SIDE - LINEAR DIRECT VENT FIREPLACE</b>	
SINGLE SIDE	Listed for USA/Canada as a Vented Gas Fireplace: Linear Burner, Single Side SIT Valve with Modulating BTU, Glass Safety Barrier, Ceramic Glass, LED Accent Lighting (Non Dimmable), 5/8" Flue, 35,000 BTU	
<b>STEP 1) CHOOSE MODEL</b>		
<b>SINGLE SIDE - LINEAR DIRECT VENT FIREPLACE</b>		
MQVL48NE2	Linear Fireplace, IPI PF2 - Remote-Thermostat-Mod-LED - Natural Gas	7,807
MQVL48LPE2	Linear Fireplace, IPI PF2 - Remote-Thermostat-Mod-LED - Propane	7,906
48VL-CKLP2	Conversion Kit - IPI PF2 - To Propane	235
48VL-CKNG2	Conversion Kit - IPI PF2 - To Natural Gas	235

**The Fireplace Chase Must Be Vented Both Above and Below Appliance  
Ventilation Required Above the Appliance is 151 Sq./Inches.  
Ventilation Required Below the Appliance is 84 Sq./Inches.  
Minimum Enclosure Height, see Manual for details.**

<b>STEP 2) CHOOSE GRILL FOR VENTILATION - OR OTHER OPTIONAL CHASE SOLUTIONS</b>		
<b>CHASE MUST BE VENTED FROM TOP AND BOTTOM</b>		
VL60EGS	Grill - Enclosure Side (Pair) - Unfinished (15 1/4" W X 6 5/8" H)	420
VL48EG	Grill - Enclosure Front - Unfinished	281

<b>STEP 3) CHOOSE GLASS MEDIA</b>		
<b>GLASS MEDIA - (REQUIRES 10LBS NATURAL GAS, 5LBS PROPANE)</b>		
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	127
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	127
MQG5B	Glass Media - 1/2" Black - 5 lbs	127
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	127
MQG5W	Glass Media - 1/2" White - 5lbs	127

<b>OPTIONAL MEDIA - DECORATE THE BOTTOM OF THE FIREPLACE</b>		
MQRBD1	Drift Wood (x4) and Rocks (x4)	406
MQRBD2	Drift Wood Branch Set - 3 pce Set	405
MQRBD3	Drift Wood Log Set - 5 Pce	552
MQRBD4	Drift Wood - Three Piece Set	356
MQRBRW	Birch Wood Log Set - 5 Pce	533
MQ46D	Drift Wood Log Set (for use with Single Sided Unit only)	409
MQLOGF48D	Log Set - Drift Wood	1,151
RBCB1	Cannonballs - Assorted size and colors	446
MQSTONE10	Decorative Stones - 10 PCE Set	80
MQSTONE	Decorative Stones - 80 PCE Set	405
MQROCK2	Rock Set - Contemporary Collection - Natural	349
MQROCK3	Rock Set - Contemporary Collection - Multi-Colored	349
MQEMBER	Ember Chunks	127

<b>OPTIONAL WALL SURROUNDS (Covers 58"W x 18 1 1/2")</b>		
MQVL48S1BL	Surround Trim Kit - 1 1/2" Wide - Black	817
MQVL48S1SS	Surround Trim Kit - 1 1/2" Wide - Stainless Steel	1,519
MQVL48SEP	Side Extension Panels - Black	352



Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>OPTIONAL FLUTED LINERS, PORCELAIN LINERS, OR REFLECTIVE GLASS LINERS</b>		
MQVL48RLFB2	Refractory Liner - Fluted - Back	491
MQVL60RLF2	Refractory Liner - Fluted - Ends	352
MQVL48RLSB	Refractory Liner - Stacked Brick - Back	600
MQVL48RLSE	Refractory Liner - Stacked Brick- Ends	476
MQVL48RGB	Reflective Glass Liner - Back	1,049
MQVL48RGE	Reflective Glass Liner - Ends (L&R)	540
<b>OPTIONAL FIREPLACE ACCESSORIES</b>		
48VL-TLK	<b>Tile Lip Kit - 5 Pce Kit c/w Screws</b>	120
VL48AVP	Adjustable Vented Platform (14 3/4" - 27 5/16")	589
VL48HDS	Heat Distribution System - (Flex Pipe Not Included)	643
ZDV5FP6	Flex Pipe 5" Diameter x 6FT - (4 per Kit)	364
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 <i>(Convenient and accessible location for Battery Backup for IPI Systems)</i>	260
RCP2WIFI	<b>#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES</b> <b>(CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)</b>	234

**\*NOTE:** If using ICC Hard Pipe a starter piece of MG Duravent must be used at Flue of Fireplace.



Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>ENCLAVE 48 BAY</b>	<b>BAY PENINSULA - LINEAR DIRECT VENT FIREPLACE</b>	
BAY PENINSULA OR CORNER	Listed for USA/Canada as a Vented Gas Fireplace: Linear Burner, SIT Valve with Modulating BTU, Glass Safety Barrier, <b>Ceramic Glass on Glass</b> LED Accent Lighting (Non Dimmable), 5/8" Flue, 35,000 BTU	
<b>STEP 1) CHOOSE MODEL</b>		
<b>BAY PENINSULA - LINEAR DIRECT VENT FIREPLACE</b>		
MQVLBG48NE2	Bay Peninsula Fireplace, IPI PF2 - Remote-Thermostat-Mod-LED - Natural Gas	9,405
MQVLBG48LPE2	Bay Peninsula Fireplace, IPI PF2 - Remote-Thermostat-Mod-LED - Propane	9,502
48VL-CKLP2	Conversion Kit - IPI PF2 - To Propane	235
48VL-CKNG2	Conversion Kit - IPI PF2 - To Natural Gas	235
<b>CORNER KIT COVERSION FOR BAY PENISULA - CHANGE BAY INTO CORNER UNIT</b>		
VLBGCK	Corner Conversion Kit - (One Small and Large Side Open) (Includes: Firebox Cover, Heat Shield, Inner Panel, Front Cover, Millpac and screws)	281

**The Fireplace Chase Must Be Vented Both Above and Below Appliance**  
**Ventilation Required Above the Appliance is 151 Sq./Inches.**  
**Ventilation Required Below the Appliance is 84 Sq./Inches.**  
**Minimum Enclosure Height, see Manual for details.**

<b>STEP 2) CHOOSE GRILL FOR VENTILATION - OR OTHER OPTIONAL CHASE SOLUTIONS</b>		
<b>CHASE MUST BE VENTED FROM TOP AND BOTTOM - (TWO REQUIRED)</b>		
VL60EGS	Grill - Enclosure Side (Pair) - Unfinished (15 1/4" W X 6 5/8" H)	420
VL48EG	Grill - Enclosure Front - Unfinished	281

<b>STEP 3) CHOOSE GLASS MEDIA</b>		
<b>GLASS MEDIA - (REQUIRES 10LBS NATURAL GAS, 5LBS PROPANE)</b>		
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	127
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	127
MQG5B	Glass Media - 1/2" Black - 5 lbs	127
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	127
MQG5W	Glass Media - 1/2" White - 5lbs	127

<b>OPTIONAL MEDIA - DECORATE THE BOTTOM OF THE FIREPLACE</b>		
MQRBD1	Drift Wood (x4) and Rocks (x4)	406
MQRBD2	Drift Wood Branch Set - 3 pce Set	405
MQRBD3	Drift Wood Log Set - 5 Pce	552
MQRBD4	Drift Wood - Three Piece Set	356
MQRBRW	Birch Wood Log Set - 5 Pce	533
MQ46D	Drift Wood Log Set (for use with Single Sided Unit only)	409
MQLOGF48D	Log Set - Drift Wood	1,151
RBCB1	Cannonballs - Assorted size and colors	446
MQSTONE10	Decorative Stones - 10 PCE Set	80
MQSTONE	Decorative Stones - 80 PCE Set	405
MQROCK2	Rock Set - Contemporary Collection - Natural	349
MQROCK3	Rock Set - Contemporary Collection - Multi-Colored	349
MQEMBER	Ember Chunks	127



Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>OPTIONAL FLUTED LINERS, PORCELAIN LINERS, OR REFLECTIVE GLASS LINERS</b>		
MQVL48RLFB2	Refractory Liner - Fluted - Back	491
MQVL60RLF2	Refractory Liner - Fluted - Ends (Corner Unit Only)	352
MQVL48RLSB	Refractory Liner - Stacked Brick - Back	600
MQVL48RLSE	Refractory Liner - Stacked Brick - Ends (Corner Unit Only)	476
MQVL48RGB	Reflective Glass Liner - Back	1,049
MQVL48RGE	Reflective Glass Liner - Ends (L&R) (Corner Unit Only)	540
<b>OPTIONAL FIREPLACE ACCESSORIES</b>		
48VL-TLK	<b>Tile Lip Kit - 5 Pce Kit c/w Screws</b>	120
VL48AVP	Adjustable Vented Platform (14 3/4" - 27 5/16")	589
VL48HDS	Heat Distribution System - (Flex Pipe Not Included)	643
ZDV5FP6	Flex Pipe 5" Diameter x 6FT - (4 per Kit)	364
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 <i>(Convenient and accessible location for Battery Backup for IPI Systems)</i>	260
RCP2WIFI	<b>#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES</b> <b>(CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED )</b>	234

**\*NOTE:** If using ICC Hard Pipe a starter piece of MG Duravent must be used at Flue of Fireplace.

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>ENCLAVE 60</b>	<b>SINGLE SIDE - LINEAR DIRECT VENT FIREPLACE</b>	
SINGLE SIDE	Listed for USA/Canada as a Vented Gas Fireplace: Linear Burner, Single Side SIT Valve with Modulating BTU, Glass Safety Barrier, Ceramic Glass, LED Accent Lighting (Non Dimmable), 5/8" Flue, 45,000 BTU NG and 44,000 BTU Propane	
<b>STEP 1) CHOOSE MODEL</b>		
<b>SINGLE SIDE - LINEAR DIRECT VENT FIREPLACE</b>		
MQVL60NE2	Linear Fireplace, IPI PF2 - Remote-Thermostat-Mod-LED - Natural Gas	10,151
MQVL60LPE2	Linear Fireplace, IPI PF2 - Remote-Thermostat-Mod-LED - Propane	10,291
60VL-CKLP2	Conversion Kit - IPI PF2 - To Propane	235
60VL-CKNG2	Conversion Kit - IPI PF2 - To Natural Gas	235

**The Fireplace Chase Must Be Vented Both Above and Below Appliance**  
**Minimum Ventilation Required Above the Appliance is 200 Sq./Inches.**  
**Minimum Ventilation Required Below the Appliance is 102 Sq./Inches.**  
**Minimum Enclosure Height, see Manual for details.**

<b>STEP 2) CHOOSE GRILL FOR VENTILATION - OR OTHER OPTIONAL CHASE SOLUTIONS</b>		
<b>CHASE MUST BE VENTED FROM TOP AND BOTTOM</b>		
VL60EGS	Grill - Enclosure Side (Pair) - Unfinished (15 1/4" W X 6 5/8" H)	420
VL60EG	Grill - Front for Enclosure -Unfinished (60 5/8" W x 3 5/8" H)	386

<b>STEP 3) CHOOSE GLASS MEDIA</b>		
<b>GLASS MEDIA - (REQUIRES 15LBS NATURAL GAS, 10LBS PROPANE)</b>		
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	127
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	127
MQG5B	Glass Media - 1/2" Black - 5 lbs	127
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	127
MQG5W	Glass Media - 1/2" White - 5lbs	127

<b>OPTIONAL MEDIA - (Use only 10 Lbs of Glass when using Logs, Stones, Rocks and Cannonballs)</b>		
MQRBD1	Drift Wood (x4) and Rocks (x4)	406
MQRBD2	Drift Wood Branch Set - 3 pce Set	405
MQRBD3	Drift Wood Log Set - 5 Pce	552
MQRBD4	Drift Wood - Three Piece Set	356
MQ46D	Drift Wood Log Set (for use with Single Sided Unit only)	409
MQRBRW	Birch Wood Log Set - 5 Pce	533
MQLOGF48D	Log Set - Drift Wood	1,151
MQ42LOG1	Log Set - MARQUIS - Driftwood - 8 Pieces	1,015
M42LOG3	Log Set - KINGSMAN - Driftwood - 6 Pieces	1,015
RBCB1	Cannonballs - Assorted size and colors	446
MQSTONE10	Decorative Stones - 10 PCE Set	80
MQSTONE	Decorative Stones - 80 PCE Set	405
MQROCK2	Rock Set - Contemporary Collection - Natural	349
MQROCK3	Rock Set - Contemporary Collection - Multi-Colored	349
MQEMBER	Ember Chunks	127

<b>OPTIONAL WALL SURROUNDS (Covers 70"W x 18 1 1/2")</b>		
VL60S1BL	Surround Trim Kit - 1 1/2" Wide - Black	1,049
VL60S1SS	Surround Trim Kit - 1 1/2" Wide - Stainless Steel	1,607
MQVL48SEP	Side Extension Panels - Black	352

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>OPTIONAL BRICK LINERS, PORCELAIN LINERS, OR REFLECTIVE GLASS LINERS</b>		
MQVL60RLFB2	Refractory Liner - Fluted - Back	999
MQVL60RLFE2	Refractory Liner - Fluted - Ends	352
MQVL60RLSB	Refractory Liner - Stacked Brick - Back	999
MQVL48RLSE	Refractory Liner - Stacked Brick - Ends	476
MQVL60RGB	Reflective Glass Liner - Back	1,229
MQVL48RGE	Reflective Glass Liner - Ends (L&R)	540
<b>OPTIONAL FIREPLACE ACCESSORIES</b>		
60VL-TLK	<b>Tile Lip Kit - 5 Pce Kit c/w Screws</b>	133
VL60AVP	Adjustable Vented Platform (14 3/4" - 27 5/16")	735
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 <i>(Convenient and accessible location for Battery Backup for IPI Systems)</i>	260
RCP2WIFI	<b>#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES</b> <b>(CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED )</b>	234

**\*NOTE:** If using ICC Hard Pipe a starter piece of MG Duravent must be used at Flue of Fireplace.

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>ENCLAVE 60 BAY</b>	<b>BAY PENINSULA - LINEAR DIRECT VENT FIREPLACE</b>	
BAY PENINSULA OR CORNER	Listed for USA/Canada as a Vented Gas Fireplace: Linear Burner, SIT Valve with Hi/Lo Adjustment, Ceramic Glass on Glass, Glass Safety Barrier, LED Accent Lighting (Non Dimmable), 5/8" Flue, 45,000 BTU NG and 44,000 BTU Propane	
<b>STEP 1) CHOOSE MODEL</b>		
<b>BAY PENINSULA - LINEAR DIRECT VENT FIREPLACE</b>		
MQVLBG60NE2	Bay Peninsula Fireplace, IPI PF2 - Remote-Thermostat-Mod-LED - Natural Gas	11,929
MQVLBG60LPE2	Bay Peninsula Fireplace, IPI PF2 - Remote-Thermostat-Mod-LED - Propane	12,027
60VL-CKLP2	Conversion Kit - IPI PF2 - To Propane	235
60VL-CKNG2	Conversion Kit - IPI PF2 - To Natural Gas	235
<b>CORNER KIT COVERSION FOR BAY PENISULA - CHANGE BAY INTO CORNER UNIT</b>		
VLBGCK	Corner Conversion Kit - (One Small and Large Side Open) (Includes: Firebox Cover, Heat Shield, Inner Panel, Front Cover, Millpac and screws)	281

**The Fireplace Chase Must Be Vented Both Above and Below Appliance**  
**Minimum Ventilation Required Above the Appliance is 200 Sq./Inches.**  
**Minimum Ventilation Required Below the Appliance is 102 Sq./Inches.**  
**Minimum Enclosure Height, see Manual for details.**

<b>STEP 2) CHOOSE GRILL FOR VENTILATION - OR OTHER OPTIONAL CHASE SOLUTIONS</b>		
<b>CHASE MUST BE VENTED FROM TOP AND BOTTOM - (TWO REQUIRED)</b>		
VL60EGS	Grill - Enclosure Side (Pair) - Unfinished (15 1/4" W X 6 5/8" H)	420
VL60EG	Grill - Front for Enclosure -Unfinished (60 5/8" W x 3 5/8" H)	386

<b>STEP 3) CHOOSE GLASS MEDIA</b>		
<b>GLASS MEDIA - (REQUIRES 15LBS NATURAL GAS, 10LBS PROPANE)</b>		
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	127
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	127
MQG5B	Glass Media - 1/2" Black - 5 lbs	127
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	127
MQG5W	Glass Media - 1/2" White - 5lbs	127

<b>OPTIONAL MEDIA - (Use only 10 Lbs of Glass when using Logs, Stones, Rocks and Cannonballs)</b>		
MQRBD1	Drift Wood (x4) and Rocks (x4)	406
MQRBD2	Drift Wood Branch Set - 3 pce Set	405
MQRBD3	Drift Wood Log Set - 5 Pce	552
MQRBD4	Drift Wood - Three Piece Set	356
MQRBRW	Birch Wood Log Set - 5 Pce	533
MQ46D	Drift Wood Log Set (for use with Single Sided Unit only)	409
MQLOGF48D	Log Set - Drift Wood	1,151
MQ42LOG1	Log Set - MARQUIS - Driftwood - 8 Pieces	1,015
M42LOG3	Log Set - KINGSMAN - Driftwood - 6 Pieces	1,015
RBCB1	Cannonballs - Assorted size and colors	446
MQSTONE10	Decorative Stones - 10 PCE Set	80
MQSTONE	Decorative Stones - 80 PCE Set	405
MQROCK2	Rock Set - Contemporary Collection - Natural	349
MQROCK3	Rock Set - Contemporary Collection - Multi-Colored	349
MQEMBER	Ember Chunks	127

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>OPTIONAL BRICK LINERS, PORCELAIN LINERS, OR REFLECTIVE GLASS LINERS</b>		
MQVL60RLFB2	Refractory Liner - Fluted - Back	999
MQVL60RLFE2	Refractory Liner - Fluted - Ends	352
MQVL60RLSB	Refractory Liner - Stacked Brick - Back	999
MQVL48RLSE	Refractory Liner - Stacked Brick - Ends	476
MQVL60RGB	Reflective Glass Liner - Back	1,229
MQVL48RGE	Reflective Glass Liner - Ends (L&R) (Corner Unit Only)	540
<b>OPTIONAL FIREPLACE ACCESSORIES</b>		
60VL-TLK	<b>Tile Lip Kit - 5 Pce Kit c/w Screws</b>	133
VL60AVP	Adjustable Vented Platform (14 3/4" - 27 5/16")	735
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 <i>(Convenient and accessible location for Battery Backup for IPI Systems)</i>	260
RCP2WIFI	<b>#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES</b> <b>(CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)</b>	234

**\*NOTE:** If using ICC Hard Pipe a starter piece of MG Duravent must be used at Flue of Fireplace.

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>ENCLAVE 72</b>	<b>SINGLE SIDE - LINEAR DIRECT VENT FIREPLACE</b>	
SINGLE SIDE	Listed for USA/Canada as a Vented Gas Fireplace: Linear Burner, Single Side SIT Valve with Modulating BTU, Glass Safety Barrier, Ceramic Glass, LED Accent Lighting (Non Dimmable), 5/8" Flue, 50,000 BTU NG and 50,000 BTU Propane	
<b>STEP 1) CHOOSE MODEL</b>		
<b>SINGLE SIDE - LINEAR DIRECT VENT FIREPLACE</b>		
MQVL72NE2	Linear Fireplace, IPI PF2 - Remote-Thermostat-Mod-LED - Natural Gas	11,028
MQVL72LPE2	Linear Fireplace, IPI PF2 - Remote-Thermostat-Mod-LED - Propane	11,095
72VL-CKLP2	Conversion Kit - IPI PF2 - To Propane	235
72VL-CKNG2	Conversion Kit - IPI PF2 - To Natural Gas	235

**The Fireplace Chase Must Be Vented Both Above and Below Appliance  
Minimum Ventilation Required Above the Appliance is 285 Sq./Inches.  
Minimum Ventilation Required Below the Appliance is 158 Sq./Inches.  
Minimum Enclosure Height, see Manual for details.**

<b>STEP 2) CHOOSE GRILL FOR VENTILATION - OR OTHER OPTIONAL CHASE SOLUTIONS</b>		
<b>CHASE MUST BE VENTED FROM TOP AND BOTTOM</b>		
VL72EGS	Grill - Enclosure Side (Pair) - Unfinished (Opening size 15 1/4" W x 9" H)	434
VL72EG	Grill - Front for Enclosure -Unfinished (Opening size 78 5/8" W x 3 5/8" H)	434

<b>STEP 3) CHOOSE GLASS MEDIA</b>		
<b>GLASS MEDIA - (REQUIRES 15 LBS)</b>		
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	127
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	127
MQG5B	Glass Media - 1/2" Black - 5 lbs	127
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	127
MQG5W	Glass Media - 1/2" White - 5lbs	127

<b>OPTIONAL MEDIA - (Use only 10 Lbs of Glass when using Logs, Stones, Rocks and Cannonballs)</b>		
MQRBD1	Drift Wood (x4) and Rocks (x4)	406
MQRBD2	Drift Wood Branch Set - 3 pce Set	405
MQRBD3	Drift Wood Log Set - 5 Pce	552
MQRBD4	Drift Wood - Three Piece Set	356
MQ46D	Drift Wood Log Set (for use with Single Sided Unit only)	409
MQRBRW	Birch Wood Log Set - 5 Pce	533
MQLOGF48D	Log Set - Drift Wood	1,151
MQ42LOG1	Log Set - MARQUIS - Driftwood - 8 Pieces	1,015
M42LOG3	Log Set - KINGSMAN - Driftwood - 6 Pieces	1,015
RBCB1	Cannonballs - Assorted size and colors	446
MQSTONE10	Decorative Stones - 10 PCE Set	80
MQSTONE	Decorative Stones - 80 PCE Set	405
MQROCK2	Rock Set - Contemporary Collection - Natural	349
MQROCK3	Rock Set - Contemporary Collection - Multi-Colored	349
MQEMBER	Ember Chunks	127

<b>OPTIONAL WALL SURROUNDS (Covers 82 1/16" W x 18 1 1/2" H)</b>		
VL72S1BL	Surround Trim Kit - 1 1/2" Wide - Black	1,151
VL72S1SS	Surround Trim Kit - 1 1/2" Wide - Stainless Steel	1,636
MQVL48SEP	Side Extension Panels - Black	352



Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>OPTIONAL BRICK LINERS, PORCELAIN LINERS, OR REFLECTIVE GLASS LINERS</b>		
MQVL72RLFB2	Refractory Liner - Fluted - Back	1,191
MQVL60RLFE2	Refractory Liner - Fluted - Ends	352
MQVL72RLSB	Refractory Liner - Stacked Brick - Back	1,191
MQVL48RLSE	Refractory Liner - Stacked Brick - Ends	476
MQVL72RGB	Reflective Glass Liner - Back	1,323
MQVL72RGE	Reflective Glass Liner - Ends (L&R)	540
<b>OPTIONAL FIREPLACE ACCESSORIES</b>		
72VL-TLK	<b>Tile Lip Kit - 5 Pce Kit c/w Screws</b>	146
VL72AVP	Adjustable Vented Platform (14 3/4" - 27 5/16")	792
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 <i>(Convenient and accessible location for Battery Backup for IPI Systems)</i>	260
RCP2WIFI	<b>#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES</b> <b>(CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)</b>	234

**\*NOTE:** If using ICC Hard Pipe a starter piece of MG Duravent must be used at Flue of Fireplace.



Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>ENCLAVE 72 BAY</b>	<b>BAY PENINSULA - LINEAR DIRECT VENT FIREPLACE</b>	
BAY PENINSULA OR CORNER	Listed for USA/Canada as a Vented Gas Fireplace: Linear Burner, SIT Valve with Hi/Lo Adjustment, Ceramic Glass on Glass, Glass Safety Barrier, LED Accent Lighting (Non Dimmable), 5/8" Flue, 50,000 BTU NG and 50,000 BTU Propane	
<b>STEP 1) CHOOSE MODEL</b>		
<b>BAY PENINSULA - LINEAR DIRECT VENT FIREPLACE</b>		
MQVLBG72NE2	Bay Peninsula Fireplace, IPI PF2 - Remote-Thermostat-Mod-LED - Natrual Gas	13,286
MQVLBG72LPE2	Bay Peninsula Fireplace, IPI PF2 - Remote-Thermostat-Mod-LED - Propane	13,382
72VL-CKLP2	Conversion Kit - IPI PF2 - To Propane	235
72VL-CKNG2	Conversion Kit - IPI PF2 - To Natural Gas	235
<b>CORNER KIT COVERSION FOR BAY PENISULA - CHANGE BAY INTO CORNER UNIT</b>		
VLBGCK	Corner Conversion Kit - (One Small and Large Side Open) (Includes: Firebox Cover, Heat Shield, Inner Panel, Front Cover, Millpac and screws)	281

**The Fireplace Chase Must Be Vented Both Above and Below Appliance**  
**Minimum Ventilation Required Above the Appliance is 285 Sq./Inches.**  
**Minimum Ventilation Required Below the Appliance is 158 Sq./Inches.**  
**Minimum Enclosure Height, see Manual for details.**

<b>STEP 2) CHOOSE GRILL FOR VENTILATION - OR OTHER OPTIONAL CHASE SOLUTIONS</b>		
<b>CHASE MUST BE VENTED FROM TOP AND BOTTOM - (TWO REQUIRED)</b>		
VL72EGS	Grill - Enclosure Side (Pair) - Unfinished (Opening size 15 1/4" W x 9" H)	434
VL72EG	Grill - Front for Enclosure -Unfinished (Opening size 78 5/8" W x 3 5/8" H)	434

<b>STEP 3) CHOOSE GLASS MEDIA</b>		
<b>GLASS MEDIA - (REQUIRES 15LBS)</b>		
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	127
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	127
MQG5B	Glass Media - 1/2" Black - 5 lbs	127
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	127
MQG5W	Glass Media - 1/2" White - 5lbs	127

<b>OPTIONAL MEDIA - (Use only 10 Lbs of Glass when using Logs, Stones, Rocks and Cannonballs)</b>		
MQRBD1	Drift Wood (x4) and Rocks (x4)	406
MQRBD2	Drift Wood Branch Set - 3 pce Set	405
MQRBD3	Drift Wood Log Set - 5 Pce	552
MQRBD4	Drift Wood - Three Piece Set	356
MQRBRW	Birch Wood Log Set - 5 Pce	533
MQ46D	Drift Wood Log Set (for use with Single Sided Unit only)	409
MQLOGF48D	Log Set - Drift Wood	1,151
MQ42LOG1	Log Set - MARQUIS - Driftwood - 8 Pieces	1,015
M42LOG3	Log Set - KINGSMAN - Driftwood - 6 Pieces	1,015
RBCB1	Cannonballs - Assorted size and colors	446
MQSTONE10	Decorative Stones - 10 PCE Set	80
MQSTONE	Decorative Stones - 80 PCE Set	405
MQROCK2	Rock Set - Contemporary Collection - Natural	349
MQROCK3	Rock Set - Contemporary Collection - Multi-Colored	349
MQEMBER	Ember Chunks	127

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>OPTIONAL BRICK LINERS, PORCELAIN LINERS, OR REFLECTIVE GLASS LINERS</b>		
MQVL72RLFB2	Refractory Liner - Fluted - Back	1,191
MQVL60RLFE2	Refractory Liner - Fluted - Ends	352
MQVL72RLSB	Refractory Liner - Stacked Brick - Back	1,191
MQVL48RLSE	Refractory Liner - Stacked Brick - Ends	476
MQVL72RGB	Reflective Glass Liner - Back	1,323
MQVL72RGE	Reflective Glass Liner - Ends (L&R) (Corner Unit Only)	540
<b>OPTIONAL FIREPLACE ACCESSORIES</b>		
72VL-TLK	<b>Tile Lip Kit - 5 Pce Kit c/w Screws</b>	146
VL72AVP	Adjustable Vented Platform (14 3/4" - 27 5/16")	792
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 <i>(Convenient and accessible location for Battery Backup for IPI Systems)</i>	260
RCP2WIFI	<b>#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES</b> <b>(CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED )</b>	234

**\*NOTE:** If using ICC Hard Pipe a starter piece of MG Duravent must be used at Flue of Fireplace.

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>SERENE 60</b>	<b>ZERO CLEARANCE DIRECT VENT GAS FIREPLACE</b>	
	Listed for USA/Canada as a Vented Gas Fireplace, Includes: Linear Burner, Bronze Glass Media, SIT Valve with Hi/Lo Adjustment, 5/8" Top Flue, Tempered Glass 60 W x 17 7/8" H, Safety Screen Framing 66 9/16" W x 43" H x 19 1/4" D, 35,000 BTU, Max Media 10 LBS	
<div style="border: 1px solid black; padding: 5px;"> <p><b>The Fireplace Enclosure May Be Ventilated for Cool Touch Walls and reduced Mantel Clearances. Ventilation up to 200 Sq./Inches will be required. Minimum Enclosure Height is 76", see Manual for details.</b></p> <p><b>NOTE: To vent the chase, removal of vent shields is required.</b></p> </div>		

<b>STEP 1) CHOOSE MODEL</b>		
<b>ZERO CLEARANCE DIRECT VENT LINEAR GAS FIREPLACE</b>		
ZCVRB60N	Fireplace Linear, Millivolt Valve (as above) Natural Gas	5,309
ZCVRB60LP	Fireplace Linear, Millivolt Valve (as above) Propane	5,389
ZCVRB60NE	Fireplace Linear, IPI PF1 Valve (as above) Natural Gas	5,675
ZCVRB60LPE	Fireplace Linear, IPI PF1 Valve (as above) Propane	5,743
MQZCVRB60NE2	Fireplace Linear, IPI PF2 - Remote-Thermostat-Mod-Fan-LED - Natural Gas	6,951
MQZCVRB60LPE2	Fireplace Linear, IPI PF2 - Remote-Thermostat-Mod-Fan-LED - Propane (LED Accent Lights are Non Dimmable)	7,024
60ZCVRB-CKLP	Conversion Kit - Millivolt - To Propane	108
60ZCVRB-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
60ZCVRB-CKLPI	Conversion Kit - IPI PF1 - To Propane	127
60ZCVRB-CKNGI	Conversion Kit - IPI PF1 - To Natural Gas	127
60ZCVRB-CKLP2	Conversion Kit - IPI PF2 - To Propane	235
60ZCVRB-CKNG2	Conversion Kit - IPI PF2 - To Natural Gas	235

<b>OPTIONAL - WHEN VENTILATING ENCLOSURE - VENTILATION UP TO 200 Sq./Inches</b>		
<b>Choose Grill or Custom Grill or Adequate Opening as per manual</b>		
VL60EGS	Grill - Enclosure Side (Pair) - Unfinished (15 1/4" W X 6 5/8" H)	420
VL60EG	Grill - Front for Enclosure -Unfinished (60 5/8" W x 3 5/8" H)	386

<b>OPTIONAL WALL SURROUND - (COVERS 64"W X 23"H)</b>		
ZCVRB60S1BL	Surround Trim Kit -1 1/2" Wide - Black	866
ZCVRB60S1SS	Surround Trim Kit - 1 1/2" Wide - Stainless Steel	1,196

<b>OPTIONAL FIREPLACE ACCESSORIES</b>		
MQRB60RLS	Refractory Liner - Stacked Brick - (3 PCE)	1,191
ZCVRB60PL	Porcelain Reflective Panel Liner (3 PCE)	639
Z46FK	Fan Kit w/Variable Speed Wall Mount Control (Temperature Sensing)	434
Z46FK2	Fan Kit - Proflame 2 (Replacement Part)	405
ULK64	Universal Light Kit - Four Lamps (For Millivolt/PF1)	613
ZCVRB60CSS	Safety Screen Barrier (Replacement)	399
V60PTLK	Tile Lip Kit	108



Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>OPTIONAL MEDIA - DECORATE THE BOTTOM OF THE FIREPLACE - (Max Glass 10 lbs)</b>		
MQRBD1	Drift Wood (x4) and Rocks (x4)	406
MQRBD3	Drift Wood Log Set - 5 Pce	552
MQRBD4	Drift Wood - Three Piece Set	356
MQ46D	Drift Wood Log Set -Three Piece Set	409
MQRBRW	Birch Wood Log Set - 5 Pce	533
MQROCK2	Rock Set - Contemporary Collection - Natural	349
MQROCK3	Rock Set - Contemporary Collection - Multi-Colored	349
MQSTONE10	Decorative Stones - 10 PCE Set	80
MQSTONE	Decorative Stones - 80 PCE Set	405
MQEMBER	Ember Chunks	127
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	127
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	127
MQG5B	Glass Media - 1/2" Black - 5 lbs	127
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	127
MQG5W	Glass Media - 1/2" White - 5lbs	127
RBCB1	Cannonballs - Assorted size and colors	446
<b>OPTIONAL THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
WMBH	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 <i>(Convenient and accessible location for Battery Backup for IPI Systems)</i>	260
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	832
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
EGTFRCN	Remote Control IPI PF1 - Thermostat/Modulating/Fan - NG	873
EGTFRCP	Remote Control IPI PF1 - Thermostat/Modulating/Fan - LP	873
RCP2WIFI	<b>#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES</b> <b>(CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)</b>	234

**\*NOTE: If using ICC Hard Pipe a starter piece of MG Duravent must be used at Flue of Fireplace.**

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>HORIZONTAL STARTER KIT 5/8" - Atrium, Bentley ST, Bentley 48, Enclave , Serene 60</b>		
Z58HSK5	Horizontal Vent Starter Kit - 5/8" X 5 FT Flex, Termination, Wall Thimble Wall Thimble Shield, Screws, and Mill Pac	490
<b>HORIZONTAL VENTING 5/8"</b>		
Z58HT	Horizontal Round Vent Termination - 5/8	259
Z58WTS	Horizontal Wall Thimble Shield (For Low Enclosures)	54
FDVHSCU	Horizontal Safety Cage	152
Z58WT	Horizontal Wall Thimble	117
Z58SS	Siding Shield - Heat Deflector for Horizontal Round Termination	37
Z58SSLR	Siding Shield - Large Return - for Square or Round Terminations	89
<b>VERTICAL VENTING 5/8"</b>		
Z58VT	Vertical Vent Termination - 5/8	285
Z58AIS24	Attic Insulation Shield - 24"	176
ZDVVOS	Offset Support	53
Z58FS	Firestop Spacer	65
Z58RS	Roof Support	99
Z58GP36	Galvanized Pipe 5 and 8" Dia. x 36" (Vertical Installations)	287
<b>FLASHINGS - VERTICAL VENTING 5/8"</b>		
Z58AAF	Flashing 8" c/w Storm Collar (1/12 to 7/12)	219
Z58AF2	Flashing 8" c/w Storm Collar (8/12 to 12/12)	246
Z58AF3	Flashing 8" c/w Storm Collar Flat	219
ZDV8SC	Storm Collar 8 "	46
<b>FLEX KITS 5/8", CLAMPS AND CONNECTORS</b>		
Z58FK5	Flex Kit (5" & 8" Dia.) x 5' Expanded (c/w Springs, Screws, Mill Pac)	250
Z58FK8	Flex Kit (5" & 8" Dia.) x 8' Expanded (c/w Springs, Screws, Mill Pac)	353
Z58FK20	Flex Kit (5" & 8" Dia.) x 20' Expanded (c/w Springs, Screws, Mill Pac)	678
Z58MIS60	Mylar Insulation Sleeve - (8" x 5FT)	193
ZDV5FC	Flex Connector 5" Diameter	32
ZDV8FC	Flex Connector 8" Diameter	43
ZDV5FCL	Flex Clamp 5"	21
ZDV8FCL	Flex Clamp 8"	23
ZDV4SS	Spring - Standoff Spacer for Inner Pipe	20
<b>Hard Pipe Adapter - 5/8"</b>		
Z58DFA	Hard Pipe Adapter - 5/8" (Atrium, Bentley 48, Bentley ST) <i>(Not Required for Enclave or Serene 60)</i>	187

\*NOTE: If using ICC Hard Pipe a starter piece of MG Duravent must be used at Flue of Enclave or Serene 60

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>HORIZONTAL POWER VENTING - 5/8"</b>		

**STEP 1) CHOOSE HORIZONTAL POWER VENT TERMINATION**

<b>HORIZONTAL POWER VENT STARTER KIT- 5/8"</b>		
PVH58	Horizontal Power Vent Starter Kit - Exterior Mount	1,529
PVH58FM	Horizontal Power Vent Kit - Flush Mount (Includes: Power Vent Termination, Wall Thimble, 20 FT Harness, Mill Pac)	1,795
<b>Note: Must use a one foot section of 5/8 DV hard pipe to connect to the Power Vent Termination (not supplied)</b>		

**STEP 2) CHOOSE CONTROL MODULE OR HARNESS DEPENDENT ON VALVE SYSTEM**

<b>POWER VENT CONTROL MODULE OR HARNES BY SYSTEM TYPE:</b>		
PVC58MV	Power Vent Control Module - for Millivolt models	1,190
PVC58IPI	Power Vent Control Module - for Proflame 1 - IPI models	1,190
584-X12	Harness for Proflame 2 IPI - Deluxe Models	100

**STEP 3) CHOOSE ADDITIONAL HARNESS EXTENSION (DISTANCE FROM POWER VENT TO APPLIANCE)**

<b>POWER VENT EXTENSION HARNESS:</b>		
(Measure distance from the power vent to the appliance)		
PVH20H	Harness Extension - 20 FT	396

**STEP 4) CHOOSE VENTING: SECTION 1 - HP 5/8", #2 - HP 4x6-5/8", #3 HP 3/5", #4 - FLEX 5/8"**

<b>SECTION 1 DIRECT VENT HARD PIPE 5/8" - Used for entire installation - Order Z58DFA</b>		
Z58DFA	Duravent Hard Pipe Adapter - 5/8" (Sloped Flue Models MCVST42/MCVP42/MQ)	187
<b>NOTE : Enclave and Serene 60 won't require Z58DFA adapter at flue</b>		
<b>SECTION 2 DV HARD PIPE 4x6-5/8" - Used for entire installation - Required Components Below</b>		
Z58DFA	Duravent Hard Pipe Adapter - 5/8" (Sloped Flue Models MCVST42/MCVP42/MQ)	187
<b>NOTE: Enclave and Serene 60 models will only require 1 FT Section of 5/8" Duravent at Flue</b>		
ZDVDRA	Duravent - REDUCER - 5/8" TO 4x6 5/8" ADAPTER (used at flue of fireplace)	222
<b>Termination End</b>		
ZDVDIA	Duravent Hard Pipe Adapter - (used to connect 4x6-5/8 to 5/8 Hard Pipe)	222
<b>Note: Must use a one foot section of 5/8 DV hard pipe to connect to the Power Vent Termination (not supplied)</b>		
<b>SECTION 3 DV HARD PIPE 3/5" - Used for entire installation - Required Components Below</b>		
Z58DFA	Duravent Hard Pipe Adapter - 5/8" (Sloped Flue Models MCVST42/MCVP42/MQ)	187
<b>NOTE: Enclave and Serene 60 models will only require 1 FT Section of 5/8" Duravent at Flue</b>		
PVA5835	Duravent Adapter- 5/8" TO 3/5" (used at flue of fireplace)	248
<b>Termination End</b>		
PVA3558	Duravent Adapter - 3/5" to 5/8" (at Termination)	248
<b>Note: Must use a one foot section of 5/8 DV hard pipe to connect to the Power Vent Termination (not supplied)</b>		
<b>SECTION 4 FLEX VENT - Used for entire installation - Order Z58PVA - Plus Applicable Venting</b>		
<b>Note: Must use a one foot section of 5/8 DV hard pipe to connect to the Power Vent Termination (not supplied)</b>		
Z58PVA	Flex Pipe Adapter Kit - (to adapt flex pipe to power vent to hard pipe)	76
<b>FLEX VENTING KITS:</b>		
Z58FK5	Flex Kit (5" & 8" Dia.) x 5' Expanded (c/w Springs, Screws, Mill Pac)	250
Z58FK8	Flex Kit (5" & 8" Dia.) x 8' Expanded (c/w Springs, Screws, Mill Pac)	353
Z58FK20	Flex Kit (5" & 8" Dia.) x 20' Expanded (c/w Springs, Screws, Mill Pac)	678
<b>OPTIONAL POWER VENT ACCESSORIES</b>		
ZDV5FC	Flex Connector 5" Diameter	32
ZDV8FC	Flex Connector 8" Diameter	43
ZDV5FCL	Flex Clamp 5"	21
ZDV8FCL	Flex Clamp 8"	23
ZDV4SS	Spring - Standoff Spacer for Inner Pipe	20
PVH58WT	Wall Thimble for Power Vent	159

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>GRAND INFINITE</b>	<b>LINEAR MULTI-SIDED DIRECT VENT FIREPLACE</b>	
61" Viewing Area	Listed for USA/Canada as a Vented Gas Fireplace: Linear LH Burner, Two Sides Open, SIT Valve with Hi/Lo Adjustment, Wall Switches, Safety Screen, Ceramic Glass, 7/10" Flue, Accent Lighting, Decorative Ember Glass, 62,000 BTU Maximum Glass Media is 15 LBS Natural Gas, 10 LBS Propane	
<b>STEP 1) CHOOSE MODEL</b>		
<b>ZERO CLEARANCE DIRECT VENT LINEAR FIREPLACE</b>		
<b>MQRB6961NE2</b>	Linear Fireplace, IPI PF2 - Remote-Thermostat-Mod-Lights - Natural Gas	<b>7,880</b>
<b>MQRB6961LPE2</b>	Linear Fireplace, IPI PF2 - Remote-Thermostat-Mod-Lights - Propane	<b>7,960</b>
6961MQ-CKLP2	Conversion Kit - IPI PF2 - To Propane	235
6961MQ-CKNG2	Conversion Kit - IPI PF2 - To Natural Gas	235
<b>STEP 2) CHOOSE YOUR VIEW - SINGLE SIDE OR SEE THROUGH</b>		
<b>VIEW KIT</b>		
<b>MQRB69BK</b>	Back Shield Kit - Series II (Single View) Shield and Cover, False Bottom, Access I	762
<b>MQRB69SK</b>	See-Through Kit - Series II Glass, Screen, False Bottom, Access Panel, Filler Pc	3,249
<b>WALL SURROUND - EDGE (69" x 19")</b>		
<b>MQRB6919SBL</b>	Surround - 1 1/2" Wide - Black	871
<b>MQRB6919SSS</b>	Surround - 1 1/2" Wide - Stainless Steel	1,216
<b>WALL SURROUND - FRAME (74 7/8" x 24")</b>		
<b>MQRB6924SBL</b>	Surround - 4" Wide - Black	1,216
<b>MQRB6924SSS</b>	Surround - 4" Wide - Stainless Steel	1,908
<b>LINERS - FLUTED OR PORCELAIN</b>		
<b>MQRB69RLF</b>	Refractory Liner - Fluted - Single Side	696
<b>MQRB6961PLB</b>	Porcelain Liner - Back - Single Side	650
<b>MQRB6961PLE</b>	Porcelain Liner - Ends - See Through or Single Side	376
<b>OPTIONAL ACCESSORIES</b>		
<b>MQRB69CSS</b>	Safety Screen Barrier (Replacement)	521
<b>Z36FK</b>	Fan Kit - PF1/MV - w/Variable Speed Control (for Single Side Installation only)	434
<b>Z36FK2</b>	Fan Kit - Proflame 2 (for Single Side Installation only)	405
<b>DECORATE THE BOTTOM OF THE FIREPLACE</b>		
<b>MQRBD1</b>	Drift Wood (x4) and Rocks (x4)	406
<b>MQRBD2</b>	Drift Wood Branch Set - 3 pce Set	405
<b>MQRBD3</b>	Drift Wood Log Set - 5 Pce	552
<b>MQRBD4</b>	Drift Wood - Three Piece Set	356
<b>MQ46D</b>	Drift Wood Log Set (for use with Single Sided Unit only)	409
<b>MQRBRW</b>	Birch Wood Log Set - 5 Pce	533
<b>MQSTONE10</b>	Decorative Stones - 10 PCE Set	80
<b>MQSTONE</b>	Decorative Stones - 80 PCE Set	405
<b>MQROCK2</b>	Rock Set - Contemporary Collection - Natural	349
<b>MQROCK3</b>	Rock Set - Contemporary Collection - Multi-Colored	349
<b>MQEMBER</b>	Ember Chunks	127
<b>MQG5ZG</b>	Glass Media - ZIRCON Glacier Ice - 5 lbs	127
<b>MQG5A</b>	Glass Media - 1/2" Cobalt Blue - 5 lbs	127
<b>MQG5B</b>	Glass Media - 1/2" Black - 5 lbs	127
<b>MQG5C</b>	Glass Media - 1/2" Bronze - 5 lbs	127
<b>MQG5W</b>	Glass Media - 1/2" White - 5lbs	127
<b>OPTIONAL THERMOSTATS AND REMOTE CONTROLS</b>		
<b>WMBH</b>	Wall Mount - Battery Backup Holder Kit - c/w 16 FT Harness - PF1/2 (Convenient and accessible location for Battery Backup for IPI Systems)	260
<b>RCP2WIFI</b>	<b>#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES</b> (CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)	234

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>HORIZONTAL VENT STARTER KIT- 7/10" FOR MQ4634/MQRB6961</b>		
Z710HSK5	Horizontal Vent Starter Kit - 7/10" X 5 FT Flex, Termination, Wall Thimble Screws, and Mill Pac	897
<b>HORIZONTAL VENTING- 7/10"</b>		
Z710HT	Horizontal Round Vent Termination - 7/10	347
Z710HSC	Horizontal Safety Cage	412
Z710WT	Horizontal Wall Thimble	211
Z57WTS	Horizontal Wall Thimble Shield (For Enclosures under 78")	52
Z710SS	Siding Shield - Heat Deflector for Z710HT Round Termination	67
<b>VERTICAL VENTING- 7/10"</b>		
Z710VT	Vertical Vent Termination - 7/10	371
Z710AIS	Attic Insulation Shield	141
ZDVVOS	Offset Support	53
Z710FS	Firestop Spacer	77
Z710RS	Roof Support	129
Z710GP36	Galvanized Pipe 7 and 10" Dia. x 36" (Vertical Installations)	339
<b>FLASHINGS - VERTICAL VENTING- 7/10"</b>		
Z710F	Flashing 10" c/w Storm Collar (1/12 to 7/12)	440
Z710F2	Flashing 10" c/w Storm Collar (8/12 to 12/12)	580
Z710F3	Flashing 10" c/w Storm Collar Flat	440
Z710SC	Storm Collar 10 "	105
<b>FLEX KITS 7/10" - CLAMPS, CONNECTORS, INSULATION SLEEVE</b>		
Z710FK5	Flex Kit (7" & 10" Dia.) x 5FT (c/w Springs, Screws, Mill Pac)	459
Z710FK8	Flex Kit (7" & 10" Dia.) x 8FT (c/w Springs, Screws, Mill Pac)	625
Z710FK20	Flex Kit (7" & 10" Dia.) x 20FT Expanded (c/w Springs, Screws, Mill Pac)	1,304
ZDV7FC	Flex Connector 7" Diameter	38
ZDV10FC	Flex Connector 10" Diameter	51
ZDV7FCL	Flex Clamp 7"	21
ZDV10FCL	Flex Clamp 10"	23
ZDV4SS	Spring - Standoff Spacer for Inner Pipe	20
Z710MIS	Mylar Insulation Sleeve - 10FT	360



Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>HORIZONTAL POWER VENT STARTER KIT - 7/10"</b>		
Approved for Grand Infinite - Model MQRB6961 and Cove MQZDV4634 (The MQZDV4634 Power Vent Control Module will have to be located outside of the fireplace)		
<b>STEP 1) CHOOSE HORIZONTAL POWER VENT TERMINATION</b>		
<b>HORIZONTAL POWER VENT STARTER KIT- 5/8"</b>		
PVH58	Horizontal Power Vent Starter Kit - Exterior Mount	1,529
PVH58FM	Horizontal Power Vent Kit - Flush Mount (Includes: Power Vent Termination, Wall Thimble, 20 FT Harness, Mill Pac)	1,795
<b>Note: Must use a one foot section of 5/8 DV hard pipe to connect to the Power Vent Termination (not supplied)</b>		
<b>STEP 2) CHOOSE CONTROL MODULE OR HARNESS DEPENDENT ON VALVE SYSTEM</b>		
<b>POWER VENT CONTROL MODULE OR HARNES BY SYSTEM TYPE:</b>		
PVC58MV	Power Vent Control Module - for Millivolt models	1,190
PVC58IPI	Power Vent Control Module - for Proflame 1 - IPI models	1,190
584-X12	Harness for Proflame 2 IPI - Deluxe Models	100
<b>STEP 3) CHOOSE ADDITIONAL HARNESS EXTENSION (DISTANCE FROM POWER VENT TO APPLIANCE)</b>		
<b>POWER VENT EXTENSION HARNESS:</b>		
(Measure distance from the power vent to the appliance)		
PVH20H	Harness Extension - 20 FT	396
<b>STEP 4) CHOOSE VENTING : SECTION 1 - HP 5/8", SECTION 2 - HP 4x6-5/8, SECTION 3 - FLEX 7/10"</b>		
<b>SECTION 1 DIRECT VENT HARD PIPE 5/8" - Used for entire installation - Order Z69DFA</b>		
Z69DFA	Hard Pipe Adapter - (at Flue 5/8")	350
<b>SECTION 2 DV HARD PIPE 4x6-5/8" - Used for entire installation - Order Z69DFA, ZDVDRA, ZDVIDIA</b>		
Z69DFA	Hard Pipe Adapter - (at Flue 5/8")	350
<b>NOTE: Will require 1 FT Section of 5/8" Duravent attached to Z69DFA</b>		
ZDVDRA	Duravent - REDUCER - 5/8" TO 4x6 5/8" ADAPTER	222
<b>Termination End</b>		
ZDVIDIA	Duravent Hard Pipe Adapter - (used to connect 4x6-5/8 to 5/8 Hard Pipe)	222
<b>Note: Must use a one foot section of 5/8 DV hard pipe to connect to the Power Vent Termination (not supplied)</b>		
<b>SECTION 3 FLEX VENT 7/10" - Used for entire installation - Order Z69PVA</b>		
<b>Note: Must use a one foot section of 5/8 DV hard pipe to connect to the Power Vent Termination (not supplied)</b>		
Z69PVA	Flex Pipe Adapter Kit - (used to adapt flex at Power Vent to Hard Pipe)	258
<b>FLEX VENTING KITS:</b>		
Z710FK5	Flex Kit (7" & 10" Dia.) x 5' Expanded (c/w Springs, Screws, Mill Pac)	459
Z710FK8	Flex Kit (7" & 10" Dia.) x 8' Expanded (c/w Springs, Screws, Mill Pac)	625
Z710FK20	Flex Kit (7" & 10" Dia.) x 20' Expanded (c/w Springs, Screws, Mill Pac)	1,304
<b>OPTIONAL POWER VENT ACCESSORIES</b>		
ZDV7FC	Flex Connector 7" Diameter	38
ZDV10FC	Flex Connector 10" Diameter	51
ZDV7FCL	Flex Clamp 7"	21
ZDV10FCL	Flex Clamp 10"	23
ZDV4SS	Spring - Standoff Spacer for Inner Pipe	20
PVH58WT	Wall Thimble for Power Vent	159

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>Sentinel</b>	<b>FREE STANDING DIRECT VENT GAS STOVES:</b>	
	Listed for USA/Canada as a Vented Gas Fireplace, Dual Burner, Bay Viewing Area, Black Louver, Adjustable SIT Valve, 4/7 Flue, Certified for use in Mobile Home, Bedroom, and Bed sitting Room, Flat Black, 37,000 BTU - NG, 35,000 BTU - Propane	
<b>STEP 1) CHOOSE MODEL</b>		
<b>FREE STANDING DIRECT VENT GAS STOVE</b>		
FDV350N	Free Standing Stove - Millivolt - Natural Gas	2,562
FDV350LP	Free Standing Stove - Millivolt - Propane	2,652
FDV350NE	Free Standing Stove - IPI PF1 - Natural Gas	2,947
FDV350LPE	Free Standing Stove - IPI PF1 - Propane	3,037
FDV350NE2	Free Standing Stove - IPI PF2 - Remote-Thermostat-Mod-Fan - Natural Gas	3,956
FDV350LPE2	Free Standing Stove - IPI PF2 - Remote-Thermostat-Mod-Fan - Propane	4,047
350DV-CKLP	Conversion Kit - Millivolt - To Propane	108
350DV-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
350DV-CKLPI	Conversion Kit - IPI PF1 - To Propane	127
350DV-CKNGI	Conversion Kit - IPI PF1 - To Natural Gas	127
350DV-CKLPI2	Conversion Kit - IPI PF2 - To Propane	235
350DV-CKNGI2	Conversion Kit - IPI PF2 - To Natural Gas	235
<b>STEP 2) CHOOSE DOOR</b>		
<b>DOOR FRONTS: (REQUIRED FOR EACH UNIT)</b>		
F35DB	Door Frame and Ceramic Glass - Black	874
<b>STEP 3) CHOOSE LOG SET</b>		
<b>LOG SETS (REQUIRED FOR EACH UNIT)</b>		
LOGF35	Log Set - Fiber Split Oak (F350,F300,IDV33)	479
<b>STEP 4) CHOOSE SAFETY BARRIER</b>		
<b>SAFETY BARRIER (REQUIRED FOR EACH UNIT)</b>		
F350CSS	SAFETY BARRIER	352
<b>ACCESSORIES:</b>		
F45FK	Fan Kit - PF1/MV w/Variable Speed (Temperature Sensing)	442
F45FK2	Fan Kit - for Proflame 2, (Replacement)	405
450FK-140	Fan Mounting Bracket for F45FK - (when installing on F5000, F300, F200)	40
F35RL	Refractory Liner	218
F35BVC	B-Vent Converter (4/7" DV to 4" B-Vent)	324
<b>OPTIONAL THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital Millivolt Wall Mount- MV/PF1	211
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
RCP2WIFI	<b>#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES</b> (CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)	234

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>TITAN</b>	<b>FREE STANDING DIRECT VENT GAS STOVES:</b>	
FDV200S	Listed for USA/Canada as a Vented Gas Fireplace, Dual Burner, Ceramic Glass, Glowing Embers, SIT Valve, Leg Model, Safety Screen, 4/7" Flue 30,000 BTU NG, 26,000 BTU Propane	

**STEP 1) CHOOSE MODEL**

<b>FREE STANDING DIRECT VENT GAS STOVE</b>		
FDV200SN	Free Standing Stove - Millivolt - Natural Gas	2,951
FDV200SLP	Free Standing Stove - Millivolt - Propane	3,018
FDV200SNE	Free Standing Stove - IPI PF1 - Natural Gas	3,336
FDV200SLPE	Free Standing Stove - IPI PF1 - Propane	3,402
FDV200SNE2	Free Standing Stove - IPI PF2 - Remote-Thermostat-Mod-Fan - Natural Gas	3,881
FDV200SLPE2	Free Standing Stove - IPI PF2 - Remote-Thermostat-Mod-Fan - Propane	3,948
200DV-CKLP	Conversion Kit - Millivolt - To Propane	108
200DV-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
200DV-CKLPI	Conversion Kit - IPI PF1 - To Propane	127
200DV-CKNGI	Conversion Kit - IPI PF1 - To Natural Gas	127
200DV-CKLP2	Conversion Kit - IPI PF2 - To Propane	235
200DV-CKNG2	Conversion Kit - IPI PF2 - To Natural Gas	235

**STEP 2) CHOOSE LOG SET**

<b>LOG SETS</b>		
LOGC200	Log Set - Five Piece Cast Split Oak (LTD Availability)	307
<b>LOGF200</b>	Log Set - Fiber - Five Piece Split Oak	<b>NEW 375</b>

<b>OPTIONAL ACCESSORIES</b>		
F45FK	Fan Kit - PF1/MV w/Variable Speed (Temperature Sensing)	442
F45FK2	Fan Kit - for Proflame 2, (Replacement)	405
450FK-140	Fan Mounting Bracket for F45FK - (when installing on F5000, F300, F200)	40
FDV200RL	Refractory Liner	281
F200CSS	Safety Screen Barrier - (Replacement)	224
<b>OPTIONAL THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
RCP2WIFI	<b>#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES</b> (CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)	234

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>VANTAGE</b>	<b>FREE STANDING DIRECT VENT GAS STOVE</b>	
	Listed for USA/Canada as a Vented Gas Fireplace, Dual Burner, Ceramic Glass, Glowing Embers, Hi/Lo SIT Valve, On/OFF Switch, 4/7" Flue, Black 34,500 BTU NG, 31,000 BTU Propane	

**STEP 1) CHOOSE MODEL**

FREE STANDING DIRECT VENT GAS STOVE		
FDV451N	Free Standing Stove - Millivolt - Natural Gas	2,449
FDV451LP	Free Standing Stove - Millivolt - Propane	2,539
FDV451NE	Free Standing Stove - IPI PF1 - Natural Gas	2,835
FDV451LPE	Free Standing Stove - IPI PF1 - Propane	2,925
FDV451NE2	Free Standing Stove - IPI PF2 - Remote-Thermostat-Mod-Fan - Natural Gas	3,838
FDV451LPE2	Free Standing Stove - IPI PF2 - Remote-Thermostat-Mod-Fan - Propane	3,929
450DV-CKLP	Conversion Kit - Millivolt - To Propane	108
450DV-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
450DV-CKLPI	Conversion Kit - IPI PF1 - To Propane	127
450DV-CKNGI	Conversion Kit - IPI PF1 - To Natural Gas	127
450DV-CKLP2	Conversion Kit - IPI PF2 - To Propane	235
450DV-CKNG2	Conversion Kit - IPI PF2 - To Natural Gas	235

**STEP 2) CHOOSE DOOR FRONT AND SIDE DOORS**

DOOR FRONTS: (REQUIRED FOR EACH UNIT)		
F450FBL	Door Front and Vent Lid - Charcoal with Flat Black Posts and Safety Screen	638
SIDE DOORS: (REQUIRED FOR EACH UNIT)		
F451SDSBL	Side Doors - Black Frame - Solid Panel - Charcoal	411

**STEP 3) CHOOSE LOG SET OR GLASS MEDIA**

LOG SETS		
F45LG	Log Grate - FDV451/453 (Optional)	159
LOGF451	Log Set - Oak	552
MQLOGF452	Log Set - Oak	671
MQLOGF453	Log Set - Driftwood	747
GLASS MEDIA OR ROCKS, STONES, CANNONBALLS - (Maximum Glass 15 lbs)		
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	127
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	127
MQG5B	Glass Media - 1/2" Black - 5 lbs	127
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	127
MQG5W	Glass Media - 1/2" White - 5lbs	127
MQROCK2	Rock Set - Contemporary Collection - Natural	349
MQROCK3	Rock Set - Contemporary Collection - Multi-Colored	349
MQEMBER	Ember Chunks (2 Bags)	127
MQSTONE	Decorative Stones	405
RBCB1	Cannonballs - Assorted size and colors	446

OPTIONAL ACCESSORIES		
F45FK	Fan Kit - PF1/MV w/Variable Speed (Temperature Sensing)	442
F45FK2	Fan Kit - for Proflame 2, (Replacement)	405
450FK-140	Fan Mounting Bracket for F45FK - (when installing on F5000, F300, F200)	40
F451RLT	Brick Liner - Traditional	460
F451RLH	Brick Liner - Herringbone	460
MQ451RLF	Brick Liner - Fluted	592
F451PL	Porcelain Liner - 3 Piece	552
F35BVC	B-Vent Converter (4/7" DV to 4" B-Vent)	324

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>OPTIONAL THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
RCP2WIFI	<b>#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES</b> (CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)	234

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>VANTAGE</b>	<b>FREE STANDING DIRECT VENT GAS STOVE - BAY VIEW</b>	
	Listed for USA/Canada as a Vented Gas Fireplace, Dual Burner, Ceramic Glass, Glowing Embers, Hi/Lo SIT Valve, On/OFF Switch, 4/7" Flue, Black 34,500 BTU NG, 31,000 BTU Propane	

**STEP 1) CHOOSE MODEL**

<b>FREE STANDING DIRECT VENT GAS STOVE</b>		
MQFDV453N	Free Standing Stove - Millivolt - Natural Gas	2,830
MQFDV453LP	Free Standing Stove - Millivolt - Propane	2,920
MQFDV453NE	Free Standing Stove - IPI PF1 - Natural Gas	3,215
MQFDV453LPE	Free Standing Stove - IPI PF1 - Propane	3,306
MQFDV453NE2	Free Standing Stove - IPI PF2 - Remote-Thermostat-Mod-Fan - Natural Gas	4,220
MQFDV453LPE2	Free Standing Stove - IPI PF2 - Remote-Thermostat-Mod-Fan - Propane	4,311
450DV-CKLP	Conversion Kit - Millivolt - To Propane	108
450DV-CKNG	Conversion Kit - Millivolt - To Natural Gas	108
450DV-CKLPI	Conversion Kit - IPI PF1 - To Propane	127
450DV-CKNGI	Conversion Kit - IPI PF1 - To Natural Gas	127
450DV-CKLP2	Conversion Kit - IPI Proflame 2 - To Propane	235
450DV-CKNG2	Conversion Kit - IPI Proflame 2 - To Natural Gas	235

**STEP 2) CHOOSE DOOR FRONT AND SIDE DOORS**

<b>DOOR FRONTS: (REQUIRED FOR EACH UNIT)</b>		
F450FBL	Door Front and Vent Lid - Charcoal with Flat Black Posts and Safety Screen	638
<b>SIDE DOORS: (REQUIRED FOR EACH UNIT)</b>		
MQ453SDBL	Side Doors - Black Frame - Door Panel - Charcoal w/Safety Screen	724

**STEP 3) CHOOSE LOG SET OR GLASS MEDIA**

<b>LOG SETS</b>		
F45LG	Log Grate - FDV451/453 (Optional)	159
LOGF451	Log Set - Oak	552
MQLOGF452	Log Set - Oak	671
MQLOGF453	Log Set - Driftwood	747
<b>GLASS MEDIA OR ROCKS, STONES, CANNONBALLS - (Maximum Glass 15 lbs)</b>		
MQG5ZG	Glass Media - ZIRCON Glacier Ice - 5 lbs	127
MQG5A	Glass Media - 1/2" Cobalt Blue - 5 lbs	127
MQG5B	Glass Media - 1/2" Black - 5 lbs	127
MQG5C	Glass Media - 1/2" Bronze - 5 lbs	127
MQG5W	Glass Media - 1/2" White - 5lbs	127
MQROCK2	Rock Set - Contemporary Collection - Natural	349
MQROCK3	Rock Set - Contemporary Collection - Multi-Colored	349
MQEMBER	Ember Chunks (2 Bags)	127
MQSTONE	Decorative Stones	405
RBCB1	Cannonballs - Assorted size and colors	446

<b>OPTIONAL ACCESSORIES</b>		
F45FK	Fan Kit - PF1/MV w/Variable Speed (Temperature Sensing)	442
F45FK2	Fan Kit - for Proflame 2, (Replacement)	405
450FK-140	Fan Mounting Bracket for F45FK - (when installing on F5000, F300, F200)	40
MQ453RLT	Brick Liner - Traditional	238
MQ453RLH	Brick Liner - Herringbone	238
MQ453RLF	Brick Liner - Fluted	301
MQ453PL	Porcelain Liner - Back	273
F35BVC	B-Vent Converter (4/7" DV to 4" B-Vent)	324

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>OPTIONAL THERMOSTATS AND REMOTE CONTROLS</b>		
Z2MT	Thermostat Digital - Vertical Wall Mount - MV/PF1	134
Z80PT	Thermostat Programmable Digital - Wall Mount - MV/PF1	211
GTRC	Remote Control Millivolt - Thermostat	368
GTMRCN	Remote Control Millivolt - Thermostat/Modulating - NG	523
GTMRCP	Remote Control Millivolt - Thermostat/Modulating - LP	523
GTFRCN	Remote Control Millivolt - Thermostat/Modulating/Fan - NG	832
GTFRCP	Remote Control Millivolt - Thermostat/Modulating/Fan - LP	832
EGTRC	Remote Control IPI PF1 - Thermostat	435
EGTMRCN	Remote Control IPI PF1 - Thermostat/Modulating - NG	591
EGTMRCP	Remote Control IPI PF1 - Thermostat/Modulating - LP	591
RCP2WIFI	<b>#WI-FI DONGLE AND HARNESS KIT - FOR PROFLAME 2 APPLIANCES</b> (CONTROL YOUR FIREPLACE WITH YOUR SMARTPHONE - APP REQUIRED)	234

Rev: 061923

Aug 2023

Product Number	Description	USA LIST
<b>Horizontal Vent Starter Kit - (Direct Vent Stoves)</b>		
FDVHSK	Termination, Wall Thimble, Black Wall Trim Plate, Mill Pac, Black Trim Rings, 7" x 24" Black Pipe, 7" x 48" Black Pipe, 90 Degree Elbow, 4" x 8" Flex Pipe,	827
<b>Vertical Vent Starter Kit - (Direct Vent Stoves)</b>		
FDVVSU	Starter Kit Contains: Attic Insulation Shield, Fire Stop, Ceiling Trim Plate, Black Trim Rings, Roof Support, Spacer Springs(6), Mill Pac	377
<b>Horizontal Venting</b>		
FDVHT	Horizontal Vent Termination	234
FDVHSQ	Horizontal Square Vent Termination	290
FDVHSS	Horizontal Stucco Shield	76
FDVHSCU	Safety Cage Universal for Horizontal Termination	152
ZDVSS	Siding Shield - Heat Deflector for FDVHT Round Termination	37
ZDVSSLR	Siding Shield - Large Return - for FDVHSQ or FDVHT	89
ZDVWT	Wall Thimble (Horizontal Venting)	117
Z47ST24	Snorkel Termination - 24"	861
Z47ST36	Snorkel Termination - 36"	923
Z57STSC	Safety Cage for Snorkel Termination	240
<b>Vertical Venting</b>		
FDVVT40	Vertical Vent Termination - Convertible Between 15' & 40' Vertical	252
ZDVAIS	Attic Insulation Shield - 12"	126
Z7AIS24	Attic Insulation Shield - 24"	167
ZDVVOS	Offset Support	53
ZDVFS	Fire stop Spacer	53
ZDVRS	Roof Support	77
Z47GP36	Galvanized Pipe 4 and 7" Dia. x 36" (Vertical Installations)	248
Z47GP48	Galvanized Pipe 4 and 7" x 48" (Vertical Installations)	260
<b>Flashings - Vertical Venting</b>		
ZDVAAF	Flashing 7" c/w Storm Collar (1/12 to 7/12)	149
ZDVAF2	Flashing 7" c/w Storm Collar (8/12 to 12/12)	170
ZDVAF3	Flashing 7" c/w Storm Collar Flat	198
ZDV7SC	Storm Collar 7 Inch	28
<b>Vent Pipe 7" and Flex Pipe 4" - Clamps, Connectors</b>		
FDV48P	Black Pipe (7" Diameter x 48")	134
FDV36P	Black Pipe (7" Diameter x 36")	120
FDV24P	Black Pipe (7" Diameter x 24")	88
FDV12P	Black Pipe (7" Diameter x 12")	61
FDVE90	Black Elbow (7" Diameter x 90 Degree)	83
FDVE45	Black Elbow (7" Diameter x 45 Degree)	83
ZDV4FP8	Flex Pipe 4" Diameter x 8 FT (Spacer Springs Not Included)	117
ZDV4FP20	Flex Pipe 4" Diameter x 20 FT (Spacer Springs Not Included)	263
ZDV4FC	Flex Connector 4" Diameter	26
ZDV4FCL	Flex Clamp 4"	20
ZDV4SS	Spring 4" Standoff Spacer	20
<b>Hard Pipe Adapter - 4 x 6 5/8:</b>		
ZDVDKA	Dura-Vent Stove Adapter (for Direct Vent Stoves)	95
<b>7" Pipe Accessories</b>		
F7DBC	Decorative Black Collar 7"	48
F7DTP	Decorative Black Wall Trim Plate	51