



PRICE LIST – USA



MADE IN CANADA



WWW.OSBURN-MFG.COM

STOVE BUILDER INTERNATIONAL INC. (SBI)
250, DE COPENHAGUE
ST-AUGUSTIN-DE-DESMAURES
(QUEBEC) CANADA G3A 2H3

CUSTOMER SERVICE
PHONE: 844-344-3071
FAX: 1-888-355-5067
E-MAIL: SAC@SBI-INTERNATIONAL.COM

2023

VALID FROM JANUARY 1ST 2023

Valid from January 1st 2023
Printed on January 23rd 2023



GENERAL POLICIES

**PURCHASE ORDERS MUST BE SENT BY FAX: 888-676-4413,
or EMAIL: orders@sbi-international.com**

YOU NEED INFORMATION ABOUT YOUR ORDER?

Contact our customer service team at **1-844-344-3071** and follow the instructions.
By email at sac@sbi-international.com

YOU NEED TECHNICAL ADVICE?

Contact our technical support team at **1-877-356-6663** and follow the instructions.
By email at tech@sbi-international.com

ORDER CANCELLATION

SBI will charge a fee of 8% for the cancellation of any order with a value greater than \$2,000. This fee will be increased to 15% if the cancellation occurs within 2 weeks of the expected ship date. Returns of merchandise must be authorized.

CHANGES TO THE PRICE LIST

SBI reserves the right, without notice, to make changes to the price lists during the year (addition, withdrawal, price change, etc.). It is the customer's responsibility to always download the most up-to-date price list from the customer portal.

FUEL SURCHARGE

In the case of a crisis in the oil products industry, a fuel surcharge per stove or insert will be applied according to the following table if the recommended fuel surcharge as published by the Freight Carriers Association of Canada is above 50% for truckloads or containers under 55,000 lb (25,000 kg).

FCA PUBLISHED SURCHARGE	TRANSPORT SURCHARGE IN \$/STOVE
< 50%	N/A
50% to 54.9%	\$4.00
55% to 59.9%	\$6.00
60% to 64.9%	\$8.00
65% to 69.9%	\$10.00
70% to 74.9%	\$12.00
75% to 79.9%	\$14.00
80% and more	\$16.00

The fuel surcharge will only be applicable to customers whose prices may include prepaid freight or who benefit from fixed freight rate brackets. The fuel surcharge invoiced by SBI is calculated at the date of shipment. In addition, the fuel surcharge will be applicable if the FCA published surcharge remains higher than 50% for at least 2 weeks. Should this occur, the surcharge applied by SBI will be in effect for a minimum period of 2 weeks. The goal of the surcharge is to make commerce viable between SBI and its customers would a crisis occur.

NORTH AMERICAN PREPAID & CHARGE FREIGHT POLICIES FOR PARTS AND ACCESSORIES

All part and accessories are shipped collect on the customer's courier account (UPS, Fedex, Puro, etc.). If the customer does not have a courier account, parts can be shipped "prepaid & charge". For customers ordering at least one stove, parts, and accessories with a total weight of less than 200 lb will ship free of charge under the customer's appliance freight program.

Table of contents

WOOD STOVES (EPA 2020) - SMALL	4
950 WOOD STOVE - OB00950	4
WOOD STOVES (EPA 2020) - MEDIUM	5
1700 WOOD STOVE - OB01700	5
WOOD STOVES (EPA 2020) - LARGE	6
2000 WOOD STOVE WITH BLOWER - OB02015	6
INSPIRE 2000 WOOD STOVE - OB02042	7
MATRIX WOOD STOVE WITH BLOWER - OB02032	8
WOOD STOVES (EPA 2020) - EXTRA LARGE	9
3300 WOOD STOVE - OB03300	9
3500 WOOD STOVE WITH BLOWER - OB03500	10
WOOD INSERTS (EPA 2020) - SMALL	11
MATRIX 1900 WOOD INSERT - OB01900	11
WOOD INSERTS (EPA 2020) - MEDIUM	13
1700 WOOD INSERT - OB01705	13
WOOD INSERTS (EPA 2020) - LARGE	15
2000 WOOD INSERT - OB02016	15
INSPIRE 2000-I WOOD INSERT - OB02045	17
MATRIX 2700 WOOD INSERT - OB02700	19
MATRIX WOOD INSERT - OB02028	21
WOOD INSERTS (EPA 2020) - EXTRA LARGE	23
3500 WOOD INSERT - OB03510	23
WOOD FIREPLACES (EPA 2020) - LARGE	25
EVEREST II WOOD FIREPLACE - OB04016	25
STRATFORD II WOOD FIREPLACE - OB04007	27
WOOD FIREPLACES (EPA 2020) - EXTRA LARGE	29
HORIZON WOOD FIREPLACE - OB04010	29
PELLET STOVES (EPA 2020) - MEDIUM	31
2500 PELLETT STOVE - OP00025	31

950 WOOD STOVE

Manufacturer code

OB00950

MSRP

\$1799.00

UPC code 773388203577

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL

EPA
2020**OPTIONS**

MSRP

AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
AC01420	• RIGID FIRESCREEN	\$160.00
AC01421	• 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE	\$150.00
AC02023	• BLOWER WITH THERMODISC	\$250.00
AC02090	• 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$45.00

FEATURES

• Approved for an alcove installation	: Yes
• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 28 7/8" X 20 1/4" X 27 7/8"
• Average particulate emissions rate	: 1.8 g/h
• Maximum log length	: 17"
• Approved for a mobile home installation	: Yes, with fresh air intake
• Shipping Weight	: 317 lb (144 kg)
• Recommended heating area-ft ²	: 250 - 1,200
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 5 h
• Blower included	: No
• Overall firebox volume-ft ³	: 1.8

1700 WOOD STOVE

Manufacturer code

OB01700

MSRP

\$1799.00

UPC code 773388177861

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL

EPA
2020

Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

A

OA10249	• BLACK DOOR OVERLAY	\$100.00
OA10250	• BRUSHED NICKEL DOOR OVERLAY	\$250.00

B

OA10244	• PEDESTAL WITH ASH DRAWER	\$350.00
OA10245	• BLACK CAST IRON STRAIGHT LEGS WITH ASH DRAWER	\$500.00
OA10246	• BRUSHED NICKEL CAST IRON STRAIGHT LEGS WITH ASH DRAWER	\$750.00
OA10247	• BLACK CAST IRON TRADITIONAL LEGS WITH ASH DRAWER	\$300.00
OA10248	• BRUSHED NICKEL CAST IRON TRADITIONAL LEGS WITH ASH DRAWER	\$700.00

OPTIONS

MSRP

AC01000	• 130 CFM BLOWER WITH VARIABLE SPEED CONTROL (THERMODISC INCLUDED)	\$350.00
AC01291	• 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE ON LEGS	\$200.00
AC01299	• RIGID FIRESCREEN	\$180.00
AC01336	• 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE ON PEDESTAL	\$110.00
AC02090	• 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$45.00
OA10132	• GLASS ASH LIP	\$150.00

FEATURES

• Approved for an alcove installation	: Yes
• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 30 3/8" X 24 7/8" X 23 1/4"
• Average particulate emissions rate	: 1.26 g/h
• Maximum log length	: 18"
• Approved for a mobile home installation	: Yes
• Shipping Weight	: 331 lb (150 kg)
• Recommended heating area-ft ²	: 500 - 1,800
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 6 h
• Blower included	: No

2000 WOOD STOVE WITH BLOWER



Manufacturer code

OB02015

MSRP

\$2299.00

UPC code 773388164168

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

A		
OA10237	• BLACK DOOR OVERLAY	\$100.00
OA10238	• BRUSHED NICKEL DOOR OVERLAY	\$300.00
B		
OA10226	• BLACK CAST IRON TRADITIONAL LEGS WITH ASH DRAWER	\$300.00
OA10228	• BRUSHED NICKEL CAST IRON TRADITIONAL LEGS WITH ASH DRAWER	\$650.00
OA10235	• BLACK CAST IRON STRAIGHT LEGS WITH ASH DRAWER	\$500.00
OA10236	• BRUSHED NICKEL CAST IRON STRAIGHT LEGS WITH ASH DRAWER	\$750.00
OA10239	• PEDESTAL WITH ASH DRAWER	\$400.00

OPTIONS

MSRP

AC01211	• 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE ON LEGS	\$200.00
AC01315	• RIGID FIRESCREEN	\$180.00
AC01336	• 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE ON PEDESTAL	\$110.00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
AC02055	• QUICK CONNECT THERMODISC	\$75.00
AC02090	• 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$45.00
AC02703	• TEMPERED GLASS HEARTH PAD 10 mm - 54" X 46 3/4"	\$849.00
OA10132	• GLASS ASH LIP	\$150.00

FEATURES

• Approved for an alcove installation	: Yes
• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 33 1/8" X 27" X 29"
• Average particulate emissions rate	: 2.3 g/h
• Maximum log length	: 20"
• Approved for a mobile home installation	: Yes
• Shipping Weight	: 390 lb (177 kg)
• Recommended heating area-ft ²	: 500 - 2,100
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 8h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 2.4

INSPIRE 2000 WOOD STOVE

Manufacturer code

OB02042

MSRP

\$2949.00

UPC code 773388165943

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL

EPA
2020

Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

A

OA10242 • BLACK DECORATIVE SIDE PANEL	\$200.00
---------------------------------------	----------

B

OA10240 • BLACK STEEL BASE	\$550.00
OA10241 • SOAPSTONE BASE	\$1150.00
OA10243 • MINIMALIST BASE	\$350.00

OPTIONS

MSRP

AC01236 • MOULDED REFRACTORY PANELS	\$700.00
AC01237 • MOULDED REFRACTORY PANELS FOR MINIMALIST BASE AND INSERT	\$800.00
AC01349 • 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
AC02055 • QUICK CONNECT THERMODISC	\$75.00
AC02090 • 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$45.00
AC03095 • BLOWER WITH VARIABLE SPEED CONTROL (UP TO 130 CFM)	\$300.00

FEATURES

• Approved for an alcove installation	: Yes
• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 35 5/8" X 27 7/8" X 24 1/4"
• Average particulate emissions rate	: 2.3 g/h
• Maximum log length	: 20"
• Approved for a mobile home installation	: Yes
• Shipping Weight	: 537 lb (244 kg)
• Recommended heating area-ft ²	: 500 - 2,100
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 8 h
• Blower included	: No
• Overall firebox volume-ft ³	: 2.4

MATRIX WOOD STOVE WITH BLOWER

Manufacturer code

OB02032

MSRP

\$3299.00

UPC code 773388173856

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL

EPA
2020

Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

A

OA10700 • BLACK SIDE PANELS KIT \$350.00

OA10701 • SOAPSTONE SIDE PANELS KIT \$900.00

B

OA10703 • SOAPSTONE PANEL TOP \$400.00

OA10704 • BLACK STEEL PANEL TOP \$150.00

OPTIONS

MSRP

AC01315 • RIGID FIRESCREEN \$180.00

AC01349 • 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER \$250.00

AC02090 • 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT \$45.00

AC02703 • TEMPERED GLASS HEARTH PAD 10 mm - 54" X 46 3/4" \$849.00

FEATURES

• Approved for an alcove installation	: Yes
• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 36 7/8" X 27 1/8" X 25"
• Average particulate emissions rate	: 2.3 g/h
• Maximum log length	: 20"
• Approved for a mobile home installation	: Yes
• Shipping Weight	: 506 lb (230 kg)
• Recommended heating area-ft ²	: 500 - 2,100
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 8 h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 2.4

WOOD STOVES (EPA 2020) - EXTRA LARGE

3300 WOOD STOVE



Manufacturer code **OB03300** MSRP **\$2749.00**

UPC code 773388198354

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

A		
OA10260	• BLACK DOOR OVERLAY	\$100.00
OA10261	• BRUSHED NICKEL DOOR OVERLAY	\$300.00
B		
OA10262	• PEDESTAL WITH ASH DRAWER	\$400.00
OA10263	• BLACK CAST IRON TRADITIONAL LEGS WITH ASH DRAWER	\$350.00
OA10264	• BRUSHED NICKEL CAST IRON STRAIGHT LEGS WITH ASH DRAWER	\$750.00
OA10265	• BRUSHED NICKEL CAST IRON TRADITIONAL LEGS WITH ASH DRAWER	\$650.00
OA10266	• BLACK CAST IRON STRAIGHT LEGS WITH ASH DRAWER	\$500.00

OPTIONS

MSRP

AC01000	• 130 CFM BLOWER WITH VARIABLE SPEED CONTROL (THERMODISC INCLUDED)	\$350.00
AC01204	• 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE ON LEGS	\$200.00
AC01336	• 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE ON PEDESTAL	\$110.00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
AC01397	• RIGID FIRESCREEN	\$180.00
AC02090	• 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$45.00
AC02711	• 54" X 46 3/4" MODULAR FLOOR PROTECTION SYSTEM	\$460.00
OA10132	• GLASS ASH LIP	\$150.00

FEATURES

• Approved for an alcove installation	: Yes
• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 34" X 24 1/4" X 30 1/2"
• Average particulate emissions rate	: 0.95 g/h
• Maximum log length	: 20"
• Approved for a mobile home installation	: Yes, with fresh air intake
• Shipping Weight	: 525 lb (238 kg)
• Recommended heating area-ft ²	: 900 - 2,300
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 10 h
• Blower included	: No
• Overall firebox volume-ft ³	: 3.3

WOOD STOVES (EPA 2020) - EXTRA LARGE

3500 WOOD STOVE WITH BLOWER



Manufacturer code **OB03500** MSRP **\$3399.00**

UPC code 773388186443

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A) to complete the unit

REQUIRED ACCESSORIES

MSRP

A		
OA10163	• BLACK DOOR OVERLAY	\$100.00
OA10164	• BRUSHED NICKEL DOOR OVERLAY	\$300.00

OPTIONS

MSRP

AC01281	• RIGID FIRESCREEN	\$180.00
AC01336	• 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE ON PEDESTAL	\$110.00
OA10166	• GLASS ASH LIP	\$200.00

FEATURES

• Approved for an alcove installation	: Yes
• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 34 3/4" X 28 7/8" X 33 1/2"
• Average particulate emissions rate	: 1.6 g/h
• Maximum log length	: 22"
• Approved for a mobile home installation	: Yes
• Shipping Weight	: 524 lb (238 kg)
• Recommended heating area-ft ²	: 1,000 - 2,700
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 10 h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 3.5

MATRIX 1900 WOOD INSERT



Manufacturer code

OB01900

MSRP

\$2599.00

UPC code 773388223582

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A) to complete the unit

REQUIRED ACCESSORIES

MSRP

A		MSRP
OA10041	• BLACK DOOR OVERLAY	\$100.00
OA10042	• BRUSHED NICKEL DOOR OVERLAY	\$250.00

OPTIONS

MSRP

AC01213	• RIGID FIRESCREEN	\$180.00
AC01214	• OFFSET LINER ADAPTER	\$270.00
AC01298	• 5"Ø FRESH AIR INTAKE KIT	\$90.00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
AC02006	• LINER HOOK UP SYSTEM	\$110.00
AC02082	• 32" X 44" CUTTABLE FACEPLATE (18 GA)	\$200.00
AC02090	• 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$45.00

FEATURES

• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 23 7/8" X 36" X 21"
• Average particulate emissions rate	: 1.5 g/h
• Maximum log length	: 17"
• Fireplace opening - minimum (Height X Width X Depth)	: 19" X 25" X 15 1/2"
• Shipping Weight	: 332 lb (151 kg)
• Moulded refractory bricks	
• Recommended heating area-ft ²	: 250 - 1,200
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 7 h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 1.1

1700 WOOD INSERT

Manufacturer code

OB01705

MSRP

\$2329.00

UPC code 773388186412

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL

EPA
2020

Requires the addition of accessories (A), (B) and (C) to complete the unit

REQUIRED ACCESSORIES

MSRP

A

OA10249	• BLACK DOOR OVERLAY	\$100.00
OA10250	• BRUSHED NICKEL DOOR OVERLAY	\$250.00

B

OA10116	• REGULAR FACEPLATE (29" X 44")	\$150.00
OA10117	• LARGE FACEPLATE (32" X 50")	\$200.00

C

OA10122	• BLACK FACEPLATE TRIMS (29" X 44")	\$120.00
OA10123	• BRUSHED NICKEL FACEPLATE TRIMS (29" X 44")	\$120.00
OA10128	• BLACK LARGE FACEPLATE TRIMS (32" X 50")	\$120.00
OA10129	• BRUSHED NICKEL LARGE FACEPLATE TRIMS (32" X 50")	\$120.00

OPTIONS

MSRP

AC01214	• OFFSET LINER ADAPTER	\$270.00
AC01298	• 5"Ø FRESH AIR INTAKE KIT	\$90.00
AC01299	• RIGID FIRESCREEN	\$180.00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
AC02090	• 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$45.00

FEATURES

• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 21 1/4" X 27 1/8" X 22 3/8"
• Average particulate emissions rate	: 1.26 g/h
• Maximum log length	: 18"
• Fireplace opening - minimum (Height X Width X Depth)	: 21 1/2" X 27 1/2" X 12 7/8"
• Shipping Weight	: 361 lb (164 kg)
• Recommended heating area-ft ²	: 500 - 1,800
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 6 h
• Blower included	: Yes

2000 WOOD INSERT**Manufacturer code**

OB02016

MSRP**\$2629.00****UPC code** 773388164175

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL

If your installation requires the use of the optional AC01357 cuttable faceplate, only accessory A is required.

EPA
2020

Requires the addition of accessories (A), (B) and (C) to complete the unit

REQUIRED ACCESSORIES**MSRP****A**

OA10237	• BLACK DOOR OVERLAY	\$100.00
OA10238	• BRUSHED NICKEL DOOR OVERLAY	\$300.00

B

AC03410	• REGULAR FACEPLATE (29" X 44")	\$150.00
AC03411	• LARGE FACEPLATE (32" X 50")	\$200.00

C

OA10122	• BLACK FACEPLATE TRIMS (29" X 44")	\$120.00
OA10123	• BRUSHED NICKEL FACEPLATE TRIMS (29" X 44")	\$120.00
OA10128	• BLACK LARGE FACEPLATE TRIMS (32" X 50")	\$120.00
OA10129	• BRUSHED NICKEL LARGE FACEPLATE TRIMS (32" X 50")	\$120.00

OPTIONS**MSRP**

AC01214	• OFFSET LINER ADAPTER	\$270.00
AC01298	• 5"Ø FRESH AIR INTAKE KIT	\$90.00
AC01315	• RIGID FIRESCREEN	\$180.00
AC01317	• 7 3/16" X 26" HEAT SHIELD FOR SURROUND/SHELF	\$110.00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
AC01357	• 32" X 50" CUTTABLE FACEPLATE (18 GA)	\$200.00

FEATURES

• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 23 1/8" X 28 3/8" X 26 3/8"
• Average particulate emissions rate	: 2.3 g/h
• Maximum log length	: 20"
• Fireplace opening - minimum (Height X Width X Depth)	: 23 3/8" X 28 7/8" X 15 3/4"
• Shipping Weight	: 432 lb (196 kg)
• Recommended heating area-ft ²	: 500 - 2,100
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 8 h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 2.4

INSPIRE 2000-I WOOD INSERT

Manufacturer code

OB02045

MSRP

\$3049.00

UPC code 773388169507

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL

Requires the addition of accessories (A) to complete the unit

REQUIRED ACCESSORIES

MSRP

A

AC01020	• 30" X 25 1/8" NARROW FACEPLATE (U SHAPE)	\$250.00
AC01021	• 32" X 50" CUTTABLE FACEPLATE (16 GA)	\$250.00
AC01022	• 30" X 26 7/8" NARROW FACEPLATE (4 SIDED)	\$300.00

OPTIONS

MSRP

AC01214	• OFFSET LINER ADAPTER	\$270.00
AC01237	• MOULDED REFRACTORY PANELS FOR MINIMALIST BASE AND INSERT	\$800.00
AC01298	• 5"Ø FRESH AIR INTAKE KIT	\$90.00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00

FEATURES

• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 24" X 28 1/2" X 20 3/4"
• Average particulate emissions rate	: 2.3 g/h
• Maximum log length	: 20"
• Fireplace opening - minimum (Height X Width X Depth)	: 24 5/8" X 29" X 20 3/4"
• Shipping Weight	: 435 lb (197 kg)
• Recommended heating area-ft ²	: 500 - 2,100
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 8 h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 2.4

MATRIX 2700 WOOD INSERT

Manufacturer code

OB02700

MSRP

\$3899.00

UPC code 773388186436

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL

EPA
2020

Requires the addition of accessories (A) to complete the unit

REQUIRED ACCESSORIES

MSRP

A

OA10253	• BLACK DOOR OVERLAY	\$100.00
OA10254	• BRUSHED NICKEL DOOR OVERLAY	\$350.00

OPTIONS

MSRP

AC01214	• OFFSET LINER ADAPTER	\$270.00
AC01263	• 2" OR 4" PROJECTION KIT FOR INSERT	\$150.00
AC01275	• FIRESCREEN DOOR	\$300.00
AC01277	• 34" X 50" CUTTABLE FACEPLATE (18 GA)	\$250.00
AC01298	• 5"Ø FRESH AIR INTAKE KIT	\$90.00
AC02006	• LINER HOOK UP SYSTEM	\$110.00

FEATURES

• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 30 1/8" X 43 5/8" X 27 1/4"
• Average particulate emissions rate	: 1.2 g/h
• Maximum log length	: 20"
• Fireplace opening - minimum (Height X Width X Depth)	: 27 1/8" X 31 3/4" X 22 1/8"
• Shipping Weight	: 535 lb (243kg)
• Moulded refractory bricks	
• Recommended heating area-ft ²	: 750 - 2,200
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 8 h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 2.5

MATRIX WOOD INSERT



Manufacturer code

OB02028

MSRP

\$3499.00

UPC code 773388164199

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



OPTIONS

MSRP

AC01214	• OFFSET LINER ADAPTER	\$270.00
AC01298	• 5"Ø FRESH AIR INTAKE KIT	\$90.00
AC01315	• RIGID FIRESCREEN	\$180.00
AC01321	• BOTTOM FACEPLATE BACKING PLATE 44" X 6"	\$80.00
AC01322	• 29" X 44" FACEPLATE BACKING PLATE KIT	\$200.00
AC01323	• PROJECTION KIT FOR INSERT 2" OR 4"	\$120.00
AC01332	• 29" X 50" FACEPLATE BACKING PLATE KIT	\$250.00
AC01333	• BOTTOM FACEPLATE BACKING PLATE 50" X 6"	\$90.00
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00

FEATURES

• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 25 1/8" X 36 1/8" X 23 1/8"
• Average particulate emissions rate	: 2.3 g/h
• Maximum log length	: 20"
• Fireplace opening - minimum (Height X Width X Depth)	: 23 3/8" X 28 7/8" X 19 5/8"
• Shipping Weight	: 491 lb (223 kg)
• Recommended heating area-ft ²	: 500 - 2,100
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 8 h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 2.4

WOOD INSERTS (EPA 2020) - EXTRA LARGE

3500 WOOD INSERT



Manufacturer code **OB03510** MSRP **\$3379.00**

UPC code 773388210124

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A), (B) and (C) to complete the unit

REQUIRED ACCESSORIES

MSRP

A		
OA10163	• BLACK DOOR OVERLAY	\$100.00
OA10164	• BRUSHED NICKEL DOOR OVERLAY	\$300.00
B		
OA10032	• MEDIUM FACEPLATE (32" X 44")	\$200.00
OA10033	• LARGE FACEPLATE (32" X 50")	\$200.00
C		
OA10125	• BLACK FACEPLATE TRIMS (32" X 44")	\$120.00
OA10126	• BRUSHED NICKEL FACEPLATE TRIMS (32" X 44")	\$120.00
OA10128	• BLACK LARGE FACEPLATE TRIMS (32" X 50")	\$120.00
OA10129	• BRUSHED NICKEL LARGE FACEPLATE TRIMS (32" X 50")	\$120.00

OPTIONS

MSRP

AC01214	• OFFSET LINER ADAPTER	\$270.00
AC01281	• RIGID FIRESCREEN	\$180.00
AC01298	• 5"Ø FRESH AIR INTAKE KIT	\$90.00

FEATURES

• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 24 7/8" X 30 3/8" X 29"
• Average particulate emissions rate	: 1.6 g/h
• Maximum log length	: 22"
• Fireplace opening - minimum (Height X Width X Depth)	: 26 1/4" X 31" X 18 3/8"
• Shipping Weight	: 540 lb (245 kg)
• Recommended heating area-ft ²	: 1,000 - 2,700
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 10 h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 3.5

WOOD FIREPLACES (EPA 2020) - LARGE

EVEREST II WOOD FIREPLACE



Manufacturer code

OB04016

MSRP

\$4399.00

UPC code 773388204925

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

A		
OA10620	• BLACK DOOR OVERLAY	\$250.00
OA10622	• BRUSHED NICKEL DOOR OVERLAY	\$550.00
B		
OA10619	• TRADITIONAL FACEPLATE	\$650.00

OPTIONS

MSRP

AC01347	• 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$230.00
AC01375	• TRADITIONAL GRAVITY KIT	\$400.00
AC01379	• FIRESCREEN DOOR	\$250.00
AC02091	• 4"Ø X 10' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$75.00
VA4460	• FORCED AIR KIT	\$750.00

FEATURES

• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 49 1/8" X 41 3/4" X 28 5/8"
• Average particulate emissions rate	: 0.99 g/h
• Maximum log length	: 18"
• Shipping Weight	: 525 lb (238 kg)
• Moulded refractory bricks	
• Recommended heating area-ft ²	: 750 - 2,500
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 9 h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 3.0

STRATFORD II WOOD FIREPLACE

Manufacturer code

OB04007

MSRP

\$3849.00

UPC code 773388188362

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL

EPA
2020

Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

A

OA10610	• BLACK DOOR OVERLAY	\$200.00
OA10612	• BRUSHED NICKEL DOOR OVERLAY	\$450.00

B

OA10251	• TRADITIONAL FACEPLATE	\$650.00
OA10252	• MODERN FACEPLATE	\$700.00

OPTIONS

MSRP

AC01223	• HEAT SHIELD FOR SURROUND/SHELF	\$120.00
AC01275	• FIRESCREEN DOOR	\$300.00
AC01347	• 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$230.00
AC01350	• 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT	\$200.00
AC01359	• 4"Ø X 25' INSULATED FLEX PIPE FOR FRESH AIR	\$200.00
AC01374	• FORCED AIR KIT	\$950.00
AC01375	• TRADITIONAL GRAVITY KIT	\$400.00
AC01389	• HOT AIR GRAVITY KIT – MODERN WITH ADJUSTABLE PIPES	\$600.00
AC02091	• 4"Ø X 10' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$75.00
AC02760	• GLASS HEARTH PAD 10 mm - 18" X 50"	\$399.00
AC09200	• FIREPLACE CARRYING HANDLES	\$90.00

FEATURES

• Cast iron andirons	
• Chimney diameter	: 6"
• Height X Width X Depth - Overall	: 40 5/8" X 36 3/4" X 29 3/4"
• Average particulate emissions rate	: 1.2 g/h
• Maximum log length	: 20"
• Shipping Weight	: 468 lb (212 kg)
• Moulded refractory bricks	
• Recommended heating area-ft ²	: 750 - 2,200
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 8 h
• Blower included	: Yes
• Overall firebox volume-ft ³	: 2.5

WOOD FIREPLACES (EPA 2020) - EXTRA LARGE

HORIZON WOOD FIREPLACE



Manufacturer code

OB04010

MSRP

\$5099.00

UPC code 773388128894

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL

EPA
2020

Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

A

OA10630 • PRAIRIE STYLE FACEPLATE \$750.00

B

AC02360 • CLASSIC MOULDED BRICK PANELS \$650.00

OPTIONS

MSRP

AC01349 • 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER \$250.00

AC01350 • 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT \$200.00

AC01378 • WARM AIR CIRCULATION GRILLE - MODERN \$350.00

AC02760 • GLASS HEARTH PAD 10 mm - 18" X 50" \$399.00

AC02780 • 60" WASHED CEDAR NON-COMBUSTIBLE MANTEL \$1799.00

AC02781 • 72" WASHED CEDAR NON-COMBUSTIBLE MANTEL \$1999.00

AC02782 • 60" TAVERN BROWN NON-COMBUSTIBLE MANTEL \$1799.00

AC02783 • 72" TAVERN BROWN NON-COMBUSTIBLE MANTEL \$1999.00

VA4460 • FORCED AIR KIT \$750.00

FEATURES

• Chimney diameter	: 8"
• Height X Width X Depth - Overall	: 43 3/8" X 50 3/4" X 31 3/4"
• Average particulate emissions rate	: 1.6 g/h
• Maximum log length	: 25"
• Shipping Weight	: 560 lb (254 kg)
• Recommended heating area-ft ²	: 1,000 - 2,800
• Combustion Technology	: Non-catalytic
• Maximum burn time	: 11 h
• Overall firebox volume-ft ³	: 4.28
• Blower included	: Yes
• Moulded refractory bricks	
• Cast iron andirons	: No

Effective January 1st 2023

2500 PELLET STOVE



Manufacturer code

OP00025

MSRP

\$3999.00

UPC code 773388159355

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



OPTIONS

MSRP

AC01240	• 3"Ø X 5' FRESH AIR INTAKE KIT	\$80.00
AC01393	• HOPPER EXTENSION	\$260.00
AC01460	• STORAGE TANK WITH PNEUMATIC SELF-FEEDING PELLET SYSTEM	\$2999.00
AC01462	• STORAGE TANK EXTENSION FOR AC01460	\$350.00
AC01463	• STAND ALONE AUXILIARY DISCHARGE TANK	\$650.00
AC01464	• LEG ASSEMBLY FOR AC01463 DISCHARGE TANK	\$150.00
AC01465	• 2"Ø X 25' ANTI-STATIC FLEX HOSE	\$450.00
AC02092	• 3"Ø X 10' INSULATED FLEX PIPE FOR FRESH AIR INTAKE	\$70.00
AC02704	• TEMPERED GLASS HEARTH PAD 10 mm - 44" X 36"	\$599.00
AC05558	• DIGITAL WALL THERMOSTAT	\$125.00

FEATURES

• Hopper capacity	: 60 lb (27kg)
• Height X Width X Depth - Overall	: 33" X 25 7/8" X 30"
• Average particulate emissions rate	: 0.96 g/h
• Approved for a mobile home installation	: Yes
• Shipping Weight	: 286 lb (130 kg)
• Maximum heat input rate	: 39,260 BTU/h (11.5 kW)
• Recommended heating area-ft ²	: 500 - 2,000
• Maximum burn time	: 51 h
• Combustion Technology	: Top-feed
• Approved for an alcove installation	: Yes
• Blower included	: Yes