

Safety Data Sheet



Section 1: Identification

Product identifier

Product Name • **STONEfaçade Architectural Stone Cladding System**

Relevant identified uses of the substance or mixture and uses advised against

Recommended use • Architectural Stone Cladding System

Details of the supplier of the safety data sheet

Manufacturer • CertainTeed Siding Products Group
20 Moores Road
Malvern, PA 19355
United States

Telephone (General) • 610-893-6000

Emergency telephone number

Manufacturer • 1-800-424-9300 - CHEMTREC - US/Canada

Manufacturer • +01 703-527-3887 - CHEMTREC - International

Section 2: Hazard Identification

United States (US)

According to: OSHA 29 CFR 1910.1200 HCS

Classification of the substance or mixture

- OSHA HCS 2012
- **Product as shipped is a solid formed article. Hazards described throughout this documents are only applicable if the product is cut in a manner that generates dusts or particulate matter.**
Eye Mild Irritation 2B
Specific Target Organ Toxicity Single Exposure 3: Respiratory Tract Irritation
Carcinogenicity 1A
Specific Target Organ Toxicity Repeated Exposure 1

Label elements

OSHA HCS 2012

DANGER



- Hazard statements** • Causes eye irritation
May cause respiratory irritation
May cause cancer.
Causes damage to organs through prolonged or repeated exposure.

Precautionary statements

- Prevention** • Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not breathe dust.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
- Response** • IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Call a POISON CENTER or doctor/physician if you feel unwell.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.
IF exposed or concerned: Get medical advice/attention.
Get medical advice/attention if you feel unwell.
- Storage/Disposal** • Store in a well-ventilated place. Keep container tightly closed.
Store locked up.
Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Other hazards

OSHA HCS 2012

- Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

Canada

According to: WHMIS

Classification of the substance or mixture

WHMIS

- Product as shipped is a solid formed article. Hazards described throughout this documents are only applicable if the product is cut in a manner that generates dusts or particulate matter.
Other Toxic Effects - D2A

Label elements

WHMIS



- Other Toxic Effects - D2A

Other hazards

WHMIS

- In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

Section 3 - Composition/Information on Ingredients

Substances

- Material does not meet the criteria of a substance.

Mixtures

Composition					
Chemical Name	Identifiers	%	LD50/LC50	Classifications According to Regulation/Directive	Comments

Greenlight # 7 Aggregate	NDA	64.2%	NDA	OSHA HCS 2012: STOT SE 3: Resp. Irrit.; STOT RE 1 (Lungs)	NDA
Limestone	CAS:1317-65-3 EC Number:215-279-6	0.24% TO 23.5%	NDA	OSHA HCS 2012: Not Classified	NDA
Cured cement	NDA	23.2%	NDA	OSHA HCS 2012: Eye Irrit. 2B	NDA
Iron oxide	CAS:1317-61-9 EC Number:215-277-5	0.32% TO 0.56%	NDA	OSHA HCS 2012: Not Classified	NDA
Crystalline silica	CAS:14808-60-7 EC Number:238-878-4	> 0.1%	NDA	OSHA HCS 2012: Carc. 1A; STOT RE 1 (Lungs, Inhl)	NDA
Daravair 1000	NDA	0.1%	NDA	OSHA HCS 2012: Not Classified	NDA
Chromium, ion (Cr 6+)	CAS:18540-29-9	< 0.0005%	NDA	OSHA HCS 2012: Exposure Limits	NDA
5-Chloro-2-methyl-4-isothiazolin-3-one	CAS:26172-55-4 EC Number:247-500-7	0% TO 0.0002%	NDA	OSHA HCS 2012: Exposure Limits	NDA

Section 4: First-Aid Measures

Description of first aid measures

Inhalation

- Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. If signs/symptoms continue, get medical attention.

Skin

- In case of contact with substance, immediately flush skin with running water for at least 20 minutes.

Eye

- In case of contact with substance, immediately flush eyes with running water for at least 20 minutes. If eye irritation persists: Get medical advice/attention.

Ingestion

- Rinse mouth. Do not give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

- Refer to Section 11 - Toxicological Information.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

- All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred.

Section 5: Fire-Fighting Measures

Extinguishing media

- Suitable Extinguishing Media**
- LARGE FIRE: Water spray, fog or regular foam.
 - SMALL FIRES: Dry chemical, CO2, water spray or regular foam.

- Unsuitable Extinguishing Media**
- No data available

Special hazards arising from the substance or mixture

- Unusual Fire and Explosion Hazards**
- Some may burn, but none ignite readily.

- Hazardous Combustion Products**
- No data available

Advice for firefighters

- Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only provide limited protection.

Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions

- Ventilate enclosed areas. Do not walk through spilled material. Wear appropriate personal protective equipment, avoid direct contact. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Emergency Procedures

- As an immediate precautionary measure, isolate spill or leak area for at least 25 meters (75 feet) in all directions. If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also, consider initial evacuation for 800 meters (1/2 mile) in all directions. Keep unauthorized personnel away.

Environmental precautions

- Avoid run off to waterways and sewers.

Methods and material for containment and cleaning up

Containment/Clean-up Measures

- Avoid generating dust.
SMALL DRY SPILLS: With clean shovel place material into clean, dry container and cover loosely; move containers from spill area.
LARGE SPILLS: Cover powder spill with plastic sheet or tarp to minimize spreading.

Section 7 - Handling and Storage

Precautions for safe handling

Handling

- Caution: Contains Crystalline Silica. Dusts from cutting or sawing may create possible cancer hazard. Dust of this product may cause irritation of the nose, throat and respiratory tract. Avoid prolonged or repeated inhalation of dusts from this product. A properly fitted NIOSH approved N95 series disposable particulate filtering face piece respirator (formerly referred to as "dust masks") should be used when mechanically altering this product (e.g., sawing, cutting, drilling or similar dust generating processes) Wear long-sleeved shirt, long pants, gloves and safety glasses with side shields when handling and installing material. Wash hands and face with soap and warm water immediately after handling this product.

Conditions for safe storage, including any incompatibilities

Storage

- Store in a cool, dry, well-ventilated place.

Specific end use(s)

- Refer to Section 1.2 - Relevant identified uses.

Section 8 - Exposure Controls/Personal Protection

Control parameters

Exposure Limits/Guidelines				
	Result	ACGIH	NIOSH	OSHA
Chromium, ion (Cr 6+)	TWAs	Not established	0.0002 mg/m ³ TWA (as Cr) <i>as Chromium (VI) compounds</i>	5 µg/m ³ TWA
Crystalline silica (14808-60-7)	TWAs	0.025 mg/m ³ TWA (respirable fraction)	0.05 mg/m ³ TWA (respirable dust)	Not established
Limestone (1317-65-3)	TWAs	Not established	10 mg/m ³ TWA (total dust); 5 mg/m ³ TWA (respirable dust)	15 mg/m ³ TWA (total dust); 5 mg/m ³ TWA (respirable fraction)

Exposure Control Notations

ACGIH

- Crystalline silica (14808-60-7): **Carcinogens:** (A2 - Suspected Human Carcinogen)

Exposure Limits Supplemental

OSHA

•Crystalline silica (14808-60-7): **Mineral Dusts:** ((30)/(%SiO₂ + 2) mg/m³ TWA, total dust; (250)/(%SiO₂ + 5) mppcf TWA, respirable fraction; (10)/(%SiO₂ + 2) mg/m³ TWA, respirable fraction)

ACGIH

•Crystalline silica (14808-60-7): **TLV Basis - Critical Effects:** (lung cancer; pulmonary fibrosis)

Exposure controls

Engineering Measures/Controls

- Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values. Ensure that dust handling systems (such as exhaust ducts, dust collectors, vessels and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is not leakage from the equipment).

Personal Protective Equipment

Respiratory

- For limited exposure use an N95 dust mask. For prolonged exposure use an air-purifying respirator with high efficiency particulate air (HEPA) filters. Follow the OSHA respirator regulations found in 29 CFR 1910.134. Use a NIOSH/MSHA approved respirator if exposure limits are exceeded or symptoms are experienced.

Eye/Face

- Safety glasses with side shields should be worn at a minimum.

Skin/Body

- Wear appropriate gloves. Wear long sleeves and/or protective coveralls.

Environmental Exposure Controls

- Follow best practice for site management and disposal of waste.

Key to abbreviations

ACGIH = American Conference of Governmental Industrial Hygiene

TLV = Threshold Limit Value determined by the American Conference of Governmental Industrial Hygienists (ACGIH)

NIOSH = National Institute of Occupational Safety and Health

TWA = Time-Weighted Averages are based on 8h/day, 40h/week exposures

OSHA = Occupational Safety and Health Administration

Section 9 - Physical and Chemical Properties

Information on Physical and Chemical Properties

Material Description			
Physical Form	Solid	Appearance/Description	1-2" thick flat panels.
Color	No data available	Odor	No data available
Odor Threshold	No data available		
General Properties			
Boiling Point	No data available	Melting Point/Freezing Point	No data available
Decomposition Temperature	No data available	pH	No data available
Specific Gravity/Relative Density	< 1 Water=1	Water Solubility	Negligible < 0.1 %
Viscosity	No data available	Explosive Properties	No data available
Oxidizing Properties:	No data available		
Volatility			
Vapor Pressure	No data available	Vapor Density	No data available
Evaporation Rate	No data available	Volatiles (Wt.)	0 %
Volatiles (Vol.)	0 %		
Flammability			
Flash Point	No data available	UEL	No data available
LEL	No data available	Autoignition	No data available
Flammability (solid, gas)	No data available		

Environmental			
Octanol/Water Partition coefficient	No data available		

Other Information

- No additional physical and chemical parameters noted.

Section 10: Stability and Reactivity

Reactivity

- No dangerous reaction known under conditions of normal use.

Chemical stability

- Stable under normal temperatures and pressures.

Possibility of hazardous reactions

- Hazardous polymerization will not occur.

Conditions to avoid

- No data available

Incompatible materials

- No data available.

Hazardous decomposition products

- No data available.

Section 11 - Toxicological Information

Information on toxicological effects

Components		
Limestone (0.24% TO 23.5%)	1317-65-3	Multi-dose Toxicity: Inhalation-Rat TCLO • 84 mg/m ³ 4 Hour(s) 40 Week(s)-Intermittent; <i>Lungs, Thorax, or Respiration:Fibrosis (interstitial); Liver:Other changes; Kidney, Ureter, and Bladder:Other changes;</i> Inhalation-Rat TCLO • 250 mg/m ³ 2 Hour(s) 24 Week(s)-Intermittent; <i>Lungs, Thorax, or Respiration:Fibrosis, focal (pneumoconiosis)</i>
Crystalline silica (> 0.1%)	14808-60-7	Acute Toxicity: Inhalation-Human TCLO • 16 mppcf 8 Hour(s) 17.9 Year(s)-Intermittent; <i>Lungs, Thorax, or Respiration:Fibrosis, focal (pneumoconiosis); Lungs, Thorax, or Respiration:Cough; Lungs, Thorax, or Respiration:Dyspnea;</i> Inhalation-Rat TCLO • 200 mg/kg; <i>Lungs, Thorax, or Respiration:Fibrosis, focal (pneumoconiosis); Lungs, Thorax, or Respiration:Other changes; Nutritional and Gross Metabolic:Changes in Chemistry or Temperature:Fe;</i> Multi-dose Toxicity: Inhalation-Hamster TCLO • 3 mg/m ³ 6 Hour(s) 78 Week(s)-Intermittent; <i>Lungs, Thorax, or Respiration:Fibrosis (interstitial); Lungs, Thorax, or Respiration:Changes in lung weight;</i> Inhalation-Rat TCLO • 6.2 mg/m ³ 6 Hour(s) 6 Week(s)-Intermittent; <i>Lungs, Thorax, or Respiration:Other changes; Blood:Changes in spleen; Immunological Including Allergic:Increase in cellular immune response;</i> Inhalation-Rat TCLO • 80 mg/m ³ 26 Week(s)-Intermittent; <i>Lungs, Thorax, or Respiration:Fibrosis, focal (pneumoconiosis); Blood:Changes in spleen; Immunological Including Allergic:Decrease in cellular immune response;</i> Mutagen: Micronucleus test • Unreported Route-Hamster • Lung (Somatic cell) • 160 µg/cm ³ ; DNA damage • Unreported Route-Human • Other Cell Type • 120 mg/L 24 Hour(s); Micronucleus test • Unreported Route-Human • Lung (Somatic cell) • 40 µg/cm ³ ; Tumorigen / Carcinogen: Inhalation-Rat TCLO • 50 mg/m ³ 6 Hour(s) 71 Week(s)-Intermittent; <i>Tumorigenic:Carcinogenic by RTECS criteria; Liver:Tumors</i>
Chromium, ion (Cr 6+) (< 0.0005%)	18540-29-9	Acute Toxicity: Ingestion/Oral-Rat TDLo • 0.8 g/kg; <i>Endocrine:Other changes</i>

GHS Properties	Classification
Acute toxicity	OSHA HCS 2012 • No data available
Skin corrosion/Irritation	OSHA HCS 2012 • No data available
Serious eye damage/Irritation	OSHA HCS 2012 • Eye Mild Irritation 2B
Skin sensitization	OSHA HCS 2012 • No data available
Respiratory sensitization	OSHA HCS 2012 • No data available
Aspiration Hazard	OSHA HCS 2012 • No data available
Carcinogenicity	OSHA HCS 2012 • Carcinogenicity 1A
Germ Cell Mutagenicity	OSHA HCS 2012 • No data available
Toxicity for Reproduction	OSHA HCS 2012 • No data available
STOT-SE	OSHA HCS 2012 • Specific Target Organ Toxicity Single Exposure 3: Respiratory Tract Irritation
STOT-RE	OSHA HCS 2012 • Specific Target Organ Toxicity Repeated Exposure 1

Potential Health Effects

Inhalation

Acute (Immediate)

- May cause respiratory irritation. Processes such as cutting, grinding, crushing, or impact may result in generation of excessive amounts of airborne dusts in the workplace. Nuisance dust may affect the lungs but reactions are typically reversible.

Chronic (Delayed)

- Repeated and prolonged exposure to dust may cause lung effects including pneumoconiosis.

Skin

Acute (Immediate)

- Exposure to dust may cause mechanical irritation.

Chronic (Delayed)

- No data available

Eye

Acute (Immediate)

- Causes eye irritation. Excessive concentrations of nuisance dust in the workplace may reduce visibility and may cause unpleasant deposits in eyes.

Chronic (Delayed)

- No data available

Ingestion

Acute (Immediate)

- Excessive concentrations of nuisance dust in the workplace may cause mechanical irritation to mucous membranes.

Chronic (Delayed)

- No data available

Carcinogenic Effects

- This product contains crystalline silica. IARC Monographs on Evaluation of Carcinogenic Risk of Chemicals to Humans (Monograph 68, 1997) concludes that there is sufficient evidence for the carcinogenicity of crystalline silica to humans, IARC (Group I). Crystalline Silica is classified as a Known Carcinogen according to the NTP.

Carcinogenic Effects				
	CAS	OSHA	IARC	NTP
Chromium, ion (Cr 6+)	18540-29-9	Specifically Regulated Carcinogen	Group 1-Carcinogenic	Not Listed
Crystalline silica	14808-60-7	Not Listed	Group 1-Carcinogenic	Known Human Carcinogen

Key to abbreviations

TC = Toxic Concentration

TD = Toxic Dose

Section 12 - Ecological Information

Toxicity

- Non-mandatory section information about this substance not compiled for this reason.

Persistence and degradability

- Non-mandatory section information about this substance not compiled for this reason.

Bioaccumulative potential

- Non-mandatory section information about this substance not compiled for this reason.

Mobility in Soil

- Non-mandatory section information about this substance not compiled for this reason.

Other adverse effects

- Non-mandatory section information about this substance not compiled for this reason.

Section 13 - Disposal Considerations**Waste treatment methods****Product waste**

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	UN number	UN proper shipping name	Transport hazard class (es)	Packing group	Environmental hazards
DOT	Not Applicable	Not Regulated	Not Applicable	Not Applicable	NDA
TDG	Not Applicable	Not Regulated	Not Applicable	Not Applicable	NDA
IMO/IMDG	Not Applicable	Not Regulated	Not Applicable	Not Applicable	NDA
IATA/ICAO	Not Applicable	Not Regulated	Not Applicable	Not Applicable	NDA

Special precautions for user • None specified.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code • Data lacking.

Section 15 - Regulatory Information**Safety, health and environmental regulations/legislation specific for the substance or mixture**

SARA Hazard Classifications • Chronic

State Right To Know		
Component	CAS	PA
5-Chloro-2-methyl-4-isothiazolin-3-one	26172-55-4	No
Chromium, ion (Cr 6+)	18540-29-9	Yes
Crystalline silica	14808-60-7	Yes
Iron oxide	1317-61-9	No

Limestone	1317-65-3	Yes
-----------	-----------	-----

Inventory				
Component	CAS	Canada DSL	Canada NDSL	TSCA
5-Chloro-2-methyl-4-isothiazolin-3-one	26172-55-4	Yes	No	Yes
Chromium, ion (Cr 6+)	18540-29-9	No	No	No
Crystalline silica	14808-60-7	Yes	No	Yes
Iron oxide	1317-61-9	Yes	No	Yes
Limestone	1317-65-3	No	Yes	Yes

Canada

Labor

Canada - WHMIS - Classifications of Substances

• Chromium, ion (Cr 6+)	18540-29-9	Not Listed
• 5-Chloro-2-methyl-4-isothiazolin-3-one	26172-55-4	Not Listed
• Limestone	1317-65-3	D2A
• Iron oxide	1317-61-9	Uncontrolled product according to WHMIS classification criteria D2A (In certain cases, this classification does not apply. For more information, consult the section Substance Specific Issues - Silica, crystalline, encapsulated on Health Canada's WHMIS Division website.)
• Crystalline silica	14808-60-7	

Canada - WHMIS - Ingredient Disclosure List

• Chromium, ion (Cr 6+)	18540-29-9	Not Listed
• 5-Chloro-2-methyl-4-isothiazolin-3-one	26172-55-4	Not Listed
• Limestone	1317-65-3	Not Listed
• Iron oxide	1317-61-9	Not Listed
• Crystalline silica	14808-60-7	1 %

Environment

Canada - CEPA - Priority Substances List

• Chromium, ion (Cr 6+)	18540-29-9	Not Listed
• 5-Chloro-2-methyl-4-isothiazolin-3-one	26172-55-4	Not Listed
• Limestone	1317-65-3	Not Listed
• Iron oxide	1317-61-9	Not Listed
• Crystalline silica	14808-60-7	Not Listed

United States

Labor

U.S. - OSHA - Process Safety Management - Highly Hazardous Chemicals

• Chromium, ion (Cr 6+)	18540-29-9	Not Listed
• 5-Chloro-2-methyl-4-isothiazolin-3-one	26172-55-4	Not Listed
• Limestone	1317-65-3	Not Listed
• Iron oxide	1317-61-9	Not Listed

• Crystalline silica	14808-60-7	Not Listed
U.S. - OSHA - Specifically Regulated Chemicals		
• Chromium, ion (Cr 6+)	18540-29-9	5 µg/m3 TWA (See 29 CFR 1910.1026); 2.5 µg/m3 Action Level
• 5-Chloro-2-methyl-4-isothiazolin-3-one	26172-55-4	Not Listed
• Limestone	1317-65-3	Not Listed
• Iron oxide	1317-61-9	Not Listed
• Crystalline silica	14808-60-7	Not Listed

Environment

U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants

• Chromium, ion (Cr 6+)	18540-29-9	Not Listed
• 5-Chloro-2-methyl-4-isothiazolin-3-one	26172-55-4	Not Listed
• Limestone	1317-65-3	Not Listed
• Iron oxide	1317-61-9	Not Listed
• Crystalline silica	14808-60-7	Not Listed

U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

• Chromium, ion (Cr 6+)	18540-29-9	Not Listed
• 5-Chloro-2-methyl-4-isothiazolin-3-one	26172-55-4	Not Listed
• Limestone	1317-65-3	Not Listed
• Iron oxide	1317-61-9	Not Listed
• Crystalline silica	14808-60-7	Not Listed

U.S. - CERCLA/SARA - Radionuclides and Their Reportable Quantities

• Chromium, ion (Cr 6+)	18540-29-9	Not Listed
• 5-Chloro-2-methyl-4-isothiazolin-3-one	26172-55-4	Not Listed
• Limestone	1317-65-3	Not Listed
• Iron oxide	1317-61-9	Not Listed
• Crystalline silica	14808-60-7	Not Listed

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs

• Chromium, ion (Cr 6+)	18540-29-9	Not Listed
• 5-Chloro-2-methyl-4-isothiazolin-3-one	26172-55-4	Not Listed
• Limestone	1317-65-3	Not Listed
• Iron oxide	1317-61-9	Not Listed
• Crystalline silica	14808-60-7	Not Listed

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs

• Chromium, ion (Cr 6+)	18540-29-9	Not Listed
• 5-Chloro-2-methyl-4-isothiazolin-3-one	26172-55-4	Not Listed
• Limestone	1317-65-3	Not Listed
• Iron oxide	1317-61-9	Not Listed
• Crystalline silica	14808-60-7	Not Listed

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

• Chromium, ion (Cr 6+)	18540-29-9	Not Listed
• 5-Chloro-2-methyl-4-isothiazolin-3-one	26172-55-4	Not Listed
• Limestone	1317-65-3	Not Listed
• Iron oxide	1317-61-9	Not Listed
• Crystalline silica	14808-60-7	Not Listed

U.S. - CERCLA/SARA - Section 313 - PBT Chemical Listing

• Chromium, ion (Cr 6+)	18540-29-9	Not Listed
• 5-Chloro-2-methyl-4-isothiazolin-3-one	26172-55-4	Not Listed
• Limestone	1317-65-3	Not Listed
• Iron oxide	1317-61-9	Not Listed
• Crystalline silica	14808-60-7	Not Listed

United States - California

Environment

U.S. - California - Proposition 65 - Carcinogens List

• Chromium, ion (Cr 6+)	18540-29-9	Not Listed
• 5-Chloro-2-methyl-4-isothiazolin-3-one	26172-55-4	Not Listed
• Limestone	1317-65-3	Not Listed
• Iron oxide	1317-61-9	Not Listed
• Crystalline silica	14808-60-7	carcinogen, 10/1/1988 (airborne particles of respirable size)

U.S. - California - Proposition 65 - Developmental Toxicity

• Chromium, ion (Cr 6+)	18540-29-9	Not Listed
• 5-Chloro-2-methyl-4-isothiazolin-3-one	26172-55-4	Not Listed
• Limestone	1317-65-3	Not Listed
• Iron oxide	1317-61-9	Not Listed
• Crystalline silica	14808-60-7	Not Listed

U.S. - California - Proposition 65 - Maximum Allowable Dose Levels (MADL)

• Chromium, ion (Cr 6+)	18540-29-9	8.2 µg/day MADL (oral)
• 5-Chloro-2-methyl-4-isothiazolin-3-one	26172-55-4	Not Listed
• Limestone	1317-65-3	Not Listed
• Iron oxide	1317-61-9	Not Listed
• Crystalline silica	14808-60-7	Not Listed

U.S. - California - Proposition 65 - No Significant Risk Levels (NSRL)

• Chromium, ion (Cr 6+)	18540-29-9	Not Listed
• 5-Chloro-2-methyl-4-isothiazolin-3-one	26172-55-4	Not Listed
• Limestone	1317-65-3	Not Listed
• Iron oxide	1317-61-9	Not Listed
• Crystalline silica	14808-60-7	Not Listed

U.S. - California - Proposition 65 - Reproductive Toxicity - Female

• Chromium, ion (Cr 6+)	18540-29-9	Not Listed
• 5-Chloro-2-methyl-4-isothiazolin-3-one	26172-55-4	Not Listed
• Limestone	1317-65-3	Not Listed
• Iron oxide	1317-61-9	Not Listed
• Crystalline silica	14808-60-7	Not Listed

U.S. - California - Proposition 65 - Reproductive Toxicity - Male

• Chromium, ion (Cr 6+)	18540-29-9	Not Listed
• 5-Chloro-2-methyl-4-isothiazolin-3-one	26172-55-4	Not Listed
• Limestone	1317-65-3	Not Listed
• Iron oxide	1317-61-9	Not Listed
• Crystalline silica	14808-60-7	Not Listed

United States - Pennsylvania

Labor**U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List**

• Chromium, ion (Cr 6+)	18540-29-9	
• 5-Chloro-2-methyl-4-isothiazolin-3-one	26172-55-4	Not Listed
• Limestone	1317-65-3	Not Listed
• Iron oxide	1317-61-9	Not Listed
• Crystalline silica	14808-60-7	Not Listed

U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances

• Chromium, ion (Cr 6+)	18540-29-9	Not Listed
• 5-Chloro-2-methyl-4-isothiazolin-3-one	26172-55-4	Not Listed
• Limestone	1317-65-3	Not Listed
• Iron oxide	1317-61-9	Not Listed
• Crystalline silica	14808-60-7	Not Listed

Other Information

- WARNING: This product contains a chemical known to the State of California to cause cancer.

Section 16 - Other Information**Revision Date**

- 15/February/2016

Preparation Date

- 15/February/2016

Disclaimer/Statement of Liability

- Reasonable care has been taken in the preparation of this information, but the supplier gives no warranty of merchantability or of fitness for a particular purpose. Any product purchased is sold on the assumption the purchaser will make his own tests to determine the quality and suitability of the product. Supplier expressly disclaims any and all liability for incidental and/or consequential property damage arising out of the use of this product. No information provided shall be deemed to be a recommendation to use any product in conflict with any existing patent rights. Read the Safety Data Sheet before handling product.

Key to abbreviations

NDA = No Data Available