



## It's ALWAYS been a way of life...

#### **Contents**

Perma-Loc* Uplift Solution	5
The PermaCast*Plus Column Collection	6
PermaCast*Plus RoughSawn*	8
PermaCast*Plus Square Columns	9
PermaCast*Plus Recessed Panel Columns	10
PermaCast Plus Craftsman Columns	11
PermaCast*Plus Round Tapered Columns	12
PermaCast*Plus Fluted Round Columns	13
PermaCast Plus Round No-Taper Columns	13
Perma Capitals and Bases	
Decorative Capitals	16
Helpful Hints	17
PermaLite* Columns	18
Smart Columns	22
PermaSnap™ Column Wrap	23
PermaWrap™ PVC Columns	24
WoodGrain PVC Columns	25
PermaWrap™ Dimensions	
Wood Columns	30
Capital and Base Options for Wood Columns	31
The PermaPost® Collection	32
Wood Porch Posts	34
The HB&G PermaRail Plus Collection	
The HB&G PermaRail Plus Collection	39
The HB&G PermaRail Plus Collection	39 44
The HB&G PermaRail Plus Collection	39 44 45
The HB&G PermaRail Plus Collection	39 44 45
The HB&G PermaRail* Plus Collection	39 44 45 46
The HB&G PermaRail* Plus Collection	39 44 45 46 46 47
The HB&G PermaRail* Plus Collection	39 44 45 46 46 47

The traditional American front porch... it's where we welcome friends and family into our home. It's where we sit and enjoy their company. It's the place where we go to escape the stress of daily life and take the time to sit back, relax, and enjoy life.

The last thing you want to worry about is the work required to keep your porch beautiful, and that's where HB&G can offer you the solution of a lifetime.

HB&G offers a wide variety of porch and outdoor living products to help you create the design that best suits your way of life. Best of all, many of our products require little or no maintenance and come with a solid warranty.

The following pages include everything you need to know to build a beautiful, enduring structure that will improve the quality of your life.

### **SINCE 1880** —




#### **Building Code Compliance**


HB&G has updated our product testing to comply with changes to the Building Codes (IBC/IRC) and to the Acceptance Criteria for Fiberglass Columns. The 2 major changes that impacted PermaCast®Plus and PermaLite® were:

- Eccentric Axial Loading the new maximum allowable load values are based on eccentric (offset) axial load as opposed to concentric (centered) axial loading.
- Increased Safety Factor the safety factor on the allowable load was increased from 2.5 times to 5 times


Eccentric loading of columns is not recommended by HB&G.




Acceptable Applications



Unacceptable Applications



Acceptable Applications



Unacceptable Applications

HB&G recommends following the installation instructions included with the product purchased. HB&G structural products conform to 2018 IBC/IRC.

#### Round Tapered PermaCast\*Plus Plain and Fluted

Eccentric Loading										
Bottom Avg. Allowable Avg. Ultimate Concentri										
Diameter	Load (Lbs.)	Load (Lbs.)	Load (Lbs.)							
6"	4,580	22,900	8,000							
8"*	4,600	23,000	10,000							
10"*	4,690	23,450	14,000							
12"*	4,800	24,000	18,000							
14"	7,800	39,000	20,000							
16"	8,250	41,250	20,000							
18"	10,000	50,000	20,000							
20"	10,000	50,000	20,000							
22"	10,000	50,000	20,000							
24"	10,000	50,000	20,000							
28"	10,000	50,000	20,000							
30"	10,000	50,000	20,000							

#### Square PermaCast\*Plus Plain, Fluted, RoughSawn\*, and Recessed Panel

6"*	5,100	25,500	8,000
8"*	5,150	25,750	10,000
10"*	5,640	28,200	14,000
12"*	5,900	29,500	18,000
14"	8,500	42,500	20,000
16"	9,500	47,500	20,000

## Round No-Taper PermaCast\*Plus Plain and Fluted 8" 4,590 22,950 10,000

O	1,000	22,000	10,000
10"	4,670	23,350	14,000
12"	4,750	23,750	18,000
14"	7,000	35,000	20,000
16"	7,000	35,000	20,000
18"	7,000	35,000	20,000
24"	9,000	45,000	20,000

#### Craftsman Plain and RoughSawn® PermaCast®Plus

10" x 5.5" x 66"	9,000	45,000	10,000
10" × 8" × 66"	9,000	45,000	10,000
10.25" x 7.5" x 7'	7,000	35,000	10,000
12" x 8" x 5'	8,000	40,000	14,000
12" × 8" × 6'	8,000	40,000	14,000
12" × 8" × 66"	8,000	40,000	14,000
12" × 10" × 6'	8,000	40,000	14,000
12" × 10" × 10'	8,000	40,000	14,000
14" × 12" × 9'	8,000	40,000	14,000
16" × 9" × 6'	9,000	45,000	14,000
16" × 9" × 8'	9,000	45,000	14,000
16" × 9" × 58"	9,000	45,000	14,000
16" × 12" × 6'	9,000	45,000	14,000
16" x 12" x 8'	9,000	45,000	14,000
Square PermaLi	ite® Panel		

6"	3,000	15,000	5,000	
8"	3,000	15,000	6,500	
10"	3,000	15,000	7,000	

\*Covered in accordance with ICC ESR-1361 / FL# 3102

Conforms with 2018 IBC/IRC

Note - Eccentric (off-center) loading has a 5 times safety factor.
- Eccentric (off-center) loading of columns is not covered by the warranty.

od Columr
2,000
3,200
4,200
5,100
aPost®

5" Colonial

6" Colonial

5" Square


6" Ch	amfered	5,000
W	ood Por	ch Posts
	1"	1.000

5,000

5,000

<sup>5&</sup>quot; 3,000 6" 5,800


<sup>\*</sup>Concentric loading Conforms with 2018 IBC/ IRC



#### **Selection**

HB&G offers the widest selection of porch products available on the market. With a variety of sizes and styles, HB&G has the porch accessories to meet the needs of any project.





#### **Ease of Use**

Time is money. With HB&G products, not only do you save time on the installation, you'll also save a considerable amount of money maintaining your porch accessories over the lifetime of the product. Many of the HB&G products can be installed in  $\frac{1}{3}$  of the time of traditional wood products.



#### The PermaPorch® Package

It's an effective way to coordinate all of your porch accessories. At HB&G, you will find an entire line-up of products that are made to work together, creating a beautiful, seamless, and cost-effective addition to your home. Enjoy the lasting beauty of columns, posts railing and balustrade systems and much, much more, all from the company that is setting new standards in porch products and accessories.







### **The HB&G Uplift Anchoring System**

Our uplift anchoring system from HB&G® is versatile, easy to install and affordable. The code compliant hardware kits provide the function needed to protect column supported projecting roof lines from wind uplift forces, while solving for common coastal challenges for residential, commercial and municipal installations.


#### Perma-Loc® Features and Benefits:

- 4,200 lb strength galvanized aircraft cable combined with 316 stainless steel marine-grade attachment hardware for optimal uplift resistance.
   Exceeds the required capacity for 1,000 lb. uplift.
- Perma-Loc® eliminates the need to split a column, along with all of the labor and material costs associated with splitting and re-joining two column halves.
- All hardware is included for concrete substrate applications.
- Available in three sizes: up to 12', 16', and 20' lengths.
- Extremely cost-effective and versatile application that covers the entire spectrum of HB&G load bearing products.
- Patented design accompanied by certified/stamped engineering documentation.
- Florida Department of Business and Professional Regulation approved #37300.



## The **PERMA**Cast Plus Column Collection

- Weather Proof.
- Insect Proof.
- Load Bearing.
- Low Maintenance.
- Ready to Prime and Paint.
- Limited Lifetime Warranty.\*
- Custom Fluting Available.




#### **Architectural Accuracy**

In the first century B.C., Vitruvius, a Roman architect and engineer, wrote what has become the most influential work on classic form. In it, he elaborates on the discovery by the ancient Greeks of entasis, a

gradual tapering of the upper two-thirds of the round column which offsets the undesirable illusion from eye level that the column shaft grows larger as it ascends. HB&G round columns hold true to this classic form. HB&G PermaCast®Plus Columns are available in round or square. The round columns are fluted or plain, with or without the classic tapering of the upper two-thirds of the column. Square columns are available in a variety of styles as well, including plain or fluted,

applied panel, recessed panel, or the Craftsman style column. Our capitals and bases are made from durable low maintenance materials; and, like the columns, they maintain architectural authenticity and historical accuracy.



<sup>\*</sup>Products shown have been finished for demonstration purposes. PermaCast®Plus and RoughSawn® Columns ship unfinished.

See pages 15 and 16 for cap and base dimensions.

## PERMACast®Plus RoughSawn®

- Made of Structural Fiberglass.
- Will not Check, Twist, Split or Rot.
- Load Bearing.
- Can be Stained using a Solid Body Acrylic Stain or Painted.
- Weather and Insect Proof.
- Low Maintenance.
- Easy Installation.
- Limited Lifetime Warranty.\*




The beauty of wood



#### Without the issues:

· Checking, splitting, twisting...



#### **CRAFTSMAN ROUGHSAWN®**

Size	А	В	С	D	Е	F
10" x 6"	93/4"	53/4"	12½"	87/8"	31/2"	66"
12" x 8"	113/4"	73/4"	141/2"	103/4"	3½"	66"

#### **SQUARE ROUGHSAWN®**

Size	А	В	С
8"	73/4"	91/4"	8',9',10'
10"	93/4"	111⁄4"	8',9',10',12'
12"	113/4"	131/4"	8',9',10',12'

<sup>&</sup>quot;C" is cap/base (2 sizes available / sold separately)

Trim sizes are available and can be used as both cap and base based on preference.

<sup>\*</sup>See Warranty

<sup>\*\*</sup>Products shown have been stained for demonstration purposes. RoughSawn® columns are shipped unfinished.


## Square **PERMA**Cast<sup>®</sup>Plus Columns

#### **SQUARE PERMACAST®PLUS INSIDE DIMENSIONS**

Inside dimensions may vary up to 1/4". Splitting a column will decrease inside dimension 1/8".


Column Size	Inside	
6"	53/8"	
8"	65/8"	<b>↑</b>
10"	9"	Inside Dimension
12"	11"	J
14"	13"	
16"	15"	

#### PANEL MOULDING FOR SQUARE PERMACAST®PLUS



#### Plumb-Fit®

To make installation even easier our 6"-12" round and square poly Tuscan Cap and Base Sets with flashing cap come with the patented (Patent 9689674) Plumb-Fit® installation system included.



PermaCast®Plus Square Column shown fluted with Poly Tuscan Cap and Base.

PermaCast®Plus Square Column shown plain with Poly Tuscan Cap and Base.


#### SQUARE PERMACAST®PLUS COLUMN DIMENSIONS (IN INCHES)\*

Column Size	А	С	D	Е	F	G	J	K	L	Ν	0	R	Lengths Available (ft.)
6"	6"	91/8"	17/16"	15/16"	9/16"	1"	11/4"	13/8"	91/8"	N/A	N/A	35/16"	6,8,9,10
8"	8"	111/8"	17/8"	13/4"	5/8"	1"	11/4"	1½"	10 15/16"	5"	31/8"	41/4"	6, <mark>8,9,10</mark> ,12
10"	10"	13½16"	23/8"	23/16"	3/4"	1"	11/4"	13/4"	12¾"	3¾"	41/8"	57/16"	51" 6,8,9 <mark>,10</mark> ,12 14,16
12"	12"	16%"	213/16"	23/8"	7/8"	1"	11/8"	23/16"	16%"	N/A	N/A	61/16"	8,9,10,12,14,16,18
14"	14"	19¾"	3%"	21/8"	11/16"	11/8"	21/16"	2½"	191/16"	N/A	N/A	7 9/16"	8,10,12,14
16"	16"	221/8"	3%"	33/8"	13/16"	11/8"	23/8"	23/4"	21½"	N/A	N/A	87/16"	8,10,12,14 16,18,20

- \*There may be a variance of up to 1/4" in all dimensions.
   Split columns are not load bearing. See page 16 for Decorative Capital dimensions.

#### **Versatility of Square Columns**

The design and versatility of an HB&G square column has enhanced its popularity with today's architects. The HB&G Square PermaCast®Plus column lineup includes plain, recessed panel, fluted, and Craftsman styles. An unlimited combination of styles can be achieved by various uses of the panel moulding, neck moulding, and caps and bases. Additionally, the plain square column is not tapered and can be cut to any height without affecting the fit of the caps and bases.




## Recessed Panel PERMACast®Plus Columns


#### **RECESSED PANEL INSIDE DIMENSION**

Inside dimension may vary up to 1/4".

Column Size	Inside
8"	5%"
10"	7½"
12"	9½"
14"	11"



Recessed Panel columns must be primed with a quality bonding primer before finishing with a quality top coat of paint.




Square Column with Poly Tuscan Cap and Base.

#### SQUARE RECESSED PANEL PERMACAST®PLUS COLUMN DIMENSIONS (IN INCHES)\*

Column Size	А	С	D	E	F	G	J	K	L	Ν	0	R		Recess Depth	Lengths Available (ft.)
8"	8"	111/8"	11/8"	13/4"	5/8"	1"	13/8"	13/8"	1015/16"	12"	7"	41/4"	1½"	1/2"	8,9,10
10"	10"	213/16"	23/8"	25/16"	3/4"	1"	13/4"	13/4"	12¾"	14½"	8½"	57/16"	1½"	1/2"	8,9,10
12"	12"	16%"	213/16"	23/8"	7/8"	1"	23/16"	1611/16"	16¹½16"	18"	10½"	6½16"	21/4"	9/16"	8,9,10,12,14
14"	14"	19¾"	3%"	21/8"	1½16"	11/8"	2½"	1911/16"	191/16"	21½"	121/4"	79/16"	2%"	11/16"	8,10,14

See page 16 for Decorative Capital dimensions.

\*Pacassad Panal calumns are not solit







#### **CRAFTSMAN INSIDE DIMENSION**

Inside dimension may vary up to 1/4". Splitting a column will decrease inside dimension 1/8".

Column Size	Тор	Bottom
10" x 5½"	4½"	9"
10¼" × 7½"	7"	9"
10" x 8"	7"	8½"
12" × 8"	6½"	11"
12" × 10"	9"	11"
14" x 12"	11"	13"
16" × 9"	8"	15"
16" × 9"	11"	15"





Neck mould is adjustable and


can be applied anywhere on column.

#### **CRAFTSMAN COLUMN DIMENSIONS (IN INCHES)**

	А	В	С	D	Е	F	G	J	K	L	R	Length
10" x 5½	10"	10"	13%"	2½"	2½"	1"	1"	13/8"	13/8"	9%"	5%"	66"
10¼" x 7½"	101/4"	101/4"	13½"	23/8"	21/4"	3/4"	1"	1"	1"	101/4"	5¾"	7'
10" x 8"	9½"	9½"	12¾"	23/8"	21/8"	3/4"	1"	1"	13/8"	101/4"	51/4"	66"
12" x 8"	12"	12"	16%"	2½"	2½"	1½6"	1"	11/4"	1½"	10 15/16"	61/16"	5', 6'
12" x 10"	12"	12"	16%6"	2½"	2½"	1½6"	1"	1"	13/8"	12¾"	61/16"	6', 10'
*14" x 12"	14"	14"	18¾"	33/8"	3"	1"	1"	15/8"	2"	171/8"	73/8"	9'
16" × 9"	16"	16"	191/16"	2½"	2½"	1½6"	1"	13/8"	13/8"	131/4"	61/16"	6', 8' 58"
16" x 12"	151⁄4"	151⁄4"	21½"	3%"	35/16"	1¾16"	1"	13/8"	2"	15¼"	83/8"	6', 8'

 $^*\mbox{Has 1/3"}$  to 2/3" taper. NOTE: Neck mould is not applied. Flashing and Installation Kit is not available for Craftsman Columns with Poly Tuscan cap and base sets.

· Split columns are not load bearing.





## Round Tapered **PERMA**Cast<sup>®</sup>Plus Columns

#### ROUND PERMACAST\*PLUS COLUMN DIMENSIONS (IN INCHES)\*

Col. Size	А	В	С	D	Е	F	G	J	K	L	0	N	R	Т	Lengths Avail. (ft.)
6"	55/8"	45/8"	9"	17/16"	11/4"	5/8"	3/4"	11/4"	13/8"	8"	1"	61/4"	35/16"	47/16"	4, 6, 8
8"	75/8"	61/4"	101/2"	17/8"	13/4"	3/4"	13/16"	11/4"	11/2"	91/4"	1/2"	21/4"	43/8"	4½"	5, 6, 8 9, 10
10"	95/8"	81/8"	131/8"	23/8"	21/8"	3/4"	13/16"	11/4"	13/4"	111/4"	5/8"	21/4"	51/4"	5"	6, 8, 9 10, 12
12"	115/8"	93/8"	161/2"	27/8"	23/8"	7/8"	13/16"	13/4"	21/4"	133/4"	3/4"	25/8"	61/8"	53/4"	6, 8, 9, 10 12, 14, 16, 18
14"	135/8"	115/8"	191/2"	33/8"	33/8"	11/8"	1"	2"	27/8"	17"	7/8"	25/8"	73/4"	7"	<mark>8,</mark> 9, <mark>10, 12</mark> 14, 16, 18
16"	153/4"	135/8"	22"	37/8"	33/8"	11/8"	13/16"	21/4"	25/8"	195/8"	1"	3"	83/8"	8"	8, 10, <mark>12</mark> , 14 16, 18, 20
18"	171/2"	153/8"	245/8"	4"	4"	15/8"	17/16"	23/4"	31/8"	223/8"	11/2"	103/4"	95/8"	87/8"	8, 10, 12, 14, 16 20, 22, 24, 26
20"	19½"	17¾6"	27"	43/4"	4½"	2"	17/16"	27/8"	33/8"	2415/16"	11/2"	103/4"	111/4"	9"	10, 12, 14, 16 18, 20, 22, 24
22"	215/8"	191/4"	301/4"	5"	5"	2"	17/8"	3"	33/4"	27½"	11/2"	103/4"	12"	101/4"	16, 18, 20, 22, 24, 26
24"	235/8"	211/4"	33½"	6"	61/4"	61/4"	2"	3½"	4"	305/8"	11/2"	103/4"	13½"	11¹516"	12, 14, 16, 18, 20, 22, 24, 26, 28, 30
28"	28"	241/8"	38"	63/4"	6½"	23/4"	21/4"	31/4"	47/8"	333/8"	11/2"	103/4"	15½"	113/4"	20, 22, 24, 26, 28
30"	295/8"	26½"	411/8"	6½"	57/8"	2½"	3"	4"	45/8"	38¼"	1½"	103/4"	141/8"	147/8"	20, 22, 24 26, 28, 30

\*There may be a variance of up to 1/4" in all dimensions. Fluted columns available in all diameters. See page 14 for Parallel dimensions. See page 16 for Decorative Capital dimensions.

#### Plumb-Fit®

To make installation even easier our 6"-12" round and square poly Tuscan Cap and Base Sets with flashing cap come with the Plumb-Fit® patented (Patent 9689674) installation system included.



### ROUND PERMACAST\*PLUS INSIDE DIMENSIONS

Inside dimension may vary up to 1/8".

Splitting a column will decrease inside dimension 1/8".


_	nsid	_
Di	ame	ter

Column Size	Top I.D.	Bottom I.D.
6"	3 1/8"	47/8"
82"	3½"	6%"
10"	73/8"	8%"
12"	8%"	10 1/8"
14"	10 1/8"	121/8"
16"	12 1/8"	15"
18"	14½"	16%"
20"	165/16"	18%"
22"	18¾"	2013/16"
24"	20"	223/8"
28"	22%"	26¾"
30"	25¼"	283/8

<sup>\*</sup>Plain columns only


The HB&G Porch Installation Bracket includes the bracket and all required hardware. The bracket fits 20" - 30" Plain Round PermaCast®Plus Columns and will secure a 2nd story porch to our PermaCast®Plus Columns. Three brackets are required for each column.

Poly Tuscan Cap



Poly Tuscan Base Plain Column.


#### Poly Tuscan Cap




Poly Tuscan Base Fluted Column.


Standard Fluted Column (Fluted in mold)Split columns are not load bearing.

### Fluted Round Tapered **PERMA**Cast<sup>®</sup>Plus Columns



PermaCast®Plus No-Taper Column with Poly Tuscan Cap and Base.





## HB&G Offers Two Distinctive Types of Flutes.

**Stock Molded Flute:** Available in diameters of 8" x 8' - 16" x 10' columns (See price guide for specific lengths available.) The stock molded flute is part of the manufacturing process and cannot be altered.

**Custom Flute:** The custom flute is milled after the column is manufactured and can be modified to your specific length. All round PermaCast®Plus columns, 6"x 4' - 30"x 30', are available with an optional custom flute. (Call a customer service representative for pricing and lead times.) Adjusted Flutes available.

\*Inside dimension may vary from "Stock" Flutes



#### **Round No-Taper PermaCast®Plus Columns**


#### ROUND NO-TAPER PERMACAST®PLUS COLUMN DIMENSIONS (IN INCHES)

Col. Size	А	В	С	D	Е	F	G	J	K	L	Lengths Available. (ft.)
8"	75/8"	75/8"	10½"	17/8"	13/4"	3/4"	3/4"	11/4"	11/2"	105/8"	6, 8, 9, 10
10"	95/8"	95/8"	131/8"	23/8"	21/8"	3/4"	3/4"	11/4"	2"	12%"	6, 8, 9, 10, 12
12"	115/8"	115/8"	16½"	23/4"	23/8"	7/8"	3/4"	11/4"	2"	151/8"	6, 8, 9, 10, 12
14"	135/8"	135%"	19½"	3%"	31/8"	11/8"	1"	21/4"	3"	191/8"	6, 8, 9, 10, 12, 14
16"	15¾"	15¾"	22"	37/8"	31/2"	11/4"	1"	21/4"	23/4"	22"	6, 8, 9, 10, 12, 14, 16, 18, 20
18"	171/2"	171/2"	245/8"	4"	4"	15/8"	13⁄6"	23/4"	31/8"	245/8"	6, 8, 9, 10, 12, 14, 16, 18, 20
24"	24"	24"	33½"	53/4"	51/4	2%	21/8	3½"	41/8"	33%"	8, 9, 10, 12, 14, 16, 20, 24, 26, 28, 30

Neck mould not included.


Flashing and Installation Kit not available with No-Taper Tuscan cap and base sets.

• Split columns are not load bearing.





HB&G's number one goal is finding ways that we can save you time and make your life easier.




## PermaCast®Plus PermaFlashing and Installation Kit

The PermaCast®Plus flashing with Plumb-Fit® and installation kit is available in selected Tuscan cap and base sets.\* This innovation will not only save time but will keep the elements out of the column and secure the top and bottom of the column.


\*Not available in Tuscan cap and base sets for Craftsman, No-taper, PermaLite®, and Wood columns.

HB&G offers a split kit and a split kit with flange option with an improved adhesive. These kits can be purchased separately.









17040 Standard Installation Kit.

where the column begins to taper. These dimensions use length from the bottom of the column shaft to the point where the taper begins. This is necessary to determine how much a column can be shortened before the base begins to fit loosely. Filler and caulking may be used to fill the gap between the base and shaft if it is necessary to shorten the column beyond the parallel dimension.

#### **PARALLEL DIMENSIONS\***

Column Size	Parallel Dim.
6 x 4	0"
6×6	9"
6 x 8	32"
8 x 5	12"
8×6	24"
8 x 8	32"
8×9	28"
8 x 10	40"
10 x 6	8"
10 x 8	32"
10 x 9	28"
10 x 10	40"
10 x 12	48"
12 x 6	8"
12 x8	32"
12 × 9	20"
12 x 10	32"
12 x 12	48"
12 x 14	25"
12 x 16	40"
12 x 18	73"
14 x 8	32"
14 x 9	12"
14 x 10	24"
14 x 12	48"
14 x 14	27"
14 x 16	51"
14 x 18	75"
16 x 8	16"
16 x 10	40"
16 x 12	29"
16 x 14	53"
16 x 16	36"
16 x 18	60"
16 x 20	84"
18 x 8	0"
18 x 10	16"
18 x 12	40"
18 x 14	48"
18 x 16	36"

Column Size	Parallel Dim.
18 x 18	60"
18 x 20	84"
18 x 22	49"
18 x 24	73"
18 x 26	97"
20 x 10	0"
20 x 12	0"
20 x 14	0"
20 x16	4"
20 x 18	28"
20 x 20	52"
20 x 22	76"
20 x 24	100"
22 x 16	45"
22 x 18	69"
22 x 20	93"
22 x 22	53"
22 x 24	77"
22 x 26	101"
24 x 12	21"
24 x 14	45"
24 x 16	69"
24 x 18	93"
24 x 20	75"
24 x 22	99"
24 x 24	123"
24 x 26	77"
24 x 28	101"
24 x 30	125"
28 x 20	20"
28 x 22	44"
28 x 24	68"
28 x 26	92"
28 x 28	116"
30 x 20	92"
30 x 22	116"
30 x 24	140"
30 x 26	75"
30 x 28	99"
30 x 30	123"

Column Size	Parallel Dimensions			
6 x 4	5 3/8"			
18 x 8	17 1⁄4"			
20 x 10	18 11/16"			
20 x 12	18 5/16"			
20 x 14	191⁄4"			


\*For Tapered Round Columns

## **PERMA** Capitals and Bases

Choosing the right cap and base for your columns is as important as the selection of the column itself. The right cap and base can define the style of the front porch and create an atmosphere that compliments your lifestyle. The cap and base options offered by HB&G are shown on page 7. Please refer to the following data that corresponds with your cap and base selection to ensure that you end up with the products that work best for you.

#### **Capital and Base Options**

Most capitals and bases for PermaCast®Plus columns are made of polyurethane and are decorative. The shaft fits through the center of the capital and base and does not alter the height of the shaft. Decorative capitals for round PermaCast\*Plus columns will add to the overall height of the column itself.



Attic Base

#### Crown Cap



#### **Attic Base**

Attic Bases are used for a more ornate look and come in 1 or 2 pieces depending on their size.





#### **Crown Cap**

Available for PermaCast\*Plus Square shafts 6-12".

#### **Colonial Cap and Base**

**Beveled Cap and Base** 

Referred to as our low profile cap and base, the Colonial is designed specifically for use in applications where railing will be attached to the column. Available for PermaCast\*Plus round and square shafts 6"-12".

Designed to deliver a popular, more


contemporary appearance, beveled caps and bases are available for PermaCast®Plus Square shafts 6-12". PermaTuff® Base and Poly Cap A durable hard shell base combined

with a poly cap. Designed for high

traffic applications. Available for PermaCast®Plus round shafts 8"-12".


**Tuscan Cap and Bases** 

Round Colonial Base





Square Colonial Cap





#### Square Colonial Base






compliments the PermaCast\*Plus column. The Tuscan is available for all round and square shafts. For dimensions see pages 9-10, 12-13, and 16.



#### **Decorative Capital**

Five styles of decorative capitals are available for all round tapered and square shafts. Using a decorative capital with a round PermaCast\*Plus shaft will add to the overall height of the column itself. Decorative capitals do not alter the height of the shaft when used on a square PermaCast\*Plus Column.



#### **DIMENSIONS OF ATTIC BASE FOR ROUND AND SQUARE COLUMNS**

Column Size		Round	d Attic		Column Size	Square Attic				
	С	DD	EE	R		С	DD	EE	R	
6"	85/16"	13/8"	23/4"	41/8"	6"	87/16"	13/8"	21/8"	41/4"	
8"	101/8"	17/8"	31/4"	51/8"	8"	11"	17/8"	31/4"	51/8"	
10"	13"	2½"	3%"	63/8"	10"	13%"	23/8"	4"	63/8"	
12"	161/8	3"	4½"	7½"	12"	17"	23/4"	4½"	7½"	
14"	19¼"	33/8"	53/8"	83/4"	14"	N/A	N/A	N/A	N/A	
16"	213/4"	4"	6½"	10½"	16"	221/4"	4"	6%"	105/8"	
18"	25"	43/8"	71/4"	115⁄8"	18"	N/A	N/A	N/A	N/A	
20"	2711/16"	47/8"	81/4"	131/8"	20"	N/A	N/A	N/A	N/A	
22"	301/4"	53/8"	91/4"	145/8"	22"	N/A	N/A	N/A	N/A	
24"	33½"	6"	101/4"	161/4"	24"	N/A	N/A	N/A	N/A	
28"	38"	6¾"	113/8"	181⁄8"	28"	N/A	N/A	N/A	N/A	
30"	411/4"	6½"	111/4"	17¾"	30"	N/A	N/A	N/A	N/A	

#### **CROWN CAP\* FOR SQUARE COLUMN DIMENSIONS**

Column Size	К	J	L
6"	19/16"	25/16"	11¼"
8"	19/16"	25/16"	131/4"
10"	19/16"	25/16"	151/4"
12"	19/16"	25/16"	171⁄4"

<sup>\*</sup>Made from Polyurethane

#### COLONIAL ROUND CAP AND BASE DIMENSIONS\*

Col. Size	С	D	Е	F	J	K	L	R
6"	71/4"	13/8"	11/4"	1/4"	1"	11/4"	7"	21/8"
8"	91/8"	1½"	15/16"	1/4"	1½16"	13/8"	9"	3"
10"	111/8"	1½"	11/4"	1/4"	1½16"	13/8"	109/16"	3"
12"	131⁄8"	1½"	11/4"	1/4"	1½16"	13/8"	12"	3"

#### **COLONIAL SQUARE CAP AND BASE DIMENSIONS\***


Col. Size	С	D	Е	F	J	K	L	R
6"	81/4"	13/8"	15/16"	3/16"	1"	13/8"	81/4"	21/8"
8"	10 %"	11/4"	1½16"	7/16"	<sup>15</sup> / <sub>16</sub> "	1"	9 15/16"	2¾"
10"	12%"	11/4"	15/16"	3/16"	1"	13/8"	12 5/8"	2¾"
12"	14%"	11/4"	1"	1/2"	1"	13/8"	14%"	2¾"


#### **BEVELED CAP & BASE SET\***


Size	А	В	С
6"	6"	8¼"	3½"
8"	8"	101/4"	3½"
10"	10"	121/4"	5½"
12"	12"	14¼"	5½"

<sup>\*</sup>For Square PermaCast\*Plus Columns. See Installation Kit on page 14









#### **DORIC CAP AND BASE DIMENSIONS**

Column Size	С	D	Е	F	J	K	L	R
8"	101/8"	11/8"	15⁄8"	7/8"	1"	13/8"	10"	4 7/16"
10"	125/16"	23/8"	21/16"	11/8"	15/16"	111/16"	12½"	5 9/16"
12"	15½"	2%"	2½"	13/8"	19/16"	2"	15"	611/16"
14"	18"	35/16"	21/8"	19/16"	113/16"	2¾"	17½"	7 13/16"
16"	20"	33/4"	3"	21/4"	19/16"	23/4"	20½"	9"
18"	231/4"	4"	3½"	2½"	13/4"	3"	23%"	10"

## TUSCAN PERMATUFF® BASE AND POLY CAP DIMENSIONS

Column Size	С	D	Е	F	G	Н
8"	101/4"	17⁄8"	23/8"	91/4"	1½"	11/4"
10"	12 1/8"	2¾"	21/8"	111⁄4"	13/4"	11/4"
12"	15¼"	23/4"	31/4"	13¾"	21/4"	13/4"

<sup>\*</sup>Not Available Split


#### DECORATIVE CAPITAL DIMENSIONS FOR ROUND TAPERED AND SQUARE COLUMNS (IN INCHES)

Size of	6	)"	8	3"	10	)"	12	2"	14"	16	5"	18"	20"	22"	24"	28"	30"
Column	Round	Square	Round	Square	Round	Square	Round	Square	Round	Round	Square	Round	Round	Round	Round	Round	Round
Height  Abacus Projection O/S to O/S Inside Dia.*	N/A	3 <sup>13</sup> / <sub>16</sub> " 10½" 3½" 12½"	3 <sup>15</sup> / <sub>16</sub> " 8½" 3½" 10½" 2 <sup>5</sup> / <sub>8</sub> "	41/8" 11 <sup>11</sup> /16" 3" 13 <sup>15</sup> /16	4" 10 <sup>3</sup> / <sub>4</sub> " 41/ <sub>8</sub> " 13 <sup>9</sup> / <sub>16</sub> " 41/ <sub>2</sub>	4½" 14¾" 4½" 17¼"	45/8" 121/2" 5" 161/2" 5"	6¼" 16%" 6¼" 23%"	55/8" 171/8" 77/8" 22/16" 111/4"	6 <sup>3</sup> / <sub>4</sub> " 19 <sup>13</sup> / <sub>16</sub> " 8" 24 <sup>3</sup> / <sub>8</sub> " 14"	87/8" 26" 81/2" 321/8"	9½" 25¼" 11¼" 31¾" 15½"	10%6" 25¼" 11¼" 31¾" 17"	95/16" 233/16" 10" 33" 191/4"	9%6" 263%" 9%8" 34" 2134"	N/A	N/A
Height  One of the projection  One of the projection  One of the projection  One of the projection  Height  One of the projection  One of the projection  One of the projection  One of the projection  One of the projection	N/A	5½" 11" 45⁄8" 14½"	41/8" 715/16" 35/8" 117/8" 25/8"	61/4" 125/8" 47/8" 179/16"	55%" 1011/16" 5" 1415/16" 41/2	6¾" 16" 5½" 20½"	6%6" 143%" 7½" 2011/16" 5"	9½" 17¾" 7½" 26¾"	6¾" 15½" 6½" 20½" 11¼"	10 <sup>3</sup> / <sub>8</sub> " 22½" 10¼" 29¼" 14"	11" 26 <sup>15</sup> /16" 10 <sup>3</sup> /4" 36 <sup>3</sup> /16"	105/16" 223/16" 91/2" 291/8" 151/2"	113/8" 251/4" 111/4" 313/4" 17"	131/8" 29" 151/2" 431/2" 191/4"	131/8" 29" 151/2" 431/2" 213/4"	N/A	19¼" 42½" 19½" 60¾" 26½"
Height Abacus Projection O/S to O/S Inside Dia.*	N/A	87/16" 121/8" 43/8" 121/8"	8" 117/8" 51/2" 117/8" 25/8"	11½" 15½" 5½" 15½"	10 <sup>1</sup> / <sub>1</sub> 6" 13 <sup>7</sup> / <sub>1</sub> 6" 6" 13 <sup>7</sup> / <sub>1</sub> 6" 4 <sup>1</sup> / <sub>2</sub> "	137/8" 21 <sup>13</sup> /16" 8" 21 <sup>13</sup> /16"	115/8" 16/46" 7" 16/46" 5"	20½" 25¾" 9¾" 25¾"	161/4" 231/4" 107/8" 233/8" 111/4"	181/4" 26" 111/8" 26" 14"	21 <sup>15</sup> /16" 29 <sup>15</sup> /16" 9 <sup>3</sup> /4" 29 <sup>15</sup> /16"	217/8" 28 <sup>3</sup> /8" 12" 28 <sup>3</sup> /8" 151/2"	23" 34 <sup>3</sup> / <sub>4</sub> " 151/ <sub>2</sub> " 34 <sup>3</sup> / <sub>4</sub> " 17"	24\%" 35\\4" 14\%" 35\\4" 19\\4"	27%" 37¼" 16%" 37¼" 21¾"	N/A	N/A
Height Abacus O Projection O/S to O/S Inside Dia.*	N/A	10 <sup>3</sup> / <sub>4</sub> " 13 <sup>1</sup> / <sub>4</sub> " 4 <sup>1</sup> / <sub>4</sub> " 13 <sup>1</sup> / <sub>4</sub> "	8 <sup>1</sup> ½6" 12½6" 4 <sup>3</sup> ½" 12½6" 2 <sup>5</sup> ½8"	131½6" 18" 6" 18"	11 <sup>15</sup> / <sub>16</sub> " 14 <sup>5</sup> / <sub>8</sub> " 61/ <sub>4</sub> " 14 <sup>5</sup> / <sub>8</sub> " 41/ <sub>2</sub> "	17 <sup>3</sup> / <sub>4</sub> " 22 <sup>5</sup> / <sub>8</sub> " 7 <sup>1</sup> / <sub>8</sub> " 22 <sup>5</sup> / <sub>8</sub> "	145%" 187%" 81/4" 187%" 5"	201/8" 261/4" 87/8" 261/4"	175/8" 22 <sup>13</sup> /16" 8 <sup>7</sup> /8" 22 <sup>13</sup> /16" 111/4"	23" 323%" 141/4" 32" 14"	26½" 37½" 13¾" 37½"	261/16" 387/8" 171/2" 387/8" 151/2"	287/6" 415/8" 16 <sup>3</sup> /4" 415/8" 17"	317/8" 401/4" 16" 401/4" 191/4"	34¼" 45¼" 17½" 45¼" 21¾"	N/A	N/A
Height  X Abacus Projection O/S to O/S Inside Dia.*	N/A	3½" 11½" 3¾" 11¾"	31/8" 97/8" 33/8" 10" 25/8"	5" 16¾6" 5½" 16¾6"	4½" 14½" 5¾8" 14½" 4½"	5½° 17½° 5½° 18½°	5%" 16%" 6" 16%" 5"	6½" 20½" 5¼" 20½"	5 <sup>3</sup> / <sub>4</sub> " 181/ <sub>4</sub> " 6 <sup>5</sup> / <sub>8</sub> " 18 <sup>5</sup> / <sub>8</sub> " 111/ <sub>4</sub> "	7 <sup>1</sup> / <sub>16</sub> " 23 <sup>3</sup> / <sub>4</sub> " 8 <sup>3</sup> / <sub>4</sub> " 23 <sup>3</sup> / <sub>4</sub> " 14"	815/16" 26" 51/4" 26"	8 <sup>3</sup> / <sub>4</sub> " 28 <sup>5</sup> / <sub>8</sub> " 10 <sup>1</sup> / <sub>4</sub> " 28 <sup>5</sup> / <sub>8</sub> " 15 <sup>1</sup> / <sub>2</sub> "	85/8" 281/2" 101/4" 285/8" 17"	10 <sup>3</sup> / <sub>4</sub> " 32" 10/ <sub>8</sub> " 32" 19/ <sub>4</sub> "	11½" 36" 12½" 36" 21¾"	12½" 38½" 13¾" 38½" 24½"	15¼" 46¼" 16½" 46¼" 26½"

<sup>\*</sup>Inside Diameter.

<sup>•</sup> See page 7 for images.





NOTE: Decorative Capitals are not designed to fit non-tapered columns.

#### **Painting Instructions**

Painting instructions for round and square PermaCast®Plus columns:


- Rinse and allow to dry completely.
- Prime with high quality exterior latex bonding primer or use an oil-based bonding primer in accordance with paint manufacturer's instructions. A light coat of primer should be applied and allowed to cure fully.
- Paint evenly with several light coats over column with a high quality exterior latex or oil-based paint in accordance with paint manufacturer's instructions.
- Do not paint PermaCast®Plus columns using dark colors (dark colors are considered any color that falls within the L value of 56 to 0). L is a measure of lightness of an object and ranges from 0 (black) to 100 (white).

#### **Tips**


- ✓ When ordering a decorative capital order the appropriate base for the column.
- ✓ Decorative capitals for square PermaCast®Plus slide over the shaft and do not use a plug. These decorative capitals will not add or subtract from the overall height.
- ✓ When installing a decorative capital on fluted, recessed panel, or square columns, the capital slides over the shaft. The taller capitals will cover the flutes and require additional caulking to finish.
- ✓ Verify exact opening measurement prior to ordering column length.
- ✓ When installing a PermaCast®Plus column, verify concentric loading of column. 100% of bottom must contact substrate and 75% of top must contact soffit.
- ✓ When attaching handrails or corner iron to PermaCast®Plus columns, holes must be pre-drilled before applying screws.
- ✓ When ordering panel moulding for square PermaCast®Plus columns, make sure to order enough for four sides of the column.
- ✓ Split columns are left partially intact. Cut with masonry or carbide-tipped blade.
- ✓ All custom split columns, adjusted flutes, caps, and bases are nonrefundable.


## Decorative Capitals for ROUND Tapered PermaCast®Plus Columns

Adding a load bearing decorative capital to a round PermaCast\*Plus column will lengthen or shorten the overall height of the column depending on the height of the capital. Subtract the "T" dimension (from the column dimensions chart) and add the height of the decorative capital +/- 1/4" for overall column height.




14"- 30" Non Load Bearing Capital with Separate Load bearing Plug





NOTE: Decorative Capitals are not designed to fit non-tapered columns.

#### **Decorative Capitals for SQUARE PermaCast®Plus Columns**




Adding a decorative capital to a square PermaCast®Plus column DOES NOT change the length of the column shaft. The decorative capital simply slides over the shaft. Neck moulding can be applied or not.



## PermaLite® Columns

- Weather Proof.
- Insect Proof.
- Load Bearing.
- Low Maintenance.
- Lightweight.
- Ready to Prime and Paint.
- Limited Lifetime Warranty.\*



HB&G PermaLite® columns are cost-effective solution that are load-bearing, extremely versatile, require very little routine maintenance and deliver all of the beauty of a column with just 1/3rd of the weight.



#### **Top View Cut-Away**



PermaLite® Plain



Square Tuscan Cap



Square Tuscan Base



PermaLite® Square Plain

## For Tuscan Cap and Base dimensions refer to page 21.





#### SQUARE PERMALITE® COLUMN DIMENSIONS (IN INCHES)

Column Size	А	С	D	Е	F	G	J	K	L	Р	Lengths Available (ft.)
6"	5½"	8½"	1½"	11/4"	1/2"	11/4"	7/8"	11/16"	8"	N/A	6,8,9,10
8"	7½"	103/8"	17/8"	13/4"	5/8"	11/4"	1"	13/8"	101/8"	3%"	6,8,9,10,12
8"*	7½"	107/16"	17/8"	111/16"	5/8"	11/4"	1"	13/8"	101/4"	31/8"	6,8,9,10,12
10"	9½"	1215/16"	2½"	21/8"	3/4"	11/4"	15/16"	13/4"	12¾"	43/8"	6,8,9,10,12
10"*	9½"	131/8"	33/8"	21/8"	3/4"	11/4"	11/4"	13/4"	12¾"	43/8"	6,8,9,10,12

<sup>\*</sup>SIM caps and bases. The remainder are poly caps and bases.

- Neck moulding is 4 pieces included with the cap and base.
- NOTE: Tuscan cap dimensions are above.

NOTES: Neck mould is adjustable and is applied in the field. Factory split PermaLite® columns are not available. HB&G does not recommend splitting PermaLite® columns.






PermaLite® Square No-Taper Column shown with Tuscan Cap and Base.

#### SQUARE PERMALITE® INSIDE DIMENSION

Column Width	Inside
6"	45/8"
8"	6%"
10"	85/8"



#### **COLONIAL SQUARE CAP AND BASE FOR PERMALITE®**


Column Size	С	D	E	F	J	К	L	R
6"	81/8"	11/4"	11/16"	7/16"	5/8"	1"	7 7/16"	23/4"
8"	101/8"	11/4"	11/16"	7/16"	15/16"	1"	97/16"	23/4"
10"	121/8"	11/4"	11/16"	7/16"	15/16"	111/4"	121/8"	23/4"

• Neck moulding is 4 pieces included with the cap and base.

#### **BEVELED CAP & BASE SET**

Size	А	В	С
6"	5½"	75/8"	3½"
8"	7½"	7%"	3½"
10"	9½"	115⁄8"	5½"

See Installation Kit on page 19.



## **SmartColumn®**

## A NEW SEAMLESS FIBERGLASS SLEEVE FOR PRESSURE-TREATED WOOD POSTS\*

#### **Features**

- Easy installation! Installs 3.5 times faster than a typical site-built column.
- Limited Lifetime Warranty for peace of mind.
- Superior aesthetics compared to a site-built column.
- SmartColumn® = The Smart Choice.

\*Pressure-treated post not included.


#### What you need to know:


- Structural post and installation brackets are not included.
- Order by rough opening size. The column shaft itself is designed to be 12" shorter than the rough opening.
- Capital and base attached to the column shaft conceal all hardware and post once installed.

#### PLAIN SQUARE SMART COLUMN DIMENSIONS (IN INCHES)

Column Size	А	В	С	D	Е	F	G	Η	I	Lengths Avail. (ft.)
6"	5½"	63/4"	2"	8"	1/8"	1/4"	51/16"	11/4"	3/8"	9, 9, 10
8"	7½"	83/4"	2"	8"	3∕16"	1/4"	7"	11/4"	3/8"	8, 9, 10
10"	9½"	103/4"	2"	8"	3∕16"	1/4"	9"	11/4"	3/8"	8, 9, 10

\* SmartColumns\* include SIM cap and base.








## PermaSnap<sup>TM</sup> Column Wrap

- 25 Year Limited Warranty\*
- Weather Proof
- Insect Proof

- Low Maintenance
- Made from PVC
- Easy Installation

Transform a treated post into a finished column in minutes with PermaSnap™. PermaSnap™ column wrap's special design permits easy installation by one person. It can also be used as a newel post wrap.



- Adhesive not included.
- \*See Warranty.




PermaSnap™ Column Wrap Technical Specifications							
Product Column Description Outside Wrap Will Fit Dimension							
4" × 4" × 8'- 6"	4¾" × 4¾"	4" x 4" Post					
4" × 4" × 10'- 0"	4¾" × 4¾"	4" x 4" Post					
6" x 6" x 8'- 6"	6¾" × 6¾"	6" x 6" Post					
6" × 6" × 10'- 0"	6¾" × 6¾"	6" x 6" Post					
8" × 8" × 8'- 6"	9½" x 9½"	8" x 8" Post					
8" × 8" × 10'- 0"	9½" x 9½"	8" x 8" Post					
10" × 10" × 8'- 6"	11½" × 11½"	10" x 10" Post					
10" × 10" × 10'- 0"	11½" x 11½"	10" x 10" Post					
*There may be a var	iance of up to ¾"	in all dimensions.					

PermaSnap™ Accessories	Sizes Available					
Bed Mould Trim Kit*	4, 6, 8 and 10"					
Hampton Trim Kit	4, 6, 8 and 10"					
Chesapeake Trim Kit	4, 6, 8 and 10"					
Bed Mould XL	4, 6, 8 and 10"					
Neck Mould	4, 6, 8 and 10"					
Charleston Newel Cap	4"					
Wilmington Newel Cap	4"					
Ashbury Newel Cap	6"					
*Bed Mould Trim Kit is needed for both ends						

\*Bed Mould Trim Kit is needed for both end: Note: Accessories sold separately.








- 25 year limited warranty.\*
- Custom styles available.
- Made from cellular PVC.
- Installation kit included.
- Interior and exterior use.
- Weather proof.
- Insect proof.
- Low maintenance.

Leading the industry in column innovation, HB&G PermaWrap® columns are made from cellular PVC which offers the advantages of being unaffected by moisture and insects but has the thickness, ease of use, and workability of wood. PermaWrap® columns are available in multiple sizes and styles - square or Craftsman - plain, fluted, raised panel, and recessed panel. With all of these options, you are certain to find just the right amount of detail for your specific project. Best of all, the PermaWrap® column comes with a 25-year HB&G warranty.

\*See Warranty.



#### **PVC Painting And Finishing**

Caulk where required using Siroflex® brand Sealant and Adhesive provided by manufacturer. Putty any holes using acrylic putty or caulk. Lightly sand or scuff surface of column. Clean surface of column to remove any dirt or hand oil residue with light detergent and water, denatured alcohol, or window cleaner. Be sure to remove soap residue with clean water. Apply one coat of 100% acrylic exterior bonding primer and one or more finish coats of 100% acrylic exterior paint.

Do not paint columns using dark colors (dark colors are considered any color that falls within the L value of 56 to 0). L is a measure of lightness of an object and ranges from 0 (black) to 100 (white).





## ALL THE GRAIN AND NOTHING TO MAINTAIN



New **Woodgrain PVC PermaWrap** columns quickly transform a treated post into a decorative column in just minutes, eliminating the hassle of cutting other materials on the job site. **They're low maintenance, weather-proof and insect-proof and come with a Limited Lifetime Warranty.** Featuring a realistic embossed woodgrain pattern which resembles popular trim boards and cement siding on the market today, these products bring a simple solution to your building projects.


#### **Item Description**

8" x 9' RS PVC Plain Square

8" x 8' RS PVC Plain Square

8" x 10' RS PVC Plain Square

10" x 10' RS PVC Plain Square







## BUILDING PRODUCTS





















#### PLAIN PERMAWRAP® WITH STANDARD **CAP & BASE DIMENSIONS (IN INCHES)**

Col. Width	А	С	G	L	R	U	Lengths (ft.)
6"	5%"	6¾"	1"	6¾"	12"	6"	6, 8, 9, 10, 12
8"	7 1/8"	8¾"	1"	8¾"	12"	6"	6, 8, 9, 10, 12
10"	9%"	10¾"	1"	10¾"	12"	6"	6, 8, 9, 10, 12
12"	111/8"	12¾"	1"	12¾"	12"	6"	6, 8, 9, 10, 12

- Ogee cap and base available.
- Structural options available.
- Standard cap and base = 3%" material.






Standard Cap

Base

#### INSIDE DIMENSIONS FOR VALUE 3/8 MAT



6"	51/8"
8"	71/8"
10"	91/8"
12"	111/8"



Plain Square

Standard Cap & Base

#### **AVAILABLE SIZES**

Col. Width	Lengths (ft.)
6"	6, 8, 9, 10, 12
8"	6, 8, 9, 10, 12
10"	6, 8, 9, 10, 12
12"	6, 8, 9, 10, 12

#### PERMAWRAP® PLAIN, FLUTED, RECESSED PANEL, AND RAISED PANEL WITH OGEE CAP & BASE DIMENSIONS (IN INCHES)

Col. Width	А	С	G	L	N	0	S*	R	U	Lengths (ft.)
6"	5%"	71/4"	11/8"	71/4"	6"	6"	13/4"	9"	7"	6, 8, 9, 10, 12
8"	7%"	91/4"	11/8"	91/4"	6"	6"	13/4"	9"	7"	6, 8, 9, 10, 12
10"	9%"	111/4"	11/8"	111/4"	6"	6"	13/4"	9"	7"	6, 8, 9, 10, 12
12"	111/8"	131⁄4"	11/8"	131⁄4"	6"	6"	13/4"	9"	7"	6, 8, 9, 10, 12

<sup>\*</sup> Ogee cap and base =  $\frac{1}{10}$  material. Rail breaks are 7' long and designed to fit 36' or 42' rail heights. \*S dimension for 6' raised panel is  $\frac{1}{10}$ , 8' raised panel is  $\frac{1}{10}$ . S dimension for

# fluted columns vary. Aditional sizes are available.



Sauare Fluted

Sauare Square Raised Recessed Panel Panel



Cap

Ogee Base

#### **INSIDE DIMENSIONS\***



41/8"
61/8"
81/8"
101/8"

#### **NUMBER OF FLUTES**


#### **PER SIDE**

6"	3
8"	5
10"	7
12"	8

#### **FOR PREMIUM**

#### **AVAILABLE SIZES**

Col. Width	Lengths (ft.)
6"	6, 8, 9, 10, 12
8"	6, 8, 9, 10, 12
10"	6, 8, 9, 10, 12
12"	6, 8, 9, 10, 12



Ogee Cap & Base





#### Plain Craftsman

Recessed Panel Craftsman

Raised Panel Craftsman

#### PERMAWRAP® PLAIN, RECESSED, AND RAISED PANEL CRAFTSMAN DIMENSIONS (IN INCHES)

Col. Width	А	В	С	G	L	Ν	0	S	R	U	Lengths
10"×6"	97/8"	5%"	12%"	11/8"	8%"	6"	6"	13/4"	2"	2"	48", 54", 60", 66", 72", 84", 96", 108", 120"
12"×8"	117/8"	7 1/8"	14 1/8"	11/8"	101/8"	6"	6"	13/4"	2"	2"	48", 54", 60", 66", 72", 84", 96", 108", 120"
16"×10"	15%"	9%"	18%"	11/8"	121/8"	6"	6"	13/4"	2"	2"	48", 54", 60", 66", 72", 84", 96", 108", 120"
20"×15"	197⁄8"	14%"	22%"	11/8"	171/8"	6"	6"	13/4"	2"	2"	48", 54", 60", 66", 72", 84", 96", 108", 120"
24"×16"	23%"	15 1/8"	26%"	11/8"	181/8"	6"	6"	13/4"	2"	2"	48", 54", 60", 66", 72", 84", 96", 108", 120"

<sup>\*</sup>Additional sizes are available from 5" to 24" wide and 2" to 20" in length.

#### PLAIN PANEL INSIDE DIMENSIONS

	Bottom	Тор
10" x 6"	8%"	4 1/8"
12" x 8"	10%"	6%"
16"×10"	14%"	8%"
20" x 15"	18%"	13%"
24"×16"	22%"	14%"


#### RECESED PANEL INSIDE DIMENSIONS

	Bottom	Тор
10"×6"	7%"	3%"
12" x 8"	9%"	5%"
16" x 10"	13%"	7%"
20"×15"	17%"	12%"
24"×16"	21%"	13%"



#### **AVAILABLE SIZES**

10" x 6"	48", 54", 60", 66", 72", 84", 96", 108", 120"
12" x 8"	48", 54", 60", 66", 72", 84", 96", 108", 120"
16"×10"	48", 54", 60", 66", 72", 84", 96", 108", 120"
20"×15"	48", 54", 60", 66", 72", 84", 96", 108", 120"
24"×16"	48", 54", 60", 66", 72", 84", 96", 108", 120"



Traditional Cap and Base

#### PERMAWRAP® PEDESTAL DIMENSIONS (IN INCHES)

Col. Width	А	С	L	Ν	0	S	R	U	Lengths (ft.)
12"	111/8"	14%"	14%"	6"	6"	13/4"	2"	2"	40", 46"
16"	15%"	18%"	18%"	6"	6"	13/4"	2"	2"	40", 46"
20"	19%"	22%"	22%"	6"	6"	13/4"	2"	2"	40", 46"
24"	23%"	26%"	26%"	6"	6"	13/4"	2"	2"	40", 46"

<sup>\*</sup> Additional sizes are available.



#### **INSIDE DIMENSIONS\***

12"	10%"
16"	14 1/8"
20"	18%"
24"	22%"

#### \*Plain

#### **INSIDE DIMENSIONS\***

12"	9%"
16"	13%"
20"	17%"
24"	21%"

#### \*Recessed Panel

#### **AVAILABLE SIZES\***

12"	40",46"
16"	40",46"
20"	40",46"
24"	40",46"



Tradtional Cap




Tradtional Base



Raised Panel Pedestal



Recessed Panel Pedestal



Traditional Cap and Base

Traditional Cap



#### **Round Tapered Wood Columns**

#### **COLUMN DIMENSIONS WITH STANDARD CAP AND BASE (IN INCHES)**


Column Size	А	В	С	D	Е	F	G	J	K	L	0	Ν	R	Т	Lengths Avail. (ft.)
6"	5%"	45/8"	71/4"	13/8"	11/4"	9/16"	15/16"	15/16"	15/16"	7"	4½"	8"	33/16"	2"	8, 10
8"	7"	61/4"	91/4"	1½"	11/4"	3/4"	15/16"	11/4"	11/4"	9%"	4½"	8"	31/4"	2"	8, 10, 12
10"	9"	81⁄4"	111/4"	1½"	11/4"	3/4"	15/16"	11/4"	15/16"	10½"	4½"	8"	31/4"	2"	8, 10, 12
12"	115⁄8"	9¾"	13/8"	13/8"	11/4"	7/8"	15/16"	13/4"	13/8"	12"	4½"	8"	31/8"	2"	8, 10, 12

Larger sizes available. Call for quote.

### ROUND TAPERED WOOD INSIDE DIMENSIONS

Inside diameter may vary up to ¼". Splitting a column will decrease inside dimension ½".

TOP I.D.	BOT I.D.	
6"	3"	3"
8"	43/4"	43/4"
10"	6¾"	6¾"
12"	7%"	71⁄4"



#### **Capitals and Bases for Wood Columns**


### DECORATIVE CAPITAL DIMENSIONS FOR ROUND COLUMNS (IN INCHES)


Size	of Column	8"	10"	12"
Roman Ionic	Height Abacus Projection O/S to O/S	315/16" 81/8" 31/8" 101/2"	4" 10 <sup>3</sup> ⁄ <sub>4</sub> " 4½" 13%6"	45/8" 12½" 5" 16½"
Greek lonic	Height Abacus Projection O/S to O/S	41/8" 715/16" 35/8" 117/8"	55/8" 10 <sup>1</sup> /16" 5" 14 <sup>15</sup> /16"	6%6" 143%" 7½" 201%6"
Temple of the Winds	Height Abacus Projection O/S to O/S	8" 11½" 5½" 11½"	105/16" 137/16" 6" 137/16"	115%" 16%6" 7" 16%6"
Roman	Height Abacus Projection O/S to O/S	811/16" 121/16" 41/4" 121/16"	11 <sup>15</sup> / <sub>16</sub> " 145%" 6½" 145%"	145%" 187%" 81/4" 187%"
Scamozzi	Height Abacus Projection O/S to O/S	31/8" 97/8" 33/8" 10"	4½" 14¼" 5¾" 14¼"	5½° 165%° 6° 165%°

• 8"-12" Round Decorative Capitals are load bearing.

## 8" - 12" Load Bearing Decorative Capitals for ROUND Wood Columns

Adding a load bearing decorative capital to a round wood column will lengthen or shorten the overall height of the column depending on the height of the capital. Subtract the "T" dimension (from the column dimensions chart) and add the height of the decorative capital +/-11/4" for overall column height.





Capitals and bases for wood columns are load bearing. The shaft fits between the capital and base and alters the height of the shaft. Several options are offered for wood columns.

#### **Decorative Capitals**

Five styles of decorative capitals are available. Nothing makes a statement like wood columns with a decorative capital. 8"-12" decorative capitals for Round wood columns are load bearing Using a decorative capital with a wood shaft will alter the height of the shaft.

#### **Attic Base**

Attic bases are used for a more ornate look and comes in two pieces. (In the chart, see DD for the plinth dimension and EE for the torus dimension).


## What You Need To Know

The height of a column includes capital and base (Ex. 8' = shaft 7',  $6\frac{1}{2}$ " and capital and base total 8').

- Cap and base fit on top and bottom of column insulating the column from the elements.
- Split columns are not load bearing.
- Store columns in a dry, wellventilated area.
- For exterior applications: Paint inside of column shaft with a nonfibrous asphaltum type roof coating.
   Application must reach minimum 48" up the inside bottom of the column shaft and must be painted.
- Wood columns require ventilation at the top and bottom.
- Failure to adhere to installation instructions voids the warranty.


#### **Capital and Base Options**

Attic Base



For columns 8" to 12" in diameter, bases, including plinth, are Polyurethane.

Column Size	Bottom DIA. (NET)	Round Base				
	А	С	DD	EE	R	
8"	81/8"	101/4"	17/8"	11/8"	5%"	
10"	9%"	13"	2½"	2½"	6½"	
12"	115/8"	16"	3"	3"	7½"	




#### STANDARD POLY CAP DIMENSIONS

Size	J	K	L
6"	15/16"	1 <sup>5</sup> / <sub>16</sub> "	7"
18"	11/4"	11/4"	81/8"
10"	11⁄4"	15/16"	10½"
12"	13/4"	13/8"	12"

#### STANDARD POLY BASE DIMENSIONS

Size	А	С	D	Е	F	R
6"	5%"	71/4"	13/8"	11/4"	9/16"	33/16"
18"	7"	91/4"	1½"	11/4"	3/4"	31/4"
10"	9"	111/4"	1½"	11/4"	3/4"	31/4"
12"	115⁄8"	131/8"	13/8"	11/4"	7/8"	31/8"





- Weather Proof.
- Insect Proof.
- Load Bearing.
- Low Maintenance.
- Pre-finished White.
- Ready to Install.
- 25 Year Limited Warranty.\*


\*See Warranty




The Square PermaPost® is made from low maintenance PVC and is pre-finished with a white capstock. HB&G's Colonial and Chamfered PermaPost® are made from a low maintenance polyethylene and are pre-finished white and should

not be painted. For a warm and inviting decorative look for your front porch, choose from either the 5" or 6" Colonial PermaPost®, the 5" Square PermaPost®, or the 6" Chamfered PermaPost®.


#### PermaPost\* **Perma Lamp Posts** 5" or 6" 6" Chamfered Colonial Chamfered 5" Square Colonial PermaPost® PermaPost® Lamp Post Lamp Post PermaPost®



**Colonial Post** Two (2) post fasteners are shipped with each Colonial post.







#### **Square Post**

Two (2) post fasteners are shipped with each Colonial post.








#### **Optional Synthetic Post Fastening Kits**

Each kit comes complete with skirt, brackets, and TapCon screws for wood or concrete substrates. Available for all Synthetic Post styles.



#### The Perma Lamp Post is an attractive way to light a drive or garden area. The pipe in the center is designed to allow a wire to be easily installed. The 21/8" pipe fits most outdoor lamp fixtures.

Post Size	Width	Turned Area	Base Height	Length (in feet)	Top Portion (Square Top)				
Coloni	al Posts								
5" x 5"	4"	38½"	41½"	8"	16¼"				
5" x 5"	4"	38½"	451/4"	9"	241/2"				
6" x 6"	5"	38½"	41½"	8"	161/4"				
6" x 6"	5"	38½"	451/4"	9"	24½"				
Square Posts									
5" x 5"	41/4"	N/A	N/A	8"	N/A				
5" x 5"	41/4"	N/A	N/A	9"	N/A				
5" x 5"	41/4"	N/A	N/A	10"	N/A				
Chamf	ered Post								
6" x 6"	3½"&5½"	N/A	461/4"	8"	4½"				
Coloni	al Lamp F	ost							
6" x 6"	3½"&5½"	38"	51"	7'6½"	N/A				
Chamf	ered Lam	p Post							
6" x 6"	3½"&5½"	N/A	461/4"	8'	4½"				
Measure be a vari	ments in inc ance of up	ches unle to 1/4" in	ss othen all dimer	wise note	d. There may				

\*Loadbearing capacity is dependent on the concentric loading of the post.

Note: All sizes are nominal.

#### Porch-Loc\*

- Adds wind uplift resistance.
- Porch-Loc® secures structural Colonial and Square PermaPost® to floor and beam/header.
- Easy installation.
- Durable skirts included.

#### **Wind Uplift Resistant Installation Brackets**

Size	Dimension
5" Colonial	4"
6" Colonial	5"
5" Square	41/4"

#### **Porch-Loc® Installation Kit**






#### **Description**

Dimensions are nominal and may vary slightly.

- 5" Colonial PermaPosts and Perma Lamp Posts are net 4".
- 6" Colonial PermaPosts are net 5".
- Chamfered PermaPosts and Perma Lamp Posts are net  $3\frac{1}{2}$ " (top) and  $5\frac{1}{2}$ " (bottom).
- Square posts are net 41/4".
- Perma Lamp Posts can accommodate most outdoor lamp fixtures.


## Fastening Systems Colonial Post


Two (2) Post Fasteners are shipped with each colonial post.



#### **Square Post**

Two (2) Post Fasteners are shipped inside each post.








## Number 100 Turned Wood Post\*

Our No. 100 turned wood posts are available in 4", 5", and 6" nominal sizes.


(Cross sections are 3¼", 4¼", and 5¼" net size.)





## Aluminum Plinth for Wood Post


Wood posts must be installed with aluminum plinths or quick mount bracket to comply with warranty.



## The HB&G PermaRail Plus® Collection

- Available in kits, components, and ready to install pre-built sections.
- Prefinished; no painting required.
- Compliant with IBC up to 10' and IRC up to 12' (CCRR-0262).
- Newel sleeve fits over a pressure-treated
   4 x 4 or newel support.
- Durable, low maintenance.

- Concealed hardware.
- Adjustable stair rail brackets.\*\*
- Insect and weather proof.
- 10/25 Year Limited Warranty\*.
- Rail Heights 36" and 42".
- Rail Lengths 6, 8, 10, and 12'.
- 1-1/4", and 1-1/2" Square, and Turned Balusters.



The PermaRail Plus® railing system is a beautiful way to tie your whole porch look together. It is made up of several different components, allowing you the ability to create the designs that match your way of life.

Easy to install, this worry-free railing system will be a beautiful, low maintenance addition to your porch or deck for generations to come.

#### Savannah



#### **Belhaven**



All rail sections are suitable for use with PermaCast®Plus columns, PermaRail Plus® newels, or PermaPost®.


#### **Standard**



#### **Newport**



\*HB&G recommends checking all applicable building code requirements before the design and installation of PermaRail Plus®.



\*With Aluminum Stiffener and Standard Bottom Rail.

Supplemental Aluminum Stiffener for Savannah,

Newport, and Bellhaven

for Rail Lengths over 8'.





Standard Aluminum Stiffener.

2-3/4"

Standard Top Rail\*\* and Standard Bottom Rail with

Aluminum Stiffener. \*\*Maximum 8' Length.





\*The 36" and 42" Newel Post Mount are designed for coastal conditions. NOTE: Newel-Loc™ and Newel Sleeve must be purchased separately.

\*\*Newel sleeves can be slid over an existing  $4\times4$  or installed with the Newel Post Mount.

The top rail, bottom rail, and balusters are pre-finished white and are made from weather resistant cellular PVC. Turned Balusters are made from hollow rigid vinyl and cannot be painted.

# Three Ways to Order the PermaRail Plus® Railing...

#### 1. Do-it-yourself Kit

Everything needed to assemble and install is included.

- All standard level rail section components included in one box.
- · Balusters and all installation hardware included.
- Decorative top rail and Rake-Loc™ stair bracket sold separately.
- · How to Order:
- Choose Your Height: 36"
- Choose your Length: 6', 8', 10', 12' 6
  - 6', 8', 10'
- Choose Decorative Top Rail: Savannah.
- Note: Standard Rail System has a maximum length of 8'.
- Optional concealed adjustable stair rail brackets for 6' and 8' rail lengths.
- Kit Includes:
- Standard top and bottom rail.
- 1 1/4 balusters.
- Support block(s).
- · Aluminum stiffeners.
- Level-Loc<sup>™</sup> rail assembly fasteners and installation hardware.

#### 2. Individual Components

- Build your Own Design.
- For complete rail system you will need the following:
- Note: Standard Rail System has a maximum length of 8'.
- Standard top and bottom rail.
- Decorative top rail (if not using the Standard Top Rail\*).
- Aluminum stiffeners (2) Supplemental stiffener for rail lengths over 8'
- $\bullet$  Square Balusters, 1 ½ or 1 ½" Turned Balusters 30" or 36" long.
- Support block(s).
- Level-Loc™ rail hardware kit.
- Baluster screw kit.

#### 3. Pre-Built Sections

- Shipped factory assembled in standard lengths.
- · Easy to install.
- Everything needed to install included.

#### How to Order:

- Choose Your Height: 36" 42"
- Choose your Length: 6', 8', 10', 12' 6', 8', 10
- Choose Decorative Top Rail: Savannah.
- Note: Standard Rail System has a maximum length of 8'.
- Optional Concealed Adjustable Rake-Loc<sup>™</sup>stair rail brackets for 6' and 8' rail lengths.
- Onsite trimming and assembly completion required.

#### **Building Code Compliance**

IRC

PermaRail Plus® has been tested to the appropriate standards and found to be build code compliant (CCRR-0262) as follows:

Decorative Top Rail System

Level Rake

up to 12' up to 8' IRC

up to 10' up to 8' IBC


up to 8' up to 8'

up to 8' up to 8'

up to 8' up to 8'

Review your application to ensure intended use complies with all applicable building codes.

#### **Typical Assemblies**




<sup>\*</sup>HB&G recommends checking all building codes before the design and installation of your PermaRail Plus® railing.



- Low Maintenance.
- Primed White.\*\*
- 25 Year Limited Warranty.\*

- Easy Installation.

- Ready to Install and Paint.




We have created a unique and elegant balustrade system that can make your home stand out from the rest. These low-maintenance features are made by moulding high-density urethane around structural

elements in order to provide exceptional beauty, durability, and quality. Choose from three rail sizes and several baluster profiles. Curved balustrade systems are available in 10' sections.


<sup>\*</sup>See Warranty.

<sup>\*\*</sup>Additional priming may be required.

# **6" Balustrade System**









6"				
SKU	М	Maximum Spacing	O/C	
58031	3/4"	21/4"	51/4"	
58032	3/4"	21/4"	51/4"	
58036	3/4"	21/4"	51/4"	
58033	1"	21/8"	5½"	
58034	1"	21/8"	5½"	
58035	1"	21/8"	5½"	
58037	1"	2"	5½"	
58038	1"	2"	5½"	
58029	0"	4"	7"	
58030	0"	4"	7"	
58061	1½6"	13/4"	51/4"	
58062	1½6"	13/4"	51/4"	
58063	1½6"	13/4"	5¼"	

# **7" Balustrade System**








7"			
SKU	М	Maximum Spacing	O/C
58041	11/4"	11⁄4"	6½"
58042	11/4"	11⁄4"	6½"
58045	11/4"	11/4"	6½"
58043	1½"	3/4"	6"
58044	1½"	3/4"	6"
58046	1½"	3/4"	6"
58091	15/16"	13/8"	65%"
58092	15/16"	13/8"	65%"
58093	15/16"	13/8"	65%"

# **12" Balustrade System**





Mandeville Manasses

0/C
Maximum Spacing
M
$\sqcap$
<del></del>

12"			
SKU	М	Maximum Spacing	O/C
58051	17/8"	3/16"	71/8"
58052	17/8"	3/16"	71/8"
58053	17/8"	3/16"	71/8"
58054	23/8"	0"	71/4"
58055	23/8"	0"	71/4"
58056	23/8"	0"	71/4"

# **Curved Balustrade System**

- 6" and 7" Rail Styles.
- Low Maintenance.
- Primed White.
- Ready to install and paint.
- Easy Installation.
- 25 Year Warranty.\*
- Available in 60"-108" radius.

HB&G Curved Balustrade System will add an elegant finishing touch to any house. Each top and bottom rail style is available in radius from 60" to 108" in 10' lengths. (See pages 38-40 for rail styles).




\*See Warranty.

# **Building Codes**

HB&G recommends checking all local, state, and national building codes before the design and installation of your balustrade system.


HB&G is not responsible or liable for any balustrade system that does not meet the requirements of the governing building code in the location where the system is installed.

The space between the bottom rail and the substrate should not be less than 2".



# **Fiberglass Pergolas**

- Wind load rated.
- Low maintenance.
- Ease of installation.
- Pre-finished with Benjamin Moore
   Command engineered coating
- Will not rot, check or twist.
- Hollow rafter can act as conduit for wiring.
- Stability.



#### **Serenity® Series Fiberglass Pergolas**

HB&G manufactures fiberglass pergola kits using pultrusion technology to produce the strongest yet lightest structures available with a Limited Lifetime Warranty. Our structural fiberglass components are strong, lightweight, and provide a higher level of aesthetic quality than vinyl or wood pergolas. Our Serenity® pergola kits are manufactured white with Napa Tails and square or plain round tapered PermaCast®Plus columns without neck moulding. Optional wind-load/deck plates are available.



Standard Napa Tails







PERMALITE* SQUARE COLUMN PERGOLA KITS			
Overhead Size	Column Center Size	Column Size	
Free Standing 12' x 12'	8' x 8'	8" x 8'	
Free Standing 14' x 14'	10' x 10'	10" x 8'	
Free Standing 16' x 16'	12' x 12'	10" x 8'	
Standard Round Wind-Load/Deck Plate - 8"*			
Standard Round Wind-Load/Deck Plate - 10"*			
*Sold Separately, Deck Screws not included			

NOTE: Shade canopies sold separately

Standard Round Wind-Load/Deck Plate - 10"\*

Serenity® fiberglass pergolas are single support rafter with header style.

# **Semi-Custom Options\***

Make our Serenity® or Tranquility® pergolas your own by selecting from our semi-custom options.

# Rafter Tail Options Napa (Standard) Windsor Kensington Roman Craftsman Spartan Contemporary

**Color Options** 

#### \*Adds a week to shipping time.

#### Tranquility® Series Predesigned Fiberglass Pergolas

Available with choice of 10"x8' PermaCast®Plus Round Tapered or 10"x8' PermaLite® Square Columns, prefinished with a White Benjamin Moore Command engineered coating, our exclusive Arbor-Loc® tie-down system, and Napa rafter tail.





NOTE: Tranquility® predesigned fiberglass pergolas are double support rafter, no header style.

White Linen Fog Cream

Latte Estate Saddle Cannon

Java Moss Tricorn Cocoa

<sup>\*</sup> Color may differ due to print settings. Call for more information.

# **Custom Solace® Series Fiberglass Pergolas**













### **Understanding Pergola Dimensions**

#### **Freestanding Pergolas**




Front View
Beam / Structural rafters
run the length of the
pergola.




Side View Rafters run the width (Projection) of the pergola.

#### **Attached Pergolas**



Front View Ledger runs length of pergola.



Side View Width (Projection) of the pergola top projects from the structure.

# **Canopy Options for Structural Fiberglass Pergolas**

HB&G offers two ways to increase the shade provided by your pergola: canopies and purlins. Each option is specifically designed to be an attractive accent to your pergola and create a shelter from the sun's rays.

The combination of an HB&G pergola and shade solution is the ultimate combination of beauty, function, and versatility to create your outdoor living room.

#### **Solid color Canopies**

Designed for ease of use, our exclusive canopy slides on a wired system that is ready to install out of the box. The unique modular design is easy to install, just like our fiberglass pergolas, to enhance your outdoor living experience. Designed to quickly lock individual canopy panels in place to provide shelter from the sun or remove panels as quickly when the sun goes down.



#### **Canopy Solid Colors**

\*\*Color may differ slightly due to print settings.

Tweed, Silica, and Crest are available at a 20% upcharge.







Beige 721790




True Brown 721759



Marine Blue 721812



Ocean Blue 721813











# Outdoor Living Products

HB&G manufactures its outdoor living products with the same materials used in our high-performance Fiberglass Pergolas. They are low maintenance, easy to install, and will not rot, check, or twist.

#### **PRIVACY SCREENS**

Add outdoor privacy with HB&G's Privacy Screens. Perfect for pool or dining areas or multi-family applications. Two standard sizes are available with Napa tails.

Size	Column	
12' Privacy Screen	10" x 8' Square PermaLite®	





#### **ENTRY ARBOR**

Formalize an entrance or dress up a garden area with HB&G's Entry Arbors. Two standard sizes are available.

Size	Column Center	Column
12' x 3' Arbor	8'	8" x 8' PermaCast®Plus Round
12' x 3' Arbor	8′	8" x 8' PermaLite® Square

# EYEBROW / TRELLIS

Designed to complement the architecture of your home. HB&G's Eyebrow/Trellises are available in three standard sizes with Napa tails.

Length		
11' Eyebrow	18' Eyebrow	20' Eyebrow





# **Drop Off For Take Off!**


#### **HB&G's program to help** you with your take offs!

- 1. Send your plans using one of these two methods:
  - Email your plans to hbgtakeoffs@hbgcompanies.com
  - Mail your plans to 1015 Brundige Blvd.

Troy, AL 36081

Attn: Architectural Dept.

2. Once we have your plans, we will provide a detailed product list and drawings for your project.



**Application Pros and Cons** 

# **HB&G Continuing Education Course**

HB&G offers a one hour continuing education course. This course can be conducted in person as a "lunch

and learn" or taken online via our website. This course is AIA and AIBD certified.







#### **HB&G Building Products Inc. Limited Product Warranties**

#### Your Home or Commercial space says a lot about you, our Best-in-the-Industry Warranty says a lot about us!

HB&G Building Products Inc. warrants to the purchasers of our products to be free from defects in craftsmanship and materials as spelled out below:

#### **Our Limited Product Warranty Terms:**

- Warranties are exclusive to the person(s) who own and reside in the home the product is installed.
- Warranties also apply to the Homeowner who purchases a newly constructed residence on which the Product is installed directly from the builder.
- Warranties are not transferable.
- These Warranties are only applicable in the United States and Canada.

#### **Our Limited Product Warranty Terms:**

- Our products, when used under the conditions of normal use and are properly installed and maintained in conformance with all of HB&G installation instructions (see QR Code below) as well as all governing building codes.
- HB&G factory-finished products (Pergolas, PermaPost® and Railing) will be free of defects (will not peel, chip or crack) for a period of one year in normal use and are properly installed and maintained in conformance with HB&G installation instructions. This includes Normal weathering such as exposure to sunlight which may cause any finished surface to gradually fade, chalk or accumulate dirt, and/or other Acts of God.



HB&G installation instructions are on our website and are updated as needed, scan the QR code on the left to review the most current versions.

#### **Limitations and conditions not covered:**

- Non factory-applied finishes are not covered under this warranty. For claims, original purchasers must look to the warranty of the paint or coating manufacturer for recourse.
- Defects in the foundation, wall or ceiling structure on which HB&G products are installed, which cause failure.
- Installation, delivery and labor costs are NOT covered under this warranty.
- HB&G does not warranty split columns sold direct or by distributors, builders, retailers, suppliers or anyone.

#### **Our Warranty Claim Process:**

- · With photos and proof of purchase, claims are to be emailed to warranty@hbgcompanies.com.
- If HB&G determines, at its sole discretion, that a product has a manufacturing defect, the repair or replacement of those materials will be the sole remedies.

#### **Limited Time Warranty Periods by Product:**

Products	Single Family Residential	Multi Family Commercial
<ul> <li>PermaCast®Plus,         PermaCast®Plus or         PermaLite® SmartColumn®         Columns, RoughSawn®.</li> <li>Fiberglass Pergola &amp; Outdoor         Living Products.</li> </ul>	Limited Lifetime	25 Years
<ul> <li>PermaWrap® &amp; PermaSnap™         Columns.</li> <li>PermaPost®, PermaRailPlus®         &amp; Balustrade/Railing/Ceilings.</li> </ul>	25 Years	10 Years
Polyurethane Brackets/ Medallions.	10 Years	10 Years
• Mor-Shade® Canopy & Sail.	5 Years	1 Year
Wood Columns.	1 Year	1 Year



**HB&G** products are proudly made in Alabama.

Version: 112024A



HB&G products can be purchased from:



1015 Brundidge Blvd. Troy, AL 36081

> 1-800-264-4424 hbgcolumns.com