Wall Unit

Horizontal Open Shelf/Wine Rack Feature Unit - Fitting Guide

wren KITCHENS

Wine Rack

Open Shelf

Unit Parts

8x
Cover Stickers

Tools Required

Drill	Screwdriver	Clamp	Spirit Level	Tape Measure

⚠️

Before installing any wall cabinets, ensure the wall construction is strong enough to support the weight of the fully loaded unit and that appropriate fixings are used. Wall cabinets must be fully secured using all supplied hanging brackets and corner gussets, as specified in the installation guide.

If you are unsure, seek professional advice before proceeding.

Unpacking the cover stickers

Remove the cover stickers from the unit.

Lifting the unit into position

Lift and clamp the unit into position and clamp together the unit with the adjacent units.

Ensure the unit is level and parallel with the adjacent unit doors.

Securing to adjacent units (500mm-700mm)

Use **4x30mm** screws to fix the units together. See image for positioning.

Depending on the unit configuration you have planned, screws should be used to secure the unit to the units above or below.

Place cover stickers on the screw heads to conceal.

Securing to adjacent units (800mm-1200mm)

Use **6x30mm** screws to fix the units together. See image for positioning.

Depending on the unit configuration you have planned, screws should be used to secure the unit to the units above or below.

Place cover stickers on the screw heads to conceal.

For each additional 600mm add another two screws, making sure they are evenly spaced.

Cleaning the unit

Finally, the unit should be thoroughly cleaned to remove any debris that may have accumulated during the installation.

wren
KITCHENS

Base/Tower Unit

Horizontal Open Shelf/Wine Rack Feature Unit - Fitting Guide

Wren
KITCHENS

Wine Rack

Open Shelf

Unit Parts

8x
Cover Stickers

Tools Required

| Drill | Screwdriver | Clamp | Spirit Level | Tape Measure |

⚠

Before installing any wall cabinets, ensure the wall construction is strong enough to support the weight of the fully loaded unit and that appropriate fixings are used. Wall cabinets must be fully secured using all supplied hanging brackets and corner gussets, as specified in the installation guide.

If you are unsure, seek professional advice before proceeding.

Unpacking the cover stickers

Remove the cover stickers from the unit.

Lifting the unit into position

Lift the unit into position and clamp together the unit with the adjacent units.

Ensure the unit is level and parallel with the adjacent unit doors.


Securing to adjacent units

Use **2x30mm** screws to fix the units together. See image for positioning.

Depending on the unit configuration you have planned, screws should be used to secure the unit to the units above or below.

Place cover stickers on the screw heads to conceal.

View is from the underside of the units

Cleaning the unit

Finally, the unit should be thoroughly cleaned to remove any debris that may have accumulated during the installation.