



Select





Select

ALL SILVER LOUDSPEAKER CABLES

KS 6068

The 6068's all silver (*VariStrand* & *solid core silver conductors*) design delivers maximum fidelity within the series by virtue of silver's superior conductivity (*6% greater than copper*). Low level dynamics are revealed with the utmost delicacy and precision. The reproduction of space within the soundstage is at its best with the 6068.

The silver is electrolytically down and subsequently a

The solid core conductors layer of ESD yarn. This aim deformation, preserving ma yarn also mitigates electr



KS9068
Bi-wire
Jumpers

All silver



Select

COPPER & SILVER LOUDSPEAKER CABLES

KS 6065

The 6065 is a delicate balance of 2/3 copper and 1/3 pure silver utilizing both VariStrand and solid core conductors. This synergistic blend of metallurgy and conductor design strikes a keen balance between detail, transparency and a natural tonal presentation. The 6065 will maintain complete dynamic control over your loudspeaker while preserving balance within the audio spectrum.

The silver & copper are ele
drawn down and subsequ

The solid core conductors
layer of ESD yarn. This aim
deformation, preserving ma
yarn also mitigates electr

Copper & silver
conductors





Select

ALL COPPER LOUDSPEAKER CABLES

KS 6063

Incorporating both VariStrand and solid core copper conductors, the 6063 was engineered to extract all the performance copper has to offer. The all copper design results in a rich, dynamically robust presentation while producing naturally layered lifelike soundscapes.

The copper is electrolytically refined, annealed down and subsequently oxygenated. The solid core conductors are coated with a thin layer of ESD yarn. This aims to prevent static deformation, preserving mechanical integrity. The ESD yarn also mitigates electrostatic discharge.

KS9063
Bi-wire Jumpers





Select

SILVER ANALOG INTERCONNECTS

KS 1136 & KS 1036

Six 25AWG Black Pearl solid silver conductors drawn in diamond coated dies and insulated with virgin FEP dielectric under the most exacting tolerances which offer the purest transfers of the most demanding highest resolution signals. These interconnects produce silent backdrops for vivid tonal color and flawless creation of space, time and ultimately the soul of the performance.

Optimal geometric spacing
precision braiding method

The braided matrix insures
otherwise delicate conductors





Select

COPPER & SILVER ANALOG INTERCONNECTS

KS1126 & KS1026

25AWG Black Pearl silver conductors and solid core copper conductors* deliver a synergistic blend of clarity and richness for spatial accuracy and firmly rooted tonality. A flawlessly executed marriage of our fondest metals.

*KS1026: Three silver & three copper conductors
KS1126: Two silver & four copper conductors

Optimal geometric spacing and precision braiding method. The braided matrix insures otherwise delicate conductors.





Select

ALL COPPER ANALOG INTERCONNECTS

KS1116 & KS1016

Six solid core copper conductors layout a smooth unwavering road for high resolution analog signals. The 2:1 rectangular profile of the copper conductor extends the top end while maintaining copper's warmth and ease.


Optimal geometric spacing
precision braiding method
The braided matrix insures
otherwise delicate conductors



All copper
conductors

LOUDSPEAKER CABLES

KS6068 - all silver conductors




Images not to scale lead lengths are 27cm

20cm

WBT-0681 AG connectors

KS9068 - all silver bi-wire jumpers

KS6065 - copper/silver conductors




Images not to scale lead lengths are 27cm

20cm

WBT-0681 CU connectors

KS9068 - copper / silver bi-wire jumpers

KS6063 - all copper conductors



Images not to scale lead lengths are 27cm

20cm

WBT-0681 CU connectors

KS9068 - all copper bi-wire jumpers

TERMINATED EXCLUSIVELY WITH
WBT CONNECTORS

WBT-0610 AG

WBT-0610 CU

0661 AG
6mm (1/4") fork

0681 AG
8mm (1/3") fork

0661 CU
6mm (1/4") fork

0681 CU
8mm (1/3") fork

ANALOG INTERCONNECTS

BALANCED

KS1136

all silver conductors

KS1126

copper/silver conductors

KS1116

all copper conductors

SINGLE ENDED

KS1036

all silver conductors


KS1026

copper/silver conductors

KS1016

all copper conductors

Terminated exclusively with silver plated Switchcraft XLR connectors



Terminated exclusively with WBT-0102 RCA type connectors

WBT-0102 AG

WBT-0102 CU

A LEGACY

In the mid '70s Ray King installed at that time. The systems ever have survived the discotheque the lights bringing noise from

In an attempt to solve the unintended result of the field of the speaker r

Ray had the idea of so that the counter-rotation was greatly reduced! The elimination and imp

To his great satisfaction to sound different, before selling his new disc

He hit the road with a in cables and then wo Ray would choose the

Over the years Ray w different twist lengths expanding upon his



2752 South 1900 West, Ogden, Utah 84401 USA
www.kimber.com – 801-621-5530



v02.22.19