



DECORATIVE INTERIOR DOORS



**DOORS | MOULDINGS | STAIR PARTS
BOARDS | EXTERIOR MILLWORK**

LAKELAND DISTRIBUTION CENTER



- The top and bottom of every slab door is factory-sealed with two coats of UV Activated polyacrylic varnish.
- Stiles are manufactured with Engineered & LVL technology to eliminate warp and feature solid wood 5/8" Edge Bands for trimming & sizing.
- Contoured panels provide a snug fit, preventing them from moving, yet accommodating expansion due to changes in humidity and eliminating panel shifting after finishing.
- Louvers are up to 50% thicker for increased strength and no warping.
- FSC Certified Forest and Factory

The best quality and value in an interior pine door...only from Frameport

DOOR TABLE OF CONTENTS

Shaker Style Flat Panel Doors

Product Description —5
Ordering Information —6



French Doors

Product Description —9
Ordering Information —10



Louvered Doors

Product Description —13
Ordering Information —14




Fire Doors

Product Description —17
Ordering Information —18



Cavity Sliders

Pocket Door Solution —19
Pocket Frame Systems —20



Quality Products—23



THE NEW & IMPROVED NOVO PRODEALER PORTAL



24/7 access to
stocked product
pricing



Easily place orders
on a desktop or
mobile device



Order status updates

BRAND NEW FEATURES!

- Invoice Lookup
- Product Filters
- Instant Account Verification
- Intercompany User Management
- Out-of-Stock Flag
- Full Product Catalog



pro.novobp.com

Use your existing
credentials to access the
new ProDealer Portal

Don't have an account?
Follow the steps below
to sign up today!


1. Locate your Customer Code from the "Ship To" line on your order acknowledgment.
2. Navigate to novobp.com. Click on Dealer Login. Select "Create An Account".
3. Fill in all fields marked with "Required" and select "Create Account".
4. Explore the new online portal.

Shaker Style Flat Panel Doors




Shaker Style Flat Panel Doors

Shaker Door Features



Features:

- A complete line of Shaker style doors in a broad range of panel configurations
- 1-3/8" interior wood door
- Environmentally friendly, FSC Certified
- 5-year limited warranty
- All doors are full and square and are shipped with polyolefin wrap



Shaker Profile

Shaker Style Flat Panel Doors



1 Panel



2 Panel



Primed							
6/8 x 1-3/8	1/6	2/0	2/4	2/6	2/8	3/0	
8/0 x 1-3/8	1/6	2/0	2/4	2/6	2/8	3/0	

Primed							
6/8 x 1-3/8	1/6	2/0	2/4	2/6	2/8	3/0	
8/0 x 1-3/8	1/6	2/0	2/4	2/6	2/8	3/0	

Size	Qty. Per Pallet	1 Panel Primed		2 Panel Primed	
		SKU #	Frameport #	SKU #	Frameport #
1/6 x 6/8 x 1-3/8	16	1055091	3063062	1055092	3063402
2/0 x 6/8 x 1-3/8	32	1055106	3063097	1055108	3063437
2/4 x 6/8 x 1-3/8	32	1055131	3063119	1055089	3063453
2/6 x 6/8 x 1-3/8	32	1055151	3063127	1055153	3063461
2/8 x 6/8 x 1-3/8	32	1055175	3063135	1055177	3063470
3/0 x 6/8 x 1-3/8	32	1055197	3063151	1055199	3063496
1/6 x 8/0 x 1-3/8	16	1055097	3063232	1055098	3063577
2/0 x 8/0 x 1-3/8	32	1055118	3063267	1055120	3063607
2/4 x 8/0 x 1-3/8	32	1055141	3063283	1055143	3063623
2/6 x 8/0 x 1-3/8	32	1055163	3063291	1055166	3063631
2/8 x 8/0 x 1-3/8	32	1055186	3063305	1055189	3063640
3/0 x 8/0 x 1-3/8	32	1055209	3063321	1055212	3063666

1 & 2 Panel Shaker available in Bi-Fold Doors

Size	Qty. Per Pallet	1 Panel - Bifold Primed		2 Panel - Bifold Primed	
		SKU #	Frameport #	SKU #	Frameport #
2/0 x 6/8 x 1-3/8	32	1080205	3004325	1080208	3004430
2/6 x 6/8 x 1-3/8	32	1080206	3004350	1080209	3004465
3/0 x 6/8 x 1-3/8	32	1080207	3004384	1080210	3004490

Shaker Style Flat Panel Doors

Craftsman



3 Panel



5 Panel



Primed						
6/8 x 1-3/8	1/6	2/0	2/4	2/6	2/8	3/0
8/0 x 1-3/8	1/6	2/0	2/4	2/6	2/8	3/0


Primed						
6/8 x 1-3/8	1/6	2/0	2/4	2/6	2/8	3/0
8/0 x 1-3/8	1/6	2/0	2/4	2/6	2/8	3/0

Primed						
6/8 x 1-3/8	1/6	2/0	2/4	2/6	2/8	3/0
8/0* x 1-3/8	1/6	2/0	2/4	2/6	2/8	3/0

Size	Qty. Per Pallet	Craftsman Primed		3 Panel Primed		5 & 6 Panel Primed	
		SKU #	Frameport #	SKU #	Frameport #	SKU #	Frameport #
1/6 x 6/8 x 1-3/8	16	1055096	3064069	1055093	3063747	1055094	3064387
2/0 x 6/8 x 1-3/8	32	1055115	3064093	1055110	3063771	1055112	3064417
2/4 x 6/8 x 1-3/8	32	1055138	3064115	1055134	3063798	1055136	3064433
2/6 x 6/8 x 1-3/8	32	1055160	3064123	1055155	3063801	1055157	3064441
2/8 x 6/8 x 1-3/8	32	1055183	3064131	1055179	3063810	1055181	3064450
3/0 x 6/8 x 1-3/8	32	1055206	3064158	1055201	3063836	1055203	3064476
1/6 x 8/0 x 1-3/8	16	1055101	3064220	1055099	3063909	*1055100	*3064700
2/0 x 8/0 x 1-3/8	32	1055125	3064255	1055121	3063933	*1055122	*3064735
2/4 x 8/0 x 1-3/8	32	1055147	3064271	1055144	3063950	*1055145	*3064751
2/6 x 8/0 x 1-3/8	32	1055171	3064280	1055167	3063968	*1055168	*3064760
2/8 x 8/0 x 1-3/8	32	1055193	3064298	1055190	3063976	*1055191	*3064778
3/0 x 8/0 x 1-3/8	32	1055217	3064310	1055213	3063992	*1055214	*3064794

*The eight foot door comes as a six panel configuration

*The eight foot door comes as a six panel configuration



French Doors



French Door Features

Top & bottom of door is factory-sealed for reliable performance



Pre-masked film for easy clean up after finishing

True divided lite with tempered glass for safety


Superior priming – four coats with sanding between coats

Features:


- 1-3/8" interior wood door
- True divided lites
- Suitable for painting
- Environmentally friendly, FSC Certified
- 5-year limited warranty
- All doors are full and square and are shipped with polyolefin wrap



Cross Rail/ Mullion Profile




Sticking Profile



Clear Glass
French Door
Ovolo Sticking




Shaker Sticking Profile



Glass Panel Profile



Clear Glass
French Door
Square Shaker
Sticking



French Doors


Full Lite | Ovolo or Shaker

Frosted Panels | Shaker


1 Lite




1 Lite



3 Lite



5 Lite



Clear Glass

**French / Primed
Ovolo or Shaker**

6/8 x 1-3/8	2/0	2/4	2/6	2/8	3/0
8/0 x 1-3/8	2/0	2/4	2/6	2/8	3/0

Frosted Glass

French Shaker / Primed

6/8 x 1-3/8	2/0	2/4	2/6	2/8	3/0
-------------	-----	-----	-----	-----	-----

Frosted Glass

French Shaker / Primed

6/8 x 1-3/8	2/0	2/4	2/6	2/8	3/0
-------------	-----	-----	-----	-----	-----

Frosted Glass

French Shaker / Primed

6/8 x 1-3/8	2/0	2/4	2/6	2/8	3/0
-------------	-----	-----	-----	-----	-----

Size	Qty. Per Pallet	1 Lite Clear Glass - Ovolo Primed		1 Lite Frosted Glass Primed		3 Lite Frosted Glass Primed		5 Lite Frosted Glass Primed	
		SKU #	Frameport #	SKU #	Frameport #	SKU #	Frameport #	SKU #	Frameport #
2/0 x 6/8 x 1-3/8	32	1055104	3059871	1055105	3059227	1055109	3059359	1055111	3059480
2/4 x 6/8 x 1-3/8	32	1055129	3059898	1055130	3059243	1055133	3059375	1055135	3059502
2/6 x 6/8 x 1-3/8	32	1055149	3059901	1055150	3059251	1055154	3059383	1055156	3059510
2/8 x 6/8 x 1-3/8	32	1055173	3059910	1055174	3059260	1055178	3059391	1055180	3059529
3/0 x 6/8 x 1-3/8	32	1055195	3059936	1055196	3059286	1055200	3059413	1055202	3059545
2/0 x 8/0 x 1-3/8	32	1055117	3060004						
2/4 x 8/0 x 1-3/8	32	1055140	3060020						
2/6 x 8/0 x 1-3/8	32	1055162	3060039						
2/8 x 8/0 x 1-3/8	32	1055185	3060047						
3/0 x 8/0 x 1-3/8	32	1055208	3060063						
Clear Glass - Shaker Sticking 1 Lite									
2/0 x 6/8 x 1-3/8	32	1080198	3004074						
2/6 x 6/8 x 1-3/8	32	1080199	3004104						
3/0 x 6/8 x 1-3/8	32	1080200	3004139						
2/0 x 8/0 x 1-3/8	32	1080201	3004210						
2/4 x 8/0 x 1-3/8	32	1080202	3004236						
2/6 x 8/0 x 1-3/8	32	1080203	3004244						
3/0 x 8/0 x 1-3/8	32	1080204	3004279						

All lites are film protected

French Doors

True Divided Lites | Ovolo

10 Lite



12 Lite



15 Lite



18 Lite



Clear Glass		
French Ovolo / Primed		
6/8 x 1-3/8	2/0	2/4

Clear Glass					
French Ovolo / Primed					
8/0 x 1-3/8	2/0	2/4	2/6	2/8	3/0

Clear Glass			
French Ovolo / Primed			
6/8 x 1-3/8	2/6	2/8	3/0

Clear Glass			
French Ovolo / Primed			
8/0 x 1-3/8	2/6	2/8	3/0

Size	Qty. Per Pallet	10 Lite		12 Lite		15 Lite		18 Lite	
		Frosted Glass Primed		Frosted Glass Primed		Frosted Glass Primed		Frosted Glass Primed	
		SKU #	Frameport #	SKU #	Frameport #	SKU #	Frameport #	SKU #	Frameport #
2/0 x 6/8 x 1-3/8	32	1055107	3060403						
2/4 x 6/8 x 1-3/8	32	1055132	3060420						
2/6 x 6/8 x 1-3/8	32					1055152	3060950		
2/8 x 6/8 x 1-3/8	32					1055176	3060969		
3/0 x 6/8 x 1-3/8	32					1055198	3060985		
2/0 x 8/0 x 1-3/8	32			1055119	3060667				
2/4 x 8/0 x 1-3/8	32			1055142	3060683				
2/6 x 8/0 x 1-3/8	32			1055164	3060691			1055188	3061221
2/8 x 8/0 x 1-3/8	32			1055187	3060705			1055165	3061213
3/0 x 8/0 x 1-3/8	32			1055210	3060721			1055211	3061248

All lites are film protected

Louvered Doors




Bifold Louvered Door Features




LVL stiles
eliminate warp



Superior priming –
four coats with sanding
between coats



Knob, track
and hardware
included




*All 1-3/8" Bifold Doors feature
Johnson 1700 Series Hardware*

Features:

- Pre-hinged, ready to install
- Suitable for painting
- Track and hardware included
- Easy to install
- Environmentally friendly, FSC Certified
- 5-year limited warranty



*LVL stiles
eliminate warp*



Bifold Louvered Doors

Louver/Louver



Classic Louver/Louver			
Primed			
6/8	2/0	2/6	3/0
8/0	2/0	2/6	3/0

Louver/Louver



Plantation Louver/Louver			
Primed			
6/8	2/0	2/6	3/0
8/0	2/0	2/6	3/0

Size	Qty. Per Pallet	Classic Louver / Louver Primed		Plantation Louver / Louver Primed	
		SKU #	Frameport #	SKU #	Frameport #
2/0 x 6/8 x 1-1/8	44	1055063	3062520	1055113	3062724
2/6 x 6/8 x 1-1/8	44	1055065	3062554	1055158	3062759
3/0 x 6/8 x 1-1/8	44	1055067	3062589	1055204	3062783
2/0 x 8/0 x 1-1/8	44	1055064	3062627	1055123	3062821
2/6 x 8/0 x 1-1/8	44	1055066	3062651	1055169	3062856
3/0 x 8/0 x 1-1/8	44	1055068	3062686	1055215	3062880

Stile & Rail Louvered Doors



Stile & Rail Louvered Door Features

- 1-3/8" interior wood door
- Superior priming – four coats with sanding between coats
- Environmentally friendly, FSC Certified
- 5-year limited warranty
- All doors are full and square and are shipped with polyolefin wrap



Stile and Rail Classic Louver/Louver Door									
Primed									
6/8	1/4	1/6	1/8	2/0	2/4	2/6	2/8	2/10	3/0
8/0				2/0	2/4	2/6	2/8	2/10	3/0

Stile and Rail Plantation Louver/Louver Door					
Primed					
6/8	2/0	2/4	2/6	2/8	3/0
8/0	2/0	2/4	2/6	2/8	3/0

Size	Qty. Per Pallet	Stile & Rail Classic Louver / Louver Primed	
		SKU #	Frameport #
1/4 x 6/8 x 1-3/8	16	1055090	3061612
1/6 x 6/8 x 1-3/8	16	1055095	3061620
1/8 x 6/8 x 1-3/8	16	1055102	3061639
2/0 x 6/8 x 1-3/8	32	1055114	3061655
2/4 x 6/8 x 1-3/8	32	1055137	3061671
2/6 x 6/8 x 1-3/8	64	1055159	3061680
2/8 x 6/8 x 1-3/8	64	1055182	3061698
2/10 x 6/8 x 1-3/8	64	1055127	3061701
3/0 x 6/8 x 1-3/8	32	1055205	3061710
2/0 x 8/0 x 1-3/8	32	1055124	3061787
2/4 x 8/0 x 1-3/8	32	1055146	3061809
2/6 x 8/0 x 1-3/8	32	1055170	3061817
2/8 x 8/0 x 1-3/8	32	1055192	3061825
2/10 x 8/0 x 1-3/8	32	1055128	3061833
3/0 x 8/0 x 1-3/8	32	1055216	3061841


Size	Qty. Per Pallet	Stile & Rail Plantation Louver / Louver Primed	
		SKU #	Frameport #
2/0 x 6/8 x 1-3/8	32	1055116	3062295
2/4 x 6/8 x 1-3/8	32	1055139	3062317
2/6 x 6/8 x 1-3/8	32	1055161	3062325
2/8 x 6/8 x 1-3/8	32	1055184	3062333
3/0 x 6/8 x 1-3/8	32	1055207	3062350
2/0 x 8/0 x 1-3/8	32	1055126	3062422
2/4 x 8/0 x 1-3/8	16	1055148	3062449
2/6 x 8/0 x 1-3/8	16	1055172	3062457
2/8 x 8/0 x 1-3/8	32	1055194	3062465
3/0 x 8/0 x 1-3/8	32	1055218	3062481



Fire Door Features

Features:

- Frameport 20 Minute Fire Door Slabs are certified through Intertek's Building Products Certification Program as compliant with UL 10C Standard for Positive Pressure Fire Tests of Door Assemblies
- Flat Panel Doors are listed with Intertek WH under Specification # 51014 – 20 Minute without Hose Stream (US only)
- All Frameport Fire Doors are constructed with fire-resistant gypsum panels & intumescent ribbon to seal joints when exposed to open flame



- 1-3/4" thickness
- Fire doors feature shaker-style flat panels to match standard interior shaker doors, allowing consistency of design throughout the home (component dimensions may vary, see specification drawings for details)
- Per NFPA 80 Standard for Fire Doors and Other Opening Protectives, maximum trimming allowed from the bottom of the doors is 3/4"
- Frameport Fire Door Slabs can be added to existing Fire Door System certifications – consult your certifying body for instructions
- Environmentally friendly, FSC certified
- All doors are TSCA compliant
- 5-year limited warranty




Intertek


Intertek's Warnock Hersey (WH) Mark is North America's leading product safety and performance mark for fire doors.



Shaker Sticking Profile



Shaker Panel Profile



Fire Doors

1 Panel



Flat Panel Primed		
6/8 x 1-3/4	2/8	3/0
8/0 x 1-3/4	2/8	3/0

2 Panel



Flat Panel Primed		
6/8 x 1-3/4	2/8	3/0
8/0 x 1-3/4	2/8	3/0

Craftsman



Flat Panel Primed		
6/8 x 1-3/4	2/8	3/0
8/0 x 1-3/4	2/8	3/0

3 Panel



Flat Panel Primed		
6/8 x 1-3/4	2/8	3/0
8/0 x 1-3/4	2/8	3/0

5 Panel




Flat Panel Primed		
6/8 x 1-3/4	2/8	3/0
8/0 x 1-3/4	2/8	3/0

Size	Qty. Per Pallet	1 Panel Primed		2 Panel Primed		Craftsman Primed	
		SKU #	Frameport #	SKU #	Frameport #	SKU #	Frameport #
2/8 x 6/8 x 1-3/4	12	1055070	3066789	1055071	3066886	1055069	3067084
3/0 x 6/8 x 1-3/4	12	1055079	3066797	1055080	3066894	1055083	3067092
2/8 x 8/0 x 1-3/4	12	1055074	3066835	1055075	3066932	1055078	3067130
3/0 x 8/0 x 1-3/4	12	1055084	3066843	1055085	3066940	1055088	3067149

Size	Qty. Per Pallet	3 Panel Primed		5 & 6 Panel Primed	
		SKU #	Frameport #	SKU #	Frameport #
2/8 x 6/8 x 1-3/4	12	1055072	3066983	1055073	3067181
3/0 x 6/8 x 1-3/4	12	1055081	3066991	1055082	3067190
2/8 x 8/0 x 1-3/4	12	1055076	3067033	*1055077	*3067238
3/0 x 8/0 x 1-3/4	12	1055086	3067041	*1055087	*3067246

*The eight foot door comes as a six panel configuration

*The eight foot door comes as a six panel configuration



NEW  **CavitySliders™**

The Premium Pocket Door Solution



Distributed by



Pocket Frame Systems

The CS Cavity Slider™ is a practical solution for those areas where there is not enough space for a swinging door.


Features

- Structurally robust due to its construction from aluminum extrusions
- Easy to assemble and install
- Available for both 2x4 and 2x6 framing
- Can be cut down to size on site
- Suitable for residential and commercial projects (meets Type 1 construction code without any combustible materials)

Rough Opening

DH - Door Height DW - Door Width

Dimension	Inches
RO Height	DH + 4-1/4"
RO Width Single	(DW x 2) + 2"
RO Width Bi-Parting	(DW x 4) + 2"



How to Order

1. Choose Framing and Door Size

Frames can be cut down on site to maximize size for each model:

Framing	Door Size	Novo CSD	CS SKU
4" Framing (2x4 Stud)	2'0" x 6'8"	1061037	CSS4K2068
	2'6" x 6'8"	1061038	CSS4K2668
	2'8" x 6'8"	1061039	CSS4K2868
	3'0" x 6'8"	1061040	CSS4K3068
	2'6" x 8'0"	1061041	CSS4K2680
	2'8" x 8'0"	1061042	CSS4K2880
	3'0" x 8'0"	1061043	CSS4K3080
	4'0" x 8'0"	1061044	CSS4K4080
6" Framing (2x6 Stud)	2'6" x 8'0"	1061029	CSU6K2680
	3'0" x 8'0"	1061030	CSU6K3080
	4'0" x 8'0"	1061031	CSU6K4080
	3'0" x 9'0"	1061032	CSU6K3090
	4'0" x 9'0"	1061033	CSU6K4090
	3'0" x 10'0"	1061034	CSU6K30100
	4'0" x 10'0"	1061035	CSU6K40100
	5'0" x 10'0"	1061036	CSU6K50100

2. Choose a Carriage Pack (one per door)

Includes: Carriages, mounting plates, T-Guide, fixing screws, and adjusting wrench

Carriage Pack Type	Novo CSD	CS SKU
Standard M6 (200lb/90kg)	1061021	DKM0611
Standard M8 (M8 (500lb/240kg)	1061022	DKM0811
CS SofStop Single Action Door Weight: 0-200 lb (90kg) Min Door Width No Stop: 23" (584mm) Min Door Width 1 Stop: 26" (660mm)	1061023	DKS0511
CS SofStop Twin Action Door Weight: 0-200 lb (90kg) Min Door Width No Stop: 23" (584mm) Min Door Width 1 Stop: 26" (660mm)	1061024	DKS0711
CS SofStop HD Twin Action Door Weight: 0-350 lb (160kg) Min Door Width No Stop: 26" (660mm) Min Door Width 1 Stop: 29" (737mm)	1061025	DKS0811

CS Cavity Slider™ Features



Smooth running carriages with encased ball bearings. Up to 500lb (240kg) capacity

SofStop Soft Close/Soft Open also available



Corner joining brackets ensure precise right angled assembly



T-joining brackets for easy assembly of slats to split jambs & back stud



Horizontal slats for added strength


Strong aluminium frame complies with Type 1 Construction

Split Jambs and slats use hollow core technology for superior rigidity

Door Thickness

1-3/8" to 1-3/4"
2x4 Stud

1-3/8" to 2-1/4"
2x6 Stud



2x4



2x6

Extruded aluminium track incorporated into head unit



Trim Clips for quick & easy trim fitting

Compatible with 4" and 6" stud sizes

Bottom plate assembly



Adjustable T-Guide

Patent Pending



Cycle tested 1 million openings



ADA Compliant



Available with SofStop®



Single or Bi-Parting units



Maximum door weight

Instructions



CS Track Systems and Hardware for Sliding Doors


CS CaviTrack

Low profile track system suitable for incorporating into pocket door frame assemblies.



Design Features & Options

- Track is made from high-quality, heavy duty extruded aluminum
- Track is notched for simple carriage insertion
- Track can be configured to suit bi-parting or corner meeting door setups
- Double and triple tracks are available
- Compatible with standard and soft close carriages



CL400 Magnetic

Patented magnetic pocket door handle that features a magnetic catch and plunger system.



Design Features & Options

- Configurations include Passage, Privacy, Key Locking, Bi-Parting
- Design ensures that the doors slides flush back into the pocket
- Suitable for doors 1-3/8" and 1-3/4" thick
- Available in five standard finishes




Satin Nickel



Matte Black



Oil Rubbed Bronze



Bright Chrome
Special Order



Satin Chrome
Special Order



Mouldings

- Softwood Mouldings
- Hardwood Mouldings
- Decorative Wood Mouldings
- Green Mouldings & Boards (FSC Chain of Custody Certified)

PVC Interior/Exterior

- Interior/Exterior
- Crown, Casing, Quarter Round, Brick Mould, Lattice



Boards

Softwood Boards:

- Ultralite MDF
- Clear Radiata Pine
- Finger Joint Primed - Square and Eased Edged

Hardwood Boards:

- Oak Veneer
- Oak
- Poplar




Stair Parts

- Wood Balusters and Newels
- Iron Balusters and Newels
- Post to Post Components
- Over the Post Components
- Stock, Special Order, Custom

Cable Systems/ Panel Systems

- Horizontal infills including cable, tube and panels
- Options for Open Tread, Kneewall & Level Run



Jambs and Frames

- Interior and Exterior
- Primed FJ Pine Interior Flat and Split Jambs
- Primed FJ Pine Exterior Frames (Srks)
- Primed Composite Exterior Frames




Doors

- Shaker, French, Louvered
- Factory Sealed Tops/Bottoms
- Superior Panel Thickness
- Pre-Primed Components
- Superior Construction, More Dowels Per Rail Than Industry Standard
- Fire Doors Available



Columns

- Architectural Wood Columns
- Wood Colonial Columns
- Poly-Classic, Square or Craftsman, Columns
- Poly-Classic Porch Posts
- Wood Porch Posts



ORNAMENTAL — DECORATIVE MILLWORK —

Custom Run & Decorative Millwork

- Quality Custom and Short Run Moulding Orders
- Quick Turn Around
- Decorative Wood Mouldings
- Mantels, Wood Beams
- Decorative Risers
- Stained Boards



NOVO SHEET GOODS PROGRAM

- Premium Sheets For Hundreds Of Interior Applications
- Wide Selection of SKU Offerings
- Delivered On Your Next Truck Along With Your Moulding And Millwork





NOVOBP.COM

Explore our comprehensive collections of doors, mouldings, stair parts, boards, and exterior millwork as well as finding inspiration for every room in the home.



Lakeland Distribution Center

Suite 120 | 7270 Bridgewater Center Drive
Lakeland, FL 33805

P: 800.253.9000 | F: 863.683.3415

© 2025 NOVOPB, Lakeland (rev.1/25)
NOVO reserves the right to make changes to the products listed in this catalog without notice and without responsibility for existing units.
Images may not be to exact scale.

For more information
scan to visit
NOVOBP.COM

