Safety Data Sheet (SDS)

Established Date: 14/Jul./2018 Revised Date: 01/Jun./2022

1. Identification of the Substance and of the Company

Product Identifier:

PCD (Polycrystalline diamond) and Cemented Carbide base metal (hereinafter referred to "PCD/Cemented Carbide")

Supplier Information:

Company Name: OSG USA, INC.
Address: 620 Stetson Avenue
Saint Charles. IL 60174

Contact Department: Engineering
Phone Number: 800-837-2223
FAX Number: 800-837-3334
Emergency Phone Number: 800-837-2223

Recommended Use and Restrictions on Use of the PCD/Cemented Carbide

Cutting and drilling tools for metallic material

Restrictions on Use of the PCD/Cemented Carbide

Do not use for other than the specified purpose

Attention to the Phase/State of the PCD/Cemented Carbide

- PCD/Cemented Carbide as solid state is chemically stable and safe at explosive, flammable, combustible, pyrophoric, water-reactive, and oxidizability under normal environment.
- ·PCD/Cemented Carbide are safe for use as the cutting tools (grinding, machining, rolling for metals) under normal condition.
- This SDS informs about the dust, fume or vapor which occur from PCD/Cemented Carbide producing process such as raw material powder handling and grinding.

2. Hazard Identification

The GHS Classification

Some data (such as the burning rate test data, etc.) for the dust, fume or vapor which occur from PCD/Cemented Carbide producing process are unavailable. Therefore, they are not be classified by GHS.

In here, GHS classification of the each metallic ingredients (cobalt) for composing the PCD/Cemented Carbide can be disclosed. In addition, other hazards and harmful effects (for health, environment, physical and chemical) which are not listed are unclassifiable or non-applicable by GHS.

GHS classification for the hazards of cobalt alone in below,

(When cobalt is included as ingredients of PCD/Cemented Carbide.)

Health Hazard	·Acute toxicity (oral)	Category4
	·Acute toxicity (inhaled: dust, mist)	Category1
	·Serious eye damage / eye irritation	Category2B
	·Respiratory sensitization	Category1A
	·Skin sensitization	Category1A
	·Carcinogenicity	Category2

	·Reproductive toxicity	Category1B	
	·Specific target organ toxicity (Single exposure)	Category1 (Respiratory)	
	·Specific target organ toxicity (Repeated exposure)	Category1 (Respiratory, Heart,	
Environmental Hazard:	·Hazardous to the aquatic	Thyroid, Blood) Category1	
	environment – prolonged (Chronic		
	hazard)	Category1	
	·Hazardous to the aquatic		
	environment – repeated (Acute		
	hazard)		

GHS Label Elements

GHS label elements of the each metallic ingredients (cobalt) for composing the PCD /Cemented Carbide can be disclosed in below.

Cemented Carb	ide can be disclosed in below. Cobalt				
Hazard Pictograms:	Cobalt !				
Signal	Danger				
Words:					
Hazard	·Risk of causing allergies, asthma or breathing difficulties if inhaled.				
Statements:	·Risk of causing an allergic skin reaction.				
	·May cause cancer.				
	·May cause adverse effects on fertility or the unborn child.				
	·Risk of respiratory irritation.				
	·Cause of respiratory failure due to long-term or repetitive exposure.				
	·May be harmful to aquatic life due to long lasting effects				
	[Prevention]				
Statements:	·Obtain safety instructions* before use.				
	·Do not handle until all safety precautions have been read and understood.				
	·Use appropriate personal protection and ventilation system keeping away from exposure.				
	·Wear suitable protective gloves.				
	·When insufficient ventilation, wear respirator as required.				
	·Do not breathe dust, fume or vapor.				
	·Do not eat, drink or smoke in handling area.				
	·Wash skin thoroughly after handling.				
	·Do not release into the environment.				
	[Responses]				

- ·If inhaled, move to fresh air and take a rest with posture easy to breathe.
- ·If respiratory symptoms occurs, contact a doctor.
- ·When feeling ill, get medical advice/attention.
- ·Take off contaminated clothing and wash before reuse.
- · If on skin, rinse away immediately with a large amount of water and soap.
- ·If skin irritation occurs, contact a doctor and get medical advice/attention.
- ·If exposed or concerned, get medical advice/attention.
- ·If dust is in eyes, immediately wash away with clean water (remove the contact lenses if possible). If irritation persists, get medical advice/attention.
- · If a large amount of dust is swallowed, get medical advice/attention after ingesting plenty of water to dilute.

(Storage)

·Avoid sudden changes of temperature and high humidity for storage.

(Disposal)

·Dispose of contents/container to an approved waste disposal plant under the laws.

3. Composition/Information on Ingredients

- Distinction between chemical substance and mixture: Mixture (alloy)
- Chemical name or general name: PCD/Cemented Carbide
- Ingredients and concentration or concentration range (composition) of the PCD/Cemented Carbide.

Ingredient	Chemical Formula	CAS No	Official Number of Law for PRTR	Official Number of Industrial Safety and Health Law	Compositio n mass%
PCD					
Synthetic diamond	С	7782-40-3	N/A	N/A	0-30
Cemented Carbide					
Tungsten Carbide	WC	12070-12-1	N/A	N/A	45-80
Cobalt	Co	7440-48-4	Class1:132	Appendix9-172	0-30

^{*}For the details regarding the content of the designated chemical material such as cobalt (effective digit: 2), please contact to the above supplier.

4. First-Aid Measures

If Inhaled

• If the high concentration of dust is inhaled or respiratory symptoms (coughs, gasping, shortness of breath, etc.) are experienced, move to fresh air and take a rest with posture easy to breathe. If breathing difficulties occur, administer oxygen inhalation. If breathing has stopped, immediately administer artificial respiration and get medical

^{*}For safety instructions, refer to the Japan Cutting & Wear-resistant Tool Association website (http://www.jta-tool.jp/) .

^{*}Even if the cemented carbide do not contain cobalt as an active ingredient may include cobalt as an impurity.

advice/attention.

• If irritation or rash persists, get medical advice and attention.

If on Skin

• If dust is contacted with skin, take off contaminated clothing and rinse the affected area with soapy water thoroughly. If irritation or rash persists, get medical advice/attention.

If in Eves

• If dust is in eyes, immediately wash away with clean water (remove the contact lenses if possible). If irritation persists, get medical advice/attention.

If Swallowed

• If a large amount of dust is swallowed, get medical advice/attention after ingesting plenty of water to dilute.

5. Fire-Fighting Measures

Suitable Extinguishing Media and Unsuitable Extinguishing Media

To extinguish the fire of dust, use dry sand, expanded vermiculite, dilatable perlite, ABC type (general, oil, electric fire) powder extinguishers or water (no water allowed for the dust containing cut powders of light metal such as magnesium and aluminum).

Special Protective Equipment and Emergency Procedures for Fire-Fighters

 In fighting a fire, wear a protective clothing, dust-proof respirator or respiratory protective equipment.

6. Accidental Release Measures

Personal Precautions, Protective Equipment, and Emergency Procedures

• It is recommended that someone who cleans dust should wear clothing and respiratory protective equipment to minimize exposure.

Environmental Precautions

• Dispose of dust as industrial wastes and prevent release in water systems.

Containment and Cleanup Methods and Equipment

• If there is dust which occur from PCD/Cemented Carbide producing process, isolate the area and remove with a cleaner equipped with a filter which can take up fine particles very efficiently. If appropriate removing methods are not available, sweep with water sprayers or wet mops.

7. Handling and Storage

Handling

■ Technical Measures

• If the disperse of dust containing cobalt is concerned, provide local exhaust ventilation and use personal protective equipment to minimize exposure to human body.

■ Precautions for Safe Handling

- Obtain safety instructions before use.
- Do not handle until all safety precautions have been read and understood.

■ Contact Avoidance

- Take measures described in "Exposure Controls/Personal Protection."
- Do not breathe dust, fume or vapor.
- Do not eat, drink or smoke in handling area.

■ Hygiene Measures

- · Wash skin thoroughly after handling.
- Do not release into the environment.

Storage

■ Conditions for Safe Storage

- Avoid sudden changes of temperature and high humidity for storage.
- If storing fine powder, dust, and swarf generated by cutting or polishing, cover them with a cover to prevent dispersal.

■ Materials for Safe Container

•

• Use materials meeting the specific gravity of PCD/Cemented Carbide.

8. Exposure Controls/Personal Protection

Exposure Prevention

·Permissible concentration in working environment (reference value)

Ingredient	Chemical Formula	OSHA* PEL* mg/m³	ACGIH* TLV* mg/m³	Japan Society for Occupational Health Exposure Limit* mg/m³
CBN				
Synthetic diamond	C	N/A	N/A	N/A
Cemented Carbide				
Tungsten Carbide	WC	5 (as W)	5 (as W)	N/A
Cobalt	Co	0.1	0.02	0.05

*OSHA: Occupational Safety & Health Administration U.S. Department

*PEL: Permissible Exposure Limit

*ACGIH: American Conference of Governmental Industrial Hygienists Inc.

*TLV: Threshold Limit Value

* Exposure If processing such as polishing and cutting that generates dust, for Limit: ingredients with not indicated value, refer to the exposure limit of the

Japan Society for Occupational Health

*N/A: Not Applicable

·Facility measures

Provide local exhaust ventilation so that dusts in the air may not exceed the exposure limits in the above table. It is to be noted that management concentration of the cobalt (and its inorganic compounds) is to be 0.02mg/m^3 in accordance with the working environment assessment standard by Japanese Minister of Health, Labour and Welfare under the paragraph (2), Article 65-2 of the Industrial Safety and Health Act in Japan.

In addition, cobalt (and its inorganic compounds) in the storage or handling, and that to take the necessary action conforming to the Ordinance on Prevention of Hazards due to Specified Chemical Substances.

Protection Measures

• Respiratory Protection: Dust-proof respirators and respiratory protective equipment

are recommended.

• Hand Protection: Protective gloves for dust are recommended.

• Eye/Face Protection: Eye and face protections for dust are recommended.

• Skin/Body Protection: Avoid direct skin contact.

Clean up deposited dust on clothing, rags, etc. by washing or absorbing with suitable filters but not by whisking off.

Change the contaminated clothing into clean one.

Hygiene Measure

Wash skin thoroughly after handling.

9. Physical and Chemical Properties

Physical State: Solid state

Color: PCD: Black/Grey-metallic color

Cemented Carbide: Dark grey color

pH: No data available

Odor: Odorless

Melting/Freezing No data available

Point:

Boiling or Initial No data available

Boiling Point and Boiling Range:

Flash Point: No data available Vapor Pressure: No data available Vapor density: No data available Kinematic No data available

Viscosity:

Solubility: Insoluble

Density (Relative No data available

Density):

10. Stability and Reactivity

A grain of dust which occur from PCD/Cemented Carbide producing process is very fine and under the specific conditions in which the dusts are mixed with grinding oil with low flash point, it is possible to become pyrophoric. If dusts under very flammable conditions are dispersed in the air, it is possible to explode.

The each metallic ingredients (cobalt) for composing the PCD/Cemented Carbide has the following information about stability and reactivity under specific conditions.

Stability and reactivity of cobalt alone in below,

(When cobalt is included as ingredients of PCD/Cemented Carbide.)

Reactivity, chemical stability: Stable to heat and contact with water

Ignite spontaneously in air

Hazardous reactions: It reacts with strong oxidizing agents

It reacts violently with oxygen, and it poses a risk

of fire or explosion

It reacts violently with acid to generate hydrogen

Conditions to avoid: Contact with incompatible materials

Incompatible materials: Strong oxidizing agents, acid

Hazardous decomposition products: By combustion, cobalt oxide and fumes of cobalt

oxide may occur

11. Toxicological Information

Carcinogenicity:

Acute Toxicity: No data available on PCD/Cemented Carbide Skin Corrosion/Irritation: No data available on PCD/Cemented Carbide No data available on PCD/Cemented Carbide Serious Eye Damage/Eye Irritation: Respiratory or Skin Sensitization: No data available on PCD/Cemented Carbide No data available on PCD/Cemented Carbide Germ Cell Mutagenicity:

> Group 2A on IARC, as cobalt powder coexisting with tungsten carbide powder. Suspected to be carcinogenic in humans

(Ref. 1)

Reproductive Toxicity: No data available on PCD/Cemented Carbide

Specific Target Organ Toxicity/Systemic Toxicity: No data available on PCD/Cemented (Single Exposure)

Carbide

Specific Target Organ Toxicity/Systemic Toxicity: No data available on PCD/Cemented

(Repeated Exposure) Carbide

No data available on PCD/Cemented Carbide Aspiration Hazard:

12. Ecological Information

The aquatic environment acute hazard

• Not reported on PCD/Cemented Carbide

The aquatic environment chronic hazard

• Not reported on PCD/Cemented Carbide

Mobility

• Not reported on PCD/Cemented Carbide

13. Disposal Considerations

Safe and environmentally desirable disposal or recycle method

- The main ingredients such as tungsten carbide, cobalt are rare metal. It is desirable to collect and recycle them.
- For disposal, conform to the applicable laws regarding industrial wastes such as 'Waste Disposal and Public Cleansing Law' and relevant local by laws.

14. Transport Information

International Regulations

UN Number: Not applicable
UN Hazard Class: Not applicable
Marine Pollutant: Not applicable

*When transporting a powder of metallic ingredients (cobalt) for composing the PCD/Cemented Carbide, there is a possibility that it is necessary to take appropriate action in accordance with the relevant provisions established by IMO (International Maritime Organization), ICAO (International Civil Aviation Organization), IATA (International Air Transport Association).

Domestic Regulations

Land Regulatory Information: In accordance with

the Fire Service Act/

the Road Act

Marine Transportation In accordance with the Ship Safety Act/

the Act on Port

Regulations

Marine Pollutant: Not applicable

Aviation transportation In accordance with information: the Civil Aeronautics

Act

Special Safety Measures for Transportation and Transportation Method

When transporting the dust which occurs from PCD/Cemented Carbide raw materials and producing process, make sure that there is no damage or corrosion or leakage of the container, to ensure implementation of the prevention of collapse of cargo.

15. Regulatory Information

Name and Information of Applicable Regulatory

• Law for Pollutant Release and Transfer Register (PRTR)

Cobalt: "Class 1 designated chemical substances", Cabinet Order No.132

^{*}When transporting a powder of metallic ingredients (cobalt) for composing the PCD/Cemented Carbide, there is a possibility that it is necessary to take appropriate action in accordance with the relevant provisions of Ship Safety Law and the Aviation Law.

 Industrial Safety and Health Law, Ordinance on Prevention of Hazards due to Specified Chemical Substances

Cobalt: The substances are defined in the Article 57-2 of the Act, and the cobalt is listed by No.172 in Appended Table9 in the Article 18-2 of the Enforcement Order as "Dangerous or Harmful Substances to be notified their names, etc."

Article 2, Paragraph 1, Items 2 and 5 of Ordinance on Prevention of Hazards due to Specified Chemical Substance, Specified chemical substance class 2, Management class 2.

When the content of cobalt and cobalt oxide is less than 1%, the Ordinance on Prevention of Hazards due to Specified Chemical Substance is not covered.

16. Other Information

Other Hazardous Information

The following attention should be paid for dust which occur from PCD/Cemented Carbide producing process.

- If a large amount of dust containing cobalt is inhaled, blood, heart, thyroid gland, and spleen disorders may result. (Ref.2)
- It is reported that repeated or prolonged contact with cobalt, nickel, or chromium may affect skin, respiratory organs, heart, etc. (Ref.3 6)
- For carcinogenicity of metallic ingredients of CBN/Cemented Carbide has the following knowledge.

miowicusc.		
Cobalt metal	ACGIH	A3: Confirmed animal carcinogen with
		unknown relevance to humans.
	IARC	2B: Possibly carcinogenic to humans.
	Japan Society for	2B: The substance has been determined to be
	Occupational	possibly carcinogenic to humans (with
	Health	relatively insufficient evidence).
Nickel metal	ACGIH	A5: Not suspected as a human carcinogen.
	IARC	2B: Possibly carcinogenic to humans.
	Japan Society for	2B: The substance has been determined to be
	Occupational	possibly carcinogenic to humans (with
	Health	relatively insufficient evidence).
Chromium metal	IARC	3: Not classifiable as to its carcinogenicity to
		humans.

*ACGIH: American Conference of Governmental Industrial Hygienists Inc.

*IARC: International Agency for Research on Cancer

Disclaimer

The contents of this SDS are based on material and information available as of today and may be revised due to knowledge newly obtained. The values of concentration, physical/chemical properties are not guaranteed. In addition, the precautions described herein apply only to normal uses, and thus safety cannot be guaranteed.

Reference URL

Ministry of Economy, Trade and Industry: http://www.meti.go.jp/
 Ministry of the Environment: http://www.env.go.jp/
 Ministry of Health, Labour and Welfare: http://www.mhlw.go.jp/
 Japan Industrial Safety and Health Assoc.: http://www.jaish.gr.jp/
 International Agency for Research on Cancer: http://monographs.iarc.fr/

• International Chemical Safety Card:

http://www.nihs.go.jp/ICSC/

• National Institute of Technology and Evaluation:

http://www.safe.nite.go.jp/ghs/list.html

Reference Documents

- (1) IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, vol.86 (2006).
- (2) Food & Drug Research Laboratories, study No.8005B (4.11.84).
- (3) T. Shirakawa et al., Chest. 95, 29 (1989).
- (4) International Chemical Safety Cards (cobalt, chromium, nickel).
- (5) The Guide to Chemical Hazards (edited by Japan Industrial Safety & Health Association)
- (6) A. O. Bech et al., Brit. J. Ind., 19, 239 (1962)

Revision History

٠,	5 <u>1115 101 1115 101 y</u>				
	First edition	16/Feb/2017			
	First revision	06/Jan/2022			

%Remarks

1. On bonding of PCD and cemented carbide base metal.

Brazing materials may be used for bonding. The description on the brazing materials are left to the discretion of each company.