

A BRAND ADF Advanced Performance Carbide Flat Drills for Various Applications

High Performance Flat Bottom Drill!

PRIMARY TARGETS

Counterbores & Non-Flat Surfaces, Angled Drilling, Odd/Unique Drilling Applications

SOLUTIONS

A Versatile Drill for All Kinds of Drilling Situations Such as: Cross Holes, Inclined & Curved Surfaces, Thin Plates, Curved Exit, Etc.

WHAT OUR CUSTOMERS SEE

- A Highly Versatile Drill with Minimal Exit Burrs
- Able to Drill Accurately in Various Surface Applications

HOW DOES IT WORK?

180° Flat Bottom Point

Stable Hole Entry and Exit On Any Type of Surface

Wide Flute Form

Excellent and Smooth Chip Evacuation

Coolant-Through Option

Ideal for Stainless Steel Applications

Unique End Cut Geometry

Reduces Cutting Forces to Enable Stable Machining





osgtool.com OSG USA, Inc.: 800-837-2223 OSG Canada, Ltd.: 905-632-8032 • OSG Royco (Mexico): +52 (722) 279-36-08 to 11

A Brand ADF

Advanced Performance Carbide Flat Drills for Various Applications



A Brand ADF

The A Brand ADF flat bottom drill enables one-step drilling to simplify machining time and tool management. Now offered in coolant-through and long shank, this drill is suitable for a wide variety of drilling applications including cross holes, inclined surfaces, counter boring in curved surfaces, eccentric holes, thin plates, etc.




Features & Benefits

- OSG's proprietary EgiAs coating suppresses friction with the high wear resistance layer to help prevent breakage.
- Unique end cut geometry reduces cutting forces to enable more stable and precise drilling.
- Wide flute geometry allows smooth chip evacuation.

Multi-Purpose Flat Drills

The ADFO and ADF are Suitable for a Wide Variety of Applications


The ADFO & ADF drills are capable of drilling in numerous applications such as inclined surfaces, curved surfaces, flat-bottom holes and more.



Application Guide

Exceptional Wear Resistance & Toughness

Constructed with extreme toughness, high wear and heat resistance characteristics to ensure stable and consistent tool life. Suppresses friction with the wear resistance layer; prevents breakage with the nano periodical layer.





osgtool.com OSG USA, Inc.: 800-837-2223 OSG Canada, Ltd.: 905-632-8032 • OSG Royco (Mexico): +52 (722) 279-36-08 to 11

List Numbers

5700 - A Brand ADF (2D) 5705 - A Brand ADF-LS (2D, LS) 5720 - A Brand ADFO (3D, Coolant) 3mm-20mm, 1/8"-3/4"

Size Range

0.2mm-20mm, 1/64"-3/4" 3mm-20mm, 1/8"-3/4"