

### TF CHECK SOCKET ORDER FORM

Send all casts, sockets, files to: 7199 S Conway Rd #100, Orlando, FL 32812 tel: (888)839-6213, fax: (800)788-9878 | cs@ossur.com | www.ossur.com

#### **BILLING & SHIPPING INFORMATION**

		Date needed in offic	ce:
Össur Account #:	<u>Ship To:</u>		
CONTACT FOR ORDERING OR DELIVERY QUESTIONS:	Company:		
Contact:			
	City/State/Zip: .		
	Contact: .		
Email:	Phone: .		_ Fax:
Mobile Phone:	Email:		
PO#:		Shipping Check Priority:	🗆 Next Day Air 🛛 2nd Day

Completion of this order form with the most accurate and up-to-date information, including all patient information, measurements, and construction information enables us to provide the highest quality product for you and your patient.

#### **REQUIRED PATIENT INFORMATION**

Last Name:	Height: <u>ft.</u>	in.	Impact Level: High 🗌 Med 🗌 Low 🗌	Amputation Level: AK 🗌 KD 🗌
First Name:	Weight:	lbs.	K-Level: K1 🗌 K2 🗌 K3 🗌 K4 🗌	Left: 🗌 Right: 🗌 Bilat Order: 🗌

MEASUREMENTS		□ Call	l to disuss before design				
MEASUREMENTS**	BRIM	DISTAL END SHAPES					
IT to Floor (optional)	oose* □ Soft IC □ IC □ Quad	□ <b>Cylindrical</b> □ Squared	I 🗆 Bulbous 🗆 Conical				
	MATERIAL	*ANGLES	LINER USED				
KC to Floor (optional)	PETG I hermolyn	Flexion: Adduction: * Expulsion/vacuum angles are 3° if not					
25cm	7 Total Reduction: 9	6 □Cast sent to Össur Custo 9 □Check here to receive foar					
*No reduction when tight and loose measurements provided. **Length and circumferences are required. If not provided and socket fit requires remake, customer is responsible for cost of remake.							
SUSPENSION & SOCKET ADAPTE	=R						
LOCKING OPTIONS	EXPULSION OPTIONS	LANYARDS	UNITY OPTIONS				
<ul> <li>200 Series Lock &amp; Extra Pin</li> <li>600 Series Ratchet Lock &amp; Extra Pin</li> <li>600 Series Smooth Lock &amp; Extra Pin</li> </ul>		Icelock 600 Series Lanyard Icelock 200 Series Lanyard	<ul> <li>Unity Plate Kit</li> <li>Unity Valve Kit</li> </ul>				
600 Series 4 Hole	3-Prong Socket Adapter	OTHER OPTIONS (write in)					

4-Prong Socket Adapter

NOTES

600 Series Pyramid Adapter

Please specify which components you send us should be reattached, replaced with new, or returned unattached.

Other:

# **CUSTOM SOLUTIONS**

## **ÖSSUR**. TF DEFINITIVE SOCKET ORDER FORM

Send all casts, sockets, files to: 7199 S Conway Rd #100, Orlando, FL 32812 tel: (888)839-6213, fax: (800)788-9878 | cs@ossur.com | www.ossur.com

BILLING & SHIPPING INFORMATION				
Össur Account #:	Ship To: Company:	Date needed in office:		
Contact:				
Email:		Fax:		
Mobile Phone:				
PO#:		Shipping Check Priority: 🗌 Next Day Air 🗌 2nd Day		
	ccurate and up-to-date information, inc ables us to provide the highest quality p	cluding all patient information, measurements, product for you and your patient.		
PATIENT INFORMATION				
Last Name: Impact Level: High 🗌 Medium 🗌 Low 🗌	First Name: Amputation Level: AK 🗌 KD 🛙	Weight: <u>Ibs.</u> Left: Right: Bilat Order: D		
DEFINITIVE SOCKET		Call to disuss before fabrication		
TF MEASUREMENT CHART	*ITEMS IN BOLD ARE THE DEFAULT SEL	LECTIONS UNLESS OTHERWISE SPECIFIED		
	□ From Socket □ From Cast □ Fr	rom CAD/AOP file dated:		
IT to Floor	FABRICATION			
	SOCKET MATERIAL	SPECIAL FABRICATION		
KC to Floor	INNER LAMINATION FINISH	RevoFIT Socket (draw windows and dial location on check socket)		
	Proflex Carbon	Pads on RevoFIT panels		
	MPE Basalt			
	Other Decorative Laminatic			
$\left  \left( \begin{array}{c} 1 \\ 2 \\ 2 \\ 2 \end{array} \right) \right  = \left  \left( \begin{array}{c} 1 \\ 2 \\ 2 \\ 2 \\ 2 \\ 2 \\ 2 \\ 2 \\ 2 \\ 2 \\$				
	SUSPENSION & SOCKET ADAPTER			
	200 Series Lock & Extra Pin			
	600 Series Ratchet Lock & Extra Pin			
	600 Series Smooth Lock & Extra I			
ALIGNMENT				
	600 Series 4 Hole 600 Series Pyramid Adapter	<ul> <li>3-Prong Socket Adapter</li> <li>4-Prong Socket Adapter</li> </ul>		
MODIFICATIONS SOCKET SIZING PROSTHETIC HEIGHT				
Increase (optional)	LANYARDS U	NITY OPTIONS OTHER OPTIONS		
Decrease <b>Transfer</b>	☐ Icelock 600 Series Lanyard	Unity Plate Kit Other:		
%: Extend:		Unity Valve Kit		
Ply: Shorten:	, , , , , , , , , , , , , , , , , , ,			
NOTES Please specify which o	components you cand us should be rea	attached, replaced with new, or returned unattached.		