



TERSUS 4000
FLAIL CHOPPER SERIES

CUT PRECISE, MULCH EFFICIENT, VALORIZE EVERY CORNER OF YOUR LAND

There is no better way forward than making life easier and efficient...
Wherefore Kverneland designed the new Tersus range of flail choppers.

Whether used for pasture maintenance, crop residue management, roadside cleaning or abandoned land recovery, the Kverneland Tersus series flail choppers adapt easily to every task. One machine, countless possibilities.

Perfectly adapted to tractors of around 180 hp, featuring a light but strong redesigned body and a unique direct drive transmission, the all new Tersus 4000 will offer maximal efficiency in all conditions.

Power and Precision in Every Detail

Reinforced driveline up to 170hp with easy belt tensioning, optimized rotor design, heavy-duty bearings and segmented counter knives ensure higher output and reduced maintenance.

Filled with Features designed to enhance Productivity

Strong 219×10mm rotor tube, 5 V-belt transmission with direct tensioning, universal Y or hammer blades, double-skin protection, 195mm maintenance-free rear roller, and a 500mm hydraulic offset for ultimate versatility.

TECHNICAL DATA

| | Tersus 4023 | Tersus 4028 | Tersus 4032 |
|--------------------------------|-------------|-------------|-------------|
| Dimensions & Weight | | | |
| Working width (cm) | 235 | 280 | 325 |
| Transport width (cm) | 280 | 300 | 350 |
| Weight (kg) | 972 | 1063 | 1175 |
| Attachment to Tractor | | | |
| Power req. (hp) | 80-170 | 80-170 | 80-170 |
| PTO speed (rpm) | 540/1000 | 540/1000 | 540/1000 |
| Operation | | | |
| Belts (nb) | 5 | 5 | 5 |
| Offset (mm) | 500 | 500 | 500 |
| Roller diameter (mm) | 195 | 195 | 195 |

NEW!

NEW!

Direct tensioning system
Optimized maintenance

500mm standard hydraulic offset
Versatility

Double headstock for front and rear mounting
Versatility

NEW!

Frame bolted gearbox
High reliability

Strong driveline with cardan shaft
High reliability

NEW!

Improved headstock structure and double skin body
High reliability

NEW!

Heavy duty and maintenance free roller bearings
Optimized maintenance

Segmented counter knife
Optimized maintenance

NEW!

NEW!



Information provided in this brochure is made for general information purposes only and for worldwide circulation. Inaccuracies, errors or omissions may occur and the information may thus not constitute basis for any legal claim against Kverneland Group. Availability of models, specifications and optional equipment may differ from country to country. Please consult your local dealer. Kverneland Group reserves the right at any time to make changes to the design or specifications shown or described, to add or remove features, without any notice or obligations. Safety devices may have been removed from the machines for illustration purposes only, in order to better present functions of the machines. To avoid risk of injury, safety devices must never be removed. If removal of safety devices is necessary, e.g. for maintenance purposes, please contact proper assistance or supervision of a technical assistant.
© Kverneland Group Kersterminde AS

