

**SUSPENDED
CEILING
AND
PARTITION
WALL
SYSTEM
ACCESSORIES
CLIP**

PROAKS METAL BUILDING SYSTEM



PROAKS METAL

We...

As Proaks Metal we would like to inform you about our products which we manufacture and market. We stand by our products reliability not only throughout the project and essembly stages but also in the course of utilization, even after years. Our sole purpose is earning your trust and deserving your preference for your next project based upon your impression of our products.

Finding the best solutions for your projects with Proaks products, prioritising our customers satisfaction in every step of production. Therefore, we process the best quality raw materials with our experience and fund of knowledge. On top of that, we guarantee our quality with the certificates we proudly own. Despite all, if any irregularities occur during application which are not in accordance with our standarts, we simply replace it.

That way the solution always provides satisfactory consequences. That result is the biggest source of pride for Proaks Metal staff. Constant drive for progress is the result of our passion and respect to our jobs.





WORLD QUALITY REGISTRAR

CERTIFICATE

Nr : A-221177 EC DECLARATION OF CONFORMITY AT UYGUNLUK BEYANI

Manufacturer / Üretici :

PROAKS METAL YAPI SİSTEMLERİ SANAYİ VE TİC. LTD. ŞTİ.

Address / Adres :

ORGANİZE SANAYİ BÖLGESİ BİRLİK KÜÇÜK SAN. SİT. 17. ADA 5. CAD. NO:29
BEYLİKDÜZÜ İSTANBUL TÜRKİYE TURKEY

Products / Ürün :

ALÇI LEVHA MÜDEHALE KAPAKLARI / PLASTERBOARD ACCESS PANEL
FUGA VE DETAY PROFİLLERİ / REVEALS AND MOLDINGS PROFILES
ASMA TAVAN, DUVAR BÖLME AKSESUARLARI / SUSPENDED CEILING, WALL PARTITION ACCESSORIES

Related Standards / İlgili Standartlar :

TS EN 14190:2014 - ALÇI LEVHALAR - TEKRAR İŞLEME TABİ TUTULARAK ELDE EDİLEN - TARİFLER, GEREKLER VE DENEY YÖNTEMLERİ / GYPSUM BOARD PRODUCTS FROM REPROCESSING - DEFINITIONS, REQUIREMENTS AND TEST METHODS
TS EN 14195:2014 - ALÇI LEVHA SİSTEMLERİNDE KULLANILAN METAL ÇERÇEVE BİLEŞENLERİ - TARİFLER, GEREKLER VE DENEY YÖNTEMLERİ / METAL FRAMING COMPONENTS FOR GYPSUM BOARD SYSTEMS - DEFINITIONS, REQUIREMENTS AND TEST METHODS

Base of Certification / Sertifikasyon Zeminini :

Technical File No: CE-PROAKS-221118

For the above products, the technical file and base product provided by the manufacturer is prepared on the basis of a voluntary test in accordance with the Construction Products Regulation 305/2011/EU Category I basic protection requirements.

The CE mark shown below can be used on the product at the discretion of the company, after the preparation of the necessary technical documents and declaration of conformity, and as long as other relevant directives and standards are complied with.

The use of CE marking is at the discretion of the company.

Yukarıda belirtilen ürünler için, üretici tarafından sunulan teknik dosya ve baz alınan ürün, gönüllü bir test temelinde

Yapı Malzemeleri Yönetmeliği 305/2011/AB temel koruma gereksinimlerine uygun hazırlanmışsa, gerekli teknik

belgelerin ve uygunluk beyanının hazırlanmasından sonra ve diğer ilgili direktifler ve standartlara uyum sağlandığı

sürece aşağıda gösterilen CE işareti firmanın inisiyatifiyle ürün üzerine kullanılabilir.

CE işaretinin kullanılması firmanın inisiyatifindedir.

CERT. PUBLICATION DATE
SERT. YAYIN TARİHİ
18.11.2022

CERTI. EXPIRY DATE
SERT. GEÇERLİLİK TARİHİ
17.11.2023


DIRECTOR

WQR International Certification Ltd.
www.wqrcert.com | info@wqrcert.com



The validity of the certificate can be checked through www.wqrcert.com
Bu belgenin geçerliliği www.wqrcert.com internet sitesinden kontrol edilebilir.



CERTIFICATE

Proaks Metal Yapı Sistemleri Sanayi ve Ticaret Ltd. Şti.

**Organize Sanayi Bölgesi Birlik Küçük San. Sit. 17. Ada 5. Cad.
No: 29 Beylikdüzü İstanbul Turkey**

The above-mentioned organization implements and maintains a management system in the following scope, and its compliance with the standard has been approved by KingCert.

ISO 45001:2018
Occupational Health and Safety Management System

Scope : Manufacturing and Sales of Galvanized Sheet Roof Connection Elements, Suspended Ceiling Partition Wall Accessories, Plastic Anchor Aluminum Intervention Cover and Detail Profiles
IAF/EA Code: 14,17



This certificate is valid during above mentioned company perform the requirements of ISO 45001:2018 standard and fulfill all responsibilities to KingCert.

Certificate Publication Date : 18.11.2022

Cert. Last Issue Date : 18.11.2022

Cert. Expiry Date : 17.11.2023

Cert. Period Exp. Date : 17.11.2025

Certificate Number : I16687659530

King Cert International Certification Ltd.
Director

King Cert International
Certification Ltd.
Manastirski Livadi, Str. Lavski
Rid 19, Sofia Bulgaria
info@KingCert.com
FR.25. / 01.09.2016 / 04.06.2019 / 02

Hereby, King Cert International Certification Ltd., certifies that the above stated company have the appropriate management system according to the requirements of the above standards. This certificate is valid for three years as long as the system effectively maintained and surveillance audits are carried out. The validity of the certificate can be checked through www.KingCert.com. The certificate is property of King Cert International Certification Ltd. and shall be returned if so requested.



CERTIFICATE

**Proaks Metal Yapı Sistemleri Sanayi ve
Ticaret Ltd. Şti.**

**Organize Sanayi Bölgesi Birlik Küçük San. Sit. 17. Ada 5. Cad.
No: 29 Beylikdüzü İstanbul Turkey**

The above-mentioned organization implements and maintains a management system in the following scope, and its compliance with the standard has been approved by KingCert.

ISO 9001:2015 Quality Management System

**Scope : Manufacturing and Sales of Galvanized Sheet Roof Connection
Elements, Suspended Ceiling Partition Wall Accessories, Plastic Anchor
Aluminum Intervention Cover and Detail Profiles
IAF/EA Code: 14,17**



ACCREDITED
Management Systems
Certification Body
MSCB-196



This certificate is valid during above mentioned company perform the requirements of ISO 9001:2015 standard and fulfill all responsibilities to KingCert.

Certificate Publication Date : 18.11.2022

Cert. Last Issue Date : 18.11.2022

Cert. Expiry Date : 17.11.2023

Cert. Period Exp. Date : 17.11.2025

Certificate Number : I1668765817Q

King Cert International Certification Ltd.
Director

King Cert International
Certification Ltd.
Manastirski Livadi, Str. Lavski
Rid 19, Sofia Bulgaria
info@KingCert.com
FR.25. / 01.09.2016 / 04.06.2019 / 02

Hereby, King Cert International Certification Ltd., certifies that the above stated company have the appropriate management system according to the requirements of the above standards. This certificate is valid for three years as long as the system effectively maintained and surveillance audits are carried out. The validity of the certificate can be checked through www.KingCert.com. The certificate is property of King Cert International Certification Ltd. and shall be returned if so requested.



CERTIFICATE

**Proaks Metal Yapı Sistemleri Sanayi ve
Ticaret Ltd. Şti.**

**Organize Sanayi Bölgesi Birlik Küçük San. Sit. 17. Ada 5. Cad.
No: 29 Beylikdüzü İstanbul Turkey**

The above-mentioned organization implements and maintains a management system in the following scope, and its compliance with the standard has been approved by KingCert.

ISO 14001:2015 Environmental Management System

**Scope : Manufacturing and Sales of Galvanized Sheet Roof Connection
Elements, Suspended Ceiling Partition Wall Accessories, Plastic Anchor
Aluminum Intervention Cover and Detail Profiles
IAF/EA Code: 14,17**



ACCREDITED
Management Systems
Certification Body
MSCB-196



This certificate is valid during above mentioned company perform the requirements of ISO 14001:2015 standard and fulfill all responsibilities to KingCert.

Certificate Publication Date : 18.11.2022

Cert. Last Issue Date : 18.11.2022

Cert. Expiry Date : 17.11.2023

Cert. Period Exp. Date : 17.11.2025

Certificate Number : I1668765895E

King Cert International Certification Ltd.
Director

King Cert International
Certification Ltd.
Manastirski Livadi, Str. Lavski
Rid 19, Sofia Bulgaria
info@KingCert.com
FR.25. / 01.09.2016 / 04.06.2019 / 02

Hereby, King Cert International Certification Ltd., certifies that the above stated company have the appropriate management system according to the requirements of the above standards. This certificate is valid for three years as long as the system effectively maintained and surveillance audits are carried out. The validity of the certificate can be checked through www.KingCert.com. The certificate is property of King Cert International Certification Ltd. and shall be returned if so requested.

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS


Profile accessories are used as complementary materials in plasterboard suspended ceiling partition systems. The raw material used in the accessories is manufactured with hot-dip galvanization features and provides protection against rust. None of the products are stainless. Due to the coating of our products, the coating does not fall off when folded. When used in accordance with application standards, it distributes the load evenly and does not cause cracks in any component of the system. Since our products are modular, they can be easily disassembled and installed.



PROAKS METAL

PROAKS METAL BUILDING SYSTEMS

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



CLIP

PACKAGING ORDER CODE
2101

Pieces
1.500 pcs.

Pallet Content:



Pallet quantity: 72.000 Pallet dimensions: 80 x 120 x 130 cm

Width Length Height

Product Description:

It is an accessory that ensures the connection of the main and secondary carrier ceiling C60 profiles to each other.

Usage Area:


It is used in plaster board suspended ceiling systems.

Product Storage Conditions:

The accessories should not come into contact with water. The boxes should be stored in a flat and dry area.



SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



ANCHOR CLIP

PACKAGING ORDER CODE
2102

Pieces
1.500 pcs.

Pallet Content:



Width Length Height
Pallet quantity: 72.000 Pallet dimensions: 80 x 120 x 140 cm

Product Description:

It is an accessory that ensures the connection of the main and secondary carrier ceiling C profiles to each other. Unlike standard clips, it stays locked inside the C profiles thanks to its special claw structure.


Usage Area:

It is used in gypsum board suspended ceiling systems.

Product Storage Conditions:

The accessories should not come into contact with water. The boxes should be stored in a flat and dry area.

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



ROLLER CLIP

PACKAGING ORDER CODE
2106

Pieces
500 pcs.

Pallet Content:



Pallet quantity: 72.000 Pallet dimensions: 100 x 125 x 120 cm

Width Length Height

Product Description:

It is an accessory that ensures the connection of the main and secondary carrier ceiling C profiles to each other. Unlike standard clips, it stays locked inside the C profiles thanks to its special claw structure.


Usage Area:

It is used in gypsum board suspended ceiling systems.

Product Storage Conditions:

The accessories should not come into contact with water. The boxes should be stored in a flat and dry area.

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



S TYPE CARRIER

PACKAGING ORDER CODE
2103

Pieces
500 pcs.

Pallet Content:



Pallet quantity: 35.000 Pallet dimensions: 100 x 125 x 170 cm

Width Length Height

Product Description:

It is an accessory that ensures the connection of the main and secondary carrier ceiling C profiles to each other. Unlike standard clips, it stays locked inside the C profiles thanks to its special claw structure.


Usage Area:

It is used in gypsum board suspended ceiling systems.

Product Storage Conditions:

The accessories should not come into contact with water. The boxes should be stored in a flat and dry area.

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



CEILING CARRIER C CLIP

PACKAGING ORDER CODE
2113

Pieces
200 pcs.

Pallet Content:



Pallet quantity: 14.000 Pallet dimensions: 100 x 125 x 170 cm

Width Length Height

Product Description:

It is an accessory that ensures the connection of the main and secondary carrier ceiling C60 profiles to each other. Unlike standard clips, it provides a stronger connection.


Usage Area:

It is used in gypsum board suspended ceiling systems.

Product Storage Conditions:

The accessories should not come into contact with water. The boxes should be stored in a flat and dry area.

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



L TYPE ANGLE BRACKET

PACKAGING ORDER CODE
2114

Pieces
200 pcs.

Pallet Content:



Width Length Height
Pallet quantity: 35.000 Pallet dimensions 100 x 125 x 170 cm

Product Description:

It is a fastening element used in the corners of drywall walls and ceilings. It ensures that the corners are smooth and strong.

Usage Area:


It is used in gypsum board wall and ceiling systems.

Product Storage Conditions:

The accessories should not come into contact with water. The boxes should be stored in a flat and dry area.

PROAKS METAL BUILDING SYSTEMS

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



ADDITIONAL PIECE

PACKAGING ORDER CODE
2104

Pieces
500 pcs.

Pallet Content:



Width Length Height
Pallet quantity: 18.000 Pallet dimensions 100 x 125 x 220 cm

Product Description:

It is an accessory that ensures the connection of the main and secondary carrier ceiling C profiles to each other. Unlike standard clips, it stays locked inside the C profiles thanks to its special claw structure.

Usage Area:

It is used in gypsum board suspended ceiling systems.

Product Storage Conditions:

Aksesuarların suya temas etmemesi gerekir. Koliler düz ve kuru alanda stoklanmalıdır.

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



SUSPENSION WIRE ROUND TWIST

Order code	Ölçü	Paket Miktarı
2202	20 cm	100 pcs.
2203	30 cm	100 pcs.
2204	40 cm	100 pcs.
2205	50 cm	100 pcs.
2206	60 cm	100 pcs.
2207	70 cm	100 pcs.
2208	80 cm	100 pcs.
2209	90 cm	100 pcs.
2210	100 cm	100 pcs.
2212	120 cm	100 pcs.
2214	140 cm	100 pcs.
2215	150 cm	100 pcs.
2220	200 cm	100 pcs.
2230	300 cm	100 pcs.

Pallet Content:



Pallet quantity: 30.000 Pallet dimensions 100 x 120 x 60 cm

Product Description:

It is a fastening element used in gypsum board ceiling systems. It ensures the installation of gypsum boards to the profiles.


Usage Area:

It is used in gypsum board ceiling systems.

Product Storage Conditions:

The accessories should not come into contact with water. The boxes should be stored in a flat and dry area.

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



WALL PROFILE SCREW

Order code	Product type	Package quantity
2302	20 cm	100 pcs.
2303	30 cm	100 pcs.
2304	40 cm	100 pcs.
2305	50 cm	100 pcs.
2306	60 cm	100 pcs.
2307	70 cm	100 pcs.
2308	80 cm	100 pcs.
2309	90 cm	100 pcs.
2310	100 cm	100 pcs.
2312	120 cm	100 pcs.
2314	140 cm	100 pcs.
2315	150 cm	100 pcs.
2320	200 cm	100 pcs.
2330	300 cm	100 pcs.

Pallet Content:



Pallet quantity: 25.000 Pallet dimensions Width Length Height 100 x 120 x 60 cm

Product Description:

It is a fastening element used in gypsum board wall systems. It ensures the installation of gypsum boards to the wall profiles.


Usage Area:

It is used in gypsum board wall systems.

Product Storage Conditions:

The accessories should not come into contact with water. The boxes should be stored in a flat and dry area.

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



SUSPENSION WIRE WITH EYE BEND

Order code	Product type	Package quantity
2002	20 cm	100 pcs.
2003	30 cm	100 pcs.
2004	40 cm	100 pcs.
2005	50 cm	100 pcs.
2006	60 cm	100 pcs.
2007	70 cm	100 pcs.
2008	80 cm	100 pcs.
2009	90 cm	100 pcs.
2010	100 cm	100 pcs.
2012	120 cm	100 pcs.
2014	140 cm	100 pcs.
2015	150 cm	100 pcs.
2020	200 cm	100 pcs.
2030	300 cm	100 pcs.

Pallet Content:



Pallet quantity: 25.000 Pallet dimensions 100 x 120 x 60 cm

Product Description:

An accessory that provides the connection between the ceiling and the system in suspended ceiling systems.


Usage Area:

Used in gypsum board suspended ceiling systems.

Product Storage Conditions:

Accessories should not come into contact with water. Boxes should be stored flat and in a dry place.

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



CLIP

Order code	Product type	Package quantity
2407	7 cm	500 pcs.
2410	10 cm	500 pcs.
2412	12 cm	500 pcs.
2414	14 cm	250 pcs.
2415	15 cm	250 pcs.
2420	20 cm	250 pcs.
2425	25 cm	250 pcs.
2430	30 cm	250 pcs.
2440	40 cm	250 pcs.
2450	50 cm	50 pcs.
2461	60 cm	50 pcs.

Pallet Content:



		Width	Length	Height
7 cm	Pallet quantity: 65.000	Pallet dimensions	80 x 120	90 cm
10 cm	Pallet quantity: 27.000	Pallet dimensions	80 x 125	95 cm
12 cm	Pallet quantity: 45.000	Pallet dimensions	80 x 125	95 cm
15 cm	Pallet quantity: 37.500	Pallet dimensions	80 x 120	90 cm
20 cm	Pallet quantity: 16.500	Pallet dimensions	80 x 120	85 cm
25 cm	Pallet quantity: 18.750	Pallet dimensions	80 x 120	80 cm
30 cm	Pallet quantity: 15.000	Pallet dimensions	80 x 120	80 cm
40 cm	Pallet quantity: 12.250	Pallet dimensions	80 x 120	75 cm

Product Description:

It is an accessory used to fix ceiling and wall profiles to the wall and ceiling in suspended ceiling and partition wall systems.


Usage Area:

Used in gypsum plasterboard suspended ceiling systems.

Product Storage Conditions:

The accessories should not come into contact with water. The boxes should be stored in a flat and dry area.

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



DOUBLE SPRING

Order code	Product type	Package quantity
2500	DOUBLE SPRING	1.500 pcs.
2512	DOUBLE SPRING STAINLESS	1.500 pcs.

Pallet Content:



Pallet quantity: 72.00 Pallet dimensions 80 x 120 x 130 cm

Product Description:

It is a connecting accessory used in suspended ceiling systems to link two wires together and adjust the height.


Usage Area:

Used in plasterboard suspended ceiling systems.

Product Storage Conditions:

Accessories should not come into contact with water. Boxes should be stored in a flat and dry area.

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



STEEL SUSPENDED CEILING ANCHOR

Order code	Product type	Package quantity
2501	Steel suspended ceiling anchor	1.000 pcs

Pallet Content:



Pallet quantity: 50.00 Pallet dimensions 80 x 120 x 100 cm

Product Description:

It is an accessory used to fix the suspension wire to concrete in suspended ceiling systems.


Usage Area:

It is used in plasterboard suspended ceiling systems.

Product Storage Conditions:

Accessories should not come into contact with water. Boxes should be stocked in a flat and dry area.

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



Clip-In Steel Suspension Clamp

Order code	Product type	Package quantity
2502	Clip-In Steel Suspension Clamp	500 pcs.

Pallet Content:



Pallet quantity: 25.00 Pallet dimensions Width Length Height 80 x 125 x 120 cm

Product Description:

It is an accessory that connects the Clipin carrier profiles to the suspension wire.


Usage Area:

It is used in Clipin suspended ceiling systems.

Product Storage Conditions:

Accessories should not come into contact with water. Boxes should be stocked in a flat and dry area.

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



Clip-In Hair
Suspension Clamp

Order code	Product type	Package quantity
2503	Clip-In Hair Suspension Clamp	1.000 pcs.

Pallet Content:



Pallet quantity: 45.00 Pallet dimensions 80 x 120 x 60 cm

Product Description:

It is an accessory that provides the connection of clipin carrier profiles and hanging wire.


Usage Area:

It is used in plasterboard suspended ceiling systems.

Product Storage Conditions:

Accessories should not come into contact with water. Boxes should be stocked in a flat and dry area.

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



Lamel 85
Suspension Clamp

Order code	Product type	Package quantity
2504	Lamel 85 Suspension Clamp	500 pcs.

Pallet Content:



Pallet quantity: 30.00 Pallet dimensions 80 x 120 x 120 cm

Product Description:

It is an accessory that enables the connection of the lamella carrier system with the hanging wire.


Usage Area:

It is used in lamellar suspended ceiling systems.

Product Storage Conditions:

Accessories should not come into contact with water. Boxes should be stored in a flat and dry area.

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



Clip-In Wire Clip

Order code	Product type	Package quantity
2505	Clip in Tel Klips dcfix	500 pcs.
2506	Clip in Tel Klips dks	500 pcs.

Pallet Content:



Pallet quantity: 30.00 Pallet dimensions 100 x 120 x 70 cm

Product Description:

It is an accessory used to fix clipin carrier profiles to each other.


Usage Area:

It is used in Clipin ceiling systems.

Product Storage Conditions:

Accessories should not come into contact with water. Boxes should be stocked in a flat and dry area.

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



Clip-In Pressure Pad

Order code	Product type	Package quantity
2507	Clip-In Pressure Pad	1.250 pcs.

Pallet Content:



Pallet quantity: 62.500 Pallet dimensions 100 x 125 x 120 cm

Product Description:

Clipin edge is used to clamp suspended ceiling panels inside the C Profile.


Usage Area:

It is used in Clipin suspended ceiling systems.

Product Storage Conditions:

Accessories should not come into contact with water. Boxes should be stocked in a flat and dry area.

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



Clip-In Connector Piece

Order code	Product type	Package quantity
2509	Clip-In Connector Piece	750 pcs.

Pallet Content:



Pallet quantity: 45.000 Pallet dimensions 80 x 120 x 120 cm

Product Description:

It is an accessory that enables the clip carrier profiles to be connected to each other.


Usage Area:

It is used in Clipin suspended ceiling systems.

Product Storage Conditions:

Accessories should not come into contact with water. Boxes should be stocked in a flat and dry area.

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



Double-Hole
Suspension Bracket

Order code	Product type	Package quantity
2510	Double-Hole Suspension Bracket	5.000 pcs.

Pallet Content:



Pallet quantity: 180.000 Pallet dimensions 80 x 120 x 95 cm

Width Length Height

Product Description:

It is an accessory used to fix the hanging wire to the ceiling.


Usage Area:

It is used in plasterboard suspended ceiling systems.

Product Storage Conditions:

Accessories should not come into contact with water. Boxes should be stored in a flat and dry area

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



Single-Hole
Suspension Bracket

Order code	Product type	Package quantity
2511	Single-Hole Suspension Bracket	5.000 pcs.

Pallet Content:



Pallet quantity: 180.000 Pallet dimensions 80 x 120 x 95 cm

Width Length Height

Product Description:

Product Description It is an accessory used to fix the hanging wire to the ceiling with a nail gun.


Usage Area:

Usage Area It is used in plasterboard suspended ceiling systems.

Product Storage Conditions:

Product Storage Conditions Accessories should not come into contact with water. Boxes should be stocked in a flat and dry area.

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



Autoclaved Aerated
Concrete (AAC) Anchor Plate

Order code	Product type	Package quantity
251204	40x50x150 mm - 0,40 mm	1.000 pcs.
251205	40x50x150 mm - 0,50 mm	500 pcs.
251208	40x50x150 mm - 0,80 mm	500 pcs.
251210	40x50x150 mm - 1,00 mm	500 pcs.
251212	40x50x150 mm - 1,20 mm	250 pcs.
251215	40x50x150 mm - 1,50 mm	250 pcs.
251220	40x50x150 mm - 2,00 mm	250 pcs.

Pallet Content:



		Width	Length	Height
0.40 mm Pallet quantity: 45.000	Pallet dimensions	80 x	125 x	95 cm
0.50 mm Pallet quantity: 45.000	Pallet dimensions	80 x	125 x	95 cm
0.80 mm Pallet quantity: 45.000	Pallet dimensions	80 x	125 x	95 cm
1.00 mm Pallet quantity: 45.000	Pallet dimensions	80 x	125 x	95 cm
1.20 mm Pallet quantity: 10.500	Pallet dimensions	80 x	120 x	60 cm
1.50 mm Pallet quantity: 10.500	Pallet dimensions	80 x	120 x	60 cm
2.00 mm Pallet quantity: 10.500	Pallet dimensions	80 x	120 x	60 cm

Product Description:

It is used to fix aerated concrete, pumice and brick walls to concrete.


Usage Area:

It is used in brick, pumice and aerated concrete wall applications.

Product Storage Conditions:

Conditions Accessories should not come into contact with water. Boxes should be stocked in a flat and dry area.

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



ROOF PURLIN

Order code	Product type	Package quantity
2550	20x40 mm Ral 9002	4,000 pcs.
2553	42x45 mm Ral 9002	2.000 pcs.
2555	42x45 mm Ral 3009	2.000 pcs.
2559	42x45 mm Galvaniz	2.000 pcs.
2561	34x45 mm Ral 3004	2.000 pcs.

Pallet Content:



Width Length Height
Pallet quantity: 40.000 Pallet dimensions: 80 x 120 x 120 cm

Product Description:

Roof saddles are made of galvanized sheet metal and sandwich panels are used as trapeze panels on the roof. It is used to ensure drainage and sealing in the part fixed with screws.

Usage Area:


It is used in Roof Panel and trapezoidal systems.

Product Storage Conditions:

Accessories should not come into contact with water. Boxes should be stocked in a flat and dry area.

PROAKS METAL BUILDING SYSTEMS

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



LOCKING ROOF CLIP

Order code
2570

Product type
Fixed - Galvanised

Package quantity
1.500 pcs.

Pallet Content:



Pallet quantity: 75.000 Pallet dimensions: 100 x 125 x 120 cm

Product Description:

It is used as a connection accessory in standing seam roofing systems.

Usage Area:

It is used in standing seam roof coverings.

Product Storage Conditions:

Accessories should not come into contact with water. Boxes should be stocked in a flat and dry area.

PROAKS METAL BUILDING SYSTEMS

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



PANEL FENCE CLIP

Order code
2571

Product type
50 mm

Package quantity
200 pcs.

Pallet Content:



Pallet quantity: 25.000 Pallet dimensions: 85 x 120 x 75 cm

Product Description:

Panel çit profillerinin montajında kullanılan bağlantı aksesuarıdır.


Usage Area:

Panel çit sistemlerinde kullanılır.

Product Storage Conditions:

Aksesuarların suya temas etmemesi gerekir. Koliler düz ve kuru alanda stoklanmalıdır.

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



ISOLATION
DETECTION PINS

Pallet Content:



Order code	Product type	Package quantity
TT2940	4 mm	1.000 pcs.
TT2941	6 mm	1.000 pcs.
TT2942	8 mm	500 pcs.
TT2943	10 mm	500 pcs.
TT2944	12 mm	500 pcs.

Product Description:

It is a fastener which is used to fix thermal insulation boards such as XPS Rock wool and EPS with a One-sided surface mounted with adhesive tape.


Usage Area:

It is used in thermal insulation boards.

Product Storage Conditions:

Accessories should not come into contact with water. Boxes should be stocked in a flat and dry area.

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



COMPOSITE PANEL CLIP

Order code	Product type	Package quantity
2951	12 mm	2500 Pieces x10 boxes
2952	15 mm	2500 Pieces x10 boxes

Pallet Content:



Pallet quantity: 187.500 Pallet dimensions: 80 x 120 x 100 cm

Width Length Height

Product Description:

It is the connecting element used between aluminum composite panels on exterior facades.


Usage Area:

It is used in aluminum composite panel system.

Product Storage Conditions:

Accessories should not come into contact with water. Boxes should be stocked in a flat and dry area.

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



PRO RUBBER DOWEL

Order code	Product type	Package quantity
2603	White	500 pcs. x 50
2604	White	500 pcs. x 50
2605	Yellow	500 pcs. x 50
2606	Yellow	500 pcs. x 50
2607	Blue	500 pcs. x 50
2608	Blue	500 pcs. x 50

Pallet Content:



Pallet quantity: 250.000 Pallet dimensions: 80 x 120 x 100 cm

Width Length Height

Product Description:

In plasterboard suspended ceiling and partition wall applications, the system is installed on the ceiling and wall.


Usage Area:

It is used in plasterboard suspended ceiling systems.

Product Storage Conditions:

Accessories should not come into contact with water. Boxes should be stocked in a flat and dry area.

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



PB RUBBER DOWEL 8mm

Order code	Product type	Package quantity
2613	White	500 pcs. x 50
2614	White	500 pcs. x 50
2615	Yellow	500 pcs. x 50
2616	Yellow	500 pcs. x 50
2617	Blue	500 pcs. x 50
2618	Blue	500 pcs. x 50

Pallet Content:



Pallet quantity: 250.000 Pallet dimensions: 80 x 120 x 100 cm

Width Length Height

Product Description:

In plasterboard suspended ceiling and partition wall applications, the system is installed on the ceiling and wall. used for fixing.


Usage Area:

It is used in plasterboard suspended ceiling systems.

Product Storage Conditions:

Accessories should not come into contact with water. Boxes should be stocked in a flat and dry area.

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



PLASTIC DOWEL 8mm

Order code	Product type	Package quantity
2623	White	500 pcs. x 50
2624	White	500 pcs. x 50
2625	Yellow	500 pcs. x 50
2626	Yellow	500 pcs. x 50
2627	Blue	500 pcs. x 50
262x8	Blue	500 pcs. x 50

Pallet Content:



Pallet quantity: 250.000 Pallet dimensions: 80 x 120 x 100 cm

Product Description:

In plasterboard suspended ceiling and partition wall applications, the system is installed on the ceiling and wall. used for fixing.


Usage Area:

It is used in plasterboard suspended ceiling systems.

Product Storage Conditions:

Accessories should not come into contact with water. Boxes should be stocked in a flat and dry area.

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



5.0 x 45 WASHER HEAD DOWEL SCREW

Order code	Product type	Package quantity
2701	Yellow	200 pcs. x 30
2702	Yellow	500 pcs. x 12
2703	Yellow	5.000 pcs. x 1
2704	White	200 pcs. x 30
2705	White	500 pcs. x 12
2706	White	5.000 pcs. x 1

Pallet Content:



Pallet quantity: 250.000 Pallet dimensions: 80 x 120 x 100 cm

Width Length Height

Product Description:

In plasterboard suspended ceiling and partition wall applications, the system is installed on the ceiling and wall.

Usage Area:

It is used in plasterboard suspended ceiling systems.

Product Storage Conditions:

Accessories should not come into contact with water. Boxes should be stocked in a flat and dry area.

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS

CHIPBOARD SCREW

Order code	Product type	Package quantity
2711	5,0x40	200 pcs. x 30
2712	5,0x40	500 pcs. x 12
2713	5,0x45	200 pcs. x 30
2714	5,0x45	500 pcs. x 12
2715	5,0x50	200 pcs. x 30
2716	5,0x50	500 pcs. x 12
2717	5,0x60	150 pcs. x 30
2718	5,0x60	300 pcs. x 12
2719	5,0x70	150 pcs. x 30
2720	5,0x70	300 pcs. x 12

Pallet Content:



Pallet quantity: 250.000 Pallet dimensions: 80 x 120 x 100 cm

Product Description:

In plasterboard suspended ceiling and partition wall applications, the system is installed on the ceiling and wall for fixing.


Usage Area:

It is used in plasterboard suspended ceiling systems.

Product Storage Conditions:

Accessories should not come into contact with water. Boxes should be stocked in a flat and dry area.

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



WASHER

Order code

2625

Product type

1/4 inch

Package quantity

5000 pcs.

Pallet Content:



Product Description:

In plasterboard suspended ceiling and partition wall applications, the system is installed on the ceiling and wall. It is used together with screws for fixing.

Usage Area:

It is used in plasterboard suspended ceiling systems.

Product Storage Conditions:

Accessories should not come into contact with water. Boxes should be stocked in a flat and dry area.

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



WASHER HEAD SCREW + PB DOWEL

Order code	Product type	Package quantity
2814	5.0x45 Yellow Washer Head Screw+White Pro 8mm Dowel	100 pcs. x 50
2815	5.0x45 Yellow Washer Head Screw+Yellow Pro 8mm Dowel	100 pcs. x 50
2816	5.0x45 White Washer Head Screw+White Pro 8mm Dowel	100 pcs. x 50
2817	5.0x45 White Washer Head Screw+Yellow Pro 8mm Dowel	100 pcs. x 50

Pallet Content:



Pallet quantity: 140.000 Pallet dimensions: 100 x 120 x 150 cm

Width Length Height

Product Description:

In plasterboard suspended ceiling and partition wall applications, the system is installed on the ceiling and wall for fixing.

Usage Area:

It is used in plasterboard suspended ceiling systems.

Product Storage Conditions:

Accessories should not come into contact with water. Boxes should be stocked in a flat and dry area.

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



WASHER HEAD SCREW
+ PB DOWEL

Order code	Product type	Package quantity
2801	5.0x45 Yellow Washer Head Screw + White Pb 8mm Dowel	100 pcs. x50
2802	5.0x45 Yellow Washer Head Screw + Yellow Pb 8mm Dowel	100 pcs. x50
2803	5.0x45 White Washer Head Screw + White Pb 8mm Dowel	100 pcs. x50
2804	5.0x45 White Washer Head Screw + Yellow Pb 8mm Dowel	100 pcs. x50

Pallet Content:



Pallet quantity: 140.000 Pallet dimensions: 100 x 120 x 150 cm

Width Length Height

Product Description:

In plasterboard suspended ceiling and partition wall applications, the system is installed on the ceiling and wall for fixing.


Usage Area:

It is used in plasterboard suspended ceiling systems.

Product Storage Conditions:

Accessories should not come into contact with water. Boxes should be stocked in a flat and dry area.

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



Order code	Product type	Package quantity
2805	5.0x45 White Washer Head Screw + White 8mm Dowel	100 pcs. x50
2806	5.0x45 White Washer Head Screw + Yellow 8mm Dowel	100 pcs x50
3807	5.0x45 White Washer Head Screw + White 8mm Dowel	100 pcs 50
2808	5.0x45 White Washer Head Screw + Yellow 8mm Dowel	100 pcs x50

WASHER HEAD SCREW + 8mm DOWEL

Pallet Content:



Pallet quantity: 140.000 Pallet dimensions: 100 x 120 x 150 cm

Width Length Height

Product Description:

In plasterboard suspended ceiling and partition wall applications, the system is installed on the ceiling and wall for fixing.

Usage Area:

It is used in plasterboard suspended ceiling systems.

Product Storage Conditions:

Accessories should not come into contact with water. Boxes should be stocked in a flat and dry area.

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



JOINT TAPE

Order code	Product type	Package quantity
2515	5 cm x 45 m	48 pcs.
2516	5 cm x 90 m	36 pcs.
2517	10 cm x 90 m	18 pcs.
2518	8 cm x 90 m	18 pcs.

Pallet Content:



	Width	Length	Height
5 cm x 90 m Pallet quantity 1.512	Pallet dimensions:	100 x 120	160 cm
10 cm x 90 m Pallet quantity 756	Pallet dimensions:	100 x 120	160 cm

Product Description:

It is an adhesive glass fiber tape used in the joints of partition walls and ceiling systems. It prevents cracks in the areas where it is used and provides a flat surface.


Usage Area:

It is used in plasterboard suspended ceiling and partition wall systems.

Product Storage Conditions:

Accessories should not come into contact with water. Boxes should be stocked in a flat and dry area.

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



POINTED DRYWALL SCREW

Order code	Product type	Package quantity
4001	3.5 x 25 SIV	1.000 Adet x18
4003	3.5 x 35 SIV	500 Adet x18
4005	3.5 x 45 SIV	500 Adet x18

Pallet Content:



	Width	Length	Height
3,5x25 MUV - Pointed Pallet quantity 288.000	Pallet dimensions	80 x 120	95 cm
3,5x35 MUV - Pointed Pallet quantity 144.000	Pallet dimensions	80 x 120	95 cm
3,5x45 MUV - Pointed Pallet quantity 115.200	Pallet dimensions	80 x 120	95 cm

Product Description:

Drywall screws are fasteners used in partition wall and suspended ceiling systems to fix profiles in plasterboard systems


Usage Area:

It is used in plasterboard suspended ceiling and partition wall systems.

Product Storage Conditions:

Accessories should not come into contact with water. Boxes should be stocked in a flat and dry area.

SUSPENDED CEILING PARTITION AND WALL SYSTEM FITTINGS



SELF-DRILLING DRYWALL SCREW

Order code	Product type	Package quantity
4000	3.5 x 25 MUV	1.000 pcs. x18
4002	3.5 x 35 MUV	500 pcs. x18
4004	3.5 x 45 MUV	500 pcs. x18

Pallet Content:



	Width	Length	Height
3,5x25 MUV - Pointed Pallet quantity 288.000	80	120	95
3,5x35 MUV - Pointed Pallet quantity 144.000	80	120	95
3,5x45 MUV - Pointed Pallet quantity 115.200	80	120	95

Product Description:


Drywall screws are fasteners used in partition wall and suspended ceiling systems to fix profiles in plasterboard systems

Usage Area:

It is used in plasterboard suspended ceiling and partition wall systems.

Product Storage Conditions:

Accessories should not come into contact with water. Boxes should be stocked in a flat and dry area.



PROAKS METAL

Proaks Metal Yapı Sistemleri San. Tic. Ltd. Şti.

Beylikdüzü, Birlik Sanayi Sitesi 5. Cadde No:29 PK: 34524 İstanbul TÜRKİYE

Tel: 0090 212 541 0924
info@proaksmetal.com.tr

Faks: 0090 212 426 7803
www.proaksmetal.com.tr

