

[Click to Print This Page](#)



## E-VISION 10000i DIGITAL PROJECTOR

THE VISIONARIES CHOICE



## E-Vision 10000i WU (Preliminary)

**9,600 ISO / 8,600 ANSI Lumens | Contrast Ratio: 20,000:1 (Dynamic Black) | Part Number: 123-528**

### Key Specifications:

|                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Colour System:</b>     | Laser Phosphor                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Display Type:</b>      | 1 x 0.67" DarkChip™ DMD™                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>DMD Specification:</b> | 1920 x 1200 pixels native display.<br>Fast transit pixels for smooth greyscale and improved contrast.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Aspect Ratio:</b>      | 16x10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Fill Factor</b>        | 87%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Key Features:</b>      | <p><b>Video &amp; Graphics Processing</b></p> <ul style="list-style-type: none"><li>• HDMI 2.0</li><li>• DisplayPort 1.2</li><li>• Side by Side, Frame Packing, Frame Sequential, TopBottom and Dual Pipe 3D Formats.</li><li>• Synchronisation of active glasses or polarising switcher.</li><li>• DICOM simulation mode (For non-diagnostic or training)</li><li>• HDR support</li><li>• 2D Smear reduction</li></ul> <p><b>Geometry Correction</b></p> <ul style="list-style-type: none"><li>• Vertical &amp; Horizontal Keystone correction</li><li>• Four Corner adjustment</li></ul> |

|                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |             |     |
|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-----|
|                           | <ul style="list-style-type: none"><li>Selectable aspect ratios: 5:4 / 4:3 / 16:10 /16:9 / 1.88 / 2.35 / TheaterScope / Source / Unscaled</li><li>Digital Zoom</li></ul> <p><b>HDBaseT Interface</b></p> <ul style="list-style-type: none"><li>Built in support for transmission of uncompressed High Definition Video over standard CAT5e/6 LAN cable.</li><li>Allows the projector to be placed up to 100m from the source with low cost cabling.</li><li>HDBaseT® Includes Ethernet 100BaseT and RS232/IR control.</li></ul> <p><b>Colour Processing</b></p> <ul style="list-style-type: none"><li>Phosphor wheel: 2 x 7200rpm (120Hz)</li><li>Colour wheel: 4 Segment RGBY 2 x 7200rpm (120Hz)</li><li>10-bit colour processing (30-bits per pixel) 1,073,741,824 colours</li><li>Powerful seven point colour correction for accurate colour matching.</li></ul> |             |     |
| Source Compatibility      | Graphics standards: Up to WUXGA 1920 x 1200 - 120Hz RB                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |             |     |
| Inputs/Outputs            | Video & Computer                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |             |     |
|                           | Type                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Connector   | Qty |
|                           | HDMI 2.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | HDMI        | 2   |
|                           | DisplayPort 1.2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | DisplayPort | 2   |
|                           | HDBaseT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | 8P8C "RJ45" | 1   |
|                           | 3G-SDI in                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | BNC         | 1   |
|                           | 3G-SDI out                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | BNC         | 1   |
|                           | .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |             |     |
|                           | Communication & Control                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |             |     |
|                           | Type                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Connector   | Qty |
| 3D Sync In                | BNC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 1           |     |
| 3D Sync Out               | BNC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 1           |     |
| 3D Sync IR                | BNC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 1           |     |
| LAN / Art-Net             | EtherCON RJ45                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 1           |     |
| HDBaseT/Ethernet/RS232/IR | RJ45                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 1           |     |
| Serial In RS-232C         | 9-pin D-Sub                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 1           |     |
| Serial Out RS-232C        | 9-pin D-Sub                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 1           |     |
| Wired Remote In           | 3.5mm Stereo Jack                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 1           |     |
| Wired Remote Out          | 3.5mm Stereo Jack                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 1           |     |
| 12V Trigger               | 3.5mm Stereo Jack                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 1           |     |
| USB Power out 5V/2A       | USB Type A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 1           |     |
| 3D Formats Supported      | Frame Packing<br>Dual Pipe<br>Frame Sequential<br>Side By Side (half)<br>Top and Bottom                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |             |     |
| HDTV Formats Supported    | SDTV (480i, 576i), EDTV (480p, 576p), HDTV (720p, 1080i, 1080p), NTSC (M, 3.58/4.43 MHz), PAL (B,D,G,H,I,M,N), SECAM (B,D,G,K,K1,L) Display Support for 2K 2048 x 1080 up to 60Hz and 4K-UHD 3840 x 2160 up to 60Hz                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |             |     |
| Computer Compatibility    | VGA, SVGA, XGA, SXGA, SXGA+, UXGA, WUXGA@60hz, Mac                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |             |     |
| Bandwidth                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |             |     |
|                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |             |     |

| Remote Control            | Infrared Remote Control Unit                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                        |                                                        |  |      |          |                        |                    |               |         |               |                                                |                     |         |               |                                                        |               |         |               |      |                     |         |                |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|--------------------------------------------------------|--|------|----------|------------------------|--------------------|---------------|---------|---------------|------------------------------------------------|---------------------|---------|---------------|--------------------------------------------------------|---------------|---------|---------------|------|---------------------|---------|----------------|--------------------------------------------------------|---------------------|---------|---------------|--------------------------------------------------------|---------------------|---------|---------------|--------------------------------------------------------|---------------------|---------|---------------|--------------------------------------------------------|---------------------|---------|---------------|--------------------------------------------------------|
| Automation Control        | LAN - Webpage control<br>TCP/UDP control<br>RS-232<br>Alert Mail for Projector<br>LAN Control-Crestron® Connected<br>LAN Control-PJ Link Class 1 compatible<br>LAN Control-AMX® Device Discovery<br>Art-Net (DMX) control                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                        |                                                        |  |      |          |                        |                    |               |         |               |                                                |                     |         |               |                                                        |               |         |               |      |                     |         |                |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |
| Colour Temperature        | User selectable (3200K/ 5400K / 6500K / 7500K / 9300K / Native )                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                        |                                                        |  |      |          |                        |                    |               |         |               |                                                |                     |         |               |                                                        |               |         |               |      |                     |         |                |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |
| Operation                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                        |                                                        |  |      |          |                        |                    |               |         |               |                                                |                     |         |               |                                                        |               |         |               |      |                     |         |                |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |
| illumination Type         | Laser Phosphor                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                        |                                                        |  |      |          |                        |                    |               |         |               |                                                |                     |         |               |                                                        |               |         |               |      |                     |         |                |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |
| Typical illumination Life | 20,000 hours                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                        |                                                        |  |      |          |                        |                    |               |         |               |                                                |                     |         |               |                                                        |               |         |               |      |                     |         |                |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |
| Lenses                    | <table><tr><th>Lens</th><th>Part No.</th><th>Optimised Focus Range*</th><th>Lens Shift (Frame)</th></tr><tr><td>0.38 :1 fixed</td><td>117-341</td><td>0.68m - 2.44m</td><td>Depends on image size, see Installation Guide.</td></tr><tr><td>0.75 - 0.93 :1 zoom</td><td>115-339</td><td>1.02m - 12.7m</td><td>Vert: 0.5 (U) 0.3 (D) frame, Hor: 0.1(L) 0.2 (R) frame</td></tr><tr><td>0.76 :1 fixed</td><td>112-499</td><td>0.81m - 5.08m</td><td>none</td></tr><tr><td>1.25 - 1.79 :1 zoom</td><td>112-500</td><td>1.33m - 11.73m</td><td>Vert: 0.5 (U) 0.3 (D) frame, Hor: 0.1(L) 0.2 (R) frame</td></tr><tr><td>1.73 - 2.27 :1 zoom</td><td>112-501</td><td>1.83m - 14.9m</td><td>Vert: 0.5 (U) 0.3 (D) frame, Hor: 0.1(L) 0.2 (R) frame</td></tr><tr><td>2.22 - 3.67 :1 zoom</td><td>112-502</td><td>2.36m - 24.2m</td><td>Vert: 0.5 (U) 0.3 (D) frame, Hor: 0.1(L) 0.2 (R) frame</td></tr><tr><td>3.58 - 5.38 :1 zoom</td><td>112-503</td><td>3.8m - 35.35m</td><td>Vert: 0.5 (U) 0.3 (D) frame, Hor: 0.1(L) 0.2 (R) frame</td></tr><tr><td>5.31 - 8.26 :1 zoom</td><td>112-504</td><td>5.59m - 54.8m</td><td>Vert: 0.5 (U) 0.3 (D) frame, Hor: 0.1(L) 0.2 (R) frame</td></tr></table> <p>* Lens focal ranges above are the optimised distances but are likely to focus further, please contact your RSM for more details. Lens ratio tolerances: E-Vision Series: +/-3%. HighLite Series: +/- 5%. M-Vision Series: +/- 2%. Titan Series: +/-2%, INSIGHT Series: +/-2%,</p> |                        |                                                        |  | Lens | Part No. | Optimised Focus Range* | Lens Shift (Frame) | 0.38 :1 fixed | 117-341 | 0.68m - 2.44m | Depends on image size, see Installation Guide. | 0.75 - 0.93 :1 zoom | 115-339 | 1.02m - 12.7m | Vert: 0.5 (U) 0.3 (D) frame, Hor: 0.1(L) 0.2 (R) frame | 0.76 :1 fixed | 112-499 | 0.81m - 5.08m | none | 1.25 - 1.79 :1 zoom | 112-500 | 1.33m - 11.73m | Vert: 0.5 (U) 0.3 (D) frame, Hor: 0.1(L) 0.2 (R) frame | 1.73 - 2.27 :1 zoom | 112-501 | 1.83m - 14.9m | Vert: 0.5 (U) 0.3 (D) frame, Hor: 0.1(L) 0.2 (R) frame | 2.22 - 3.67 :1 zoom | 112-502 | 2.36m - 24.2m | Vert: 0.5 (U) 0.3 (D) frame, Hor: 0.1(L) 0.2 (R) frame | 3.58 - 5.38 :1 zoom | 112-503 | 3.8m - 35.35m | Vert: 0.5 (U) 0.3 (D) frame, Hor: 0.1(L) 0.2 (R) frame | 5.31 - 8.26 :1 zoom | 112-504 | 5.59m - 54.8m | Vert: 0.5 (U) 0.3 (D) frame, Hor: 0.1(L) 0.2 (R) frame |
| Lens                      | Part No.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Optimised Focus Range* | Lens Shift (Frame)                                     |  |      |          |                        |                    |               |         |               |                                                |                     |         |               |                                                        |               |         |               |      |                     |         |                |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |
| 0.38 :1 fixed             | 117-341                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 0.68m - 2.44m          | Depends on image size, see Installation Guide.         |  |      |          |                        |                    |               |         |               |                                                |                     |         |               |                                                        |               |         |               |      |                     |         |                |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |
| 0.75 - 0.93 :1 zoom       | 115-339                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 1.02m - 12.7m          | Vert: 0.5 (U) 0.3 (D) frame, Hor: 0.1(L) 0.2 (R) frame |  |      |          |                        |                    |               |         |               |                                                |                     |         |               |                                                        |               |         |               |      |                     |         |                |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |
| 0.76 :1 fixed             | 112-499                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 0.81m - 5.08m          | none                                                   |  |      |          |                        |                    |               |         |               |                                                |                     |         |               |                                                        |               |         |               |      |                     |         |                |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |
| 1.25 - 1.79 :1 zoom       | 112-500                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 1.33m - 11.73m         | Vert: 0.5 (U) 0.3 (D) frame, Hor: 0.1(L) 0.2 (R) frame |  |      |          |                        |                    |               |         |               |                                                |                     |         |               |                                                        |               |         |               |      |                     |         |                |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |
| 1.73 - 2.27 :1 zoom       | 112-501                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 1.83m - 14.9m          | Vert: 0.5 (U) 0.3 (D) frame, Hor: 0.1(L) 0.2 (R) frame |  |      |          |                        |                    |               |         |               |                                                |                     |         |               |                                                        |               |         |               |      |                     |         |                |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |
| 2.22 - 3.67 :1 zoom       | 112-502                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 2.36m - 24.2m          | Vert: 0.5 (U) 0.3 (D) frame, Hor: 0.1(L) 0.2 (R) frame |  |      |          |                        |                    |               |         |               |                                                |                     |         |               |                                                        |               |         |               |      |                     |         |                |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |
| 3.58 - 5.38 :1 zoom       | 112-503                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 3.8m - 35.35m          | Vert: 0.5 (U) 0.3 (D) frame, Hor: 0.1(L) 0.2 (R) frame |  |      |          |                        |                    |               |         |               |                                                |                     |         |               |                                                        |               |         |               |      |                     |         |                |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |
| 5.31 - 8.26 :1 zoom       | 112-504                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 5.59m - 54.8m          | Vert: 0.5 (U) 0.3 (D) frame, Hor: 0.1(L) 0.2 (R) frame |  |      |          |                        |                    |               |         |               |                                                |                     |         |               |                                                        |               |         |               |      |                     |         |                |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |
| Lens Mount                | Motorised and programmable shift, zoom and focus.<br>Intelligent Lens Memory with 10 user-definable preset positions (except UST lens).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                        |                                                        |  |      |          |                        |                    |               |         |               |                                                |                     |         |               |                                                        |               |         |               |      |                     |         |                |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |
| Mechanical Mounting       | Front/Rear Table<br>Front/Rear Ceiling<br>Adjustable Front/Rear Feet                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                        |                                                        |  |      |          |                        |                    |               |         |               |                                                |                     |         |               |                                                        |               |         |               |      |                     |         |                |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |                     |         |               |                                                        |

|                                |                                                                                                                                                                                                                                                                                                                                                                   |           |          |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|----------|
|                                | Ceiling Mount compatible chassis with 6 off M4*0.7 mounting holes available, Maximum screw length 16mm                                                                                                                                                                                                                                                            |           |          |
| Orientation                    | <b>Table Top or Inverted:</b> Yes<br><b>Pointing Up:</b> Yes<br><b>Pointing Down:</b> Yes<br><b>Roll (Portrait):</b> Yes                                                                                                                                                                                                                                          |           |          |
| Power Requirements             | 100-240VAC 50/60Hz single phase 6.8A                                                                                                                                                                                                                                                                                                                              |           |          |
| Power Consumption              | 583W @ 240VAC (100% Normal mode) 606W @ 100VAC (100% Normal mode) Standby: <0.5W (Network Off), <2W (Network On)                                                                                                                                                                                                                                                  |           |          |
| Thermal Dissipation            | 1988 BTU/Hour @ 240VAC (100% Normal mode) 2070 BTU/Hour @ 100VAC (100% Normal mode)                                                                                                                                                                                                                                                                               |           |          |
| Fan Noise                      | Normal mode: 40 dBA typical                                                                                                                                                                                                                                                                                                                                       |           |          |
| Operating/Storage Temperature: | Operating: 0 to 40 °C (32 to 104 °F)<br>Force ECO over 35°C (95°F)                                                                                                                                                                                                                                                                                                |           |          |
| Operating Humidity             | 20%-90% non-condensing                                                                                                                                                                                                                                                                                                                                            |           |          |
| Weight                         | 27.5 kg / 60.6 lbs                                                                                                                                                                                                                                                                                                                                                |           |          |
| Dimensions                     | L: 598mm x W: 500mm x H:218mm<br>L: 23.54 inch x W: 19.68 inch x H: 8.58 inch                                                                                                                                                                                                                                                                                     |           |          |
| Safety & EMC Regulations       | CB report, cTUVus, CE (European Economic Area), UKCA (United Kingdom), CCC (China), CECP (China Energy Conservation Program), CELP (China Environmental Labeling Program), China RoHS, FCC Class A (USA), FDA, KC (Korea), BSMI (Taiwan), RCM (Australia), IEC 60825-1 Ed3 :2014 - Class 1 Laser Product, IEC EN 62471-5:2015 - Risk Group 2 & 3 (Lens dependent) |           |          |
| Accessories                    | <table><tr><td>Accessory</td><td>Part No.</td></tr></table> <p><i>*Dimensions included for reference only and are subject to change. Please download the full set of CAD files for this display for more accurate information.</i></p>                                                                                                                            | Accessory | Part No. |
| Accessory                      | Part No.                                                                                                                                                                                                                                                                                                                                                          |           |          |
| Downloads                      |                                                                                                                                                                                                                                                                                                                                                                   |           |          |
| User Guide                     |                                                                                                                                                                                                                                                                                                                                                                   |           |          |



DIGITAL PROJECTION, LTD

Unit 3, Aniseed Park, Broadgate,  
Oldham, UK OL9 9XA

T: +44 (0)161 947 3300

[www.digitalprojection.com](http://www.digitalprojection.com)



DIGITAL PROJECTION, INC

55 Chastain Road, Suite 115 Kennesaw, GA.  
30144



Specifications subject to change without notice.  
©2024 Digital Projection. DLP®, Digital Light Processing™ and DMD are trademarks of Texas Instruments, Inc

A brand of 



T: 770.420.1350 | F: 770.420.1360



[www.digitalprojection.com](http://www.digitalprojection.com)



**DIGITAL PROJECTION, CHINA**



Rm A2301, Shaoyaoju 101 North Lane, Shi Ao

International Center, Chaoyang District, Beijing 100029,  
PR China



T: +86.10.58239771 | F: +86 10 58239770