## ViewSonic<sup>®</sup> LDP135-151


## Key Features

- Impressively large, bezelfree visual experiences
- All-in-One design without complicated setup
- Real-to-life colours and high brightness
- Immersive audio from builtin Harman Kardon speakers
- Adaptable and flexible to suit any display scenario



## Product **Description**

Gaze upon astoundingly lifelike imagery on the minimalistic 2nd Gen 135" ViewSonic® LDP135-151 All-in-One Direct View LED display. The All-in-One modular design offers an effortless installation and maintenance process. This next-generation display is upgraded with advanced features to deliver a spectacular audiovisual experience and user-forward design.Delivering 120% Rec. 709 wide colour gamut, lightning-fast 4,440Hz refresh rate, and a peak brightness of 600 nits, every video, presentation, or lecture will be an immersion of real-to-life colour and extraordinary detail. The display is also equipped with Harman Kardon speakers, 4K/HDR/HLG support and Frame Interpolation technology for unsurpassable, immersive content delivery. At 25mm slim and lined with a 5mm frameless edge, the sleek display exudes sophistication and elegance in any modern setting. It offers flexibility and adaptability in design – with portrait and landscape installations to complement any space and scenario. The screens can be easily fused together to form an ultra-wide 32:9 video wall to deliver a seamless visual experience in epic proportions. The system control box can also be easily detached to blend into every design.



 5. S/PDIF Out
 12. RS232

 6. IR In
 13. USB-C (5V/2A)

 7. USB 2.0 (5V/1.5A) x 2
 14. USB 2.0 (5V/1.5A)

19. Power Button 20. Indicator Light

Visit Us www.viewsonic.com

SPECIFICATION		CONTROL	
Screen Size:	135"	RJ45 (LAN control):	x1(shared with
Display Area (mm):	3000 (H) x 1687.5(V)		internet)
Native Resolution:	1920x1080	USB Type A (Services):	x1(shared with USB A input)
Panel Technology:	Direct view LED	RS232 (DB 9-pin female):	x1
LED Package Type:	SMD 3 in 1	IR Receiver:	x1
Bonding Wire:	Gold	OTHERS	
Pixel Pitch (mm):	1.56	Power Supply Voltage:	100-120V/30A~ 50/60Hz or 220- 240V/15A~ 50Hz(vary by country)
Refresh Rate:	4440Hz		
Brightness (max.):	600 nits (8 levels adjustable)	Power Consumption:	1500W (typ), 2500W (max), < 0.5W (Sleep), < 0W (Off)
Contrast Ratio (typ.):	6000:1		
Orientation:	Landscape / Portrait	Operating Temperature:	0~40°C
Viewing Angles (typ.):	H = 160, V = 160	LED Module Quantity:	100
LED Lifetime (typ.):	100,000 Hours	Ingress Protection Rating:	IP30
Local Storage:	Total 64GB (56GB available storage)	Net Weight:	265 lbs(120 kg)
Embedded OS:	<i><i><i>o</i>,</i></i>	Gross Weight:	496 lbs(225 kg)
Resolution Support:	Android 9.0 VGA(640 x 480) to 1080p(1920 x 1080)	Screen Dimensions (WxHxD):	118.9x71.1x1 inches(3010 x 1807.5 x 25 mm)
HDTV Compatibility:	480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 2160P/60Hz	Screen Dimensions (WxHxD) with wall mount:	118.9x71.1x2.2 inches(3010 x 1807.3 x 57 mm)
Horizontal Frequency:	23-120 kHz	Packing Dimensions:	70.9x27.95x27.3 inches(1800 x 710 x 700 mm)
Vertical Scan Rate:	15-135 Hz		
INPUT		STANDARD ACCESSORIES	
HDMI:	x5 (HDMI 2.1 x 1, HDMI 2.0 x 2, HDMI 1.4 x 2)	Power Cord:	x1
		LAN Cable (Cat 5A):	x1 (5m)
USB Type A:	x3( USB2.0 x3)	IR Extender Cable:	x1(3m)
RJ45 Input (Internet):	x1	Remote Control:	x1
IR in:	x1	QSG:	x1
Wi-Fi Input:	2.4G/5G Hz	Wall Mount:	x1
USB Type C:	x1(Video input Power	Spare Parts:	LED PCB Unit x7
	output (5V/2A))	Maintenance Tool:	LD-MK-001 x1
Audio-in (3.5mm):	x1	OPTIONAL ACCESSORIES	
HDBaseT:	x1(1080P@100m、 4K30Hz@70m)	Maintenance Tool:	LD-MK-001
OUTPUT		Floor Stand:	LD-STND-006
HDMI out:	x2(HDMI 2.0 external x1, internal x1)	ViewBoard Cast Button(USB-C):	VB-WPS-001
Speaker:	20W x2 (harman kardon)	ViewBoard Cast Button(USB- A+HDMI):	VB-WPS-003
Audio out (3.5mm):	x1		
USB Type A (Power):	Shared with USB input(5V/1.5A x3)		

