





Always check the website for the most updated specifications: www.americh.com













All bathtub dimensions are ± 1/2".

Builder Series



Luxury Series



DIMENSIONS

66" x 42" x 22" (1676 x 1067 x 559 mm)

Whirlpool Operating Gallons = 55 (Liters = 208)

Gallon to Overflow = 75 (Liters = 284)

MATERIAL: Acrylic (All Americh Standard Colors)

TUB FLOOR: Textured


UNDERMOUNT: Yes

□□Advise Americh when ordering to ensure there are no issues with deck mounted controls.

Americh recommends one 20 amp ground fault circuit interrupter (GFCI) for each power supply provided with the bathtub.


□Always take dimensions directly from the unit.

Platinum Series



Combination

(pump and blower location only)



OPTIONAL ACCESSORIES


ELECTRI CAL REQUIREMENTS


- Apron
- ☐ Chromatherapy*
- ☐ Grab Bars: 9" * 14" 16"
- ☐ High Density Insulation*
- □iBath Sound System
- ☐Inline Heater (whirlpool only)
- ☐ Jets: Additional or Rotary*
- ☐ Lo Profile Tub Edge
- □ Ozone System (whirlpool and/or Airbath only)
- ☐Pillows: 13" *


Angle - Full Back

- Remote Control Upgrade (select series only)
- ☐ Serenity Soak (tub only)
- Syllent Pump with Heated Air*
- □Tile Flange Kit
- ☐Trim Kit Upgrade*
- ☐Waste & Overflow
 - ☐ Cable Drive Overflow*
 - ☐ Linear Overflow
- * Standard on Platinum Series

Airbath System III Airbath System III







INSTALLATION TIPS

- □ Install according to Owner's Manual and local codes.
- □Airbath III units may be 1½" 2½" higher than stated.
- □Any whirlpool or Airbath® unit requires an access panel.
- ☐ Hot water supply should be 65-75% of tub capacity or greater.
- □Always consult your local plumber for recommendations as installations will vary.
- □Cut-out dimension: 64" x 40"

CODES AND COMPLIANCE

Americh products meet or exceed the following standards:

- ☐Underwriters Laboratories (UL)
- ☐Underwriters Laboratories Canada (cUL)
- ☐ Canadian Standards Association (CSA)
- □ANSI Z124.1 ANSI A112-19.7
- ☐ANSI A112.19.8 ASTM F462-79

Contact Americh for additional approvals.