

## MOMENTUM™ LIGHTED MIRROR

*Residential Performance Specification*



The Momentum™ Lighted Mirror remains the most popular lighted mirror design, providing parallel rectangular lighting with a clean modern frame.

### FEATURES

- Elife™-8 Years extended lamp replacement cycle
- EnergyLite™-Half the energy with equal light output\*
- Wood urban profile frame in espresso, beachwood, cherry, or walnut finish
- Natural light color ideal for makeup application
- HardCoat™ anti-corrosion mirror treatment
- Rust resistant powder coated metal construction
- Environmentally sustainable and energy efficient
- Proudly made in the USA
- Patented (7,853,414)
- Stainless steel hanger
- Welded Construction

### LIGHTING

- Low-Mercury T5HO warm fluorescent (US Made)
- CRI 85
- CCT (K) 3000
- Average lamp life of 20,000 hours for Circline lamps and 35,000 hours for T5HO
- 50,000 cycle ballast

### OPTIONS

- Diamond Clear™ extra white mirror
- Dimmable - Separate wall control required (Not available on the 23" x 49" or 26" x 41" sizes)
- Defogger
- Add TV (See Momentum™ Lighted Mirror TV)

### SAFETY

- Tested to UL/UL-C 1598 including section 16.23 (adhesive support test)
- International Certifications
- Safety backed mirror

### THERE'S ONLY ONE ELECTRIC MIRROR™

Electric Mirror is the global leader in lighted mirrors and Mirror TV technology. With unparalleled customer service and amazing innovation, Electric Mirror is the standard of luxury for five-star hotels, upscale commercial projects and designer homes.

## MOMENTUM™ LIGHTED MIRROR


Residential Performance Specification

### SPECIFICATION

- The top of the lighted mirror above the bathroom vanity should be a minimum of 6' 6" above the finished floor.
- Electrical connections made with MC cable brought through the chassis knockout, no electrical box required.
- Electrical power should be controlled by a light switch.
- Fixture should be mounted to wall studs to provide sufficient support. Mounting holes are provided in the chassis.

MODEL NUMBER	DIMENSIONS	POWER REQUIREMENTS	LAMPING
MOM-MU0□-23.00x49.00	23" W x 49" H x 2.5" D 584mm x 1,245mm x 63.5mm	120 - 277 VAC, 1.5 - .59 Amps, 165W	3 x T5 Circline, 55W
MOM-MU0□-26.00x41.00	26" W x 41" H x 2.5" D 660mm x 1,041mm x 63.5mm	120 - 277 VAC, 1.0 - .40 Amps, 110W	2 x T5 Circline, 55W
MOM-MU0□-41.00x47.00	41" W x 47" H x 3.5" D 1,041mm x 1,194mm x 89mm	120 - 277 VAC, 1.4 - .56 Amps, 156W	4 x T5HO, 39W
MOM-MU0□-47.00x41.00	47" W x 41" H x 3.5" D 1,194mm x 1,041mm x 89mm	120 - 277 VAC, 1.3 - .56 Amps, 156W	4 x T5HO, 39W
MOM-MU0□-47.00x47.00	47" W x 47" H x 3.5" D 1,194mm x 1,194mm x 89mm	120 - 277 VAC, 1.3 - .56 Amps, 156W	4 x T5HO, 39W
MOM-MU0□-59.00x41.00	59" W x 41" H x 3.5" D 1,499mm x 1,041mm x 89mm	120 - 277 VAC, 1.69 - .67 Amps, 186W	4 x T5HO, 54W/39W

□ - Indicates finish selection, see frame specification for details



**PROPRIETARY AND CONFIDENTIAL:** The information contained in this specification is the sole property of Electric Mirror®. Any reproduction in part or in whole without written permission from Electric Mirror® is prohibited.

© 2012 ELECTRIC MIRROR®