




Product specifications

- **8 5/8" projection**
- Swivel spout 180°
- M 22 x 1 aerator – female thread
- Back flow preventer in shower outlet
- Sleeve for cartridge screw
- 1x 1/2" copper pipe, 6 3/4"
- Automatic diverter
- xSTREAM ceramic disc cartridge
- Hand shower with descaling system and back flow preventer
- Metal shower hose 88 5/8", consisting of 1 pc. 19 5/8" chrome plated metal hose and 1 pc. 68 7/8" flex line
- 3x compression connection 1/2" x 1/2"
- Cover plate 11 3/4" x 3 1/8"
- Total height 14 5/8"
- Height to aerator/spout outlet 9"
- Hole diameter spout/mixer 1 3/8"
- Hand shower hole diameter 1 1/4"
- 2x 1/2" copper pipe (cold/hot), 3 7/8"






- 20° x 1/2" x 1/2" angle
 - Shower hose guide
 - Hand shower water flow rate limited to max. 2.38 gpm
- Internal backflow preventer.

Surfaces

- chrome 27322885-00
- chrome 27322885-00
- matt platinum 27322885-06
- matt platinum 27322885-06

Exploded assembly drawing



Order quantity

No.	Article number	Name	Installation quantity
1	13512885ff	spout	1
2	1250297090	hose	1
3	0924031681090	nipple	1
4	09141004390	seal	2
5	29200885ff	connection	1
6	28010979ff	shower	1
7	04240418900ff	nipple	1
8	09142000290	seal	1
9	28322970ff	hose	1
10	09184008590	sleeve	1
11	091101084ff	cover	1
12	093001090-07	sleeve	1
13	0423100324690	fixing set	1
14	1250597090	hose	1