

# TilePal

TILING PRODUCT GUIDE 20/21

Welcome to our Edition 20/21 catalogue.  
 As specialists in the supply of professional tiling and wet room products, we are passionate about our extensive and innovative range.

TilePal is part of the Quantum Group, a forward-thinking business built with honesty, integrity and trust at its core. Our business has a reputation for offering an extensive product range, industry expertise and an exceptional level of service.

Our team of tiling and wet room specialists combine their proven business acumen, sector-leading innovation and practical experience to develop, manufacture and provide unique products.

Our experience and knowledge of the market puts us in an ideal position to provide the service and products our customers require.

The brands we offer include; Dukkaboard, AquaTank, Baseboard, Forte, TIGR, Sigma, Montolit, Atrim, Python, Cocoon and LevTec. With over 30 years in the tiling and wet room industry, we are the supplier you can rely upon.

**Approach**  
 Using innovation and inspiration to reshape our sector

**Our Mission**  
 To supply the finest quality materials, tools and equipment to our industries.

**Our Vision**  
 To become the market leader for quality and service in our industry.

**Our Values**  
 Standing by sound morals, professional standards and an honest and respectful approach. We are a trusted partner and consistently deliver.

**Our Objective**  
 To be able to exceed every customer's expectations with the best products in the best way, on time.

**Our Service**  
 Consistently delivering quality products, reliable service levels and practical technical back up.

**Customer Care**  
 Passionate about what matters

We treat every customer as an individual and we respect and understand the culture of each of our customers' businesses. Customer care is extremely important to us and our highly trained and motivated staff ensure that we are completely in tune with our customers' needs and requirements.

We have a wealth of knowledge and experience to ensure we provide a service to exceed your expectations.

Customer care is extremely important to us and our highly trained and motivated staff will ensure that we are completely in tune with your unique requirements. We have a wealth of industry knowledge and experience, which ensures we provide products and a service which exceeds your expectations. Whether you are looking to stock our range of tanking kits, our innovative tile levelling system or a selection of our tiling tools, we can help.

## Contents

<b>TILE TRIMS AND MOVEMENT JOINTS</b>	04-21
<b>MOVEMENT AND WATERPROOF MATTING</b>	22-25
<b>TILE BACKER BOARD</b>	26-31
<b>WATERPROOFING AND UNDERFLOOR HEATING</b>	32-37
<b>CONFLUO SMART DRAINS</b>	38-41
<b>CLEANERS, SEALERS AND POLISHES</b>	42-51
<b>TILING TOOLS AND ACCESSORIES</b>	52-69
<b>DIAMOND BLADES</b>	70-73
<b>TILE CUTTERS</b>	74-79
<b>ELECTRIC TILE SAWS</b>	80-89
<b>MARBLE, GRANITE AND STONE PRODUCTS</b>	90-97
<b>ADHESIVE, GROUTS AND SEALANTS</b>	98-103
<b>TILE HANDLING PRODUCTS</b>	104-109
<b>P.O.S. PRODUCTS</b>	110-113



<b>ATRIM STRAIGHT EDGE TRIMS</b>	06-08
<b>ATRIM ROUND EDGE TRIMS</b>	09
<b>BATHTRIM</b>	10
<b>FORMABLE TRIM</b>	10
<b>INTERNAL &amp; SKIRTING TRIM</b>	11
<b>ATRIM CUBEC &amp; LISTELLO TRIMS</b>	11-12
<b>DURAL MICRO JOINTS</b>	12
<b>JOINT COVER TRIMS</b>	13
<b>ATRIM FLAT BAR</b>	13
<b>ATRIM MOVEMENT JOINTS</b>	14-15
<b>TRANSITION TRIMS</b>	15-16
<b>STAIR NOSINGS &amp; PROTECTIVE EDGINGS</b>	16-17
<b>GENESIS STRAIGHT EDGE TRIMS</b>	18-19
<b>GENESIS PANEL PROFILES</b>	20-21


## Tiling Trims & Movement Joints

An extensive range of profiles and trims for the finishing and protection of tiled edges and surfaces.



## ATRIM PVC Straight Edge 2.5m

- Straight edge PVC trim giving a protective and neat finish to tiled corners and edges.
- Box quantity 100



Stock Code.	Depth mm	Colour
4341*	4.5	White
4342	6	White
4343	8	White
4344	10	White
4358	12	White
4364	8	Jasmine
4379	10	Jasmine
4383	12	Jasmine
4445	8	Light Grey
4447	10	Light Grey
4449	12	Light Grey

Stock Code.	Depth mm	Colour
4365*	4.5	Black
4370*	6	Black
4371	8	Black
4372	10	Black
4373	12	Black


## ATRIM Chrome Aluminium Straight Edge Trim 2.5m

- High quality bright anodised aluminium trim.

### Chrome Bright



### Brushed Chrome



Stock Code.	Internal Height mm	Material / Finish
4500	6	Chrome
4551	8	Chrome
4552	10	Chrome
4553	12.5	Chrome
4504	15	Chrome
4505	18	Chrome
4507	22	Chrome
4508	8	Brushed Chrome
4510	10	Brushed Chrome
4512	12.5	Brushed Chrome
4549	15	Brushed Chrome

## ATRIM Matt Anodised Aluminium Straight Edge 2.5m

- Straight edge trim for the protection and neat finishing of tiled corners and edges.
- Protected from corrosion by natural matt anodization.
- Suitable for use in bathrooms but not in submerged areas.
- Suitable for exterior use.



Stock Code.	Internal Height mm
4484*	4.5
4486	6
4488	8
4490	10
4492	12.5
4493*	15

## ATRIM Aluminium Straight Edge 2.5m


- Straight edge trim for the protection and neat finishing of tiled corners and edges.
- For use in dry areas with low moisture exposure.
- Not recommended for exterior use as oxidation and corrosion may occur.



Stock Code.	Internal Height mm
4463*	3
4465	4.5
4466	6
4468	8
4470	10
4472	12.5
4475*	15
4477*	18.5
4480*	20
4482*	22.5
4485*	25

## Atrim Coated Aluminium Straight Edge Trim 2.5m

- Straight edge trim for the protection and neat finishing of tiled corners and edges.
- Suitable for exterior use, chemically pre-treated and polyester powder coated giving a resistance to UV radiation, weathering and some chemicals.



Stock Code.	Internal Height mm	Material / Finish
4515	8	Bright White
4516	10	Bright White
4517	12.5	Bright White
4366	8	Black
4367	10	Black
4368	12.5	Black
4369*	15	Black


\* Product has a lead time, please check with our sales team

\* Product has a lead time, please check with our sales team

## ATRIM Stainless Steel Straight Edge


- 304 grade straight edge trim for the protection and neat finishing of tiled corners and edges.
- Suitable for exterior use and industrial contract applications.
- Recommended wherever there is a heavy exposure to wear, or if a high level of corner protection is required e.g. commercial premises and other industries.

Stock Code.	Internal Height mm	Length m	Material / Finish
4444*	4.5	2.5m	Stainless Steel
4446*	6	2.5m	Stainless Steel
4448	8	2.5m	Stainless Steel
4450	10	2.5m	Stainless Steel
4452	12.5	2.5m	Stainless Steel
4454*	15	2.5m	Stainless Steel
4456*	18.5	2.5m	Stainless Steel
4458*	20	2.5m	Stainless Steel
4460*	22.5	2.5m	Stainless Steel
4462*	25	2.5m	Stainless Steel
4521*	30	2.5m	Stainless Steel
4547*	6	2.5m	Brushed S/steel
4451*	8	2.5m	Brushed S/steel
4467*	10	2.5m	Brushed S/steel
4478*	11	2.5m	Brushed S/steel
4469*	12.5	2.5m	Brushed S/steel
4471*	15	2.5m	Brushed S/steel
4967*	10	3.0m	Brushed S/steel
4968*	12.5	3.0m	Brushed S/steel
4969*	15	3.0m	Brushed S/steel
4960*	6	3.0m	Stainless Steel
4961*	8	3.0m	Stainless Steel
4962*	10	3.0m	Stainless Steel
4963*	12.5	3.0m	Stainless Steel



## ATRIM Chromium Brass Straight Edge 2.5m

- High quality chromium plated straight edge trim for the protection and neat finishing of tiled corners and edges.
- Mirror finish.



Stock Code.	Internal Height mm
4437*	6
4438*	8
4440*	10
4442*	12.5

## ATRIM Stainless Steel Marine Straight Edge 2.5m


- 316 grade trim for the protection and neat finishing of tiled corners and edges within swimming pool areas.
- Suitable for heavy exposure to chemicals, or where a high level of hygiene is required, e.g. food industry.
- Gleaming mirror finish.



Stock Code.	Internal Height mm
4432*	4.5
4434*	6
4453*	8
4455*	10
4457*	12.5
4479*	15
4481*	18.5
4483*	20
4487*	22.5

## ATRIM Brass Straight Edge 2.5m

- Straight edge trim for the protection and neat finishing of tiled corners.
- Designed for areas of high mechanical stress e.g. edge protection for expansion joints.
- Resistant to most chemicals and suitable for exterior use.



Stock Code.	Internal Height mm
4410	8
4412	10
4415*	12.5
4417*	15
4418*	18.5
4420*	20
4422*	22.5
4425*	25

## ATRIM PVC Round Profile 2.5m

- Extremely high quality PVC edge trims which protect and neatly finish tiled corners and other tiled edges.
- Available in 4 sizes and 3 coloured finishes.
- Box quantity: 100



Stock Code.	Depth mm	Colour
4013	6	White
4014	8	White
4015	10	White
4018	12	White
4021	6	Jasmine
4023	8	Jasmine
4024	10	Jasmine
4025	12	Jasmine
4028*	6	Light Grey
4030*	8	Light Grey
4031*	10	Light Grey
4032*	12	Light Grey



## ATRIM Round Edge Trim Open Profile 2.5m

- High quality anodised aluminium round edge trims for protecting and neatly finishing tiled corners and edges.
- Very reflective surface results in a tough finish.
- Chrome and brushed chrome offer a shiny reflective surface.

Stock Code.	Depth mm	Finish
4377*	6	Chrome
4381	9	Chrome
4385	10.5	Chrome
4394	12	Chrome
4378*	6	Brushed Chrome
4382*	9	Brushed Chrome
4386*	10.5	Brushed Chrome
4395*	12	Brushed Chrome
4473*	8	Matt Anodised
4474*	10	Matt Anodised
4476*	12	Matt Anodised



\* Product has a lead time, please check with our sales team

\* Product has a lead time, please check with our sales team

## Bathtrim 1.8m

- Bathtrim designed to provide a watertight seal between the bath and the tiled wall.
- Can be applied with the leg over or under the tiling.
- Fill the bath with water before applying the trim to ensure a complete seal.
- Not suitable for shower areas where hot water could possibly distort the flexible seal.
- Box quantity: 50



Stock Code.	Type	Colour
4320	Overtile	White
4354	Undertile	White

## ATRIM Shower Glaze Channel 2m

- Chrome channel for shower screen glass installations for floor or wall.
- Fits 10mm glass.



Stock Code.	Overall Height mm	Under Flange mm
4287*	17	13

## ATRIM Formable Straight Edge Trim 2.5m


- A wide range of quality formable trims in stainless steel and aluminium.
- Straight edge formable trim for the protection and neat finishing of curved tiled edges.
- Anchorage points to fix the desired shape prior to tiling.
- Minimum recommended radius is 1 metre.

Stock Code.	Internal Height mm	Type
4526*	6	Aluminium
4528	8	Aluminium
4530	10	Aluminium
4532	12	Aluminium
4535*	15	Aluminium
4811*	4.5	Stainless Steel
4536*	6	Stainless Steel
4538	8	Stainless Steel
4540	10	Stainless Steel
4542	12.5	Stainless Steel
4543*	15	Stainless Steel
4544*	18	Stainless Steel
4545*	22.5	Stainless Steel
4813*	6	Marine Grade s/steel
4814*	8	Marine Grade s/steel
4815*	10	Marine Grade s/steel
4816*	12.5	Marine Grade s/steel
4817*	15	Marine Grade s/steel

### Aluminium



### Stainless Steel



### Marine Grade



## PVC Internal Trim 2.5m

- PVC trim that neatly finishes internal joints of tiled surfaces and worktops etc.
- Conveniently prevents a dirt trap.

### White



Stock Code.	Depth mm	Colour
4256	9	White

## ATRIM PVC Skirting Trim 2.5m

- PVC trim for neatly and hygienically joining Altro flooring at skirting level to wall tiling.
- Also known as 'H' trim or 'Tile to Vinyl Capping'.
- Box quantity: 50

### White



### Black



### Grey



Stock Code.	Internal Height mm	Finish
4360	7.5	White
4361	7.5	Black
4362	7.5	Grey
4363	12	White

## ATRIM Metal Cubec Trim 2.5m

- A profile forming a right angled edge providing a stylish and protective finish to tiled corners.
- Can also be used as a border feature between tiles.
- Marine grade finish provides a brilliant shine.

### Stainless Steel



### Chrome Matt Anodised Brushed



Stock Code.	Internal Height mm	Finish
4567	10	Chrome Aluminium
4577	12.5	Chrome Aluminium
4533*	10	Matt Anodised Aluminium
4534*	12.5	Matt Anodised Aluminium
4160*	4.5	Stainless Steel
4161*	6	Stainless Steel
4162*	8	Stainless Steel
4163*	10	Stainless Steel
4164*	12	Stainless Steel
4165*	15	Stainless Steel
4170*	4.5	Brushed S/steel
4171*	6	Brushed S/steel
4172*	8	Brushed S/steel
4173*	10	Brushed S/steel
4174*	12	Brushed S/steel
4175*	15	Brushed S/steel
4181*	6	Marine Grade S/steel
4182*	8	Marine Grade S/steel
4183*	10	Marine Grade S/steel
4184*	12	Marine Grade S/steel
4185*	15	Marine Grade S/steel
42040	9.5	Brushed Aluminium
42041	12.5	Brushed Aluminium

\* Product has a lead time, please check with our sales team

\* Product has a lead time, please check with our sales team

## Listello Bar 2.5m


- Flat decorative aluminium profile designed to create a feature in ceramic wall tile installations.
- Can be used to provide a finished edge where tiling is not wall to wall.

### Wide Bright Chrome



Stock Code.	Width mm	Depth mm	Finish
TTMLS10B	10	8	Chrome
TTMLS20B	20	8	Chrome
LFA100.94	10	8	Brushed Chrome
LFA200.94	20	8	Brushed Chrome

### Square Bright Chrome



## Dural Micro Joint Kits

- Provides discreet colour matched stress protection where movement joints are required, an important consideration when underfloor heating is installed.
  - Micro Joints that can be colour matched to the grout colour, the tile colour or the RAL Chart
  - The coverage calculations are based on a tile depth of 10mm
- Each pack contains: 1x Coloured Base - (Part 1) 1200 grams, 1x Hardener - (Part 2) 120 grams, 1x Pair of Gloves, 3x Cartridges, 3x Caps, 1x Nozzle, 1x Instructions and Application Hints  
 Each kit is made to order. Please speak to the sales team for more details

### Cartridge Application



Width mm	Coverage (Linear Metres)
2*	33
3*	22
4*	16.5
5*	13
6*	11

### Micro Joint Kit



## Joint Cover Transition 2.5m

- T-shaped bridge profiles for covering transitional joints.
- Available in stainless steel, aluminium and brass.
- Fill the cavity with silicone and insert anchoring leg.

### Silver



### Brass



### Stainless Steel



Stock Code.	Internal Height mm	Visible Width mm	Finish
4791	9	22	Silver
4605	9	22	Brass
4602	9	20	Stainless Steel


## ATRIM Flat Bar

- Flat profile, ideal as a dividing feature or border strip between granite, marble, terrazzo wall and floor tiles.
- Top edge polished.
- Ideal as a border strip for wall tiles and a tread inserts for tile, stone and timber stairs.

### Stainless Steel



### Brass



Stock Code.	Cross Section mm	Length m	Finish
4686*	10x3	2	Stainless Steel
4687	9.5x3.2	1.83	Brass

## ATRIM Metal Movement Joints 2.5m

- High performance industrial grade movement joints with two anchoring legs and neoprene/PU infill, providing excellent movement absorption and tile edge protection.
- Infill is bonded to metal giving exceptional performance in expansion, compression and point loading.
- Visible width of joint 10-12mm (depending on type).
- Suitable for high traffic industrial/commercial applications.


Stainless Steel




Aluminium Grey



Aluminium Black



Aluminium Jasmine




Stock Code.	Internal Height mm	Infill Colour	Finish
4716*	10	Grey	Stainless Steel
4720*	12.5	Grey	Stainless Steel
4724*	15	Grey	Stainless Steel
4728*	22.5	Grey	Stainless Steel
4717*	10	Black	Stainless Steel
4721*	12.5	Black	Stainless Steel
4725*	15	Black	Stainless Steel
4729*	22.5	Black	Stainless Steel
4831*	10	Jasmine	Stainless Steel
4833*	12.5	Jasmine	Stainless Steel
4834*	15	Jasmine	Stainless Steel
4835*	22.5	Jasmine	Stainless Steel
4736*	10	Grey	Aluminium
4740*	12.5	Grey	Aluminium
4744*	15	Grey	Aluminium
4747*	18.5	Grey	Aluminium
4750*	22.5	Grey	Aluminium
4737*	10	Black	Aluminium
4741*	12.5	Black	Aluminium
4745*	15	Black	Aluminium
4748*	18.5	Black	Aluminium
4751*	22.5	Black	Aluminium


## ATRIM Metal Movement Joints with Removable Inserts 2.5m

- Industrial movement joints with replaceable synthetic rubber inserts.
- Visible width of joint 10-12mm (depending on type).
- Suitable for high traffic industrial/commercial applications.

Aluminium Black




Aluminium Jasmine



Stainless Steel Grey



Aluminium Grey



Stock Code.	Internal Height mm	Infill Colour	Finish
4743	10	Grey	Stainless Steel
4752*	12.5	Grey	Stainless Steel
4760*	15	Grey	Stainless Steel
4766*	22.5	Grey	Stainless Steel
4746*	10	Black	Stainless Steel
4753*	12.5	Black	Stainless Steel
4764*	15	Black	Stainless Steel
4767*	22.5	Black	Stainless Steel
4749*	10	Jasmine	Stainless Steel
4754*	12.5	Jasmine	Stainless Steel
4765*	15	Jasmine	Stainless Steel
4770*	22.5	Jasmine	Stainless Steel
4793	10	Grey	Aluminium
4795	12.5	Grey	Aluminium
4801*	15	Grey	Aluminium
4794	10	Black	Aluminium
4796	12.5	Black	Aluminium
4804*	15	Black	Aluminium
4797	10	Jasmine	Aluminium
4799	12.5	Jasmine	Aluminium
4805*	15	Jasmine	Aluminium


## PVC Movement Joints 2.5m

- Economically priced PVC movement joint for wall and floor tiling.
- Visible joint width 9mm.

Grey




Black



Stock Code.	Infill Colour	Internal Height mm
4844	Grey	10
4845	Grey	12
4847	Black	10
4848	Black	12

## Euro Cover Strip

- A handy, self adhesive door threshold, no screws required, so ideal for floors with under floor heating.
- Available in 3 colours; matt silver, gold and oak.
- Fitting tip: cut to length with a sharp hack-saw.



Stock Code.	Length m	Visible Width mm	Finish	Box Qty
ECS3SASP	0.9	40	Silver	10
ECS3SAGP	0.9	40	Gold	10
ECS3SAOP	0.9	40	Oak	10
ECS9SAS	2.7	40	Silver	10
ECS9SAG	2.7	40	Gold	10
ECS9SAO	2.7	40	Oak	10

## Adjustable Transition Profile 2.5m

- Trim with adjustable ramp for covering transitional joints.
- Strong PVC base and anodised aluminium ramp section.

Anodised Aluminium



Stock Code.	Internal Height mm	Visible Width mm
4629	10	40
4631	12	40

## Transition Profile 2.5m

- Economically priced profile for the step-less transition between floor coverings of different heights.
- Sloping ramp section prevents a 'trip' hazard and protects adjacent floor coverings.

Aluminium



Stock Code.	Internal Height mm	Visible Width mm	Finish
4663	10	20	Aluminium
4664	12	23	Aluminium

\* Product has a lead time, please check with our sales team

\* Product has a lead time, please check with our sales team



## Self Adhesive Angle Edge

- Aluminium metal angled edging, which provides a neat clean finish in areas where two floor coverings meet but are at different levels.
- Available in 3 colours; silver, gold and oak.

Silver



Stock Code	Length m	Height mm	Finish	Box Qty
AE83SAS	0.9	10	Silver	10
AE83SAG	0.9	10	Gold	10
AE83SAO	0.9	10	Oak	10
AE89SAS	2.7	10	Silver	10
AE89SAG	2.7	10	Gold	10
AE89SAO	2.7	10	Oak	10
AE149SAS	2.7	15	Silver	10
AE149SAG	2.7	15	Gold	10
AE149SAO	2.7	15	Oak	10

## ZIG ZAG Carpet to Tile Strip

- Aluminium metal edging which provides a neat transition between tiles and carpeted areas.
- Available in 2 colours; matt silver and gold.
- Self adhesive.

Gold



Silver




Stock Code	Length m	Finish	Box Qty
ZZC3A	0.9	Silver	10
ZZC3G	0.9	Gold	10
TXM33.9A	2.7	Silver	10
TXM33.9G	2.7	Gold	10

## Self Adhesive Stair Nosing

- A one piece stair nosing with long riser, providing decoration and robust protection for the floor covering.
- Available in 3 colours; silver, gold and oak.

Silver



Stock Code	Length m	Finish	Box Qty
M74P3AMA	0.9	Silver	10
M74P3GMA	0.9	Gold	10
M74P3WOA	0.9	Oak	10
M74.9AMA	2.7	Silver	10
M74.9GMA	2.7	Gold	10
M74.9WOA	2.7	Oak	10

## Heavy Duty Stair Nosing

- Fitted onto the nose of each step, they help to clearly define the steps on a stair preventing slips, falls and oversteps.
- Complies with Document M of Building Regulations 2000.
- Other finishes available on request. Please ask the sales team for more information.



Stock Code	Width mm	Depth mm	Finish
NTC10.16*	55	10	Black
NTC10.43*	55	10	Dolphin Grey
NTC10.47*	55	10	Yellow
NTC12.16*	55	12	Black
NTC12.43*	55	12	Dolphin Grey
NTC12.47*	55	12	Yellow

## ATRIM Standard Protective Edging 2.5m

- Square section for corner or edge protection.

White PVC



Stock Code	Size mm	Length m	Finish
4903	25 x 25	2.5	White PVC
4908*	30 x 30	2.5	Brushed S/S
4964	25 x 25	2.5	Aluminium Bright

## ATRIM Heavy Duty Round Edge Stair Trim 2.5m

- Aluminium protective round stair edge with a ribbed top to aid grip.

Aluminium



Stock Code	Internal Height mm	Length m
4932	10	2.5

## Folostair FSL

- Profile for finishing and protecting tiled step edges.
- Ribbed rubber tread with 55mm visible inserted into aluminium base section.
- Durable and weather-resistant, so ideal for high traffic areas.
- 50mm anodised aluminium riser can be installed after tiling.
- Complies with Document M of Building Regulations 2000.



Stock No.	Colour	Internal Height mm	Length m
4944	Black	10	2.7
4945	Grey	10	2.7
4948	Black	12.5	2.7
4949	Grey	12.5	2.7
4951	Aluminium	50 (Riser)	2.7

## PVC Stair Edge 2.5m

- PVC profile for finishing and protecting tiled step edges.
- Ribbed rubber tread with 16mm visible width.
- Does not comply with Document M of Building Regulations 2000.

PVC Black



Stock Code	Internal Height mm	Length m	Finish
NIB106.16	10	2.5	Black
NIB126.16*	12	2.5	Black

\* Product has a lead time, please check with our sales team

\* Product has a lead time, please check with our sales team

## GENESIS Aluminium Stone Finished Straight Edge Trims 2.5m

- A comprehensive range of profiles designed to protect edges of tiles. Available in different materials colours, finishes, these modern profiles offer a practical and aesthetic solution, ideal for walls and floors.
- Supplied with transparent protective film offering added protection during transport, storage and installation.



### Bath Stone



### Sand Stone



### Granite



### Dark Granite



### Matt Black



Stock Code.	Colour	Depth mm
ESA100.414	Bath Stone	10
ESA120.414	Bath Stone	12
ESA100.425	Sand Stone	10
ESA120.425	Sand Stone	12
ESA100.411	Granite	10
ESA120.411	Granite	12
ESA100.435	Dark Granite	10
ESA120.435	Dark Granite	12
ESA100.17	Matt Black	10
ESA120.17	Matt Black	12

## GENESIS Aluminium Straight Edge Trims 2.5m

- A comprehensive range of profiles designed to protect edges of tiles. Available in different materials, colours and finishes, these modern profiles offer a practical and aesthetic solution, ideal for walls and floors.
- Supplied with transparent protective film offering added protection during transport, storage and installation.

### Bright Brass



### Brushed Brass



### Bright Copper



### Brushed Copper



### Earl Grey



### Bronze



Stock Code.	Colour	Depth mm
ESA100.86	Bright Brass	10
ESA120.86	Bright Brass	12
ESA100.90	Brushed Brass	10
ESA120.90	Brushed Brass	12
ESA100.95	Bright Copper	10
ESA120.95	Bright Copper	12

Stock Code.	Colour	Depth mm
ESA100.96	Brushed Copper	10
ESA120.96	Brushed Copper	12
ESA100.97	Earl Grey	10
ESA120.97	Earl Grey	12
ESA100.89	Bronze	10
ESA120.89	Bronze	12

\* Product has a lead time, please check with our sales team

\* Product has a lead time, please check with our sales team

## PANEL PROFILES

- The perfect finish to your PVC wall cladding.
- Installation has never been easier with our large, continuous profiles with a dry installation.
- Our range of panel profiles are available in a variety of finishes & sizes, creating the perfect solution to PVC wall cladding.



## GENESIS PXA External Corner 2.4m



Stock Code.	Width mm	Depth mm	Finish
PXA108.01	26	10.75	White
PXA108.81	26	10.75	Matt Silver
PXA108.82	26	10.75	Anthracite
PXA118.91	30	11.50	Bright Silver

## GENESIS PHA H Joint 2.4m



Stock Code.	Width mm	Depth mm	Finish
PHA108.01	10	10.75	White
PHA108.81	10	10.75	Matt Silver
PHA108.82	10	10.75	Anthracite
PHA118.91	11	11.50	Bright Silver

## GENESIS PBA Base Seal 2.4m



Stock Code.	Width mm	Depth mm	Finish
PBA108.01	14	10.75	White
PBA108.81	14	10.75	Matt Silver
PBA108.82	14	10.75	Anthracite
PBA108.91	14	10.75	Bright Silver

## GENESIS PIA Internal Corner 2.4m



Stock Code.	Width mm	Depth mm	Finish
PIA108.01	16	10.75	White
PIA108.81	16	10.75	Matt Silver
PIA108.82	16	10.75	Anthracite
PIA118.91	15	11.50	Bright Silver

## GENESIS PRA Retro Fit Edging 2.4




Stock Code.	Width mm	Depth mm	Finish
PRA258.01	25	25	White
PRA258.81	25	25	Matt Silver
PRA258.91	25	25	Bright Silver

## GENESIS PSA Scotia Retro Fit 2.4m




Stock Code.	Width mm	Depth mm	Finish
PSA308.01	26	19	White
PSA308.81	26	19	Matt Silver
PSA308.91	30	19	Bright Silver

## GENESIS PUA End Cap Profile 2.4m



Stock Code.	Width mm	Depth mm	Finish
PUA108.01	9	10.75	White
PUA108.81	9	10.75	Matt Silver
PUA108.82	9	10.75	Anthracite
PUA118.91	6	11.50	Bright Silver



## Movement and Waterproof Matting


<b>DURABASE CI++ MATTING</b>	24
<b>DUKKABOARD MOVEMENT MATTINGS</b>	24-25
<b>DUKKABOARD SOUNDPROOFING</b>	25

# Movement and Waterproof Matting

## DURABASE CI++ Matting

- Innovative design, very durable, lightweight and easy to fit.
- A one-step underlayment system and multi-purpose movement matting for floor tiling.
- Suitable for use on most substrates including timber floors and cracked concrete.
- Can be stuck down with standard flexible tile adhesive
- Designed to cope with multi-directional lateral substrate movement.
- Only 3mm thick.

Stock Code.	Roll Width m	Roll Length m
QMP5	1	5
QMP30	1	30



## DUKKABOARD Deco Matting

- Innovative one-step underlayment system and multi-purpose movement matting for floor tiling, designed to cope with multi-directional lateral substrate movement.
- Very durable, lightweight and easy to fit.
- Suitable for use on most substrates including timber floors and cracked concrete.
- Can be stuck down with standard flexible tile adhesive.
- Only 3mm thick.

Stock Code.	Roll Width m	Roll Length m
4983	1	5
4984	1	30



## DUKKABOARD Iso-Shield Movement Matting

- Innovative 3-ply waterproof membrane.
- Minimal height build-up - 0.87mm.
- Superior protection from substrate movement.
- Suitable for use on most substrates including timber floors & concrete. Suitable for use with underfloor heating.
- Tested to BS / EN Standards.


Stock Code.	Roll Width m	Roll Length m
4972	1	30



## DUKKABOARD Deco-Shield Matting

- Deco-Shield matting is a special waterproofing fabric for ceramic tile substrates on walls and floors and has a great pull strength.
- Minimal height build-up - 0.48mm.
- Suitable for use with underfloor heating.


Stock Code.	Roll Width m	Roll Length m
4978	1	30



## DUKKABOARD Isomat Movement Matting

- Crack bridging, decoupling membrane.
- Suitable for use on most substrates including timber floors & concrete.
- Superior protection against problem substrates.
- Innovative design, rot proof and durable.
- Ultra thin - less than 1mm thick.

Stock Code.	Roll Width m	Roll Length m
4997	1	50



## DUKKABOARD Deco-Shield Corners

- For waterproofing corners and niches.

4979

4980

Stock Code.	Description
4979*	Deco-Shield external corner piece
4980*	Deco-Shield internal corner piece

## DUKKABOARD Deco-Shield Drain Manchets

- For waterproofing walls and floors where a pipe penetrates the substrate or tiled surface.

Stock Code.	Size mm
4981*	125 x 125
4982*	450 x 450

## DUKKABOARD Soundproofing Acoustic-SR

- Acoustic insulation matting for reducing footfall noise.
- Manufactured using rubber and cork granules bound with polyurethane - offering up to 21dB reduction in impact sound transmission.
- Suitable for use under ceramic tiles, stone, laminate, parquet or hardwood floors.
- Good thermal insulation properties - can be used with underfloor heating.
- Adhere with JM400 Adhesive.

Stock Code.	Roll Width m	Roll Length m
5199*	1	20



\* Product has a lead time, please check with our sales team

\* Product has a lead time, please check with our sales team



## Tile Backer Board

<b>BASEBOARD PANELS</b>	28
<b>BASEBOARD SHOWER TRAYS</b>	29
<b>BASEBOARD ACCESSORIES</b>	30
<b>WATERPROOF UPSTAND TAPE</b>	30
<b>AQUABOARD ECO</b>	31
<b>XL ACCESSORIES</b>	31

# Tile Backer Board

Cement coated building board - Used for creating a waterproof surface suitable for fixing wall and floor tiles.




## BASEBOARD Panels

Manufactured to the highest specification, Baseboard is the benchmark for stable, impervious and durable tile backer boards. There are many areas of application including uses in showers, steam rooms and swimming pools.

Versatile - Suitable for use on metal and timber stud work, or on existing floors and walls to cover unstable and uneven surfaces.

Stock Code.	Description	Length A	Width B	Thickness mm	Unit Qty
BB1004	Panel	1200	600	4	15 pcs / Carton
BB1005	Panel	1200	600	6	10 pcs / Carton
BB1010	Panel	1200	600	10	10 pcs / Carton
BB1015	Panel	1200	600	12	10 pcs / Carton
BB1020	Panel	1200	600	20	10 pcs / Carton
BB1030	Panel	2500	600	10	10 pcs / Carton
BB1035	Panel	2500	600	12	10 pcs / Carton

Carriage charge will be applied to products BB1030 and BB1035



## BASEBOARD Shower Trays


The Baseboard shower tray range incorporates a wide variety of shapes and sizes to create a level access walk-in shower area. Each tray has a preformed fall to the drain location.

Coated with cement, and strengthened with fibreglass mesh, Baseboard shower trays are ready for the application of tiles. Compatible with electric underfloor heating.


Stock Code.	Description	Length A	Width B	Thickness mm	Drain Position
BB2115	Rectangular Tray	1200	900	20	Centre
BB2120	Rectangular Tray	1200	900	20	Offset - 450mm from edge on dim A, centred on dim B
BB2125	Rectangular Tray	1200	800	20	Offset - 450mm from edge on dim A, centred on dim B
BB2130	Rectangular Tray	1500	900	20	Offset - 450mm from edge on dim A, centred on dim B
BB2135	Rectangular Tray	1800	900	20	Offset - 450mm from edge on dim A, centred on dim B
BB2140	Rectangular Tray	1200	1000	25	Offset - 450mm from edge on dim A, centred on dim B
BB2145	Rectangular Tray	1500	800	25	Offset - 450mm from edge on dim A, centred on dim B
BB2205	Square Tray	800	800	20	Centre
BB2210	Square Tray	900	900	20	Centre
BB2215	Square Tray	1000	1000	20	Centre
BB2220	Square Tray	1200	1200	20	Centre
BB2405	Channel/Linear Drain Tray	900	900	30	Offset - 450mm from edge on dim A, centred on dim B
BB2410	Channel/Linear Drain Tray	1200	900	30	Offset - 450mm from edge on dim A, centred on dim B
BB2415	Channel /Linear Drain Tray	1500	900	30	Offset - 450mm from edge on dim A, centred on dim B

Please Note: Products listed above are supplied c/w waste and stainless steel drain cover plates.

BBB	Standard Waste 120x120mm
BBLD	Channel/Linear Waste 600x70mm



Baseboard Shower Tray



Linear Drain Tray



Linear Drain

\* Product has a lead time, please check with our sales team


\* Product has a lead time, please check with our sales team

Specially designed fixings for the installation of Baseboard Products.

## BASEBOARD Dowel Fixings

For fixing Baseboard to masonry walls or tiled surfaces. Ideal for use in wet areas. Use 12 dowels per 1200X600mm board.

Stock Code.	Description	Length A	Box Qty
MIA860	Aluminium	60	50
MIA890	Aluminium	90	50
MIA8110	Aluminium	110	50
MIA8140	Aluminium	140	50



## BASEBOARD Washers

For use in conjunction with fixing screws when securing Baseboard to timber walls and floors. Use 12 washers per 1200X600mm board.

Stock Code.	Description	Diameter mm	Box Qty
MIAD35	Aluminium	35	100



## Drywall screws

Sharp point, zinc plated drywall screws to be used with washers for mechanically fixing Baseboard to walls and floors. Use 12 screws per 1200x600mm board.


Stock Code.	Description	Length A	Box Qty
00025DRY	Drywall Screws	25	1000
00032DRY	Drywall Screws	32	1000
00038DRY	Drywall Screws	38	1000



## Waterproof Upstand Tape

- Both-sided fleece-coated, highly elastic sealing tape equipped with a self-adhesive butyl strip. The protection strip made of smooth NBR rubber under butyl prevents the capillary effect. The fleece coating provides an excellent bond with all waterproofing materials used under tiles, such as polymer dispersions, mineral flexible sealing slurries and reaction resin seals.
- Creates an effective waterproof layer in corners, connections between the floor and wall, joints between panel, pipe or balustrade junctions and bathroom outlets.

Stock Code.	Roll height mm	Roll Length m
WJT	100	10



## Aquaboard Eco

Aquaboard Eco is a premium quality light-weight magnesium oxide board ideal for over boarding chipboard, concrete and stable timber floors.

- Provides a perfect substrate for all tile finishes including the heaviest of natural stone.
- Ideal for overlaying timber floors where wet underfloor heating is already fitted below the flooring timber.
- Incombustible and asbestos-free.
- Helps prevent loose or cracked tiles and rotten substrates,
- No specialist cutting tools are required.

Stock Code.	Length mm	Width mm	Thickness mm	Pallet Qty
AQBE126	1200	600	6	160
AQBE1212*	1200	600	12	80
AQBE246	2400	1200	6	120



## XL Adhesive

XL adhesive is a polyurethane moisture-curing adhesive that is impervious once fully cured.

Bonds to most common building materials including timber and concrete.

- Expands slightly on application / filling small gaps to increase bond strength.
- Coverage: 185ml/m<sup>2</sup> or 130ml per board



Stock Code.	Size ml	Box Qty
5206	310	12

## XL Screws

Self countersinking zinc plated screws for the quick and easy installation of Baseboard XL panels.

- Pozi No 2 head
- Self drilling

Stock Code.	Size mm	Box Qty
5210	25	500
5211	30	500



\* Product has a lead time, please check with our sales team

\* Product has a lead time, please check with our sales team





# Waterproofing & Underfloor Heating

<b>AQUATANK WATERPROOF TANKING</b>	34
<b>COCOON UNDERFLOOR HEATING</b>	35
<b>MIRROR DEMISTER HEAT MAT</b>	35
<b>THERMO SPHERE UNDERFLOOR HEATING</b>	36-37

## Waterproofing & Underfloor Heating

AquaTank develops total water-resistance under positive thrust guaranteeing the protection of absorbent substrates or those subject to damp, or constantly humid environments. Suitable for subsequent laying of ceramic and porcelain tiles and natural stone using mineral adhesive. AquaTank Lifetime Guarantee applies when used in accordance with manufacturers instructions.

# AquaTank

### AquaTank Kit

The AquaTank Kit provides total resistance under positive thrust guaranteeing the protection of absorbent substrates or those subject to damp or constantly humid environments.

Complete kit contains: AquaTank Neo-Flex Membrane, AquaTank Pro-Tile Primer, AquaTank SA Tape+, Paint Brush, Gloves and Instruction/ Application Guide.

Available in 5m or 10m kits.

Stock Code.	Size m
5570	5m
5571	10m



### Aqua Tank Pro -Tile Primer

Professional grade, multi-purpose liquid latex.

For use as a water resistant primer, flexi-additive and bonding agent. Improves the water resistance, flexibility and long term durability of renders, floor screeds, concrete and patching mortar.

Especially useful in areas subject to high humidity, dampness and continuous water contact. Always use when preparing wall and floor surfaces for tiling.



Stock Code.	Size ml
SBRP05L	500ml
SBR5L	5 Litres

### AquaTank SA Tape+

AquaTank SA Tape+ is a self adhesive, flexible tape for use in conjunction with AquaTank Neo-Flex Membrane. AquaTank SA Tape+ creates an effective waterproof layer in corners, connections between the floor and wall, joints between panels, pipe or balustrade junctions and bathroom outlets. At 750mm wide AquaTank SA Tape+ is easy to use and provides totally waterproof joints.

Stock Code.	Size m
DBSA5	5m
DBSA10	10m



### AquaTank Neo-Flex Membrane

A flexible liquid tanking membrane for waterproofing substrates or joints between panels when used in conjunction with AquaTank SA Tape+. Water based and eco-friendly, AquaTank will provide total water-resistance in areas such as bathrooms, showers and wet-rooms.

- Striking colour for indication of completeness of coverage.
- For internal use.
- Coverage: Approx 2m<sup>2</sup> /kg

Stock Code.	Size kg
DBNF5	5kg
DBNF10	10kg
DBNF20	20kg




**COCOON**  
WARMFLOORS

### COCOON Electric Underfloor Heating

A premium quality electric underfloor heating mat. Cocoon uses a superior quality cable fixed to self-adhesive fibre glass mesh. This process allows the mat to roll out totally flat for easy installation in a variety of applications.

- Safe for use in wet areas.
- High quality fibreglass mesh.

Stock Code.	Size m	Output w	Area m <sup>2</sup>
CCM1	0.5x2.0	160	1
CCM15	0.5x3.0	240	1.5
CCM2	0.5x4.0	320	2
CCM25	0.5x5.0	400	2.5
CCM3	0.5x6.0	480	3
CCM35	0.5x7.0	560	3.5
CCM4	0.5x8.0	640	4
CCM45	0.5x9.0	720	4.5
CCM5	0.5x10	800	5
CCM6	0.5x12.0	960	6
CCM7	0.5x14.0	1120	7
CCM8	0.5x16.0	1280	8
CCM9	0.5x18.0	1440	9



### COCOON Thermostat

Fully programmable, state-of-the-art technology, the Cocoon thermostats offer complete control of your underfloor heating system.



Stock Code.	Description
CCT	Thermostat

### Mirror Demister Heat Mat

- Automatically ensures mirrors are clear of steam and can be used at all times.
- Regularly used in hotels, new builds and refurbishment projects.
- Ideal for bathrooms, ensuites, wet rooms and leisure facilities.



Stock Code.	Size m	Watt W
FFM - S - 3030	0.30 x 0.30	18
FFM - S - 4550	0.45 x 0.50	45
FFM - S - 5070	0.50 x 0.70	70

\* Product has a lead time, please check with our sales team

\* Product has a lead time, please check with our sales team

## Waterproofing & Underfloor Heating

ThermoSphere electric underfloor heating maximises available living space and helps create healthy, affordable, energy-efficient places in which to live, work, and play. ThermoSphere are loved by architects, installers, and homeowners because their solutions are beautifully simple to specify, install and use.

### ThermoSphere Membrane

ThermoSphere Membrane brings underfloor heating and uncoupling technology together in one fast track system. Save time by preparing substrates and installing electric underfloor heating all in one go. An uncoupling membrane and crack isolating system, that makes it possible to install tiles and electric underfloor heating on difficult substrates.

- Flexible underfloor heating layout.
- Suitable for use over new anhydrite, cementitious & green screeds.
- Waterproofing properties.
- Only 5.5mm build-up.
- Uncoupling membrane.
- Lifetime warranty.



Stock Code.	Size m
7400*	15m

### ThermoSphere Membrane Heating Cables

Twisted Twin heating cables for installations in ThermoSphere Membrane, in areas where heat is required.

- Top quality.
- Easy to install.
- Safe for use in wet areas.
- 130W/m<sup>2</sup> Spacing: 3 stud spacing (floors and walls).
- 195W/m<sup>2</sup> Spacing: 2 stud spacing (walls only).

Stock Code.	Size m	Output w	Area <sup>2</sup> (130W/m <sup>2</sup> )	Area <sup>2</sup> (195W/m <sup>2</sup> )
7470*	12	150	1.14	0.77
7435*	18	225	1.71	1.15
7471*	25	300	2.38	1.60
7472*	31	375	3.04	2.05
7473*	37	450	3.52	2.37
7474*	50	600	4.75	3.20
7436*	61	750	5.80	3.90
7475*	75	900	7.13	4.80
7476*	100	1200	9.50	6.40
7477*	125	1500	11.88	8.00
7478*	150	1800	14.25	9.60
7437*	200	2400	19.00	12.80



## thermo Sphere

### ThermoSphere Wireless Single Thermostat

Wireless controlled thermostat for electric underfloor heating system via mobile app.

- Wireless connectivity via wireless hub.
- Flexible scheduling (7days, 6 events).
- Automatic open window sensor.
- Energy saving adaptive start.
- Easy to use touch display.
- Ambient & floor temperature sensing mode.

Stock Code.	Description	Colour
7459*	Thermostat Only	Black
7460*	Thermostat Only	White



### ThermoSphere Sensor Probe

Floor temperature sensor probe for use ThermoSphere underfloor heating controls.

- 10m

Stock Code.	Description
7439*	10m length



\* Product has a lead time, please check with our sales team

\* Product has a lead time, please check with our sales team



## Confluo Smart Drains

<b>CONFLUO PREMIUM LINE</b>	40
<b>CONFLUO FRAMELESS LINE</b>	40
<b>CONFLUO SLIM LINE</b>	41
<b>CONFLUO STANDARD DRAINS</b>	41

# Confluo Smart Drains

The Quantum range of Pestan products have been hand-selected to provide a modern, elegant and premium finish to bathrooms.

These designs are ideal for use with "Walk in" showers and wetrooms, which represent a new and elegant solution for bathrooms.

## CONFLUO PREMIUM LINE

Confluo Premium Line is available in 4 different sizes to combine both quality and functionality. The 2 in 1 system enables the stainless steel to be combined with ceramic to give a modern finish. There is a minimum installation height of just 52mm, which makes this premium line the world's lowest drain with a DN 50mm outlet.

- Minimum installation height - 52mm
- Maximum flow rate - 48l/min
- Reversible grid - 2 in 1 system
- 360 degrees rotatable self-cleaning S base
- Without visible plastic parts
- Dry Siphon included - 26 l/min



Stock Code.	Length mm	Finish
PLD650*	650	Stainless Steel / Ceramic
PLD750*	750	Stainless Steel / Ceramic
PLD850*	850	Stainless Steel / Ceramic
PLD950*	950	Stainless Steel / Ceramic



## CONFLUO FRAMELESS LINE

Confluo Frameless Line is the newest model in Confluo brand, and it is characterised by its modern 'no frame' design, which gives this product a unique and elegant look, especially when used with the 2 in 1 reversible grid system and insert ceramic.

- Minimum installation height - 62mm
- Maximum flow rate - 48 l/min
- ALS - Anti-Leaking System
- Reversible grid - 2 in 1 system
- 360 degrees rotatable self-cleaning S base
- Dry Siphon included - 26 l/min



Stock Code.	Length mm	Finish
FLD650	650	Stainless Steel / Ceramic
FLD850	850	Stainless Steel / Ceramic
FLD1050	1050	Stainless Steel / Ceramic



## CONFLUO Slim Line

Confluo Slim Line is characterised by its minimalist 'Slim' design which uses a stainless steel grid. This gives your bathroom a totally different and modern look. This model has the possibility of grid levelling from 5-20mm, which allows various options when you choose the bathroom surface.

- Minimum installation height - 72mm
- Unique and minimalist design of grid
- 360 degrees rotatable self-cleaning S base
- Height adjustable grid - 5-20mm
- ALS - Anti-Leaking System



Stock Code.	Length mm	Finish
SLD650	650	Stainless Steel
SLD850	850	Stainless Steel
SLD950	950	Stainless Steel
SLD1050	1050	Stainless Steel
SLD1150	1150	Stainless Steel

## CONFLUO Standard Drains

This standard drain offered by Pestan features a plastic body with a stainless steel grid design.

- Minimum installation height - 56mm
- Maximum flow rate - 48l/min
- Rotatable - 360 degrees base rotation + 15 degrees angle rotation
- Unlimited levelling of ceramic

Stock Code.	Size mm	Drain Finish
CBFD15*	150x150	Stainless Steel/PVC
CPFD15*	150x150	Stainless Steel



## CONFLUO Angled Floor Drains

This angled drain offered by Pestan features a plastic body with a stainless steel grid design and is a perfect solution for corners.

- Minimum installation height - 71mm
- Maximum flow rate - 48l/min
- Rotatable - 360 degrees base rotation + 15 degrees angle rotation
- Unlimited levelling of ceramic

Stock Code.	Size mm	Finish
CFAD20*	200x200	Stainless Steel



\* Product has a lead time, please check with our sales team

\* Product has a lead time, please check with our sales team



## Cleaners, Sealers & Polishes

<b>LITHOFIN PRODUCTS</b>	44-50
<b>HG PRODUCTS</b>	51

Professional solutions for cleaning, protecting and maintaining stone surfaces.



**LITHOFIN Wax-Off**

- Deep-acting solvent based cleaner for the removal of wax, sealants, grease, tar, oil stains, lacquer and glue.
- Soiling is dissolved and then can be washed off with water.
- Suitable for ceramic and natural and artificial stone.

Stock Code.	Size	Coverage Approx	Box Qty
3612	1 litre	7-15m <sup>2</sup> / L	10
3614*	5 litre	7-15m <sup>2</sup> / L	2



**LITHOFIN MN Wash and Clean**

- High yielding, economical cleaning and maintenance concentrate.
- For marble, natural and engineered stone.
- Usage: One 20ml squirt per 10L bucket of water.

Stock Code.	Size	Coverage Approx	Box Qty
3615	1 litre	30m <sup>2</sup> / L	10



**LITHOFIN Cement - Away**

- Very powerful highly active acid-based cleaner for the removal of cement film, mortar residues and stubborn dirt layers
- Suitable for newly laid and old natural and artificial concrete, porcelain, quarry and ceramic tiles
- Not suitable for limestone or polished marble
- Ideal for heavy duty outdoor use

Stock Code.	Size	Coverage Approx	Box Qty
3600	1 litre	30-50m <sup>2</sup> /L	10



**LITHOFIN Wexa**

- Multi-purpose acid-free deep cleaner for ceramic, porcelain and natural stone
- Removes oil and grease, wall films, floor polishes and ingrained dirt

Stock Code.	Size	Coverage Approx	Box Qty
3606	1 litre	7-15m <sup>2</sup> / L	10



**LITHOFIN KF Tile Polish**

- A solvent-free multi-purpose polish ideal sealant for unglazed ceramics, clinker and clay slabs.
- Provides a glossy finish.
- Simple to apply & for indoor use only.

Stock Code.	Size	Coverage Approx	Box Qty
3664	1 litre	15-20m <sup>2</sup> / L	10



**LITHOFIN KF Stain Stop**

- A very effective sealer that gives long-term protection and prevents the penetration of oil, grease and water.
- Suitable for quarry tiles and unglazed ceramics.
- For indoor/outdoor use, contains solvents.

Stock Code.	Size	Coverage Approx	Box Qty
3670*	500ml	7-15m <sup>2</sup> / L	10
3672	1 litre	7-15m <sup>2</sup> / L	10
3674*	5 litre	7-15m <sup>2</sup> / L	2



**LITHOFIN MN Easy Clean**

- Multi-purpose general cleaner ideal for kitchen worktops.
- Removes cooking oil, grease and food spills - without smearing.
- Ideal for surfaces treated with MN Stain-Stop.
- Easy to use spray bottle.

Stock Code.	Size	Coverage Approx	Box Qty
3618	500ml	20m <sup>2</sup> /L	10



**LITHOFIN KF Mildew-Away**

- Fast acting cleaner removes black spots, mildew, mould, fungus, algae and other organic discolourations in sanitary areas.
- Effective on tiles, silicone and cement joints, plaster, stone and masonry.
- Easy to use spray bottle.
- Contains chlorine.

Stock Code.	Size	Coverage Approx	Box Qty
3652	500ml	3m <sup>2</sup> / 500ml	10



\* Product has a lead time, please check with our sales team

\* Product has a lead time, please check with our sales team

## LITHOFIN Multi-Seal

- Satin topcoat sealant for all types of stone after impregnation.
- Water-based emulsion that produces a surface resistant to oil, grease and water.
- Contains high quality natural waxes and is suitable for many types of rough honed stone and terracotta.
- Internal use only.

Stock Code.	Size	Coverage Approx	Box Qty
3640	1 litre	7-12m <sup>2</sup> / L	10



## LITHOFIN Anti-Slip Set

- Permanent Anti-Slip treatment.
- Consists of Basic Cleaner 250ml, Anti-slip fluid 250ml, 2 sponges, gloves and instruction booklet.
- Ideal for ceramic tiles and natural stone - not suitable for marble.
- Suitable for balconies, terraces and stairs etc.
- Safe and easy to use.

Stock Code.	Coverage Approx	Box Qty
3645	6m <sup>2</sup> / L	10



## LITHOFIN KF Grout Cleaner

- Restores joints of wall and floor tiled surfaces to their original colour.
- Effective on tiles, silicone and cement joints, plaster, stone and masonry.

Stock Code.	Size	Coverage Approx	Box Qty
3656	500ml	3m <sup>2</sup> / 500ml	10



## LITHOFIN FZ Protective Impregnator

- An invisible water-based protective impregnator for initial treatment of new floors with polished and sensitive surface including polished porcelain.
- Prevent penetration of water and oil, protects against stains and dirt and makes care easier.
- Does not form layers.

Stock Code.	Size	Coverage Approx	Box Qty
3675	500ml	30-40m <sup>2</sup> / L	10
3676	1 litre	30-40m <sup>2</sup> / L	10



## LITHOFIN KF Cement Residue Remover

- Powerful cleaner for removing cement, grout and mortar residues, rust, lime and hardened dirt layers.
- Suitable for use indoors on ceramic, fully vitrified tiles, quarry tiles, clay slab.
- Contains acid, odourless and very fast acting.

Stock Code.	Size	Coverage Approx	Box Qty
3646	1 litre	15-30m <sup>2</sup> / L	10



## LITHOFIN KF Tile Restorer

- Very strong solvent-free intensive cleaner especially for Victorian ceramic tile.
- Removes general ingrained dirt, encrusted floor care products and self-gloss films.

Stock Code.	Size	Coverage Approx	Box Qty
3698	1 litre	10-30m <sup>2</sup> / L	10



## LITHOFIN KF Ceramic Clean

- Maintenance cleaner ideal for sanitary areas.
- Removes limescale, rust, grease deposits and soap scum for tiles, baths and showers.
- Cleans chrome, ceramics and stainless-steel.
- Not suitable for acid-sensitive surfaces.

Stock Code.	Size	Coverage Approx	Box Qty
3660	1 litre	100m <sup>2</sup> / L	10



## LITHOFIN KF Grout Protector

- Ready to use invisible grout sealer protects against greasy dirt and spots and is ideal for kitchen and bathroom areas.
- For use on joints in ceramic tiling.
- Contains no solvents.

Stock Code.	Size	Coverage Approx	Box Qty
3678	500ml	10m <sup>2</sup> / L	10





**LITHOFIN FZ Intensive Cleaner**

- Extra strong solvent free cleaner for ceramic and porcelain.
- Removes dirt, oil and grease from ceramic surfaces.
- For occasional or regular use on floors subjected to heavy wear.

Stock Code.	Size	Coverage Approx	Box Qty
3686	1 litre	10-15m <sup>2</sup> / L	10



**LITHOFIN MN Power Clean**

- A powerful acid-free cleaner for the removal of grout residues, greasy dirt, gloss films on and general soiling of natural stones and especially polished marble and limestone.

Stock Code.	Size	Coverage Approx	Box Qty
3703*	500ml	10-30m <sup>2</sup> / L	10
3704	1 litre	10-30m <sup>2</sup> / L	10



**LITHOFIN FZ Conditioning Cleaner**

- Mildly alkaline and wax free cleaner is a regular use maintenance cleaner for rough or polished surface.
- Provides surfaces with an attractive gleam and improves dirt resistance.
- Does not form layers, gives a high yield.

Stock Code.	Size	Coverage Approx	Box Qty
3692	1 litre	20m <sup>2</sup> / 10L	10



**LITHOFIN MN Builder's Clean**

- Very powerful acid cleaner for removing cement film, encrusted dirt residues, blooms, rust and rust discolourations.
- Acts to prevent rust in hard stones containing iron.
- Suitable for use on granite, gneiss, quartzite and other natural and artificial stone.
- Not suitable for polished marble or limestone.

Stock Code.	Size	Coverage Approx	Box Qty
3708	1 litre	30-50m <sup>2</sup> / L	10



**LITHOFIN MN Stain-Stop**

- A effective, invisible sealer that gives long-term protection and prevents the penetration of oil, grease and water, making maintenance easier.
- Suitable for limestone, marble, natural stone and terrazzo and travertine (including polished surfaces).
- Ideal for kitchen and bathrooms and suitable for indoor/ outdoor use.

Stock Code.	Size	Coverage Approx	Box Qty
3711*	250ml	7-15m <sup>2</sup> / L	20
3712*	500ml	7-15m <sup>2</sup> / L	10
3714	1 litre	7-15m <sup>2</sup> / L	10
3716*	5 litre	7-15m <sup>2</sup> / L	2



**LITHOFIN Stain-Stop W**

- Water based, solvent-free, invisible impregnator that protects stone surfaces against the penetration of oil, grease, dirt and water and prevents staining.
- Suitable for unglazed ceramic, terracotta and many types of natural/ artificial stone - ideal for dense, hard granite.
- Facilitates easy maintenance, odourless and provides long term protection.

Stock Code.	Size	Coverage Approx	Box Qty
3718	1 litre	10-20m <sup>2</sup> / L	10
3719*	5 litre	10-20m <sup>2</sup> / L	2



**LITHOFIN Stain-Stop Plus**

- This combined impregnator and colour intensifier makes stone surfaces oil and water repellent, enhances the colour structure and prevents staining.
- Suitable for all absorbent surfaces such as natural, polished and artificial stone, quarry tiles and terracotta, ideal for vanity tops and granite worktops.
- Suitable for indoor/outdoor use.

Stock Code.	Size	Coverage Approx	Box Qty
3723*	500ml	15-20m <sup>2</sup> / L	10
3724	1 litre	15-20m <sup>2</sup> / L	10
3725*	5 litre	15-20m <sup>2</sup> / L	2



**LITHOFIN MN Slate-Seal**

- An effective sealer which forms a shiny protective layer and intensifies the colour structure of rough/ honed natural stone and especially slate.
- Facilitates easy maintenance and for indoor use only.
- Not suitable for bathrooms or wet rooms.
- Can be applied in several coats.

Stock Code.	Size	Coverage Approx	Box Qty
3726	1 litre	10-20m <sup>2</sup> / L	10
3728*	5 litre	10-20m <sup>2</sup> / L	2



\* Product has a lead time, please check with our sales team

\* Product has a lead time, please check with our sales team

**LITHOFIN MN Colour Intensifier**

- Very effective solvent containing product that invigorates the colours, accentuates the structure, and altogether improves the appearance of natural and artificial stone surfaces such as marble and travertine.
- Ready to use, suitable for indoor/outdoor use and can be applied in several coats.

Stock Code.	Size	Coverage Approx	Box Qty
3720	1 litre	7-15m <sup>2</sup> / L	10



**LITHOFIN Easy-Care**

- A regular-use maintenance cleaner that beautifies and protects the seal of stone surfaces.
- Keeps surfaces hygienically clean and improves the colour structure of the stone.
- Does not form layers, solvent free and non-bleaching.

Stock Code.	Size	Coverage Approx	Box Qty
3628	1 litre	20m <sup>2</sup> / 10L	10



**LITHOFIN MN Care-Seal**

- A water based product which gives a shiny protective film and strengthens colour and gloss, designed to renew worn out areas of seal on rough/honed natural stone floors.
- For initial treatment of new rough surfaced yorkstone, sandstone slab.
- Contains no solvents and for indoor use only.

Stock Code.	Size	Coverage Approx	Box Qty
3732	1 litre	20m <sup>2</sup> / L	10



**LITHOFIN MN Care-Sheen**

- An occasional-use solvent-free sheen restorer for polished marble and other stone floors.
- Forms a fine surface film and is the ideal additional care for all shiny floor surfaces.
- Contains wax, suitable for indoor use only.

Stock Code.	Size	Coverage Approx	Box Qty
3738	1 litre	20m <sup>2</sup> / L	10



A range of innovative products for sealing natural stone, tiles, flooring & grout.

**HG Power Cleaner**

- Heavy duty cleaner/stripper.
- For the removal of stubborn dirt, soiled polishes and old wax layers
- Product number 19
- Coverage approx 20-40m<sup>2</sup>/L

Stock Code.	Size	Coverage Approx	Box Qty
3404	1 litre	20-40m <sup>2</sup> / L	6



**HG Protective Coating Satin Finish**

- Unique removable polish for quarry tiles.
- Gives a fabulous satin gloss
- Protects against stains and stubborn soiling
- Product number 14
- Coverage approx 35-70m<sup>2</sup>/L

Stock Code.	Size	Coverage Approx	Box Qty
3418	1 litre	35-70m <sup>2</sup> / L	6



**HG Mould Spray**

- Effectively removes all brown stains caused by mould, fungus and algae.
- Can be used on silicone rubber seals, plaster, tiles and grout

Stock Code.	Size	Coverage Approx	Box Qty
3536	500ml	40m <sup>2</sup> / 750gm	6



**HG Impregnating Protector**

- Impregnating sealer which helps to prevent stains on unpolished, unglazed porous tiles and flagstones.
- Contains no silicones and can be applied both indoors and outdoors
- Product number 13
- Coverage approx 8-10m<sup>2</sup>/L

Stock Code.	Size	Coverage Approx	Box Qty
3412	1 litre	8-10m <sup>2</sup> / L	6



**HG Cement & Grout Film Remover**

- Powerful acid based cleaner which safely removes cement grout film without affecting grout joints.
- Biodegradable
- Suitable to remove limescale and rust stains
- Product number 11
- Coverage approx 40m<sup>2</sup>/L

Stock Code.	Size	Coverage Approx	Box Qty
3400	1 litre	8-10m <sup>2</sup> / L	6



**HG Extreme Power Cleaner**

- Specially developed for the fast and easy removal of grease and ingrained dirt.
- Suitable for use on marble and other types of calciferous natural stone such as travertine, limestone, granite and terrazzo
- Product number 20
- Coverage approx 35-70m<sup>2</sup>/L

Stock Code.	Size	Coverage Approx	Box Qty
3407	1 litre	35-70m <sup>2</sup> / L	6



**VULCASEAL Grout Protector**

- Seals all pores and capillaries in grout with an invisible film preventing dirt attaching onto the surface
- Easy spray on application
- Fast drying giving instant protection
- Suitable for all types of grout joints

Stock Code.	Size	Coverage Approx	Box Qty
2737	500 ml	15m <sup>2</sup>	6



\* Product has a lead time, please check with our sales team

\* Product has a lead time, please check with our sales team



## Tiling Tools & Accessories

<b>TILE NIPPERS, KNIVES, BLADES &amp; SCRAPERS</b>	54-55
<b>TILE SPACERS AND WEDGES</b>	56
<b>LEVTEC LEVELLING SYSTEM</b>	57
<b>TILING TROWELS</b>	58-60
<b>GROUT FLOATS &amp; GROUT RAKES</b>	60-61
<b>WASHBOY SETS AND SPONGES</b>	61-63
<b>KNEE PADS</b>	64
<b>ADHESIVE WHISKS &amp; BUCKETS</b>	65
<b>SPIKED ROLLER</b>	66
<b>CLEANING PADS AND HOLDERS</b>	66
<b>GENERAL HAND TOOLS</b>	67-68
<b>FORTE MOSAIC MESH AND TILE MAGNETS</b>	69

## FORTE

### FORTE Tile Nippers

- Tungsten carbide tipped nippers for nibbling and shaping ceramic tiles.
- Curved tile nippers are especially ideal for intricate shapes and mosaics.

Stock Code.	Description	Length mm/in	Box Qty
1050	Straight	215/8 1/2	12



### MONTOLIT Tile Nippers

- Professional Tile Nibbler with open cutting jaw is specifically designed for extra hard tiles, ceramic & Gres porcelain. Ideal for cutting small strips from whole tiles & for finishing work.
- Made of high-quality forged steel, the nibbler offers outstanding hardness & service life.
- PVC covered handle for a sure & comfortable grip.


Stock Code.	Box Qty
ART33	6



### MONTOLIT Mosaic, Glass and Tile Nibbler

- Professional Mosaic, Glass and Tile Nibbler is made of high quality forged steel, this tool has two tungsten carbide cutting wheels with titanium nitride coating. Perfect for cutting small strips off hard porcelain, glass and mosaic tile materials.
- Made of high-quality forged steel, the nibbler offers outstanding hardness & service life.
- PVC covered handle for a sure & comfortable grip.
- Replacement cutting wheels available.

Stock Code.	Box Qty
ART33W	6



### MONTOLIT Mosaic Nippers

- Professional Tile Mosaic is specifically designed for extra hard tiles, ceramic & Gres porcelain. This extremely useful for making classic & artistic mosaics, small finishing touches for angles & special shapes.
- Made of high quality forged steel, this tool has two tungsten carbide cutting wheels with titanium nitride coating. The highly effective lever combined with the concentrated points of contact between the material & the cutting edges guarantees extremely high cutting forces & accurate results.

Stock Code.	Box Qty
ART55W	6



### FORTE Heavy Duty Scrapers

- Multi-purpose scraper with die cast head and replaceable blade.
- Robust tubular metal handle with 'comfort' grip.



Stock Code.	Description	Length mm	Blade Width mm/in
1130	Heavy Duty Scraper	304/12	100/4
1132	Replacement blades for 1130 (pk 10)	-	100/4
1134	Heavy Duty Scraper	450/18	150/6
1136	Replacement blades for 1134 (pk 5)	-	150/6

### FORTE Handled Scraper

Plastic scraper with blade cover.

Stock Code.	Blade Width mm/in
1110*	60/2.45



### Replacement Blade

Stanley type.

Stock Code.	Blade Size mm	Box Qty
DASX0010	60mm	10



### DART Knife

Red Satin Quality Metal retractable.

Stock Code.	Blade Size mm
DASX3600	60mm



### DART Knife

Budget retractable (Metal Slider).

Stock Code.	Blade Size mm
DASX34	60mm



## FORTE Tile Spacers

- Strong and durable tile spacers used to ensure a regular joint width and for a quick and accurate alignment of wall and floor tiles.
- If needed spacer legs can be snapped to leave a smooth L or T shape.
- Spacers can be grouted over.



### Standard

Stock Code.	Spacer Width mm	Spacer Per Pack	Box Qty (Packs)
1210	1	250	100
1215	1.5	500	100
1225	2	250	100
1230	2	500	100
1245	3	250	100
1250	3	500	100
1255	4	250	50
1265	5	200	100
1270	8	100	100
1271	10	100	100

### Long Leg

Stock Code.	Spacer Width mm	Spacer Per Pack	Box Qty (Packs)
1272	2	250	100
1274	2	500	50
1277	3	500	50
1274B2	2	2000	Bucket
1277B2	3	2000	Bucket

## FORTE Wooden Tile Wedges

- Very strong and durable beech wedges.
- Ideal for the straight alignment of irregular and skirting tiles.
- 250 Wedges per pack.

Stock Code.	Width mm	Type	Box Qty (Packs)
1290	Up to 8	500	100



## FORTE Plastic Tile Wedges

- Very strong and durable plastic wedges.
- Ideal for the straight alignment of irregular & skirting tiles.
- 250 Wedges per pack.

Stock Code.	Width mm	Type	Box Qty (Packs)
1288	Up to 5	Plastic	100
1292	Up to 11	Plastic	100



## FORTE 'T' Spacers

- T spacers used if a brickwork effect or random pattern is required.

Stock Code.	Spacer Width	Spacer Per Pack	Box Qty (Packs)
1281	2	500	40
1282	3	500	50
1283	5	500	40



## FORTE Spacer Pegs


- Strong and durable.
- Can be removed easily once tiles are set.
- Peg width 2mm.

Stock Code.	Pegs Per Pack	Box Qty (Packs)
1284*	500	100



## LEVTEC Levelling System Kit

- Designed to create flawless tiling projects efficiently every time and eliminates lippage.
- Levelling spacers preserve a perfectly level surface and maintain consistent grout joints.
- Designed for tiles for thickness between 3 and 12mm - 1.5mm tile spacer.
- Fix wedges with the pliers.




Stock Code.	Description
LTSK	Levelling System Floor Kit includes 100 Clips, 100 Wedges and 1 pair Floor Pliers.

## LEVTEC Levelling System Clips

- Designed for tiles for thickness between 3 and 12mm.
- Snapped off leaving the tiles ready to grout.

Stock Code.	Size mm	Qty
LTC500	1.5	500 pack
LTC2000	1.5	2000 pack



## LEVTEC Levelling System Tall Clip

- Designed for tiles for thickness between 12 and 20mm.
- Snapped off leaving the tiles ready to grout.


Stock Code.	Size mm	Qty
LTT500	1.5	500 pack



## LEVTEC Levelling System Wedges

- Offers precision spaced joints, the optimum system for levelling tiles for the avoidance of lippage.

Stock Code.	Qty
LTW250	250 pack



## LEVTEC Levelling System Pliers

- Allows wedges to be inserted through clips easily, to ensure level floors and walls.

Stock Code.
LTP



## FORTE California Pattern Notched Trowel

- Comfortable open handle design riveted 4 times onto blade.
- Strong steel blade; 280mm x 130mm.

Stock Code.	Notch Size mm	Box Qty
1303	3 x 3 x 3	12
1306	6 x 6 x 6	12
1308	8 x 8 x 8	12
1310	10 x 10 x 10	12
1313	13 x 13 x 13	12



## FORTE Economy Notched Trowel

- Robust steel blade trowel.
- Closed plastic handle design.

Stock Code.	Notch Size mm	Box Qty
1326*	6 x 6 x 6	12
1328*	8 x 8 x 8	12



## FORTE 'V' Notched California Pattern Trowels

- Quality tradesman trowel with steel blade and wooden handle.
- 255mm in length.


Stock Code.	Notch Size mm	Box Qty
1354*	2.4	12



## FORTE Stainless Steel Notched Trowel

- High quality trowel with stainless-steel blade.
- 'Comfort' soft grip handle.
- Blade Size - 278x112mm.

Stock Code.	Notch Size mm	Box Qty
1329*	4 x 4 x 4	12
1331	6 x 6 x 6	12
1332	8 x 8 x 8	12
1333	10 x 10 x 10	12
1334	12 x 12 x 12	12
1336	15 x 15 x 15	12



## FORTE Dual-Notched Metal Trowel

- Strong steel blade trowel with plastic handle.
- 6mm notch one side and 10mm notch the other.

Stock Code.	Notch Size mm	Box Qty
1335*	6 / 10	12



## FORTE 'U' Notched California Pattern Trowels

- Quality tradesman trowel with steel blade and wooden handle.
- 255mm in length.

Stock Code.	Notch Size mm	Box Qty
1352*	20	12



## FORTE Plastic Trowel with 'V' Notch

- Very economically priced, versatile plastic trowel.
- Dual notch - 6mm U and 6mm V notches.

Stock Code.	Size mm	Box Qty
1340*	280 x 100	20



## FORTE Plastic Trowel

- Very economically priced, versatile plastic trowel.
- Dual notch - 6mm and 10mm square.

Stock Code.	Size mm	Box Qty
1341*	280 x 100	20



## FORTE 5-Way Spreader

- Ideal for spreading tile adhesive on small areas.
- 6mm spreader on one side with 2mm slots.

Stock Code.	Size mm	Box Qty
1386	125 x 84	18



## FORTE Lightweight Finishing Trowel

- Quality tradesman's finishing trowel with steel blade and riveted handle
- For latex, concrete and plaster finishing

Stock Code.	Length mm
1370	290



## FORTE Margin Trowel

- Steel blade and hardwood handle.
- Ideal for use in restricted areas.

Stock Code.	Size mm	Box Qty
1392	125 x 50	12



## FORTE Margin Grout Float

- Long gum corner float with wooden handle.
- Dense rubber pad, aluminium base with bevelled edges.
- Ideal for working in restricted areas.

Stock Code.	Length mm	Box Qty
1422	127	10



\* Product has a lead time, please check with our sales team

\* Product has a lead time, please check with our sales team

## FORTE Gauging Trowel

- Multi-purpose tool with steel blade & hardwood handle.

Stock Code.	Size mm	Box Qty
1393*	180 x 88	12



## FORTE Bucket Trowels

- High quality, multi-purpose trowels with stainless steel blade and wooden handle.
- Flat end is ideal for cleaning out the bottom of buckets.

Stock Code.	Type	Blade Length mm
1397	Small	160



## FORTE Quality Floor Grouter

- High quality grouter with non-scratching plastic base.
- Long tapered design ideal for floor grouting.
- Dense rubber pad with bevelled edges.

Stock Code.	Pad Dim mm	Box Qty
1428	300 x 100	12



## FORTE Quality Wall Grouter

- High quality grouter with non-scratching plastic base.
- Plastic handle and dense rubber pad with bevelled edges.

Stock Code.	Pad Dim mm	Box Qty
1427*	230 x 100	12



## FORTE Premium Grouting Float

- Lightweight rubber faced tile grouter with aluminium base with bevelled edges.

Stock Code.	Pad Dim mm	Box Qty
1410	225 x 100	12



## Marshalltown Grouting Float

- Lightweight, aluminium base with bevelled edges, white non-marking dense rubber pad and plastic handle
- Premium grade grouting tool
- 225 x 100mm Pad

Stock Code.	Box Qty
1400	24



## Marshalltown Long Grouter

- Lightweight, aluminium base with bevelled edges, white non-marking dense rubber pad and plastic handle.

Stock Code.	Pad Dim mm
1402	300 x 100



## Ragni Long Grouting Float

- Lightweight, white non-marking dense rubber pad and plastic handle.
- Aluminium base with bevelled edges.
- High quality Italian made long grouter.

Stock Code.	Pad Dim mm	Box Qty
1415*	300 x 100	6



## FORTE Hydro-Sponge

- Premium quality highly absorbent sponge.
- Ideal for cleaning tiles after grouting.
- Size 165 x 110 x 65mm.




Stock Code.	Box Qty
1475	50

## Tile Grouters

- Value tile grouters.
- Moulded wooden handle with rubber blade.
- Non-marking white version.

Stock Code.	Blade Width mm	Colour of Rubber	Box Qty
1435*	203	Black	25
1440*	300	Black	25
1445*	178	White	10



## FORTE Heavy Duty Grout Rake


- For the fast removal of old grout from tile joints.



Stock Code.	Description	Box Qty
1486*	Heavy duty grout rake	12
1488*	Spare blade for heavy duty grout rake	12

## FORTE Pentagon Grout Rake

- The stainless-steel blade can be rotated as the side wears.



Stock Code.	Description	Box Qty
1489	Pentagon grout rake	12
1491*	Spare blade for Pentagon grout rake	12

## FORTE Floor Squeegees

- Use for spreading grout in large areas.
- Metal galvanized frames and wooden poles.
- Foam/rubber squeegees.

Stock Code.	Description	Size mm
1455*	Black rigid rubber	560 wide
1460*	Black folded foam rubber	450 wide
1465*	Pole for 1455 rigid above	1200 long
1466*	Pole for 1460 folded above	1200 long



## FORTE Washboy Bucket Set

- Quality bucket set with twin rollers, plastic base grid, castors, sponge and holder.
- Size 512 x 275 x 265mm.

Stock Code.  
1632



**BEST SELLER**

## FORTE Washboy Sponge & Handles

- 280mm x 140mm x 30mm (1, 2 & 3 roller).
- Velcro cut-squared sponges & holders.
- Ergonomic white handled version.



Stock Code.	Description	Box Qty
1640	Washboy sponge and handle	50
1645	Replacement sponge	50

## FORTE Velcro Sponge & Holders

- 300mm x 150mm x 35mm (2 and 3 roller).
- Velcro cut-squared sponges & holders.



Stock Code.	Description	Box Qty
1670	Velcro cleaning sponge with black handle holder	50
1675	Velcro cleaning sponge only for black handle model	50

## Alphachem Contact Spray

- 500ml Spray contact adhesive for sticking replacement washboy sponges onto holders.
- Easy to use, and quick drying application.



Stock Code.	Size ml	Box Qty
SCA500M	500	12

## RAIMONDI Pedalo Washboy Set

High capacity washboy set for fast cleaning of large areas with foot operated sponge cleaning system reducing fatigue, backache and worn knees.

- For cleaning grout from floors and walls.
- The pole sponge enables you to work in an upright position on both floors and walls.
- The pedal eases the squeezing action of the sponge while allowing the user to remain upright.
- The sponge float with handle can be used on smaller areas.
- The high-capacity tank (40lt - 10.5 gal).



Stock Code.

Stock Code.	Description
1680*	40L bucket set complete with hand & floor sponges, holders and pole fixing
1684*	Spare floor sponge only
1685*	Spare floor sponge with metal head
1637*	Holder for Skipper sponges+
1639*	'Sweepex' large size sponge for Skipper/Pedalo - 340 x 170 x 40mm



## RAIMONDI Skipper Washboy Set

- Premium quality 13L/3.4 gal bucket set.
- Lightweight, impact resistant plastic bucket.
- High absorbent "Sweepex" uncut sponge and holder.
- The twin rollers have wear resistant sockets and the wheels are fixed to strong axles.
- Carry handle and internal grid.

Stock Code.

1636\*



## RAIMONDI Quick Change Handle for Skipper Sponges

- Durable quick change handle for skipper sponges.



Stock Code.

1637\* Handle for Skipper sponges

## Sweepex Sponge

- High quality sponge with scourer pad.
- For removing stubborn dirt without scratching the tile.



Stock Code.

1638\* 'Sweepex' standard size sponge for Skipper - 300 x 130 mm

\* Product has a lead time, please check with our sales team

\* Product has a lead time, please check with our sales team



## FORTE Knee Pads

- Independently removable over-trousers design.
- Easy-to-fit velcro fastening.
- Wide, easy-to-adjust straps for comfort.
- Non-marking white outer caps.
- Hard but non-brittle caps make for comfortable and easy use of the knee to break porcelain tiles.

Stock Code.  
2029



## G3 Water Resistant Gel Knee Pads

- Ideal for concrete, flooring & general construction use.
- Water resistant, quick and easy to clean.
- Flat front for walking on knees.
- Slip resistant rubber caps are also scuff resistant on most surfaces.
- Air injected gel core for extra comfort.
- Moisture wicking neoprene lining keeps knees dry and cool while you work.
- Two adjustable straps hold the knee pad securely and comfortably in place.
- Quick release buckle fastener.

Stock Code.  
2040\*



## Rubber Knee Pads

- Ideal for use in general construction.
- Economical knee pad with ribbed face.
- Single strap for comfort.
- Fits most knee sizes.

Stock Code.  
2030\*



## Rubi Air Knee Pads

- Rubi Air Knee Pad - high quality ergonomic non-slip pad with single strap.


Stock Code.  
2037\*



## Soft Yellow Knee Pads

- An economical comfort pad non-slip and double straps.

Stock Code.  
2032



## Tiling Sandals

- Spiked shoes for walking over adhesive.
- Removable spikes and adjustable straps allow for any shoe size.
- Not to be used with underfloor heating.

Stock Code. Size  
09355 26mm



## FORTE Adhesive Whisks

- Quality whisks with a highly durable finish.
- To be used with an electric drill for the fast efficient mixing of powdered adhesives and grouts.

Stock Code.	Type	Size mm	Shaft Ø mm	Box Qty
2010	Standard	60 x 400	8	12
2011	Medium	100 x 590	10	12
2012	Large	120 x 590	10	12



## ALPHACHEM Professional Foam Guns

- Professional quality foam gun idea for use with AlphaChem Gun Grade foams.
- Allows for the precise application of the foam.

Stock Code. Description  
FAGUN Professional



## SOUDAL Skeleton Caulking Gun

- Quality caulking gun.
- Suitable for 310ml cartridges.

Stock Code. Integral Length mm/in  
SG400 250/10



## Rubi Flextubs

- Robust and flexible general purpose PVC tub in 3 sizes.
- Especially useful for mixing adhesives.

Stock Code. Size L  
1597 25  
1598 40  
1599 55



## PVC Bucket

- Robust PVC 14 litre bucket with handle.

Stock Code.  
1593




\* Product has a lead time, please check with our sales team

\* Product has a lead time, please check with our sales team

## Extreme Spiked Rollers

- For aerating and spreading self-levelling compound, releases trapped air and prevents bubbles forming on the surface.



Stock No.	Roller Width mm/in
1168	300/12
1169	500/18

## Latex Gloves

- Disposable ambidextrous latex gloves stretch to size for either left or right hand.
- Ideal for use with normal grout and adhesive.
- Powdered.



Stock No.	Size	Box Qty (Pairs)
1534	Medium	50
1535	Large	50
1536	Extra large	50

## Pad & Pad Holders

- Velcro pad holder.

Stock Code.	Size mm	Box Qty
1500	230 x 110	20



- Pad holder and pole.

Stock Code.	Size mm	Box Qty
1505	1300 long	1



- White for polishing & epoxy grout.

Stock Code.	Size mm	Box Qty
1510	250 x 115 x 20	25



- Blue for regular cleaning.

Stock Code.	Size mm	Box Qty
1515	250 x 115 x 20	25



- Black for scrubbing.

Stock Code.	Size mm	Box Qty
1520	250 x 115 x 20	25



- Green for epoxy grout.

Stock Code.	Size mm
1525	230 x 150 x 7



## DART Premium Tape Measures

- Professional, robust tape measures with 30% thicker blade which triples the durability.
- Magnetic ended hook making it easy to use when working with metal and enables the user to take a measurement single handed.
- Rubber casing reduces breakage on impact.
- The matt finish of the tape makes it much easier to read measurement.
- II Accuracy Mark (Roman Numeral 2). This marker will give any site foreman confidence of the accuracy when using these tapes on site.



Stock Code.	Length m	Box Qty
ATP05	5	1
ATP08	8	1

## Polyethene Dust Sheets

- Heavy duty polyethene dust sheets.



Stock Code.	Approx Size m/ft
PDS129	3.6m x 2.7m / 12' x 9'

## Cotton Dust Sheets

- Cotton twill dust sheet



Stock Code.	Size m/ft
CDS129	3.6m x 2.7m / 12' x 9'

## Duct Tape

- Waterproof cloth reinforced adhesive duct tape in 50 metre rolls.



Stock Code.	Description	Width mm	Roll Length mm	Box Qty
DT48G	Duct tape	50	50	24

## Masking Tape

- Quality masking tape.



Stock Code.	Description	Width mm	Roll Length mm	Box Qty
MT50	Masking tape	48	50	18

## TIMCO Protective Film

- Window - Blue.
- Carpet - Yellow.
- Hard Surface - Green.



Stock Code.	Size m	Application
50WP	50 x 0.6	Window
50CP	50 x 0.6	Carpet
50HP	50 x 0.6	Hard Surface

## Tile Trim Cutter, Spare Blades & Mitre Blocks

- Trim cutters with replaceable blade, designed specifically for cutting and mitring PVC trim.
- Premium version 4317 takes a replaceable knife blade - and gives a very neat cut.
- Plastic and cast metal mitre blocks for use with hacksaws.
- The best quality 'Quansol' mitre block has a unique quick release clamping system and accurately mitres 22.5, 45 and 90 degree angles, spare guides are also available.
- The Quansol is invaluable for clamping and perfectly cutting metal trim with no scratches.




Stock Code.	Description
4309	Quansol Best Quality Clamping Mitre Block
4314*	Spare Clamping Guide for above 6 pairs
4340*	Spare Clamping Guide for above 12 pairs
4315*	Trim Cutter - Standard*
4316*	Spare Blade - Trim Cutter
4317*	Trim Cutter - Premium Quality
4318	Mitre Block - Plastic
4319*	Mitre Block - Metal

## FORTE Mosaic Mesh

- Self adhesive mesh to make mosaic tiles rigid and very simple to handle.
- Easy to cut with a knife or scissors.
  - High-grip self adhesive backing.
  - Box consists of 10 packs of 11 sheets.
  - Comes in retail box when ordering full box quantities.


Stock Code.	Sheet Size mm	Box Qty
1295	300x300	10 packs of 11 sheets



## Tile Magnets

- For removable access panels.
- Set consists of 4 high quality magnets and 4 counter plates.
- Very versatile product.

Stock Code.	Box Qty (Sets)
3000	10



\* Product has a lead time, please check with our sales team

\* Product has a lead time, please check with our sales team



## Diamond Blades

<b>TIGR BLADES</b>	72
<b>MONTOLIT BLADES</b>	72-73
<b>DART RED TEN BLADES</b>	73

# TIGR PRO TILE RANGE

## TIGR TTE115 Blade

- Ultra - thin, turbo diamond blades for porcelain cutting.
- Suitable for use on thin marble and granite.
- Dry cutting.

Stock Code.	Blade Ø mm
TTE115	115mm



## MONTOLIT Turmont Continuous Rim Blade

- Continuous rim diamond blade suitable for cutting porcelain stoneware, marble and ceramic.
- For both wet and dry use.
- Can be used with angle grinder, wet tile cutter and table sawing machine.

Stock Code.	Size mm
TCS85	85mm
TCS115R	115mm



## MONTOLIT CGX Blade

- For dry and wet use.
- Suitable to use on porcelain, stoneware and hard ceramic.

Stock Code.	Size mm
CGX100	100mm
CGX115	115mm
CGX125	125mm



## MONTOLIT TutorCut

- Easily maintains accuracy and reduces chipping
- Can be used with any grinder.
- Increases blade life by eliminating tension

Stock Code.	Size mm
TUTORCUT115	115mm



## MONTOLIT STL Diamond Grinding Wheel

- STL Disc is an innovative multi-purpose diamond cup designed for finished tiles; bevelling, small cuts, grinding, rounding and shaping edges/corners.
- Suitable for porcelain, stoneware, ceramic and marble.
- For both wet & dry use. Can be used with any standard grinder.

Stock Code.	Size mm
STL125GF	115mm



## DART Red Ten RT-10 Smooth Cut Diamond Ceramic Blade

- Smooth and effective ceramic tile blade.
- Continuous rim for a very smooth cut.
- Suitable for all tiles including ceramic, porcelain and marble.



Stock Code.	Blade Ø mm	Bore mm	Segment Height
DB01660	100	16	8
DB01670	115	22	8
DB01680	125	22	8
DB01685	150	22	8
DB01690	180	22	8
DB01700	200	22	8
DB01710	230	22	8
DB01711	250	22	8
DB01720	300	20	8
DB01721	300	22	8
DB01723	300	30	8
DB01730	350	25	8

## DART Red Ten ST-10 Super Thin Diamond Tile Blade

- Pro performance super thin porcelain tile blade.
- Super-thin and super-fast diamond blade.
- Suitable for all tiles including ceramic, porcelain and marble.



Stock Code.	Blade Ø mm	Bore mm	Segment Height
DB01580	100	16	10
DB01590	115	22	10
DB01600	125	22	10
DB01601	150	22	10
DB01610	180	22	10
DB01611	180	25	10
DB01620	200	22	10
DB01630	230	22	10
DB01631	250	22	10
DB01632	250	25	10
DB01640	300	20	10
DB01641	300	22	10
DB01642	300	25	10
DB01650	350	20	10
DB01651	350	25	10

Bore reducing rings available on request.

\* Product has a lead time, please check with our sales team

\* Product has a lead time, please check with our sales team



# Tile Cutters

<b>MONTOLIT TILE CUTTERS</b>	76
<b>MONTOLIT MOSAKIT MOSAIC MAT</b>	76
<b>MONTOLIT SPARE CUTTING WHEELS</b>	77
<b>SIGMA TILE CUTTERS</b>	77-78
<b>SPARE PARTS &amp; CUTTING WHEELS</b>	79
<b>MONTOLIT DIAMOND HOLE CUTTERS AND DRILL BITS</b>	79

**MONTOLIT Masterpiuma Evolution 3**

Masterpiuma is the lightest among professional tile cutters which can cut all types of tile, with thickness of 0-22mm, quickly and accurately.

Multifunction, power and precision are the main features of this innovative tile cutter with a structure in die-cast aluminium and nickel-plated steel for max strength and weather resistance.

- Engineered for easy cutting all types of available ceramics, porcelain & glass tiles including glass mosaic.
- Accurate and extremely powerful ergonomic push scribe handle.
- The self-adjustable patented scoring system facilitates consistently speeds up the cutting & splitting process on every different thickness / material.
- Set-up, transport & storage are quick & easy, thanks to the patented foldable design.



Stock Code.	Size cm	Max Diagonal Cutting Length cm	Weight kg
ART63P3	63cm	44x44	9.5kg
ART75P3	75cm	53x53	11.8kg
ART93P3	93cm	63x63	13.0kg
ART125P3	125cm	66x66	24.0kg
ART155P3	155cm	109x109	33.0kg



**MONTOLIT Flash Line Evo**

- Unique international patented grip system removing the need for suckers or clamps.
- Integrated lubrication.
- Quick change cutting wheel.
- Dual cutting system ensures a straight cut.
- Tungsten carbide cutting wheel with titanium coating for fine quality scoring.
- Kit contains: 3 x 120cm guide bars, 1 x breaking device, 1 x cart with cutting wheel and 1 x carry bag.



Stock Code.	Max Cutting length cm	Max Tile Thickness mm	Weight kg
300FLEVO	340cm	10mm	9kg

**MONTOLIT Mosakit Mosaic Mat**

The Montolit Mosakit Pad is a specially designed rubber mat that upgrades your manual tile cutter into one that cuts mosaic tiles too. Produces perfect results even on the most fragile and most expensive lightweight glass mosaic.

- Pad dimensions: 11-3/4" x 13-3/4", which is easily attached to the tile cutter.
- For use on up to 14" mosaic tile.
- Printed lines on the pad make 45-degree cuts easy.
- Exceptional cushioning during scribing & splitting action.
- Works with porcelain, ceramic, glass & mixed mosaic tiles.
- Use in combination with Masterpiuma tile cutter for cutting mosaic tiles.



Stock Code.	Size cm
ART58	330cm

**MONTOLIT Spare Cutting Wheels**

- These new incision wheels are coated in Titanium, this noble material assures; long life, perfect cuts, efficiency and fluidity, reducing all frictions.
- ART.245T cuts tiles to 2cm thickness and can be used on all kind of ceramic materials, whether smooth or rough.

Stock Code.	Description
ART245T	Titanium replacement wheel for Masterpiuma cutters
ART240T	Titanium replacement wheel for Flashline Cutter




All Sigma tile cutters come with a 5 year manufacturers warranty



**Sigma 3B4**

- Sprung beds, double thickness height adjustment.
- Swivelling bar, 45°- 0°- 45°.
- Pull cut handle.
- 1050kg breaking pressure.
- Maximum cutting length 670mm.

Stock Code.
0231



**Sigma 3C2**

- Sprung beds, double thickness height adjustment.
- Swivelling bar, 45°- 0°- 45°.
- Tile support bracket.
- 1050kg breaking pressure.
- Maximum cutting length 770mm.
- Pull cut handle.

Stock Code.
0232




\* Product has a lead time, please check with our sales team

\* Product has a lead time, please check with our sales team

## Sigma 3D2

- Sprung beds, double thickness adjustment.
- Swivelling bar, 45° - 0° - 45°.
- Tile support bracket.
- 1050kg breaking pressure.
- Maximum cutting length 950mm.
- Pull cut handle.


Stock Code.  
**0233**



## Sigma 3E4K

- Maximum cutting length 1290mm.
- Swivelling bar, 45° - 0° - 45°.
- Sprung beds, double thickness adjustment.
- 3 tile support brackets.
- 1200kg breaking pressure.
- Klick klock handle.

Stock Code.  
**0235**



## Sigma 3P2K

- Maximum cutting length 1020mm.
- Swivelling bar, 45° - 0° - 45°.
- Tile support brackets.
- 1200kg breaking pressure.
- Sprung beds, double thickness adjustment.
- Klick Klock handle.

Stock Code.  
**0236**



## Sigma Product Comparison Chart

Stock Code.	Product Name	Max Cutting Length mm	Max Tile Thickness mm	Breaking Pressure kg	Spare Wheel Stock No.
<b>0231</b>	3B4	670	20	1050	0280/0281
<b>0232</b>	3C2	770	20	1050	0280/0281
<b>0233</b>	3D2	950	20	1050	0280/0281
<b>0235</b>	3E4K	1290	20	1200	0285
<b>0236</b>	3P2K	1020	20	1200	0285



## Sigma Spare Cutting Wheels

Stock Code.	Product No.	Description
<b>0280</b>	14A	12mm, for all cutters unless noted otherwise
<b>0281</b>	14T	12mm Ø Titanium wheel for long life on hard materials
<b>0285</b>	14C	16mm for 3E2K & 3P2K



## MONTOLIT Diamond Hole Cutters

- 1/2 inch BSP Thread.
- For wet cutting.
- Proven range of high quality laser welded diamond hole cutters for use on very hard ceramics, natural stones and porcelain.
- Connected to drill via the water-fed swivel connector (sold separately).
- Pump action pressure tanks / drilling guides available to assist in trouble-free drilling.

Stock Code.	Drilling Ø mm
<b>FT-S20</b>	20
<b>FT-S27</b>	27
<b>FT-S35</b>	35
<b>FT-S40</b>	40
<b>FT-S43</b>	43
<b>FT-S50</b>	50
<b>FT-S55</b>	55
<b>FT-S60</b>	60
<b>FT-S65</b>	65
<b>FT-S70</b>	70



## MONTOLIT Mondrillo

- For dry and wet use.
- Suitable for all types of ceramics, Gres porcelain, terracotta tiles, granite, marble, glass.
- For furniture and bathroom fittings, electric and plumbing installation.

Stock Code.	Size mm
<b>FAJ05</b>	5
<b>FAJ06</b>	6
<b>FAJ08</b>	8
<b>FAJ010</b>	10
<b>JAV12</b>	12
<b>FAJVA-N</b>	Complete set of 5 Drill Bits (5-12mm)



## DART Spear Shaped Drill Bits

- Specifically for glass drilling.

Stock Code.	Drilling Ø mm
<b>TDC06</b>	6
<b>TDC08</b>	8
<b>TDC10</b>	10



## TIGR Wax Filled Drill Bits

- Very effective method for drilling hard materials like porcelain, the melting wax reduces friction which therefore prolongs the life of the drill bit.

Stock Code.	Drilling Ø mm
<b>DDTD5</b>	5
<b>DDTD6</b>	6
<b>DDTD7</b>	7
<b>DDTD8</b>	8
<b>DDTD10</b>	10
<b>DDTD12</b>	12
<b>DDTD15</b>	15







## Electric Tile Saws

<b>MONTOLIT TILE CUTTERS</b>	82
<b>ELECTRIC TILE CUTTERS AND SAWS</b>	83-88
<b>MIXERS &amp; MIXING DRILLS</b>	89

**MONTOLIT  
Moto Flash Line**

- Cut porcelain tiles and slabs up to 20mm thick. The machine itself has all the advantages of manual flash line (easy to transport, light, precision, patented locking system without the use of suction cups), with the addition of a motorized head with a professional diamond blade for ceramic and porcelain tiles.



Stock Code.	Cutting Depth mm	Blade Diameter mm	Motor W/HP	Voltage V	Weight KG
Moto-300-FL-PU115	200	150	1600	115	6.9
Moto-300-FL-115v	200	150	1600	115	12.8

**MONTOLIT  
Toprofile**

- This profiling system for ceramics and porcelain tiles, as well as any stoneware, allows easy processing of edges, making cuts, bevel, chamfering, rounded profiles, half bull-nose, easily and safely.



Stock Code.	Motor W/HP	Voltage V	Weight KG
Toprofile-115	800	230	54.7

\* Product has a lead time, please check with our sales team

**FORTE  
Tile Cutter TC 110**

- Compact and lightweight design with thermic safety switch.
- Cuts ceramic, porcelain & natural stone tiles up to 12mm thick.
- Replaceable 110mm (4.25") diamond blade.


Stock Code.	Max Tile Thickness mm	Motor W/HP	Voltage V	Weight KG
6802*	12	400/0.54	230	3.7



**FORTE  
Tile Cutter TC 180**

- Heavy duty flat bed tile cutter.
- Compact and lightweight design.
- Tip-up stainless steel table for mitering.
- Cuts ceramic, porcelain & natural stone tiles up to 12mm thick.
- Replaceable 180mm (7") diamond blade with 22mm bore.


Stock Code.	Max Tile Thickness mm	Blade Diameter mm	Motor W/HP	Voltage V	Weight KG
6807*	12	180	800/1.07	110	11.5



**RAIMONDI  
Eco 92**

- Powerful, robust Italian tile saw.
- Stainless steel table.
- Table top dimensions: 420 x 400mm.
- Tilts for mitering.
- Extendable cutting guide.
- Detachable base for easy cleaning.
- Diamond blade included.

Stock Code.	Bore mm	Cutting Depth mm	Blade Diameter mm	Voltage V	Motor W/HP	Weight KG
6812*	25	35	200	110	650/0.87	20*



\* Product has a lead time, please check with our sales team

**BATTIPAV - Queen 180**

- Premium grade Italian-made portable tile cutter.
- Stainless-steel table which tips for mitering and with recessed measurement scales.
- Quick-release guide system.
- Removable water tank and adjustable blade guard.
- 180mm diamond blade included.



Stock Code.	Bore mm	Cutting Depth mm	Blade Diameter mm	Voltage V	Motor W/HP	Weight KG
6831*	25	30	180	110	550/0.68	14

**BATTIPAV - Jolly Max 230**

- Adjustable blade guard.
- 230mm diamond blade included.
- Very powerful premium grade Italian made tile cutter.
- Stainless-steel table which tilts for mitering.



Stock Code.	Bore mm	Cutting Depth mm	Blade Diameter mm	Voltage V	Motor W/HP	Weight KG	
6837*	25	40	230	230	1200/1.6	28	
6838*	25	40	230	110	1200/1.6	28	
6839*	Stand for Jolly Max 230 Tile Saw*						

**BATTIPAV - Class 670S**


- Italian-made industrial bench saw suitable for all hard materials and large format tiles.
- Sliding cutting head tilts for mitering.
- Heavy duty water pump.
- Detachable legs and wheels for easy transportation.
- Diamond blade included.
- Laser beam facilitates accurate cutting.



Stock Code.	Bore mm	Cutting Depth mm	Cutting Length mm	Blade Diameter mm	Voltage V	Motor W/HP	Weight KG
6864*	25.4	40	670	200	110	1000/1.34	37

**BATTIPAV - VIP260**

- Premium quality Italian tile cutter with water pump.
- Compact, portable and with legs that fold-up.
- Sliding head with plunge cut facility and which tilts for mitering.
- 200mm diamond blade included.



Stock Code.	Voltage V	Motor W/HP	Cutting Depth mm	Cutting Length mm	Blade Diameter mm	Bore mm	Weight KG
6865*	230	1000/1.34	40	650	200	25	34
6866*	110	1000/1.34	40	650	200	25	34

**RAIMONDI Bolt**

Superior plunge cut tile cutter for cutting porcelain, ceramic, marble and granite tiles with blade water-cooling system with double jets.

- Maximum thickness of cut: 55mm.
- Cutting Length: Bolt 90 = 900mm, Bolt 120 = 1200mm, Bolt 150 = 1500mm.
- Sliding head with plunge cut facility, tilts for mitring.
- Coated metal frame with aluminium work benches for maximum sturdiness.
- Detachable tiling legs for easy transportation.
- Adjustable pulleys.
- Easy to clean design.
- Voltage: 110v Motor W/HP: 1100/1.46.
- Includes 250mm diamond blade with 25mm bore.



Stock Code.	Product Number	Cutting Length mm	Weight KG
6916*	Bolt90	900	56
6917*	Bolt120	1200	70
6918*	Bolt150	1500	70

\* Product has a lead time, please check with our sales team

\* Product has a lead time, please check with our sales team

**RAIMONDI - Pikus 85 ADV/110v - 105 ADV/110v**

- Premium grade tile cutter with water pump and wheels to aid transportation.
- Suitable for hard material such as porcelain and granite, 250mm diamond blades included.
- Cast and extruded aluminium frame.
- Detachable legs for easy transportation.
- Aluminium guide system and innovative adjustable blade guard for maximum protection.
- Sliding head with plunge cut facility and which tilts for mitering.



Stock Code.	Product Name	Motor W/HP	Cutting Depth mm	Cutting Length mm	Blade Diameter mm	Bore mm	Weight KG
6902*	Pikus 85 ADV	1000/1.3	80	850	250	25	71
6906*	Pikus 105 ADV	1000/1.3	80	1050	250	25	82
6909*	Pikus 411 SEA 2 laser beam attachment						

\* Diamond Blade Pictured Not Included.

**RAIMONDI - Zoe ADV/110v**

- Powerful industrial tile cutters with innovative blade cooling system and rear wheel to aid transportation.
- Cast and extruded aluminium frame.
- Suitable for large tile & the hardest of materials.
- Precision rail system ensures very accurate cutting.
- Sliding head with plunge cut facility, tilts for mitering.
- Aluminium guide system.
- 350mm diamond blade included.
- Zoe 130 ADV-L has laser beam for accurate cutting.



Stock Code.	Product Name	Motor W/HP	Cutting Depth mm	Cutting Length mm	Blade Diameter mm	Bore mm	Weight KG
6904*	Zoe 85 ADV	1650/2.2	120	850	350	25	99
6907*	Zoe 105 ADV	1650/2.2	120	1050	350	25	103
6887*	Zoe 130 ADV-L	1650/2.2	120	1300	350	25	120

\* Diamond Blade Pictured Not Included.

**RAIMONDI Accessories**


- 6911 fits Pikus and Zoe.
- 6912 fits Exploit, Pikus and Zoe.

Stock Code.	Product Description
6911*	Side roller table
6912*	Extension table



**BAM 1320 + 1850**

- Premium grade industrial bench saw for consistently accurate cutting.
- Very suitable for all hard material and ideal for multiple cutting.
- Motor slides on chrome-hardened bars and tilts over for mitering.
- Heavy-duty water pump.
- Detachable legs, so moving around is easier.
- Side extension table for large format tiles included.




Stock Code.	Product Name	Voltage V	Motor W/HP	Cutting Depth mm	Cutting Length mm	Blade Diameter mm	Bore mm	Weight KG
6905*	BAM1320	110	1650/2.2	95	1000	300	30	100
6908*	BAM1850	110	1650/2.2	95	1500	300	30	120

\* Diamond Blade Pictured Not Included.

**BATTIPAV - Elite 80S**

- Italian made industrial saw with sliding cutting table.
- Laser beam facilitates accurate cutting.
- Motor tilts for mitering and has a plunge-cut facility.
- Water pump and a strong removable water tray.
- Legs slide up and wheels detach for storage and easy transportation.
- Aluminium angle-measuring guide system.




Stock Code.	Product Name	Voltage V	Motor W/HP	Cutting Depth mm	Cutting Length mm	Blade Diameter mm	Bore mm	Weight KG
6883*	Elite 80S	110	2000/2.6	110	800	350	25	68

\* Diamond Blade Pictured Not Included.

**BATTIPAV - Prime 85S / 100S / 120S / 150S**

- Laser beam facilitates accurate cutting.
- Italian made industrial bench saw, very suitable for all hard material and large format tiles.
- Legs slide up and wheels detach for storage and easy transportation.
- Sliding cutting head tilts for mitering.
- Heavy duty water pump.
- Multiple-cut pulley system.



6892

Stock Code.	Product No.	Voltage V	Motor W/HP	Cutting Depth mm	Cutting Length mm	Blade Diameter mm	Bore mm	Weight KG
6884*	Prime 85S	110	2000/2.6	180	850	350	25	85
6885*	Prime 100S	110	2000/2.6	180	1000	350	25	88
6886*	Prime 120S	110	2000/2.6	180	1200	350	25	91
6881*	Prime 150S	110	2000/2.6	180	1500	350	25	97
6873*	Prime 200S	110	2000/2.6	180	2000	350	25	103

- 6891 \* 600x800 extension table with rollers for Battipav Prime tile saws
- 6892 \* 600x500 extension table for Battipav Prime tile saws

\* Diamond Blade Pictured Not Included.

**RAIMONDI Iperbet Mixer**

- Fixed double bladed paddle & rotating bucket.
- Industrial grade machine for mixing tile adhesive, grout and mortar.
- 300kg/hr production capacity.
- 2 x 45 litre bucket supplied.
- Simple and safe to use.
- 0.5hp/110V motor, 39kg overall weight.
- Wheeled base makes transport easy.



Stock Code.	Description
7026*	Iperbet Mixer

**Rubimix 9 1200w 2 Speed Mixer**

- 2 mechanical speeds; 0-430rpm and 0-570rpm.
- Heavy duty mixer-drill with electronic speed control.
- Soft grip handles.
- Strong steep paddle with M14 thread.

Stock Code.	Voltage V
7031	110
7032	230
7034	Spare paddle



**Fox - Electric Mixing Drill**

- Particular attention has been paid to the redesigned handle, with 'comfort' grip zones ensuring on a minimum of fatigue during operation.

Stock Code.	Voltage V	Power input W	No load variable speed	Weight kg
F7860-110*	110	1300	180 up to 700 rpm	6



\* Product has a lead time, please check with our sales team

\* Product has a lead time, please check with our sales team



## Marble, Granite & Stone Products

<b>POLISHERS &amp; GRINDERS</b>	92
<b>SANDING DISCS &amp; PADS</b>	93-95
<b>MONTOLIT DIAMOND DRILLING</b>	95
<b>MARBLE ACCESSORIES</b>	96
<b>MONTOLIT SANDING PADS</b>	97

## FLEX Universal Polishers

- Industrial grade lightweight polishing machines with VR electronic speed control.
- Excellent torque even at low speed.
- Variable speed and small enough to use single-handedly.
- M14 spindle.



Stock Code.	Grinding Pad Ø Max mm/in	Speed rpm	Weight kg	Voltage
9000*	125/5	1100-3700	1.9	110v
9005*	125/5	1100-3700	1.9	230v

## FLEX High Speed Polisher/Grinder

- Industrial grade lightweight polishing machines with VR electronic speed control.
- Excellent torque even at low speed.
- Variable speed and small enough to use single-handedly.
- M14 spindle.



Stock Code.	Grinding Pad Ø Max mm/in	Speed rpm	Weight kg	Voltage
9010*	125/5	2100-7500	1.9	110v

## FLEX Wet-Stone Grinder & Polishers

- Quick release coupling for 1/2" water hose.
- Spindle lock.
- Industrial grade lightweight polishing machines with water feed for 'wet' polishing/grinding.



Stock Code.	Grinding Pad Ø Max mm/in	Speed rpm	Power Watts	Weight kg	Voltage
9020*	115/4½	3600	800	2.5	110v
9022*	178/7	800-2400	1800	4.3	110v

## Silicon Carbide Paper Discs

- Use with rubber backing pads.
- For the sanding and polishing of marble and stone.

### Plain Backed

Stock Code.	Grit	Dia mm/in	Box Qty
9106*	60	125/5	50
9108*	80	125/5	50
9112*	120	125/5	100
9122*	220	125/5	100
9132*	320	125/5	100
9140*	400	125/5	100
9150*	500	125/5	100
9160*	600	125/5	100
9180*	800	125/5	100
9190*	1000	125/5	100
9200*	1200	125/5	100

### Velcro Backed

Stock Code.	Grit	Dia mm/in	Box Qty
9206*	60	125/5	50
9208*	80	125/5	50
9212*	120	125/5	100
9222*	220	125/5	100
9232*	320	125/5	100
9240*	400	125/5	100
9260*	600	125/5	100
9280*	800	125/5	100
9300*	1000	125/5	100
9320*	1200	125/5	100



## Adhesive for Silicon Carbide Paper Discs

- Adhesive for adhering plain backed paper discs to rubber pads.


Stock Code.	Size
9325*	500ml



## Fibre Sanding Discs

- Use with nylon backing pads.
- For grinding and polishing terrazzo.
- Pack quantity : 25

Stock Code.	Grit	Dia mm/in
9510*	36	125/5
9550*	36	180/7
9515*	60	125/5
9555*	60	180/7
9520*	80	125/5
9560*	80	180/7
9525*	120	125/5
9565*	120	180/7



## Rubber Backing Pads

- High quality backing pads used in conjunction with electric polishers for sanding operations.
- 100mm versions have centre holes and can be used with the diamond wet discs.

Stock Code.	Type	Pad mm	Max rpm
9050*	Plain Backed	125	8600
9055*	Velcro Backed	100	8600
9060*	Velcro Backed	125	8600
9062*	Tough Velcro Backed	100	8600



## VTS Bull-Nose Grinder

- Premium quality 'Inox' Bull-nose grinder forms a 15mm demi Bull-nose profile on most types of natural stone.
- Use wet to prolong life.
- Use with a variable speed polisher.

Stock Code.
9476*




\* Product has a lead time, please check with our sales team

\* Product has a lead time, please check with our sales team

## Resin Bonded Diamond Pads

- Use with Velcro backing pads.
- Flexible resin bonded diamond disc used for polishing marble & granite.
- Use wet to prolong life.

Stock Code.	Dia mm/in	Grit
9400*	100/4	60
9405*	100/4	100
9410*	100/4	200
9415*	100/4	400
9420*	100/4	800
9425*	100/4	1500
9430*	100/4	3500



## Semi Flexible Discs

- For use with Nylon Backing Pads.
- For the grinding down of natural stone & terrazzo.
- Also know as triple coated discs.
- Pack quantity : 5

Stock Code.	Grit	Dia mm/in
9655*	24	125/5
9680*	24	180/7
9660*	36	125/5
9685*	36	180/7
9665*	60	125/5
9690*	60	180/7



## Dry Polishing Diamond Pads

- Use with Velcro-backed backing pads.
- Premium quality long lasting 'dry' diamond pads used for polishing marble and granite.
- For slow speed polishers, max speed 2500 rpm.


Stock Code.	Disc Ø mm/in	Colour	Grit
9440*	100/4	Green	50
9441*	100/4	Red	100
9442*	100/4	Yellow	200
9443*	100/4	Blue	400
9444*	100/4	Dark green	800
9445*	100/4	Orange	1500
9446*	100/4	Lilac	3000
9447*	100/4	Black	10000 = buffing grade
9448*	100/4	White	10000 = buffing grade



## Electroface Diamond Pads

- Use with rubber Velcro backing pad.
- Premium quality Electroface diamond pads used 'wet' for polishing marble and granite.
- Very aggressive cutting action.

Stock Code.	Disc Ø mm/in	Grade	Grit
9355*	100/4	Coarse	50
9360*	100/4	Medium	100
9365*	100/4	Smooth	200
9370*	100/4	Fine	400
9375*	100/4	Fine	600



## DynaCross Superpads

- High quality 24mm thick floor pads for rotating machines.
- Box Quantity : 5

Stock Code.	Pad Ø mm/in	Colour	Material	Fibre	Use To
9920*	380/15	White	Polyester	Soft	Polish
9922*	380/15	Green	Nylon	Abrasive	Clean-scour
9924*	380/15	Black	Nylon	Very abrasive	Scour-scratch
9926*	380/15	Red	Polyester	Semi-soft	Spread-wax
9930*	406/16	White	Polyester	Soft	Polish
9932*	406/16	Green	Nylon	Abrasive	Clean-scour
9934*	406/16	Black	Nylon	Very abrasive	Scour-scratch
9936*	406/16	Red	Polyester	Semi-soft	Spread-wax
9940*	430/17	White	Polyester	Soft	Polish
9942*	430/17	Green	Nylon	Abrasive	Clean-scour
9944*	430/17	Black	Nylon	Very abrasive	Scour-scratch
9946*	430/17	Red	Polyester	Semi-soft	Spread-wax



## MONTOLIT FPU Diamond Drilling

- FPU is a versatile milling bit designed to enlarge, shape or round bevel existing holes in porcelain, hard ceramic, granite and marble for both dry & wet use.
- FPU is also suitable to easily create round side indentation necessary and accommodate pipes or electric wire lines.
- No adaptors needed, can be used with any standard grinder.

Stock Code.	Disc Ø mm	Thread mm	Height mm
FPU10	10	M14	50
FPU20	20	M14	50



## Wire Rods

Used for the fixing of marble cladding.

- 3m lengths
- Stainless steel

Stock Code.	Rod Ø mm
9735*	3
9740*	6



## MONTOLIT Mondrillo Performer Cooling Gel

Cooling fluid for optimal performance of diamond core bits (diameters up to 12mm) during drilling switch the machine off and sink the core bits into fluid for a couple of seconds.

Stock Code.	Max Ø mm
M-PERFORMER	12






## Electroface Diamond Hand Pads

- Diamond faced pads for sanding/polishing natural stone products.
- Fine grit versions are resin bonded.
- Size : 100 x 55mm.

Stock Code.	Colour	Grade	Grit
9450*	Green	Extra coarse	50
9455*	Black	Coarse	100
9460*	Red	Medium	200
9465*	Yellow	Smooth	400
9470*	White	Fine	800/RB
9475*	Blue	Super fine	1800/RB



## Filler/Adhesives

- Ideal for bonding, filling and repairing marble and other natural stone products.
- Supplied with hardener.
- Can be smoothed & polished once hard.
- Use with base colours to create the colour required.
- 1kg container and box quantity of 12.
- Vertical for walls.



Stock Code.	Description	Colour
9800*	Vertical	Transparent
9805*	Vertical	Straw
9810*	Vertical	White
9815*	Vertical	Black
9850*	Spare hardener	
9855*	Base colour	Blue
9860*	Base colour	Brown
9865*	Base colour	Red
9870*	Base colour	Green
9875*	Base colour	Yellow
9880*	Base colour	Black
9885*	Base colour	White

## VTS Pads

- Use with Velcro backing pads.
- Very aggressive diamond VTS pads for sanding and smoothing granite and marble.


Stock Code.	Disc Ø mm/in	Grit
9750*	100/4	30
9751*	100/4	50



## Pasta Abrasive

- For polishing marble or granite.
- White - for lighter coloured materials.

Stock Code.	Colour	Sticks Per Box
9337*	White	30



## Poteen Powder


- A crystallising powder for marble and other calciferous stones.
- When used with a polishing machine a high-polish finish is quickly achieved.



Stock Code.	Size Bag kg
9964*	2

## Safety Strip

- Anti-slip carborundum self adhesive strip, ideal for marble or tiled staircases.
- It is advisable to use contact adhesive at the edges.
- Also suitable for use on wood.



Stock Code.	Width mm	Roll Length m	Box Qty
3161*	25	18	42
3162*	50	10	24
3164*	100	18	12

## MONTOLIT Mastertech Diamond Hand Pads

Diamond hand pads for smoothing edges.



Stock Code.	Grade
DT262*	Blister: 1 art. DT060 + 1 art. DT200
DT606*	Box: 6 art. DT060 - Medium
DT620*	Box: 6 art. DT200 - Fine

Stock Code.	Colour	Grit
DF60*	Green	Grit 60
DF120*	Black	Grit 120
DF200*	Red	Grit 200
DF400*	Yellow	Grit 400
DF500	White	Grit 500
DF1500	Blue	Grit 1500
DF3000	Orange	Grit 3000

## MONTOLIT Diamond Pads

- Diamond resin polishing pads with Velcro coupling for grinding and polishing.
- Porcelain stoneware, granite, marble and glass.


Stock Code.	Grade
PDR*	Support for diamond resin polishing pads - M14
PDR 0*	Step '0'
PDR 1*	Step '1'
PDR 2*	Step '2'
PDR 3*	Step '3'
PDR Kit*	Step '1+2+3'



## MONTOLIT FPS Diamond Countersink Tool

- Diamond bit for a smooth, high-end finish.
- Very useful to reduce the risk of cracking with standard and large format tiles subjected to tension.
- Very useful to improve the edge finishing of exposed holes.

Stock Code.	Size mm
FPS35	35
FPS75	75



\* Product has a lead time, please check with our sales team

\* Product has a lead time, please check with our sales team



## Adhesives, Grouts & Sealants

<b>PYTHON ADHESIVES</b>	100-101
<b>PYTHON GROUT</b>	102
<b>ALPHACHEM EXPANDING FOAM</b>	102
<b>SILICONES, SEALANTS AND STIXALL</b>	103

A premium range of tiling adhesives and grouts

## PYTHON ADHESIVES

### Python GT Tile Adhesive High Flex - Rapid Set

A high specification, highly flexible, cement based rapid setting tile adhesive. Developed for fixing tiles to difficult substrates, Python GT is ideal for fixing to surfaces subject to limited movement and/or vibration.

- Fast track adhesive, ideal for plywood & chipboard overlay.
- Suitable for floating floors and underfloor heating.
- Bonds to metal surfaces and can be applied to Green Scred.
- Class C2F S2.



Stock Code.	Size	Colour	Pallet Qty
2600*	20 KG	White	48
2601*	20 KG	Grey	48

### Python RS Tile Adhesive Flexible - Rapid Set

A polymer modified, flexible, cement based floor and wall tile adhesive. Python RS has been developed for fixing a large variety of tiles to surfaces subject to limited movement and/or vibration.

- Flexible, rapid setting formula, ideal for plywood overlay.
- Suitable for natural stones, porcelain and underfloor heating.
- Essential for areas of movement.
- Class C2FT S1.



Stock Code.	Size	Colour	Pallet Qty
2610	20 KG	White	48
2611	20 KG	Grey	48

### Python ST Tile Adhesive Flexible - Standard Set

A cement based wall & floor tile adhesive formulated to give an extended open period for longer working times. Python ST has been developed for fixing a variety of tiles to solid substrates such as plastered walls.

- Standard setting formula with extended open time.
- Excellent workability and non-slip properties.
- Ideal in showers, wet rooms & areas subject to prolonged wet conditions.
- Class C2TE S1.



Stock Code.	Size	Colour	Pallet Qty
2615	20 KG	White	48
2616	20 KG	Grey	48

\* Product has a lead time, please check with our sales team

### Python FS Tile Adhesive Low Flex - Standard Set

A polymer modified, flexible, cement based floor and wall tile adhesive. Python FR has been developed for fixing a large variety of tiles to well prepared surfaces subject to limited movement and/or vibration.

- Standard setting formula with extended open time.
- Excellent workability and non-slip properties.
- Ideal in showers, wet rooms & areas subject to prolonged wet conditions.



Stock Code.	Size	Colour	Pallet Qty
2617	20 KG	White	48

### Python SL Levelling Compound Low Flex

Python SL is a fast setting, protein free, cement based levelling compound used to level out rough and uneven floors and screed in preparation for laying floor coverings. Python SL can be applied up to 12mm in one coat and up to 25mm when mixed with additional aggregate.

- Fast setting, it will accept light foot traffic after 4 hours.
- Ceramic tiles can be applied after 8 hours.
- Simply mix with water.



Stock Code.	Size	Colour	Pallet Qty
2621	25KG	Grey	40

### Python LR Levelling Compound High Flex

Python LR is a free flowing, fast setting, fibre reinforced, protein free, shrinkage compensated cement based formulation, designed for smoothing and levelling sub-floors prior to the installation of floor coverings.

- Apply from featheredge to 50mm in one pour.
- Single part, no additives required.
- Ideal for underfloor heating and plywood.
- Light foot traffic after 3 hours.
- Thick Reinforcement - Not suitable for spiked rollers.



Stock Code.	Size	Colour	Pallet Qty
2620	25KG	White	40

### Python FL Levelling Compound - Rapid Set

Python FL is an ultra-rapid setting and drying, flexible self-levelling floor compound.

- Apply ceramic, porcelain and natural stone tiles after 45-60 minutes.
- Apply impervious floor coverings after 90 minutes.
- Ideal for use with underfloor heating.
- Apply from 2 - 15mm in one pour.
- Protein free.
- Ideal for timber substrates.
- Excellent self-levelling properties.



Stock Code.	Size	Colour	Pallet Qty
2622	20 KG	Beige	48

\* Product has a lead time, please check with our sales team

A premium range of tiling adhesives and grouts

## Python CS Tile Grout High Flex

A highly versatile wall and floor grout specially formulated to give a smooth, creamy, controlled workability. Python CS has been developed for use on surfaces subject to limited movement and/or vibration such as plywood overlay and plasterboard. For grouting joints between 2-15mm.

- Ideal in showers, wet rooms & areas subject to prolonged wet conditions.
- Unaffected by frost, suitable for interior and exterior use.
- Class CG2.

Stock Code.	Size	Colour
2650	5 KG	White
2651	5 KG	Jasmine
2654	5 KG	Light Grey
2656	5 KG	Mid Grey

# PYTHON ADHESIVES



NEW COLOURS

## ALPHACHEM Expanding Foam

Polyurethane expanding foam, ideal for general construction and home improvement uses.

- Fills gaps, fixes frames and insulates and can be used as a joint backing material.
- Excellent adhesion and filling properties.
- 750ml Tin.

Stock Code.	Type	Box Qty
EXF750	Hand Held	12
GGF750	Gun Grade	12



## ALPHACHEM Fire Rated Expanding Foam

A high yield B1, one part, PU expanding foam ideal for filling and insulating joints, gaps and cavities in construction applications.

- Fire Rated according to EN1366-4.
- Conforms to DIN4102-B1 Fire Class.
- 750ml Tin.

Stock Code.	Type	Box Qty
FFB2750	B1 Hand Held	12
GGFF750	B1 Gun Grade	12



## ALPHACHEM Foam Cleaner

The ideal choice for the easy and quick removal of fresh, uncured PU foam from applicator guns and nozzles.

- Can also be used to clean uncured foam from surfaces, window and door frames.

Stock Code.	Size ml	Box Qty
FC500	500ml	12



## ALPHACHEM Professional Foam Gun

- Professional quality foam gun idea for use with AlphaChem Gun Grade foams.
- Allows for the precise application of the foam.

Stock Code.	Type
FAGUN	Professional



## ALPHACHEM MP & Sanitary Silicone

- A high performance, quick curing acetoxy silicone ideal for general sealing, sanitary and glazing applications.
- Offering a permanently flexible and water tight seal that is ideal for use in areas of high humidity.
- Suitable for gap sealing and internal and external weather proofing applications.

Stock Code.	Size ml	Colour	Box Qty
SILGPWE	295	White	25
SILGPC	295	Clear	25
SILGPBK	295	Black	25
SILPBN	295	Brown	25



## ALPHACHEM Pure Anti-Mould Silicone

- A superior quality, waterproof anti-mould 100% silicone suitable for most sanitary sealing and areas of high humidity.
- Fast curing, Pure Anti Mould Silicone comes with a 10 year guarantee to keep black mould at bay, ensuring the product stays bright and clean for many years.

Stock Code.	Size ml	Colour	Box Qty
PUREWE	310	White	25
PURECL	310	Clear	25



## ALPHACHEM Alpha Grip Solvent Free

- Solvent free AlphaGrip is a grab adhesive that offers an instant, strong and tough bond on virtually any surface, whether porous or non-porous.
- Once cured it provides a bond that is hard to break.
- Excellent gap filling properties.

Stock Code.	Size ml	Colour	Box Qty
ALGRIPSF	350	White	12



## ALPHACHEM Alpha Grip

- A high quality, fast bonding instant grab adhesive also ideal for gap filling.
- Perfect replacement for mechanical fixings in a wide variety of applications whether internal or external.
- Ideal for fixing skirting boards, wall battens, griller rods, laminates and much more.

Stock Code.	Size ml	Colour	Box Qty
ALGRIP	310	Beige	12



## ALPHACHEM Decorators Caulk

- A flexible water based filler and sealant that is easy to apply and dries quickly, providing a flexible and smooth finish on interior projects.
- Can be over-painted with most emulsion and oil based paints or papered over.

Stock Code.	Size ml	Colour	Box Qty
PMC4W	380	White	12



## ALPHACHEM Sanitary Silicone 808

- A premium sanitary grade waterproof sealant with an added powerful anti-fungal additive to prevent unsightly mould growth.
- Specifically designed to work in areas of high humidity with excellent adhesion to sanitary plastics, ceramics, glass, melamine laminates, anodised aluminium and lacquered metals.

Stock Code.	Size ml	Colour	Box Qty
SSILW	300	White	25
SSILC	300	Clear	25
SILIRUBSG	310	Grey	15
500IV	310	Ivory	25



## EVERBUILD Stixall Extreme Power

- Everbuild Stixall Extreme Power is the ultimate combined building adhesive and sealant, based on hybrid polymer technology, with the most Extreme power to both bond and seal virtually everything to anything in all conditions, even under water or in the rain!
- Suitable for internal and exterior use.
- Solvent free.

Stock Code.	Size ml	Colour	Box Qty
STIXBK	290	Black	12
STIXBN	290	Brown	12
STIXCLEAR	290	Crystal Clear	12
STIXGY	290	Grey	12
STIXWE	290	White	12






<b>MONTOLIT TILE HANDLING RANGE</b>	106-110
<b>MONTOLIT SUCTION CUPS</b>	110
<b>FORTE SUCTION CUPS</b>	111
<b>DART GLOVES</b>	111

## Tile Handling

## MONTOLIT Superstick

Modular System of handling of slabs.

Stock Code.	Description	Weight kg
ART. 300-70	Superstick - Full Kit. Max Load 80kg	32kg*



## MONTOLIT Table-One

Montolit has created this work bench for large tiles bases on the daily contact with both tile setters and porcelain slabs manufactures.

The cross bars, with anti-scratch rubber inside can be easily moved sideways and/or slide back and forth as needed. Also the height of the worktop is adjustable in three positions to adapt to the height of the installer and operations needs.


Stock Code.	Description	Weight kg
ART. 300-20	115x180 cm	38kg



## MONTOLIT Battile

Thumping suction cup for tiles and slabs suitable for; ceramics, porcelain stoneware, granite, marble and glass.  
 Powered with lithium ion-battery BATTLE is a compact and light-weight item that is projected to remove by vibration any air bubbles from the glued tiles right after they have been installed, its suction cup is able to lift up and easily lay small and medium tiles.  
 Facing big slabs BATTLE is essential to ensure perfect glue adherence avoiding annoying and dangerous "voids" that could cause breakage in the immediate future.  
 The intensity of vibrations is adjustable from 5000 to 18000 vibrations per minute, using the power regulator located near the handle.

Stock Code.	Voltage V	Weight kg
BATTLE-GB	8.4	0.95



## MONTOLIT Battile Pro

Thumping suction cup for tiles and slabs suitable for; ceramics, porcelain stoneware, granite, marble and glass.  
 Powered by a 16 V lithium ion battery BATTLE PRO can be used for indoor and outdoor installation. It replaces the traditional manual operation and helps to avoid problems due to the incorrect distribution of the adhesive under tiles and big slabs. The main features are: extreme use-fullness, safety, respect for the environment and easy use.  
 It is very compact and light and also allows the positioning of the tile through the suction cup (possible to lift up to 25 kg) and, thanks to the vibration, removes residual air bubbles that, if trapped between the adhesive and the tile, cause potential breakage. The intensity of the vibration is adjustable to three different frequencies.

Stock Code.	Voltage V	Weight kg
BATTLE-PRO	16	1.35



\* Product has a lead time, please check with our sales team

\* Product has a lead time, please check with our sales team

## MONTOLIT Goal Evo


Multi-purpose bogie for the transport and processing of slabs.

Stock Code.	Weight kg
ART. 300-85	20kg



## MONTOLIT Corner

Corner Protectors.



Stock Code.	Size mm	Description
ART. 300-95-04	4	Set 4 pcs.
ART. 300-95-06	6	Set 4 pcs.
ART. 300-95-10	8	Set 4 pcs.
ART. 300-95-12	10	Set 4 pcs.

## MONTOLIT Suction Cup

Suction Cup for big tiles.



Stock Code.	ART.300-76
-------------	------------

# FORTE

## FORTE Single Suction Cup

- Ideal for the safe handling of marble and granite tiles.
- For the removal of misplaced or cracked tiles.
- Code 2005 is heavy duty version.



Stock Code.	Cap Ø mm	Lift Capacity kg
2004	118	35

## FORTE Double Suction Cup

- Ideal for the safe handling of marble and granite tiles.
- For the removal of misplaced or cracked tiles.



Stock Code.	Cap Ø mm	Lift Capacity kg
2006	118	70

## FORTE Triple Suction Cup

- Ideal for the safe handling of marble and granite tiles.
- For the removal of misplaced or cracked tiles.



Stock Code.	Cap Ø mm	Lift Capacity kg
2008	115	100

## DART Orange Latex Builders Glove

- A flexible latex coating provides excellent grip in wet and dry conditions for safe handling.
- Seamless knitted cotton liner provides exception comfort and reduces hand fatigue.
- Suitable for general handling, construction, automotive, warehousing, horticulture, utilities, refuse collection.
- Back of glove is uncoated allowing the hand to breathe.



## DART.

Stock Code.	Size
OREGON_M	M (8)
OREGON_L	L (9)
OREGON_XL	XL (10)

\* Product has a lead time, please check with our sales team

\* Product has a lead time, please check with our sales team



## P.O.S Products

<b>MONTOLIT MASTERPIUMA DISPLAY STAND</b>	112
<b>ATRIM MERCHANDISING STAND</b>	112
<b>FORTE TOOL STAND</b>	112
<b>AQUATANK TANKING KIT STAND</b>	113
<b>LEVTEC MERCHANDISING STAND</b>	113



### MONTOLIT MasterPiuma Display Stand

Professional shop display designed to showcase different types of Montolit MasterPiuma cutters in the show room area of the shop.

\* This stand has a lead time, please check with our sales team



### A-Trim Merchandising Stand

The A-TRIM free-standing merchandise unit holds over 250 products, maximising the diversity of the product range and aiding customers in their selection. A-TRIM Stand - 1m (w) 2.2m (h) 0.45m (d)

\* This stand has a lead time, please check with our sales team



### AquaTank Kit Stand

The AquaTank Kit stand holds 3 tanking kits whilst providing customers with product information and application data.



### LEVTEC stand

The LevTec merchandise free standing unit showcases the LevTec Levelling System, aiding customers with their purchase.



### FORTE Double Tile Tool Stand

The Forte double tool free standing mechanise unit showcases the variety of the Forte products in the shop showroom, aiding customers in the selection of the product.



\* Product has a lead time, please check with our sales team

\* Product has a lead time, please check with our sales team

# Stock Code Index

Stock Code	Page No.
0025DRY	30
0032DRY	30
0038DRY	30
50CP	68
50HP	68
50WP	68
0231	77
0232	77
0233	78
0235	78
0236	78
0280	79
0281	79
0285	79
300FLEVO	76
500IV	103
0907	86
1050	54
1110	55
1130	55
1132	55
1134	55
1136	55
1168	66
1169	66
1210	56
1215	56
1225	56
1230	56
1245	56
1250	56
1255	56
1265	56
1270	56
1271	56
1272	56
1274	56
1274B2	56
1277	56
1277B2	56
1281	56
1282	56
1283	56
1284	56
1288	56
1290	56
1292	56
1295	69

Stock Code	Page No.
1303	58
1306	58
1308	58
1310	58
1313	58
1326	58
1328	58
1329	58
1331	58
1332	58
1333	58
1334	58
1335	58
1336	58
1340	59
1341	59
1352	58
1354	58
1370	59
1386	59
1392	59
1393	60
1397	60
1400	60
1410	60
1415	60
1422	59
1427	60
1428	60
1435	61
1440	61
1445	61
1455	61
1460	61
1465	61
1466	61
1475	61
1486	61
1488	61
1489	61
1491	61
1500	66
1505	66
1510	66
1515	66
1520	66
1525	66
1534	66

Stock Code	Page No.
1535	66
1536	66
1593	65
1597	65
1598	65
1599	65
1632	62
1636	63
1637	63
1638	63
1639	63
1640	62
1645	62
1670	62
1675	62
1680	63
1684	63
1685	63
2004	109
2006	109
2008	109
2010	65
2011	65
2012	65
2029	64
2030	64
2032	64
2037	64
2040	64
2600	100
2601	100
2610	100
2611	100
2615	100
2616	100
2617	101
2620	101
2621	101
2622	101
2650	102
2651	102
2654	102
2737	51
3000	69
3161	96
3164	96
3400	51
3404	51

Stock Code	Page No.
3407	51
3412	51
3418	51
3536	51
3600	44
3606	44
3612	44
3614	44
3615	44
3618	45
3628	50
3640	46
3645	47
3646	47
3652	45
3656	47
3660	47
3664	45
3670	45
3672	45
3674	45
3675	47
3676	47
3678	47
3686	48
3692	48
3698	47
3703	48
3704	48
3708	48
3711	49
3712	49
3714	49
3716	49
3718	49
3719	49
3720	50
3723	49
3724	49
3725	49
3726	49
3728	49
3732	50
3738	50
4013	9
4014	9
4015	9
4018	9

Stock Code	Page No.
4021	9
4023	9
4024	9
4025	9
4028	9
4030	9
4031	9
4032	9
4160	11
4161	11
4162	11
4163	11
4164	11
4165	11
4170	11
4171	11
4172	11
4173	11
4174	11
4175	11
4181	11
4182	11
4183	11
4184	11
4185	11
4256	11
4287	10
42040	11
42041	11
4309	68
4314	68
4315	68
4316	68
4317	68
4318	68
4319	68
4320	10
4340	68
4341	6
4342	6
4343	6
4344	6
4354	10
4359	6
4360	11
4361	11
4362	11
4363	11

Stock Code	Page No.
4364	6
4365	6
4366	7
4367	7
4368	7
4369	7
4370	6
4371	6
4372	6
4373	6
4377	9
4378	9
4379	6
4381	9
4382	9
4383	6
4385	9
4386	9
4394	9
4395	9
4408	8
4410	8
4412	8
4415	8
4417	8
4420	8
4422	8
4425	8
4432	8
4434	8
4437	8
4438	8
4440	8
4442	8
4444	8
4445	6
4446	8
4447	6
4448	8
4449	6
4450	8
4451	8
4452	8
4453	8
4454	8
4455	8
4456	8
4457	8

Stock Code	Page No.
4458	8
4460	8
4462	8
4463	7
4465	7
4466	7
4467	8
4468	7
4470	7
4471	8
4472	7
4473	9
4474	9
4475	7
4476	9
4477	7
4478	8
4479	8
4480	7
4481	8
4482	7
4483	8
4484	7
4485	7
4486	7
4487	8
4488	7
4490	7
4492	7
4493	7
4496	8
4500	7
4504	7
4505	7
4507	7
4508	7
4510	7
4512	7
4515	7
4516	7
4517	7
4521	8
4526	10
4528	10
4530	10
4532	10
4533	11
4534	11

Stock Code	Page No.
4535	10
4536	10
4538	10
4540	10
4542	10
4543	10
4544	10
4545	10
4547	8
4549	7
4551	7
4552	7
4553	7
4567	11
4577	11
4605	13
4629	15
4631	15
4663	15
4664	15
4686	13
4687	13
4716	14
4717	14
4720	14
4721	14
4724	14
4725	14
4728	14
4729	14
4736	14
4737	14
4740	14
4741	14
4743	14
4744	14
4745	14
4746	14
4747	14
4748	14
4749	14
4750	14
4751	14
4752	14
4753	14
4754	14
4760	14
4764	14





Stock Code	Page No.
4765	14
4766	14
4767	14
4770	14
4791	13
4793	14
4794	14
4795	14
4796	14
4797	14
4799	14
4801	14
4804	14
4805	14
4811	10
4813	10
4814	10
4815	10
4816	10
4817	10
4831	14
4833	14
4834	14
4835	14
4844	15
4845	15
4847	15
4848	15
4903	17
4908	17
4932	17
4944	17
4945	17
4948	17
4949	17
4951	17
4960	8
4961	8
4962	8
4963	8
4964	17
4967	8
4968	8
4969	8
4972	25
4978	25
4979	25
4980	25

Stock Code	Page No.
4981	25
4982	25
4983	24
4984	24
4997	24
5010	31
5206	31
5211	31
5570	34
5571	34
6132	96
6802	83
6807	83
6812	83
6831	84
6837	84
6838	84
6839	84
6864	84
6865	85
6866	85
6873	88
6881	88
6883	88
6884	88
6885	88
6886	88
6887	86
6891	88
6892	88
6902	86
6904	86
6905	87
6906	86
6908	87
6909	86
6911	87
6912	87
6916	85
6917	85
6918	85
7026	89
7031	89
7032	89
7034	89
7400	36
7435	36
7436	36

Stock Code	Page No.
7437	36
7439	37
7459	37
7460	37
7470	36
7471	36
7472	36
7473	36
7474	36
7475	36
7476	36
7477	36
7478	36
9000	92
9005	92
9010	92
9020	92
9022	92
9050	93
9060	93
9062	93
9106	93
9108	93
9112	93
9122	93
9132	93
9140	93
9150	93
9160	93
9180	93
9190	93
9200	93
9206	93
9208	93
9212	93
9222	93
9232	93
9240	93
9260	93
9280	93
9300	93
9320	93
9325	93
9337	96
9355	64
9360	94
9365	94
9370	94

Stock Code	Page No.
9375	94
9400	94
9405	94
9410	94
9415	94
9420	94
9425	94
9430	94
9440	94
9441	94
9442	94
9443	94
9444	94
9445	94
9446	94
9447	94
9448	94
9450	96
9455	96
9460	96
9465	96
9470	96
9475	96
9476	93
9510	93
9515	93
9520	93
9525	93
9550	93
9555	93
9560	93
9565	93
9655	94
9660	94
9665	94
9680	94
9685	94
9690	94
9735	95
9740	95
9750	96
9751	96
9800	96
9805	96
9810	96
9815	96
9850	96
9855	96

Stock Code	Page No.
9860	96
9865	96
9870	96
9875	96
9880	96
9885	96
9920	95
9922	95
9924	95
9926	95
9930	95
9932	95
9934	95
9936	95
9940	95
9942	95
9944	95
9946	95
9964	96
500IV	103
AE149SAG	16
AE149SAO	16
AE149SAS	16
AE83SAG	16
AE83SAO	16
AE83SAS	16
AE89SAG	16
AE89SAO	16
AE89SAS	16
ALGRIP	103
ALGRIPSF	103
AQBE1212	31
AQBE126	31
AQBE246	31
ART.300-20	106
ART.300-70	106
ART.300-76	108
ART.300-85	108
ART.300-95-04	108
ART.300-95-06	108
ART.300-95-10	108
ART.300-95-12	108
ART155P3	76
ART236P3	76
ART240T	77
ART245T	77
ART33	54
ART33W	54

Stock Code	Page No.
ART55W	54
ART58	76
ART63P	76
ART75P3	76
ART93P3	76
ATP05	67
ATP08	67
BATTILE-GB	107
BATTILE-PRO	107
BB1004	28
BB1005	28
BB1010	28
BB1015	28
BB1020	28
BB1030	28
BB1035	28
BB2115	29
BB2120	29
BB2125	29
BB2130	29
BB2135	29
BB2140	29
BB2145	29
BB2205	29
BB2210	29
BB2215	29
BB2220	29
BB2405	29
BB2410	29
BB2415	29
BBD	29
BBLD	29
CBFD15	41
CCM1	35
CCM15	35
CCM2	35
CCM25	35
CCM3	35
CCM35	35
CCM4	35
CCM5	35
CCM6	35
CCM7	35
CCM8	35
CCM9	35
CCT	35
CDS129	67
CFAD20	41

Stock Code	Page No.
CGX100	72
CGX115	72
CGX125	72
CPFD15	41
DASX0010	55
DASX34	55
DASX3600	55
DB01580	73
DB01590	73
DB01600	73
DB01601	73
DB01610	73
DB01611	73
DB01620	73
DB01630	73
DB01631	73
DB01632	73
DB01640	73
DB01641	73
DB01642	73
DB01650	73
DB01651	73
DB01660	73
DB01670	73
DB01680	73
DB01690	73
DB01700	73
DB01701	73
DB01711	73
DB01720	73
DB01721	73
DB01723	73
DB01730	73
DBNF10	34
DBNF20	34
DBNF5	34
DBSA10	34
DBSA5	34
DDTD10	79
DDTD12	79
DDTD15	79
DDTD5	79
DDTD6	79
DDTD7	79
DDTD8	79
DF120	97
DF1500	97
DF200	97

Stock Code	Page No.
DF3000	97
DF400	97
DF500	97
DF60	97
DT262	97
DT48G	67
DT606	97
DT620	97
ECS3SAGP	15
ECS3SAOP	15
ECS3SASP	15
ECS9SAG	15
ECS9SAO	15
ECS9SAS	15
ESA100.17	18
ESA100.411	18
ESA100.414	18
ESA100.425	18
ESA100.435	18
ESA100.86	19
ESA100.89	19
ESA100.90	19
ESA100.95	19
ESA100.96	19
ESA100.97	19
ESA120.17	18
ESA120.411	18
ESA120.414	18
ESA120.425	18
ESA120.435	18
ESA120.86	19
ESA120.89	19
ESA120.90	19
ESA120.95	19
ESA120.96	19
ESA120.97	19
EXF750	102
F7860-110	89
FAGUN	65
FAGUN	102
FAJ010	79
FAJ05	79
FAJ06	79
FAJ08	79
FAJVA-N	79
FC500	102
FFB2750	102
FFM-S-3030	35

Stock Code	Page No.
FFM-S-4550	35
FFM-S-5070	35
FLD1050	40
FLD650	40
FLD850	40
FPS35	97
FPS75	97
FPU10	95
FPU20	95
FT-S20	79
FT-S27	79
FT-S35	79
FT-S40	79
FT-S43	79
FT-S50	79
FT-S55	79
FT-S60	79
FT-S65	79
FT-S70	79
GG750	102
GGFF750	102
JAV12	79
LFA100.94	12
LFA200.94	12
LTC2000	57
LTC500	57
LTP	57
LTSK	57
LTTC500	57
LTW250	57
M74.9AMA	16
M74.9GMA	16
M74.9WOA	16
M74P3AMA	16
M74P3GMA	16
M74P3WOA	16
MIA8110	30
MIA8140	30
MIA860	30
MIA890	30
MIAD35	30
MOTO-300-FL	82
MOTO-300-FL-PU	82
M-PERFORMER	95
MT50	67
NIB106.16	17
NIB126.16	17
NTC10.16	16

Stock Code	Page No.
NTC10.43	16
NTC10.47	16
NTC12.16	16
NTC12.43	16
NTC12.47	16
OREGON_L	109
OREGON_M	109
OREGON_XL	109
PBA108.01	20
PBA108.81	20
PBA108.82	20
PBA108.91	20
PDR	97
PDR0	97
PDR1	97
PDR2	97
PDR3	97
PDRKIT	97
PDS129	67
PHA108.01	20
PHA118.91	20
PIA108.01	21
PIA108.81	21
PIA108.82	21
PIA118.91	21
PLD650	40
PLD750	40
PLD850	40
PLD950	40
PMC4W	103
PRA258.01	21
PRA258.81	21
PRA258.91	21
PSA308.01	21
PSA308.81	21
PSA308.91	21
PUA108.01	21
PUA108.81	21
PUA108.82	21
PUA118.91	21
PURECL	103
PUREWE	103
PXA108.01	20
PXA108.81	20
PXA108.82	20
PXA118.91	20
QMP30	24
QMP5	24

Stock Code	Page No.
SBR5L	34
SBRP05L	34
SCA500M	62
SILGPBK	103
SILGPC	103
SILGPWE	103
SILIRUBSG	103
SILPBN	103
SLD1050	41
SLD1150	41
SLD650	41
SLD850	41
SLD950	41
SSILC	103
SSILW	103
STIXBK	103
STIXBN	103
STIXCLEAR	103
STIXGY	103
STIXWE	103
STL125GF	73
TCS115R	72
TCS85	72
TDC06	79
TDC08	79
TDC10	79
TOPROFILE-115	82
TTE115	72
TTMLS10B	12
TTMLS20B	12
TUTORCUT115	72
TXM33.9A	16
TXM33.9G	16
WJT	30
ZZC3A	16
ZZC3G	16

Description	Page No.
A	
Acid Based Cleaner	44
Adhesive Whisks	65
Alphacem Expanding Foam	102
Alphacem Foam Gun	102
Aluminium Movement Joints	14
Angle Grinders	92
Angled Floor Drains	41
Anti Mould Silicone	103
Anti-Slip Liquids	46
Anti-Slip Tape / Strips	96
AquaTank SA tape	34
AquaTank Membrane	34
AquaTank System	34
Atrim Brushed Chorme Trim	7, 8, 9
B	
BAM Tile Saw	87
Baseboard Accessories	30
Baseboard Panels	28
Baseboard Shower Trays	29
Baseboard XL Screws	31
Battipav Class 670S	84
Battipav Elite 80s	88
Battipav Jolly Max 230	84
Battipav Prime 200s	88
Battipav Queen 180	84
Battivav VIP260	85
Black Aluminium Trim	7
Black PVC Trim	6
Box Section Trim	11
Brass Straight Edge Trim	8
Brushed Straight Edge Trim	7, 8, 9
Bucket Trowels	60
Buckets	62, 65
C	
Carpet Protective Cover	68
Carpet To Tile Trim	16
Ceramic Diamond Blade	73
Chrome Straight Edge Trim	7,8
Cleaning Pads	66
Cloth Tape	67
Coated Aluminium trim	7
COCOON Underfloor Heating	35
Cooling Gel For Core Bits	95
Confluo Smart Drains	40
Cotton Dust Sheets	67
Countersink Diamond Tool	97

Description	Page No.
Cubec Metal Trim	11
D	
Decorators Caulk	103
Deco-Shield Matting	25
Deep Tile Cleaner	44
Diamond Blades	72, 73
Diamond Hand Pads	96
Diamond Hole Cutters	79
Diamond Pads	93
Door Threshold Cover Strip	15
Dowel Fixings	30
Dry Polishing Pads	93
Drywall Screws	30
Dukkaboard Decomat	24
Dukkaboard Deco-Shield Matting	25
Dukkaboard Isomat	24
Dukkaboard Iso-Shield Matting	25
Durabase Cl++ Matting	24
Dust Sheets	67
E	
Electroface Diamond Pads	93
Everbuild Stixall	103
Extreme Power Cleaner	51
F	
Fibre Sanding Discs	93
Finishing Trowel	59
Fire Rated Expanding Foam	102
Flat Bar Trim	13
Flex Grinder	92
Floor Squeegees	61
Foam Cleaner	102
Foam Guns	65
Folostair FSL	17
Formable Trim	10
Forte Tile Cutters	83
G	
Gaffa Tape	67
Gauging Trowels	60
Gel Knee Pads	64
General Tile Cleaner	45
Genesis PBA Bse Seal Trim	20
Genesis PHA H Joint Trim	20
Genesis PIA Internal Corner Trim	21
Genesis PSA Scotia Retro Trim	21
Genesis PUA End Cap Profile Trim	21

# Stock Code Index by Description

Description	Page No.
Genesis PXA External Corner Trim	20
Genesis Trim	18-20
Gloves	109
Grab Adhesive	103
Grey PVC Trim	6, 9
Grout Rake	61
H	
Hard Surface Protective Cover	69
Heavy Duty Stair Nosing	16
Hydro Sponge	61
I	
Internal PVC Trim	11
Isomat Movement Matting	24
Iso-Shield Movement Matting	25
J	
Joint Cover Trim	13
Joint Tape	34
K	
Knee Pads	64
Knives (retractable)	55
L	
Latex Gloves	66
Levelling Clips / Spacers	57
Levelling Compounds	94
Levelling Pliers	57
Levelling System	57
Levtec Systems	57
Linear Drains	40
Listello Bar Trim	12
M	
Marble Fillers	96
Marble Polishing Pasta	96
Marble Polishing Powder	96
Marble Sanding Pads	96
Margin Trowel	59
Marine Grade Straight Edge Trim	8
Masking Tape	67
Metal Mitre Block	68
Micro Joint Kits	12
Mirror Demister Heath Matt	35
Mitre Blocks	68
Mixing Drill	89
Monotlit TutorCut	72

Description	Page No.
Montolit Diamond Pads	97
Montolit Flash Line Evo	76
Montolit FPU Diamond Drilling Bits	95
Montolit Grinding Wheel	73
Montolit Masterpiuma Evo 3	76
Montolit Mondrillo	79
Montolit Mosaic Nibbler	54
Montolit Moto Flash Line	82
Montolit Suction Cup	107
Montolit Superstick	106
Montolit Toprofile	82
Montolit Work Bench	106
Mosaic Mat	76
Mosaic Mesh	69
Mosaic Nippers	54
N	
Neo-Flex Membrane	34
Nothed Trowel "U"	58
Nothed Trowel "V"	58
P	
Paper Discs	93
Plastic Trowels	59
Polisher	92
Porcelain Diamond Blade	72
Premium Trim Cutter	68
Primer	35
Protective Edging Trim	17
Protective Film	68
PVC Bucket	65
Python Adhesive	100
Python CS Tile Grout	102
Q	
Quansol Mitre Block	68
R	
Raimondi Bolt	85
Raimondi Eco 92	83
Raimondi Ipebert Mixer	89
Raimondi Pedalo Washboy Set	63
Raimondi Pikus	86
Raimondi Skipper Washboy Set	63
Raimondi Sweepex Sponge	63
Raimondi Zoe	86
Raimonid Quick Change Handle	63
Rapid Set Tiling Adhesive	100
Round Edge PVC Trim	9

# Stock Code Index By Description

Customer Services  
Mon - Fri | 7.00am - 4.30pm


Sales + Service  
01738 231 800

Description	Page No.
Round Edge Stair Trim	17
Rubber Backing Pads	93
Rubi Flextubs	65
Rubi Knee Pads	64
Rubimixer 9	89
S	
Sanding Discs	93
Sanitary Silicones	103
Self Adhesive Stair Nosing	16
Self Adhesive Tape	34
Semi Flexible Discs	93
Sensor Probe	37
Shower Glaze Channel	10
Shower Trays	29
Sigma 3B4 Tile Cutter	77
Sigma 3C2 Tile Cutter	77
Sigma 3D2 Tile Cutter	78
Sigma 3E4K Tile Cutter	78
Sigma 3P2K Tile Cutter	78
Sigma cutting Wheels	78
Silicones	103
Silicone Gun	65
Skeleton Gaulking Gun	65
Skirting PVC Trim	11
Slow Set Tiling Adhesive	100
Soundproofing Matting	25
Spear Drill Bits	79
Spiked Roller	66
Sponge & Holder	62
Spray Adhesive	62
Standard Set Tiling Adhesive	100
Stair Edge PVC	17
Stair Nosing	17
Stone Diamond Blade	72
Straight Edge PVC Trim	6
Suction Cap - Powered 16V	107
Suction Cups	109
T	
T Spacers	56
Tanking Kits	34
Tape Measures	67
Thermosphere Vario Pro	87
Thermostat	35,37
Thin Diamond Blade	73
Tile Adhesive	100
Tile Backing Boards	28
Tile Cleaner	44, 47, 51

Description	Page No.
Tile Corner Protectors	109
Tile Grouters	61
Tile Magnets	69
Tile Nippers	54
Tile Polish	45, 46, 51
Tile Spreader 5-Way	59
Tiling Sandals	64
Transition Profile Trim	15
Trim Cutters	68
Trolley For Large Format Tiles	108
Trug/Tub	65
U	
Underfloor Heating Cable	36
Underfloor Heating Mat	36
V	
Velcro Pad Holder & Pole	66
Vileda Cleaning Pads	66
W	
Wall Grout	102
Wall Scrapers	55
Wall Tile Spacers	56
Washboy Bucket Sets	62
Washboy Sponges	62
Washers	30
Waterproof Joint Tape	30
Waterproofing Corners	25
Wax Filled Drill Bits	79
Wedge Tile Spacer	56
Wet Diamond Drill Bits	79
Wet Stone Grinder & Polisher	92
Whisks	65
White Aluminium Trim	7
Wire Rods	95
X	
XL Adhesive	31



**NEW website, NOW live!**  
**www.tilepal.co.uk**



We are continually adding to our product range, if you can't find what you are looking for you can visit our website or call us on our customer helpline on:

**01738 231 800**

**TilePal**

**Target House,  
Ruthvenfield Road,  
Inveralmond Industrial Estate,  
Perth,  
PH1 3EE**

**sales@tilepal.co.uk**

**tilepal.co.uk**

