

**BACHELOR OF COMPUTER APPLICATIONS
(BCA) (Revised)****Term-End Examination****June, 2022****BCS-012 : BASIC MATHEMATICS***Time : 3 hours**Maximum Marks : 100*

Note : *Question number 1 is compulsory. Attempt any three questions from the remaining questions.*

1. (a) Solve the following system of linear equations using Cramer's rule : 5

$$x + y = 0; y + z = 1; z + x = 3$$

- (b) If $1, \omega$ and ω^2 are cube roots of unity, show that

$$(2 - \omega)(2 - \omega^2)(2 - \omega^{10})(2 - \omega^{11}) = 49. \quad 5$$

- (c) Evaluate the integral $I = \int \frac{x^2}{(x+1)^3} dx. \quad 5$

- (d) Solve the inequality $\frac{5}{|x-3|} < 7. \quad 5$

- (e) Show that $\begin{vmatrix} 1 & a & a^2 \\ 1 & b & b^2 \\ 1 & c & c^2 \end{vmatrix} = (b-a)(c-a)(c-b).$ 5
- (f) Find the quadratic equation whose roots are $(2 - \sqrt{3})$ and $(2 + \sqrt{3})$. 5
- (g) Find the sum of an Infinite G.P., whose first term is 28 and fourth term is $\frac{4}{49}$. 5
- (h) If z is a complex number such that $|z - 2i| = |z + 2i|$, show that $\text{Im}(z) = 0$. 5
2. (a) Evaluate $\lim_{x \rightarrow 0} \frac{\sqrt{1+2x} - \sqrt{1-2x}}{x}$. 5
- (b) Prove that the three medians of a triangle meet at a point called centroid of the triangle which divides each of the medians in the ratio 2 : 1. 7
- (c) A young child is flying a kite which is at a height of 50 m. The wind is carrying the kite horizontally away from the child at a speed of 6.5 m/s. How fast must the kite string be let out when the string is 130 m ? 8
3. (a) Using Principle of Mathematical Induction, show that $n(n+1)(2n+1)$ is a multiple of 6 for every natural number n . 5

- (b) Find the points of local minima and local maxima for

$$f(x) = \frac{3}{4}x^4 - 8x^3 + \frac{45}{2}x^2 + 2015. \quad 5$$

- (c) Determine the 100th term of the Harmonic Progression $\frac{1}{7}, \frac{1}{15}, \frac{1}{23}, \frac{1}{31}, \dots$ 5

- (d) Find the length of the curve $y = 2x^{3/2}$ from the point (1, 2) to (4, 16). 5

4. (a) Determine the shortest distance between

$$\begin{aligned} \vec{r}_1 &= (1 + \lambda) \hat{i} + (2 - \lambda) \hat{j} + (1 + \lambda) \hat{k} \text{ and} \\ \vec{r}_2 &= 2(1 + \mu) \hat{i} + (1 - \mu) \hat{j} + (-1 + 2\mu) \hat{k}. \end{aligned} \quad 5$$

- (b) Find the area lying between two curves

$$y = 3 + 2x, y = 3 - x, 0 \leq x \leq 3,$$

using integration. 5

- (c) If $y = 1 + \ln(x + \sqrt{x^2 + 1})$, prove that

$$(x^2 + 1) \frac{d^2y}{dx^2} + x \frac{dy}{dx} = 0. \quad 5$$

- (d) Find the angle between the lines

$$\begin{aligned} \vec{r}_1 &= 2\hat{i} + 3\hat{j} - 4\hat{k} + t(\hat{i} - 2\hat{j} + 2\hat{k}) \text{ and} \\ \vec{r}_2 &= 3\hat{i} - 5\hat{k} + s(3\hat{i} - 2\hat{j} + 6\hat{k}). \end{aligned} \quad 5$$

5. (a) If $A = \begin{bmatrix} -1 & 2 & 3 \\ 4 & 5 & 7 \\ 5 & 3 & 4 \end{bmatrix}$, show that $A(\text{adj } A) = 0$. 5

(b) Use De-Moivre's theorem to find $(\sqrt{3} + i)^3$. 5

(c) Show that $|\vec{a}| |\vec{b}| + |\vec{b}| |\vec{a}|$ is perpendicular to $|\vec{a}| |\vec{b}| - |\vec{b}| |\vec{a}|$, for any two non-zero vectors \vec{a} and \vec{b} . 5

(d) If $y = \ln \left[e^x \left(\frac{x-2}{x+2} \right)^{3/4} \right]$, find $\frac{dy}{dx}$. 5