

RS PRO Range Guide

Your Smart Choice for

CONSUMABLES




p.2 Adhesives,
Cleaning &
Marking



p.17 Anti-Vibration



p.57 Battery



p.64 Engineering
Materials



p.93 IT



p.118 Soldering
& ESD



RS PRO BLACK ANTI-SLIP TILE POLYMER ANTI-SLIP TILE, SOLID

- ขนาดบรรจุภัณฑ์: **10 x EA**
- Type: Anti-Slip Tile
 - Material: Polymer
 - Self-Adhesive: Yes
 - Surface Type: Solid
 - Quantity Per Package: 10
 - Colour: Black
 - Product Type: Mat, Tread
 - Length: 140 mm



7621512 Anti-Slip Tile

RS PRO BLACK ANTI-SLIP FLOORING POLYMER MAT, SOLID FINISH 610MM

- ขนาดบรรจุภัณฑ์: **10 x EA**
- Type: Mat
 - Material: Polymer
 - Self-Adhesive: Yes
 - Surface Type: Solid
 - Quantity Per Package: 10
 - Colour: Black
 - Product Type: Mat, Tread
 - Product Format: Individual



7621516 Mat

COTTAM BROOM, BROWN WITH NATURAL COCO BRISTLES FOR

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Application: Indoor and Outdoor Areas
 - Depth: 55.5 mm
 - Width: 280 mm
 - Bristle Length: 65.8 mm
 - Bristle Material: Natural Coco
 - Colour: Brown
 - Hard/Soft: Soft



9033478 Indoor and

RS PRO CLEAR OFFICE TAPE 50MM X 33M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Clear
 - Length: 33 m
 - Repositionable: Yes
 - Width: 50 mm
 - Trade Name: Clear Polythene Tape



2205882 Clear

RS PRO FR60 CLEAR OFFICE TAPE 38MM X 50M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Clear
 - Length: 50 m
 - Width: 38 mm
 - Model Number: FR60



2231092 Clear

CLEANER, FOAM TIPPED BUDS, 105MM

- ขนาดบรรจุภัณฑ์: **25 x EA**
- Application: Computers
 - Number of Buds per Pack: 25
 - Package Type: Box
 - Bud Material: Foam
 - Stick Material: Plastic
 - Length: 150 mm



494562 Computers

CLEANER, SLIM COTTON TIP BUDS, 150MM

- ขนาดบรรจุภัณฑ์: **25 x EA**
- Application: Computers
 - Number of Buds per Pack: 25
 - Package Type: Box
 - Bud Material: Cotton
 - Stick Material: Plastic
 - Length: 150 mm



494578 Computers

CLEANER, COTTON BUD STICKS, SINGLE ENDED, 150MM

- ขนาดบรรจุภัณฑ์: **200 x EA**
- Application: Computers
 - Number of Buds per Pack: 200
 - Package Type: Box
 - Bud Material: Cotton
 - Stick Material: Wood
 - Length: 150 mm



558802 Computers

CLEANER, APPLICATOR, TRIGGER SPRAY, 600ML

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Use With: Cleaner, Oil, Solvent
 - Product Capacity: 600 ml
 - Colour: Clear



779318 600 ml

CLEANER, CONTACT TREATMENT, AUTOMATIC, PUMP

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Use With: Cleaner, Solvent
 - Product Capacity: 240 ml
 - Colour: Pink



4237391 Cleaner, Solvent

CLEANER, CONTACT TREATMENT, POLYETHYLENE SQUEEZE

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Use With: Oil, Solvent
 - Product Capacity: 60 ml
 - Colour: Translucent



5474226 Oil, Solvent

SQUEEZE DISPENSER, BOTTLE, 4OZ

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Use With: Cleaner, Oil, Solvent
 - Product Capacity: 110 ml
 - Colour: Translucent



5480962 Cleaner, Oil,

SQUEEZE DISPENSER, BOTTLE, 8OZ

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Use With: Cleaner, Oil, Solvent
 - Product Capacity: 225 ml
 - Colour: Translucent



5484289 Cleaner, Oil,

RS PRO SEALANT GUN 305ML

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Type: Sealant Gun
 - Product Capacity: 305 ml, 310 ml, 380 ml, 400 ml



174791 Sealant Gun

RS PRO ADHESIVE SYRINGE GUN 50ML

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Type: Adhesive Gun
 - Product Capacity: 50 ml



503379 Adhesive Gun

RS PRO SEALANT GUN 200ML

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Type: Adhesive Gun
 - Product Capacity: 200 ml



9158987 Adhesive Gun

RS PRO SEALANT GUN 400ML

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Type: Adhesive Gun
 - Product Capacity: 400 ml



9158993 Adhesive Gun

RS PRO TRANSLUCENT STRAIGHT DISPENSING TIP

- ขนาดบรรจุภัณฑ์: **10 x EA**
- Type: Straight
 - For Use With: 400 ml Dispenser
 - Length: 198.12 mm
 - Colour: Translucent



4788473 Straight

TAPE,ADHESIVE,FLEXIBLE,POLYPROPYLENE,DOUBLE SIDED,50MMX50M

- ขนาดบรรจุภัณฑ์: **50 x MTR**
- Tape Type: Plastic Tape
 - Backing Material: PP
 - Width: 50 mm
 - Length: 50 m
 - Thickness: 0.1 mm
 - Colour: Yellow
 - Adhesive Material: Rubber



512884 Plastic Tape

RS PRO YELLOW DOUBLE SIDED PLASTIC TAPE, 0.1MM THICK, PP

- ขนาดบรรจุภัณฑ์: **20 x MTR**
- Tape Type: Plastic Tape
 - Backing Material: PP
 - Width: 25 mm
 - Length: 20 m
 - Thickness: 0.1 mm
 - Colour: Yellow
 - Adhesive Material: Rubber



555033 Plastic Tape

RS PRO WHITE DOUBLE SIDED PAPER TAPE, NON-WOVEN BACKING, 12MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Tape Type: Paper Tape
 - Backing Material: Non-Woven
 - Width: 12 mm
 - Length: 50 m
 - Colour: White
 - Adhesive Material: Acrylic, Rubber
 - Maximum Operating Temperature: +80 °C



1254302 Paper Tape

RS PRO WHITE DOUBLE SIDED PAPER TAPE, NON-WOVEN BACKING, 15MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Tape Type: Paper Tape
 - Backing Material: Non-Woven
 - Width: 15 mm
 - Length: 50 m
 - Colour: White
 - Adhesive Material: Acrylic, Rubber
 - Maximum Operating Temperature: +80 °C



1254303 Paper Tape

RS PRO WHITE DOUBLE SIDED PAPER TAPE, NON-WOVEN BACKING, 25MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Tape Type: Paper Tape
 - Backing Material: Non-Woven
 - Width: 25 mm
 - Length: 50 m
 - Colour: White
 - Adhesive Material: Acrylic, Rubber
 - Maximum Operating Temperature: +80 °C



1254304 Paper Tape

RS PRO WHITE DOUBLE SIDED PAPER TAPE, NON-WOVEN BACKING, 9MM X

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Tape Type: Paper Tape
 - Backing Material: Non-Woven
 - Width: 9 mm
 - Length: 50 m
 - Colour: White
 - Adhesive Material: Acrylic, Rubber
 - Maximum Operating Temperature: +80 °C



1254306 Paper Tape

RS PRO WHITE DOUBLE SIDED PLASTIC TAPE, 0.18MM THICK, 12

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Tape Type: Plastic Tape
 - Backing Material: PVC
 - Width: 19 mm
 - Length: 50 m
 - Thickness: 0.18 mm
 - Colour: White
 - Adhesive Material: Acrylic
 - Adhesion Strength: 12 N/cm



2175254 Plastic Tape

RS PRO WHITE DOUBLE SIDED PLASTIC TAPE, 0.18MM THICK, 12

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Backing Material: PVC
 - Width: 25 mm
 - Length: 50 m
 - Thickness: 0.18 mm
 - Colour: White
 - Adhesive Material: Acrylic
 - Adhesion Strength: 12 N/cm
 - Maximum Operating Temperature: +70 °C



2175255 PVC

RS PRO WHITE DOUBLE SIDED PLASTIC TAPE, 0.18MM THICK, 12

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Backing Material: PVC
 - Width: 38 mm
 - Length: 50 m
 - Thickness: 0.18 mm
 - Colour: White
 - Adhesive Material: Acrylic
 - Adhesion Strength: 12 N/cm
 - Maximum Operating Temperature: +70 °C



2175256 PVC

RS PRO BLACK DOUBLE SIDED PLASTIC TAPE, 0.15MM THICK, 6

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Backing Material: PVC
 - Width: 25 mm
 - Length: 50 m
 - Thickness: 0.15 mm
 - Colour: Black
 - Adhesive Material: Acrylic
 - Adhesion Strength: 6 N/cm
 - Tensile Strength: 23 N/cm



2175258 PVC

RS PRO F30 YELLOW DOUBLE SIDED POLYESTER TAPE, 0.2x5MM THICK,

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Backing Material: PVC
 - Tape Type: Plastic Tape
 - Width: 12 mm
 - Length: 50 m
 - Thickness: 0.2x5 mm
 - Colour: Yellow
 - Model Number: F30



2231077 PVC

RS PRO F40 RED DOUBLE SIDED POLYESTER TAPE, 0.2MM THICK,

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Backing Material: Polyester
 - Tape Type: Plastic Tape
 - Width: 12 mm
 - Length: 50 m
 - Thickness: 0.2 mm
 - Colour: Red
 - Model Number: F40



2231078 Polyester

RS PRO F40 RED DOUBLE SIDED POLYESTER TAPE, 0.2MM THICK,

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Backing Material: Polyester
 - Tape Type: Plastic Tape
 - Width: 15 mm
 - Length: 50 m
 - Thickness: 0.2 mm
 - Colour: Red
 - Model Number: F40



2231079 Polyester

RS PRO F20 WHITE DOUBLE SIDED PAPER TAPE, 0.1MM THICK, 19MM X

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Width: 19 mm
 - Length: 50 m
 - Thickness: 0.1 mm
 - Colour: White
 - Model Number: F20



2231080 19 mm

RS PRO F20 WHITE DOUBLE SIDED PAPER TAPE, 0.16MM THICK, 19MM X

- ขนาดบรรจุภัณฑ์: 1 x EA
- Width: 19 mm
 - Length: 50 m
 - Thickness: 0.16 mm
 - Colour: White
 - Model Number: F20



2231081 19 mm

RS PRO F30 YELLOW DOUBLE SIDED POLYESTER TAPE, 0.245MM THICK,

- ขนาดบรรจุภัณฑ์: 1 x EA
- Backing Material: PVC
 - Tape Type: Plastic Tape
 - Width: 19 mm
 - Length: 50 m
 - Thickness: 0.245 mm
 - Colour: Yellow
 - Model Number: F30



2231083 PVC

RS PRO F40 RED DOUBLE SIDED POLYESTER TAPE, 0.2MM THICK,

- ขนาดบรรจุภัณฑ์: 1 x EA
- Backing Material: Polyester
 - Tape Type: Plastic Tape
 - Width: 19 mm
 - Length: 50 m
 - Thickness: 0.2 mm
 - Colour: Red
 - Model Number: F40



2231084 Polyester

RS PRO F40 RED DOUBLE SIDED POLYESTER TAPE, 0.2MM THICK,

- ขนาดบรรจุภัณฑ์: 1 x EA
- Backing Material: Polyester
 - Tape Type: Plastic Tape
 - Width: 20 mm
 - Length: 50 m
 - Thickness: 0.2 mm
 - Colour: Red
 - Model Number: F40



2231086 Polyester

RS PRO F20 WHITE DOUBLE SIDED PAPER TAPE, 0.1MM THICK, 25MM X

- ขนาดบรรจุภัณฑ์: 1 x EA
- Width: 25 mm
 - Length: 50 m
 - Thickness: 0.1 mm
 - Colour: White
 - Model Number: F20



2231087 25 mm

RS PRO F30 YELLOW DOUBLE SIDED POLYESTER TAPE, 0.245MM THICK,

- ขนาดบรรจุภัณฑ์: 1 x EA
- Backing Material: PVC
 - Tape Type: Plastic Tape
 - Width: 38 mm
 - Length: 50 m
 - Thickness: 0.245 mm
 - Colour: Yellow
 - Model Number: F30



2231090 PVC

RS PRO F40 RED DOUBLE SIDED POLYESTER TAPE, 0.2MM THICK,

- ขนาดบรรจุภัณฑ์: 1 x EA
- Backing Material: Polyester
 - Tape Type: Plastic Tape
 - Width: 38 mm
 - Length: 50 m
 - Thickness: 0.2 mm
 - Colour: Red
 - Model Number: F40



2231091 Polyester

RS PRO F20 WHITE DOUBLE SIDED PAPER TAPE, 0.1MM THICK, 50MM X

- ขนาดบรรจุภัณฑ์: 1 x EA
- Width: 50 mm
 - Length: 50 m
 - Thickness: 0.1 mm
 - Colour: White
 - Model Number: F20



2231093 50 mm

RS PRO F30 YELLOW DOUBLE SIDED POLYESTER TAPE, 0.245MM THICK,

- ขนาดบรรจุภัณฑ์: 1 x EA
- Backing Material: PVC
 - Tape Type: Plastic Tape
 - Width: 50 mm
 - Length: 50 m
 - Thickness: 0.245 mm
 - Colour: Yellow
 - Model Number: F30



2231094 PVC

RS PRO F40 RED DOUBLE SIDED POLYESTER TAPE, 0.2MM THICK,

- ขนาดบรรจุภัณฑ์: 1 x EA
- Backing Material: Polyester
 - Tape Type: Plastic Tape
 - Width: 50 mm
 - Length: 50 m
 - Thickness: 0.2 mm
 - Colour: Red
 - Model Number: F40



2231095 Polyester

RS PRO DUCT TAPE, 50M X 50MM, SILVER, GLOSS FINISH

- ขนาดบรรจุภัณฑ์: 1 x EA
- Tape Type: Duct Tape
 - Colour: Silver
 - Width: 50 mm
 - Length: 50 m
 - Backing Material: Cloth
 - Thickness: 0.17 mm
 - Adhesive Material: Rubber Resin
 - Adhesion Strength: 3 N/cm, 4 N/cm



1466827 Duct Tape

RS PRO DUCT TAPE, 50M X 50MM, BLACK, GLOSS FINISH

- ขนาดบรรจุภัณฑ์: 1 x EA
- Tape Type: Duct Tape
 - Colour: Black
 - Width: 50 mm
 - Length: 50 m
 - Backing Material: Cloth
 - Thickness: 0.17 mm
 - Adhesive Material: Rubber Resin
 - Adhesion Strength: 3 N/cm, 4 N/cm



1466828 Duct Tape

RS PRO CLOTH TAPE, 50M X 50MM, WHITE, GLOSS FINISH

- ขนาดบรรจุภัณฑ์: 1 x EA
- Tape Type: Cloth Tape
 - Colour: White
 - Width: 50 mm
 - Length: 50 m
 - Backing Material: Cloth
 - Thickness: 0.17 mm
 - Adhesive Material: Rubber Resin
 - Adhesion Strength: 3 N/cm, 4 N/cm



1466829 Cloth Tape

RS PRO CLOTH TAPE, 50M X 50MM, BLACK, GLOSS FINISH

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Black
 - Tape Type: Cloth Tape
 - Width: 50 mm
 - Length: 50 m
 - Backing Material: Fabric
 - Thickness: 0.23 mm
 - Adhesive Material: Rubber Resin
 - Adhesion Strength: 3.5 N/cm, 5.5 N/cm



1467414 Black

RS PRO CLOTH TAPE, 50M X 50MM, YELLOW, GLOSS FINISH

- ขนาดบรรจุภัณฑ์: 1 x EA
- Tape Type: Cloth Tape
 - Colour: Yellow
 - Width: 50 mm
 - Length: 50 m
 - Backing Material: Fabric
 - Thickness: 0.23 mm
 - Adhesive Material: Rubber Resin
 - Adhesion Strength: 3.5 N/cm, 5.5 N/cm



1467415 Cloth Tape

RS PRO CLOTH TAPE, 50M X 50MM, SILVER, GLOSS FINISH

- ขนาดบรรจุภัณฑ์: 1 x EA
- Tape Type: Cloth Tape
 - Colour: Silver
 - Width: 50 mm
 - Length: 50 m
 - Backing Material: Fabric
 - Thickness: 0.23 mm
 - Adhesive Material: Rubber Resin
 - Adhesion Strength: 3.5 N/cm, 5.5 N/cm



1467416 Cloth Tape

RS PRO CLOTH TAPE, 50M X 50MM, RED, GLOSS FINISH

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Tape Type: Cloth Tape
 - Colour: Red
 - Width: 50 mm
 - Length: 50 m
 - Backing Material: Fabric
 - Thickness: 0.23 mm
 - Adhesive Material: Rubber Resin
 - Adhesion Strength: 3.5 N/cm, 5.5 N/cm



1467418 Cloth Tape

RS PRO DUCT TAPE, 50M X 50MM, BLUE, GLOSS FINISH

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Tape Type: Duct Tape
 - Colour: Blue
 - Width: 50 mm
 - Length: 50 m
 - Backing Material: Fabric
 - Thickness: 0.23 mm
 - Adhesive Material: Rubber Resin
 - Adhesion Strength: 3.5 N/cm, 5.5 N/cm



1467419 Duct Tape

RS PRO DUCT TAPE, 25M X 50MM, BLACK

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Tape Type: Duct Tape
 - Colour: Black
 - Width: 50 mm
 - Length: 25 m
 - Backing Material: PE Cloth
 - Thickness: 0.26 mm
 - Adhesive Material: Rubber Resin
 - Adhesion Strength: 4.5 N/cm



1769807 Duct Tape

RS PRO DUCT TAPE, 25M X 50MM, WHITE

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Tape Type: Duct Tape
 - Colour: White
 - Width: 50 mm
 - Length: 25 m
 - Backing Material: PE Cloth
 - Thickness: 0.26 mm
 - Adhesive Material: Rubber Resin
 - Adhesion Strength: 4.5 N/cm



1769808 Duct Tape

RS PRO DUCT TAPE, 25M X 50MM, GREY

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Tape Type: Duct Tape
 - Colour: Grey
 - Width: 50 mm
 - Length: 25 m
 - Backing Material: PE Cloth
 - Thickness: 0.26 mm
 - Adhesive Material: Rubber Resin
 - Adhesion Strength: 4.5 N/cm



1769809 Duct Tape

TESA DUCT TAPE, 50M X 48MM, BLACK, PE COATED FINISH

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Black
 - Tape Type: Duct Tape
 - Width: 48 mm
 - Length: 50 m
 - Backing Material: PE Cloth
 - Thickness: 0.18 mm
 - Adhesive Material: Rubber
 - Adhesion Strength: 4.3 [Steel] N/cm



3731577 Black

TESA DUCT TAPE, 50M X 48MM, SILVER, PE COATED FINISH

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Silver
 - Tape Type: Duct Tape
 - Width: 48 mm
 - Length: 50 m
 - Backing Material: PE Cloth
 - Thickness: 0.18 mm
 - Adhesive Material: Rubber
 - Adhesion Strength: 4.3 [Steel] N/cm



3731606 Silver

PVC INSULATING TAPE BLACK 33MX19MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Black
 - Width: 19 mm
 - Length: 33 m
 - Backing Material: PVC
 - Thickness: 0.13 mm
 - Maximum Operating Temperature: +70 °C



1347319 Black

PVC INSULATING TAPE WHITE 33MX19MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: White
 - Width: 19 mm
 - Length: 33 m
 - Backing Material: PVC
 - Thickness: 0.13 mm
 - Maximum Operating Temperature: +70 °C



1347320 White

PVC INSULATING TAPE BLACK 20MX12MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Black
 - Width: 12 mm
 - Length: 20 m
 - Backing Material: PVC
 - Thickness: 0.13 mm
 - Maximum Operating Temperature: +70 °C



1347321 Black

PVC INSULATING TAPE RED 33MX19MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Red
 - Width: 19 mm
 - Length: 33 m
 - Backing Material: PVC
 - Thickness: 0.13 mm
 - Maximum Operating Temperature: +70 °C



1347323 Red

PVC INSULATING TAPE BLUE 33MX19MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Blue
 - Width: 19 mm
 - Length: 33 m
 - Backing Material: PVC
 - Thickness: 0.13 mm
 - Maximum Operating Temperature: +70 °C



1347324 Blue

PVC INSULATING TAPE GRN/YEL 20MX12MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Green, Yellow
 - Width: 12 mm
 - Length: 20 m
 - Backing Material: PVC
 - Thickness: 0.13 mm
 - Maximum Operating Temperature: +70 °C



1347325 Green, Yellow

PVC INSULATING TAPE YELLOW 33MX19MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Yellow
 - Width: 19 mm
 - Length: 33 m
 - Backing Material: PVC
 - Thickness: 0.13 mm
 - Maximum Operating Temperature: +70 °C



1347326 Yellow

PVC INSULATING TAPE RED 20MX12MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Red
 - Width: 12 mm
 - Length: 20 m
 - Backing Material: PVC
 - Thickness: 0.13 mm
 - Maximum Operating Temperature: +70 °C



1347327 Red

PVC INSULATING TAPE GRN/YEL 33MX19MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Green, Yellow
 - Width: 19 mm
 - Length: 33 m
 - Backing Material: PVC
 - Thickness: 0.13 mm
 - Maximum Operating Temperature: +70 °C



1347328 Green, Yellow

PVC INSULATING TAPE BLACK 20MX38MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Black
 - Width: 38 mm
 - Length: 20 m
 - Backing Material: PVC
 - Thickness: 0.13 mm
 - Maximum Operating Temperature: +70 °C



1347329 Black

PVC INSULATING TAPE BLUE 20MX12MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Blue
 - Width: 12 mm
 - Length: 20 m
 - Backing Material: PVC
 - Thickness: 0.13 mm
 - Maximum Operating Temperature: +70 °C



1347330 Blue

PVC INSULATING TAPE GREEN 33MX19MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Green
 - Width: 19 mm
 - Length: 33 m
 - Backing Material: PVC
 - Thickness: 0.13 mm
 - Maximum Operating Temperature: +70 °C



1347331 Green

PVC INSULATING TAPE YELLOW 20MX12MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Yellow
 - Width: 12 mm
 - Length: 20 m
 - Backing Material: PVC
 - Thickness: 0.13 mm
 - Maximum Operating Temperature: +70 °C



1347332 Yellow

PVC INSULATING TAPE WHITE 20MX12MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: White
 - Width: 12 mm
 - Length: 20 m
 - Backing Material: PVC
 - Thickness: 0.13 mm
 - Maximum Operating Temperature: +70 °C



1347333 White

PVC INSULATING TAPE GREEN 20MX12MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Green
 - Width: 12 mm
 - Length: 20 m
 - Backing Material: PVC
 - Thickness: 0.13 mm
 - Maximum Operating Temperature: +70 °C



1347334 Green

PVC INSULATING TAPE WHITE 20MX38MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: White
 - Width: 38 mm
 - Length: 20 m
 - Backing Material: PVC
 - Thickness: 0.13 mm
 - Maximum Operating Temperature: +70 °C



1347335 White

PVC HARNESSING TAPE BLACK 20MX19MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Black
 - Width: 19 mm
 - Length: 20 m
 - Backing Material: PVC
 - Thickness: 0.10 mm
 - Maximum Operating Temperature: +70 °C



1347336 Black

BLACK VINYL ELECTRICAL TAPE 20M X 19MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Black
 - Width: 19 mm
 - Length: 20 m
 - Thickness: 0.19 mm
 - Maximum Operating Temperature: +150 °C



1347337 Black

GLASS CLOTH TAPE CLASS H 33MX12MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: White
 - Width: 12 mm
 - Length: 33 m
 - Backing Material: Glass Cloth
 - Thickness: 0.18 mm
 - Maximum Operating Temperature: +180 °C



1347339 White

RS PRO WHITE GLASS CLOTH ELECTRICAL TAPE, 25MM X 33M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: White
 - Width: 25 mm
 - Length: 33 m
 - Backing Material: Glass Cloth
 - Thickness: 0.18 mm
 - Maximum Operating Temperature: +180 °C



1347340 White

GLASS CLOTH TAPE CLASS H 33MX19MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: White
 - Width: 19 mm
 - Length: 33 m
 - Backing Material: Glass Cloth
 - Thickness: 0.18 mm
 - Maximum Operating Temperature: +180 °C



1347341 White

RS PRO BLACK PVC ELECTRICAL TAPE, 50MM X 33M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Black
 - Width: 50 mm
 - Length: 33 m
 - Backing Material: PVC
 - Thickness: 0.13 mm
 - Maximum Operating Temperature: +60 °C



2205880 Black

TAPE, POLYESTER, B, 12MM WIDE, HIGH TEMP, 130DEGC

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Yellow
 - Width: 12 mm
 - Length: 66 m
 - Backing Material: Polyester
 - Thickness: 0.06 mm
 - Maximum Operating Temperature: +130 °C
 - Trade Name: AT4004



4089489 Yellow

TAPE, POLYESTER, B, 19MM WIDE, HIGH TEMP, 130DEGC

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Yellow
 - Width: 19 mm
 - Length: 66 m
 - Backing Material: Polyester
 - Thickness: 0.06 mm
 - Maximum Operating Temperature: +130 °C
 - Trade Name: AT4004



4089495 Yellow

TAPE, POLYESTER, B, 25MM WIDE, HIGH TEMP, 130DEGC

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Yellow
 - Width: 25 mm
 - Length: 66 m
 - Backing Material: Polyester
 - Thickness: 0.06 mm
 - Maximum Operating Temperature: +130 °C
 - Trade Name: AT4004



4089502 Yellow

TAPE, CONDUCTIVE, ANTISTATIC, GRIP, 12MMX34M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Length: 36 m
 - Dissipative: Yes
 - Width: 12 mm
 - Conductive: No
 - Anti-Static: Yes
 - Cleanroom: No
 - Text/Logo On Tape: Logo
 - Colour: Clear



4439799 36 m

18MM X 36M ESD TAPE

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Length: 36 m
 - Dissipative: Yes
 - Width: 18 mm
 - Conductive: Yes
 - Anti-Static: Yes
 - Cleanroom: No
 - Text/Logo On Tape: Logo
 - Colour: Clear



4439812 36 m

TAPE, CONDUCTIVE, ANTISTATIC, GRIP, 24MMX34M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Length: 36 m
 - Dissipative: Yes
 - Width: 24 mm
 - Conductive: No
 - Anti-Static: Yes
 - Cleanroom: No
 - Text/Logo On Tape: Logo
 - Colour: Clear



4439828 36 m

TAPE, CONDUCTIVE, ANTISTATIC, GRIP, 48MMX34M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Length: 36 m
 - Dissipative: Yes
 - Width: 48 mm
 - Conductive: No
 - Anti-Static: Yes
 - Cleanroom: No
 - Text/Logo On Tape: Logo
 - Colour: Clear



4439834 36 m

COTTAM NATURAL BRISTLE PCB AND FLUX BRUSH

- ขนาดบรรจุภัณฑ์: **5 x EA**
- Type: PCB and Flux Brush
 - Material: Natural Bristle
 - Dimensions: 200 mm



2299690 PCB and Flux

RS PRO WHITE FOAM TAPE, 8MM X 16.5M, 3MM THICK

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Width: 8 mm
 - Thickness: 3 mm
 - Length: 16.5 m
 - Backing Material: EPDM
 - Colour: White
 - Adhesive Material: Rubber
 - Maximum Operating Temperature: +50 °C



193168 8 mm

RS PRO WHITE FOAM TAPE, 12MM X 150MM, 0.8MM THICK


- ขนาดบรรจุภัณฑ์: **25 x EA**
- Width: 12 mm
 - Thickness: 0.8 mm
 - Length: 150 mm
 - Backing Material: Foam
 - Colour: White
 - Single/Double Sided: Double Sided
 - Adhesive Material: Acrylic



512856 12 mm

RS PRO WHITE FOAM TAPE, 12MM X 12MM, 0.8MM THICK

- ขนาดบรรจุภัณฑ์: **500 x EA**
- Width: 12 mm
 - Thickness: 0.8 mm
 - Length: 12 mm
 - Backing Material: Foam
 - Colour: White
 - Single/Double Sided: Double Sided



512862 12 mm

RS PRO GREY FOAM TAPE, 25MM X 25MM, 0.8MM THICK

- ขนาดบรรจุภัณฑ์: **250 x EA**
- Width: 25 mm
 - Thickness: 0.8 mm
 - Length: 25 mm
 - Backing Material: Foam
 - Colour: Grey
 - Single/Double Sided: Double Sided



512878 25 mm

RS PRO WHITE FOAM TAPE, 25MM X 150MM, 0.8MM THICK

- ขนาดบรรจุภัณฑ์: **25 x EA**
- Width: 25 mm
 - Thickness: 0.8 mm
 - Length: 150 mm
 - Backing Material: PE Foam
 - Colour: White
 - Single/Double Sided: Double Sided
 - Adhesive Material: Rubber



554844 25 mm

RS PRO BLACK FOAM TAPE, 20MM X 5M, 4MM THICK

- ขนาดบรรจุภัณฑ์: **5 x MTR**
- Width: 20 mm
 - Thickness: 4 mm
 - Length: 5 m
 - Backing Material: PE
 - Colour: Black



554866 20 mm

RS PRO WHITE FOAM TAPE, 25MM X 12MM, 0.8MM THICK

- ขนาดบรรจุภัณฑ์: **500 x EA**
- Width: 25 mm
 - Thickness: 0.8 mm
 - Length: 12 mm
 - Backing Material: Foam
 - Colour: White
 - Single/Double Sided: Double Sided



555257 25 mm

RS PRO BLACK FOAM TAPE, 12MM X 10M, 2MM THICK

- ขนาดบรรจุภัณฑ์: **10 x MTR**
- Width: 12 mm
 - Thickness: 2 mm
 - Length: 10 m
 - Backing Material: PVC
 - Colour: Black
 - Adhesive Material: Polychloroprene
 - Maximum Operating Temperature: +70 °C



556525 12 mm

RS PRO BLACK FOAM TAPE, 12MM X 10M, 3MM THICK

- ขนาดบรรจุภัณฑ์: **10 x MTR**
- Width: 12 mm
 - Thickness: 3 mm
 - Length: 10 m
 - Backing Material: EPDM
 - Colour: Black
 - Adhesive Material: Rubber
 - Maximum Operating Temperature: +90 °C



567963 12 mm

RS PRO TRANSLUCENT FOAM TAPE, 19MM X 33M, 1MM THICK

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Width: 19 mm
 - Thickness: 1 mm
 - Length: 33 m
 - Backing Material: Foam
 - Colour: Translucent
 - Single/Double Sided: Double Sided
 - Adhesive Material: Acrylic



1254309 19 mm

RS PRO TRANSLUCENT FOAM TAPE, 6MM X 33M, 1MM THICK

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Width: 6 mm
 - Thickness: 1 mm
 - Length: 33 m
 - Backing Material: Foam
 - Colour: Translucent
 - Single/Double Sided: Double Sided
 - Adhesive Material: Acrylic



1254310 6 mm

RS PRO GREY FOAM TAPE, 6MM X 30M, 3MM THICK

- ขนาดบรรจุภัณฑ์: 1 x EA
- Width: 6 mm
 - Thickness: 3 mm
 - Length: 30 m
 - Backing Material: PVC
 - Colour: Grey



2050805 6 mm

RS PRO GREY FOAM TAPE, 9MM X 30M, 3MM THICK

- ขนาดบรรจุภัณฑ์: 1 x EA
- Width: 9 mm
 - Thickness: 3 mm
 - Length: 30 m
 - Backing Material: PVC
 - Colour: Grey



2050827 9 mm

RS PRO GREY FOAM TAPE, 12MM X 30M, 3MM THICK

- ขนาดบรรจุภัณฑ์: 1 x EA
- Width: 12 mm
 - Thickness: 3 mm
 - Length: 30 m
 - Backing Material: PVC
 - Colour: Grey



2050833 12 mm

RS PRO GREY FOAM TAPE, 9MM X 15M, 6MM THICK

- ขนาดบรรจุภัณฑ์: 1 x EA
- Width: 9 mm
 - Thickness: 6 mm
 - Length: 15 m
 - Backing Material: PVC
 - Colour: Grey



2050849 9 mm

RS PRO GREY FOAM TAPE, 12MM X 15M, 6MM THICK

- ขนาดบรรจุภัณฑ์: 1 x EA
- Width: 12 mm
 - Thickness: 6 mm
 - Length: 15 m
 - Backing Material: PVC
 - Colour: Grey



2050855 12 mm

RS PRO BLACK FOAM TAPE, 12MM X 30M, 3MM THICK

- ขนาดบรรจุภัณฑ์: 1 x EA
- Width: 12 mm
 - Thickness: 3 mm
 - Length: 30 m
 - Backing Material: PVC
 - Colour: Black



2050861 12 mm

RS PRO BLACK FOAM TAPE, 12MM X 15M, 6MM THICK

- ขนาดบรรจุภัณฑ์: 1 x EA
- Width: 12 mm
 - Thickness: 6 mm
 - Length: 15 m
 - Backing Material: PVC
 - Colour: Black



2050877 12 mm

RS PRO BLACK FOAM TAPE, 25MM X 15M, 6MM THICK

- ขนาดบรรจุภัณฑ์: 1 x EA
- Width: 25 mm
 - Thickness: 6 mm
 - Length: 15 m
 - Backing Material: PVC
 - Colour: Black



2050883 25 mm

RS PRO BLACK FOAM TAPE, 12MM X 10M, 10MM THICK

- ขนาดบรรจุภัณฑ์: 1 x EA
- Width: 12 mm
 - Thickness: 10 mm
 - Length: 10 m
 - Backing Material: PVC
 - Colour: Black



2050899 12 mm

RS PRO BLACK FOAM TAPE, 25MM X 10M, 10MM THICK

- ขนาดบรรจุภัณฑ์: 1 x EA
- Width: 25 mm
 - Thickness: 10 mm
 - Length: 10 m
 - Backing Material: PVC
 - Colour: Black



2050906 25 mm

RS PRO GREY FOAM TAPE, 9MM X 30M, 3MM THICK

- ขนาดบรรจุภัณฑ์: 1 x EA
- Width: 9 mm
 - Thickness: 3 mm
 - Length: 30 m
 - Backing Material: PVC
 - Colour: Grey
 - Foam Density: 165 → 260 kg/m³
 - Adhesive Material: Acrylic
 - Tensile Strength: 64 N/cm



2050912 9 mm

RS PRO GREY FOAM TAPE, 12MM X 30M, 3MM THICK

- ขนาดบรรจุภัณฑ์: 1 x EA
- Width: 12 mm
 - Thickness: 3 mm
 - Length: 30 m
 - Backing Material: PVC
 - Colour: Grey
 - Foam Density: 165 → 260 kg/m³
 - Adhesive Material: Acrylic
 - Tensile Strength: 64 N/cm



2050928 12 mm

RS PRO GREY FOAM TAPE, 12MM X 15M, 6MM THICK

- ขนาดบรรจุภัณฑ์: 1 x EA
- Width: 12 mm
 - Thickness: 6 mm
 - Length: 15 m
 - Backing Material: PVC
 - Colour: Grey
 - Foam Density: 165 → 260 kg/m³
 - Adhesive Material: Acrylic
 - Tensile Strength: 64 N/cm



2050934 12 mm

RS PRO GREY FOAM TAPE, 25MM X 15M, 6MM THICK

- ขนาดบรรจุภัณฑ์: 1 x EA
- Width: 25 mm
 - Thickness: 6 mm
 - Length: 15 m
 - Backing Material: PVC
 - Colour: Grey
 - Foam Density: 165 → 260 kg/m³
 - Adhesive Material: Acrylic
 - Tensile Strength: 64 N/cm



2050940 25 mm

RS PRO BLACK FOAM TAPE, 9MM X 31M, 3.2MM THICK

- ขนาดบรรจุภัณฑ์: 1 x EA
- Width: 9 mm
 - Thickness: 3.2 mm
 - Length: 31 m
 - Backing Material: PVC Foam
 - Colour: Black
 - Single/Double Sided: Double Sided



2050956 9 mm

RS PRO BLACK FOAM TAPE, 12MM X 31M, 3.2MM THICK

- ขนาดบรรจุภัณฑ์: 1 x EA
- Width: 12 mm
 - Thickness: 3.2 mm
 - Length: 31 m
 - Backing Material: PVC Foam
 - Colour: Black
 - Single/Double Sided: Double Sided



2050962 12 mm

RS PRO BLACK FOAM TAPE, 12MM X 15M, 4.8MM THICK

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Width: 12 mm
 - Thickness: 4.8 mm
 - Length: 15 m
 - Backing Material: PVC Foam
 - Colour: Black
 - Single/Double Sided: Double Sided



2050984 12 mm

RS PRO HB 8010P WHITE FOAM TAPE, 19MM X 50M, 1MM THICK

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Width: 19 mm
 - Thickness: 1 mm
 - Length: 50 m
 - Backing Material: PE Foam
 - Colour: White
 - Model Number: HB 8010P
 - Series: HB



2243440 19 mm

RS PRO HB 810 WHITE FOAM TAPE, 25MM X 50M, 1MM THICK

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Width: 25 mm
 - Thickness: 1 mm
 - Length: 50 m
 - Backing Material: PE Foam
 - Colour: White
 - Model Number: HB 810
 - Series: HB



2243441 25 mm

RS PRO VST 3120G GREY FOAM TAPE, 12MM X 33M, 1MM THICK

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Width: 12 mm
 - Thickness: 1 mm
 - Length: 33 m
 - Backing Material: Acrylic Foam
 - Colour: Grey
 - Single/Double Sided: Double Sided
 - Model Number: VST 3120G
 - Series: VST



2243442 12 mm

RS PRO VST 4100C TRANSPARENT FOAM TAPE, 12MM X 10M, 1MM THICK

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Width: 12 mm
 - Thickness: 1 mm
 - Length: 10 m
 - Backing Material: Acrylic Foam
 - Colour: Transparent
 - Single/Double Sided: Double Sided
 - Model Number: VST 4100C
 - Series: VST



2243444 12 mm

RS PRO VST 4100C TRANSPARENT FOAM TAPE, 25MM X 10M, 1MM THICK

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Width: 25 mm
 - Thickness: 1 mm
 - Length: 10 m
 - Backing Material: Acrylic Foam
 - Colour: Transparent
 - Single/Double Sided: Double Sided
 - Model Number: VST 4100C
 - Series: VST



2243446 25 mm

RS PRO VST 5064B BLACK FOAM TAPE, 12MM X 33M, 0.64MM THICK

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Width: 12 mm
 - Thickness: 0.64 mm
 - Length: 33 m
 - Backing Material: Acrylic Foam
 - Colour: Black
 - Single/Double Sided: Double Sided
 - Model Number: VST 5064B
 - Series: VST



2243448 12 mm

RS PRO VST 5064B BLACK FOAM TAPE, 19MM X 33M, 0.64MM THICK

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Width: 19 mm
 - Thickness: 0.64 mm
 - Length: 33 m
 - Backing Material: Acrylic Foam
 - Colour: Black
 - Single/Double Sided: Double Sided
 - Model Number: VST 5064B
 - Series: VST



2243449 19 mm

RS PRO VST 6064G GREY FOAM TAPE, 19MM X 33M, 0.64MM THICK

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Width: 19 mm
 - Thickness: 0.64 mm
 - Length: 33 m
 - Backing Material: Acrylic Foam
 - Colour: Grey
 - Single/Double Sided: Double Sided
 - Model Number: VST 6064G
 - Series: VST



2243454 19 mm

RS PRO VST 6110G GREY FOAM TAPE, 12MM X 33M, 1.1MM THICK

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Width: 12 mm
 - Thickness: 1.1 mm
 - Length: 33 m
 - Backing Material: Acrylic Foam
 - Colour: Grey
 - Single/Double Sided: Double Sided
 - Model Number: VST 6110G
 - Series: VST



2243455 12 mm

RS PRO VST 6110G GREY FOAM TAPE, 19MM X 33M, 1.1MM THICK

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Width: 19 mm
 - Thickness: 1.1 mm
 - Length: 33 m
 - Backing Material: Acrylic Foam
 - Colour: Grey
 - Single/Double Sided: Double Sided
 - Model Number: VST 6110G
 - Series: VST



2243456 19 mm

RS PRO GREY FOAM TAPE, 12MM X 6.1M, 2.4MM THICK

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Width: 12 mm
 - Thickness: 2.4 mm
 - Length: 6.1 m
 - Backing Material: Silicone Foam
 - Colour: Grey
 - Foam Density: 352 kg/m³
 - Single/Double Sided: Single Sided
 - Adhesive Material: Acrylic



7336781 12 mm

RS PRO GREY FOAM TAPE, 15MM X 5M, 3.2MM THICK

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Width: 15 mm
 - Thickness: 3.2 mm
 - Length: 5 m
 - Backing Material: Silicone Foam
 - Colour: Grey
 - Foam Density: 352 kg/m³
 - Single/Double Sided: Single Sided
 - Adhesive Material: Acrylic



7336785 15 mm

RS PRO GREY FOAM TAPE, 25MM X 5M, 3.2MM THICK

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Width: 25 mm
 - Thickness: 3.2 mm
 - Length: 5 m
 - Backing Material: Silicone Foam
 - Colour: Grey
 - Foam Density: 352 kg/m³
 - Single/Double Sided: Single Sided
 - Adhesive Material: Acrylic



7336791 25 mm

RS PRO GREY FOAM TAPE, 15MM X 5M, 4.8MM THICK

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Width: 15 mm
 - Thickness: 4.8 mm
 - Length: 5 m
 - Backing Material: Silicone Foam
 - Colour: Grey
 - Foam Density: 352 kg/m³
 - Single/Double Sided: Single Sided
 - Adhesive Material: Acrylic



7336794 15 mm

RS PRO GREY FOAM TAPE, 20MM X 5M, 6.4MM THICK

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Width: 20 mm
 - Thickness: 6.4 mm
 - Length: 5 m
 - Backing Material: Silicone Foam
 - Colour: Grey
 - Foam Density: 352 kg/m³
 - Single/Double Sided: Single Sided
 - Adhesive Material: Acrylic



7336797 20 mm

RS PRO WHITE FOAM TAPE, 12MM X 6M, 2.4MM THICK

- ขนาดบรรจุภัณฑ์: 1 x EA
- Width: 12 mm
 - Thickness: 2.4 mm
 - Length: 6 m
 - Backing Material: Silicone Foam
 - Colour: White
 - Foam Density: 352 kg/m³
 - Single/Double Sided: Single Sided
 - Adhesive Material: Acrylic



7336801 12 mm

RS PRO WHITE FOAM TAPE, 15MM X 6M, 3.2MM THICK

- ขนาดบรรจุภัณฑ์: 1 x EA
- Width: 15 mm
 - Thickness: 3.2 mm
 - Length: 6 m
 - Backing Material: Silicone Foam
 - Colour: White
 - Foam Density: 208 kg/m³
 - Single/Double Sided: Single Sided
 - Adhesive Material: Acrylic



7336804 15 mm

RS PRO WHITE FOAM TAPE, 15MM X 6M, 4.8MM THICK

- ขนาดบรรจุภัณฑ์: 1 x EA
- Width: 15 mm
 - Thickness: 4.8 mm
 - Length: 6 m
 - Backing Material: Silicone Foam
 - Colour: White
 - Foam Density: 208 kg/m³
 - Single/Double Sided: Single Sided
 - Adhesive Material: Acrylic



7336808 15 mm

RS PRO WHITE FOAM TAPE, 25MM X 6M, 3.2MM THICK

- ขนาดบรรจุภัณฑ์: 1 x EA
- Width: 25 mm
 - Thickness: 3.2 mm
 - Length: 6 m
 - Backing Material: Silicone Foam
 - Colour: White
 - Foam Density: 208 kg/m³
 - Single/Double Sided: Single Sided
 - Adhesive Material: Acrylic



7336810 25 mm

RS PRO WHITE FOAM TAPE, 20MM X 6M, 6.4MM THICK

- ขนาดบรรจุภัณฑ์: 1 x EA
- Width: 20 mm
 - Thickness: 6.4 mm
 - Length: 6 m
 - Backing Material: Silicone Foam
 - Colour: White
 - Foam Density: 208 kg/m³
 - Single/Double Sided: Single Sided
 - Adhesive Material: Acrylic



7336817 20 mm

RS PRO BLACK/YELLOW REFLECTIVE TAPE 100MM X 25M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Black/Yellow
 - Tape Type: Reflective Tape
 - Backing Material: Aluminium Foil
 - Adhesive Material: High Grade Solvent Acrylic
 - Width: 100 mm
 - Length: 25 m
 - Maximum Operating Temperature: +25 °C
 - Minimum Operating Temperature: -15 °C



2197881 Black/Yellow

TAPE, REFLECTIVE, SAV, 50MM X 25M, BLACK/YELLOW

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Black/Yellow
 - Tape Type: Reflective Tape
 - Backing Material: Aluminium Foil
 - Width: 50 mm
 - Length: 25 m
 - Maximum Operating Temperature: +25 °C
 - Minimum Operating Temperature: 0 °C



2197897 Black/Yellow

TAPE, REFLECTIVE, SAV, 50X25MM, RED

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Red/White
 - Tape Type: Reflective Tape
 - Backing Material: Aluminium Foil
 - Width: 50 mm
 - Length: 25 m
 - Maximum Operating Temperature: +25 °C
 - Minimum Operating Temperature: 0 °C



2197910 Red/White

RS PRO GREEN REFLECTIVE TAPE 40MM X 10M

- ขนาดบรรจุภัณฑ์: 10 x MTR
- Colour: Green
 - Tape Type: Reflective Tape
 - Backing Material: Vinyl
 - Adhesive Material: Rubber
 - Width: 40 mm
 - Length: 10 m
 - Maximum Operating Temperature: +70 °C
 - Minimum Operating Temperature: -40 °C



2610558 Green

WHITE REFLECTIVE TAPE, 25MM X 9M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: White
 - Tape Type: Reflective Tape
 - Adhesive Material: Rubber
 - Width: 25 mm
 - Length: 9 m
 - Maximum Operating Temperature: +70 °C
 - Minimum Operating Temperature: -40 °C



7632042 White

RS PRO BLACK HOOK & LOOP TAPE, 25MM X 5M LOW PROFILE

- ขนาดบรรจุภัณฑ์: 1 x EA
- Width: 25 mm
 - Length: 5 m
 - Hook Type: Hook
 - Colour: Black
 - Features: Low Profile
 - Pre-cut: No
 - Number in Pack: 1
 - Package Quantity: 1



2176997 25 mm

RS PRO BLACK HOOK & LOOP TAPE, 50MM X 2.5M ADHESIVE

- ขนาดบรรจุภัณฑ์: 1 x EA
- Width: 50 mm
 - Length: 2.5 m
 - Hook Type: Hook & Loop
 - Colour: Black
 - Features: Adhesive
 - Pre-cut: No



2176998 50 mm

RS PRO WHITE HOOK & LOOP TAPE, 50MM X 5M ADHESIVE

- ขนาดบรรจุภัณฑ์: 1 x EA
- Width: 50 mm
 - Length: 5 m
 - Hook Type: Hook & Loop
 - Colour: White
 - Features: Adhesive
 - Pre-cut: No



2176999 50 mm

WHITE BACK-BACK STRIP, 20MM X 10M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Width: 20 mm
 - Length: 10 m
 - Hook Type: Hook & Loop
 - Colour: White



8904143 20 mm

WHITE HOOK STRIP, 5M L X 20MM W

- ขนาดบรรจุภัณฑ์: 1 x EA
- Width: 20 mm
 - Length: 5 m
 - Hook Type: Hook
 - Colour: White



8904146 20 mm

BLACK BACK-BACK STRIP, 20MM X 10M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Width: 20 mm
 - Length: 10 m
 - Hook Type: Hook & Loop
 - Colour: Black



8904149 20 mm

WHITE LOOP STRIP,5M L X 20MM W

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Width: 20 mm
 - Length: 5 m
 - Hook Type: Loop
 - Colour: White



8904152 20 mm

BLACK HOOK STRIP,5M L X 20MM W

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Width: 20 mm
 - Length: 5 m
 - Hook Type: Hook
 - Colour: Black



8904155 20 mm

BLACK BACK-BACK STRIP,5M L X 20MM W

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Width: 20 mm
 - Length: 5 m
 - Hook Type: Hook & Loop
 - Colour: Black



8904159 20 mm

RS PRO BLACK HOOK TAPE, 20MM X 5M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Width: 20 mm
 - Length: 5 m
 - Hook Type: Hook Tape
 - Colour: Black



8904161 20 mm

RS PRO BLACK HOOK & LOOP TAPE, 25MM X 5M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Width: 25 mm
 - Length: 5 m
 - Hook Type: Hook
 - Colour: Black
 - Pre-cut Width: 25 mm
 - Pre-cut Length: 25 mm



8904165 25 mm

RUBBER ADHESIVE LOOP STRIP,20MM W

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Width: 20 mm
 - Length: 5 m
 - Hook Type: Loop
 - Colour: Black



8904168 20 mm

RS PRO WHITE HOOK & LOOP TAPE, 22MM X 5M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Width: 22 mm
 - Length: 5 m
 - Hook Type: Loop
 - Colour: White



8904171 22 mm

BLACK HD STICK ON TAPE,1M L X 50MM W

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Width: 50 mm
 - Length: 1 m
 - Hook Type: Hook & Loop
 - Colour: Black



8904174 50 mm

BLACK HD STICK ON TAPE,5M L X 50MM W

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Width: 50 mm
 - Length: 5 m
 - Hook Type: Hook & Loop
 - Colour: Black



8904180 50 mm

HOOK & EYE TAPE DISCS, WHITE,16MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Width: 16 mm
 - Hook Type: Hook & Loop
 - Colour: White



8904183 16 mm

BLACK ONE-WRAP CONTINUOUS TAPE,20MM W

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Width: 20 mm
 - Length: 10 m
 - Hook Type: Hook & Loop
 - Colour: Black



8904187 20 mm

RS PRO WHITE HOOK & LOOP TAPE, 22MM X 5M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Width: 22 mm
 - Length: 5 m
 - Hook Type: Hook
 - Colour: White



8904193 22 mm

RS PRO BLACK HOOK & LOOP TAPE, 25MM X 5M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Width: 25 mm
 - Length: 5 m
 - Hook Type: Loop
 - Colour: Black
 - Pre-cut Width: 25 mm
 - Pre-cut Length: 25 mm



8904199 25 mm

BLK ADJUSTABLE CARRYING STRAPS,50MMX1.8M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Width: 50 mm
 - Length: 1.8 m
 - Hook Type: Loop
 - Colour: Black



8904200 50 mm

BLACK SELF ENGAGING FASTENER,25MM W

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Width: 25 mm
 - Length: 5 m
 - Hook Type: Mushroom Hook
 - Colour: Black



8904203 25 mm

50 X ONE-WRAP TAPE,20MM X 200MM L

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Width: 20 mm
 - Length: 200 mm
 - Hook Type: Hook & Loop
 - Colour: Black



8904206 20 mm

BLACK HD STICK ON STRIP, 100X50MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Width: 50 mm
 - Length: 100 mm
 - Hook Type: Hook & Loop
 - Colour: Black



8904212 50 mm

ACRYLIC ADHESIVE HOOK STRIP, 5M L X 20MM W

- ขนาดบรรจุภัณฑ์: 1 x EA
- Width: 20 mm
 - Length: 5 m
 - Hook Type: Hook
 - Colour: Black



8904216 20 mm

RS PRO WHITE HOOK & LOOP TAPE, 50MM X 100MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Width: 50 mm
 - Length: 100 mm
 - Hook Type: Hook & Loop
 - Colour: White



8904219 50 mm

ACRYLIC ADHESIVE LOOP STRIP, 5M L X 20MM W

- ขนาดบรรจุภัณฑ์: 1 x EA
- Width: 20 mm
 - Length: 5 m
 - Hook Type: Loop
 - Colour: Black



8904225 20 mm

100MM MAGNETIC TAPE, ADHESIVE BACK, 2.3MM THICKNESS

- ขนาดบรรจุภัณฑ์: 10 x EA
- Back Type: Adhesive
 - Length: 100 mm
 - Width: 12 mm
 - Thickness: 2.3 mm



846339 Adhesive

60°C PAPER MASKING TAPE 19MMX50M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Backing Material: Paper
 - Adhesive Material: Rubber
 - Width: 19 mm
 - Length: 50 m
 - Thickness: 0.11 mm
 - Colour: White



1719702 Paper

60°C PAPER MASKING TAPE 25MMX50M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Backing Material: Paper
 - Adhesive Material: Rubber
 - Width: 25 mm
 - Length: 50 m
 - Thickness: 0.11 mm
 - Colour: White



1719703 Paper

RS PRO MASKING TAPE 12MM X 50M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Backing Material: Crepe Paper
 - Adhesive Material: Rubber
 - Width: 12 mm
 - Length: 50 m
 - Thickness: 0.11 mm



1846799 Crepe Paper

RS PRO MASKING TAPE 38MM X 50M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Backing Material: Crepe Paper
 - Adhesive Material: Rubber
 - Width: 38 mm
 - Length: 50 m
 - Thickness: 0.11 mm



1846800 Crepe Paper

RS PRO MASKING TAPE 75MM X 50M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Backing Material: Crepe Paper
 - Adhesive Material: Rubber
 - Width: 75 mm
 - Length: 50 m
 - Thickness: 0.11 mm



1846801 Crepe Paper

RS PRO MASKING TAPE 100MM X 50M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Backing Material: Crepe Paper
 - Adhesive Material: Rubber
 - Width: 100 mm
 - Length: 50 m
 - Thickness: 0.11 mm



1846802 Crepe Paper

RS PRO MASKING TAPE 12MM X 50M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Backing Material: Crepe Paper
 - Adhesive Material: Rubber
 - Width: 12 mm
 - Length: 50 m
 - Thickness: 0.12 mm



1846803 Crepe Paper

RS PRO MASKING TAPE 19MM X 50M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Backing Material: Crepe Paper
 - Adhesive Material: Rubber
 - Width: 19 mm
 - Length: 50 m
 - Thickness: 0.12 mm



1846804 Crepe Paper

RS PRO MASKING TAPE 25MM X 50M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Backing Material: Crepe Paper
 - Adhesive Material: Rubber
 - Width: 25 mm
 - Length: 50 m
 - Thickness: 0.12 mm



1846805 Crepe Paper

RS PRO MASKING TAPE 38MM X 50M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Backing Material: Crepe Paper
 - Adhesive Material: Rubber
 - Width: 38 mm
 - Length: 50 m
 - Thickness: 0.12 mm



1846806 Crepe Paper

RS PRO MASKING TAPE 50MM X 50M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Backing Material: Crepe Paper
 - Adhesive Material: Rubber
 - Width: 50 mm
 - Length: 50 m
 - Thickness: 0.12 mm



1846808 Crepe Paper

RS PRO MASKING TAPE 75MM X 50M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Backing Material: Crepe Paper
 - Adhesive Material: Rubber
 - Width: 75 mm
 - Length: 50 m
 - Thickness: 0.12 mm



1846809 Crepe Paper

RS PRO MASKING TAPE 100MM X 50M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Backing Material: Crepe Paper
 - Adhesive Material: Rubber
 - Width: 100 mm
 - Length: 50 m
 - Thickness: 0.12 mm



1846810 Crepe Paper

RS PRO ORANGE MASKING TAPE 50MM X 33M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Backing Material: Polythene
 - Adhesive Material: Rubber
 - Width: 50 mm
 - Length: 33 m
 - Thickness: 0.11 mm
 - Colour: Orange



2205883 Polythene

RS PRO METALLIC TAPE, 50MM X 45M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Total Thickness: 0.07 mm
 - Tape Type: Aluminium Tape
 - Foil Thickness: 0.03 mm
 - Width: 50 mm
 - Length: 45 m
 - Adhesion Strength: 3.6 N/cm
 - Adhesive Material: Aluminium Foil
 - Maximum Temperature Resistance: +110 °C



1468961 0.07 mm

RS PRO METALLIC TAPE, 50MM X 45M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Total Thickness: 0.08 mm
 - Tape Type: Aluminium Tape
 - Foil Thickness: 0.04 mm
 - Width: 50 mm
 - Length: 45 m
 - Adhesion Strength: 3.8 N/cm
 - Adhesive Material: Aluminium Foil
 - Maximum Temperature Resistance: +110 °C



1468962 0.08 mm

RS PRO METALLIC TAPE, 50MM X 50M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Total Thickness: 0.09 mm
 - Tape Type: Aluminium Tape
 - Foil Thickness: 0.05 mm
 - Width: 50 mm
 - Length: 50 m
 - Adhesion Strength: 3.8 N/cm
 - Adhesive Material: Aluminium Foil
 - Maximum Temperature Resistance: +110 °C



1468963 0.09 mm

RS PRO CONDUCTIVE METALLIC TAPE, 25MM X 33M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Total Thickness: 0.06 mm
 - Tape Type: Copper Tape
 - Foil Thickness: 0.035 mm
 - Width: 25 mm
 - Length: 33 m
 - Conductivity: Conductive
 - Adhesion Strength: 4.5 N/cm
 - Adhesive Material: Thermosetting Acrylic



1767498 0.06 mm

RS PRO CONDUCTIVE METALLIC TAPE, 19MM X 33M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Tape Type: Copper Tape
 - Total Thickness: 0.06 mm
 - Foil Thickness: 0.035 mm
 - Width: 19 mm
 - Length: 33 m
 - Conductivity: Conductive
 - Adhesion Strength: 4.5 N/cm
 - Adhesive Material: Thermosetting Acrylic



1767499 Copper Tape

RS PRO CONDUCTIVE METALLIC TAPE, 10MM X 33M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Total Thickness: 0.06 mm
 - Tape Type: Copper Tape
 - Foil Thickness: 0.035 mm
 - Width: 10 mm
 - Length: 33 m
 - Conductivity: Conductive
 - Adhesion Strength: 4.5 N/cm
 - Adhesive Material: Thermosetting Acrylic



1767500 0.06 mm

RS PRO NON-CONDUCTIVE METALLIC TAPE, 25MM X 33M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Total Thickness: 0.065 mm
 - Tape Type: Copper Tape
 - Foil Thickness: 0.035 mm
 - Width: 25 mm
 - Length: 33 m
 - Conductivity: Non-Conductive
 - Adhesion Strength: 4.5 N/cm
 - Adhesive Material: Thermosetting Acrylic



1767501 0.065 mm

RS PRO NON-CONDUCTIVE METALLIC TAPE, 19MM X 33M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Total Thickness: 0.065 mm
 - Tape Type: Copper Tape
 - Foil Thickness: 0.035 mm
 - Width: 19 mm
 - Length: 33 m
 - Conductivity: Non-Conductive
 - Adhesion Strength: 4.5 N/cm
 - Adhesive Material: Thermosetting Acrylic



1767503 0.065 mm

ADHESIVE,NOZZLES,DISPENSING SYSTEM

- ขนาดบรรจุภัณฑ์: **10 x EA**
- Supported Adhesive Type: Epoxy
 - Supported Cartridge Size: 50 ml
 - Supported Cartridge Type: Bayonet
 - Number of Mixing Elements: 10
 - Length: 150 mm



503385 Epoxy

STATIC,MIXER,50ML,ACRYLIC ADHESIVE CARTRIDGES

- ขนาดบรรจุภัณฑ์: **10 x EA**
- Supported Adhesive Type: Acrylic
 - Supported Cartridge Size: 50 ml
 - Supported Cartridge Type: Bayonet
 - Number of Mixing Elements: 7
 - Length: 58 mm



2397788 Acrylic

RS PRO MIXER NOZZLE, 200ML SCREW FIT 10 MIXING ELEMENTS

- ขนาดบรรจุภัณฑ์: **10 x EA**
- Supported Adhesive Type: Epoxy
 - Supported Cartridge Size: 200 ml
 - Supported Cartridge Type: Screw Fit
 - Number of Mixing Elements: 10
 - Length: 190 mm



4788467 Epoxy

RS PRO TRANSPARENT PACKING TAPE, 66M X 48MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Backing Material: Polypropylene
 - Width: 48 mm
 - Length: 66 m
 - Thickness: 0.054 mm
 - Colour: Transparent
 - Elongation at Break: 110 %



1769805 Polypropylene

RS PRO PACKING TAPE, 66M X 48MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Backing Material: Polypropylene
 - Width: 48 mm
 - Length: 66 m
 - Thickness: 0.054 mm
 - Elongation at Break: 110 %



1769806 Polypropylene

BRUSH,LARGE,WHITE MEXICAN FIBRE FILLED,150X40MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Brush Size: Extra Broad
 - Bristle Shape: Flat
 - Bristle Material: Fibre
 - Brush Diameter or Width: 150 mm
 - Angled: No



2379184 Extra Broad

BRUSH,FITCH,ROUND,12

- ขนาดบรรจุภัณฑ์: 5 x EA
- Brush Size: Thin
 - Bristle Shape: Round
 - Bristle Material: Fibre
 - Artist Brush Number: 12
 - Brush Diameter or Width: 16 mm
 - Angled: No



2379207 Thin

BRUSH,FITCH,ROUND,10

- ขนาดบรรจุภัณฑ์: 5 x EA
- Brush Size: Thin
 - Bristle Shape: Round
 - Bristle Material: Fibre
 - Artist Brush Number: 10
 - Brush Diameter or Width: 12.7 mm
 - Angled: No



2379229 Thin

BRUSH,PAINT,FITCH,FLAT,10IN

- ขนาดบรรจุภัณฑ์: 5 x EA
- Brush Size: Thin
 - Bristle Shape: Flat
 - Bristle Material: Synthetic
 - Artist Brush Number: 10
 - Brush Diameter or Width: 19 mm
 - Angled: No



3152154 Thin

BRUSH,PAINT,FITCH,FLAT,12IN

- ขนาดบรรจุภัณฑ์: 5 x EA
- Brush Size: Thin
 - Bristle Shape: Flat
 - Bristle Material: Synthetic
 - Artist Brush Number: 12
 - Brush Diameter or Width: 22 mm
 - Angled: No



3152160 Thin

HEALTH AND SAFETY,PAINTBRUSH,KIT,1/2 INCH,1

- ขนาดบรรจุภัณฑ์: 3 x EA
- Brush Size: Mixed
 - Bristle Shape: Flat
 - Bristle Material: Synthetic
 - Brush Diameter or Width: 25.4 mm, 38.1 mm, 50.8 mm
 - Angled: No



4716333 Mixed

CAGE,ROLLER,PAINT,9IN

- ขนาดบรรจุภัณฑ์: 1 x EA
- Type: Roller
 - Roller Diameter: 44 mm
 - Width: 228 mm
 - Pile Length: Long



2076469 Roller

CAGE,ROLLER,PAINT,REFILL,9IN

- ขนาดบรรจุภัณฑ์: 1 x EA
- Type: Roller
 - Roller Diameter: 44 mm
 - Width: 228 mm
 - Pile Length: Long



2076475 Roller

RS PRO PAINT ROLLER REFILL

- ขนาดบรรจุภัณฑ์: 1 x EA
- Type: Roller Refill



2076504 Roller Refill

TRAY,PLASTIC,PAINT ROLLER,9IN

- ขนาดบรรจุภัณฑ์: 1 x EA
- Type: Tray
 - Width: 228 mm



2076510 Tray

ROLLER,PAINT,MEDIUM PILE

- ขนาดบรรจุภัณฑ์: 1 x EA
- Type: Roller
 - Roller Diameter: 44 mm
 - Width: 228 mm
 - Pile Length: Medium



3152198 Roller

ROLLER,PAINT,MEDIUM PILE,12IN

- ขนาดบรรจุภัณฑ์: 1 x EA
- Type: Roller
 - Roller Diameter: 44 mm
 - Width: 305 mm
 - Pile Length: Medium



3152261 Roller

COTTAM 102MM X 12MM PAINT ROLLER (LONG PILE)

- ขนาดบรรจุภัณฑ์: 10 x EA
- Type: Roller
 - Roller Diameter: 12 mm
 - Width: 102 mm
 - Pile Length: Long



3152312 Roller

COTTAM 102MM X 102MM PAINT ROLLER (SHORT PILE)

- ขนาดบรรจุภัณฑ์: 10 x EA
- Type: Roller
 - Roller Diameter: 102 mm
 - Width: 102 mm
 - Pile Length: Short



3152328 Roller

RS PRO 300MM PAINT TRAY

- ขนาดบรรจุภัณฑ์: 1 x EA
- Type: Scuttle
 - Width: 300 mm



3152334 Scuttle

RS PRO PAINT ROLLER AND TRAY KIT INCLUDES: CAGE FRAME, PLASTIC

- ขนาดบรรจุภัณฑ์: 1 x KT
- Type: Decorator Kit
 - Kit Includes: Cage Frame, Plastic Tray, Polyester Roller Sleeve



9132459 Decorator Kit

RS PRO WOOL VELOUR ROLLER KIT

20

ขนาดบรรจุภัณฑ์: **1 x KT**

- Type: Decorator Kit
- Kit Includes: 2 x Acrylic Roller Sleeve, 2 x Foam Roller Sleeve, Mini Roller Cage Frame, Plastic Tray, Velour Roller Sleeve



9132468 Decorator Kit

ขนาดบรรจุภัณฑ์: **1 x EA**

- Width: 12 mm
- Thickness: 0.2 mm
- Length: 5 m
- Colour: White
- Minimum Operating Temperature: -200 °C
- Maximum Operating Temperature: +260 °C



231964 12 mm

TAPE, ADHESIVE, PTFE FOAM SEALING STRIP, 7MMX2M

ขนาดบรรจุภัณฑ์: **2 x MTR**

- Width: 7 mm
- Thickness: 2.5 mm
- Length: 2 m
- Colour: White
- Minimum Operating Temperature: -196 °C
- Maximum Operating Temperature: +260 °C



512244 7 mm

PTFE THREAD SEAL TAPE 12MM X 12M

ขนาดบรรจุภัณฑ์: **1 x EA**

- Width: 12 mm
- Thickness: 0.075 mm
- Length: 12 m
- Colour: White
- Minimum Operating Temperature: -190 °C
- Maximum Operating Temperature: +230 °C



1833490 12 mm

RS PRO BLACK/YELLOW HIGH-DENSITY POLYETHYLENE 100M

ขนาดบรรจุภัณฑ์: **1 x EA**

- Colour: Black/Yellow
- Tape Type: Hazard Tape
- Backing Material: High-Density Polyethylene
- Width: 50 mm
- Length: 100 m
- Thickness: 0.02 mm



503708 Black/Yellow

RS PRO RED/WHITE HIGH-DENSITY POLYETHYLENE 100M BARRIER TAPE,

ขนาดบรรจุภัณฑ์: **1 x EA**

- Colour: Red/White
- Tape Type: Barrier Tape
- Backing Material: High-Density Polyethylene
- Width: 50 mm
- Length: 100 m
- Thickness: 0.02 mm



503714 Red/White

RS PRO RSNA 580 RB RED/WHITE HIGH-DENSITY POLYETHYLENE 500M

ขนาดบรรจุภัณฑ์: **1 x EA**

- Colour: Red/White
- Tape Type: Hazard Tape
- Backing Material: High-Density Polyethylene
- Width: 75 mm
- Length: 500 m
- Thickness: 0.025 mm
- Model Number: RSNA 580 RB



1252187 Red/White

RS PRO YELLOW 33M LANE MARKING TAPE

ขนาดบรรจุภัณฑ์: **1 x EA**

- Colour: Yellow
- Tape Type: Lane Marking Tape
- Width: 50 mm
- Length: 33 m



1719692 Yellow

RS PRO BLUE 33M LANE MARKING TAPE

ขนาดบรรจุภัณฑ์: **1 x EA**

- Colour: Blue
- Tape Type: Lane Marking Tape
- Width: 50 mm
- Length: 33 m



1719693 Blue

RS PRO GREEN 33M LANE MARKING TAPE

ขนาดบรรจุภัณฑ์: **1 x EA**

- Colour: Green
- Tape Type: Lane Marking Tape
- Width: 50 mm
- Length: 33 m



1719694 Green

RS PRO BLACK 33M LANE MARKING TAPE

ขนาดบรรจุภัณฑ์: **1 x EA**

- Colour: Black
- Tape Type: Lane Marking Tape
- Width: 50 mm
- Length: 33 m



1719695 Black

RS PRO RED 33M LANE MARKING TAPE

ขนาดบรรจุภัณฑ์: **1 x EA**

- Colour: Red
- Tape Type: Lane Marking Tape
- Width: 50 mm
- Length: 33 m



1719696 Red

RS PRO WHITE 33M LANE MARKING TAPE

ขนาดบรรจุภัณฑ์: **1 x EA**

- Colour: White
- Tape Type: Lane Marking Tape
- Width: 50 mm
- Length: 33 m



1719697 White

RS PRO RED/WHITE 33M FLOOR TAPE

ขนาดบรรจุภัณฑ์: **1 x EA**

- Colour: Red/White
- Tape Type: Lane Marking Tape
- Width: 50 mm
- Length: 33 m



1719700 Red/White

RS PRO GREEN/WHITE 33M LANE MARKING TAPE

ขนาดบรรจุภัณฑ์: **1 x EA**

- Colour: Green/White
- Tape Type: Lane Marking Tape
- Width: 50 mm
- Length: 33 m



1719701 Green/White

RS PRO BLACK/YELLOW PVC 33M LANE MARKING TAPE, 0.14MM

ขนาดบรรจุภัณฑ์: **1 x EA**

- Tape Type: Lane Marking Tape
- Colour: Black/Yellow
- Backing Material: PVC
- Width: 50 mm
- Length: 33 m
- Thickness: 0.14 mm
- Adhesion Strength: 3.5 N/cm
- Maximum Operating Temperature: +40 °C



1971012 Lane Marking

RS PRO BLACK POLYETHYLENE 18.3M HAZARD TAPE, 0.05MM THICKNESS

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Black
 - Tape Type: Hazard Tape
 - Backing Material: Polyethylene
 - Width: 102 mm
 - Length: 18.3 m
 - Thickness: 0.05 mm



7621500 Black

RS PRO BLACK POLYPROPYLENE 18.3M HAZARD TAPE, 0.05MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Black
 - Tape Type: Hazard Tape
 - Backing Material: Polypropylene
 - Width: 50 mm
 - Length: 18.3 m
 - Thickness: 0.05 mm



7621506 Black

RS PRO BLACK POLYETHYLENE 18.3M HAZARD TAPE, 0.05MM THICKNESS

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Black
 - Tape Type: Hazard Tape
 - Backing Material: Polyethylene
 - Width: 152 mm
 - Length: 18.3 m
 - Thickness: 0.05 mm



7621519 Black

RS PRO BLACK/YELLOW POLYETHYLENE 18.3M HAZARD TAPE,

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Black/Yellow
 - Tape Type: Hazard Tape
 - Backing Material: Polyethylene
 - Width: 50 mm
 - Length: 18.3 m
 - Thickness: 0.05 mm



7621525 Black/Yellow

RS PRO RED/WHITE PE 100M BARRIER TAPE

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Red/White
 - Tape Type: Barrier Tape
 - Backing Material: PE
 - Width: 75 mm
 - Length: 100 m
 - Pre-printed: None



7632049 Red/White

RS PRO BLACK SELF AMALGAMATING TAPE 25MM X 10M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Backing Material: Polyisobutylene
 - Width: 25 mm
 - Length: 10 m
 - Thickness: 0.5 mm
 - Colour: Black
 - Maximum Operating Temperature: +100 °C
 - Minimum Operating Temperature: -30 °C



1468998 Polyisobutylene

RS PRO SELF AMALGAMATING TAPE 50MM X 10M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Width: 50 mm
 - Length: 10 m



1468999 50 mm

RS PRO BLACK SELF AMALGAMATING TAPE 19MM X 10M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Width: 19 mm
 - Length: 10 m
 - Thickness: 0.5 mm
 - Colour: Black
 - Maximum Operating Temperature: +130 °C
 - Minimum Operating Temperature: -35 °C



1469000 19 mm

RS PRO BLACK SELF AMALGAMATING TAPE 38MM X 1.5M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Backing Material: Rubber
 - Width: 38 mm
 - Length: 1.5 m
 - Thickness: 3 mm
 - Colour: Black
 - Maximum Operating Temperature: +80 °C
 - Minimum Operating Temperature: -30 °C



1469001 Rubber

RS PRO BLACK SELF AMALGAMATING TAPE 38MM X 10M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Backing Material: Rubber
 - Width: 38 mm
 - Length: 10 m
 - Thickness: 1 mm
 - Colour: Black
 - Maximum Operating Temperature: +80 °C
 - Minimum Operating Temperature: -30 °C



1469002 Rubber

SYRINGE, WHITE, POLYETHYLENE, 5ML

- ขนาดบรรจุภัณฑ์: 10 x EA
- Product Capacity: 6 ml
 - Length: 165 mm
 - Product Material: PE
 - Cap Included: Yes



496748 6 ml

DUST, SHEET, POLYETHYLENE, 12X12FT

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Transparent
 - Material: Polypropylene



3152340 Transparent

DUST, SHEET, HD, 12X10FT

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Beige
 - Material: Cotton
 - Width: 2.7 m
 - Length: 3.6 m



3152356 Beige

RS PRO M20 RUBBER ADJUSTABLE FOOT, 3000KG STATIC LOAD

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 3000 kg
 - Thread Size: M20
 - Thread Length: 160 mm
 - Foot Material: Rubber
 - Base Material: Mild Steel
 - Shore Hardness: 60 Shore A
 - Height: 48 → 53 mm
 - Maximum Adjustment Height: 170 mm



1263552 3000 kg

RS PRO M12 RUBBER ADJUSTABLE FOOT, 1000KG STATIC LOAD

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 1000 kg
 - Thread Size: M12
 - Thread Length: 120 mm
 - Tilt Angle: 10°
 - Foot Material: Rubber
 - Base Material: Stainless Steel
 - Shore Hardness: 70 Shore A
 - Height: 129



1263550 1000 kg

RS PRO M12 RUBBER ADJUSTABLE FOOT, 1500KG STATIC LOAD

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 1500 kg
 - Thread Size: M12
 - Thread Length: 100 mm
 - Tilt Angle: 5°
 - Foot Material: Rubber
 - Base Material: Zinc Plated Steel
 - Shore Hardness: 70 Shore A
 - Height: 132



1263551 1500 kg

RS PRO M12 80MM DIA. RUBBER ADJUSTABLE FOOT, 1000KG STATIC

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 1000 kg
 - Thread Size: M12
 - Thread Length: 150 mm
 - Tilt Angle: 10°
 - Foot Material: Rubber
 - Base Material: Mild Steel
 - Diameter: 80 mm
 - Shore Hardness: 70 Shore A



1263553 1000 kg

RS PRO M16 RUBBER ADJUSTABLE FOOT, 1500KG STATIC LOAD

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 1500 kg
 - Thread Size: M16
 - Thread Length: 150 mm
 - Tilt Angle: 10°
 - Foot Material: Rubber
 - Base Material: Zinc Plated Steel
 - Shore Hardness: 70 Shore A
 - Height: 119



1263554 1500 kg

RS PRO M12 80MM DIA. RUBBER ADJUSTABLE FOOT, 1000KG STATIC

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 1000 kg
 - Thread Size: M12
 - Thread Length: 125 mm
 - Tilt Angle: 10°
 - Foot Material: Rubber
 - Base Material: Stainless Steel
 - Diameter: 80 mm
 - Shore Hardness: 70 Shore A



1263560 1000 kg

RS PRO M16 RUBBER ADJUSTABLE FOOT, 1000KG STATIC LOAD

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 1000 kg
 - Thread Size: M16
 - Thread Length: 150 mm
 - Tilt Angle: 10°
 - Foot Material: Rubber
 - Base Material: Zinc Plated Steel
 - Shore Hardness: 70 Shore A
 - Height: 185



1263562 1000 kg

RS PRO M12 RUBBER ADJUSTABLE FOOT, 600KG STATIC LOAD

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 600 kg
 - Thread Size: M12
 - Thread Length: 80 mm
 - Foot Material: Rubber
 - Base Material: Mild Steel
 - Shore Hardness: 60 Shore A
 - Height: 38 → 48 mm
 - Maximum Adjustment Height: 100 mm



1263896 600 kg

RS PRO M16 RUBBER ADJUSTABLE FOOT, 1500KG STATIC LOAD

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 1500 kg
 - Thread Size: M16
 - Thread Length: 120 mm
 - Foot Material: Rubber
 - Base Material: Mild Steel
 - Shore Hardness: 60 Shore A
 - Height: 43 → 50 mm
 - Maximum Adjustment Height: 120 mm



1263897 1500 kg

RS PRO M12 RUBBER ADJUSTABLE FOOT, 900KG STATIC LOAD

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 900 kg
 - Thread Size: M12
 - Thread Length: 100 mm
 - Tilt Angle: 3°
 - Foot Material: Rubber
 - Base Material: Zinc Plated Steel
 - Shore Hardness: 70 Shore A
 - Height: 118



1623253 900 kg

RS PRO M8 ADJUSTABLE FOOT, 500KG STATIC LOAD CAPACITY

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Static Load Capacity: 500 kg
 - Thread Size: M8
 - Thread Length: 50 mm
 - Height: 69 mm
 - Colour: Black



1854497 500 kg

RS PRO M8 ADJUSTABLE FOOT, 600KG STATIC LOAD CAPACITY

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Static Load Capacity: 600 kg
 - Thread Size: M8
 - Thread Length: 50 mm
 - Height: 73 mm
 - Colour: Black



1854499 600 kg

RS PRO M10 40MM DIA. ADJUSTABLE FOOT, 500KG STATIC LOAD

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Static Load Capacity: 500 kg
 - Thread Size: M10
 - Thread Length: 50 mm
 - Diameter: 40 mm
 - Height: 69 mm
 - Colour: Black



1854500 500 kg

RS PRO M10 50MM DIA. ADJUSTABLE FOOT, 600KG STATIC LOAD

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Static Load Capacity: 600 kg
 - Thread Size: M10
 - Thread Length: 50 mm
 - Diameter: 50 mm
 - Height: 73 mm
 - Colour: Black



1854501 600 kg

RS PRO M10 ADJUSTABLE FOOT, 1000KG STATIC LOAD CAPACITY 30°

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Static Load Capacity: 1000 kg
 - Thread Size: M10
 - Thread Length: 50 mm
 - Tilt Angle: 30°
 - Height: 83 mm
 - Colour: Black



1854502 1000 kg

RS PRO M10 ADJUSTABLE FOOT, 1000KG STATIC LOAD CAPACITY 30°

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Static Load Capacity: 1000 kg
 - Thread Size: M10
 - Thread Length: 75 mm
 - Tilt Angle: 30°
 - Height: 105 mm
 - Colour: Black



1854503 1000 kg

RS PRO M10 ADJUSTABLE FOOT, 1100KG STATIC LOAD CAPACITY 30°

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Static Load Capacity: 1100 kg
 - Thread Size: M10
 - Thread Length: 75 mm
 - Tilt Angle: 30°
 - Height: 108 mm
 - Colour: Black



1854504 1100 kg

RS PRO M12 STAINLESS STEEL ADJUSTABLE FOOT, 1000KG STATIC

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 1000 kg
 - Thread Size: M12
 - Thread Length: 75 mm
 - Tilt Angle: 30°
 - Foot Material: Stainless Steel
 - Height: 105 mm
 - Colour: Black



1854507 1000 kg

RS PRO M16 POLYAMIDE ADJUSTABLE FOOT, 1500KG STATIC LOAD

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 1500 kg
 - Thread Size: M16
 - Thread Length: 75 mm
 - Tilt Angle: 30°
 - Foot Material: Polyamide
 - Height: 115 mm
 - Colour: Black



1854508 1500 kg

RS PRO M16 STAINLESS STEEL ADJUSTABLE FOOT, 1600KG STATIC

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 1600 kg
 - Thread Size: M16
 - Thread Length: 150 mm
 - Tilt Angle: 30°
 - Foot Material: Stainless Steel
 - Height: 183 mm
 - Colour: Black



1854510 1600 kg

RS PRO M16 STAINLESS STEEL ADJUSTABLE FOOT, 1600KG STATIC

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 1600 kg
 - Thread Size: M16
 - Thread Length: 200 mm
 - Tilt Angle: 30°
 - Foot Material: Stainless Steel
 - Height: 233 mm
 - Colour: Black



1854512 1600 kg

RS PRO M10 STAINLESS STEEL ADJUSTABLE FOOT, 400KG STATIC

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 400 kg
 - Thread Size: M10
 - Thread Length: 50 mm
 - Tilt Angle: 10°
 - Foot Material: Stainless Steel
 - Shore Hardness: 80 Shore A
 - Height: 79 mm



1854513 400 kg

RS PRO M10 STAINLESS STEEL ADJUSTABLE FOOT, 400KG STATIC

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 400 kg
 - Thread Size: M10
 - Thread Length: 100 mm
 - Tilt Angle: 10°
 - Foot Material: Stainless Steel
 - Shore Hardness: 80 Shore A
 - Height: 129 mm



1854515 400 kg

RS PRO M12 STAINLESS STEEL ADJUSTABLE FOOT, 400KG STATIC

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 400 kg
 - Thread Size: M12
 - Thread Length: 100 mm
 - Tilt Angle: 10°
 - Foot Material: Stainless Steel
 - Shore Hardness: 80 Shore A
 - Height: 129 mm



1854516 400 kg

RS PRO M16 ADJUSTABLE FOOT, 1800KG STATIC LOAD CAPACITY 30°

- ขนาดบรรจุภัณฑ์: **1 x PR**
- Static Load Capacity: 1800 kg
 - Thread Size: M16
 - Thread Length: 100 mm
 - Tilt Angle: 30°
 - Base Material: Mild Steel
 - Height: 132 mm
 - Maximum Adjustment Height: 45 mm
 - Minimum Adjustment Height: 115 mm



1965315 1800 kg

RS PRO M24 ADJUSTABLE FOOT, 2500KG STATIC LOAD CAPACITY 30°

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 2500 kg
 - Thread Size: M24
 - Thread Length: 200 mm
 - Tilt Angle: 30°
 - Base Material: Mild Steel
 - Height: 234 mm
 - Maximum Adjustment Height: 60 mm
 - Minimum Adjustment Height: 115 mm



1965332 2500 kg

RS PRO M10 ADJUSTABLE FOOT, 1000KG STATIC LOAD CAPACITY 30°

- ขนาดบรรจุภัณฑ์: **1 x PR**
- Static Load Capacity: 1000 kg
 - Thread Size: M10
 - Thread Length: 100 mm
 - Tilt Angle: 30°
 - Base Material: Mild Steel
 - Height: 130 mm
 - Maximum Adjustment Height: 35 mm
 - Minimum Adjustment Height: 95 mm



1965334 1000 kg

RS PRO M10 ADJUSTABLE FOOT, 1000KG STATIC LOAD CAPACITY 30°

- ขนาดบรรจุภัณฑ์: **1 x PR**
- Static Load Capacity: 1000 kg
 - Thread Size: M10
 - Thread Length: 100 mm
 - Tilt Angle: 30°
 - Base Material: Stainless Steel
 - Height: 130 mm
 - Maximum Adjustment Height: 35 mm
 - Minimum Adjustment Height: 95 mm



1965335 1000 kg

RS PRO M12 ADJUSTABLE FOOT, 1000KG STATIC LOAD CAPACITY 30°

- ขนาดบรรจุภัณฑ์: **1 x PR**
- Static Load Capacity: 1000 kg
 - Thread Size: M12
 - Thread Length: 100 mm
 - Tilt Angle: 30°
 - Base Material: Stainless Steel
 - Height: 130 mm
 - Maximum Adjustment Height: 45 mm
 - Minimum Adjustment Height: 115 mm



1965337 1000 kg

RS PRO M12 ADJUSTABLE FOOT, 1300KG STATIC LOAD CAPACITY 30°

- ขนาดบรรจุภัณฑ์: **1 x PR**
- Static Load Capacity: 1300 kg
 - Thread Size: M12
 - Thread Length: 150 mm
 - Tilt Angle: 30°
 - Base Material: Mild Steel
 - Height: 180 mm
 - Maximum Adjustment Height: 45 mm
 - Minimum Adjustment Height: 115 mm



1965338 1300 kg

RS PRO M16 ADJUSTABLE FOOT, 1600KG STATIC LOAD CAPACITY 30°

- ขนาดบรรจุภัณฑ์: **1 x PR**
- Static Load Capacity: 1600 kg
 - Thread Size: M16
 - Thread Length: 150 mm
 - Tilt Angle: 30°
 - Base Material: Mild Steel
 - Height: 180 mm
 - Maximum Adjustment Height: 45 mm
 - Minimum Adjustment Height: 115 mm



1965341 1600 kg

RS PRO M12 STAINLESS STEEL ADJUSTABLE FOOT, 700KG STATIC

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 700 kg
 - Thread Size: M12
 - Thread Length: 150 mm
 - Tilt Angle: 10°
 - Foot Material: Stainless Steel
 - Base Material: Stainless Steel
 - Height: 182 mm
 - Maximum Adjustment Height: 45 mm



1965351 700 kg

RS PRO M20 103MM DIA. POLYAMIDE ADJUSTABLE FOOT, 2500KG STATIC

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 2500 kg
 - Thread Size: M20
 - Thread Length: 150 mm
 - Tilt Angle: 30 °
 - Foot Material: Polyamide
 - Base Material: Mild Steel
 - Diameter: 103 mm
 - Height: 201 mm



2245782 2500 kg

RS PRO M20 103MM DIA. POLYAMIDE ADJUSTABLE FOOT, 2500KG STATIC

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 2500 kg
 - Thread Size: M20
 - Thread Length: 200 mm
 - Tilt Angle: 30 °
 - Foot Material: Polyamide
 - Base Material: Mild Steel
 - Diameter: 103 mm
 - Height: 251 mm



2245783 2500 kg

RS PRO M24 103MM DIA. POLYAMIDE ADJUSTABLE FOOT, 2500KG STATIC

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 2500 kg
 - Thread Size: M24
 - Thread Length: 200 mm
 - Tilt Angle: 30 °
 - Foot Material: Polyamide
 - Base Material: Mild Steel
 - Diameter: 103 mm
 - Height: 252 mm



2245784 2500 kg

RS PRO M6 40MM DIA. POLYAMIDE ADJUSTABLE FOOT, 500KG STATIC

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 500 kg
 - Thread Size: M6
 - Thread Length: 25 mm
 - Tilt Angle: 30 °
 - Foot Material: Polyamide
 - Base Material: Mild Steel
 - Diameter: 40 mm
 - Height: 52 mm



2245785 500 kg

RS PRO M6 40MM DIA. POLYAMIDE ADJUSTABLE FOOT, 500KG STATIC

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 500 kg
 - Thread Size: M6
 - Thread Length: 50 mm
 - Tilt Angle: 30 °
 - Foot Material: Polyamide
 - Base Material: Mild Steel
 - Diameter: 40 mm
 - Height: 77 mm



2245786 500 kg

RS PRO M8 40MM DIA. POLYAMIDE ADJUSTABLE FOOT, 1000KG STATIC

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 1000 kg
 - Thread Size: M8
 - Thread Length: 30 mm
 - Tilt Angle: 30 °
 - Foot Material: Polyamide
 - Base Material: Mild Steel
 - Diameter: 40 mm
 - Height: 52 mm



2245787 1000 kg

RS PRO M12 50MM DIA. POLYAMIDE ADJUSTABLE FOOT, 1100KG STATIC

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 1100 kg
 - Thread Size: M12
 - Thread Length: 125 mm
 - Tilt Angle: 30 °
 - Foot Material: Polyamide
 - Base Material: Mild Steel
 - Diameter: 50 mm
 - Height: 156 mm



2245789 1100 kg

RS PRO M12 50MM DIA. POLYAMIDE ADJUSTABLE FOOT, 1100KG STATIC

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 1100 kg
 - Thread Size: M12
 - Thread Length: 150 mm
 - Tilt Angle: 30 °
 - Foot Material: Polyamide
 - Base Material: Mild Steel
 - Diameter: 50 mm
 - Height: 181 mm



2245790 1100 kg

RS PRO M12 50MM DIA. POLYAMIDE ADJUSTABLE FOOT, 1100KG STATIC

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 1100 kg
 - Thread Size: M12
 - Thread Length: 75 mm
 - Tilt Angle: 30 °
 - Foot Material: Polyamide
 - Base Material: Mild Steel
 - Diameter: 50 mm
 - Height: 106 mm



2245791 1100 kg

RS PRO M16 65MM DIA. POLYAMIDE ADJUSTABLE FOOT, 1500KG STATIC

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 1500 kg
 - Thread Size: M16
 - Thread Length: 150 mm
 - Tilt Angle: 30 °
 - Foot Material: Polyamide
 - Base Material: Mild Steel
 - Diameter: 65 mm
 - Height: 183 mm



2245792 1500 kg

RS PRO M16 65MM DIA. POLYAMIDE ADJUSTABLE FOOT, 1500KG STATIC

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 1500 kg
 - Thread Size: M16
 - Thread Length: 200 mm
 - Tilt Angle: 30 °
 - Foot Material: Polyamide
 - Base Material: Mild Steel
 - Diameter: 65 mm
 - Height: 233 mm



2245793 1500 kg

RS PRO M16 65MM DIA. POLYAMIDE ADJUSTABLE FOOT, 1500KG STATIC

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 1500 kg
 - Thread Size: M16
 - Thread Length: 75 mm
 - Tilt Angle: 30 °
 - Foot Material: Polyamide
 - Base Material: Mild Steel
 - Diameter: 65 mm
 - Height: 108 mm



2245795 1500 kg

RS PRO M16 80MM DIA. RUBBER ADJUSTABLE FOOT, 1000KG STATIC

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 1000 kg
 - Thread Size: M16
 - Thread Length: 150 mm
 - Tilt Angle: 10 °
 - Foot Material: Rubber
 - Base Material: Stainless Steel
 - Diameter: 80 mm
 - Height: 188 mm



2245799 1000 kg

RS PRO M20 80MM DIA. RUBBER ADJUSTABLE FOOT, 1000KG STATIC

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 1000 kg
 - Thread Size: M20
 - Thread Length: 150 mm
 - Tilt Angle: 10 °
 - Foot Material: Rubber
 - Base Material: Stainless Steel
 - Diameter: 80 mm
 - Height: 188 mm



2245800 1000 kg

RS PRO M16 100MM DIA. STAINLESS STEEL ADJUSTABLE FOOT, 1500KG

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 1500 kg
 - Thread Size: M16
 - Thread Length: 150 mm
 - Tilt Angle: 10 °
 - Foot Material: Stainless Steel
 - Base Material: Stainless Steel
 - Diameter: 100 mm
 - Height: 192 mm



2245802 1500 kg

RS PRO M16 100MM DIA. RUBBER ADJUSTABLE FOOT, 1500KG STATIC

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 1500 kg
 - Thread Size: M16
 - Thread Length: 200 mm
 - Tilt Angle: 10 °
 - Foot Material: Rubber
 - Base Material: Mild Steel
 - Diameter: 100 mm
 - Height: 237.5 mm



2245803 1500 kg

RS PRO M24 100MM DIA. RUBBER ADJUSTABLE FOOT, 1500KG STATIC

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 1500 kg
 - Thread Size: M24
 - Thread Length: 250 mm
 - Tilt Angle: 10 °
 - Foot Material: Rubber
 - Base Material: Stainless Steel
 - Diameter: 100 mm
 - Height: 294 mm



2245808 1500 kg

RS PRO M24 120MM DIA. RUBBER ADJUSTABLE FOOT, 3000KG STATIC

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 3000 kg
 - Thread Size: M24
 - Thread Length: 150 mm
 - Tilt Angle: 10 °
 - Foot Material: Rubber
 - Base Material: Mild Steel
 - Diameter: 120 mm
 - Height: 191.5 mm



2245810 3000 kg

RS PRO M10 40MM DIA. RUBBER ADJUSTABLE FOOT, 300KG STATIC

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 300 kg
 - Thread Size: M10
 - Thread Length: 75 mm
 - Tilt Angle: 10 °
 - Foot Material: Rubber
 - Base Material: Stainless Steel
 - Diameter: 40 mm
 - Height: 101 mm



2245812 300 kg

RS PRO M8 40MM DIA. RUBBER ADJUSTABLE FOOT, 300KG STATIC

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 300 kg
 - Thread Size: M8
 - Thread Length: 50 mm
 - Tilt Angle: 10 °
 - Foot Material: Rubber
 - Base Material: Stainless Steel
 - Diameter: 40 mm
 - Height: 76 mm



2245813 300 kg

RS PRO M8 40MM DIA. RUBBER ADJUSTABLE FOOT, 300KG STATIC

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 300 kg
 - Thread Size: M8
 - Thread Length: 75 mm
 - Tilt Angle: 10 °
 - Foot Material: Rubber
 - Base Material: Stainless Steel
 - Diameter: 40 mm
 - Height: 101 mm



2245814 300 kg

RS PRO M12 50MM DIA. RUBBER ADJUSTABLE FOOT, 1500KG STATIC

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 1500 kg
 - Thread Size: M12
 - Thread Length: 150 mm
 - Tilt Angle: 30 °
 - Foot Material: Rubber
 - Base Material: Stainless Steel
 - Diameter: 50 mm
 - Height: 178 mm



2245815 1500 kg

RS PRO M12 60MM DIA. RUBBER ADJUSTABLE FOOT, 700KG STATIC

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 700 kg
 - Thread Size: M12
 - Thread Length: 100 mm
 - Tilt Angle: 10 °
 - Foot Material: Rubber
 - Base Material: Mild Steel
 - Diameter: 60 mm
 - Height: 132 mm



2245818 700 kg

RS PRO M12 60MM DIA. RUBBER ADJUSTABLE FOOT, 700KG STATIC

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 700 kg
 - Thread Size: M12
 - Thread Length: 125 mm
 - Tilt Angle: 10 °
 - Foot Material: Rubber
 - Base Material: Stainless Steel
 - Diameter: 60 mm
 - Height: 157 mm



2245819 700 kg

RS PRO M12 60MM DIA. RUBBER ADJUSTABLE FOOT, 700KG STATIC

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 700 kg
 - Thread Size: M12
 - Thread Length: 150 mm
 - Tilt Angle: 10 °
 - Foot Material: Rubber
 - Base Material: Mild Steel
 - Diameter: 60 mm
 - Height: 182 mm



2245820 700 kg

RS PRO M12 60MM DIA. RUBBER ADJUSTABLE FOOT, 700KG STATIC

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 700 kg
 - Thread Size: M12
 - Thread Length: 75 mm
 - Tilt Angle: 10 °
 - Foot Material: Rubber
 - Base Material: Stainless Steel
 - Diameter: 60 mm
 - Height: 107 mm



2245821 700 kg

RS PRO M16 60MM DIA. RUBBER ADJUSTABLE FOOT, 700KG STATIC

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 700 kg
 - Thread Size: M16
 - Thread Length: 125 mm
 - Tilt Angle: 10 °
 - Foot Material: Rubber
 - Base Material: Stainless Steel
 - Diameter: 60 mm
 - Height: 160 mm



2245822 700 kg

RS PRO M16 80MM DIA. RUBBER ADJUSTABLE FOOT, 1000KG STATIC

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 1000 kg
 - Thread Size: M16
 - Thread Length: 200 mm
 - Tilt Angle: 10 °
 - Foot Material: Rubber
 - Base Material: Stainless Steel
 - Diameter: 80 mm
 - Height: 238 mm



2245826 1000 kg

RS PRO M20 80MM DIA. RUBBER ADJUSTABLE FOOT, 1000KG STATIC

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 1000 kg
 - Thread Size: M20
 - Thread Length: 125 mm
 - Tilt Angle: 10 °
 - Foot Material: Rubber
 - Base Material: Stainless Steel
 - Diameter: 80 mm
 - Height: 163 mm



2245827 1000 kg

RS PRO M20 80MM DIA. RUBBER ADJUSTABLE FOOT, 1000KG STATIC

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 1000 kg
 - Thread Size: M20
 - Thread Length: 200 mm
 - Tilt Angle: 10 °
 - Foot Material: Rubber
 - Base Material: Stainless Steel
 - Diameter: 80 mm
 - Height: 238 mm



2245829 1000 kg

RS PRO M16 STAINLESS STEEL HYGIENIC ADJUSTABLE FOOT, 700KG

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Static Load Capacity: 700 kg
 - Thread Size: M16
 - Thread Length: 125 mm
 - Application: Hygienic
 - Tilt Angle: 10 °
 - Foot Material: Stainless Steel



2378179 700 kg

FEET, SCREW FIXING, GREY, 15.5MM DIA, 8.9MM

- ขนาดบรรจุภัณฑ์: **50 x EA**
- Diameter: 15.5 mm
 - Overall Height: 8.9 mm
 - Material: Polyethylene
 - Foot Shape: Round
 - Maximum Operating Temperature: +70 °C
 - Minimum Operating Temperature: -30 °C



543248 15.5 mm

FEET, SCREW FIXING, GREY, 19MM DIA, 10.2MM

- ขนาดบรรจุภัณฑ์: 50 x EA
- Diameter: 19 mm
 - Overall Height: 10.2 mm
 - Material: Polyethylene
 - Foot Shape: Round
 - Maximum Operating Temperature: +70 °C
 - Minimum Operating Temperature: -30 °C



543232 19 mm

FEET, SCREW FIXING, BLACK, 19MM DIA, 15.5MM

- ขนาดบรรจุภัณฑ์: 50 x EA
- Diameter: 19 mm
 - Overall Height: 15.9 mm
 - Material: Low Density Polyethylene (LDPE)
 - Foot Shape: Round
 - Maximum Operating Temperature: +70 °C
 - Minimum Operating Temperature: -30 °C



543513 19 mm

FIXED HEIGHT MOUNT 46 X 16 M0 X 37

- ขนาดบรรจุภัณฑ์: 1 x EA
- Thread Size: M10
 - Diameter: 46 mm
 - Foot Height: 15 mm
 - Overall Height: 16 mm
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Round
 - Metalwork: Zinc Plated Steel



1263556 M10

RS PRO CYLINDRICAL M4 ANTI VIBRATION MOUNT WITH 7KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Thread Size: M4
 - Diameter: 9.3 mm
 - Foot Height: 11.5 mm
 - Overall Height: 9 mm
 - Static Load Capacity: 7 kg
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Cylindrical



1263565 M4

RS PRO CYLINDRICAL M5 ANTI VIBRATION MOUNT WITH 10KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Thread Size: M5
 - Diameter: 10.2 mm
 - Foot Height: 14.5 mm
 - Overall Height: 15 mm
 - Static Load Capacity: 10 kg
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Shore Hardness: 60 Shore A



1263566 M5

RS PRO CYLINDRICAL M6 ANTI VIBRATION MOUNT WITH 14KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Thread Size: M6
 - Diameter: 12.7 mm
 - Foot Height: 17 mm
 - Overall Height: 18 mm
 - Static Load Capacity: 14 kg
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Cylindrical



1263567 M6

RS PRO CYLINDRICAL M8 ANTI VIBRATION MOUNT WITH 28KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Thread Size: M8
 - Diameter: 16.5 mm
 - Foot Height: 22 mm
 - Overall Height: 24 mm
 - Static Load Capacity: 28 kg
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Cylindrical



1263568 M8

RS PRO CYLINDRICAL M3 ANTI VIBRATION MOUNT WITH 6KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Thread Size: M3
 - Diameter: 12 mm
 - Foot Height: 17 mm
 - Overall Height: 9 mm
 - Static Load Capacity: 6 kg
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Cylindrical



1263569 M3

RS PRO CYLINDRICAL M12 ANTI VIBRATION MOUNT, RUBBER BUSH

- ขนาดบรรจุภัณฑ์: 1 x EA
- Anti Vibration Mount Type: Rubber Bush
 - Thread Size: M12
 - Diameter: 44.5 mm
 - Foot Height: 25.4 mm
 - Overall Height: 25 mm
 - Static Load Capacity: 155 kg
 - Material: Natural Rubber
 - Mounting Type: Screw-in



1263573 Rubber Bush

RS PRO CYLINDRICAL M10 ANTI VIBRATION MOUNT, RUBBER BUSH

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Rubber Bush
 - Thread Size: M10
 - Diameter: 27 mm
 - Foot Height: 16 mm
 - Overall Height: 16 mm
 - Static Load Capacity: 0
 - Material: Natural Rubber
 - Mounting Type: Screw-in



1263575 Rubber Bush

RS PRO ROUND M10 ANTI VIBRATION MOUNT WITH 40KG COMPRESSION

- ขนาดบรรจุภัณฑ์: 1 x EA
- Thread Size: M10
 - Diameter: 85 mm
 - Foot Height: 25 mm
 - Overall Height: 25 mm
 - Static Load Capacity: 40 kg
 - Material: Natural Rubber
 - Metalwork: Zinc Plated Steel
 - Compression Load: 40 kg



1263576 M10

RS PRO ROUND M16 ANTI VIBRATION MOUNT WITH 390 COMPRESSION

- ขนาดบรรจุภัณฑ์: 1 x EA
- Thread Size: M16
 - Diameter: 64 mm
 - Foot Height: 25 mm
 - Overall Height: 63 mm
 - Static Load Capacity: 390
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Round



1263581 M16

RS PRO ROUND M14 ANTI VIBRATION MOUNT WITH 172 COMPRESSION

- ขนาดบรรจุภัณฑ์: 1 x EA
- Thread Size: M14
 - Diameter: 47 mm
 - Foot Height: 52 mm
 - Overall Height: 52 mm
 - Static Load Capacity: 172
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Round



1263582 M14

RS PRO ROUND M10 ANTI VIBRATION MOUNT WITH 51 COMPRESSION

- ขนาดบรรจุภัณฑ์: 2 x EA
- Thread Size: M10
 - Diameter: 32 mm
 - Foot Height: 32 mm
 - Overall Height: 32 mm
 - Static Load Capacity: 51
 - Material: Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Round



1263583 M10

RS PRO ROUND M10 ANTI VIBRATION MOUNT WITH 100 COMPRESSION

- ขนาดบรรจุภัณฑ์: 2 x EA
- Thread Size: M10
 - Diameter: 32 mm
 - Foot Height: 32 mm
 - Overall Height: 32 mm
 - Static Load Capacity: 100
 - Material: Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Round



1263584 M10

RS PRO CIRCULAR ANTI VIBRATION MOUNT WITH 100 COMPRESSION

- ขนาดบรรจุภัณฑ์: 2 x EA
- Diameter: 50 mm
 - Foot Height: 30 mm
 - Overall Height: 30 mm
 - Static Load Capacity: 100
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Circular
 - Metalwork: Zinc Plated Steel



1263855 50 mm

RS PRO CIRCULAR ANTI VIBRATION MOUNT WITH 0 COMPRESSION LOAD

- ขนาดบรรจุภัณฑ์: 2 x EA
- Diameter: 40 mm
 - Foot Height: 30 mm
 - Overall Height: 30 mm
 - Static Load Capacity: 0
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Circular
 - Metalwork: Zinc Plated Steel



1263856 40 mm

RS PRO CIRCULAR ANTI VIBRATION MOUNT WITH 0 COMPRESSION LOAD

- ขนาดบรรจุภัณฑ์: 2 x EA
- Diameter: 25 mm
 - Foot Height: 25 mm
 - Overall Height: 25 mm
 - Static Load Capacity: 0
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Circular
 - Metalwork: Zinc Plated Steel



1263859 25 mm

RS PRO CIRCULAR ANTI VIBRATION MOUNT WITH 0 COMPRESSION LOAD

- ขนาดบรรจุภัณฑ์: 4 x EA
- Diameter: 25 mm
 - Foot Height: 20 mm
 - Overall Height: 20 mm
 - Static Load Capacity: 0
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Circular
 - Metalwork: Zinc Plated Steel



1263860 25 mm

CYL MT 25MMODX10.5MMIDX15MM HT 50 SHA

- ขนาดบรรจุภัณฑ์: 4 x EA
- Diameter: 25 mm
 - Foot Height: 15 mm
 - Overall Height: 15 mm
 - Static Load Capacity: 0
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Circular
 - Metalwork: Zinc Plated Steel



1263861 25 mm

RS PRO CIRCULAR ANTI VIBRATION MOUNT WITH 0 COMPRESSION LOAD

- ขนาดบรรจุภัณฑ์: 4 x EA
- Diameter: 20 mm
 - Foot Height: 30 mm
 - Overall Height: 30 mm
 - Static Load Capacity: 0
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Circular
 - Metalwork: Stainless Steel



1263862 20 mm

RS PRO CIRCULAR ANTI VIBRATION MOUNT WITH 0 COMPRESSION LOAD

- ขนาดบรรจุภัณฑ์: 4 x EA
- Diameter: 20 mm
 - Foot Height: 20 mm
 - Overall Height: 20 mm
 - Static Load Capacity: 0
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Circular
 - Metalwork: Stainless Steel



1263865 20 mm

RS PRO CIRCULAR ANTI VIBRATION MOUNT WITH 0 COMPRESSION LOAD

- ขนาดบรรจุภัณฑ์: 8 x EA
- Diameter: 20 mm
 - Foot Height: 15 mm
 - Overall Height: 15 mm
 - Static Load Capacity: 0
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Circular
 - Metalwork: Stainless Steel



1263866 20 mm

RS PRO ROUND M16 ANTI VIBRATION MOUNT WITH 690 COMPRESSION

- ขนาดบรรจุภัณฑ์: 1 x EA
- Thread Size: M16
 - Diameter: 192 mm
 - Foot Height: 40.5 mm
 - Overall Height: 41 mm
 - Static Load Capacity: 690
 - Material: Natural Rubber
 - Metalwork: Zinc Plated Steel
 - Compression Load: 690



1263871 M16

RS PRO ROUND M20 ANTI VIBRATION MOUNT WITH 2300 COMPRESSION

- ขนาดบรรจุภัณฑ์: 1 x EA
- Thread Size: M20
 - Diameter: 190 mm
 - Foot Height: 66.5 mm
 - Overall Height: 66 mm
 - Static Load Capacity: 2300
 - Material: Natural Rubber
 - Metalwork: Zinc Plated Steel
 - Compression Load: 2300



1263873 M20

RS PRO ROUND M16 ANTI VIBRATION MOUNT WITH 750 COMPRESSION

- ขนาดบรรจุภัณฑ์: 1 x EA
- Thread Size: M16
 - Diameter: 190 mm
 - Foot Height: 50 mm
 - Overall Height: 50 mm
 - Static Load Capacity: 750
 - Material: Natural Rubber
 - Metalwork: Zinc Plated Steel
 - Compression Load: 750



1263874 M16

RS PRO ROUND M16 ANTI VIBRATION MOUNT WITH 750 COMPRESSION

- ขนาดบรรจุภัณฑ์: 1 x EA
- Thread Size: M16
 - Diameter: 190 mm
 - Foot Height: 50 mm
 - Overall Height: 50 mm
 - Static Load Capacity: 750
 - Material: Natural Rubber
 - Metalwork: Zinc Plated Steel
 - Compression Load: 750



1263875 M16

RS PRO ROUND M16 ANTI VIBRATION MOUNT WITH 450 COMPRESSION

- ขนาดบรรจุภัณฑ์: 1 x EA
- Thread Size: M16
 - Diameter: 172 mm
 - Foot Height: 38 mm
 - Overall Height: 38 mm
 - Static Load Capacity: 450
 - Material: Natural Rubber
 - Metalwork: Zinc Plated Steel
 - Compression Load: 450



1263877 M16

RS PRO ROUND M16 ANTI VIBRATION MOUNT WITH 400 COMPRESSION

- ขนาดบรรจุภัณฑ์: 1 x EA
- Thread Size: M16
 - Diameter: 169 mm
 - Foot Height: 40 mm
 - Overall Height: 40 mm
 - Static Load Capacity: 400
 - Material: Natural Rubber
 - Metalwork: Stainless Steel
 - Compression Load: 400



1263878 M16

RS PRO ROUND M16 ANTI VIBRATION MOUNT WITH 400 COMPRESSION

- ขนาดบรรจุภัณฑ์: 1 x EA
- Thread Size: M16
 - Diameter: 169 mm
 - Foot Height: 40 mm
 - Overall Height: 40 mm
 - Static Load Capacity: 400
 - Material: Natural Rubber
 - Metalwork: Zinc Plated Steel
 - Compression Load: 400



1263879 M16

RS PRO ROUND M12 ANTI VIBRATION MOUNT WITH 330 COMPRESSION

- ขนาดบรรจุภัณฑ์: 1 x EA
- Thread Size: M12
 - Diameter: 144 mm
 - Foot Height: 36 mm
 - Overall Height: 36 mm
 - Static Load Capacity: 330
 - Material: Natural Rubber
 - Metalwork: Stainless Steel
 - Compression Load: 330



1263880 M12

RS PRO ROUND M12 ANTI VIBRATION MOUNT WITH 330 COMPRESSION

- ขนาดบรรจุภัณฑ์: 1 x EA
- Thread Size: M12
 - Diameter: 144 mm
 - Foot Height: 36 mm
 - Overall Height: 36 mm
 - Static Load Capacity: 330
 - Material: Natural Rubber
 - Metalwork: Zinc Plated Steel
 - Compression Load: 330



1263881 M12

RS PRO ROUND M12 ANTI VIBRATION MOUNT WITH 600 COMPRESSION

- ขนาดบรรจุภัณฑ์: 1 x EA
- Thread Size: M12
 - Diameter: 128 mm
 - Foot Height: 45 mm
 - Overall Height: 45 mm
 - Static Load Capacity: 600
 - Material: Natural Rubber
 - Metalwork: Zinc Plated Steel
 - Compression Load: 600



1263884 M12

RS PRO ROUND M10 ANTI VIBRATION MOUNT WITH 220 COMPRESSION

- ขนาดบรรจุภัณฑ์: 1 x EA
- Thread Size: M10
 - Diameter: 128 mm
 - Foot Height: 30 mm
 - Overall Height: 30 mm
 - Static Load Capacity: 220
 - Material: Natural Rubber
 - Metalwork: Zinc Plated Steel
 - Compression Load: 220



1263885 M10

RS PRO ROUND M12 ANTI VIBRATION MOUNT WITH 124 COMPRESSION

- ขนาดบรรจุภัณฑ์: 1 x EA
- Thread Size: M12
 - Diameter: 110 mm
 - Foot Height: 35 mm
 - Overall Height: 35 mm
 - Static Load Capacity: 124
 - Material: Natural Rubber
 - Metalwork: Stainless Steel
 - Compression Load: 124



1263889 M12

RS PRO ROUND M12 ANTI VIBRATION MOUNT WITH 124 COMPRESSION

- ขนาดบรรจุภัณฑ์: 1 x EA
- Thread Size: M12
 - Diameter: 110 mm
 - Foot Height: 35 mm
 - Overall Height: 35 mm
 - Static Load Capacity: 124
 - Material: Natural Rubber
 - Metalwork: Zinc Plated Steel
 - Compression Load: 124



1263890 M12

RS PRO CYLINDRICAL M10 ANTI VIBRATION MOUNT WITH 120KG

- ขนาดบรรจุภัณฑ์: 1 x EA
- Thread Size: M10
 - Diameter: 60 mm
 - Foot Height: 25 mm
 - Overall Height: 108 mm
 - Static Load Capacity: 120 kg
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Shore Hardness: 65 Shore A



1263898 M10

RS PRO CYLINDRICAL M8 ANTI VIBRATION MOUNT WITH 80KG

- ขนาดบรรจุภัณฑ์: 2 x EA
- Thread Size: M8
 - Diameter: 48 mm
 - Foot Height: 23 mm
 - Overall Height: 63 mm
 - Static Load Capacity: 80 kg
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Cylindrical



1263899 M8

RS PRO ROUND M6 ANTI VIBRATION MOUNT WITH 9KG COMPRESSION

- ขนาดบรรจุภัณฑ์: 2 x EA
- Thread Size: M6
 - Diameter: 64 mm
 - Foot Height: 20 mm
 - Overall Height: 64 mm
 - Static Load Capacity: 9 kg
 - Material: Natural Rubber
 - Metalwork: Zinc Plated Steel
 - Compression Load: 9 kg



1263904 M6

RS PRO ROUND M12 ANTI VIBRATION MOUNT WITH 500 COMPRESSION

- ขนาดบรรจุภัณฑ์: 1 x EA
- Thread Size: M12
 - Diameter: 150 mm
 - Foot Height: 63 mm
 - Overall Height: 63 mm
 - Static Load Capacity: 500
 - Material: Natural Rubber
 - Metalwork: Zinc Plated Steel
 - Compression Load: 500



1263905 M12

CYL. MT (M/M) 10X8MM M5X15 60 SHA SS

- ขนาดบรรจุภัณฑ์: 8 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M5
 - Diameter: 10 mm
 - Foot Height: 8 mm
 - Overall Height: 8 mm
 - Static Load Capacity: 5.4 kg
 - Mounting Type: Screw-in
 - Metalwork: Stainless Steel



1263910 Male to Male

RS PRO CYLINDRICAL M8 ANTI VIBRATION MOUNT, MALE TO MALE

- ขนาดบรรจุภัณฑ์: 8 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M8
 - Diameter: 20 mm
 - Foot Height: 15 mm
 - Overall Height: 15 mm
 - Static Load Capacity: 18 kg
 - Mounting Type: Screw-in
 - Metalwork: Stainless Steel



1263911 Male to Male

CYL. MT (M/M) 30X20MM M8X20 55 SHA SS

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M8
 - Diameter: 30 mm
 - Foot Height: 20 mm
 - Overall Height: 20 mm
 - Static Load Capacity: 47.2 kg
 - Mounting Type: Screw-in
 - Metalwork: Stainless Steel



1263912 Male to Male

RS PRO CYLINDRICAL M10 ANTI VIBRATION MOUNT, MALE TO MALE

- ขนาดบรรจุภัณฑ์: 2 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M10
 - Diameter: 40 mm
 - Foot Height: 30 mm
 - Overall Height: 30 mm
 - Static Load Capacity: 96.2 kg
 - Material: Natural Rubber
 - Mounting Type: Screw-in



1263913 Male to Male

RS PRO CYLINDRICAL M10 ANTI VIBRATION MOUNT, MALE TO MALE

- ขนาดบรรจุภัณฑ์: 1 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M10
 - Diameter: 50 mm
 - Foot Height: 40 mm
 - Overall Height: 40 mm
 - Static Load Capacity: 146 kg
 - Material: EPDM
 - Mounting Type: Screw-in



1263914 Male to Male

RS PRO CYLINDRICAL M12 ANTI VIBRATION MOUNT, MALE TO MALE

- ขนาดบรรจุภัณฑ์: 1 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M12
 - Diameter: 75 mm
 - Foot Height: 40 mm
 - Overall Height: 40 mm
 - Static Load Capacity: 178 kg
 - Mounting Type: Screw-in
 - Metalwork: Stainless Steel



1263915 Male to Male

CYL. MT (M/F) 10X15MM M5X8 80 SHA EPDMSS

- ขนาดบรรจุภัณฑ์: 8 x EA
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M5
 - Diameter: 10 mm
 - Foot Height: 15 mm
 - Overall Height: 15 mm
 - Static Load Capacity: 8.43 kg
 - Material: EPDM
 - Mounting Type: Screw-in



1263916 Male to Female

CYL. MT (M/F) 25X15MM M6X20 60 SHA SS

- ขนาดบรรจุภัณฑ์: 8 x EA
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M6
 - Diameter: 25 mm
 - Foot Height: 15 mm
 - Overall Height: 15 mm
 - Static Load Capacity: 47.3 kg
 - Mounting Type: Screw-in
 - Metalwork: Stainless Steel



1263917 Male to Female

CYL. MT (M/F) 30X20MM M8X20 55 SHA SS

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M8
 - Diameter: 30 mm
 - Foot Height: 20 mm
 - Overall Height: 20 mm
 - Static Load Capacity: 51.92 kg
 - Mounting Type: Screw-in
 - Metalwork: Stainless Steel



1263918 Male to Female

CYL. MT (M/F) 40X30MM M8X20 45 SHA SS

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M8
 - Diameter: 40 mm
 - Foot Height: 30 mm
 - Overall Height: 30 mm
 - Static Load Capacity: 52.91 kg
 - Material: EPDM
 - Mounting Type: Screw-in



1263919 Male to Female

RS PRO CYLINDRICAL M10 ANTI VIBRATION MOUNT, MALE TO FEMALE

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M10
 - Diameter: 50 mm
 - Foot Height: 45 mm
 - Overall Height: 45 mm
 - Static Load Capacity: 154.22 kg
 - Mounting Type: Screw-in
 - Metalwork: Stainless Steel



1263920 Male to Female

RS PRO CYLINDRICAL M10 ANTI VIBRATION MOUNT, MALE TO FEMALE

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M10
 - Diameter: 60 mm
 - Foot Height: 50 mm
 - Overall Height: 50 mm
 - Static Load Capacity: 165 kg
 - Material: EPDM
 - Mounting Type: Screw-in



1263921 Male to Female

RS PRO CYLINDRICAL M4 ANTI VIBRATION MOUNT, FEMALE TO

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Female to Female Bobbin
 - Thread Size: M4
 - Diameter: 15 mm
 - Foot Height: 12 mm
 - Overall Height: 12 mm
 - Static Load Capacity: 9.43 kg
 - Mounting Type: Screw-in
 - Metalwork: Stainless Steel



1263922 Female to Female

CYL. MT (F/F) 20X20MM M6 60 SHA SS

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Female to Female Bobbin
 - Thread Size: M6
 - Diameter: 20 mm
 - Foot Height: 20 mm
 - Overall Height: 20 mm
 - Static Load Capacity: 25.3 kg
 - Mounting Type: Screw-in
 - Metalwork: Stainless Steel



1263923 Female to Female

RS PRO CYLINDRICAL M6 ANTI VIBRATION MOUNT, FEMALE TO

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Anti Vibration Mount Type: Female to Female Bobbin
 - Thread Size: M6
 - Diameter: 30 mm
 - Foot Height: 40 mm
 - Overall Height: 40 mm
 - Static Load Capacity: 26.8 kg
 - Mounting Type: Screw-in
 - Metalwork: Stainless Steel



1263924 Female to Female

RS PRO CYLINDRICAL M10 ANTI VIBRATION MOUNT, FEMALE TO

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Anti Vibration Mount Type: Female to Female Bobbin
 - Thread Size: M10
 - Diameter: 50 mm
 - Foot Height: 40 mm
 - Overall Height: 40 mm
 - Static Load Capacity: 83.95 kg
 - Mounting Type: Screw-in
 - Metalwork: Stainless Steel



1263925 Female to Female

RS PRO CYLINDRICAL M10 ANTI VIBRATION MOUNT, FEMALE TO

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Anti Vibration Mount Type: Female to Female Bobbin
 - Thread Size: M10
 - Diameter: 50 mm
 - Foot Height: 45 mm
 - Overall Height: 45 mm
 - Static Load Capacity: 128.99 kg
 - Mounting Type: Screw-in
 - Metalwork: Stainless Steel



1263926 Female to Female

CYL. FOOT MT (M) 10X8MM M4X6 85 SHA SS

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M4
 - Diameter: 10 mm
 - Foot Height: 8 mm
 - Overall Height: 8 mm
 - Static Load Capacity: 18 kg
 - Material: EPDM
 - Mounting Type: Screw-in



1263927 Male Buffer Foot

CYL. FOOT MT(M)20X20MM6X20 50 SHA SS

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M6
 - Diameter: 20 mm
 - Foot Height: 20 mm
 - Overall Height: 20 mm
 - Static Load Capacity: 13.97 kg
 - Mounting Type: Screw-in
 - Metalwork: Stainless Steel



1263928 Male Buffer Foot

CYL. FOOT MT(M)30X20MM8X15 45 SHA SS

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M8
 - Diameter: 30 mm
 - Foot Height: 20 mm
 - Overall Height: 20 mm
 - Static Load Capacity: 29.5 kg
 - Mounting Type: Screw-in
 - Metalwork: Stainless Steel



1263929 Male Buffer Foot

RS PRO CYLINDRICAL M10 ANTI VIBRATION MOUNT, MALE BUFFER

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M10
 - Diameter: 50 mm
 - Foot Height: 40 mm
 - Overall Height: 40 mm
 - Static Load Capacity: 281 kg
 - Mounting Type: Screw-in
 - Metalwork: Stainless Steel



1263930 Male Buffer Foot

RS PRO CYLINDRICAL M6 ANTI VIBRATION MOUNT WITH 18.8KG

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Thread Size: M6
 - Diameter: 20 mm
 - Foot Height: 20 mm
 - Overall Height: 20 mm
 - Static Load Capacity: 18.8 kg
 - Mounting Type: Screw-in
 - Foot Shape: Cylindrical
 - Compression Load: 18.8 kg



1263932 M6

RS PRO CYLINDRICAL M8 ANTI VIBRATION MOUNT, FEMALE BUFFER

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M8
 - Diameter: 40 mm
 - Foot Height: 20 mm
 - Overall Height: 20 mm
 - Static Load Capacity: 101.12 kg
 - Mounting Type: Screw-in
 - Metalwork: Stainless Steel



1263933 Female Buffer

RS PRO CYLINDRICAL M10 ANTI VIBRATION MOUNT, FEMALE BUFFER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M10
 - Diameter: 40 mm
 - Foot Height: 25 mm
 - Overall Height: 25 mm
 - Static Load Capacity: 86.4 kg
 - Mounting Type: Screw-in
 - Metalwork: Stainless Steel



1263934 Female Buffer

RS PRO M3 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 4.8KG

- ขนาดบรรจุภัณฑ์: 8 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M3
 - Diameter: 8 mm
 - Overall Height: 8 mm
 - Material: Natural Rubber
 - Compression Load: 4.8 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1263935 Male to Male

RS PRO M3 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 3.05KG

- ขนาดบรรจุภัณฑ์: 8 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M3
 - Diameter: 8 mm
 - Overall Height: 8 mm
 - Material: Natural Rubber
 - Shore Hardness: 50 Shore A
 - Compression Load: 3.05 kg
 - Metalwork: Zinc Plated Steel



1263936 Male to Male

RS PRO M4 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 6.16KG

- ขนาดบรรจุภัณฑ์: 8 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M4
 - Diameter: 10 mm
 - Overall Height: 8 mm
 - Material: Natural Rubber
 - Compression Load: 6.16 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 55 Shore A



1263939 Male to Male

RS PRO M5 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 4.3KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M5
 - Diameter: 12.5 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 4.3 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 50 Shore A



1263940 Male to Male

RS PRO M4 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 18.4KG

- ขนาดบรรจุภัณฑ์: 8 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M4
 - Diameter: 15 mm
 - Overall Height: 10 mm
 - Material: Natural Rubber
 - Compression Load: 18.4 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1263941 Male to Male

RS PRO M5 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 3.5KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M5
 - Diameter: 15 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 3.5 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1263942 Male to Male

RS PRO M5 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 44.1KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M5
 - Diameter: 16 mm
 - Overall Height: 10 mm
 - Material: Natural Rubber
 - Compression Load: 44.1 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 70 Shore A



1263943 Male to Male

RS PRO M4 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 12KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M4
 - Diameter: 16 mm
 - Overall Height: 18 mm
 - Material: Natural Rubber
 - Compression Load: 12 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1263944 Male to Male

RS PRO M5 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 12KG

- ขนาดบรรจุภัณฑ์: 8 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M5
 - Diameter: 16 mm
 - Overall Height: 18 mm
 - Material: Natural Rubber
 - Compression Load: 12 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1263945 Male to Male

RS PRO M5 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 12KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M5
 - Diameter: 16 mm
 - Overall Height: 18 mm
 - Material: Natural Rubber
 - Compression Load: 12 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1263946 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 26KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M6
 - Diameter: 18 mm
 - Overall Height: 8.5 mm
 - Material: Natural Rubber
 - Compression Load: 26 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1263947 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 15.62KG

- ขนาดบรรจุภัณฑ์: 8 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M6
 - Diameter: 20 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Compression Load: 15.62 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 50 Shore A



1263948 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 22KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M6
 - Diameter: 20 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 22 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1263949 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 22KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M6
 - Diameter: 20 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 22 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1263950 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 20.4KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M6
 - Diameter: 20 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 20.4 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1263951 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M6
 - Diameter: 20 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 29.99 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 70 Shore A



1263952 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 41.91KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M8
 - Diameter: 25 mm
 - Overall Height: 10 mm
 - Material: Natural Rubber
 - Compression Load: 41.91 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 50 Shore A



1263953 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 43KG

- ขนาดบรรจุภัณฑ์: 8 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M6
 - Diameter: 25 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Compression Load: 43 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1263954 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 43KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M8
 - Diameter: 25 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Compression Load: 43 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1263955 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 36.8KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M8
 - Diameter: 25 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 36.8 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1263956 Male to Male

STUD MOUNT (M/M) 25X25MM 6X18 60 SHA

- ขนาดบรรจุภัณฑ์: 8 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M6
 - Diameter: 25 mm
 - Overall Height: 25 mm
 - Material: Natural Rubber
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A
 - Compression Load: 34.2 kg



1263957 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 27.36KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M6
 - Diameter: 25 mm
 - Overall Height: 25 mm
 - Material: Natural Rubber
 - Compression Load: 27.36 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 55 Shore A



1263958 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 32.8KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M6
 - Diameter: 25 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 32.8 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1263959 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 32.8KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M8
 - Diameter: 25 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 32.8 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1263960 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 32.8KG

- ขนาดบรรจุภัณฑ์: 8 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M8
 - Diameter: 25 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 32.8 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1263961 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 2.2KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M6
 - Diameter: 25 mm
 - Overall Height: 35 mm
 - Material: Natural Rubber
 - Compression Load: 2.2 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1263962 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 75.6KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M8
 - Diameter: 30 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Compression Load: 75.6 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1263963 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 59KG

- ขนาดบรรจุภัณฑ์: 8 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M8
 - Diameter: 30 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 59 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1263964 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 54KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M8
 - Diameter: 30 mm
 - Overall Height: 22 mm
 - Material: Natural Rubber
 - Compression Load: 54 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1263965 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 52.6KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M8
 - Diameter: 30 mm
 - Overall Height: 25 mm
 - Material: Natural Rubber
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A
 - Compression Load: 52.6 kg



1263966 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 31.5KG

- ขนาดบรรจุภัณฑ์: 8 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M8
 - Diameter: 30 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 31.5 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1263967 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 49.6KG

- ขนาดบรรจุภัณฑ์: 2 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M8
 - Diameter: 30 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 49.6 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1263968 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 305KG

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M10
 - Diameter: 60 mm
 - Overall Height: 25 mm
 - Material: Natural Rubber
 - Compression Load: 305 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264268 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 247.4KG

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M10
 - Diameter: 60 mm
 - Overall Height: 35 mm
 - Material: Natural Rubber
 - Compression Load: 247.4 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264269 Male to Male

RS PRO M12 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M12
 - Diameter: 70 mm
 - Overall Height: 35 mm
 - Material: Natural Rubber
 - Compression Load: 455.04 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 65 Shore A



1264270 Male to Male

RS PRO M12 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M12
 - Diameter: 75 mm
 - Overall Height: 50 mm
 - Material: Natural Rubber
 - Compression Load: 353.2 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264272 Male to Male

SM WAISTED (M/M) 10X10 M4X10 45 SHA NR

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M4
 - Diameter: 10 mm
 - Overall Height: 10 mm
 - Material: Natural Rubber
 - Compression Load: 1.18
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1264273 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 9

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M6
 - Diameter: 20 mm
 - Overall Height: 18 mm
 - Material: Natural Rubber
 - Compression Load: 9
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 50 Shore A



1264274 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 19.46

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M6
 - Diameter: 25 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Compression Load: 19.46
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 55 Shore A



1264275 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 14

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M6
 - Diameter: 25 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 14
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 50 Shore A



1264276 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 12

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M6
 - Diameter: 25 mm
 - Overall Height: 25 mm
 - Material: Natural Rubber
 - Compression Load: 12
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 50 Shore A



1264277 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 13

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M8
 - Diameter: 30 mm
 - Overall Height: 25 mm
 - Material: Natural Rubber
 - Compression Load: 13
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 50 Shore A



1264278 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 36

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M10
 - Diameter: 38 mm
 - Overall Height: 38 mm
 - Material: Natural Rubber
 - Compression Load: 36
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264279 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 48.9

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M8
 - Diameter: 45 mm
 - Overall Height: 36 mm
 - Material: Natural Rubber
 - Compression Load: 48.9
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264280 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 58

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M10
 - Diameter: 60 mm
 - Overall Height: 60 mm
 - Material: Natural Rubber
 - Compression Load: 58
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 50 Shore A



1264281 Male to Male

STUD MOUNT (M/F) 8X8MM M3X6 60 SHA

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M3
 - Diameter: 8 mm
 - Overall Height: 8 mm
 - Material: Natural Rubber
 - Compression Load: 5.28 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264282 Male to Female

STUD MOUNT (M/F) 10X8MM M4X6 55 SHA

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M4
 - Diameter: 10 mm
 - Overall Height: 8 mm
 - Material: Natural Rubber
 - Compression Load: 4.75 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 55 Shore A



1264283 Male to Female

STUD MOUNT (M/F) 10X18MM M4X6 60 SHA

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M4
 - Diameter: 10 mm
 - Overall Height: 18 mm
 - Material: Natural Rubber
 - Compression Load: 4.95 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264284 Male to Female

RS PRO M5 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH 7KG

- ขนาดบรรจุภัณฑ์: 8 x EA
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M5
 - Diameter: 12 mm
 - Overall Height: 19 mm
 - Material: Natural Rubber
 - Compression Load: 7 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264285 Male to Female

RS PRO M4 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH 6.4KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M4
 - Diameter: 13 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Compression Load: 6.4 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264286 Male to Female

RS PRO M4 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M4
 - Diameter: 15 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 10.78 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264287 Male to Female

RS PRO M4 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M4
 - Diameter: 15 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 2.96 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 55 Shore A



1264288 Male to Female

RS PRO M5 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M5
 - Diameter: 16 mm
 - Overall Height: 10 mm
 - Material: Natural Rubber
 - Compression Load: 20.96 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 50 Shore A



1264289 Male to Female

RS PRO M4 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: 8 x EA
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M4
 - Diameter: 16 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Compression Load: 12.7 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 50 Shore A



1264290 Male to Female

STUD MOUNT (M/F) 16X15MM M4X10 60 SHA

- ขนาดบรรจุภัณฑ์: 8 x EA
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M4
 - Diameter: 16 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Compression Load: 25 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264291 Male to Female

RS PRO M5 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH 16KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M5
 - Diameter: 16 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Compression Load: 16 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 55 Shore A



1264292 Male to Female

STUD MOUNT (M/F) 16X20MM M5X12 55 SHA

- ขนาดบรรจุภัณฑ์: 2 x EA
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M5
 - Diameter: 16 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 14 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 55 Shore A



1264293 Male to Female

STUD MOUNT (M/F) 20X10MM M6X10 60 SHA

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M6
 - Diameter: 20 mm
 - Overall Height: 10 mm
 - Material: Natural Rubber
 - Compression Load: 37.4 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264294 Male to Female

STUD MOUNT (M/F) 20X15MM M6X15 55 SHA

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M6
 - Diameter: 20 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Metalwork: Zinc Plated Steel
 - Compression Load: 17.18 kg
 - Shore Hardness: 55 Shore A



1264295 Male to Female

STUD MOUNT (M/F) 20X15MM M6X18 45 SHA

- ขนาดบรรจุภัณฑ์: 8 x EA
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M6
 - Diameter: 20 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Compression Load: 13.53 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1264296 Male to Female

STUD MOUNT (M/F) 20X20MM M6X18 60 SHA

- ขนาดบรรจุภัณฑ์: 8 x EA
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M6
 - Diameter: 20 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 24.2 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264297 Male to Female

STUD MOUNT (M/F) 20X25MM M5X15 45 SHA

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M5
 - Diameter: 20 mm
 - Overall Height: 25 mm
 - Material: Natural Rubber
 - Compression Load: 11.55 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1264298 Male to Female

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: 1 x EA
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M6
 - Diameter: 20 mm
 - Overall Height: 25 mm
 - Material: Natural Rubber
 - Compression Load: 23.1 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264299 Male to Female

STUD MOUNT (M/F) 20X30MM M6X10 60 SHA

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M6
 - Diameter: 20 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 22.44 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264300 Male to Female

STUD M (M/F) 25X10MM M6X20 60 SHA SS

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M6
 - Diameter: 25 mm
 - Overall Height: 10 mm
 - Material: Natural Rubber
 - Compression Load: 53 kg
 - Metalwork: Stainless Steel
 - Shore Hardness: 60 Shore A



1264301 Male to Female

STUD MOUNT (M/F) 25X15MM M6X18 60 SHA

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M6
 - Diameter: 25 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Compression Load: 47.3 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264302 Male to Female

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M8
 - Diameter: 25 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Compression Load: 37.62 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264303 Male to Female

STUD MOUNT (M/F) 25X30MM M6X18 65 SHA

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M6
 - Diameter: 25 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 43.3 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 65 Shore A



1264304 Male to Female

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M8
 - Diameter: 25 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 36.08 kg
 - Shore Hardness: 60 Shore A
 - Metalwork: Zinc Plated Steel



1264305 Male to Female

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M8
 - Diameter: 25 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 22.91 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 50 Shore A



1264306 Male to Female

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M8
 - Diameter: 25 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 36.08 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264307 Male to Female

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M8
 - Diameter: 30 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Compression Load: 83.16 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264308 Male to Female

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M8
 - Diameter: 30 mm
 - Overall Height: 22 mm
 - Material: Natural Rubber
 - Compression Load: 59.4 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264309 Male to Female

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M6
 - Diameter: 30 mm
 - Overall Height: 25 mm
 - Material: Natural Rubber
 - Compression Load: 28.93 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1264311 Male to Female

STUD MOUNT (M/F) 30X25MM M8X10 60 SHA

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M8
 - Diameter: 30 mm
 - Overall Height: 25 mm
 - Material: Natural Rubber
 - Compression Load: 57.86 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264312 Male to Female

STUD MOUNT (M/F) 30X30MM M8X20 60 SHA

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M8
 - Diameter: 30 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 54.56 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264313 Male to Female

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M8
 - Diameter: 30 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 54.56 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264314 Male to Female

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M10
 - Diameter: 40 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 139.04 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264315 Male to Female

STUD MOUNT (M/F) 40X20MM M8X23 60 SHA

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M8
 - Diameter: 40 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 139.04 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264316 Male to Female

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M10
 - Diameter: 40 mm
 - Overall Height: 28 mm
 - Material: Natural Rubber
 - Compression Load: 108.24 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264317 Male to Female

STUD MOUNT (M/F) 40X30MM M8X23 60 SHA

ขนาดบรรจุภัณฑ์: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 105.82 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264319 Male to Female

STUD MOUNT (M/F) 40X40MM M8X20 60 SHA

ขนาดบรรจุภัณฑ์: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 40 mm
- Material: Natural Rubber
- Compression Load: 96.14 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264321 Male to Female

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

ขนาดบรรจุภัณฑ์: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 40 mm
- Material: Natural Rubber
- Compression Load: 274.56 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264322 Male to Female

STUD MOUNT (M/F) 50X20MM M12X33 60 SHA

ขนาดบรรจุภัณฑ์: 1 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M12
- Diameter: 50 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 274.56 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264323 Male to Female

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

ขนาดบรรจุภัณฑ์: 1 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 35 mm
- Material: Natural Rubber
- Compression Load: 170.28 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264324 Male to Female

STUD MOUNT (M/F) 50X40MM M10X25 60 SHA

ขนาดบรรจุภัณฑ์: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 40 mm
- Material: Natural Rubber
- Compression Load: 160.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264325 Male to Female

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

ขนาดบรรจุภัณฑ์: 1 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 45 mm
- Material: Natural Rubber
- Compression Load: 154.22 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264326 Male to Female

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

ขนาดบรรจุภัณฑ์: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 50 mm
- Material: Natural Rubber
- Compression Load: 149.82 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264327 Male to Female

RS PRO M12 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

ขนาดบรรจุภัณฑ์: 1 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M12
- Diameter: 50 mm
- Overall Height: 55 mm
- Material: Natural Rubber
- Compression Load: 160.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264328 Male to Female

RS PRO M12 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

ขนาดบรรจุภัณฑ์: 1 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M12
- Diameter: 75 mm
- Overall Height: 40 mm
- Material: Natural Rubber
- Compression Load: 283.87 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264332 Male to Female

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH 66KG

ขนาดบรรจุภัณฑ์: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 66 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264334 Male to Female

RS PRO M4 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 13.8KG

ขนาดบรรจุภัณฑ์: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M4
- Diameter: 15 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 13.8 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264335 Female Buffer

RS PRO M5 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 13.8KG

ขนาดบรรจุภัณฑ์: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M5
- Diameter: 15 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 13.8 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264336 Female Buffer

RS PRO M5 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 13.8KG

ขนาดบรรจุภัณฑ์: 2 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M5
- Diameter: 16 mm
- Overall Height: 18 mm
- Material: Natural Rubber
- Compression Load: 13.8 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264338 Female Buffer

RS PRO M5 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 17.97KG

ขนาดบรรจุภัณฑ์: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M5
- Diameter: 20 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 17.97 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1264339 Female Buffer

RS PRO M6 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 33.96KG

ขนาดบรรจุภัณฑ์: 2 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 15 mm
- Material: Rubber
- Compression Load: 33.96 kg
- Metalwork: Stainless Steel
- Shore Hardness: 65 Shore A



1264340 Female Buffer

RS PRO M6 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 20.24KG

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M6
 - Diameter: 20 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 20.24 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 55 Shore A



1264341 Female Buffer

RS PRO M6 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 19.33KG

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M6
 - Diameter: 20 mm
 - Overall Height: 25 mm
 - Material: Natural Rubber
 - Compression Load: 19.33 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 55 Shore A



1264898 Female Buffer

RS PRO M6 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 42.32KG

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M6
 - Diameter: 25 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 42.32 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264900 Female Buffer

RS PRO M6 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 39.34KG

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M6
 - Diameter: 25 mm
 - Overall Height: 25 mm
 - Material: Natural Rubber
 - Compression Load: 39.34 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264903 Female Buffer

RS PRO M8 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 39.34KG

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M8
 - Diameter: 25 mm
 - Overall Height: 25 mm
 - Material: Natural Rubber
 - Compression Load: 39.34 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264904 Female Buffer

RS PRO M8 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 67.86KG

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M8
 - Diameter: 30 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 67.86 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264906 Female Buffer

RS PRO M8 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 62.1KG

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M8
 - Diameter: 30 mm
 - Overall Height: 22 mm
 - Material: Natural Rubber
 - Compression Load: 62.1 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264907 Female Buffer

RS PRO M8 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 57.04KG

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M8
 - Diameter: 30 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 57.04 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264908 Female Buffer

RS PRO M10 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 113.16KG

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M10
 - Diameter: 40 mm
 - Overall Height: 28 mm
 - Material: Natural Rubber
 - Compression Load: 113.16 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264910 Female Buffer

STUD MOUNT (F/F) 40X40MM M8 60 SHA

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M8
 - Diameter: 40 mm
 - Overall Height: 40 mm
 - Material: Natural Rubber
 - Compression Load: 100.52 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264911 Female Buffer

RS PRO M10 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M10
 - Diameter: 50 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 194.58 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264912 Female Buffer

RS PRO M10 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 161.24KG

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M10
 - Diameter: 50 mm
 - Overall Height: 45 mm
 - Material: Natural Rubber
 - Compression Load: 161.24 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264914 Female Buffer

RS PRO M12 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M12
 - Diameter: 50 mm
 - Overall Height: 50 mm
 - Material: Natural Rubber
 - Compression Load: 156.64 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264915 Female Buffer

RS PRO M10 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 327.3KG

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M10
 - Diameter: 70 mm
 - Overall Height: 50 mm
 - Material: Natural Rubber
 - Compression Load: 327.3 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264919 Female Buffer

RS PRO M12 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 757KG

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M12
 - Diameter: 80 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 757 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264920 Female Buffer

STUD MOUNT FOOT (M) 8X5MM M3X6 60 SHA

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M3
 - Diameter: 8 mm
 - Overall Height: 5 mm
 - Material: Natural Rubber
 - Compression Load: 5.5 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264923 Male Buffer Foot

STUD MOUNT FOOT (M) 10X8MM M4X10 45 SHA

- ขนาดบรรจุภัณฑ์: 8 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M4
 - Diameter: 10 mm
 - Overall Height: 8 mm
 - Material: Natural Rubber
 - Compression Load: 2.7 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1264925 Male Buffer Foot

STUD MOUNT FOOT (M) 10X10MM M4X6 60 SHA

- ขนาดบรรจุภัณฑ์: 8 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M4
 - Diameter: 10 mm
 - Overall Height: 10 mm
 - Material: Natural Rubber
 - Compression Load: 5 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264926 Male Buffer Foot

STUD MOUNT FOOT (M) 15X8MM M4X10 45 SHA

- ขนาดบรรจุภัณฑ์: 8 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M4
 - Diameter: 15 mm
 - Overall Height: 8 mm
 - Material: Natural Rubber
 - Compression Load: 12 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1264929 Male Buffer Foot

STUD MOUNT FOOT (M) 15X8MM M4X15 60 SHA

- ขนาดบรรจุภัณฑ์: 8 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M4
 - Diameter: 15 mm
 - Overall Height: 8 mm
 - Material: Natural Rubber
 - Compression Load: 24 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264931 Male Buffer Foot

RS PRO M4 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 7.62KG

- ขนาดบรรจุภัณฑ์: 8 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M4
 - Diameter: 15 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Compression Load: 7.62 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 50 Shore A



1264932 Male Buffer Foot

RS PRO M5 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 12KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M5
 - Diameter: 15 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Compression Load: 12 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264933 Male Buffer Foot

RS PRO M6 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 12KG

- ขนาดบรรจุภัณฑ์: 8 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M6
 - Diameter: 15 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Compression Load: 12 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264934 Male Buffer Foot

RS PRO M5 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 5.8KG

- ขนาดบรรจุภัณฑ์: 8 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M5
 - Diameter: 15 mm
 - Overall Height: 25 mm
 - Material: Natural Rubber
 - Compression Load: 5.8 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264936 Male Buffer Foot

STUD MOUNT FOOT (M) 16X10MM M5X12 55 SHA

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M5
 - Diameter: 16 mm
 - Overall Height: 10 mm
 - Material: Natural Rubber
 - Compression Load: 25.6 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 55 Shore A



1264937 Male Buffer Foot

RS PRO M4 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 12KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M4
 - Diameter: 16 mm
 - Overall Height: 18 mm
 - Material: Natural Rubber
 - Compression Load: 12 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264938 Male Buffer Foot

RS PRO M5 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 12KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M5
 - Diameter: 16 mm
 - Overall Height: 18 mm
 - Material: Natural Rubber
 - Compression Load: 12 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264939 Male Buffer Foot

RS PRO M5 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 6KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M5
 - Diameter: 16 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 6 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264940 Male Buffer Foot

STUD MOUNT FOOT (M) 20X8MM M6X15 60 SHA

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M6
 - Diameter: 20 mm
 - Overall Height: 8 mm
 - Material: Natural Rubber
 - Compression Load: 50 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264941 Male Buffer Foot

STUD MOUNT FOOT (M) 20X10MM M8X20 60 SHA

- ขนาดบรรจุภัณฑ์: 8 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M8
 - Diameter: 20 mm
 - Overall Height: 10 mm
 - Material: Natural Rubber
 - Compression Load: 34 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264942 Male Buffer Foot

RS PRO M6 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 28.2KG

- ขนาดบรรจุภัณฑ์: 8 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M6
 - Diameter: 20 mm
 - Overall Height: 13 mm
 - Material: Natural Rubber
 - Compression Load: 28.2 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264943 Male Buffer Foot

STUD MOUNT FOOT (M) 20X20MM M6X15 60 SHA

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M6
 - Diameter: 20 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 22 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264945 Male Buffer Foot

RS PRO M6 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 11KG

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M6
 - Diameter: 20 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Shore Hardness: 45 Shore A
 - Compression Load: 11 kg
 - Metalwork: Zinc Plated Steel



1264947 Male Buffer Foot

RS PRO M6 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 17.6KG

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M6
 - Diameter: 20 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 17.6 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 55 Shore A



1264948 Male Buffer Foot

RS PRO M6 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 21KG

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M6
 - Diameter: 20 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 21 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264949 Male Buffer Foot

RS PRO M6 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 66KG

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M6
 - Diameter: 25 mm
 - Overall Height: 10 mm
 - Material: Natural Rubber
 - Compression Load: 66 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264950 Male Buffer Foot

RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 66KG

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M8
 - Diameter: 25 mm
 - Overall Height: 10 mm
 - Material: Natural Rubber
 - Shore Hardness: 60 Shore A
 - Metalwork: Zinc Plated Steel
 - Compression Load: 66 kg



1264951 Male Buffer Foot

STUD MOUNT FOOT (M) 25X15MM M6X18 45 SHA

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M6
 - Diameter: 25 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Compression Load: 21.5 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1264953 Male Buffer Foot

RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 43KG

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M8
 - Diameter: 25 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Compression Load: 43 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264954 Male Buffer Foot

STUD MOUNT FOOT (M) 25X20MM M8X20 60 SHA

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M8
 - Diameter: 25 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 36.8 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264955 Male Buffer Foot

RS PRO M6 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 32.8KG

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M6
 - Diameter: 25 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 32.8 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264956 Male Buffer Foot

RS PRO M6 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 72KG

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M6
 - Diameter: 30 mm
 - Overall Height: 10 mm
 - Material: Natural Rubber
 - Compression Load: 72 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 55 Shore A



1264959 Male Buffer Foot

RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 72KG

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M8
 - Diameter: 30 mm
 - Overall Height: 17 mm
 - Material: Natural Rubber
 - Compression Load: 72 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264961 Male Buffer Foot

RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 59KG

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M8
 - Diameter: 30 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 59 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264962 Male Buffer Foot

RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 59KG

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M8
 - Diameter: 30 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 59 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264963 Male Buffer Foot

RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 52.6KG

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M8
 - Diameter: 30 mm
 - Overall Height: 25 mm
 - Material: Natural Rubber
 - Compression Load: 52.6 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264964 Male Buffer Foot

STUD MOUNT FOOT (M) 30X30MM M8X25 60 SHA

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M8
 - Diameter: 30 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 49.6 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264965 Male Buffer Foot

RS PRO M6 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 48KG

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M6
 - Diameter: 30 mm
 - Overall Height: 35 mm
 - Material: Natural Rubber
 - Compression Load: 48 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264966 Male Buffer Foot

RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 48KG

- ขนาดบรรจุภัณฑ์: 8 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M8
 - Diameter: 30 mm
 - Overall Height: 35 mm
 - Material: Natural Rubber
 - Compression Load: 48 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264969 Male Buffer Foot

RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 126.4KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M10
 - Diameter: 40 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 126.4 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264970 Male Buffer Foot

RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 80.26KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M8
 - Diameter: 40 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 80.26 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 50 Shore A



1264971 Male Buffer Foot

RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 108KG

- ขนาดบรรจุภัณฑ์: 2 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M10
 - Diameter: 40 mm
 - Overall Height: 25 mm
 - Material: Natural Rubber
 - Compression Load: 108 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264972 Male Buffer Foot

RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 48.1KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M8
 - Diameter: 40 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 48.1 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1264976 Male Buffer Foot

RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 96.2KG

- ขนาดบรรจุภัณฑ์: 2 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M8
 - Diameter: 40 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 96.2 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264978 Male Buffer Foot

RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 73.6KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M8
 - Diameter: 40 mm
 - Overall Height: 35 mm
 - Material: Natural Rubber
 - Compression Load: 73.6 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 55 Shore A



1264979 Male Buffer Foot

RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 87.4KG

- ขนาดบรรจุภัณฑ์: 2 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M10
 - Diameter: 40 mm
 - Overall Height: 40 mm
 - Material: Natural Rubber
 - Compression Load: 87.4 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264981 Male Buffer Foot

RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 249.6KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M10
 - Diameter: 50 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 249.6 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264982 Male Buffer Foot

RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 195.2KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M10
 - Diameter: 50 mm
 - Overall Height: 25 mm
 - Material: Natural Rubber
 - Compression Load: 195.2 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264983 Male Buffer Foot

RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 169.2KG

- ขนาดบรรจุภัณฑ์: 2 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M10
 - Diameter: 50 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 169.2 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1264984 Male Buffer Foot

RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 146KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M10
 - Diameter: 50 mm
 - Overall Height: 40 mm
 - Material: Natural Rubber
 - Compression Load: 146 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1265931 Male Buffer Foot

RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 140.2KG

- ขนาดบรรจุภัณฑ์: 2 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M10
 - Diameter: 50 mm
 - Overall Height: 45 mm
 - Material: Natural Rubber
 - Compression Load: 140.2 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1265932 Male Buffer Foot

RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 136.2KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M8
 - Diameter: 50 mm
 - Overall Height: 50 mm
 - Material: Natural Rubber
 - Compression Load: 136.2 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1265934 Male Buffer Foot

RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 247.4KG

- ขนาดบรรจุภัณฑ์: 1 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M10
 - Diameter: 60 mm
 - Overall Height: 35 mm
 - Material: Natural Rubber
 - Compression Load: 247.4 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1265935 Male Buffer Foot

RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 524.4KG

- ขนาดบรรจุภัณฑ์: 1 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M10
 - Diameter: 70 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 524.4 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1265936 Male Buffer Foot

RS PRO M4 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M4
 - Diameter: 15 mm
 - Overall Height: 15 mm
 - Static Load Capacity: 5.6 kg
 - Material: Rubber
 - Shore Hardness: 50 Shore A
 - Series: AV Type A



1265939 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT

- ขนาดบรรจุภัณฑ์: 1 x EA
- Thread Size: M10
 - Diameter: 60 mm
 - Overall Height: 85 mm
 - Material: Rubber
 - Shore Hardness: 60 Shore A
 - Series: AV Type B
 - Maximum Operating Temperature: +70 °C
 - Minimum Operating Temperature: -25 °C



1265941 M10

RS PRO M12 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 176.6KG

- ขนาดบรรจุภัณฑ์: 1 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M12
 - Diameter: 75 mm
 - Overall Height: 50 mm
 - Material: Natural Rubber
 - Compression Load: 176.6 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1265944 Male Buffer Foot

STUD MT FOOT (F) 16X10MM M4 45 SHA

- ขนาดบรรจุภัณฑ์: 8 x EA
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M4
 - Diameter: 16 mm
 - Overall Height: 10 mm
 - Material: Natural Rubber
 - Compression Load: 15 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1265946 Female Buffer

RS PRO M6 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 24.6KG

- ขนาดบรรจุภัณฑ์: 8 x EA
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M6
 - Diameter: 20 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Compression Load: 24.6 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1265947 Female Buffer

RS PRO M5 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 23.6KG

- ขนาดบรรจุภัณฑ์: 8 x EA
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M5
 - Diameter: 20 mm
 - Overall Height: 17 mm
 - Material: Natural Rubber
 - Compression Load: 23.6 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1265948 Female Buffer

RS PRO M6 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 21KG

- ขนาดบรรจุภัณฑ์: 8 x EA
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M6
 - Diameter: 20 mm
 - Overall Height: 25 mm
 - Material: Natural Rubber
 - Compression Load: 21 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1265949 Female Buffer

RS PRO M8 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 37.47KG

- ขนาดบรรจุภัณฑ์: 8 x EA
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M8
 - Diameter: 30 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 37.47 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 50 Shore A



1265953 Female Buffer

RS PRO M8 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 27KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M8
 - Diameter: 30 mm
 - Overall Height: 22 mm
 - Material: Natural Rubber
 - Compression Load: 27 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1265954 Female Buffer

RS PRO M6 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 113.6KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M6
 - Diameter: 40 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Compression Load: 113.6 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 55 Shore A



1265956 Female Buffer

RS PRO M5 ANTI VIBRATION MOUNT, BUMP STOP

- ขนาดบรรจุภัณฑ์: 8 x EA
- Anti Vibration Mount Type: Bump Stop
 - Thread Size: M5
 - Diameter: 10 mm
 - Overall Height: 10 mm
 - Static Load Capacity: 10 kg
 - Material: Rubber
 - Shore Hardness: 60 Shore A
 - Series: DP



1265957 Bump Stop

DAMPER PARABOLIC (M) 20X24MMM6X1860SHANR

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Bump Stop
 - Thread Size: M6
 - Diameter: 20 mm
 - Overall Height: 24 mm
 - Static Load Capacity: 45 kg
 - Material: Rubber
 - Shore Hardness: 60 Shore A
 - Series: DP



1265958 Bump Stop

DAMPER PARABOLIC (M) 25X20MMM8X2055SHANR

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Bump Stop
 - Thread Size: M8
 - Diameter: 20 mm
 - Overall Height: 20 mm
 - Static Load Capacity: 48 kg
 - Material: Rubber
 - Shore Hardness: 55 Shore A
 - Series: DP



1265959 Bump Stop

RS PRO M6 ANTI VIBRATION MOUNT, BUMP STOP

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Bump Stop
 - Thread Size: M6
 - Diameter: 30 mm
 - Overall Height: 30 mm
 - Static Load Capacity: 56 kg
 - Material: Rubber
 - Shore Hardness: 60 Shore A
 - Series: DP



1265960 Bump Stop

DAMPER PARABOLIC (M) 30X30MMM8X2060SHANR

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Bump Stop
 - Thread Size: M8
 - Diameter: 30 mm
 - Overall Height: 30 mm
 - Static Load Capacity: 56 kg
 - Material: Rubber
 - Shore Hardness: 60 Shore A
 - Series: DP



1265961 Bump Stop

RS PRO M8 ANTI VIBRATION MOUNT, BUMP STOP

- ขนาดบรรจุภัณฑ์: 2 x EA
- Anti Vibration Mount Type: Bump Stop
 - Thread Size: M8
 - Diameter: 50 mm
 - Overall Height: 48 mm
 - Static Load Capacity: 64 kg
 - Material: Rubber
 - Shore Hardness: 50 Shore A
 - Series: DP



1265962 Bump Stop

RS PRO M10 ANTI VIBRATION MOUNT, BUMP STOP

- ขนาดบรรจุภัณฑ์: 2 x EA
- Anti Vibration Mount Type: Bump Stop
 - Thread Size: M10
 - Diameter: 50 mm
 - Overall Height: 50 mm
 - Static Load Capacity: 184 kg
 - Material: Rubber
 - Shore Hardness: 60 Shore A
 - Series: DP



1265963 Bump Stop

RS PRO M10 ANTI VIBRATION MOUNT, BUMP STOP

- ขนาดบรรจุภัณฑ์: 2 x EA
- Anti Vibration Mount Type: Bump Stop
 - Thread Size: M10
 - Diameter: 50 mm
 - Overall Height: 61 mm
 - Static Load Capacity: 230 kg
 - Material: Rubber
 - Shore Hardness: 60 Shore A
 - Series: DP



1265964 Bump Stop

RS PRO M12 ANTI VIBRATION MOUNT, BUMP STOP

- ขนาดบรรจุภัณฑ์: 1 x EA
- Anti Vibration Mount Type: Bump Stop
 - Thread Size: M12
 - Diameter: 70 mm
 - Overall Height: 58 mm
 - Static Load Capacity: 370 kg
 - Material: Rubber
 - Shore Hardness: 60 Shore A
 - Series: DP



1265966 Bump Stop

RS PRO M10 ANTI VIBRATION MOUNT, BUMP STOP

- ขนาดบรรจุภัณฑ์: 1 x EA
- Anti Vibration Mount Type: Bump Stop
 - Thread Size: M10
 - Diameter: 70 mm
 - Overall Height: 60 mm
 - Static Load Capacity: 374 kg
 - Material: Rubber
 - Shore Hardness: 60 Shore A
 - Maximum Operating Temperature: +70 °C



1265967 Bump Stop

RS PRO M10 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 306KG

- ขนาดบรรจุภัณฑ์: 2 x EA
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M10
 - Diameter: 50 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Compression Load: 306 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1265969 Female Buffer

RS PRO CYLINDRICAL M12 ANTI VIBRATION MOUNT WITH 300KG

- ขนาดบรรจุภัณฑ์: 1 x EA
- Thread Size: M12
 - Diameter: 90 mm
 - Foot Height: 33 mm
 - Overall Height: 153 mm
 - Static Load Capacity: 300 kg
 - Material: Natural Rubber
 - Metalwork: Zinc Plated Steel
 - Compression Load: 300 kg



1265970 M12

RS PRO CYLINDRICAL M10 ANTI VIBRATION MOUNT

- ขนาดบรรจุภัณฑ์: 1 x EA
- Thread Size: M10
 - Diameter: 46 mm
 - Foot Height: 15 mm
 - Overall Height: 53 mm
 - Material: Natural Rubber
 - Shore Hardness: 55 Shore A
 - Foot Shape: Cylindrical
 - Metalwork: Stainless Steel



1265971 M10

RS PRO CYLINDRICAL M16 ANTI VIBRATION MOUNT WITH 800KG

- ขนาดบรรจุภัณฑ์: 1 x EA
- Thread Size: M16
 - Diameter: 125 mm
 - Foot Height: 45 mm
 - Overall Height: 165 mm
 - Static Load Capacity: 800 kg
 - Material: Natural Rubber
 - Metalwork: Zinc Plated Steel
 - Compression Load: 800 kg



1266366 M16

RS PRO CYLINDRICAL M20 ANTI VIBRATION MOUNT WITH 1600KG

- ขนาดบรรจุภัณฑ์: 1 x EA
- Thread Size: M20
 - Diameter: 170 mm
 - Foot Height: 57 mm
 - Overall Height: 167 mm
 - Static Load Capacity: 1600 kg
 - Material: Natural Rubber
 - Metalwork: Zinc Plated Steel
 - Compression Load: 1600 kg



1266367 M20

RS PRO M10 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 154.8KG

- ขนาดบรรจุภัณฑ์: 2 x EA
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M10
 - Diameter: 50 mm
 - Overall Height: 35 mm
 - Material: Natural Rubber
 - Compression Load: 154.8 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1266369 Female Buffer

RS PRO M12 ANTI VIBRATION MOUNT WITH 360KG COMPRESSION LOAD

- ขนาดบรรจุภัณฑ์: 1 x EA
- Thread Size: M12
 - Diameter: 130 mm
 - Foot Height: 3 mm
 - Overall Height: 44 mm
 - Static Load Capacity: 360 kg
 - Material: Natural Rubber
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1623214 M12

RS PRO M12 ANTI VIBRATION MOUNT WITH 290KG COMPRESSION LOAD

- ขนาดบรรจุภัณฑ์: 1 x EA
- Thread Size: M12
 - Diameter: 130 mm
 - Foot Height: 3 mm
 - Overall Height: 44 mm
 - Static Load Capacity: 290 kg
 - Material: Natural Rubber
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1623215 M12

RS PRO M8 ANTI VIBRATION MOUNT WITH 80KG COMPRESSION LOAD

- ขนาดบรรจุภัณฑ์: 1 x EA
- Thread Size: M8
 - Diameter: 114 mm
 - Foot Height: 35 mm
 - Overall Height: 35 mm
 - Static Load Capacity: 80 kg
 - Material: Rubber
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1623217 M8

RS PRO M10 ANTI VIBRATION MOUNT WITH 118KG COMPRESSION LOAD

- ขนาดบรรจุภัณฑ์: 1 x EA
- Thread Size: M10
 - Diameter: 120 mm
 - Overall Height: 35 mm
 - Static Load Capacity: 118 kg
 - Material: Rubber
 - Compression Load: 118 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1623218 M10

RS PRO M6 ANTI VIBRATION MOUNT WITH 3.5KG COMPRESSION LOAD

- ขนาดบรรจุภัณฑ์: 1 x EA
- Thread Size: M6
 - Diameter: 64 mm
 - Foot Height: 20 mm
 - Overall Height: 20 mm
 - Static Load Capacity: 3.5 kg
 - Material: Rubber
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1623219 M6

RS PRO ROUND M12 ANTI VIBRATION MOUNT WITH 450KG COMPRESSION

- ขนาดบรรจุภัณฑ์: 1 x EA
- Thread Size: M12
 - Diameter: 172 mm
 - Foot Height: 3 mm
 - Overall Height: 38 mm
 - Static Load Capacity: 450 kg
 - Material: Natural Rubber
 - Mounting Type: 2-Hole Flange
 - Foot Shape: Round



1623221 M12

RS PRO ROUND M10 ANTI VIBRATION MOUNT WITH 0 COMPRESSION LOAD

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Thread Size: M10
 - Diameter: 148 mm
 - Overall Height: 25 mm
 - Static Load Capacity: 0
 - Material: Natural Rubber
 - Mounting Type: 2-Hole Flange
 - Foot Shape: Round
 - Compression Load: 0



1623224 M10

RS PRO M6 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 36.8KG

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M6
 - Diameter: 25 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Shore Hardness: 60 Shore A
 - Compression Load: 36.8 kg
 - Metalwork: Zinc Plated Steel



1623225 Male Buffer Foot

RS PRO M6 ANTI VIBRATION MOUNT WITH 60KG COMPRESSION LOAD

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Thread Size: M6
 - Diameter: 85 mm
 - Foot Height: 25 mm
 - Overall Height: 20 mm
 - Static Load Capacity: 60 kg
 - Material: Rubber
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1623226 M6

RS PRO RECTANGULAR M12 ANTI VIBRATION MOUNT, MARINE MOUNT

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Anti Vibration Mount Type: Marine Mount
 - Thread Size: M12
 - Diameter: 120 mm
 - Overall Height: 40 mm
 - Static Load Capacity: 65 kg
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Rectangular



1623229 Marine Mount

RS PRO ROUND M20 ANTI VIBRATION MOUNT, MARINE MOUNT WITH 900KG

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Anti Vibration Mount Type: Marine Mount
 - Thread Size: M20
 - Diameter: 184 mm
 - Foot Height: 5 mm
 - Overall Height: 85 mm
 - Material: Natural Rubber
 - Metalwork: Metal
 - Compression Load: 900 kg



1623230 Marine Mount

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 63.5KG

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M8
 - Diameter: 25 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Shore Hardness: 70 Shore A
 - Compression Load: 63.5 kg
 - Metalwork: Zinc Plated Steel



1623234 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 22KG

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M6
 - Diameter: 25 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Shore Hardness: 60 Shore A
 - Compression Load: 22 kg
 - Metalwork: Zinc Plated Steel



1623235 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 351KG

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M10
 - Diameter: 60 mm
 - Overall Height: 25 mm
 - Material: Natural Rubber
 - Shore Hardness: 70 Shore A
 - Compression Load: 351 kg
 - Metalwork: Zinc Plated Steel



1623236 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 25.3KG

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M6
 - Diameter: 20 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Shore Hardness: 60 Shore A
 - Compression Load: 25.3 kg
 - Metalwork: Zinc Plated Steel



1623237 Female Buffer

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 59KG

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M8
 - Diameter: 30 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Shore Hardness: 60 Shore A
 - Compression Load: 59 kg
 - Metalwork: Zinc Plated Steel



1623238 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M8
 - Diameter: 25 mm
 - Overall Height: 25 mm
 - Material: Natural Rubber
 - Shore Hardness: 70 Shore A
 - Compression Load: 59.2 kg
 - Metalwork: Zinc Plated Steel



1623239 Male to Female

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 164KG

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M10
 - Diameter: 40 mm
 - Overall Height: 25 mm
 - Material: Natural Rubber
 - Shore Hardness: 70 Shore A
 - Compression Load: 164 kg
 - Metalwork: Zinc Plated Steel



1623240 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 180.2KG

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M10
 - Diameter: 40 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Shore Hardness: 70 Shore A
 - Compression Load: 180.2 kg
 - Metalwork: Zinc Plated Steel



1623243 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 24.6KG

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M6
 - Diameter: 20 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Shore Hardness: 60 Shore A
 - Compression Load: 24.6 kg
 - Metalwork: Zinc Plated Steel



1623245 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT, BUMP STOP

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Anti Vibration Mount Type: Bump Stop
 - Thread Size: M10
 - Diameter: 50 mm
 - Overall Height: 50 mm
 - Static Load Capacity: 184 kg
 - Material: Rubber
 - Shore Hardness: 60 Shore A
 - Series: DP



1623247 Bump Stop

RS PRO M8 ANTI VIBRATION MOUNT WITH 42KG COMPRESSION LOAD

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Thread Size: M8
 - Diameter: 49 mm
 - Foot Height: 35 mm
 - Overall Height: 35 mm
 - Static Load Capacity: 42 kg
 - Material: Rubber
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1623249 M8

RS PRO M5 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 12KG

ขนาดบรรจุภัณฑ์: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M5
- Diameter: 15 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Shore Hardness: 60 Shore A
- Compression Load: 12 kg
- Metalwork: Zinc Plated Steel



1623251 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT WITH 40KG COMPRESSION LOAD

ขนาดบรรจุภัณฑ์: 1 x EA

- Thread Size: M8
- Diameter: 46 mm
- Overall Height: 20 mm
- Static Load Capacity: 40 kg
- Material: Natural Rubber
- Compression Load: 40 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1623252 M8

RS PRO M3 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 1.65KG

ขนาดบรรจุภัณฑ์: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M3
- Diameter: 6 mm
- Overall Height: 7 mm
- Material: Natural Rubber
- Compression Load: 1.65 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1712566 Male to Male

RS PRO M3 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 4.8KG

ขนาดบรรจุภัณฑ์: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M3
- Diameter: 8 mm
- Overall Height: 8 mm
- Material: Natural Rubber
- Compression Load: 4.8 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712567 Male to Male

RS PRO M5 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 11.76KG

ขนาดบรรจุภัณฑ์: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M5
- Diameter: 15 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 11.76 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 65 Shore A



1712569 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 22KG

ขนาดบรรจุภัณฑ์: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 22 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712570 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 66KG

ขนาดบรรจุภัณฑ์: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 25 mm
- Overall Height: 10 mm
- Material: Natural Rubber
- Compression Load: 66 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712572 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 36.8KG

ขนาดบรรจุภัณฑ์: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 25 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 36.8 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712573 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 34.2KG

ขนาดบรรจุภัณฑ์: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 34.2 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712575 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 49.6KG

ขนาดบรรจุภัณฑ์: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 30 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 49.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1712576 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 26.28KG

ขนาดบรรจุภัณฑ์: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 32 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 26.28 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 40 Shore A



1712579 Male to Male

ZP MTOM MNT 40MM D 20MM H M8X20

ขนาดบรรจุภัณฑ์: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 80.26 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1712581 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 96.2KG

ขนาดบรรจุภัณฑ์: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 96.2 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712582 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 169.2KG

ขนาดบรรจุภัณฑ์: 2 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 169.2 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712583 Male to Male

RS PRO M12 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 136.2KG

ขนาดบรรจุภัณฑ์: 1 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M12
- Diameter: 50 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 136.2 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1712584 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH

ขนาดบรรจุภัณฑ์: 1 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 60 mm
- Overall Height: 35 mm
- Material: Natural Rubber
- Compression Load: 197.92 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 55 Shore A



1712585 Male to Male

RS PRO M16 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M16
 - Diameter: 100 mm
 - Overall Height: 40 mm
 - Material: Natural Rubber
 - Compression Load: 726.56 kg
 - Metalwork: Stainless Steel
 - Shore Hardness: 55 Shore A



1712589 Male to Male

ZP MTOF MNT 10MM D 10MM H M4X6

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M4
 - Diameter: 10 mm
 - Overall Height: 10 mm
 - Material: Natural Rubber
 - Shore Hardness: 60 Shore A
 - Compression Load: 5.5 kg
 - Metalwork: Zinc Plated Steel



1712591 Male to Female

ZP MTOF MNT 15MM D 10MM H M4X6

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M4
 - Diameter: 15 mm
 - Overall Height: 10 mm
 - Material: Natural Rubber
 - Compression Load: 16.19 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 55 Shore A



1712592 Male to Female

ZP MTOF MNT 15MM D 15MM H M5X15

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M5
 - Diameter: 15 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Compression Load: 6.6 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1712593 Male to Female

RS PRO M4 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M4
 - Diameter: 15 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Compression Load: 13.2 kg
 - Metalwork: Stainless Steel
 - Shore Hardness: 60 Shore A



1712594 Male to Female

RS PRO M5 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M5
 - Diameter: 20 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Compression Load: 17.18 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 50 Shore A



1712595 Male to Female

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M6
 - Diameter: 25 mm
 - Overall Height: 25 mm
 - Material: Natural Rubber
 - Compression Load: 37.62 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1712597 Male to Female

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M8
 - Diameter: 25 mm
 - Overall Height: 25 mm
 - Material: Natural Rubber
 - Compression Load: 37.62 kg
 - Metalwork: Stainless Steel
 - Shore Hardness: 60 Shore A



1712598 Male to Female

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M6
 - Diameter: 30 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Compression Load: 83.16 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1712599 Male to Female

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M6
 - Diameter: 30 mm
 - Overall Height: 20 mm
 - Material: EPDM
 - Compression Load: 95.4 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 70 Shore A



1712600 Male to Female

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M8
 - Diameter: 30 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 54.56 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1712601 Male to Female

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M10
 - Diameter: 30 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 27.28 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1712602 Male to Female

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M8
 - Diameter: 30 mm
 - Overall Height: 40 mm
 - Material: Natural Rubber
 - Compression Load: 25.63 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1712604 Male to Female

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M10
 - Diameter: 40 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 139.04 kg
 - Metalwork: Stainless Steel
 - Shore Hardness: 60 Shore A



1712605 Male to Female

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M8
 - Diameter: 40 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 139.04 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1712606 Male to Female

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M10
 - Diameter: 50 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 274.56 kg
 - Metalwork: Stainless Steel
 - Shore Hardness: 60 Shore A



1712608 Male to Female

ZP MTOF MNT 50MM D 30MM H M10X25

ขนาดบรรจุภัณฑ์: **2 x EA**

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 186.12 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1712609 Male to Female

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

ขนาดบรรจุภัณฑ์: **2 x EA**

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 40 mm
- Material: Natural Rubber
- Compression Load: 160.6 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712610 Male to Female

RS PRO M12 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

ขนาดบรรจุภัณฑ์: **1 x EA**

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M12
- Diameter: 70 mm
- Overall Height: 40 mm
- Material: Natural Rubber
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A
- Compression Load: 313.06 kg



1712611 Male to Female

RS PRO M12 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

ขนาดบรรจุภัณฑ์: **1 x EA**

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M12
- Diameter: 75 mm
- Overall Height: 40 mm
- Material: Natural Rubber
- Compression Load: 447.04 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712612 Male to Female

RS PRO M12 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

ขนาดบรรจุภัณฑ์: **1 x EA**

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M12
- Diameter: 75 mm
- Overall Height: 50 mm
- Material: Natural Rubber
- Compression Load: 194.26 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1712613 Male to Female

RS PRO M16 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

ขนาดบรรจุภัณฑ์: **1 x EA**

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M16
- Diameter: 100 mm
- Overall Height: 40 mm
- Material: Natural Rubber
- Compression Load: 499.51 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1712614 Male to Female

RS PRO M2.5 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH

ขนาดบรรจุภัณฑ์: **4 x EA**

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M2.5
- Diameter: 6 mm
- Overall Height: 8 mm
- Material: Natural Rubber
- Compression Load: 4.7 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1712616 Female Buffer

ZP FEMTOF MNT 10MM D 10MM H M4

ขนาดบรรจุภัณฑ์: **4 x EA**

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M4
- Diameter: 10 mm
- Overall Height: 10 mm
- Material: Natural Rubber
- Compression Load: 2.88 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1712617 Female Buffer

RS PRO M6 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 42.32KG

ขนาดบรรจุภัณฑ์: **4 x EA**

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 42.32 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712621 Female Buffer

RS PRO M8 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 40.94KG

ขนาดบรรจุภัณฑ์: **2 x EA**

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M8
- Diameter: 25 mm
- Overall Height: 22 mm
- Material: Natural Rubber
- Compression Load: 40.94 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712622 Female Buffer

RS PRO M6 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 43.09KG

ขนาดบรรจุภัณฑ์: **4 x EA**

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M6
- Diameter: 30 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 43.09 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1712623 Female Buffer

RS PRO M8 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 67.86KG

ขนาดบรรจุภัณฑ์: **4 x EA**

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 67.86 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712624 Female Buffer

RS PRO M10 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 113.16KG

ขนาดบรรจุภัณฑ์: **2 x EA**

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M10
- Diameter: 40 mm
- Overall Height: 28 mm
- Material: Natural Rubber
- Compression Load: 113.16 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712628 Female Buffer

RS PRO M8 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 110.64KG

ขนาดบรรจุภัณฑ์: **4 x EA**

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 110.64 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1712629 Female Buffer

ZP FEMTOF MNT 50MM D 25MM H M10

ขนาดบรรจุภัณฑ์: **2 x EA**

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 224.48 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1712630 Female Buffer

RS PRO M10 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 167.9KG

ขนาดบรรจุภัณฑ์: **2 x EA**

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 40 mm
- Material: Natural Rubber
- Compression Load: 167.9 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1712633 Female Buffer

RS PRO M12 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M12
 - Diameter: 75 mm
 - Overall Height: 50 mm
 - Material: Natural Rubber
 - Compression Load: 257.92 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 50 Shore A



1712635 Female Buffer

RS PRO M16 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M16
 - Diameter: 100 mm
 - Overall Height: 55 mm
 - Material: Natural Rubber
 - Compression Load: 794.66 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1712637 Female Buffer

RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 126.4KG

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M10
 - Diameter: 40 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 126.4 kg
 - Metalwork: Stainless Steel
 - Shore Hardness: 60 Shore A



1712638 Male Buffer Foot

RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 48.1KG

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M8
 - Diameter: 40 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 48.1 kg
 - Metalwork: Stainless Steel
 - Shore Hardness: 45 Shore A



1712639 Male Buffer Foot

RS PRO M14 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 412KG

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M14
 - Diameter: 80 mm
 - Overall Height: 75 mm
 - Material: Natural Rubber
 - Compression Load: 412 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 70 Shore A



1712641 Male Buffer Foot

RS PRO SQUARE M10 ANTI VIBRATION MOUNT WITH 40KG COMPRESSION

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Thread Size: M10
 - Diameter: 85 mm
 - Foot Height: 25 mm
 - Overall Height: 25 mm
 - Static Load Capacity: 40 kg
 - Material: Natural Rubber
 - Metalwork: Stainless Steel
 - Foot Shape: Square



1712643 M10

RS PRO RECTANGULAR ANTI VIBRATION MOUNT WITH 180

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Diameter: 108 mm
 - Foot Height: 38 mm
 - Overall Height: 43 mm
 - Static Load Capacity: 180
 - Material: Natural Rubber
 - Compression Load: 180
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 50 Shore A



1712645 108 mm

RS PRO RECTANGULAR ANTI VIBRATION MOUNT WITH 280

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Diameter: 108 mm
 - Foot Height: 38 mm
 - Overall Height: 43 mm
 - Static Load Capacity: 280
 - Material: Natural Rubber
 - Compression Load: 280
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1712646 108 mm

RS PRO RECTANGULAR ANTI VIBRATION MOUNT WITH 450

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Diameter: 168 mm
 - Foot Height: 38 mm
 - Overall Height: 43 mm
 - Static Load Capacity: 450
 - Material: Natural Rubber
 - Compression Load: 450
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 50 Shore A



1712647 168 mm

RS PRO RECTANGULAR ANTI VIBRATION MOUNT WITH 1030

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Diameter: 168 mm
 - Foot Height: 38 mm
 - Overall Height: 43 mm
 - Static Load Capacity: 1030
 - Material: Natural Rubber
 - Compression Load: 1030
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 70 Shore A



1712649 168 mm

RS PRO HEXAGONAL M6 ANTI VIBRATION MOUNT WITH 3.75KG

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Thread Size: M6
 - Diameter: 15.2 mm
 - Foot Height: 16 mm
 - Overall Height: 16 mm
 - Static Load Capacity: 3.75 kg
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Hexagonal



1712650 M6

RS PRO HEXAGONAL M6 ANTI VIBRATION MOUNT WITH 6.7KG

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Thread Size: M6
 - Diameter: 15.2 mm
 - Foot Height: 16 mm
 - Overall Height: 16 mm
 - Static Load Capacity: 6.7 kg
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Hexagonal



1712651 M6

RS PRO HEXAGONAL M6 ANTI VIBRATION MOUNT WITH 10KG

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Thread Size: M6
 - Diameter: 20.7 mm
 - Foot Height: 19 mm
 - Overall Height: 19 mm
 - Static Load Capacity: 10 kg
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Hexagonal



1712652 M6

RS PRO HEXAGONAL M8 ANTI VIBRATION MOUNT WITH 14KG

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Thread Size: M8
 - Diameter: 20.7 mm
 - Foot Height: 19 mm
 - Overall Height: 19 mm
 - Static Load Capacity: 14 kg
 - Mounting Type: Screw-in
 - Foot Shape: Hexagonal
 - Compression Load: 14 kg



1712653 M8

RS PRO HEXAGONAL M8 ANTI VIBRATION MOUNT WITH 8KG

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Thread Size: M8
 - Diameter: 20.7 mm
 - Foot Height: 19 mm
 - Overall Height: 19 mm
 - Static Load Capacity: 8 kg
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Hexagonal



1712654 M8

RS PRO HEXAGONAL M8 ANTI VIBRATION MOUNT WITH 22KG

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Thread Size: m8
 - Diameter: 31.8 mm
 - Foot Height: 26.4 mm
 - Overall Height: 26.4 mm
 - Static Load Capacity: 22 kg
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Hexagonal



1712655 m8

RS PRO CYLINDRICAL M16 ANTI VIBRATION MOUNT WITH 380KG

- ขนาดบรรจุภัณฑ์: 1 x EA
- Thread Size: M16
 - Diameter: 105 mm
 - Foot Height: 40 mm
 - Overall Height: 40 mm
 - Static Load Capacity: 380 kg
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Cylindrical



1712659 M16

RS PRO CYLINDRICAL M16 ANTI VIBRATION MOUNT WITH 230KG

- ขนาดบรรจุภัณฑ์: 1 x EA
- Thread Size: M16
 - Diameter: 105 mm
 - Overall Height: 55 mm
 - Static Load Capacity: 230 kg
 - Foot Shape: Cylindrical
 - Compression Load: 230 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 50 Shore A



1712660 M16

FAST FITTING FEET,TYPE 3 20MM DIAx10MM H

- ขนาดบรรจุภัณฑ์: 50 x EA
- Anti Vibration Mount Type: Rubber Foot
 - Diameter: 20 mm
 - Foot Height: 10 mm
 - Overall Height: 15.5 mm
 - Foot Shape: Round



1720852 Rubber Foot

RS PRO ROUND ANTI VIBRATION MOUNT, RUBBER FOOT

- ขนาดบรรจุภัณฑ์: 50 x EA
- Anti Vibration Mount Type: Rubber Foot
 - Diameter: 25 mm
 - Foot Height: 5 mm
 - Overall Height: 10 mm
 - Foot Shape: Round



1720853 Rubber Foot

FAST FITTING FEET,TYPE 2 21MM DIAx6MM H

- ขนาดบรรจุภัณฑ์: 50 x EA
- Anti Vibration Mount Type: Rubber Foot
 - Diameter: 21 mm
 - Foot Height: 6 mm
 - Overall Height: 6 mm
 - Foot Shape: Round



1720854 Rubber Foot

CYLINDRICAL BOBBIN MOUNT (MALE/MALE) 15M

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M4
 - Diameter: 15 mm
 - Overall Height: 45 mm
 - Material: Stainless Steel
 - Metalwork: Stainless Steel
 - Compression Load: 10.64 kg
 - Shore Hardness: 55 Shore A



1854477 Male to Male

RS PRO CYLINDRICAL M6 ANTI VIBRATION MOUNT, MALE TO FEMALE

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M6
 - Diameter: 20 mm
 - Overall Height: 33 mm
 - Material: Stainless Steel
 - Metalwork: Stainless Steel
 - Compression Load: 22.44 kg
 - Shore Hardness: 55 Shore A



1854478 Male to Female

RS PRO CYLINDRICAL M4 ANTI VIBRATION MOUNT, FEMALE BUFFER

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M4
 - Diameter: 15 mm
 - Overall Height: 10 mm
 - Material: Stainless Steel
 - Metalwork: Stainless Steel
 - Compression Load: 13.44 kg
 - Shore Hardness: 55 Shore A



1854479 Female Buffer

RS PRO CYLINDRICAL M4 ANTI VIBRATION MOUNT, MALE BUFFER

- ขนาดบรรจุภัณฑ์: 2 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M4
 - Diameter: 15 mm
 - Overall Height: 18 mm
 - Material: Stainless Steel
 - Metalwork: Stainless Steel
 - Compression Load: 20 kg
 - Shore Hardness: 55 Shore A



1854480 Male Buffer Foot

RS PRO CYLINDRICAL M8 ANTI VIBRATION MOUNT, MALE TO MALE

- ขนาดบรรจุภัณฑ์: 2 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M8
 - Diameter: 25 mm
 - Overall Height: 70 mm
 - Material: Stainless Steel
 - Metalwork: Stainless Steel
 - Compression Load: 28.48 kg
 - Shore Hardness: 55 Shore A



1854481 Male to Male

RS PRO CYLINDRICAL M6 ANTI VIBRATION MOUNT, FEMALE BUFFER

- ขนาดบรรจุภัณฑ์: 2 x EA
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M6
 - Diameter: 20 mm
 - Overall Height: 15 mm
 - Material: Stainless Steel
 - Metalwork: Stainless Steel
 - Compression Load: 20.4 kg
 - Shore Hardness: 55 Shore A



1854482 Female Buffer

RS PRO CYLINDRICAL M6 ANTI VIBRATION MOUNT, MALE TO FEMALE

- ขนาดบรรจุภัณฑ์: 2 x EA
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M6
 - Diameter: 20 mm
 - Overall Height: 38 mm
 - Material: Stainless Steel
 - Metalwork: Stainless Steel
 - Compression Load: 20.68 kg
 - Shore Hardness: 55 Shore A



1854483 Male to Female

RS PRO CYLINDRICAL M8 ANTI VIBRATION MOUNT, FEMALE BUFFER

- ขนาดบรรจุภัณฑ์: 2 x EA
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M8
 - Diameter: 30 mm
 - Overall Height: 20 mm
 - Material: Stainless Steel
 - Metalwork: Stainless Steel
 - Compression Load: 48 kg
 - Shore Hardness: 55 Shore A



1854484 Female Buffer

RS PRO CYLINDRICAL M8 ANTI VIBRATION MOUNT, FEMALE BUFFER

- ขนาดบรรจุภัณฑ์: 2 x EA
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M8
 - Diameter: 30 mm
 - Overall Height: 25 mm
 - Material: Stainless Steel
 - Metalwork: Stainless Steel
 - Compression Load: 50.8 kg
 - Shore Hardness: 55 Shore A



1854485 Female Buffer

RS PRO CYLINDRICAL M10 ANTI VIBRATION MOUNT, MALE TO MALE

- ขนาดบรรจุภัณฑ์: 1 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M10
 - Diameter: 40 mm
 - Overall Height: 25 mm
 - Material: Stainless Steel
 - Metalwork: Stainless Steel
 - Compression Load: 98.08 kg
 - Shore Hardness: 55 Shore A



1854487 Male to Male

RS PRO CYLINDRICAL M8 ANTI VIBRATION MOUNT, FEMALE BUFFER

- ขนาดบรรจุภัณฑ์: 1 x EA
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M8
 - Diameter: 40 mm
 - Overall Height: 30 mm
 - Material: Stainless Steel
 - Metalwork: Stainless Steel
 - Compression Load: 92.16 kg
 - Shore Hardness: 55 Shore A



1854488 Female Buffer

RS PRO CYLINDRICAL M10 ANTI VIBRATION MOUNT, MALE TO FEMALE

- ขนาดบรรจุภัณฑ์: 1 x EA
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M10
 - Diameter: 40 mm
 - Overall Height: 60 mm
 - Material: Stainless Steel
 - Metalwork: Stainless Steel
 - Compression Load: 86.06 kg
 - Shore Hardness: 55 Shore A



1854489 Male to Female

RS PRO CYLINDRICAL M10 ANTI VIBRATION MOUNT, FEMALE BUFFER

- ขนาดบรรจุภัณฑ์: 1 x EA
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M10
 - Diameter: 50 mm
 - Overall Height: 35 mm
 - Material: Stainless Steel
 - Metalwork: Stainless Steel
 - Compression Load: 147.04 kg
 - Shore Hardness: 55 Shore A



1854491 Female Buffer

RS PRO CYLINDRICAL M10 ANTI VIBRATION MOUNT, MALE TO MALE

- ขนาดบรรจุภัณฑ์: 1 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M10
 - Diameter: 50 mm
 - Overall Height: 35 mm
 - Material: Stainless Steel
 - Metalwork: Stainless Steel
 - Compression Load: 127.8 kg
 - Shore Hardness: 55 Shore A



1854492 Male to Male

RS PRO CYLINDRICAL M8 ANTI VIBRATION MOUNT, MALE TO MALE

- ขนาดบรรจุภัณฑ์: 1 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M8
 - Diameter: 30 mm
 - Overall Height: 30 mm
 - Material: Stainless Steel
 - Metalwork: Stainless Steel
 - Compression Load: 48.64 kg
 - Shore Hardness: 55 Shore A



1854493 Male to Male

RS PRO CYLINDRICAL M10 ANTI VIBRATION MOUNT, MALE BUFFER

- ขนาดบรรจุภัณฑ์: 1 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M10
 - Diameter: 50 mm
 - Overall Height: 55 mm
 - Material: Stainless Steel
 - Metalwork: Stainless Steel
 - Compression Load: 136.48 kg
 - Shore Hardness: 55 Shore A



1854495 Male Buffer Foot

RS PRO ANTI VIBRATION MOUNT, RUBBER BUSH

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Rubber Bush
 - Diameter: 25 mm
 - Overall Height: 50 mm



1893203 Rubber Bush

RS PRO M5 ANTI VIBRATION MOUNT, RUBBER BOBBIN WITH 4.9KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Rubber Bobbin
 - Thread Size: M5
 - Diameter: 15 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 4.9 kg
 - Shore Hardness: 45 Shore A
 - Metalwork: Zinc Plated Steel



1893204 Rubber Bobbin

RS PRO M8 ANTI VIBRATION MOUNT, BUMP STOP WITH 56KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Bump Stop
 - Thread Size: M8
 - Diameter: 30 mm
 - Overall Height: 30 mm
 - Material: Rubber
 - Compression Load: 56 kg
 - Shore Hardness: 60 Shore A
 - Metalwork: Zinc Plated Steel



1893206 Bump Stop

RS PRO M6 ANTI VIBRATION MOUNT, BUMP STOP WITH 35KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Bump Stop
 - Thread Size: M6
 - Diameter: 20 mm
 - Overall Height: 24 mm
 - Material: Rubber
 - Compression Load: 35 kg
 - Shore Hardness: 60 Shore A
 - Metalwork: Zinc Plated Steel



1893208 Bump Stop

RS PRO M12 ANTI VIBRATION MOUNT, RUBBER BOBBIN WITH 83.4KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Rubber Bobbin
 - Thread Size: M12
 - Diameter: 75 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 83.4 kg
 - Shore Hardness: 70 Shore A
 - Metalwork: Zinc Plated Steel



1893209 Rubber Bobbin

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 26.3KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M8
 - Diameter: 30 mm
 - Overall Height: 25 mm
 - Material: Natural Rubber
 - Compression Load: 26.3 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1893211 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 97.8KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M10
 - Diameter: 40 mm
 - Overall Height: 35 mm
 - Material: Natural Rubber
 - Compression Load: 97.8 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1893212 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH 66KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M8
 - Diameter: 30 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 66 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1893216 Male to Female

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 38.5KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M6
 - Diameter: 25 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 38.5 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1893217 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 251KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M10
 - Diameter: 50 mm
 - Overall Height: 45 mm
 - Material: Natural Rubber
 - Compression Load: 251 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 70 Shore A



1893219 Female Buffer

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 24.8KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M8
 - Diameter: 30 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 24.8 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1893220 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 112KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M10
 - Diameter: 40 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 112 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1893221 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT, BUMP STOP WITH 184KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Bump Stop
 - Thread Size: M10
 - Diameter: 50 mm
 - Overall Height: 50 mm
 - Material: Rubber
 - Compression Load: 184 kg
 - Shore Hardness: 60 Shore A
 - Metalwork: Zinc Plated Steel



1893222 Bump Stop

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 10.9KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M8
 - Diameter: 25 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 10.9 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 35 Shore A



1893223 Male to Male

RS PRO M5 ANTI VIBRATION MOUNT, RUBBER BOBBIN WITH 6KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Rubber Bobbin
 - Thread Size: M5
 - Diameter: 15 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Compression Load: 6 kg
 - Shore Hardness: 45 Shore A
 - Metalwork: Zinc Plated Steel



1893224 Rubber Bobbin

RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT

- ขนาดบรรจุภัณฑ์: 1 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M10
 - Diameter: 59 mm
 - Overall Height: 25 mm
 - Material: Rubber
 - Shore Hardness: 70 Shore A
 - Compression Deflection: 6.6 mm



1893226 Male Buffer Foot

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 46KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M10
 - Diameter: 40 mm
 - Overall Height: 35 mm
 - Material: Natural Rubber
 - Compression Load: 46 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1893228 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT

- ขนาดบรรจุภัณฑ์: 1 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M8
 - Diameter: 59 mm
 - Overall Height: 25 mm
 - Material: Rubber
 - Shore Hardness: 70 Shore A
 - Compression Deflection: 6.6 mm



1893230 Male Buffer Foot

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 52.9KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M8
 - Diameter: 30 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 52.9 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1893231 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M8
 - Diameter: 30 mm
 - Overall Height: 25 mm
 - Material: Natural Rubber
 - Compression Load: 28.93 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1893232 Male to Female

RS PRO M4 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 10KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M4
 - Diameter: 16 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 10 kg
 - Shore Hardness: 60 Shore A
 - Metalwork: Zinc Plated Steel



1893233 Male Buffer Foot

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 21.5KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M6
 - Diameter: 25 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Compression Load: 21.5 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1893234 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 67KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M8
 - Diameter: 30 mm
 - Overall Height: 17 mm
 - Material: Natural Rubber
 - Compression Load: 67 kg
 - Shore Hardness: 60 Shore A
 - Metalwork: Zinc Plated Steel



1893236 Male Buffer Foot

RS PRO M4 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 9.2KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M4
 - Diameter: 16 mm
 - Overall Height: 10 mm
 - Material: Natural Rubber
 - Compression Load: 9.2 kg
 - Shore Hardness: 45 Shore A
 - Metalwork: Zinc Plated Steel



1893239 Male Buffer Foot

RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT

- ขนาดบรรจุภัณฑ์: 1 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M8
 - Diameter: 59 mm
 - Overall Height: 25 mm
 - Material: Rubber
 - Shore Hardness: 40 Shore A
 - Compression Deflection: 3.4 mm



1893240 Male Buffer Foot

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 48.1KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M8
 - Diameter: 40 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 48.1 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 50 Shore A



1893242 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 17.1KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M6
 - Diameter: 25 mm
 - Overall Height: 25 mm
 - Material: Natural Rubber
 - Compression Load: 17.1 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1893243 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 112.5KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M10
 - Diameter: 40 mm
 - Overall Height: 35 mm
 - Material: Natural Rubber
 - Compression Load: 112.5 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1893244 Female Buffer

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 16.4KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M8
 - Diameter: 25 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 16.4 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1893245 Male to Male

RS PRO M3 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 2.4KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M3
 - Diameter: 8 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 2.4 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1893246 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M8
 - Diameter: 40 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 69.52 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1893247 Male to Female

RS PRO M4 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 13.3KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M4
 - Diameter: 16 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Compression Load: 13.3 kg
 - Shore Hardness: 60 Shore A
 - Metalwork: Zinc Plated Steel



1893248 Male Buffer Foot

RS PRO M3 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 4.4KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M3
 - Diameter: 8 mm
 - Overall Height: 8 mm
 - Material: Natural Rubber
 - Compression Load: 4.4 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1893249 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 14.6KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M10
 - Diameter: 50 mm
 - Overall Height: 50 mm
 - Material: Natural Rubber
 - Compression Load: 14.6 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1893250 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 100.2KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M10
 - Diameter: 40 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 100.2 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1893251 Male to Male

RS PRO M4 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 2.7KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M4
 - Diameter: 10 mm
 - Overall Height: 8 mm
 - Material: Natural Rubber
 - Compression Load: 2.7 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1893252 Male to Male

RS PRO M4 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH 6.6KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M4
 - Diameter: 15 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Compression Load: 6.6 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1893254 Male to Female

RS PRO M4 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M4
 - Diameter: 15 mm
 - Overall Height: 8 mm
 - Material: Natural Rubber
 - Compression Load: 2.97 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1893255 Male to Female

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M8
 - Diameter: 30 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 52.91 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1893258 Male to Female

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 37.5KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M8
 - Diameter: 30 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 37.5 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 50 Shore A



1893259 Male to Male

RS PRO M4 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 6KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M4
 - Diameter: 16 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Compression Load: 6 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1893261 Male to Male

RS PRO M16 ANTI VIBRATION MOUNT, MARINE MOUNT WITH 450KG

- ขนาดบรรจุภัณฑ์: 1 x EA
- Anti Vibration Mount Type: Marine Mount
 - Thread Size: M16
 - Overall Height: 50 mm
 - Material: Rubber
 - Shore Hardness: 70 Shore A
 - Compression Load: 450 kg
 - Compression Deflection: 5.3 mm



1893262 Marine Mount

RS PRO M4 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 15.3KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M4
 - Diameter: 16 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Compression Load: 15.3 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1893264 Female Buffer

RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT

- ขนาดบรรจุภัณฑ์: 1 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M10
 - Diameter: 65 mm
 - Overall Height: 35 mm
 - Material: Rubber
 - Shore Hardness: 60 Shore A
 - Compression Deflection: 3.5 mm



1893265 Male Buffer Foot

RS PRO M12 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M12
 - Diameter: 75 mm
 - Overall Height: 50 mm
 - Material: Natural Rubber
 - Compression Load: 533.9 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 70 Shore A



1893266 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 97.29KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M10
 - Diameter: 50 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 97.29 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1893267 Female Buffer

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 8.2KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M6
 - Diameter: 20 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Compression Load: 8.2 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 35 Shore A



1893268 Male to Male

RS PRO M5 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M5
 - Diameter: 16 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Compression Load: 14.63 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1893269 Male to Female

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M8
 - Diameter: 25 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 23.65 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1893270 Male to Female

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 14.9KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M10
 - Diameter: 50 mm
 - Overall Height: 45 mm
 - Material: Natural Rubber
 - Compression Load: 14.9 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1893271 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 4.8KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M6
 - Diameter: 20 mm
 - Overall Height: 8 mm
 - Material: Natural Rubber
 - Compression Load: 4.8 kg
 - Shore Hardness: 60 Shore A
 - Metalwork: Zinc Plated Steel



1893272 Male Buffer Foot

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 18.4KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M6
 - Diameter: 25 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 18.4 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1893273 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 70.1KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M10
 - Diameter: 50 mm
 - Overall Height: 50 mm
 - Material: Natural Rubber
 - Compression Load: 70.1 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1893275 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M8
 - Diameter: 25 mm
 - Overall Height: 22 mm
 - Material: Natural Rubber
 - Compression Load: 19.58 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1893278 Male to Female

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M6
 - Diameter: 20 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 12.1 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1893279 Male to Female

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 12.3KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M6
 - Diameter: 20 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Compression Load: 12.3 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1893280 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M10
 - Diameter: 50 mm
 - Overall Height: 40 mm
 - Material: Natural Rubber
 - Compression Load: 225.3 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 70 Shore A



1893281 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 12.2KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M8
 - Diameter: 25 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 12.2 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 35 Shore A



1893282 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 14.7KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M8
 - Diameter: 40 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 14.7 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 70 Shore A



1893283 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 12.65KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M6
 - Diameter: 20 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 12.65 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1893287 Female Buffer

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 97.6KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M10
 - Diameter: 50 mm
 - Overall Height: 25 mm
 - Material: Natural Rubber
 - Compression Load: 97.6 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1893288 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M6
 - Diameter: 20 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Compression Load: 28.05 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1893289 Male to Female

RS PRO M4 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 7.9KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M4
 - Diameter: 10 mm
 - Overall Height: 8 mm
 - Material: Natural Rubber
 - Compression Load: 7.9 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1893290 Male to Male

CYL. MOUNT (MALE/FEMALE) 16MM DIAMETER X

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M4
 - Diameter: 16 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Compression Load: 4.4 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 35 Shore A



1893292 Male to Female

RS PRO M4 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 25KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M4
 - Diameter: 15 mm
 - Overall Height: 8 mm
 - Material: Natural Rubber
 - Compression Load: 25 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1893293 Male to Male

RS PRO M4 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M4
 - Diameter: 10 mm
 - Overall Height: 8 mm
 - Material: Natural Rubber
 - Compression Load: 8.69 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1893294 Male to Female

RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 230.6KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M10
 - Diameter: 50 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 230.6 kg
 - Shore Hardness: 60 Shore A
 - Metalwork: Zinc Plated Steel



1893296 Male Buffer Foot

RS PRO M6 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 28.1KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M6
 - Diameter: 20 mm
 - Overall Height: 12 mm
 - Material: Natural Rubber
 - Compression Load: 28.1 kg
 - Shore Hardness: 60 Shore A
 - Metalwork: Zinc Plated Steel



1893297 Male Buffer Foot

RS PRO M12 ANTI VIBRATION MOUNT, MARINE MOUNT WITH 100KG

- ขนาดบรรจุภัณฑ์: 1 x EA
- Anti Vibration Mount Type: Marine Mount
 - Thread Size: M12
 - Overall Height: 40 mm
 - Material: Rubber
 - Shore Hardness: 70 Shore A
 - Compression Load: 100 kg
 - Compression Deflection: 4.8 mm



1893299 Marine Mount

RS PRO M12 ANTI VIBRATION MOUNT, MARINE MOUNT WITH 50KG

- ขนาดบรรจุภัณฑ์: 1 x EA
- Anti Vibration Mount Type: Marine Mount
 - Thread Size: M12
 - Overall Height: 40 mm
 - Material: Rubber
 - Shore Hardness: 45 Shore A
 - Compression Load: 50 kg
 - Compression Deflection: 5.4 mm



1893300 Marine Mount

RS PRO M4 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 6.9KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M4
 - Diameter: 16 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Compression Load: 6.9 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1893301 Female Buffer

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M10
 - Diameter: 40 mm
 - Overall Height: 35 mm
 - Material: Natural Rubber
 - Compression Load: 46.31 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1893302 Male to Female

RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT

- ขนาดบรรจุภัณฑ์: 1 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M10
 - Diameter: 92 mm
 - Overall Height: 45 mm
 - Material: Rubber
 - Shore Hardness: 45 Shore A
 - Compression Deflection: 4 mm



1893303 Male Buffer Foot

CYL. MOUNT (MALE/FEMALE) 25MM DIAMETER X

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M6
 - Diameter: 25 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Compression Load: 23.65 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1893304 Male to Female

RS PRO M10 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 167.9KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M10
 - Diameter: 50 mm
 - Overall Height: 50 mm
 - Material: Natural Rubber
 - Compression Load: 167.9 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1893305 Female Buffer

RS PRO M5 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 4KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M5
 - Diameter: 15 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Compression Load: 4 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 35 Shore A



1893306 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 11KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M6
 - Diameter: 20 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 11 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1893307 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M6
 - Diameter: 20 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 11.55 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1893309 Male to Female

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 24.4KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M8
 - Diameter: 25 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Compression Load: 24.4 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 50 Shore A



1893310 Male to Male

RS PRO M16 ANTI VIBRATION MOUNT, MALE BUFFER FOOT

- ขนาดบรรจุภัณฑ์: 1 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M16
 - Diameter: 105 mm
 - Overall Height: 40 mm
 - Material: Rubber
 - Shore Hardness: 60 Shore A
 - Compression Deflection: 6 mm



1893311 Male Buffer Foot

RS PRO M8 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 115.2KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M8
 - Diameter: 40 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 115.2 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1893312 Female Buffer

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 159.8KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M10
 - Diameter: 50 mm
 - Overall Height: 33 mm
 - Material: Natural Rubber
 - Compression Load: 159.8 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1893313 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 27KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M6
 - Diameter: 25 mm
 - Overall Height: 25 mm
 - Material: Natural Rubber
 - Compression Load: 27 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1893315 Female Buffer

RS PRO M10 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 52.9KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M10
 - Diameter: 40 mm
 - Overall Height: 35 mm
 - Material: Natural Rubber
 - Compression Load: 52.9 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1893316 Female Buffer

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 73KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M10
 - Diameter: 50 mm
 - Overall Height: 40 mm
 - Material: Natural Rubber
 - Compression Load: 73 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1893319 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 77.4KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M10
 - Diameter: 50 mm
 - Overall Height: 35 mm
 - Material: Natural Rubber
 - Compression Load: 77.4 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1893321 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 46KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M8
 - Diameter: 40 mm
 - Overall Height: 35 mm
 - Material: Natural Rubber
 - Compression Load: 46 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1893322 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 48.1KG

- ขนาดบรรจุภัณฑ์: 4 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M8
 - Diameter: 40 mm
 - Overall Height: 30 mm
 - Material: Natural Rubber
 - Compression Load: 48.1 kg
 - Shore Hardness: 45 Shore A
 - Metalwork: Zinc Plated Steel



1893323 Male Buffer Foot

RS PRO M3X6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: 8 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M3X6
 - Diameter: 8 mm
 - Overall Height: 5 mm
 - Material: Rubber
 - Compression Load: 4.85 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1961317 Male to Male

RS PRO M4X10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: 8 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M4X10
 - Diameter: 10 mm
 - Overall Height: 10 mm
 - Material: Rubber
 - Compression Load: 7.7 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1961318 Male to Male

RS PRO M4X6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: 8 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M4X6
 - Diameter: 10 mm
 - Overall Height: 10 mm
 - Material: Rubber
 - Compression Load: 2.5 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1961319 Male to Male

RS PRO M4X10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M4X10
 - Diameter: 15 mm
 - Overall Height: 15 mm
 - Material: EPDM
 - Compression Load: 6 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 35 Shore A



1961321 Male to Male

RS PRO M6X15 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M6X15
 - Diameter: 20 mm
 - Overall Height: 10 mm
 - Material: Rubber
 - Compression Load: 25.9 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 55 Shore A



1961323 Male to Male

RS PRO M6X15 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M6X15
 - Diameter: 20 mm
 - Overall Height: 15 mm
 - Material: Rubber
 - Compression Load: 20.4 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 55 Shore A



1961324 Male to Male

RS PRO M6X20 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M6X20
 - Diameter: 20 mm
 - Overall Height: 20 mm
 - Material: Rubber
 - Compression Load: 11 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1961325 Male to Male

RS PRO M8X20 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M8X20
 - Diameter: 25 mm
 - Overall Height: 22 mm
 - Material: Rubber
 - Compression Load: 22.6 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 50 Shore A



1961326 Male to Male

RS PRO M8X15 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M8X15
 - Diameter: 30 mm
 - Overall Height: 15 mm
 - Material: Rubber
 - Compression Load: 48 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 50 Shore A



1961328 Male to Male

RS PRO M8X15 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M8X15
 - Diameter: 30 mm
 - Overall Height: 20 mm
 - Material: Rubber
 - Compression Load: 48 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 55 Shore A



1961329 Male to Male

RS PRO M8X23 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M8X23
 - Diameter: 40 mm
 - Overall Height: 20 mm
 - Material: Rubber
 - Compression Load: 63.2 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1961330 Male to Male

RS PRO M10X25 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M10X25
 - Diameter: 40 mm
 - Overall Height: 40 mm
 - Material: Rubber
 - Compression Load: 93.5 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1961331 Male to Male

RS PRO M10X30 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M10X30
 - Diameter: 50 mm
 - Overall Height: 25 mm
 - Material: Rubber
 - Compression Load: 152 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 55 Shore A



1961332 Male to Male

RS PRO M10X30 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M10X30
 - Diameter: 50 mm
 - Overall Height: 40 mm
 - Material: Rubber
 - Compression Load: 153.3 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1961333 Male to Male

RS PRO M10X25 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M10X25
 - Diameter: 60 mm
 - Overall Height: 60 mm
 - Material: Rubber
 - Compression Load: 136 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1961336 Male to Male

RS PRO M12X40 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M12X40
 - Diameter: 75 mm
 - Overall Height: 40 mm
 - Material: Rubber
 - Compression Load: 324.8 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1961337 Male to Male

RS PRO M3X6 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M3X6
 - Diameter: 6 mm
 - Overall Height: 7 mm
 - Material: Rubber
 - Compression Load: 2.42 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1961339 Male to Female

RS PRO M3X6 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M3X6
 - Diameter: 8 mm
 - Overall Height: 15 mm
 - Material: Rubber
 - Compression Load: 2.6 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 50 Shore A



1961340 Male to Female

RS PRO M3X6 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M3X6
 - Diameter: 9 mm
 - Overall Height: 12 mm
 - Material: Rubber
 - Compression Load: 8.7 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 70 Shore A



1961341 Male to Female

RS PRO M4X10 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M4X10
 - Diameter: 10 mm
 - Overall Height: 10 mm
 - Material: Rubber
 - Compression Load: 2.75 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1961342 Male to Female

RS PRO M4X10 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M4X10
 - Diameter: 10 mm
 - Overall Height: 12 mm
 - Material: Rubber
 - Compression Load: 9.3 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1961343 Male to Female

RS PRO M4X10 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M4X10
 - Diameter: 15 mm
 - Overall Height: 10 mm
 - Material: EPDM
 - Compression Load: 16.6 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1961345 Male to Female

RS PRO M5X12 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M5X12
 - Diameter: 15 mm
 - Overall Height: 15 mm
 - Material: Rubber
 - Compression Load: 14.6 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1961346 Male to Female

RS PRO M6X12 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M6X12
 - Diameter: 20 mm
 - Overall Height: 15 mm
 - Material: Rubber
 - Compression Load: 41.2 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 70 Shore A



1961348 Male to Female

RS PRO M6X20 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M6X20
 - Diameter: 20 mm
 - Overall Height: 15 mm
 - Material: Rubber
 - Compression Load: 28 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1961349 Male to Female

RS PRO M6X20 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M6X20
 - Diameter: 25 mm
 - Overall Height: 20 mm
 - Material: Rubber
 - Compression Load: 42.3 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1961351 Male to Female

RS PRO M6X20 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M6X20
 - Diameter: 25 mm
 - Overall Height: 30 mm
 - Material: Rubber
 - Compression Load: 39.1 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1961352 Male to Female

CYL. MOUNT (F/F) 6X13MM M3 35 SHA

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M3
 - Diameter: 6 mm
 - Overall Height: 13 mm
 - Material: Rubber
 - Compression Load: 0.4 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 35 Shore A



1961353 Female Buffer

RS PRO M6 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 9.2KG

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M6
 - Diameter: 20 mm
 - Overall Height: 30 mm
 - Material: Rubber
 - Compression Load: 9.2 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 50 Shore A



1961354 Female Buffer

RS PRO M10 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 167.9KG

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M10
 - Diameter: 20 mm
 - Overall Height: 50 mm
 - Material: Rubber
 - Compression Load: 167.9 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1961355 Female Buffer

RS PRO M3X6 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M3X6
 - Diameter: 8 mm
 - Overall Height: 8 mm
 - Material: Rubber
 - Compression Load: 2.4 kg
 - Shore Hardness: 45 Shore A
 - Metalwork: Zinc Plated Steel



1961356 Male Buffer Foot

RS PRO M5X10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M5X10
 - Diameter: 13 mm
 - Overall Height: 12 mm
 - Material: Rubber
 - Compression Load: 3.2 kg
 - Shore Hardness: 45 Shore A
 - Metalwork: Zinc Plated Steel



1961357 Male Buffer Foot

RS PRO M6X6 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M6X6
 - Diameter: 20 mm
 - Overall Height: 15 mm
 - Material: Rubber
 - Compression Load: 25.5 kg
 - Shore Hardness: 60 Shore A
 - Metalwork: Zinc Plated Steel



1961358 Male Buffer Foot

RS PRO M6X18 ANTI VIBRATION MOUNT, BUMP STOP

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Mount Type: Bump Stop
 - Thread Size: M6X18
 - Diameter: 20 mm
 - Overall Height: 15 mm
 - Material: Rubber
 - Shore Hardness: 60 Shore A



1961362 Bump Stop

FOOT, SCREW FIXING, GREY, 12.5MM DIA, 7MM

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Diameter: 12.5 mm
 - Overall Height: 7 mm
 - Material: Polyethylene
 - Maximum Operating Temperature: +70 °C
 - Minimum Operating Temperature: -30 °C
 - Foot Shape: Round



3822386 12.5 mm

RS PRO 590MM ANTI-VIBRATION PAD RUBBER +70°C -10°C 590 X 590 X

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
 - Material: Rubber
 - Thickness: 10 mm
 - Size: 590 x 590 x 10 mm
 - Length: 590 mm
 - Maximum Operating Temperature: +70 °C
 - Minimum Operating Temperature: -10 °C
 - Width: 590 mm



1712670 Anti-Vibration

RS PRO 500MM ANTI-VIBRATION PAD RUBBER +70°C -10°C 500 X 500 X


- ขนาดบรรจุภัณฑ์: **1 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
 - Material: Rubber
 - Thickness: 10 mm
 - Size: 500 x 500 x 10 mm
 - Length: 500 mm
 - Maximum Operating Temperature: +70 °C
 - Minimum Operating Temperature: -10 °C
 - Width: 500 mm



1712671 Anti-Vibration

RS PRO 500MM ANTI-VIBRATION PAD 1.5KG/CM² 500 X 500 X 10MM 10MM


- ขนาดบรรจุภัณฑ์: **1 x EA**
- Anti Vibration Pad Type: Anti-Vibration Mat
 - Load Rating: 1.5 kg/cm²
 - Thickness: 10 mm
 - Size: 500 x 500 x 10 mm
 - Width: 500 mm



1961314 Anti-Vibration

RS PRO 250MM ANTI-VIBRATION PAD 2KG/CM² 250 X 250 X 8MM 8MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Anti Vibration Pad Type: Anti-Vibration Mat
 - Load Rating: 2 kg/cm²
 - Thickness: 8 mm
 - Size: 250 x 250 x 8 mm
 - Width: 250 mm



1961315 Anti-Vibration

GREY STICK ON , 7.9MM H X 15.7MM DIA

- ขนาดบรรจุภัณฑ์: **64 x EA**
- Mounting Type: Adhesive
 - Thickness: 7.9 mm
 - Shape: Hemispherical
 - Colour: Grey
 - Diameter: 15.7 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735940 Adhesive

RS PRO HEMISPHERICAL PUR SELF ADHESIVE FEET, 15.7MM DIAMETER X

- ขนาดบรรจุภัณฑ์: **64 x EA**
- Mounting Type: Adhesive
 - Thickness: 7.9 mm
 - Shape: Hemispherical
 - Colour: Grey
 - Diameter: 15.7 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735941 Adhesive

BLACK STICK ON , 10.2MM H X 22.3MM DIA

- ขนาดบรรจุภัณฑ์: **36 x EA**
- Mounting Type: Adhesive
 - Thickness: 10.2 mm
 - Shape: Circular
 - Colour: Black
 - Diameter: 22.3 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735942 Adhesive

BLACK STICK ON SQ, 2.5MM H X 10.2MM DIA

- ขนาดบรรจุภัณฑ์: **121 x EA**
- Mounting Type: Adhesive
 - Thickness: 2.5 mm
 - Shape: Square
 - Colour: Black
 - Diameter: 10.2 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735944 Adhesive

BLACK STICK ON SQ, 3MM H X 12.7MM DIA

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Mounting Type: Adhesive
 - Thickness: 3 mm
 - Shape: Square
 - Colour: Black
 - Diameter: 12.7 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735945 Adhesive

GREY STICK ON SQ, 3MM H X 12.7MM DIA

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Mounting Type: Adhesive
 - Thickness: 3 mm
 - Shape: Square
 - Colour: Grey
 - Diameter: 12.7 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735946 Adhesive

BLACK STICK ON SQ, 5.8MM H X 12.7MM DIA

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Mounting Type: Adhesive
 - Thickness: 5.8 mm
 - Shape: Square
 - Colour: Black
 - Diameter: 12.7 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735947 Adhesive

BLACK STICK ON SQ, 7.6MM H X 20.6MM DIA


- ขนาดบรรจุภัณฑ์: **49 x EA**
- Mounting Type: Adhesive
 - Thickness: 7.6 mm
 - Shape: Square
 - Colour: Black
 - Diameter: 20.6 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735948 Adhesive

RS PRO SQUARE PUR SELF ADHESIVE FEET, 12.7MM DIAMETER X 5.8MM

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Mounting Type: Adhesive
 - Thickness: 5.8 mm
 - Shape: Square
 - Colour: Grey
 - Diameter: 12.7 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735949 Adhesive

GREY STICK ON SQ, 7.6MM H X 20.6MM DIA

- ขนาดบรรจุภัณฑ์: **49 x EA**
- Mounting Type: Adhesive
 - Thickness: 7.6 mm
 - Shape: Square
 - Colour: Grey
 - Diameter: 20.6 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735950 Adhesive

RS PRO CYLINDRICAL PUR SELF ADHESIVE FEET, 9.5MM DIAMETER X

- ขนาดบรรจุภัณฑ์: **75 x EA**
- Mounting Type: Adhesive
 - Thickness: 3.2 mm
 - Shape: Cylindrical
 - Colour: White
 - Diameter: 9.5 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735951 Adhesive

CLEAR STICK ON , 3.2MM H X 9.5MM DIA

- ขนาดบรรจุภัณฑ์: **75 x EA**
- Mounting Type: Adhesive
 - Thickness: 3.2 mm
 - Shape: Cylindrical
 - Colour: Clear
 - Diameter: 9.5 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735952 Adhesive

RS PRO CONICAL PUR SELF ADHESIVE FEET, 18.3MM DIAMETER X 14.2MM

- ขนาดบรรจุภัณฑ์: **25 x EA**
- Mounting Type: Adhesive
 - Thickness: 14.2 mm
 - Shape: Conical
 - Colour: Black
 - Diameter: 18.3 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735953 Adhesive

BLACK STICK ON , 10.2MM H X16.5MM DIA

- ขนาดบรรจุภัณฑ์: **64 x EA**
- Mounting Type: Adhesive
 - Thickness: 10.2 mm
 - Shape: Cylindrical
 - Colour: Black
 - Diameter: 16.5 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735954 Adhesive

RS PRO CYLINDRICAL PUR SELF ADHESIVE FEET, 16.5MM DIAMETER X

- ขนาดบรรจุภัณฑ์: **64 x EA**
- Mounting Type: Adhesive
 - Thickness: 10.2 mm
 - Shape: Cylindrical
 - Colour: Clear
 - Diameter: 16.5 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735955 Adhesive

RS PRO CYLINDRICAL PUR SELF ADHESIVE FEET, 20.6MM DIAMETER X

- ขนาดบรรจุภัณฑ์: **36 x EA**
- Mounting Type: Adhesive
 - Thickness: 3 mm
 - Shape: Cylindrical
 - Colour: Black
 - Diameter: 20.6 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735956 Adhesive

RS PRO SQUARE PUR SELF ADHESIVE FEET, 20.6MM DIAMETER X 7.6MM

- ขนาดบรรจุภัณฑ์: **49 x EA**
- Mounting Type: Adhesive
 - Thickness: 7.6 mm
 - Shape: Square
 - Colour: Clear
 - Diameter: 20.6 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735957 Adhesive

RS PRO CIRCULAR PUR SELF ADHESIVE FEET, 22.3MM DIAMETER X

- ขนาดบรรจุภัณฑ์: **36 x EA**
- Mounting Type: Adhesive
 - Thickness: 10.2 mm
 - Shape: Circular
 - Colour: Clear
 - Diameter: 22.3 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735958 Adhesive

CLEAR STICK ON , 3.5MM H X 12.7MM DIA

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Mounting Type: Adhesive
 - Thickness: 3.5 mm
 - Shape: Cylindrical
 - Colour: Clear
 - Diameter: 12.7 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735960 Adhesive

BLACK STICK ON , 9.6MM H X 17.8MM DIA

- ขนาดบรรจุภัณฑ์: **49 x EA**
- Mounting Type: Adhesive
 - Thickness: 9.6 mm
 - Shape: Hemispherical
 - Colour: Black
 - Diameter: 17.8 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735961 Adhesive

RS PRO HEMISPHERICAL PUR SELF ADHESIVE FEET, 17.8MM DIAMETER X

- ขนาดบรรจุภัณฑ์: **49 x EA**
- Mounting Type: Adhesive
 - Thickness: 9.6 mm
 - Shape: Hemispherical
 - Colour: Grey
 - Diameter: 17.8 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735962 Adhesive

BLACK STICK ON , 3.2MM H X 9.5MM DIA

- ขนาดบรรจุภัณฑ์: **75 x EA**
- Mounting Type: Adhesive
 - Thickness: 3.2 mm
 - Shape: Cylindrical
 - Colour: Black
 - Diameter: 9.5 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735963 Adhesive

RS PRO CYLINDRICAL PUR SELF ADHESIVE FEET, 9.5MM DIAMETER X

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Mounting Type: Adhesive
 - Thickness: 4.8 mm
 - Shape: Cylindrical
 - Colour: Grey
 - Diameter: 9.5 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735964 Adhesive

BLACK STICK ON , 3.5MM H X 12.7MM DIA

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Mounting Type: Adhesive
 - Thickness: 3.5 mm
 - Shape: Cylindrical
 - Colour: Black
 - Diameter: 12.7 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735965 Adhesive

RS PRO CYLINDRICAL PUR SELF ADHESIVE FEET, 12.7MM DIAMETER X

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Mounting Type: Adhesive
 - Thickness: 3.5 mm
 - Shape: Cylindrical
 - Colour: White
 - Diameter: 12.7 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735966 Adhesive

BLACK STICK ON , 4.8MM H X 9.5MM DIA

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Mounting Type: Adhesive
 - Thickness: 4.8 mm
 - Shape: Cylindrical
 - Colour: Black
 - Diameter: 9.5 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735967 Adhesive

RS PRO CYLINDRICAL PUR SELF ADHESIVE FEET, 12.7MM DIAMETER X

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Mounting Type: Adhesive
 - Thickness: 3.5 mm
 - Shape: Cylindrical
 - Colour: Grey
 - Diameter: 12.7 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735968 Adhesive

BLACK STICK ON , 4.1MM H X 19.1MM DIA

- ขนาดบรรจุภัณฑ์: **49 x EA**
- Mounting Type: Adhesive
 - Thickness: 4.1 mm
 - Shape: Cylindrical
 - Colour: Black
 - Diameter: 19.1 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735969 Adhesive

CLEAR STICK ON , 4.8MM H X 9.5MM DIA

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Mounting Type: Adhesive
 - Thickness: 4.8 mm
 - Shape: Cylindrical
 - Colour: Clear
 - Diameter: 9.5 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735970 Adhesive

CLEAR STICK ON , 2.2MM H X 7.9MM DIA

- ขนาดบรรจุภัณฑ์: **150 x EA**
- Mounting Type: Adhesive
 - Thickness: 2.2 mm
 - Shape: Hemispherical
 - Colour: Clear
 - Diameter: 7.9 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735972 Adhesive

BLACK STICK ON , 5.1MM H X 19.8MM DIA

- ขนาดบรรจุภัณฑ์: **42 x EA**
- Mounting Type: Adhesive
 - Thickness: 5.1 mm
 - Shape: Cylindrical
 - Colour: Black
 - Diameter: 19.8 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735973 Adhesive

RS PRO CYLINDRICAL PUR SELF ADHESIVE FEET, 19.1MM DIAMETER X

- ขนาดบรรจุภัณฑ์: **49 x EA**
- Mounting Type: Adhesive
 - Thickness: 4.1 mm
 - Shape: Cylindrical
 - Colour: Grey
 - Diameter: 19.1 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735974 Adhesive

RS PRO CYLINDRICAL PUR SELF ADHESIVE FEET, 19.8MM DIAMETER X

- ขนาดบรรจุภัณฑ์: **42 x EA**
- Mounting Type: Adhesive
 - Thickness: 5.1 mm
 - Shape: Cylindrical
 - Colour: Grey
 - Diameter: 19.8 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735975 Adhesive

GREY STICK ON , 10.2MM H X 22.3MM DIA

- ขนาดบรรจุภัณฑ์: **36 x EA**
- Mounting Type: Adhesive
 - Thickness: 10.2 mm
 - Shape: Circular
 - Colour: Grey
 - Diameter: 22.3 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735976 Adhesive

RS PRO CIRCULAR NITRILE NON SLIP PAD, 38MM DIAMETER X 3MM HEIGHT

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Mounting Type: Adhesive
 - Thickness: 3 mm
 - Shape: Circular
 - Diameter: 38 mm
 - Material: Nitrile
 - Maximum Operating Temperature: +70 °C
 - Minimum Operating Temperature: -20 °C



3022902 Adhesive

RS PRO CIRCULAR NITRILE NON SLIP PAD, 55MM DIAMETER X 3MM HEIGHT

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Mounting Type: Adhesive
 - Thickness: 3 mm
 - Shape: Circular
 - Diameter: 55 mm
 - Material: Nitrile
 - Maximum Operating Temperature: +70 °C
 - Minimum Operating Temperature: -20 °C



3022918 Adhesive

RS PRO CIRCULAR NITRILE NON SLIP PAD, 70MM DIAMETER X 3MM HEIGHT

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Mounting Type: Adhesive
 - Thickness: 3 mm
 - Shape: Circular
 - Diameter: 70 mm
 - Material: Nitrile
 - Maximum Operating Temperature: +70 °C
 - Minimum Operating Temperature: -20 °C



3022924 Adhesive

RS PRO CIRCULAR NITRILE NON SLIP PAD, 100MM DIAMETER X 3MM

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Mounting Type: Adhesive
 - Thickness: 3 mm
 - Shape: Circular
 - Diameter: 100 mm
 - Material: Nitrile
 - Maximum Operating Temperature: +70 °C
 - Minimum Operating Temperature: -20 °C



3022930 Adhesive

RS PRO CIRCULAR POLYMER NON SLIP PAD, 8MM DIAMETER X 3MM

- ขนาดบรรจุภัณฑ์: **24 x EA**
- Mounting Type: Adhesive
 - Thickness: 3 mm
 - Shape: Circular
 - Diameter: 8 mm
 - Material: Polymer
 - Maximum Operating Temperature: +50 °C
 - Minimum Operating Temperature: 0 °C



3022946 Adhesive

PAD,STICK ON,DYCHEM,SQUARE,20.5MM

- ขนาดบรรจุภัณฑ์: **24 x EA**
- Mounting Type: Adhesive
 - Shape: Square
 - Thickness: 3 mm
 - Diameter: 20.5 mm
 - Material: Polymer
 - Length: 20.5 mm
 - Maximum Operating Temperature: +50 °C
 - Width: 20.5 mm
 - Minimum Operating Temperature: 0 °C



3023107 Adhesive

RS PRO RUBBER BUSH

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Inside Diameter: 10 mm
 - Outside Diameter: 22 mm
 - Outer Length: 20 mm
 - Inner Length: 23 mm



1893192 10 mm

RS PRO RUBBER BUSH

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Inside Diameter: 20 mm
 - Outside Diameter: 44 mm
 - Outer Length: 38 mm
 - Inner Length: 42 mm



1893193 20 mm

RS PRO RUBBER BUSH

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Inside Diameter: 12 mm
 - Outside Diameter: 26 mm
 - Outer Length: 20 mm
 - Inner Length: 24 mm



1893194 12 mm

RS PRO RUBBER BUSH

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Inside Diameter: 12 mm
 - Outside Diameter: 28 mm
 - Outer Length: 32 mm
 - Inner Length: 38 mm



1893195 12 mm

RS PRO RUBBER BUSH

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Inside Diameter: 8.2 mm
 - Outside Diameter: 20 mm
 - Outer Length: 14 mm
 - Inner Length: 21 mm



1893196 8.2 mm

RS PRO RUBBER BUSH

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Inside Diameter: 16 mm
 - Outside Diameter: 32 mm
 - Outer Length: 25 mm
 - Inner Length: 28 mm



1893197 16 mm

RS PRO RUBBER BUSH

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Inside Diameter: 12 mm
 - Outside Diameter: 32 mm
 - Outer Length: 34 mm
 - Inner Length: 40 mm



1893200 12 mm

RS PRO RUBBER BUSH

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Inside Diameter: 10 mm
 - Outside Diameter: 30 mm
 - Outer Length: 45 mm
 - Inner Length: 49 mm



1893201 10 mm

ALUMINIUM CABLE CLIPS

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Cable Clip/Clamp Style: Cable Clip
 - Maximum Bundle Diameter: 6.4 mm
 - Affixing Method: Screw
 - Material: Aluminium
 - Colour: Silver
 - Width: 9.5 mm



1720823 Cable Clip

RS PRO SILVER ALUMINIUM, 7.9MM MAX. BUNDLE

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Maximum Bundle Diameter: 7.9 mm
 - Material: Aluminium
 - Colour: Silver
 - Width: 9.5 mm



1720824 7.9 mm

ALUMINIUM CABLE CLIPS

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Cable Clip/Clamp Style: Cable Clip
 - Maximum Bundle Diameter: 9.5 mm
 - Affixing Method: Screw
 - Material: Aluminium
 - Colour: Silver
 - Width: 9.5 mm



1720825 Cable Clip

RS PRO SILVER ALUMINIUM CABLE CLIP, 11.1MM MAX. BUNDLE

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Cable Clip/Clamp Style: Cable Clip
 - Maximum Bundle Diameter: 11.1 mm
 - Affixing Method: Screw
 - Material: Aluminium
 - Colour: Silver
 - Width: 9.5 mm



1720827 Cable Clip

RS PRO SILVER ALUMINIUM, 12.7MM MAX. BUNDLE

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Maximum Bundle Diameter: 12.7 mm
 - Material: Aluminium
 - Colour: Silver
 - Width: 9.5 mm



1720828 12.7 mm

RS PRO SILVER ALUMINIUM CABLE CLIP, 14.3MM MAX. BUNDLE

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Cable Clip/Clamp Style: Cable Clip
 - Maximum Bundle Diameter: 14.3 mm
 - Affixing Method: Screw
 - Material: Aluminium
 - Colour: Silver
 - Width: 9.5 mm



1720829 Cable Clip

RS PRO BLACK RUBBER, STEEL CABLE CLAMP, 4.76MM MAX. BUNDLE

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Cable Clip/Clamp Style: Cable Clamp
 - Maximum Bundle Diameter: 4.76 mm
 - Affixing Method: Screw
 - Material: Rubber, Steel
 - Colour: Black
 - Width: 12.7 mm



1720840 Cable Clamp

RS PRO BLACK RUBBER, STEEL CABLE CLAMP, 6.35MM MAX. BUNDLE

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Cable Clip/Clamp Style: Cable Clamp
 - Maximum Bundle Diameter: 6.35 mm
 - Affixing Method: Screw
 - Material: Rubber, Steel
 - Colour: Black
 - Width: 12.7 mm



1720841 Cable Clamp

RS PRO BLACK RUBBER, STEEL CABLE CLAMP, 7.94MM MAX. BUNDLE

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Cable Clip/Clamp Style: Cable Clamp
 - Maximum Bundle Diameter: 7.94 mm
 - Affixing Method: Screw
 - Material: Rubber, Steel
 - Colour: Black
 - Width: 12.7 mm



1720842 Cable Clamp

CABLE CLIPS

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Cable Clip/Clamp Style: Cable Clamp
 - Maximum Bundle Diameter: 9.53 mm
 - Affixing Method: Screw
 - Material: Rubber, Steel
 - Colour: Black
 - Width: 12.7 mm



1720843 Cable Clamp

RS PRO BLACK RUBBER, STEEL CABLE CLAMP, 11.12MM MAX. BUNDLE

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Cable Clip/Clamp Style: Cable Clamp
 - Maximum Bundle Diameter: 11.12 mm
 - Affixing Method: Screw
 - Material: Rubber, Steel
 - Colour: Black
 - Width: 12.7 mm



1720844 Cable Clamp

RS PRO NATURAL NYLON CABLE CLIP, 6MM MAX. BUNDLE

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Cable Clip/Clamp Style: Cable Clip
 - Maximum Bundle Diameter: 6 mm
 - Affixing Method: Screw
 - Material: Nylon 66
 - Colour: Natural
 - Length: 21.2 mm
 - Width: 10.3 mm
 - Dimensions [L x W (x D)]: 21.2 x 10.3 mm



1720846 Cable Clip

RS PRO NATURAL NYLON CABLE CLIP, 9.2MM MAX. BUNDLE

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Cable Clip/Clamp Style: Cable Clip
 - Maximum Bundle Diameter: 9.2 mm
 - Affixing Method: Screw
 - Material: Nylon 66
 - Colour: Natural
 - Length: 20 mm
 - Width: 10.2 mm
 - Dimensions [L x W (x D)]: 20 x 10.2 mm



1720847 Cable Clip

RS PRO NATURAL NYLON CABLE CLIP, 12.7MM MAX. BUNDLE

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Cable Clip/Clamp Style: Cable Clip
 - Maximum Bundle Diameter: 12.7 mm
 - Affixing Method: Screw
 - Material: Nylon 66
 - Colour: Natural
 - Length: 29.5 mm
 - Width: 10.2 mm
 - Dimensions [L x W (x D)]: 29.5 x 10.2 mm



1720848 Cable Clip

RS PRO NATURAL NYLON CABLE CLIP, 19.1MM MAX. BUNDLE

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Cable Clip/Clamp Style: Cable Clip
 - Maximum Bundle Diameter: 19.1 mm
 - Affixing Method: Screw
 - Material: Nylon 66
 - Colour: Natural
 - Length: 32.54 mm
 - Width: 12.7 mm
 - Dimensions [L x W (x D)]: 32.54 x 12.7 mm



1720849 Cable Clip

RS PRO RIVET FAN MOUNT

- ขนาดบรรจุภัณฑ์: **50 x EA**
- Mount Type: Rivet



1720881 Rivet

INSERT, M10, 30X30X1.5MM

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Static Load Capacity: 500 kg
 - Profile: Square
 - Body Material: Nylon
 - Bush Material: Nickel-Plated Brass



2350925 500 kg

INSERT, M10, 40X40X1.5MM

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Static Load Capacity: 1000 kg
 - Profile: Square
 - Body Material: Nylon
 - Bush Material: Nickel-Plated Brass



2350953 1000 kg

INSERT, M12, 40X40X1.5MM

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Static Load Capacity: 1000 kg
 - Profile: Square
 - Body Material: Nylon
 - Bush Material: Nickel-Plated Brass



2350969 1000 kg

RS PRO SQUARE NYLON TUBE INSERT, 1000KG STATIC LOAD CAPACITY

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Static Load Capacity: 1000 kg
 - Profile: Square
 - Body Material: Nylon
 - Bush Material: Nickel-Plated Brass



2350975 1000 kg

RS PRO SQUARE NYLON TUBE INSERT, 1200KG STATIC LOAD CAPACITY

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Static Load Capacity: 1200 kg
 - Profile: Square
 - Body Material: Nylon
 - Bush Material: Nickel-Plated Brass



2351035 1200 kg

RS PRO AAA BATTERY CONTACT

- ขนาดบรรจุภัณฑ์: 1 x EA
 • For Battery Size: AAA
 • Terminal Contact Material: Nickel Plated Spring Steel



1854671 AAA

RS PRO AAA BATTERY CONTACT

- ขนาดบรรจุภัณฑ์: 1 x EA
 • For Battery Size: AAA
 • Terminal Contact Material: Nickel Plated Spring Steel



1854670 AAA

RS PRO AA BATTERY CONTACT

- ขนาดบรรจุภัณฑ์: 1 x EA
 • For Battery Size: AA



1854673 AA

9V BATTERY SNAP

- ขนาดบรรจุภัณฑ์: 1 x EA
 • For Battery Size: 9V



1854775 9V

RS PRO 9V BATTERY CONTACT

- ขนาดบรรจุภัณฑ์: 1 x EA
 • For Battery Size: 9V



1854800 9V

9V BATTERY SNAP

- ขนาดบรรจุภัณฑ์: 1 x EA
 • For Battery Size: 9V



1854788 9V

RS PRO 9V BATTERY CONTACT

- ขนาดบรรจุภัณฑ์: 1 x EA
 • For Battery Size: 9V



1854790 9V

RS PRO AA BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: 1 x EA
 • For Battery Size: AA
 • Number of Cells: 1
 • Type: Battery Holder
 • Dimensions: 57 x 17 x 14 mm



1854605 AA

RS PRO AA BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: 1 x EA
 • For Battery Size: AA
 • Number of Cells: 2
 • Mount: Wire Lead
 • Type: Battery Holder
 • Dimensions: 57 x 16.5 x 26 mm



1854604 AA

RS PRO AA BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: 1 x EA
 • For Battery Size: AA
 • Number of Cells: 10
 • Mount: Snap-In
 • Type: Battery Holder
 • Dimensions: 78.5 x 58.5 x 29.8 mm



1854607 AA

RS PRO AA BATTERY HOLDER, SOLDER TAG CONTACT

- ขนาดบรรจุภัณฑ์: 1 x EA
 • For Battery Size: AA
 • Number of Cells: 10
 • Type: Battery Holder
 • Dimensions: 78.5 x 58.5 x 29.8 mm
 • Terminal Contact Type: Solder Tag



1854606 AA

AA X 10 WITH LEAD WIRE 150MM

- ขนาดบรรจุภัณฑ์: 1 x EA
 • For Battery Size: AA
 • Number of Cells: 10
 • Mount: Wire Lead
 • Type: Battery Holder
 • Dimensions: 78.5 x 58.5 x 29.8 mm



1854608 AA

RS PRO C BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: 1 x EA
 • For Battery Size: C
 • Number of Cells: 2
 • Mount: Snap-In
 • Type: Battery Holder
 • Dimensions: 62.6 x 55.8 x 23.5 mm



1854613 C

AA X 2 WITH SNAP TERMINAL

- ขนาดบรรจุภัณฑ์: 1 x EA
 • For Battery Size: AA
 • Number of Cells: 2
 • Mount: Snap-In
 • Type: Battery Holder
 • Dimensions: 57 x 16.5 x 26 mm



1854615 AA

RS PRO C BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: 1 x EA
 • For Battery Size: C
 • Number of Cells: 4
 • Mount: Snap-In
 • Type: Battery Holder
 • Dimensions: 109 x 54.5 x 24 mm



1854620 C

RS PRO C BATTERY HOLDER, SOLDER TAG CONTACT

- ขนาดบรรจุภัณฑ์: 1 x EA
 • For Battery Size: C
 • Number of Cells: 3
 • Type: Battery Holder
 • Dimensions: 82 x 59 x 24 mm
 • Terminal Contact Type: Solder Tag



1854621 C

RS PRO AA BATTERY HOLDER, SOLDER TAG CONTACT

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: AA
 - Number of Cells: 4
 - Type: Battery Holder
 - Dimensions: 58 x 64 x 16 mm
 - Terminal Contact Type: Solder Tag



1854626 AA

RS PRO C BATTERY HOLDER, SOLDER TAG CONTACT

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: C
 - Number of Cells: 6
 - Type: Battery Holder
 - Dimensions: 159 x 57.3 x 24.9 mm
 - Terminal Contact Type: Solder Tag



1854616 C

RS PRO AAA BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: AAA
 - Number of Cells: 1
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 50 x 13 x 12 mm



1854630 AAA

AA X 8 WITH TAG

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: AA
 - Number of Cells: 8
 - Type: Battery Holder
 - Dimensions: 63 x 57.8 x 28.5 mm
 - Terminal Contact Type: Solder Tag



1854631 AA

RS PRO AA BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: AA
 - Number of Cells: 8
 - Mount: Snap-In
 - Type: Battery Holder
 - Dimensions: 57.8 x 63 x 28.5 mm



1854632 AA

RS PRO AA BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: AA
 - Number of Cells: 8
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 57.8 x 63 x 28.5 mm



1854633 AA

RS PRO AA BATTERY HOLDER, SOLDER TAG CONTACT

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: AA
 - Number of Cells: 6
 - Type: Battery Holder
 - Dimensions: 58 x 45 x 28 mm
 - Terminal Contact Type: Solder Tag



1854635 AA

AA X 6 WIRE LEAD WIRE 150MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: AA
 - Number of Cells: 6
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 58 x 45 x 28 mm



1854637 AA

RS PRO AA BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: AA
 - Number of Cells: 6
 - Mount: Snap-In
 - Type: Battery Holder
 - Dimensions: 58 x 45 x 28 mm



1854636 AA

RS PRO AA BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: AA
 - Number of Cells: 2
 - Type: Battery Holder
 - Dimensions: 57.1 x 32 x 15.7 mm



1854638 AA

RS PRO AA BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: AA
 - Number of Cells: 4
 - Type: Battery Holder
 - Dimensions: 58 x 64 x 16 mm



1854639 AA

AA X 2 WITH LEAD WIRE 150MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: AA
 - Number of Cells: 2
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 57 x 26 x 16.5 mm



1854641 AA

AA X 4 WITH LEAD WIRE 150MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: AA
 - Number of Cells: 4
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 58 x 63.1 x 16 mm



1854643 AA

RS PRO AA BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: AA
 - Number of Cells: 3
 - Mount: Snap-In
 - Type: Battery Holder
 - Dimensions: 58 x 48.3 x 17 mm



1854646 AA

AA X 3 WITH TAG

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: AA
 - Number of Cells: 3
 - Type: Battery Holder
 - Dimensions: 58 x 48.3 x 17 mm
 - Terminal Contact Type: Solder Tag



1854645 AA

RS PRO AA BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: AA
 - Number of Cells: 3
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 58 x 48.3 x 17 mm



1854647 AA

AA X 2 WITH TAG

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: AA
 - Number of Cells: 2
 - Type: Battery Holder
 - Dimensions: 57 x 16.5 x 26 mm
 - Terminal Contact Type: Solder Tag



1854649 AA

RS PRO C BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: C
 - Number of Cells: 2
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 62.6 x 55.8 x 23.5 mm



1854650 C

AA X 4 WITH LEAD WIRE 150MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: AA
 - Number of Cells: 4
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 58 x 32 x 28 mm



1854651 AA

RS PRO CR2032 BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: CR2032
 - Type: Battery Holder
 - Dimensions: 31 x 20 x 4 mm



1854652 CR2032

RS PRO 1/2 AA BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: 1/2 AA
 - Type: Battery Holder
 - Dimensions: 34.4 x 17.5 x 15 mm



1854654 1/2 AA

1/2AA WITH LEAD WIRE 150 MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: 1/2 AA
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 34.4 x 17.5 x 15 mm



1854655 1/2 AA

RS PRO CR2450 BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: CR2450
 - Type: Battery Holder
 - Dimensions: 26.9 x 22.6 x 8.4 mm



1854658 CR2450

RS PRO CR2032 BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: CR2032
 - Type: Battery Holder
 - Dimensions: 22.4 x 19.6 x 4 mm



1854664 CR2032

RS PRO CR2032 BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: CR2032
 - Type: Battery Holder
 - Dimensions: 24.6 x 15.87 x 7.5 mm



1854661 CR2032

RS PRO D BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: D
 - Number of Cells: 2
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 71.2 x 73.2 x 31.2 mm



1854665 D

RS PRO CR2032 BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: CR2032
 - Type: Battery Holder
 - Dimensions: 28.6 x 7 x 4.7 mm



1854675 CR2032

RS PRO D BATTERY HOLDER, SOLDER TAG CONTACT

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: D
 - Number of Cells: 4
 - Type: Battery Holder
 - Dimensions: 133.5 x 74 x 32 mm
 - Terminal Contact Type: Solder Tag



1854676 D

RS PRO C BATTERY HOLDER, SOLDER TAG CONTACT

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: C
 - Number of Cells: 1
 - Type: Battery Holder
 - Dimensions: 62 x 30 x 24.5 mm
 - Terminal Contact Type: Solder Tag



1854677 C

RS PRO D BATTERY HOLDER, SOLDER TAG CONTACT

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: D
 - Number of Cells: 6
 - Type: Battery Holder
 - Dimensions: 195 x 73.5 x 32.8 mm
 - Terminal Contact Type: Solder Tag



1854682 D

RS PRO D BATTERY HOLDER, SOLDER TAG CONTACT

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: D
 - Number of Cells: 8
 - Type: Battery Holder
 - Dimensions: 142 x 73 x 62 mm
 - Terminal Contact Type: Solder Tag



1854680 D

RS PRO D BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: D
 - Number of Cells: 8
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 142 x 73 x 62 mm



1854681 D

RS PRO D BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: D
 - Number of Cells: 6
 - Mount: Snap-In
 - Type: Battery Holder
 - Dimensions: 195 x 73.5 x 32.8 mm



1854683 D

RS PRO D BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: D
 - Number of Cells: 6
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 195 x 73.5 x 32 mm



1854685 D

RS PRO D BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: D
 - Number of Cells: 6
 - Mount: Snap-In
 - Type: Battery Holder
 - Dimensions: 106 x 70 x 55.6 mm



1854687 D

RS PRO D BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: D
 - Number of Cells: 1
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 69 x 37.3 x 27.5 mm



1854688 D

RS PRO D BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: D
 - Number of Cells: 4
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 141 x 73 x 31 mm



1854689 D

RS PRO D BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: D
 - Number of Cells: 4
 - Mount: Snap-In
 - Type: Battery Holder
 - Dimensions: 133.5 x 74 x 32 mm



1854692 D

RS PRO D BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: D
 - Number of Cells: 4
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 133.5 x 74 x 32 mm



1854693 D

RS PRO D BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: D
 - Number of Cells: 3
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 106 x 70 x 27.8 mm



1854695 D

RS PRO D BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: D
 - Number of Cells: 6
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 106 x 70 x 55.6 mm



1854701 D

CR2032 HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: CR2032
 - Type: Battery Holder
 - Dimensions: 22.5 x 6.4 x 18.1 mm



1854702 CR2032

RS PRO D BATTERY HOLDER, SOLDER TAG CONTACT

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: D
 - Number of Cells: 3
 - Type: Battery Holder
 - Dimensions: 108 x 70 x 39 mm
 - Terminal Contact Type: Solder Tag



1854711 D

CR2032 HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: CR2032
 - Type: Battery Holder
 - Dimensions: 27.8 x 22.8 mm
 - Body Material: PBT



1854712 CR2032

RS PRO AA BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: AA
 - Number of Cells: 3
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 68.5 x 48 x 18.5 mm



1854715 AA

CR2032 HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: CR2032
 - Type: Battery Holder
 - Dimensions: 24.9 x 15.6 x 5.3 mm



1854716 CR2032

RS PRO BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Type: Battery Holder
 - Dimensions: 19.45 x 14.6 x 4.2 mm
 - Body Material: PPS



1854718 Battery Holder

RS PRO CR2032 BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: CR2032
 - Type: Battery Holder
 - Dimensions: 28.4 x 16 x 5.5 mm



1854717 CR2032

RS PRO CR2450 BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: CR2450
 - Type: Battery Holder
 - Dimensions: 29.35 x 26.75 x 9.5 mm



1854720 CR2450

RS PRO CR2032 BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: CR2032
 - Type: Battery Holder
 - Dimensions: 23 x 27 x 5.8 mm
 - Body Material: PBT



1854721 CR2032

RS PRO CR2032 BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: CR2032
 - Type: Battery Holder
 - Dimensions: 22.9 x 23 x 5.7 mm



1854722 CR2032

CR2032 HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: CR2032
 - Type: Battery Holder
 - Dimensions: 26 x 7.1 mm



1854723 CR2032

RS PRO AAA BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: AAA
 - Number of Cells: 1
 - Type: Battery Holder
 - Dimensions: 50 x 13 x 12 mm



1854724 AAA

RS PRO 9V PP3 BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: 9V PP3
 - Type: Battery Holder
 - Dimensions: 68.3 x 66.3 x 33.3 mm



1854728 9V PP3

SAFETY BATTERY HOLDER , 9V WITH LEAD WIR

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: 9V PP3
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 68.3 x 33.3 x 21.1 mm



1854730 9V PP3

SAFETY BATTERY HOLDER , 9V WITH LEAD WIR

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: 9V PP3
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 68.3 x 66.3 x 33.3 mm



1854731 9V PP3

RS PRO AAA BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: AAA
 - Number of Cells: 4
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 63 x 48.5 x 15 mm



1854733 AAA

RS PRO AAA BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: AAA
 - Number of Cells: 3
 - Type: Battery Holder
 - Dimensions: 54 x 37.5 x 15.2 mm



1854736 AAA

RS PRO AAA BATTERY HOLDER, SOLDER TAG CONTACT

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: AAA
 - Number of Cells: 3
 - Type: Battery Holder
 - Dimensions: 54 x 37.5 x 15.2 mm
 - Terminal Contact Type: Solder Tag



1854737 AAA

RS PRO C BATTERY HOLDER, SOLDER TAG CONTACT

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: C
 - Number of Cells: 3
 - Type: Battery Holder
 - Dimensions: 84 x 58.5 x 31 mm
 - Terminal Contact Type: Solder Tag



1854738 C

RS PRO AAA BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: AAA
 - Number of Cells: 3
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 63 x 37 x 15.5 mm



1854739 AAA

SAFETY BATTERY HOLDER , AA X 2 WITH LEAD

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: AA
 - Number of Cells: 2
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 68 x 33 x 19 mm



1854740 AA

SAFETY BATTERY HOLDER , AAA X 2 WITH LEA

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: AAA
 - Number of Cells: 2
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 62.6 x 25.7 x 15.7 mm



1854742 AAA

RS PRO AAA BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: AAA
 - Number of Cells: 2
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 62.6 x 25.7 x 15.7 mm



1854743 AAA

RS PRO AA BATTERY HOLDER, SOLDER TAG CONTACT

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: AA
 - Number of Cells: 6
 - Type: Battery Holder
 - Dimensions: 66 x 114.5 x 18.8 mm
 - Terminal Contact Type: Solder Tag



1854744 AA

RS PRO AA BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: AA
 - Number of Cells: 6
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 66.8 x 114 x 18.7 mm



1854745 AA

SAFETY BATTERY HOLDER , AA X 4 WITH LEAD

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: AA
 - Number of Cells: 4
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 68 x 65 x 19 mm



1854747 AA

SAFETY BATTERY HOLDER , AA X 4 WITH LEAD

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: AA
 - Number of Cells: 4
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 68 x 65 x 19 mm



1854748 AA

RS PRO AA BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: AA
 - Number of Cells: 3
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 68.5 x 48 x 18.7 mm



1854749 AA

RS PRO CR2032 BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: CR2032
 - Type: Battery Holder
 - Dimensions: 23.5 x 7.6 mm



1854750 CR2032

RS PRO AAA BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: AAA
 - Number of Cells: 3
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 54.4 x 37.5 x 5.3 mm



1854751 AAA

RS PRO 9V PP3 BATTERY HOLDER, SOLDER TAG CONTACT

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: 9V PP3
 - Type: Battery Holder
 - Dimensions: 54 x 29.6 x 20.6 mm
 - Terminal Contact Type: Solder Tag



1854753 9V PP3

RS PRO 9V PP3 BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: 9V PP3
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 54 x 29.6 x 20.6 mm



1854754 9V PP3

9V HOUSE

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: 9V PP3
 - Type: Battery Holder
 - Dimensions: 49 x 29 x 20 mm



1854764 9V PP3

RS PRO N BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: N
 - Number of Cells: 1
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 34.6 x 13.2 x 12.5 mm



1854765 N

RS PRO AAA BATTERY HOLDER, SOLDER TAG CONTACT

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: AAA
 - Number of Cells: 4
 - Type: Battery Holder
 - Dimensions: 53 x 24.5 x 24.5 mm
 - Terminal Contact Type: Solder Tag



1854766 AAA

AAA X 4 WITH SANP TERMINAL

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: AAA
 - Number of Cells: 4
 - Type: Battery Holder
 - Dimensions: 53 x 24.5 x 24 mm



1854767 AAA

RS PRO AAA BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: AAA
 - Number of Cells: 4
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 53 x 24.5 x 24 mm



1854768 AAA

RS PRO AAA BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: AAA
 - Number of Cells: 4
 - Mount: Snap-In
 - Type: Battery Holder
 - Dimensions: 53.8 x 5.05 x 12.8 mm



1854771 AAA

RS PRO AAA BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: AAA
 - Number of Cells: 4
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 53.5 x 50 x 13 mm



1854772 AAA

RS PRO AAA BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: AAA
 - Number of Cells: 2
 - Type: Battery Holder
 - Dimensions: 53 x 24.5 x 13 mm



1854773 AAA

RS PRO CR2032 BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: CR2032
 - Type: Battery Holder
 - Dimensions: 23.1 x 5.8 x 13.1 mm



1854776 CR2032

RS PRO CR2032 BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: CR2032
 - Type: Battery Holder
 - Dimensions: 24.3 x 7.4 mm
 - Body Material: PBT



1854780 CR2032

RS PRO CR2032 BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: CR2032
 - Type: Battery Holder
 - Dimensions: 28.2 x 8.2 mm



1854781 CR2032

RS PRO CR2032 BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: CR2032
 - Type: Battery Holder
 - Dimensions: 27.6 x 6.6 mm



1854782 CR2032

CR2032 HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: CR2032
 - Type: Battery Holder
 - Dimensions: 28.5 x 16.1 x 5.4 mm
 - Body Material: PBT



1854783 CR2032

RS PRO CR2032 BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: CR2032
 - Type: Battery Holder
 - Dimensions: 32 x 16.1 x 5.4 mm
 - Body Material: PBT



1854786 CR2032

RS PRO 9V PP3 BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: 9V PP3
 - Type: Battery Holder
 - Dimensions: 54 x 29.6 x 20.6 mm



1854789 9V PP3

9V WITH LEAD WIRE 150MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: 9V PP3
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 54.4 x 30.3 x 20.7 mm



1854795 9V PP3

RS PRO 9V PP3 BATTERY HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Battery Size: 9V PP3
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 54 x 30 x 20.7 mm



1854798 9V PP3

RS PRO ADHESIVE PUR FOAM ACOUSTIC INSULATION, 1M X 600MM

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Material: PUR Foam
 - Length: 1 m
 - Width: 600 mm
 - Thickness: 25 mm
 - Adhesive Backing: Yes
 - Maximum Operating Temperature: +107 °C
 - Minimum Operating Temperature: -73 °C



293079 PUR Foam

RS PRO ADHESIVE PVC ACOUSTIC INSULATION, 1M X 600MM X 2.6MM

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Material: PVC
 - Length: 1 m
 - Width: 600 mm
 - Thickness: 2.6 mm
 - Adhesive Backing: Yes
 - Maximum Operating Temperature: +130 °C
 - Minimum Operating Temperature: -20 °C



293108 PVC

SOUND, INSULATION, POLYURETHANE FOAM, TEDLAR FACED, SELF ADHESIVE

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Material: PUR Foam
 - Length: 1 m
 - Width: 600 mm
 - Thickness: 28 mm
 - Adhesive Backing: Yes
 - Maximum Operating Temperature: +130 °C
 - Minimum Operating Temperature: -20 °C



293120 PUR Foam

RS PRO POLYETHYLENE (PE) ACOUSTIC INSULATION, 1.2M X

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Polyethylene (PE)
 - Length: 1.2 m
 - Width: 600 mm
 - Thickness: 50 mm



1034067 Polyethylene (PE)

RS PRO POLYETHYLENE (PE) ACOUSTIC INSULATION, 1.2M X


- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Polyethylene (PE)
 - Length: 1.2 m
 - Width: 600 mm
 - Thickness: 25 mm



1034068 Polyethylene (PE)

RS PRO NITRILE, PVC ACOUSTIC INSULATION, 1M X 1M X 6MM


- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Nitrile, PVC
 - Length: 1 m
 - Width: 1 m
 - Thickness: 6 mm
 - Maximum Operating Temperature: +110 °C
 - Minimum Operating Temperature: -30 °C



1034069 Nitrile, PVC

RS PRO NITRILE, PVC ACOUSTIC INSULATION, 1M X 1M X 15MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Nitrile, PVC
 - Length: 1 m
 - Width: 1 m
 - Thickness: 15 mm
 - Maximum Operating Temperature: +110 °C
 - Minimum Operating Temperature: -30 °C



1034072 Nitrile, PVC

RS PRO POLYETHYLENE (PE) ACOUSTIC INSULATION, 1M X 1M X

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Polyethylene (PE)
 - Length: 1 m
 - Width: 1 m
 - Thickness: 12 mm
 - Maximum Operating Temperature: +110 °C
 - Minimum Operating Temperature: -30 °C



1034073 Polyethylene (PE)

RS PRO ADHESIVE POLYIMIDE ACOUSTIC INSULATION, 1M X 950MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Polyimide
 - Length: 1 m
 - Width: 950 mm
 - Thickness: 3 mm
 - Adhesive Backing: Yes
 - Maximum Operating Temperature: +205 °C



1034074 Polyimide

PVA DAMPING SHEET, 800X500X1.4MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Length: 800 mm
 - Width: 500 mm
 - Thickness: 1.4 mm
 - Adhesive Backing: Yes
 - Maximum Operating Temperature: +100 °C
 - Minimum Operating Temperature: -35 °C



1372242 800 mm

THINSULATE SAB 1000X600X21MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Thinsulate
 - Length: 1 m
 - Width: 600 mm
 - Thickness: 21 mm
 - Adhesive Backing: Yes
 - Maximum Operating Temperature: +120 °C



8814551 Thinsulate

THINSULATE PLAIN, 1000X600X21MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Thinsulate
 - Length: 1 m
 - Width: 600 mm
 - Thickness: 21 mm
 - Maximum Operating Temperature: +120 °C



8814557 Thinsulate

RS PRO ADHESIVE VISCOSE-NYLON ACOUSTIC INSULATION, 50M X 10MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Viscose-Nylon
 - Length: 50 m
 - Width: 10 mm
 - Thickness: 0.8 mm
 - Adhesive Backing: Yes
 - Maximum Operating Temperature: +100 °C
 - Minimum Operating Temperature: -10 °C



8814560 Viscose-Nylon

RS PRO 75MM ANTI-VIBRATION PAD RUBBER +100°C -50°C 75 X 75MM

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
 - Material: Rubber
 - Thickness: 8 mm
 - Size: 75 x 75 mm
 - Length: 75 mm
 - Maximum Operating Temperature: +100 °C
 - Minimum Operating Temperature: -50 °C
 - Width: 75 mm



2035152 Anti-Vibration

RS PRO 457MM ANTI-VIBRATION PAD RUBBER +100°C -50°C 457 X 457MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
 - Material: Rubber
 - Thickness: 8 mm
 - Size: 457 x 457 mm
 - Length: 457 mm
 - Maximum Operating Temperature: +100 °C
 - Minimum Operating Temperature: -50 °C
 - Width: 457 mm



2035153 Anti-Vibration

RS PRO 100MM ANTI-VIBRATION PAD RUBBER +100°C -50°C 100 X 100MM

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
 - Material: Rubber
 - Thickness: 13 mm
 - Size: 100 x 100 mm
 - Length: 100 mm
 - Maximum Operating Temperature: +100 °C
 - Minimum Operating Temperature: -50 °C
 - Width: 100 mm



2035154 Anti-Vibration

RS PRO 457MM ANTI-VIBRATION PAD RUBBER +100°C -50°C 457 X 457MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
 - Material: Rubber
 - Thickness: 13 mm
 - Size: 457 x 457 mm
 - Length: 457 mm
 - Maximum Operating Temperature: +100 °C
 - Minimum Operating Temperature: -50 °C
 - Width: 457 mm



2035155 Anti-Vibration

RS PRO 50MM ANTI-VIBRATION PAD RUBBER +100°C -50°C 50 X 50MM

- ขนาดบรรจุภัณฑ์: **12 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
 - Material: Rubber
 - Thickness: 19 mm
 - Size: 50 x 50 mm
 - Length: 50 mm
 - Maximum Operating Temperature: +100 °C
 - Minimum Operating Temperature: -50 °C
 - Width: 50 mm



2035156 Anti-Vibration

RS PRO 150MM ANTI-VIBRATION PAD RUBBER +100°C -50°C 150 X 150MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
 - Material: Rubber
 - Thickness: 19 mm
 - Size: 150 x 150 mm
 - Length: 150 mm
 - Maximum Operating Temperature: +100 °C
 - Minimum Operating Temperature: -50 °C
 - Width: 150 mm



2035157 Anti-Vibration

RS PRO 305MM ANTI-VIBRATION PAD RUBBER +100°C -50°C 305 X 305MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
 - Material: Rubber
 - Thickness: 19 mm
 - Size: 305 x 305 mm
 - Length: 305 mm
 - Maximum Operating Temperature: +100 °C
 - Minimum Operating Temperature: -50 °C
 - Width: 305 mm



2035158 Anti-Vibration

RS PRO 457MM ANTI-VIBRATION PAD RUBBER +100°C -50°C 457 X 457MM

- ขนาดบรรจุภัณฑ์: **12 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
 - Material: Rubber
 - Thickness: 19 mm
 - Size: 457 x 457 mm
 - Length: 457 mm
 - Maximum Operating Temperature: +100 °C
 - Minimum Operating Temperature: -50 °C
 - Width: 457 mm



2035160 Anti-Vibration

RS PRO 75MM ANTI-VIBRATION PAD 250PSI NITRILE +100°C -50°C 75 X 75 X

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
 - Material: Nitrile
 - Load Rating: 250 psi
 - Thickness: 21 mm
 - Size: 75 x 75 mm
 - Length: 75 mm
 - Maximum Operating Temperature: +100 °C
 - Minimum Operating Temperature: -50 °C



2035161 Anti-Vibration

RS PRO 100MM ANTI-VIBRATION PAD 250PSI NITRILE +100°C -50°C 100 X

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
 - Material: Nitrile
 - Load Rating: 250 psi
 - Thickness: 21 mm
 - Size: 100 x 100 mm
 - Length: 100 mm
 - Maximum Operating Temperature: +100 °C
 - Minimum Operating Temperature: -50 °C



2035162 Anti-Vibration

RS PRO 150MM ANTI-VIBRATION PAD 250PSI NITRILE +100°C -50°C 150 X


- ขนาดบรรจุภัณฑ์: **1 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
 - Material: Nitrile
 - Load Rating: 250 psi
 - Thickness: 21 mm
 - Size: 150 x 150 mm
 - Length: 150 mm
 - Maximum Operating Temperature: +100 °C
 - Minimum Operating Temperature: -50 °C



2035163 Anti-Vibration

RS PRO 50MM ANTI VIBRATION MAT 20PSI EVA FOAM +80°C -30°C 50 X


- ขนาดบรรจุภัณฑ์: **12 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
 - Material: EVA Foam
 - Load Rating: 20 psi
 - Thickness: 22 mm
 - Size: 50 x 50 mm
 - Length: 50 mm
 - Maximum Operating Temperature: +80 °C
 - Minimum Operating Temperature: -30 °C



2035164 Anti-Vibration

RS PRO 100MM ANTI VIBRATION MAT 20PSI EVA FOAM +80°C -30°C 100 X


- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
 - Material: EVA Foam
 - Load Rating: 20 psi
 - Thickness: 22 mm
 - Size: 100 x 100 mm
 - Length: 100 mm
 - Maximum Operating Temperature: +80 °C
 - Minimum Operating Temperature: -30 °C



2035166 Anti-Vibration

RS PRO 305MM ANTI VIBRATION MAT 20PSI EVA FOAM +80°C -30°C 305 X


- ขนาดบรรจุภัณฑ์: **1 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
 - Material: EVA Foam
 - Load Rating: 20 psi
 - Thickness: 22 mm
 - Size: 305 x 305 mm
 - Length: 305 mm
 - Maximum Operating Temperature: +80 °C
 - Minimum Operating Temperature: -30 °C



2035167 Anti-Vibration

RS PRO 457MM ANTI VIBRATION MAT 20PSI EVA FOAM +80°C -30°C 457 X


- ขนาดบรรจุภัณฑ์: **1 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
 - Material: EVA Foam
 - Load Rating: 20 psi
 - Thickness: 22 mm
 - Size: 457 x 457 mm
 - Length: 457 mm
 - Maximum Operating Temperature: +80 °C
 - Minimum Operating Temperature: -30 °C



2035168 Anti-Vibration

100MM ANTI VIBRATION MAT 75PSI CORK +100°C -50°C 100 X 100MM

- ขนาดบรรจุภัณฑ์: **4 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
 - Material: Cork
 - Load Rating: 75 psi
 - Thickness: 22 mm
 - Size: 100 x 100 mm
 - Length: 100 mm
 - Maximum Operating Temperature: +100 °C
 - Minimum Operating Temperature: -50 °C



2035170 Anti-Vibration

200MM ANTI VIBRATION MAT 75PSI CORK +100°C -50°C 200 X 200MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
 - Material: Cork
 - Load Rating: 75 psi
 - Thickness: 22 mm
 - Size: 200 x 200 mm
 - Length: 200 mm
 - Maximum Operating Temperature: +100 °C
 - Minimum Operating Temperature: -50 °C



2035172 Anti-Vibration

305MM ANTI VIBRATION MAT 75PSI CORK +100°C -50°C 305 X 305MM


- ขนาดบรรจุภัณฑ์: **1 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
 - Material: Cork
 - Load Rating: 75 psi
 - Thickness: 22 mm
 - Size: 305 x 305 mm
 - Length: 305 mm
 - Maximum Operating Temperature: +100 °C
 - Minimum Operating Temperature: -50 °C



2035173 Anti-Vibration

457MM ANTI VIBRATION MAT 75PSI CORK +100°C -50°C 457 X 457MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
 - Material: Cork
 - Load Rating: 75 psi
 - Thickness: 22 mm
 - Size: 457 x 457 mm
 - Length: 457 mm
 - Maximum Operating Temperature: +100 °C
 - Minimum Operating Temperature: -50 °C



2035174 Anti-Vibration

BRASS SHIM, 2.5M X 150MM X 0.3MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Length: 2.5 m
 - Thickness: 0.3 mm
 - Width: 150 mm
 - Colour: Yellow



518712 2.5 m

BRASS SHIM, 2.5M X 150MM X 0.1MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Length: 2.5 m
 - Thickness: 0.1 mm
 - Width: 150 mm
 - Colour: Yellow



518839 2.5 m

BRASS SHIM, 2.5M X 150MM X 0.15MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Length: 2.5 m
 - Thickness: 0.15 mm
 - Width: 150 mm
 - Colour: Yellow



519084 2.5 m

CARBON FIBRE SHEET, 300MM X 300MM X 1MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Material: Carbon Fibre Epoxy
 - Maximum Operating Temperature: +80 °C
 - Length: 300 mm
 - Width: 300 mm
 - Thickness: 1 mm
 - Colour: Black
 - Surface Pattern: Twill Weave
 - Compressive Strength: 570 MPa



7648703 Carbon Fibre

CARBON FIBRE SHEET, 300MM X 300MM X 1.3MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Material: Carbon Fibre Epoxy
 - Maximum Operating Temperature: +80 °C
 - Length: 300 mm
 - Width: 300 mm
 - Thickness: 1.3 mm
 - Colour: Black
 - Surface Pattern: Twill Weave
 - Compressive Strength: 570 MPa



7648707 Carbon Fibre

CARBON FIBRE SHEET, 300MM X 300MM X 2MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Material: Carbon Fibre Epoxy
 - Maximum Operating Temperature: +80 °C
 - Length: 300 mm
 - Width: 300 mm
 - Thickness: 2 mm
 - Colour: Black
 - Surface Pattern: Twill Weave
 - Compressive Strength: 570 MPa



7648716 Carbon Fibre

BEADS,CERAMIC,INSULATING,FISH SPINE,WHITE,1.5MM BORE

- ขนาดบรรจุภัณฑ์: 870 x EA
- Bore Size: 1.5 mm
 - Material: Ceramic
 - Colour: White
 - Maximum Operating Temperature: +1200 °C



5364062 1.5 mm

BEADS,CERAMIC,INSULATING,FISH SPINE,WHITE,4.5MM BORE

- ขนาดบรรจุภัณฑ์: 420 x EA
- Bore Size: 4.5 mm
 - Material: Ceramic
 - Colour: White
 - Maximum Operating Temperature: +1200 °C



5364078 4.5 mm

WHITE CERAMIC BEAD 2.5MM BORE SIZE +1200°C

- ขนาดบรรจุภัณฑ์: 720 x EA
- Bore Size: 2.5 mm
 - Material: Ceramic
 - Colour: White
 - Maximum Operating Temperature: +1200 °C



5364090 2.5 mm

WHITE CERAMIC FISHSPINE BEADS, 1MM BORE

- ขนาดบรรจุภัณฑ์: 1200 x EA
- Bore Size: 1 mm
 - Material: Ceramic
 - Colour: White
 - Density: 2.6 g/cm³
 - Water Absorption: 0 %
 - Maximum Operating Temperature: +1200 °C



7648731 1 mm

FELT SHEET 3MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Material: Viscose, Wool
 - Length: 1 m
 - Width: 500 mm
 - Thickness: 3 mm
 - Density: 250 kg/m³
 - Colour: White



7336775 Viscose, Wool

FELT SHEET 6MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Material: Viscose, Wool
 - Length: 1 m
 - Width: 500 mm
 - Thickness: 6 mm
 - Density: 250 kg/m³
 - Colour: White



7336779 Viscose, Wool

VISCOSE, WOOL FELT SHEET, 1M X 500MM X 12.5MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Material: Viscose, Wool
 - Length: 1 m
 - Width: 500 mm
 - Thickness: 12.5 mm
 - Density: 250 kg/m³
 - Colour: White



7336788 Viscose, Wool

RS PRO FLAME RETARDANT GLASS FIBRE ROPE, 30M X 15MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Product Type: Glass Fibre Rope
 - Maximum Operating Temperature: +500 °C
 - Length: 30 m
 - Diameter: 15 mm
 - Flame Retardant: Yes



1034055 Glass Fibre Rope

RS PRO FLAME RETARDANT GLASS FIBRE ROPE, 30M X 25MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Product Type: Glass Fibre Rope
 - Maximum Operating Temperature: +500 °C
 - Length: 30 m
 - Diameter: 25 mm
 - Flame Retardant: Yes



1034056 Glass Fibre Rope

RS PRO FLAME RETARDANT GLASS FIBRE ROPE, 30M X 32MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Product Type: Glass Fibre Rope
 - Maximum Operating Temperature: +500 °C
 - Length: 30 m
 - Diameter: 32 mm
 - Flame Retardant: Yes



1034057 Glass Fibre Rope

RS PRO FLAME RETARDANT GLASS FIBRE ROPE, 30M X 12MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Glass Fibre Yarn
 - Product Type: Glass Fibre Rope
 - Maximum Operating Temperature: +300 °C
 - Length: 30 m
 - Diameter: 12 mm
 - Flame Retardant: Yes



7495124 Glass Fibre Yarn

RS PRO GLASS FIBRE ROPE, 30M X 20MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Glass Fibre Yarn
 - Product Type: Glass Fibre Rope
 - Maximum Operating Temperature: +300 °C
 - Length: 30 m
 - Diameter: 20 mm



7495127 Glass Fibre Yarn

RS PRO GLASS FIBRE ROPE, 5M X 12MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Product Type: Glass Fibre Rope
 - Maximum Operating Temperature: +550 °C
 - Length: 5 m
 - Diameter: 12 mm



7757804 Glass Fibre Rope

RS PRO FLAME RETARDANT GLASS FIBRE ROPE, 5M X 20MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Product Type: Glass Fibre Rope
 - Maximum Operating Temperature: +550 °C
 - Length: 5 m
 - Diameter: 20 mm
 - Flame Retardant: Yes



7757807 Glass Fibre Rope

RS PRO FLAME RETARDANT, 25M X 1.5MM X 25MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Maximum Operating Temperature: +600 °C
 - Length: 25 m
 - Width: 25 mm
 - Thickness: 1.5 mm
 - Flame Retardant: Yes



2035134 +600 °C

RS PRO FLAME RETARDANT, 30M X 3MM X 40MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Maximum Operating Temperature: +550 °C
 - Length: 30 m
 - Width: 40 mm
 - Thickness: 3 mm
 - Flame Retardant: Yes



2035135 +550 °C

RS PRO FLAME RETARDANT GLASS FIBRE TAPE, 30M X 3MM X 25MM


- ขนาดบรรจุภัณฑ์: **1 x EA**
- Product Type: Glass Fibre Tape
 - Material: Glass Fibre Yarn
 - Maximum Operating Temperature: +300 °C
 - Length: 30 m
 - Width: 25 mm
 - Thickness: 3 mm
 - Flame Retardant: Yes
 - Thermal Conductivity: 0.05 W/mK



7495111 Glass Fibre Tape

WOVEN GLASS WEBBING, 50MMX3MMX30M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Product Type: Glass Fibre Tape
 - Material: Glass Fibre Yarn
 - Maximum Operating Temperature: +300 °C
 - Length: 30 m
 - Width: 50 mm
 - Thickness: 3 mm
 - Flame Retardant: Yes
 - Thermal Conductivity: 0.05 W/mK



7495115 Glass Fibre Tape

RS PRO POLYESTER SHEET FILTER, G3 GRADE

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Filter Type: Sheet
 - Filter Grade: G3
 - Colour: Black
 - Media Material: Polyester
 - Actual Depth: 12 mm
 - Actual Height: 480 mm
 - Actual Width: 480 mm



2035146 Sheet

RS PRO POLYESTER, G3 GRADE

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Filter Grade: G3
 - Media Material: Polyester
 - Actual Depth: 25 mm
 - Actual Height: 480 mm
 - Actual Width: 480 mm



2035147 G3

RS PRO FILTER MEDIA G3 GRADE, 480 X 480 X 12MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Filter Grade: G3
 - Initial Pressure Drop: 242 Pa



2035149 G3

RS PRO, G3 GRADE, 480MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Actual Dimensions: 480 mm x 480 mm
 - Filter Grade: G3
 - Initial Pressure Drop: 242 Pa



2035151 480 mm x 480

NON FERROUS STOCK,ALUMINIUM,BS1470

- ขนาดบรรจุภัณฑ์: **3 x EA**
- Length: 300 mm
 - Material: Aluminium
 - Construction: 1050A
 - Form: Solid
 - Width: 500 mm
 - Thickness: 3 mm
 - Material Grade: 1050A
 - Density: 2.71 g/cm³



178239 300 mm

ALUMINIUM SOLID METAL SHEET, 300MM L, 500MM W, 6MM

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Length: 300 mm
 - Material: Aluminium
 - Construction: 1050A
 - Form: Solid
 - Width: 500 mm
 - Thickness: 6 mm
 - Material Grade: 1050A
 - Density: 2.71 g/cm³



183944 300 mm

NON FERROUS STOCK,MACHINABLE,ALUMINIUM

- ขนาดบรรจุภัณฑ์: **3 x EA**
- Length: 300 mm
 - Material: Aluminium
 - Construction: 6082
 - Form: Solid
 - Width: 500 mm
 - Thickness: 3 mm
 - Material Grade: 6082
 - Density: 2.7 g/cm³



187328 300 mm

ALUMINIUM SOLID METAL SHEET, 300MM L, 500MM W, 6MM

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Length: 300 mm
 - Material: Aluminium
 - Construction: 6082
 - Form: Solid
 - Width: 500 mm
 - Thickness: 6 mm
 - Material Grade: 6082
 - Density: 2.7 g/cm³



188264 300 mm

ALUMINIUM SOLID METAL SHEET, 300MM L, 500MM W, 8MM

- ขนาดบรรจุภัณฑ์: 2 x EA
- Length: 300 mm
 - Material: Aluminium
 - Construction: 6082
 - Form: Solid
 - Width: 500 mm
 - Thickness: 8 mm
 - Material Grade: 6082
 - Density: 2.7 g/cm³



188292 300 mm

ALUMINIUM SOLID METAL SHEET, 300MM L, 500MM W, 10MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Length: 300 mm
 - Material: Aluminium
 - Construction: 6082
 - Form: Solid
 - Width: 500 mm
 - Thickness: 10 mm
 - Material Grade: 6082
 - Density: 2.7 g/cm³



188321 300 mm

NON FERROUS STOCK,ALUMINIUM,BS1470

- ขนาดบรรจุภัณฑ์: 5 x EA
- Length: 200 mm
 - Material: Aluminium
 - Construction: 1050A
 - Form: Solid
 - Width: 300 mm
 - Thickness: 1.2 mm
 - Material Grade: 1050A
 - Density: 2.71 g/cm³



434043 200 mm

ALUMINIUM SOLID METAL SHEET, 300MM L, 500MM W, 2MM

- ขนาดบรรจุภัณฑ์: 5 x EA
- Length: 300 mm
 - Material: Aluminium
 - Construction: 1050A
 - Form: Solid
 - Width: 500 mm
 - Thickness: 2 mm
 - Material Grade: 1050A
 - Density: 2.71 g/cm³



434059 300 mm

316 STAINLESS STEEL SOLID METAL SHEET, 500MM L, 300MM W, 3MM

- ขนาดบรรจุภัณฑ์: 2 x EA
- Length: 500 mm
 - Material: 316 Stainless Steel
 - Form: Solid
 - Width: 300 mm
 - Thickness: 3 mm
 - Density: 8 g/cm³
 - Hardness: 95 HB
 - Colour: Silver



559111 500 mm

STAINLESS STEEL SOLID METAL SHEET, 500MM L, 300MM W, 1MM

- ขนาดบรรจุภัณฑ์: 2 x EA
- Length: 500 mm
 - Material: Stainless Steel
 - Form: Solid
 - Width: 300 mm
 - Thickness: 1 mm
 - Density: 8 g/cm³
 - Hardness: 95 HB
 - Colour: Silver



559123 500 mm

316 STAINLESS STEEL SOLID METAL SHEET, 500MM L, 300MM W, 0.5MM

- ขนาดบรรจุภัณฑ์: 2 x EA
- Length: 500 mm
 - Material: 316 Stainless Steel
 - Form: Solid
 - Width: 300 mm
 - Thickness: 0.5 mm
 - Density: 8 g/cm³
 - Hardness: 95 HB
 - Colour: Silver



559199 500 mm

ST STEEL SHEET MIRROR,500X300X0.5MM

- ขนาดบรรจุภัณฑ์: 2 x EA
- Length: 500 mm
 - Material: Stainless Steel
 - Form: Solid
 - Width: 300 mm
 - Thickness: 0.5 mm
 - Density: 8 g/cm³
 - Hardness: 95 HB
 - Colour: Silver



559206 500 mm

NON FERROUS STOCK,COPPER HDHC,BS2874/C101(1986),SHEET,0.3

- ขนาดบรรจุภัณฑ์: 5 x EA
- Length: 300 mm
 - Material: Copper
 - Form: Solid
 - Width: 300 mm
 - Thickness: 0.35 mm
 - Colour: Natural
 - Tensile Strength: 240 N/mm²



680959 300 mm

NON FERROUS STOCK,COPPER HDHC,BS2874/C101(1986),SHEET,0.4

- ขนาดบรรจุภัณฑ์: 5 x EA
- Length: 300 mm
 - Material: Copper
 - Form: Solid
 - Width: 300 mm
 - Thickness: 0.45 mm
 - Colour: Natural
 - Tensile Strength: 240 N/mm²



680965 300 mm

TINNED STEEL SOLID METAL SHEET, 500MM L, 300MM W, 0.2MM

- ขนาดบรรจุภัณฑ์: 10 x EA
- Length: 500 mm
 - Material: Tinned Steel
 - Form: Solid
 - Width: 300 mm
 - Thickness: 0.2 mm
 - Colour: Silver



682444 500 mm

TINNED STEEL SOLID METAL SHEET, 500MM L, 300MM W, 0.3MM

- ขนาดบรรจุภัณฑ์: 10 x EA
- Length: 500 mm
 - Material: Tinned Steel
 - Form: Solid
 - Width: 300 mm
 - Thickness: 0.3 mm
 - Colour: Silver



682450 500 mm

TINNED STEEL SHEET, 500MM L, 300MM W, 0.4MM THICKNESS

- ขนาดบรรจุภัณฑ์: 10 x EA
- Length: 500 mm
 - Material: Tinned Steel
 - Width: 300 mm
 - Thickness: 0.4 mm



682466 500 mm

BRASS SOLID METAL SHEET, 600MM L, 300MM W, 1.6MM THICKNESS

- ขนาดบรรจุภัณฑ์: 1 x EA
- Length: 600 mm
 - Material: Brass
 - Form: Solid
 - Width: 300 mm
 - Thickness: 1.6 mm
 - Colour: Natural



771077 600 mm

GALVANISED STEEL PERFORATED STEEL SHEET, 500MM L, 500MM W,

- ขนาดบรรจุภัณฑ์: 2 x EA
- Length: 500 mm
 - Material: Galvanised Steel
 - Width: 500 mm
 - Thickness: 0.7 mm
 - Hole Diameter: 4.8 mm
 - Hole Layout: 60°
 - Open Area Percentage: 50 %
 - Pattern Number: 6



817353 500 mm

GALVANISED STEEL PERFORATED METAL SHEET, 500MM L, 500MM W,

- ขนาดบรรจุภัณฑ์: 2 x EA
- Length: 500 mm
 - Material: Galvanised Steel
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 0.7 mm
 - Hole Diameter: 8 mm
 - Hole Layout: 60°
 - Open Area Percentage: 68 %



817369 500 mm

GALVANISED STEEL PERFORATED METAL SHEET, 500MM L, 500MM W,

- ขนาดบรรจุภัณฑ์: 2 x EA
- Length: 500 mm
 - Material: Galvanised Steel
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 0.7 mm
 - Hole Diameter: 1.2 mm
 - Hole Layout: 60°
 - Open Area Percentage: 42 %



817404 500 mm

GALVANISED STEEL PERFORATED METAL SHEET, 500MM L, 500MM W,

- ขนาดบรรจุภัณฑ์: 2 x EA
- Length: 500 mm
 - Material: Galvanised Steel
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 0.7 mm
 - Hole Diameter: 2 mm
 - Hole Layout: 60°
 - Open Area Percentage: 47 %



817432 500 mm

STAINLESS STEEL PERFORATED METAL SHEET, 500MM L, 500MM W, 0.55MM

- ขนาดบรรจุภัณฑ์: 2 x EA
- Length: 500 mm
 - Material: Stainless Steel
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 0.55 mm
 - Hole Diameter: 2 mm
 - Hole Layout: 60°
 - Open Area Percentage: 47 %



1828360 500 mm

STAINLESS STEEL PERFORATED METAL SHEET, 500MM L, 500MM W, 0.55MM

- ขนาดบรรจุภัณฑ์: 2 x EA
- Length: 500 mm
 - Material: Stainless Steel
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 0.55 mm
 - Hole Diameter: 3 mm
 - Hole Layout: 60°
 - Open Area Percentage: 33 %



1828382 500 mm

STAINLESS STEEL PERFORATED METAL SHEET, 500MM L, 500MM W, 0.55MM

- ขนาดบรรจุภัณฑ์: 2 x EA
- Length: 500 mm
 - Material: Stainless Steel
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 0.55 mm
 - Hole Diameter: 4.8 mm
 - Hole Layout: 60°
 - Open Area Percentage: 50 %



1828398 500 mm

STAINLESS STEEL PERFORATED PERFORATED STEEL SHEET, 500MM L,


- ขนาดบรรจุภัณฑ์: 2 x EA
- Length: 500 mm
 - Material: Stainless Steel
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 0.55 mm
 - Hole Diameter: 6.4 mm
 - Hole Layout: 60°
 - Open Area Percentage: 43 %



1828405 500 mm

STAINLESS STEEL PERFORATED METAL SHEET, 500MM L, 500MM W, 0.55MM

- ขนาดบรรจุภัณฑ์: 2 x EA
- Length: 500 mm
 - Material: Stainless Steel
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 0.55 mm
 - Hole Diameter: 6 mm
 - Hole Layout: Square
 - Open Area Percentage: 62 %



1828427 500 mm

ALUMINIUM PERFORATED METAL SHEET, 500MM L, 500MM W, 0.6MM


- ขนาดบรรจุภัณฑ์: 3 x EA
- Length: 500 mm
 - Material: Aluminium
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 0.6 mm
 - Hole Diameter: 1.2 mm
 - Hole Layout: 60°
 - Open Area Percentage: 42 %



2027861 500 mm

ALUMINIUM PERFORATED METAL SHEET, 500MM L, 500MM W, 0.6MM


- ขนาดบรรจุภัณฑ์: 3 x EA
- Length: 500 mm
 - Material: Aluminium
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 0.6 mm
 - Hole Diameter: 1.5 mm
 - Hole Layout: 45°
 - Open Area Percentage: 22 %



2027877 500 mm

ALUMINIUM PERFORATED METAL SHEET, 500MM L, 500MM W, 0.6MM

- ขนาดบรรจุภัณฑ์: 3 x EA
- Length: 500 mm
 - Material: Aluminium
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 0.6 mm
 - Hole Diameter: 1.7 mm
 - Hole Layout: 60°
 - Open Area Percentage: 43 %



2027883 500 mm

ALUMINIUM PERFORATED METAL SHEET, 500MM L, 500MM W, 1.2MM

- ขนาดบรรจุภัณฑ์: 2 x EA
- Length: 500 mm
 - Material: Aluminium
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 1.2 mm
 - Hole Diameter: 2 mm
 - Hole Layout: 60°
 - Open Area Percentage: 47 %



2027906 500 mm

ALUMINIUM PERFORATED METAL SHEET, 500MM L, 500MM W, 1.2MM

- ขนาดบรรจุภัณฑ์: 2 x EA
- Length: 500 mm
 - Material: Aluminium
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 1.2 mm
 - Hole Diameter: 3 mm
 - Hole Layout: 60°
 - Open Area Percentage: 33 %



2027912 500 mm

ALUMINIUM PERFORATED METAL SHEET, 500MM L, 500MM W, 1.2MM


- ขนาดบรรจุภัณฑ์: 2 x EA
- Length: 500 mm
 - Material: Aluminium
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 1.2 mm
 - Hole Diameter: 4.8 mm
 - Hole Layout: 60°
 - Open Area Percentage: 50 %



2027928 500 mm

ALUMINIUM PERFORATED METAL SHEET, 500MM L, 500MM W, 1.2MM


- ขนาดบรรจุภัณฑ์: 2 x EA
- Length: 500 mm
 - Material: Aluminium
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 1.2 mm
 - Hole Diameter: 8 mm
 - Hole Layout: 60°
 - Open Area Percentage: 68 %



2027940 500 mm

ALUMINIUM PERFORATED METAL SHEET, 500MM L, 500MM W, 0.7MM

- ขนาดบรรจุภัณฑ์: 3 x EA
- Length: 500 mm
 - Material: Aluminium
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 0.7 mm
 - Hole Diameter: 6 mm
 - Hole Layout: Hexagonal
 - Open Area Percentage: 79 %



2622652 500 mm

GALVANISED STEEL PERFORATED METAL SHEET, 500MM L, 500MM W,


- ขนาดบรรจุภัณฑ์: 2 x EA
- Length: 500 mm
 - Material: Galvanised Steel
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 0.7 mm
 - Hole Diameter: 6 mm
 - Hole Layout: 60°
 - Open Area Percentage: 79 %



2626115 500 mm

STAINLESS STEEL PERFORATED METAL SHEET, 500MM L, 500MM W, 0.55MM

- ขนาดบรรจุภัณฑ์: 2 x EA
- Length: 500 mm
 - Material: Stainless Steel
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 0.55 mm
 - Hole Diameter: 6 mm
 - Hole Layout: 60°
 - Open Area Percentage: 79 %



2626121 500 mm

316 A4 STAINLESS STEEL SOLID METAL SHEET, 500MM L, 300MM W, 1MM

- ขนาดบรรจุภัณฑ์: 2 x EA
- Length: 500 mm
 - Material: 316 A4 Stainless Steel
 - Form: Solid
 - Width: 300 mm
 - Thickness: 1 mm
 - Density: 8 g/cm³
 - Hardness: 95 HB
 - Colour: Silver



2647241 500 mm

316 A4 STAINLESS STEEL SOLID METAL SHEET, 500MM L, 300MM W, 1.2MM

- ขนาดบรรจุภัณฑ์: 2 x EA
- Length: 500 mm
 - Material: 316 A4 Stainless Steel
 - Form: Solid
 - Width: 300 mm
 - Thickness: 1.2 mm
 - Density: 8 g/cm³
 - Hardness: 95 HB
 - Colour: Silver



2647257 500 mm

316 A4 STAINLESS STEEL SOLID METAL SHEET, 500MM L, 300MM W, 1.5MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Length: 500 mm
 - Material: 316 A4 Stainless Steel
 - Form: Solid
 - Width: 300 mm
 - Thickness: 1.5 mm
 - Density: 8 g/cm³
 - Hardness: 95 HB
 - Colour: Silver



2647263 500 mm

316 A4 STAINLESS STEEL SOLID METAL SHEET, 500MM L, 300MM W, 2.5MM


- ขนาดบรรจุภัณฑ์: 1 x EA
- Length: 500 mm
 - Material: 316 A4 Stainless Steel
 - Form: Solid
 - Width: 300 mm
 - Thickness: 2.5 mm
 - Density: 8 g/cm³
 - Hardness: 95 HB
 - Colour: Silver



2647279 500 mm

STAINLESS STEEL PERFORATED METAL SHEET, 500MM L, 500MM W, 0.55MM


- ขนาดบรรจุภัณฑ์: 2 x EA
- Length: 500 mm
 - Material: Stainless Steel
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 0.55 mm
 - Hole Diameter: 3 mm
 - Hole Layout: 60°
 - Open Area Percentage: 33 %



3406120 500 mm

STAINLESS STEEL PERFORATED METAL SHEET, 500MM L, 500MM W, 0.55MM


- ขนาดบรรจุภัณฑ์: 2 x EA
- Length: 500 mm
 - Material: Stainless Steel
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 0.55 mm
 - Hole Diameter: 4.7 mm
 - Hole Layout: Square
 - Open Area Percentage: 35 %



3406158 500 mm

STAINLESS STEEL PERFORATED METAL SHEET, 500MM L, 500MM W, 0.55MM


- ขนาดบรรจุภัณฑ์: 2 x EA
- Length: 500 mm
 - Material: Stainless Steel
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 0.55 mm
 - Hole Diameter: 6 mm
 - Hole Layout: In Line
 - Open Area Percentage: 62 %
 - Pattern Number: 9



3406164 500 mm

STAINLESS STEEL PERFORATED METAL SHEET, 500MM L, 500MM W, 0.55MM

- ขนาดบรรจุภัณฑ์: 2 x EA
- Length: 500 mm
 - Material: Stainless Steel
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 0.55 mm
 - Hole Diameter: 6 mm
 - Hole Layout: 60°
 - Open Area Percentage: 79 %



3406192 500 mm

FERROUS STOCK, STAINLESS STEEL 304, SHEET, 0.5X500X300MM

- ขนาดบรรจุภัณฑ์: 2 x EA
- Length: 500 mm
 - Material: 304S15 Stainless Steel
 - Form: Solid
 - Width: 300 mm
 - Thickness: 0.5 mm
 - Density: 8 g/cm³
 - Hardness: 92 HB
 - Colour: Silver



3656858 500 mm

MILD STEEL PERFORATED METAL SHEET, 500MM L, 500MM W, 0.7MM

- ขนาดบรรจุภัณฑ์: 2 x EA
- Length: 500 mm
 - Material: Mild Steel
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 0.7 mm
 - Hole Diameter: 1.2 mm
 - Hole Layout: 60°
 - Open Area Percentage: 42 %



4475284 500 mm

GALVANISED STEEL PERFORATED METAL SHEET, 500MM L, 500MM W,

- ขนาดบรรจุภัณฑ์: 2 x EA
- Length: 500 mm
 - Material: Galvanised Steel
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 0.7 mm
 - Hole Diameter: 1 mm
 - Hole Layout: 60°
 - Open Area Percentage: 46 %



4475313 500 mm

304S15 STAINLESS STEEL SOLID METAL SHEET, 500MM L, 300MM W,

- ขนาดบรรจุภัณฑ์: 2 x EA
- Length: 500 mm
 - Material: 304S15 Stainless Steel
 - Form: Solid
 - Width: 300 mm
 - Thickness: 1 mm
 - Density: 8 g/cm³
 - Hardness: 92 HB
 - Colour: Silver



6614793 500 mm

304S15 STAINLESS STEEL SOLID METAL SHEET, 500MM L, 300MM W,

- ขนาดบรรจุภัณฑ์: 2 x EA
- Length: 500 mm
 - Material: 304S15 Stainless Steel
 - Form: Solid
 - Width: 300 mm
 - Thickness: 1.2 mm
 - Density: 8 g/cm³
 - Hardness: 92 HB
 - Colour: Silver



6614797 500 mm

304S15 STAINLESS STEEL SOLID METAL SHEET, 500MM L, 300MM W,

- ขนาดบรรจุภัณฑ์: 1 x EA
- Length: 500 mm
 - Material: 304S15 Stainless Steel
 - Form: Solid
 - Width: 300 mm
 - Thickness: 2.5 mm
 - Density: 8 g/cm³
 - Hardness: 92 HB
 - Colour: Silver



6614800 500 mm

304S15 S/STEEL SHEET, 300X300X1MM

- ขนาดบรรจุภัณฑ์: 2 x EA
- Length: 300 mm
 - Material: 304S15 Stainless Steel
 - Form: Solid
 - Width: 300 mm
 - Thickness: 1 mm
 - Density: 8 g/cm³
 - Hardness: 92 HB
 - Colour: Silver



7702961 300 mm

304S15 STAINLESS STEEL SOLID METAL SHEET, 500MM L, 500MM W,

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Length: 500 mm
 - Material: 304S15 Stainless Steel
 - Form: Solid
 - Width: 500 mm
 - Thickness: 1 mm
 - Density: 8 g/cm³
 - Hardness: 92 HB
 - Colour: Silver



7702964 500 mm

304S15 STAINLESS STEEL SOLID METAL SHEET, 1000MM L, 500MM W,

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Length: 1000 mm
 - Material: 304S15 Stainless Steel
 - Form: Solid
 - Width: 500 mm
 - Thickness: 1 mm
 - Density: 8 g/cm³
 - Hardness: 92 HB
 - Colour: Silver



7702968 1000 mm

304S15 STAINLESS STEEL SOLID METAL SHEET, 1000MM L, 1000MM W,

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Length: 1000 mm
 - Material: 304S15 Stainless Steel
 - Form: Solid
 - Width: 1000 mm
 - Thickness: 1 mm
 - Density: 8 g/cm³
 - Hardness: 92 HB
 - Colour: Silver



7702977 1000 mm

ALUMINIUM SOLID METAL SHEET, 300MM DIAMETER, 2.5MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Aluminium
 - Construction: 1050A
 - Form: Solid
 - Thickness: 2.5 mm
 - Material Grade: 1050
 - Colour: Silver



7757817 Aluminium

ALUMINIUM HONEYCOMB COMPOSITE METAL SHEET, 600MM L,

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Length: 600 mm
 - Material: Aluminium Honeycomb Composite
 - Width: 600 mm
 - Thickness: 6 mm
 - Hardness: HB-F
 - Suitability: Artistic Ceilings, Balconies, Facade Cladding, Roofing, Shelters
 - Colour: White
 - Adhesive Backing: No



7781661 600 mm

ALUMINIUM SOLID METAL SHEET, 600MM L, 600MM W, 10MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Length: 600 mm
 - Material: Aluminium
 - Form: Solid
 - Width: 600 mm
 - Thickness: 10 mm
 - Hardness: HB-F
 - Colour: White
 - Suitability: Artistic Ceilings, Balconies, Facade Cladding, Roofing, Shelters



7781664 600 mm

ALUMINIUM SOLID METAL SHEET, 600MM L, 600MM W, 15MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Length: 600 mm
 - Material: Aluminium
 - Form: Solid
 - Width: 600 mm
 - Thickness: 15 mm
 - Hardness: HB-F
 - Colour: White
 - Suitability: Artistic Ceilings, Balconies, Facade Cladding, Roofing, Shelters



7781677 600 mm

ALUMINIUM METAL SHEET, 600MM L, 600MM W, 3MM THICKNESS

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Length: 600 mm
 - Material: Aluminium
 - Width: 600 mm
 - Thickness: 3 mm
 - Density: 3.5 kg/m²
 - Hardness: 3 H
 - Colour: Black
 - Suitability: Cladding, Fascia Panels, Folded Parts, Sign Trays



7781692 600 mm

ALUMINIUM SHEET METAL SHEET, 600MM L, 600MM W, 3MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Length: 600 mm
 - Material: Aluminium
 - Form: Sheet
 - Width: 600 mm
 - Thickness: 3 mm
 - Density: 3.5 kg/m²
 - Hardness: 3 H
 - Colour: Yellow



7781703 600 mm

ALUMINIUM SOLID METAL SHEET, 600MM L, 600MM W, 3MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Length: 600 mm
 - Material: Aluminium
 - Form: Solid
 - Width: 600 mm
 - Thickness: 3 mm
 - Density: 3.5 kg/m²
 - Hardness: 3 H
 - Colour: Red



7781706 600 mm

BRASS SOLID METAL SHEET, 600MM L, 300MM W, 0.7MM THICKNESS

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Length: 600 mm
 - Material: Brass
 - Form: Solid
 - Width: 300 mm
 - Thickness: 0.7 mm
 - Material Grade: CW508L/CZ108
 - Density: 8.44 g/cm³
 - Hardness: 55 to 180 HV



8411893 600 mm

BRASS SOLID METAL SHEET, 600MM L, 300MM W, 0.9MM THICKNESS

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Length: 600 mm
 - Material: Brass
 - Form: Solid
 - Width: 300 mm
 - Thickness: 0.9 mm
 - Material Grade: CW508L/CZ108
 - Density: 8.44 g/cm³
 - Hardness: 55 to 180 HV



8411903 600 mm

BRASS SOLID METAL SHEET, 600MM L, 300MM W, 0.45MM THICKNESS

- ขนาดบรรจุภัณฑ์: **3 x EA**
- Length: 600 mm
 - Material: Brass
 - Form: Solid
 - Width: 300 mm
 - Thickness: 0.45 mm
 - Material Grade: CW508L/CZ108
 - Density: 8.44 g/cm³
 - Hardness: 55 to 180 HV



8411906 600 mm

BRASS SOLID METAL SHEET, 600MM L, 300MM W, 1.2MM THICKNESS

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Length: 600 mm
 - Material: Brass
 - Form: Solid
 - Width: 300 mm
 - Thickness: 1.2 mm
 - Material Grade: CW508L/CZ108
 - Density: 8.44 g/cm³
 - Hardness: 55 to 180 HV



8732487 600 mm

MILD STEEL PERFORATED METAL SHEET, 1000MM L, 500MM W, 1.5MM

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Length: 1000 mm
 - Material: Mild Steel
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 1.5 mm
 - Hole Diameter: 3 mm
 - Hole Layout: 60°
 - Open Area Percentage: 33 %



9190694 1000 mm

GALVANISED STEEL PERFORATED METAL SHEET, 1000MM L, 500MM W,

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Length: 1000 mm
 - Material: Galvanised Steel
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 1.5 mm
 - Hole Diameter: 3 mm
 - Hole Layout: 60°
 - Open Area Percentage: 33 %



9190698 1000 mm

GALVANISED STEEL PERFORATED METAL SHEET, 1000MM L, 500MM W,

- ขนาดบรรจุภัณฑ์: 2 x EA
- Length: 1000 mm
 - Material: Galvanised Steel
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 1.5 mm
 - Hole Diameter: 3 mm
 - Hole Layout: 60°
 - Open Area Percentage: 51 %



9190708 1000 mm

ROUND PHOSPHOR BRONZE METAL TUBE, 2IN OD, 1 1/2IN ID, 13IN L, 2IN


- ขนาดบรรจุภัณฑ์: 1 x EA
- Tube Form: Round
 - Material: Phosphor Bronze
 - Length: 13 in
 - Width: 2 in
 - Inner Diameter: 1 1/2 in
 - Outer Diameter: 2 in
 - Thickness: 1/2 in
 - Tensile Strength: 420 N/mm²



110034 Round

RECTANGULAR ALUMINIUM METAL TUBE, 1M L, 50MM W, 20MM H, 2MM


- ขนาดบรรจุภัณฑ์: 5 x EA
- Material: Aluminium
 - Tube Form: Rectangular
 - Material Grade: T6
 - Length: 1 m
 - Height: 20 mm
 - Width: 50 mm
 - Thickness: 2 mm
 - Hardness: 95 HB



1368756 Aluminium

RECTANGULAR ALUMINIUM METAL TUBE, 1M L, 60MM W, 40MM H, 2MM

- ขนาดบรรจุภัณฑ์: 2 x EA
- Material: Aluminium
 - Tube Form: Rectangular
 - Material Grade: T6
 - Length: 1 m
 - Height: 40 mm
 - Width: 60 mm
 - Thickness: 2 mm
 - Hardness: 95 HB



1368757 Aluminium

ROUND ALUMINIUM METAL TUBE, 1/2IN OD, 3/8IN ID, 1M L, 16SWG

- ขนาดบรรจุภัณฑ์: 5 x EA
- Material: Aluminium
 - Tube Form: Round
 - Length: 1 m
 - Material Grade: 6063-T6
 - Inner Diameter: 3/8 in
 - Outer Diameter: 1/2 in
 - Thickness: 16 SWG
 - Suitability: Architectural Applications, Doors, Extrusions, Shopfittings, Window Frames

SORRY, IMAGE NOT AVAILABLE.

3047973 Aluminium

ROUND ALUMINIUM TUBE, 2IN OD, 1.75IN ID, 1M L, 10SWG THICKNESS

- ขนาดบรรจุภัณฑ์: 1 x EA
- Tube Form: Round
 - Material Grade: 6063 T6
 - Length: 1 m
 - Inner Diameter: 1.75 in
 - Outer Diameter: 2 in
 - Thickness: 10 SWG
 - Suitability: Architectural Applications, Doors, Extrusions, Shopfittings, Window Frames
 - Tensile Strength: 230 MPa



3047995 Round

ROUND ALUMINIUM METAL TUBE, 1IN OD, 3/4IN ID, 1M L, 10SWG

- ขนาดบรรจุภัณฑ์: 2 x EA
- Material: Aluminium
 - Tube Form: Round
 - Length: 1 m
 - Material Grade: 6063-T6
 - Inner Diameter: 3/4 in
 - Thickness: 10 SWG
 - Outer Diameter: 1 in
 - Suitability: Architectural Applications, Doors, Extrusions, Shopfittings, Window Frames



3048011 Aluminium

ROUND ALUMINIUM METAL TUBE, 10MM OD, 1M L, 10MM H, 1MM

- ขนาดบรรจุภัณฑ์: 5 x EA
- Material: Aluminium
 - Tube Form: Round
 - Material Grade: 6063-T6
 - Length: 1 m
 - Height: 10 mm
 - Thickness: 1 mm
 - Outer Diameter: 10 mm



9186374 Aluminium

ROUND ALUMINIUM METAL TUBE, 20MM OD, 1M L, 3MM THICKNESS

- ขนาดบรรจุภัณฑ์: 5 x EA
- Material: Aluminium
 - Tube Form: Round
 - Material Grade: 6063-T6
 - Length: 1 m
 - Thickness: 3 mm
 - Outer Diameter: 20 mm



9186383 Aluminium

PEEK PLASTIC FILM, 200MM X 305MM X 0.05MM

- ขนาดบรรจุภัณฑ์: 5 x EA
- Material: PEEK
 - Length: 200 mm
 - Width: 305 mm
 - Thickness: 0.05 mm
 - Dielectric Strength: 190 kV
 - Maximum Operating Temperature: +200 °C
 - Application: Aerospace, Automotive, Electronics, Energy Such as Oil & Gas, Food & Medical, Industrial, Semiconductors



7648713 PEEK

PEEK 381G FILM, 200X305X0.025MM

- ขนาดบรรจุภัณฑ์: 5 x EA
- Material: PEEK
 - Length: 200 mm
 - Width: 305 mm
 - Thickness: 0.025 mm
 - Dielectric Strength: 190 kV
 - Maximum Operating Temperature: +200 °C
 - Application: Aerospace, Automotive, Electronics, Energy Such as Oil & Gas, Food & Medical, Industrial, Semiconductors



7648719 PEEK

PEEK 381G FILM, 200X305X0.1MM

- ขนาดบรรจุภัณฑ์: 5 x EA
- Material: PEEK
 - Length: 200 mm
 - Width: 305 mm
 - Thickness: 0.1 mm
 - Dielectric Strength: 190 kV
 - Maximum Operating Temperature: +200 °C
 - Application: Aerospace, Automotive, Electronics, Energy Such as Oil & Gas, Food & Medical, Industrial, Semiconductors



7648722 PEEK

PEEK PLASTIC FILM, 200MM X 305MM X 0.125MM

- ขนาดบรรจุภัณฑ์: 5 x EA
- Material: PEEK
 - Length: 200 mm
 - Width: 305 mm
 - Thickness: 0.125 mm
 - Dielectric Strength: 190 kV
 - Maximum Operating Temperature: +200 °C
 - Application: Aerospace, Automotive, Electronics, Energy Such as Oil & Gas, Food & Medical, Industrial, Semiconductors



7648725 PEEK

GRADE 4 PRESS PAPER, 0.5MM

- ขนาดบรรจุภัณฑ์: 5 x EA
- Material: Cotton
 - Length: 304 mm
 - Width: 200 mm
 - Thickness: 0.5 mm
 - Density: 1.05 to 1.2 g/cm³
 - Dielectric Strength: 74 to 88 kV/mm, 14 kV/cm
 - Application: Electrical



7757790 Cotton

ELEPHANTIDE GRADE K, 1MM

- ขนาดบรรจุภัณฑ์: 5 x EA
- Material: PET
 - Length: 304 mm
 - Width: 200 mm
 - Thickness: 1 mm
 - Maximum Operating Temperature: +120 °C
 - Application: Coil Separation, Phase Separation & Intercoil Insulations, Slot Liners



7757794 PET

FORMEX GK-17, 0.45MM

- ขนาดบรรจุภัณฑ์: 5 x EA
- Material: Polypropylene
 - Length: 304 mm
 - Width: 200 mm
 - Thickness: 0.45 mm
 - Density: 1.035 g/cm³
 - Application: Electrical



7757797 Polypropylene

MYLAR FILM 0.023MM, PACK OF 5

ขนาดบรรจุภัณฑ์: **5 x EA**

- Material: Mylar
- Length: 304 mm
- Width: 200 mm
- Thickness: 0.023 mm
- Maximum Operating Temperature: +150 °C
- Application: Industrial



7850782 Mylar

MYLAR FILM 0.050MM, PACK OF 5

ขนาดบรรจุภัณฑ์: **5 x EA**

- Material: Mylar
- Length: 304 mm
- Width: 200 mm
- Thickness: 0.05 mm
- Maximum Operating Temperature: +150 °C
- Application: Industrial



7850786 Mylar

MYLAR FILM 0.1MM, PACK OF 5

ขนาดบรรจุภัณฑ์: **5 x EA**

- Material: Mylar
- Length: 304 mm
- Width: 200 mm
- Thickness: 0.1 mm
- Maximum Operating Temperature: +150 °C
- Application: Industrial



7850792 Mylar

MYLAR FILM 0.075MM, PACK OF 5

ขนาดบรรจุภัณฑ์: **5 x EA**

- Material: Mylar
- Length: 304 mm
- Width: 200 mm
- Thickness: 0.075 mm
- Maximum Operating Temperature: +150 °C
- Application: Industrial



7850795 Mylar

MYLAR PLASTIC FILM, 304MM X 200MM X 0.125MM

ขนาดบรรจุภัณฑ์: **5 x EA**

- Material: Mylar
- Length: 304 mm
- Width: 200 mm
- Thickness: 0.125 mm
- Maximum Operating Temperature: +150 °C
- Application: Industrial



7850798 Mylar

MYLAR FILM 0.25MM, PACK OF 5

ขนาดบรรจุภัณฑ์: **5 x EA**

- Material: Mylar
- Length: 304 mm
- Width: 200 mm
- Thickness: 0.25 mm
- Maximum Operating Temperature: +150 °C
- Application: Industrial



7850802 Mylar

FORMEX BLACK 0.127MM, PACK OF 5

ขนาดบรรจุภัณฑ์: **5 x EA**

- Material: Polypropylene
- Length: 304 mm
- Width: 200 mm
- Thickness: 0.127 mm
- Density: 1035 kg/m³
- Dielectric Strength: 1460 kV
- Application: Electrical



7850805 Polypropylene

FORMEX BLACK 0.25MM, PACK OF 5

ขนาดบรรจุภัณฑ์: **5 x EA**

- Material: Polypropylene
- Length: 304 mm
- Width: 200 mm
- Thickness: 0.25 mm
- Density: 1035 kg/m³
- Dielectric Strength: 1460 kV
- Application: Electrical



7850809 Polypropylene

FORMEX BLACK 0.76MM, PACK OF 5

ขนาดบรรจุภัณฑ์: **5 x EA**

- Material: Polypropylene
- Length: 304 mm
- Width: 200 mm
- Thickness: 0.76 mm
- Density: 1035 kg/m³
- Dielectric Strength: 1460 kV
- Application: Electrical



7850811 Polypropylene

MICA FILM 0.2MM, PACK OF 5

ขนาดบรรจุภัณฑ์: **5 x EA**

- Material: Mica
- Length: 304 mm
- Width: 200 mm
- Thickness: 0.2 mm
- Density: 2.15 g/cm³
- Dielectric Strength: 25 kV/mm
- Maximum Operating Temperature: +500 °C
- Application: Electrical



7850815 Mica

FORMEX BLACK 0.45MM, PACK OF 5

ขนาดบรรจุภัณฑ์: **5 x EA**

- Material: Polypropylene
- Length: 304 mm
- Width: 200 mm
- Thickness: 0.45 mm
- Density: 1035 kg/m³
- Dielectric Strength: 1460 kV
- Application: Electrical



7850818 Polypropylene

MICA FILM 0.5MM, PACK OF 5

ขนาดบรรจุภัณฑ์: **5 x EA**

- Material: Mica
- Length: 304 mm
- Width: 200 mm
- Thickness: 0.5 mm
- Density: 2.15 g/cm³
- Dielectric Strength: 25 kV/mm
- Maximum Operating Temperature: +500 °C
- Application: Electrical



7850824 Mica

MICA FILM 1.0MM, PACK OF 5

ขนาดบรรจุภัณฑ์: **5 x EA**

- Material: Mica
- Length: 304 mm
- Width: 200 mm
- Thickness: 1 mm
- Density: 2.15 g/cm³
- Dielectric Strength: 25 kV/mm
- Maximum Operating Temperature: +500 °C
- Application: Electrical



7850827 Mica

RS PRO BEIGE POLYETHERETHERKETONE PEEK ROD,

ขนาดบรรจุภัณฑ์: **1 x EA**

- Colour: Beige
- Length: 300 mm
- Material: PEEK
- Form: Rod
- Rod Diameter: 30 mm
- Density: 1.32 g/cm³
- Tensile Strength: 95 MPa
- Maximum Operating Temperature: +260 °C



129729 Beige

RS PRO BEIGE POLYETHERETHERKETONE PEEK ROD,

ขนาดบรรจุภัณฑ์: **1 x EA**

- Colour: Beige
- Length: 300 mm
- Material: PEEK
- Form: Rod
- Rod Diameter: 32 mm
- Density: 1.32 g/cm³
- Tensile Strength: 95 MPa
- Maximum Operating Temperature: +260 °C



514354 Beige

PEEK 450G ROD STOCK,300MM L 12MM DIA

ขนาดบรรจุภัณฑ์: **1 x EA**

- Colour: Beige
- Length: 300 mm
- Material: PEEK
- Form: Rod
- Rod Diameter: 12 mm
- Density: 1.32 g/cm³
- Tensile Strength: 95 MPa
- Maximum Operating Temperature: +260 °C



514360 Beige

RS PRO WHITE ACETAL ROD, 1M X 10MM DIAMETER

- ขนาดบรรจุภัณฑ์: 5 x EA
- Colour: White
 - Length: 1 m
 - Material: Acetal
 - Form: Rod
 - Rod Diameter: 10 mm
 - Density: 1.42 g/cm³
 - Tensile Strength: 70 MPa
 - Maximum Operating Temperature: +100 °C



514512 White

RS PRO WHITE NYLON ROD, 1M X 12MM DIAMETER

- ขนาดบรรจุภัณฑ์: 5 x EA
- Colour: White
 - Length: 1 m
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 12 mm
 - Density: 1.14 g/cm³
 - Tensile Strength: 60 (Wet) MPa, 80 (Dry) MPa
 - Maximum Operating Temperature: +170 °C



514607 White

RS PRO NATURAL NYLON ROD, 500MM X 125MM DIAMETER

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Natural
 - Length: 500 mm
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 125 mm
 - Density: 1.15 g/cm³
 - Tensile Strength: 60 (Wet) MPa, 85 (Dry) MPa
 - Maximum Operating Temperature: +180 °C



514619 Natural

RS PRO WHITE ACETAL ROD, 1M X 56MM DIAMETER

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: White
 - Length: 1 m
 - Material: Acetal
 - Form: Rod
 - Rod Diameter: 56 mm
 - Density: 1.42 g/cm³
 - Tensile Strength: 70 MPa
 - Maximum Operating Temperature: +100 °C



514726 White

TECAPEEK CF 30% CARBON ROD 300X30 D

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Black
 - Length: 300 mm
 - Material: PEEK
 - Form: Rod
 - Rod Diameter: 30 mm
 - Density: 1.44 g/cm³
 - Tensile Strength: 215 MPa
 - Maximum Operating Temperature: +260 °C



514736 Black

PEEK 450G ROD STOCK, 300MM L 6MM DIA

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Beige
 - Length: 300 mm
 - Material: PEEK
 - Form: Rod
 - Rod Diameter: 6 mm
 - Density: 1.32 g/cm³
 - Tensile Strength: 95 MPa
 - Maximum Operating Temperature: +260 °C



514748 Beige

RS PRO BEIGE POLYETHERETHERKETONE PEEK ROD,

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Beige
 - Length: 300 mm
 - Material: PEEK
 - Form: Rod
 - Rod Diameter: 50 mm
 - Density: 1.49 g/cm³
 - Tensile Strength: 180 MPa
 - Maximum Operating Temperature: +260 °C



514764 Beige

RS PRO BEIGE POLYETHERETHERKETONE PEEK ROD,

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Beige
 - Length: 300 mm
 - Material: PEEK
 - Form: Rod
 - Rod Diameter: 80 mm
 - Density: 1.32 g/cm³
 - Tensile Strength: 95 MPa
 - Maximum Operating Temperature: +260 °C



514770 Beige

PEEK 450G ROD STOCK, 300MM L 8MM DIA

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Beige
 - Length: 300 mm
 - Material: PEEK
 - Form: Rod
 - Rod Diameter: 8 mm
 - Density: 1.32 g/cm³
 - Tensile Strength: 95 MPa
 - Maximum Operating Temperature: +260 °C



514776 Beige

RS PRO WHITE NYLON ROD, 1M X 32MM DIAMETER

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: White
 - Length: 1 m
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 32 mm
 - Density: 1.14 g/cm³
 - Tensile Strength: 60 (Wet) MPa, 80 (Dry) MPa
 - Maximum Operating Temperature: +170 °C



514805 White

RS PRO WHITE NYLON ROD, 1M X 10MM DIAMETER

- ขนาดบรรจุภัณฑ์: 5 x EA
- Colour: White
 - Length: 1 m
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 10 mm
 - Density: 1.14 g/cm³
 - Tensile Strength: 60 (Wet) MPa, 80 (Dry) MPa
 - Flammability Rating: UL HB



680246 White

RS PRO WHITE NYLON ROD, 1M X 20MM DIAMETER

- ขนาดบรรจุภัณฑ์: 2 x EA
- Colour: White
 - Length: 1 m
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 20 mm
 - Density: 1.14 g/cm³
 - Tensile Strength: 60 (Wet) MPa, 80 (Dry) MPa
 - Maximum Operating Temperature: +170 °C



680268 White

RS PRO OPAQUE FLUOROPLASTICS PTFE ROD, 1M X 15MM DIAMETER

- ขนาดบรรจุภัณฑ์: 3 x EA
- Colour: Opaque
 - Length: 1 m
 - Material: PTFE
 - Form: Rod
 - Rod Diameter: 15 mm
 - Density: 2.18 → 2.21 g/cm³
 - Tensile Strength: 25 MPa
 - Maximum Operating Temperature: +260 °C



680634 Opaque

RS PRO OPAQUE FLUOROPLASTICS PTFE ROD, 1M X 20MM DIAMETER

- ขนาดบรรจุภัณฑ์: 2 x EA
- Colour: Opaque
 - Length: 1 m
 - Material: PTFE
 - Form: Rod
 - Rod Diameter: 20 mm
 - Density: 2.18 → 2.21 g/cm³
 - Tensile Strength: 25 MPa
 - Maximum Operating Temperature: +260 °C



680640 Opaque

RS PRO OPAQUE FLUOROPLASTICS PTFE ROD, 1M X 25MM DIAMETER

- ขนาดบรรจุภัณฑ์: 2 x EA
- Colour: Opaque
 - Length: 1 m
 - Material: PTFE
 - Form: Rod
 - Rod Diameter: 25 mm
 - Density: 2.18 → 2.21 g/cm³
 - Tensile Strength: 25 MPa
 - Maximum Operating Temperature: +260 °C



680656 Opaque

RS PRO GREY POLYVINYL CHLORIDE PVC ROD, 1M X 15MM DIAMETER

- ขนาดบรรจุภัณฑ์: 3 x EA
- Colour: Grey
 - Length: 1 m
 - Material: PVC
 - Form: Rod
 - Rod Diameter: 15 mm
 - Density: 1.47 g/cm³
 - Tensile Strength: 55 MPa
 - Maximum Operating Temperature: +60 °C



680713 Grey

RS PRO GREY POLYVINYL CHLORIDE PVC ROD, 1M X 20MM DIAMETER

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Colour: Grey
 - Length: 1 m
 - Material: PVC
 - Form: Rod
 - Rod Diameter: 20 mm
 - Density: 1.47 g/cm³
 - Tensile Strength: 55 MPa
 - Maximum Operating Temperature: +60 °C



680729 Grey

RS PRO GREY POLYVINYL CHLORIDE PVC ROD, 1M X 25MM DIAMETER

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Colour: Grey
 - Length: 1 m
 - Material: PVC
 - Form: Rod
 - Rod Diameter: 25 mm
 - Density: 1.43 g/cm³
 - Tensile Strength: 500 MPa
 - Maximum Operating Temperature: +60 °C



680735 Grey

RS PRO OPAQUE FLUOROPLASTICS PTFE ROD, 1M X 40MM DIAMETER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Opaque
 - Length: 1 m
 - Material: PTFE
 - Form: Rod
 - Rod Diameter: 40 mm
 - Density: 2.18 → 2.21 g/cm³
 - Tensile Strength: 25 MPa
 - Flammability Rating: UL 94 V-0



752600 Opaque

RS PRO WHITE ACETAL ROD, 1M X 12MM DIAMETER

- ขนาดบรรจุภัณฑ์: **5 x EA**
- Colour: White
 - Length: 1 m
 - Material: Delrin®
 - Form: Rod
 - Rod Diameter: 12 mm
 - Density: 1.42 g/cm³
 - Tensile Strength: 70 MPa
 - Maximum Operating Temperature: +100 °C



770282 White

RS PRO WHITE ACETAL ROD, 1M X 16MM DIAMETER

- ขนาดบรรจุภัณฑ์: **3 x EA**
- Colour: White
 - Length: 1 m
 - Material: Delrin®
 - Form: Rod
 - Rod Diameter: 16 mm
 - Density: 1.42 g/cm³
 - Tensile Strength: 70 MPa
 - Maximum Operating Temperature: +100 °C



770298 White

RS PRO WHITE ACETAL ROD, 1M X 20MM DIAMETER

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Colour: White
 - Length: 1 m
 - Material: Delrin®
 - Form: Rod
 - Rod Diameter: 20 mm
 - Density: 1.42 g/cm³
 - Tensile Strength: 70 MPa
 - Maximum Operating Temperature: +100 °C



770305 White

PLASTIC STOCK, VICTREX PEEK 450G, ROD, FAWN, 10 DIA X 300MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Beige
 - Length: 300 mm
 - Material: PEEK
 - Form: Rod
 - Rod Diameter: 10 mm
 - Density: 1.32 g/cm³
 - Tensile Strength: 95 MPa
 - Flammability Rating: UL 94 V-0



770670 Beige

PLASTIC STOCK, VICTREX PEEK 450G, ROD, FAWN, 16 DIA X 300MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Beige
 - Length: 300 mm
 - Material: PEEK
 - Form: Rod
 - Rod Diameter: 16 mm
 - Density: 1.32 g/cm³
 - Tensile Strength: 95 MPa
 - Maximum Operating Temperature: +260 °C



770686 Beige

PLASTIC STOCK, VICTREX PEEK 450G, ROD, FAWN, 20 DIA X 300MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Beige
 - Length: 300 mm
 - Material: PEEK
 - Form: Rod
 - Rod Diameter: 20 mm
 - Density: 1.32 g/cm³
 - Tensile Strength: 95 MPa
 - Maximum Operating Temperature: +260 °C



770692 Beige

PLASTIC STOCK, VICTREX PEEK 450G, ROD, FAWN, 25 DIA X 300MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Beige
 - Length: 300 mm
 - Material: PEEK
 - Form: Rod
 - Rod Diameter: 25 mm
 - Density: 1.32 g/cm³
 - Tensile Strength: 95 MPa
 - Maximum Operating Temperature: +260 °C



770709 Beige

RS PRO BEIGE POLYETHERETHERKETONE PEEK ROD,

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Beige
 - Length: 300 mm
 - Material: PEEK
 - Form: Rod
 - Rod Diameter: 40 mm
 - Density: 1.32 g/cm³
 - Tensile Strength: 95 MPa
 - Maximum Operating Temperature: +260 °C



770715 Beige

RS PRO BEIGE POLYETHERETHERKETONE PEEK ROD,

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Beige
 - Length: 300 mm
 - Material: PEEK
 - Form: Rod
 - Rod Diameter: 50 mm
 - Density: 1.32 g/cm³
 - Tensile Strength: 95 MPa
 - Maximum Operating Temperature: +260 °C



770721 Beige

RS PRO GREEN NYLON ROD, 1M X 15MM DIAMETER

- ขนาดบรรจุภัณฑ์: **3 x EA**
- Colour: Green
 - Length: 1 m
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 15 mm
 - Density: 1.15 g/cm³
 - Tensile Strength: 70 MPa
 - Maximum Operating Temperature: +180 °C



771140 Green

RS PRO GREEN NYLON ROD, 1M X 35MM DIAMETER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Green
 - Length: 1 m
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 35 mm
 - Density: 1.15 g/cm³
 - Tensile Strength: 70 MPa
 - Maximum Operating Temperature: +180 °C



771178 Green

RS PRO YELLOW NYLON ROD, 500MM X 65MM DIAMETER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Yellow
 - Length: 500 mm
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 65 mm
 - Density: 1.15 g/cm³
 - Tensile Strength: 60 (Wet) MPa, 85 (Dry) MPa
 - Flammability Rating: UL 94 HB



1847074 Yellow

PLASTIC STOCK, ROD, NYLON, CAST, 0.5M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Natural
 - Length: 500 mm
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 70 mm
 - Density: 1.15 g/cm³
 - Tensile Strength: 60 (Wet) MPa, 85 (Dry) MPa
 - Maximum Operating Temperature: +180 °C



1847080 Natural

PLASTIC STOCK,ROD,NYLON,CAST,0.5M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Natural
 - Length: 500 mm
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 75 mm
 - Density: 1.15 g/cm³
 - Tensile Strength: 60 (Wet) MPa, 85 (Dry) MPa
 - Maximum Operating Temperature: +180 °C



1847096 Natural

RS PRO NATURAL NYLON ROD, 500MM X 80MM DIAMETER

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Natural
 - Length: 500 mm
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 80 mm
 - Density: 1.15 g/cm³
 - Tensile Strength: 60 (Wet) MPa, 85 (Dry) MPa
 - Maximum Operating Temperature: +180 °C



1847119 Natural

RS PRO NATURAL NYLON ROD, 500MM X 90MM DIAMETER

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Natural
 - Length: 500 mm
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 90 mm
 - Density: 1.15 g/cm³
 - Tensile Strength: 60 (Wet) MPa, 85 (Dry) MPa
 - Flammability Rating: UL 94 HB



1847131 Natural

RS PRO NATURAL NYLON ROD, 500MM X 110MM DIAMETER

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Natural
 - Length: 500 mm
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 110 mm
 - Density: 1.15 g/cm³
 - Tensile Strength: 60 (Wet) MPa, 85 (Dry) MPa
 - Maximum Operating Temperature: +180 °C



1847169 Natural

RS PRO BLACK NYLON ROD, 500MM X 65MM DIAMETER

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Black
 - Length: 500 mm
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 65 mm
 - Density: 1.15 g/cm³
 - Tensile Strength: 75 MPa
 - Flammability Rating: UL 94 HB



1935294 Black

RS PRO BLACK NYLON ROD, 500MM X 75MM DIAMETER

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Black
 - Length: 500 mm
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 75 mm
 - Density: 1.15 g/cm³
 - Tensile Strength: 75 MPa
 - Flammability Rating: UL 94 HB



1935317 Black

RS PRO BLACK NYLON ROD, 500MM X 80MM DIAMETER

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Black
 - Length: 500 mm
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 80 mm
 - Density: 1.15 g/cm³
 - Tensile Strength: 75 MPa
 - Flammability Rating: UL 94 HB



1935323 Black

RS PRO BLACK NYLON ROD, 500MM X 90MM DIAMETER

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Black
 - Length: 500 mm
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 90 mm
 - Density: 1.15 g/cm³
 - Tensile Strength: 75 MPa
 - Flammability Rating: UL 94 HB



1935351 Black

RS PRO BLACK NYLON ROD, 500MM X 100MM DIAMETER

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Black
 - Length: 500 mm
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 100 mm
 - Density: 1.15 g/cm³
 - Tensile Strength: 75 MPa
 - Flammability Rating: UL 94 HB



1935373 Black

RS PRO BLACK NYLON ROD, 500MM X 120MM DIAMETER

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Black
 - Length: 500 mm
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 120 mm
 - Density: 1.15 g/cm³
 - Tensile Strength: 75 MPa
 - Flammability Rating: UL 94 HB



1935424 Black

PLASTIC STOCK,PTFE,ROD,500X25MM DIA

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Opaque
 - Length: 500 mm
 - Material: PTFE
 - Form: Rod
 - Rod Diameter: 25 mm
 - Density: 2.18 → 2.21 g/cm³
 - Tensile Strength: 25 MPa
 - Maximum Operating Temperature: +260 °C



1969893 Opaque

PLASTIC STOCK,PTFE,ROD,500X32MM DIA

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Opaque
 - Length: 500 mm
 - Material: PTFE
 - Form: Rod
 - Rod Diameter: 32 mm
 - Density: 2.18 → 2.21 g/cm³
 - Tensile Strength: 25 MPa
 - Maximum Operating Temperature: +260 °C



1969900 Opaque

PLASTIC STOCK,PTFE,ROD,500X38MM DIA

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Opaque
 - Length: 500 mm
 - Material: PTFE
 - Form: Rod
 - Rod Diameter: 38 mm
 - Density: 2.18 → 2.21 g/cm³
 - Tensile Strength: 25 MPa
 - Flammability Rating: UL V-0



1969916 Opaque

PLASTIC STOCK,PTFE,ROD,500X40MM DIA

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Opaque
 - Length: 500 mm
 - Material: PTFE
 - Form: Rod
 - Rod Diameter: 40 mm
 - Density: 2.18 → 2.21 g/cm³
 - Tensile Strength: 25 MPa
 - Maximum Operating Temperature: +260 °C



1969922 Opaque

RS PRO OPAQUE FLUOROPLASTICS PTFE ROD, 500MM X 45MM DIAMETER

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Opaque
 - Length: 500 mm
 - Material: PTFE
 - Form: Rod
 - Rod Diameter: 45 mm
 - Density: 2.18 → 2.21 g/cm³
 - Tensile Strength: 25 MPa
 - Maximum Operating Temperature: +260 °C



1969944 Opaque

PLASTIC STOCK,PTFE,ROD,500X50MM DIA

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Opaque
 - Length: 500 mm
 - Material: PTFE
 - Form: Rod
 - Rod Diameter: 50 mm
 - Density: 2.18 → 2.21 g/cm³
 - Tensile Strength: 25 MPa
 - Maximum Operating Temperature: +260 °C



1969950 Opaque

RS PRO OPAQUE FLUOROPLASTICS PTFE ROD, 500MM X 65MM DIAMETER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Opaque
 - Length: 500 mm
 - Material: PTFE
 - Form: Rod
 - Rod Diameter: 65 mm
 - Density: 2.18 → 2.21 g/cm³
 - Tensile Strength: 25 MPa
 - Maximum Operating Temperature: +260 °C



1969966 Opaque

RS PRO OPAQUE FLUOROPLASTICS PTFE ROD, 300MM X 70MM DIAMETER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Opaque
 - Length: 300 mm
 - Material: PTFE
 - Form: Rod
 - Rod Diameter: 70 mm
 - Density: 2.18 → 2.21 g/cm³
 - Tensile Strength: 25 MPa
 - Maximum Operating Temperature: +260 °C



1969972 Opaque

PLASTIC STOCK, PTFE, ROD, 300X80MM DIA

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Opaque
 - Length: 300 mm
 - Material: PTFE
 - Form: Rod
 - Rod Diameter: 80 mm
 - Density: 2.18 → 2.21 g/cm³
 - Tensile Strength: 25 MPa
 - Maximum Operating Temperature: +260 °C



1969988 Opaque

RS PRO BROWN POLYAMIDE-IMIDE PAI ROD, 300MM X 12.7MM DIAMETER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Brown
 - Length: 300 mm
 - Material: PAI
 - Form: Rod
 - Rod Diameter: 12.7 mm
 - Density: 1.42 g/cm³
 - Tensile Strength: 192 MPa
 - Maximum Operating Temperature: +260 °C



2577063 Brown

RS PRO BLACK POLYAMIDE-IMIDE PAI ROD, 300MM X 12.7MM DIAMETER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Black
 - Length: 300 mm
 - Material: PAI
 - Form: Rod
 - Rod Diameter: 12.7 mm
 - Density: 1.46 g/cm³
 - Tensile Strength: 164 MPa
 - Maximum Operating Temperature: +260 °C



2577120 Black

RS PRO BLACK POLYAMIDE-IMIDE PAI ROD, 300MM X 19.049MM DIAMETER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Black
 - Length: 300 mm
 - Material: PAI
 - Form: Rod
 - Rod Diameter: 19.049 mm
 - Density: 1.46 g/cm³
 - Tensile Strength: 164 MPa
 - Maximum Operating Temperature: +260 °C



2577136 Black

RS PRO BLACK NYLON ROD, 1M X 40MM DIAMETER


- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Black
 - Length: 1 m
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 40 mm
 - Density: 1.14 g/cm³
 - Tensile Strength: 75 MPa
 - Flammability Rating: UL 94 HB



2577271 Black

RS PRO BLACK ACETAL ROD, 1M X 25MM DIAMETER

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Colour: Black
 - Length: 1 m
 - Material: Acetal
 - Form: Rod
 - Rod Diameter: 25 mm
 - Density: 1.41 g/cm³
 - Tensile Strength: 55 MPa
 - Maximum Operating Temperature: +100 °C



2820317 Black

PLASTIC, STOCK, VICTREX PEEK, 4506, ENGINEERING

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Beige
 - Length: 300 mm
 - Material: PEEK
 - Form: Rod
 - Rod Diameter: 36 mm
 - Density: 1.32 g/cm³
 - Tensile Strength: 95 MPa
 - Flammability Rating: UL 94 V-0



2820610 Beige

RS PRO BLACK NYLON ROD, 1M X 25MM DIAMETER

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Colour: Black
 - Length: 1 m
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 25 mm
 - Density: 1.14 g/cm³
 - Tensile Strength: 75 MPa
 - Maximum Operating Temperature: +160 °C



2820654 Black

RS PRO BLACK NYLON ROD, 1M X 30MM DIAMETER

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Colour: Black
 - Length: 1 m
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 30 mm
 - Density: 1.14 g/cm³
 - Tensile Strength: 75 MPa
 - Flammability Rating: UL 94 HB



2820676 Black

PLASTIC STOCK, PEEK GF30, BEIGE, ROD, 10MM DIA X 300MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Beige
 - Length: 300 mm
 - Material: PEEK
 - Form: Rod
 - Rod Diameter: 10 mm
 - Density: 1.49 g/cm³
 - Tensile Strength: 180 MPa
 - Maximum Operating Temperature: +260 °C



2970096 Beige

RS PRO BEIGE POLYETHERETHERKETONE PEEK ROD,

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Beige
 - Length: 300 mm
 - Material: PEEK
 - Form: Rod
 - Rod Diameter: 16 mm
 - Density: 1.49 g/cm³
 - Tensile Strength: 180 MPa
 - Maximum Operating Temperature: +260 °C



2970103 Beige

RS PRO BEIGE POLYETHERETHERKETONE PEEK ROD,

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Beige
 - Length: 300 mm
 - Material: PEEK
 - Form: Rod
 - Rod Diameter: 40 mm
 - Density: 1.49 g/cm³
 - Tensile Strength: 180 MPa
 - Maximum Operating Temperature: +260 °C



2970119 Beige

PLASTIC STOCK, PEEK, 10% CARBON, GRAPHITE, PTFE, BLACK, ROD

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Black
 - Length: 300 mm
 - Material: PEEK
 - Form: Rod
 - Rod Diameter: 10 mm
 - Density: 1.48 g/cm³
 - Tensile Strength: 130 MPa
 - Maximum Operating Temperature: +260 °C



2970147 Black

RS PRO BLACK POLYETHERETHERKETONE PEEK ROD,

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Black
 - Length: 300 mm
 - Material: PEEK
 - Form: Rod
 - Rod Diameter: 40 mm
 - Density: 1.48 g/cm³
 - Tensile Strength: 130 MPa
 - Maximum Operating Temperature: +260 °C



2970153 Black

RS PRO BLACK POLYETHERETHERKETONE PEEK ROD,

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Black
 - Length: 300 mm
 - Material: PEEK
 - Form: Rod
 - Rod Diameter: 20 mm
 - Density: 1.48 g/cm³
 - Tensile Strength: 130 MPa
 - Maximum Operating Temperature: +260 °C



2970175 Black

RS PRO BLACK POLYPHENYLENE SULPHIDE (PPS) ROD, 500MM X 10MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Black
 - Length: 500 mm
 - Material: PPS
 - Form: Rod
 - Rod Diameter: 10 mm
 - Density: 1.64 g/cm³
 - Tensile Strength: 160 MPa
 - Maximum Operating Temperature: +230 °C



3257136 Black

RS PRO WHITE ACETAL ROD, 500MM X 80MM DIAMETER

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: White
 - Length: 500 mm
 - Material: Delrin®
 - Form: Rod
 - Rod Diameter: 80 mm
 - Density: 1.42 g/cm³
 - Tensile Strength: 70 MPa
 - Maximum Operating Temperature: +100 °C



4083986 White

RS PRO NATURAL NYLON ROD, 500MM X 130MM DIAMETER

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Natural
 - Length: 500 mm
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 130 mm
 - Density: 1.15 g/cm³
 - Tensile Strength: 60 (Wet) MPa, 85 (Dry) MPa
 - Maximum Operating Temperature: +180 °C



4383703 Natural

RS PRO WHITE ACETAL ROD, 500MM X 80MM DIAMETER

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: White
 - Length: 500 mm
 - Material: Acetal
 - Form: Rod
 - Rod Diameter: 80 mm
 - Density: 1.41 g/cm³
 - Tensile Strength: 60 MPa
 - Maximum Operating Temperature: +100 °C



4386235 White

RS PRO WHITE ACETAL ROD, 500MM X 100MM DIAMETER

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: White
 - Length: 500 mm
 - Material: Acetal
 - Form: Rod
 - Rod Diameter: 100 mm
 - Density: 1.41 g/cm³
 - Tensile Strength: 60 MPa
 - Maximum Operating Temperature: +100 °C



4386241 White

RS PRO BLACK ACETAL ROD, 500MM X 80MM DIAMETER

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Black
 - Length: 500 mm
 - Material: Acetal
 - Form: Rod
 - Rod Diameter: 80 mm
 - Density: 1.41 g/cm³
 - Tensile Strength: 60 MPa
 - Maximum Operating Temperature: +100 °C



4386263 Black

RS PRO BLACK NYLON ROD, 500MM X 130MM DIAMETER

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Black
 - Length: 500 mm
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 130 mm
 - Density: 1.15 g/cm³
 - Tensile Strength: 75 MPa
 - Maximum Operating Temperature: +170 °C



4386421 Black

RS PRO BROWN POLYIMIDE PI ROD, 250MM X 13MM DIAMETER

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Brown
 - Length: 250 mm
 - Material: Polyimide
 - Form: Rod
 - Rod Diameter: 13 mm
 - Density: 1.38 g/cm³
 - Impact Strength: 9.8 kJ/m²
 - Tensile Strength: 118 MPa



6889391 Brown

RS PRO GREY POLYVINYL CHLORIDE PVC ROD, 1M X 60MM DIAMETER

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Grey
 - Length: 1 m
 - Material: PVC
 - Form: Rod
 - Rod Diameter: 60 mm
 - Density: 1.44 g/cm³
 - Tensile Strength: 500 MPa
 - Maximum Operating Temperature: +60 °C



7009855 Grey

BEIGE PLASTIC SHEET, 500MM X 50MM X 12MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Beige
 - Form: Full
 - Length: 500 mm
 - Width: 50 mm
 - Thickness: 12 mm
 - Material: PEEK
 - Laminated: No
 - Density: 1.32 g/cm³



129836 Beige

BEIGE PLASTIC SHEET, 500MM X 50MM X 16MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Beige
 - Form: Full
 - Length: 500 mm
 - Width: 50 mm
 - Thickness: 16 mm
 - Material: PEEK
 - Laminated: No
 - Density: 1.32 g/cm³



129842 Beige

WHITE PLASTIC SHEET, 500MM X 300MM X 20MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: White
 - Form: Full
 - Length: 500 mm
 - Width: 300 mm
 - Thickness: 20 mm
 - Material: POM
 - Laminated: No
 - Density: 1.41 g/cm³



139580 White

WHITE PLASTIC SHEET, 500MM X 300MM X 30MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: White
 - Form: Full
 - Length: 500 mm
 - Width: 300 mm
 - Thickness: 30 mm
 - Material: POM
 - Laminated: No
 - Density: 1.41 g/cm³



139596 White

WHITE PLASTIC SHEET, 500MM X 300MM X 40MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: White
 - Form: Full
 - Length: 500 mm
 - Width: 300 mm
 - Thickness: 40 mm
 - Material: POM
 - Laminated: No
 - Density: 1.41 g/cm³



139619 White

PLASTIC STOCK, ACRYLIC, CLEAR, SHEET, PLATE

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Clear
 - Form: Full
 - Length: 500 mm
 - Width: 300 mm
 - Thickness: 3 mm
 - Material: PMMA
 - Laminated: No
 - Density: 1.41 g/cm³



434295 Clear

BEIGE PLASTIC SHEET, 300MM X 245MM X 5MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Beige
 - Form: Full
 - Length: 300 mm
 - Width: 245 mm
 - Thickness: 5 mm
 - Material: PEEK
 - Laminated: No
 - Density: 1.32 g/cm³



514300 Beige

BEIGE PLASTIC SHEET, 300MM X 245MM X 6MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Beige
 - Form: Full
 - Length: 300 mm
 - Width: 245 mm
 - Thickness: 6 mm
 - Material: PEEK
 - Laminated: No
 - Density: 1.32 g/cm³



514647 Beige

BEIGE PLASTIC SHEET, 500MM X 500MM X 6MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Beige
 - Form: Full
 - Length: 500 mm
 - Width: 500 mm
 - Thickness: 6 mm
 - Material: PEEK
 - Laminated: No
 - Density: 1.32 g/cm³



514657 Beige

PEEK 450G STRIP STOCK, 500X50X5MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Beige
 - Form: Full
 - Length: 500 mm
 - Width: 50 mm
 - Thickness: 5 mm
 - Material: PEEK
 - Laminated: No
 - Density: 1.32 g/cm³



514679 Beige

BEIGE PLASTIC SHEET, 500MM X 50MM X 25MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Beige
 - Form: Full
 - Length: 500 mm
 - Width: 50 mm
 - Thickness: 25 mm
 - Material: PEEK
 - Laminated: No
 - Density: 1.32 g/cm³



514782 Beige

BLACK PLASTIC SHEET, 500MM X 300MM X 10MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 300 mm
 - Thickness: 10 mm
 - Material: PA
 - Laminated: No
 - Density: 1.14 g/cm³



514792 Black

BLACK PLASTIC SHEET, 500MM X 300MM X 6MM

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 300 mm
 - Thickness: 6 mm
 - Material: PA
 - Laminated: No
 - Density: 1.14 g/cm³



514798 Black

WHITE PLASTIC SHEET, 500MM X 300MM X 10MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: White
 - Form: Full
 - Length: 500 mm
 - Width: 300 mm
 - Thickness: 10 mm
 - Material: POM
 - Laminated: No
 - Density: 1.41 g/cm³



680498 White

WHITE PLASTIC SHEET, 500MM X 300MM X 25MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: White
 - Form: Full
 - Length: 500 mm
 - Width: 300 mm
 - Thickness: 25 mm
 - Material: POM
 - Laminated: No
 - Density: 1.41 g/cm³



680511 White

WHITE PLASTIC SHEET, 960MM X 470MM X 4MM

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Colour: White
 - Form: Full
 - Length: 960 mm
 - Width: 470 mm
 - Thickness: 4 mm
 - Material: PEHD
 - Laminated: No
 - Density: 0.95 → 0.96 g/cm³



680577 White

WHITE PLASTIC SHEET, 960MM X 470MM X 8MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: White
 - Form: Full
 - Length: 960 mm
 - Width: 470 mm
 - Thickness: 8 mm
 - Material: PEHD
 - Laminated: No
 - Density: 0.95 → 0.96 g/cm³



680583 White

WHITE PLASTIC SHEET, 1000MM X 500MM X 10MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: White
 - Form: Full
 - Length: 1000 mm
 - Width: 500 mm
 - Thickness: 10 mm
 - Material: PEHD
 - Laminated: No
 - Density: 0.95 → 0.96 g/cm³



680599 White

WHITE PLASTIC SHEET, 1000MM X 500MM X 15MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: White
 - Form: Full
 - Length: 1000 mm
 - Width: 500 mm
 - Thickness: 15 mm
 - Material: PEHD
 - Laminated: No
 - Density: 0.95 → 0.96 g/cm³



680606 White

WHITE PLASTIC SHEET, 600MM X 300MM X 1.6MM

- ขนาดบรรจุภัณฑ์: **3 x EA**
- Colour: White
 - Form: Full
 - Length: 600 mm
 - Width: 300 mm
 - Thickness: 1.6 mm
 - Material: PTFE
 - Laminated: No
 - Density: 2.18 → 2.21 g/cm³



680662 White

WHITE PLASTIC SHEET, 600MM X 300MM X 3MM

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Colour: White
 - Form: Full
 - Length: 600 mm
 - Width: 300 mm
 - Thickness: 3 mm
 - Material: PTFE
 - Laminated: No
 - Density: 2.18 → 2.21 g/cm³



680678 White

WHITE PLASTIC SHEET, 600MM X 300MM X 6MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: White
 - Form: Full
 - Length: 600 mm
 - Width: 300 mm
 - Thickness: 6 mm
 - Material: PTFE
 - Laminated: No
 - Density: 2.18 → 2.21 g/cm³



680684 White

GREY PLASTIC SHEET, 1000MM X 500MM X 3MM

- ขนาดบรรจุภัณฑ์: 5 x EA
- Colour: Grey
 - Form: Full
 - Length: 1000 mm
 - Width: 500 mm
 - Thickness: 3 mm
 - Material: PVC
 - Laminated: No
 - Density: 1.47 g/cm³



680741 Grey

GREY PLASTIC SHEET, 1000MM X 500MM X 4.5MM

- ขนาดบรรจุภัณฑ์: 3 x EA
- Colour: Grey
 - Form: Full
 - Length: 1000 mm
 - Width: 500 mm
 - Thickness: 4.5 mm
 - Material: PVC
 - Laminated: No
 - Density: 1.47 g/cm³



680757 Grey

GREY PLASTIC SHEET, 1000MM X 500MM X 6MM

- ขนาดบรรจุภัณฑ์: 2 x EA
- Colour: Grey
 - Form: Full
 - Length: 1000 mm
 - Width: 500 mm
 - Thickness: 6 mm
 - Material: PVC
 - Laminated: No
 - Density: 1.47 g/cm³



680763 Grey

PLASTIC STOCK, ACRYLIC, SHEET, PLATE, CLEAR

- ขนาดบรรจุภัณฑ์: 3 x EA
- Colour: Clear
 - Form: Full
 - Length: 500 mm
 - Width: 300 mm
 - Thickness: 6 mm
 - Material: PMMA
 - Laminated: No
 - Density: 1.41 g/cm³



680886 Clear

WHITE PLASTIC SHEET, 500MM X 300MM X 5MM

- ขนาดบรรจุภัณฑ์: 3 x EA
- Colour: White
 - Form: Full
 - Length: 500 mm
 - Width: 300 mm
 - Thickness: 5 mm
 - Material: PMMA
 - Laminated: No
 - Density: 1.41 g/cm³



680892 White

BEIGE PLASTIC SHEET, 995MM X 495MM X 3MM

- ขนาดบรรจุภัณฑ์: 3 x EA
- Colour: Beige
 - Form: Full
 - Length: 995 mm
 - Width: 495 mm
 - Thickness: 3 mm
 - Material: PP
 - Laminated: No
 - Density: 0.91 g/cm³



682551 Beige

BEIGE PLASTIC SHEET, 995MM X 495MM X 9MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Beige
 - Form: Full
 - Length: 995 mm
 - Width: 495 mm
 - Thickness: 9 mm
 - Material: PP
 - Laminated: No
 - Density: 0.91 g/cm³



682589 Beige

WHITE PLASTIC SHEET, 600MM X 300MM X 10MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: White
 - Form: Full
 - Length: 600 mm
 - Width: 300 mm
 - Thickness: 10 mm
 - Material: PTFE
 - Laminated: No
 - Density: 2.18 → 2.21 g/cm³



752644 White

BLACK PLASTIC SHEET, 500MM X 305MM X 10MM, POLYAMIDE 6.6

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 305 mm
 - Thickness: 10 mm
 - Material: GRP
 - Laminated: Yes
 - Density: 1.35 g/cm³



771869 Black

BLACK PLASTIC SHEET, 500MM X 305MM X 20MM, POLYAMIDE 6.6

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 305 mm
 - Thickness: 20 mm
 - Material: GRP
 - Laminated: Yes
 - Density: 1.35 g/cm³



771875 Black

CLEAR PLASTIC SHEET, 500MM X 400MM X 1.5MM

- ขนาดบรรจุภัณฑ์: 3 x EA
- Colour: Clear
 - Form: Full
 - Length: 500 mm
 - Width: 400 mm
 - Thickness: 1.5 mm
 - Material: PMMA
 - Laminated: No
 - Density: 1.41 g/cm³



824480 Clear

CLEAR PLASTIC SHEET, 500MM X 400MM X 2MM

- ขนาดบรรจุภัณฑ์: 3 x EA
- Colour: Clear
 - Form: Full
 - Length: 500 mm
 - Width: 400 mm
 - Thickness: 2 mm
 - Material: PMMA
 - Laminated: No
 - Density: 1.41 g/cm³



824496 Clear

CLEAR PLASTIC SHEET, 500MM X 400MM X 2.5MM

- ขนาดบรรจุภัณฑ์: 3 x EA
- Colour: Clear
 - Form: Full
 - Length: 500 mm
 - Width: 400 mm
 - Thickness: 2.5 mm
 - Material: PMMA
 - Laminated: No
 - Density: 1.41 g/cm³



824503 Clear

CLEAR PLASTIC SHEET, 500MM X 400MM X 4MM

- ขนาดบรรจุภัณฑ์: 3 x EA
- Colour: Clear
 - Form: Full
 - Length: 500 mm
 - Width: 400 mm
 - Thickness: 4 mm
 - Material: PMMA
 - Laminated: No
 - Density: 1.41 g/cm³



824519 Clear

CLEAR PLASTIC SHEET, 500MM X 400MM X 5MM

- ขนาดบรรจุภัณฑ์: 3 x EA
- Colour: Clear
 - Form: Full
 - Length: 500 mm
 - Width: 400 mm
 - Thickness: 5 mm
 - Material: PMMA
 - Laminated: No
 - Density: 1.41 g/cm³



824525 Clear

CLEAR PLASTIC SHEET, 500MM X 400MM X 2MM

- ขนาดบรรจุภัณฑ์: 2 x EA
- Colour: Clear
 - Form: Full
 - Length: 500 mm
 - Width: 400 mm
 - Thickness: 2 mm
 - Material: PMMA
 - Laminated: No
 - Density: 1.41 g/cm³



824632 Clear

CLEAR PLASTIC SHEET, 500MM X 400MM X 3MM


- ขนาดบรรจุภัณฑ์: 2 x EA
- Colour: Clear
 - Form: Full
 - Length: 500 mm
 - Width: 400 mm
 - Thickness: 3 mm
 - Material: PMMA
 - Laminated: No
 - Density: 1.41 g/cm³



824654 Clear

CLEAR PLASTIC SHEET, 500MM X 400MM X 4MM

- ขนาดบรรจุภัณฑ์: 2 x EA
- Colour: Clear
 - Form: Full
 - Length: 500 mm
 - Width: 400 mm
 - Thickness: 4 mm
 - Material: PMMA
 - Laminated: No
 - Density: 1.41 g/cm³



824660 Clear

CLEAR PLASTIC SHEET, 500MM X 400MM X 5MM

- ขนาดบรรจุภัณฑ์: 2 x EA
- Colour: Clear
 - Form: Full
 - Length: 500 mm
 - Width: 400 mm
 - Thickness: 5 mm
 - Material: PMMA
 - Laminated: No
 - Density: 1.41 g/cm³



824676 Clear

CLEAR PLASTIC SHEET, 500MM X 400MM X 6MM

- ขนาดบรรจุภัณฑ์: 2 x EA
- Colour: Clear
 - Form: Full
 - Length: 500 mm
 - Width: 400 mm
 - Thickness: 6 mm
 - Material: PMMA
 - Laminated: No
 - Density: 1.41 g/cm³



825253 Clear

WHITE PLASTIC SHEET, 500MM X 500MM X 2MM

- ขนาดบรรจุภัณฑ์: 2 x EA
- Colour: White
 - Form: Perforated
 - Length: 500 mm
 - Width: 500 mm
 - Thickness: 2 mm
 - Material: PP
 - Laminated: No
 - Hole Size: 3 mm



852261 White

WHITE PLASTIC SHEET, 500MM X 500MM X 2MM

- ขนาดบรรจุภัณฑ์: 2 x EA
- Colour: White
 - Form: Perforated
 - Length: 500 mm
 - Width: 500 mm
 - Thickness: 2 mm
 - Material: PP
 - Laminated: No
 - Hole Size: 4.8 mm



852277 White

WHITE PLASTIC SHEET, 500MM X 500MM X 2MM

- ขนาดบรรจุภัณฑ์: 2 x EA
- Colour: White
 - Form: Perforated
 - Length: 500 mm
 - Width: 500 mm
 - Thickness: 2 mm
 - Material: PP
 - Laminated: No
 - Hole Size: 6.4 mm



852283 White

WHITE PLASTIC SHEET, 500MM X 500MM X 2MM

- ขนาดบรรจุภัณฑ์: 2 x EA
- Colour: White
 - Form: Perforated
 - Length: 500 mm
 - Width: 500 mm
 - Thickness: 2 mm
 - Material: PP
 - Laminated: No
 - Hole Size: 8 mm



852299 White

WHITE PLASTIC SHEET, 500MM X 500MM X 2MM

- ขนาดบรรจุภัณฑ์: 2 x EA
- Colour: White
 - Form: Perforated
 - Length: 500 mm
 - Width: 500 mm
 - Thickness: 2 mm
 - Material: PP
 - Laminated: No
 - Hole Size: 4.7 x 4.7 mm



852306 White

NATURAL PLASTIC SHEET, 500MM X 500MM X 10MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Natural
 - Form: Full
 - Length: 500 mm
 - Width: 500 mm
 - Thickness: 10 mm
 - Material: PA
 - Laminated: No
 - Density: 1.15 g/cm³



1847181 Natural

NATURAL PLASTIC SHEET, 500MM X 500MM X 20MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Natural
 - Form: Full
 - Length: 500 mm
 - Width: 500 mm
 - Thickness: 20 mm
 - Material: PA
 - Laminated: No
 - Density: 1.15 g/cm³



1847204 Natural

PLASTIC STOCK, PLATE, 30% GLASS FILLED, NYLON 66, 8X305X500MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 305 mm
 - Thickness: 8 mm
 - Material: GRP
 - Laminated: Yes
 - Density: 1.35 g/cm³



1853439 Black

BLACK PLASTIC SHEET, 500MM X 305MM X 30MM, POLYAMIDE 6.6

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 305 mm
 - Thickness: 30 mm
 - Material: GRP
 - Laminated: Yes
 - Density: 1.35 g/cm³



1853502 Black

BLACK PLASTIC SHEET, 305MM X 250MM X 40MM, POLYAMIDE 6.6

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Black
 - Form: Full
 - Length: 305 mm
 - Width: 250 mm
 - Thickness: 40 mm
 - Material: GRP
 - Laminated: Yes
 - Density: 1.35 g/cm³



1853524 Black

BLACK PLASTIC SHEET, 500MM X 500MM X 10MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 500 mm
 - Thickness: 10 mm
 - Material: PA
 - Laminated: No
 - Density: 1.15 g/cm³



1935430 Black

PLASTIC STOCK, PTFE, PLATE, 300X300X6MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: White
 - Form: Full
 - Length: 300 mm
 - Width: 300 mm
 - Thickness: 6 mm
 - Material: PTFE
 - Laminated: No
 - Density: 2.18 → 2.21 g/cm³



1970051 White

PLASTIC STOCK,PTFE,PLATE,300X300X8MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: White
 - Form: Full
 - Length: 300 mm
 - Width: 300 mm
 - Thickness: 8 mm
 - Material: PTFE
 - Laminated: No
 - Density: 2.18 → 2.21 g/cm³



1970067 White

PLASTIC STOCK,PTFE,PLATE,300X300X10MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: White
 - Form: Full
 - Length: 300 mm
 - Width: 300 mm
 - Thickness: 10 mm
 - Material: PTFE
 - Laminated: No
 - Density: 2.18 → 2.21 g/cm³



1970073 White

WHITE PLASTIC SHEET, 300MM X 300MM X 12MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: White
 - Form: Full
 - Length: 300 mm
 - Width: 300 mm
 - Thickness: 12 mm
 - Material: PTFE
 - Laminated: No
 - Density: 2.18 → 2.21 g/cm³



1970089 White

PLASTIC STOCK,PTFE,PLATE,300X300X15MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: White
 - Form: Full
 - Length: 300 mm
 - Width: 300 mm
 - Thickness: 15 mm
 - Material: PTFE
 - Laminated: No
 - Density: 2.18 → 2.21 g/cm³



1970095 White

BLACK PLASTIC SHEET, 500MM X 330MM X 6MM

- ขนาดบรรจุภัณฑ์: 2 x EA
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 330 mm
 - Thickness: 6 mm
 - Material: POM
 - Laminated: No
 - Density: 1.42 g/cm³



1974435 Black

BLACK PLASTIC SHEET, 500MM X 330MM X 10MM


- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 330 mm
 - Thickness: 10 mm
 - Material: POM
 - Laminated: No
 - Density: 1.42 g/cm³



1974441 Black

BLACK PLASTIC SHEET, 500MM X 330MM X 12MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 330 mm
 - Thickness: 12 mm
 - Material: POM
 - Laminated: No
 - Density: 1.42 g/cm³



1974457 Black

PP CLEAR SHEET 0.5MM THICK X 300 X 200

- ขนาดบรรจุภัณฑ์: 50 x EA
- Colour: Clear
 - Form: Full
 - Length: 300 mm
 - Width: 200 mm
 - Thickness: 0.5 mm
 - Material: PP
 - Laminated: No
 - Density: 0.92 g/cm³



2012785 Clear

BROWN PLASTIC SHEET, 420MM X 297MM X 0.8MM, PHENOLIC RESIN,

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Brown
 - Form: Full
 - Length: 420 mm
 - Width: 297 mm
 - Thickness: 0.8 mm
 - Material: SRBP
 - Laminated: Yes
 - Maximum Operating Temperature: +90 °C



2035344 Brown

BROWN PLASTIC SHEET, 420MM X 297MM X 1.6MM, PHENOLIC RESIN,

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Brown
 - Form: Full
 - Length: 420 mm
 - Width: 297 mm
 - Thickness: 1.6 mm
 - Material: SRBP
 - Laminated: Yes
 - Maximum Operating Temperature: +90 °C



2035346 Brown

BROWN PLASTIC SHEET, 420MM X 297MM X 3MM, PHENOLIC RESIN,

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Brown
 - Form: Full
 - Length: 420 mm
 - Width: 297 mm
 - Thickness: 3 mm
 - Material: SRBP
 - Laminated: Yes
 - Maximum Operating Temperature: +90 °C



2035347 Brown

BROWN PLASTIC SHEET, 420MM X 297MM X 6MM, PHENOLIC RESIN,

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Brown
 - Form: Full
 - Length: 420 mm
 - Width: 297 mm
 - Thickness: 6 mm
 - Material: SRBP
 - Laminated: Yes
 - Maximum Operating Temperature: +90 °C



2035348 Brown

BROWN PLASTIC SHEET, 420MM X 297MM X 10MM, PHENOLIC RESIN,

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Brown
 - Form: Full
 - Length: 420 mm
 - Width: 297 mm
 - Thickness: 10 mm
 - Material: SRBP
 - Laminated: Yes
 - Maximum Operating Temperature: +90 °C



2035349 Brown

BEIGE PLASTIC SHEET, 300MM X 245MM X 10MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Beige
 - Form: Full
 - Length: 300 mm
 - Width: 245 mm
 - Thickness: 10 mm
 - Material: PEEK
 - Laminated: No
 - Density: 1.32 g/cm³



2377706 Beige

BEIGE PLASTIC SHEET, 300MM X 245MM X 16MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Beige
 - Form: Full
 - Length: 300 mm
 - Width: 245 mm
 - Thickness: 16 mm
 - Material: PEEK
 - Laminated: No
 - Density: 1.32 g/cm³



2377728 Beige

BEIGE PLASTIC SHEET, 300MM X 245MM X 20MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Beige
 - Form: Full
 - Length: 300 mm
 - Width: 245 mm
 - Thickness: 20 mm
 - Material: PEEK
 - Laminated: No
 - Density: 1.32 g/cm³



2377734 Beige

BLACK PLASTIC SHEET, 500MM X 300MM X 6MM

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 300 mm
 - Thickness: 6 mm
 - Material: POM
 - Laminated: No
 - Density: 1.41 g/cm³



2820159 Black

BLACK PLASTIC SHEET, 500MM X 300MM X 8MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 300 mm
 - Thickness: 8 mm
 - Material: POM
 - Laminated: No
 - Density: 1.41 g/cm³



2820171 Black

BLACK PLASTIC SHEET, 500MM X 300MM X 10MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 300 mm
 - Thickness: 10 mm
 - Material: POM
 - Laminated: No
 - Density: 1.41 g/cm³



2820187 Black

BLACK PLASTIC SHEET, 500MM X 300MM X 12MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 300 mm
 - Thickness: 12 mm
 - Material: POM
 - Laminated: No
 - Density: 1.41 g/cm³



2820193 Black

BLACK PLASTIC SHEET, 500MM X 300MM X 20MM


- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 300 mm
 - Thickness: 20 mm
 - Material: POM
 - Laminated: No
 - Density: 1.41 g/cm³



2820216 Black

BLACK PLASTIC SHEET, 500MM X 300MM X 25MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 300 mm
 - Thickness: 25 mm
 - Material: POM
 - Laminated: No
 - Density: 1.41 g/cm³



2820238 Black

PLASTIC, STOCK, ACETAL, COPOLYMER, BLACK, PLATE, 30MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 300 mm
 - Thickness: 30 mm
 - Material: POM
 - Laminated: No
 - Density: 1.41 g/cm³



2820244 Black

WHITE PLASTIC SHEET, 600MM X 300MM X 1.5MM

- ขนาดบรรจุภัณฑ์: **3 x EA**
- Colour: White
 - Form: Full
 - Length: 600 mm
 - Width: 300 mm
 - Thickness: 1.5 mm
 - Material: PTFE
 - Laminated: No
 - Density: 2.18 → 2.21 g/cm³



2820575 White

NATURAL PLASTIC SHEET, 500MM X 500MM X 16MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Natural
 - Form: Full
 - Length: 500 mm
 - Width: 500 mm
 - Thickness: 16 mm
 - Material: PA
 - Laminated: No
 - Density: 1.15 g/cm³



2820597 Natural

BLACK PLASTIC SHEET, 500MM X 300MM X 6MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 300 mm
 - Thickness: 6 mm
 - Material: PA
 - Laminated: No
 - Density: 1.14 g/cm³



2820711 Black

PLASTIC, STOCK, NYLON 6, BLACK, PLATE, 10X500X300MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 300 mm
 - Thickness: 10 mm
 - Material: PA
 - Laminated: No
 - Density: 1.14 g/cm³



2820733 Black

BLACK PLASTIC SHEET, 500MM X 300MM X 12MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 300 mm
 - Thickness: 12 mm
 - Material: PA
 - Laminated: No
 - Density: 1.14 g/cm³



2820749 Black

BLACK PLASTIC SHEET, 500MM X 300MM X 20MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 300 mm
 - Thickness: 20 mm
 - Material: PA
 - Laminated: No
 - Density: 1.14 g/cm³



2820761 Black

PLASTIC, STOCK, ACETAL, COPOLYMER, PLATE, 16X305X500MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: White
 - Form: Full
 - Length: 500 mm
 - Width: 300 mm
 - Thickness: 16 mm
 - Material: POM
 - Laminated: No
 - Tensile Strength: 65 MPa



2822228 White

BEIGE PLASTIC SHEET, 1000MM X 500MM X 10MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Beige
 - Form: Full
 - Length: 1000 mm
 - Width: 500 mm
 - Thickness: 10 mm
 - Material: PP
 - Laminated: No
 - Tensile Strength: 35 MPa



3136332 Beige

BEIGE PLASTIC SHEET, 1000MM X 500MM X 15MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Beige
 - Form: Full
 - Length: 1000 mm
 - Width: 500 mm
 - Thickness: 15 mm
 - Material: PP
 - Laminated: No
 - Tensile Strength: 35 MPa



3136348 Beige

WHITE PLASTIC SHEET, 500MM X 330MM X 6MM

- ขนาดบรรจุภัณฑ์: 2 x EA
- Colour: White
 - Form: Full
 - Length: 500 mm
 - Width: 330 mm
 - Thickness: 6 mm
 - Material: POM
 - Laminated: No
 - Density: 1.42 g/cm³



3257057 White

WHITE PLASTIC SHEET, 500MM X 330MM X 12MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: White
 - Form: Full
 - Length: 500 mm
 - Width: 330 mm
 - Thickness: 12 mm
 - Material: POM
 - Laminated: No
 - Density: 1.42 g/cm³



3257079 White

WHITE PLASTIC SHEET, 500MM X 330MM X 20MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: White
 - Form: Full
 - Length: 500 mm
 - Width: 330 mm
 - Thickness: 20 mm
 - Material: POM
 - Laminated: No
 - Density: 1.42 g/cm³



3257085 White

WHITE PLASTIC SHEET, 500MM X 330MM X 8MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: White
 - Form: Full
 - Length: 500 mm
 - Width: 330 mm
 - Thickness: 8 mm
 - Material: POM
 - Laminated: No
 - Density: 1.42 g/cm³



3257209 White

BLACK PLASTIC SHEET, 1000MM X 500MM X 3MM

- ขนาดบรรจุภัณฑ์: 3 x EA
- Colour: Black
 - Form: Full
 - Length: 1000 mm
 - Width: 500 mm
 - Thickness: 3 mm
 - Material: PEHD
 - Laminated: No
 - Density: 0.95 → 0.96 g/cm³



4083807 Black

BLACK PLASTIC SHEET, 1000MM X 500MM X 8MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Black
 - Form: Full
 - Length: 1000 mm
 - Width: 500 mm
 - Thickness: 8 mm
 - Material: PEHD
 - Laminated: No
 - Density: 0.95 → 0.96 g/cm³



4083835 Black

BLACK PLASTIC SHEET, 1000MM X 500MM X 10MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Black
 - Form: Full
 - Length: 1000 mm
 - Width: 500 mm
 - Thickness: 10 mm
 - Material: PEHD
 - Laminated: No
 - Density: 0.95 → 0.96 g/cm³



4083841 Black

BLACK PLASTIC SHEET, 1000MM X 500MM X 15MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Black
 - Form: Full
 - Length: 1000 mm
 - Width: 500 mm
 - Thickness: 15 mm
 - Material: PEHD
 - Laminated: No
 - Density: 0.95 → 0.96 g/cm³



4083857 Black

BLACK PLASTIC SHEET, 500MM X 500MM X 20MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 500 mm
 - Thickness: 20 mm
 - Material: PEHD
 - Laminated: No
 - Density: 0.95 → 0.96 g/cm³



4083863 Black

NATURAL PLASTIC SHEET, 500MM X 305MM X 5MM


- ขนาดบรรจุภัณฑ์: 2 x EA
- Colour: Natural
 - Form: Full
 - Length: 500 mm
 - Width: 305 mm
 - Thickness: 5 mm
 - Material: PA
 - Laminated: No
 - Density: 1.14 g/cm³



4083936 Natural

GREY PLASTIC SHEET, 1000MM X 500MM X 1MM

- ขนาดบรรจุภัณฑ์: 5 x EA
- Colour: Grey
 - Form: Full
 - Length: 1000 mm
 - Width: 500 mm
 - Thickness: 1 mm
 - Material: PVC
 - Laminated: No
 - Density: 1.47 g/cm³



4386370 Grey

GREY PLASTIC SHEET, 1000MM X 500MM X 12MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Grey
 - Form: Full
 - Length: 1000 mm
 - Width: 500 mm
 - Thickness: 12 mm
 - Material: PVC
 - Laminated: No
 - Density: 1.47 g/cm³



4386409 Grey

WHITE PLASTIC SHEET, 500MM X 330MM X 10MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: White
 - Form: Full
 - Length: 500 mm
 - Width: 330 mm
 - Thickness: 10 mm
 - Material: POM
 - Laminated: No
 - Density: 1.42 g/cm³



4846175 White

NATURAL PLASTIC SHEET, 1000MM X 500MM X 6.7MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Natural
 - Form: Full
 - Length: 1000 mm
 - Width: 500 mm
 - Thickness: 6.7 mm
 - Material: PA
 - Laminated: No
 - Density: 1.14 g/cm³



7048147 Natural

MIRROR PLASTIC SHEET, 600MM X 600MM X 3MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Mirror
 - Form: Full
 - Length: 600 mm
 - Width: 600 mm
 - Thickness: 3 mm
 - Material: PMMA
 - Laminated: No
 - Water Absorption: 0.4 %



7481302 Mirror

CLEAR PLASTIC SHEET, 305MM X 625MM X 1MM

- ขนาดบรรจุภัณฑ์: 3 x EA
- Colour: Clear
 - Form: Full
 - Length: 305 mm
 - Width: 625 mm
 - Thickness: 1 mm
 - Material: PC
 - Laminated: No
 - Density: 1.2 g/cm³



7698720 Clear

CLEAR PLASTIC SHEET, 305MM X 625MM X 1.5MM

- ขนาดบรรจุภัณฑ์: **3 x EA**
- Colour: Clear
 - Form: Full
 - Length: 305 mm
 - Width: 625 mm
 - Thickness: 1.5 mm
 - Material: PC
 - Laminated: No
 - Density: 1.2 g/cm³



7698724 Clear

CLEAR PLASTIC SHEET, 305MM X 625MM X 4MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Clear
 - Form: Full
 - Length: 305 mm
 - Width: 625 mm
 - Thickness: 4 mm
 - Material: PC
 - Laminated: No
 - Density: 1.2 g/cm³



7698730 Clear

CLEAR PLASTIC SHEET, 305MM X 625MM X 2MM

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Colour: Clear
 - Form: Full
 - Length: 305 mm
 - Width: 625 mm
 - Thickness: 2 mm
 - Material: PC
 - Laminated: No
 - Density: 1.2 g/cm³



7698733 Clear

CLEAR PLASTIC SHEET, 305MM X 625MM X 3MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Clear
 - Form: Full
 - Length: 305 mm
 - Width: 625 mm
 - Thickness: 3 mm
 - Material: PC
 - Laminated: No
 - Density: 1.2 g/cm³



7698736 Clear

CLEAR PLASTIC SHEET, 305MM X 625MM X 6MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Clear
 - Form: Full
 - Length: 305 mm
 - Width: 625 mm
 - Thickness: 6 mm
 - Material: PC
 - Laminated: No
 - Density: 1.2 g/cm³



7698742 Clear

CLEAR PLASTIC SHEET, 305MM X 625MM X 8MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Clear
 - Form: Full
 - Length: 305 mm
 - Width: 625 mm
 - Thickness: 8 mm
 - Material: PC
 - Laminated: No
 - Density: 1.2 g/cm³



7698746 Clear

CLEAR PLASTIC SHEET, 305MM X 625MM X 5MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: Clear
 - Form: Full
 - Length: 305 mm
 - Width: 625 mm
 - Thickness: 5 mm
 - Material: PC
 - Laminated: No
 - Density: 1.2 g/cm³



7698749 Clear

WHITE PLASTIC SHEET, 600MM X 600MM X 2.5MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: White
 - Form: Full
 - Length: 600 mm
 - Width: 600 mm
 - Thickness: 2.5 mm
 - Material: PVC
 - Laminated: No
 - Tensile Strength: 54 MPa



8099695 White

WHITE PLASTIC SHEET, 600MM X 600MM X 2.5MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Colour: White
 - Form: Full
 - Length: 600 mm
 - Width: 600 mm
 - Thickness: 2.5 mm
 - Material: PVC
 - Laminated: No
 - Tensile Strength: 54 MPa



8099698 White

CORAL VINYL PLASTIC SHIM, 20IN X 5IN X 0.762MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Vinyl
 - Thickness: 0.762 mm
 - Length: 20 in
 - Width: 5 in
 - Colour: Coral



519030 Vinyl

BLUE POLYESTER PLASTIC SHIM, 457MM X 305MM X 0.05MM

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Material: Polyester
 - Thickness: 0.05 mm
 - Length: 457 mm
 - Width: 305 mm
 - Colour: Blue



770737 Polyester

GREEN POLYESTER PLASTIC SHIM, 457MM X 305MM X 0.08MM

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Material: Polyester
 - Thickness: 0.08 mm
 - Length: 457 mm
 - Width: 305 mm
 - Colour: Green



770743 Polyester

ORANGE POLYESTER PLASTIC SHIM, 457MM X 305MM X 0.1MM

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Material: Polyester
 - Thickness: 0.1 mm
 - Length: 457 mm
 - Width: 305 mm
 - Colour: Orange



770759 Polyester

BROWN POLYESTER PLASTIC SHIM, 457MM X 305MM X 0.13MM

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Material: Polyester
 - Thickness: 0.13 mm
 - Length: 457 mm
 - Width: 305 mm
 - Colour: Brown



770765 Polyester

TRANSPARENT POLYESTER PLASTIC SHIM, 457MM X 305MM X 0.19MM

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Material: Polyester
 - Thickness: 0.19 mm
 - Length: 457 mm
 - Width: 305 mm
 - Colour: Transparent



770771 Polyester

WHITE POLYESTER PLASTIC SHIM, 457MM X 305MM X 0.25MM

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Material: Polyester
 - Thickness: 0.25 mm
 - Length: 457 mm
 - Width: 305 mm
 - Colour: White



770787 Polyester

RED POLYPROPYLENE PLASTIC SHIM, 457MM X 305MM X 0.38MM

- ขนาดบรรจุภัณฑ์: 8 x EA
- Material: Polypropylene
 - Thickness: 0.38 mm
 - Length: 457 mm
 - Width: 305 mm
 - Colour: Red



770793 Polypropylene

YELLOW POLYPROPYLENE PLASTIC SHIM, 457MM X 305MM X 0.51MM

- ขนาดบรรจุภัณฑ์: 8 x EA
- Material: Polypropylene
 - Thickness: 0.51 mm
 - Length: 457 mm
 - Width: 305 mm
 - Colour: Yellow



770800 Polypropylene

RS PRO BROWN ROUND PAPER LAMINATED PLASTIC, 1.4M X 8MM OD

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Brown
 - Length: 1.4 m
 - Material: Laminated Plastic
 - Laminated: Yes
 - Tube Form: Round
 - Inner Diameter: 6.1 mm
 - Outer Diameter: 8 mm
 - Thickness: 1.9 mm



2035352 Brown

RS PRO BROWN ROUND PAPER LAMINATED PLASTIC, 1.2M X 22.2MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Brown
 - Length: 1.2 m
 - Material: Laminated Plastic
 - Laminated: Yes
 - Tube Form: Round
 - Inner Diameter: 15.8 mm
 - Outer Diameter: 22.2 mm
 - Thickness: 6.4 mm



2035354 Brown

RS PRO CLEAR ROUND ACRYLIC TUBE, 1M X 12MM OD X 8MM ID

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Clear
 - Length: 1 m
 - Material: Acrylic
 - Tube Form: Round
 - Inner Diameter: 8 mm
 - Outer Diameter: 12 mm
 - Density: 1.18 g/cm³
 - Water Absorption: 0 %



4084018 Clear

RS PRO BEIGE ROUND PEEK TUBING, 300MM X 56MM OD X 40MM ID

- ขนาดบรรจุภัณฑ์: 1 x EA
- Colour: Beige
 - Length: 300 mm
 - Material: PEEK
 - Tube Form: Round
 - Inner Diameter: 40 mm
 - Outer Diameter: 56 mm
 - Density: 1.32 g/cm³
 - Water Absorption: 0.5 %



7781731 Beige

RS PRO BLACK RUBBER SHEET, 1M X 2M X 25MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Material: Neoprene
 - Colour: Black
 - Density: 170 kg/m³
 - Length: 1 m
 - Width: 2 m
 - Adhesive Backing: Yes
 - Thickness: 25 mm
 - Maximum Operating Temperature: +80 °C



1034059 Neoprene

RS PRO WHITE RUBBER SHEET, 2M X 1M X 3MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Material: EPDM
 - Colour: White
 - Length: 2 m
 - Width: 1 m
 - Thickness: 3 mm
 - Maximum Operating Temperature: +100 °C
 - Minimum Operating Temperature: -40 °C



1034061 EPDM

RS PRO WHITE RUBBER SHEET, 2M X 1M X 6MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Material: EPDM
 - Colour: White
 - Length: 2 m
 - Width: 1 m
 - Thickness: 6 mm
 - Maximum Operating Temperature: +100 °C
 - Minimum Operating Temperature: -40 °C



1034062 EPDM

BLACK RUBBER SHEET, 1.4M X 1M X 1.5MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Material: Nitrile
 - Colour: Black
 - Density: 1.25 g/cm³
 - Length: 1.4 m
 - Width: 1 m
 - Adhesive Backing: No
 - Thickness: 1.5 mm
 - Maximum Operating Temperature: 110 °C



2035138 Nitrile

RS PRO BLACK RUBBER SHEET, 600MM X 600MM X 1.5MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Material: Fluorocarbon
 - Colour: Black
 - Length: 600 mm
 - Width: 600 mm
 - Thickness: 1.5 mm
 - Suitability: Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Oil
 - Maximum Operating Temperature: +204 °C
 - Minimum Operating Temperature: -18 °C



5062974 Fluorocarbon

RS PRO BLACK RUBBER SHEET, 1M X 600MM X 6MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Material: Natural
 - Colour: Black
 - Density: 1.5 g/cm³
 - Length: 1 m
 - Width: 600 mm
 - Thickness: 6 mm
 - Suitability: Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Oil
 - Maximum Operating Temperature: +70 °C



5063006 Natural

RS PRO BLACK RUBBER SHEET, 1M X 600MM X 12MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Material: Natural
 - Colour: Black
 - Density: 1.5 g/cm³
 - Length: 1 m
 - Width: 600 mm
 - Thickness: 12 mm
 - Suitability: Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Oil
 - Maximum Operating Temperature: +70 °C



5063012 Natural

RS PRO BLACK RUBBER SHEET, 1M X 600MM X 10MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Material: Natural
 - Colour: Black
 - Density: 1.5 g/cm³
 - Length: 1 m
 - Width: 600 mm
 - Thickness: 10 mm
 - Suitability: Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Oil
 - Maximum Operating Temperature: +70 °C



5063028 Natural

RS PRO BEIGE RUBBER SHEET, 1M X 1M X 3MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Material: Natural
 - Colour: Beige
 - Length: 1 m
 - Width: 1 m
 - Thickness: 3 mm
 - Suitability: Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Oil
 - Maximum Operating Temperature: +70 °C
 - Minimum Operating Temperature: -40 °C



5063034 Natural

RS PRO BLACK RUBBER SHEET, 1M X 600MM X 1.5MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Material: Natural
 - Colour: Black
 - Density: 1.5 g/cm³
 - Length: 1 m
 - Width: 600 mm
 - Thickness: 1.5 mm
 - Suitability: Cold Water, Ethylene Glycol, Hot Water
 - Maximum Operating Temperature: +70 °C



5063078 Natural

RS PRO BLACK RUBBER SHEET, 1M X 600MM X 6MM

ขนาดบรรจุภัณฑ์: **1 x EA**

- Material: Natural
- Colour: Black
- Density: 1.5 g/cm³
- Length: 1 m
- Width: 600 mm
- Thickness: 6 mm
- Suitability: Cold Water, Ethylene Glycol, Hot Water
- Maximum Operating Temperature: +70 °C



5063084 Natural

RS PRO BLACK RUBBER SHEET, 1M X 600MM X 3MM

ขนาดบรรจุภัณฑ์: **1 x EA**

- Material: Natural
- Colour: Black
- Density: 1.5 g/cm³
- Length: 1 m
- Width: 600 mm
- Thickness: 3 mm
- Suitability: Cold Water, Ethylene Glycol, Hot Water
- Maximum Operating Temperature: +70 °C



5063090 Natural

RS PRO BLACK RUBBER SHEET, 1M X 1.2M X 1.5MM

ขนาดบรรจุภัณฑ์: **1 x EA**

- Material: Neoprene
- Colour: Black
- Density: 1.4 g/cm³
- Length: 1 m
- Width: 1.2 m
- Thickness: 1.5 mm
- Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
- Maximum Operating Temperature: +70 °C



5063107 Neoprene

RS PRO BLACK RUBBER SHEET, 1M X 600MM X 6MM

ขนาดบรรจุภัณฑ์: **1 x EA**

- Material: Neoprene
- Colour: Black
- Density: 1.4 g/cm³
- Length: 1 m
- Width: 600 mm
- Thickness: 6 mm
- Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
- Maximum Operating Temperature: +70 °C



5063141 Neoprene

RS PRO BLACK RUBBER SHEET, 1M X 600MM X 3MM

ขนาดบรรจุภัณฑ์: **1 x EA**

- Material: Neoprene
- Colour: Black
- Density: 1.4 g/cm³
- Length: 1 m
- Width: 600 mm
- Thickness: 3 mm
- Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
- Maximum Operating Temperature: +70 °C



5063157 Neoprene

NEOPRENE RUBBER SHEET, BLACK, 1000 X 600 X 1.5MM

ขนาดบรรจุภัณฑ์: **1 x EA**

- Material: Neoprene
- Colour: Black
- Density: 1.4 g/cm³
- Length: 1 m
- Width: 600 mm
- Thickness: 1.5 mm
- Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
- Maximum Operating Temperature: +70 °C



5063163 Neoprene

RS PRO BLACK RUBBER SHEET, 1M X 1.2M X 3MM

ขนาดบรรจุภัณฑ์: **1 x EA**

- Material: Neoprene
- Colour: Black
- Density: 1.4 g/cm³
- Length: 1 m
- Width: 1.2 m
- Thickness: 3 mm
- Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
- Maximum Operating Temperature: +70 °C



5063208 Neoprene

RS PRO BLACK RUBBER SHEET, 1.2M X 600MM X 3MM

ขนาดบรรจุภัณฑ์: **1 x EA**

- Material: EPDM
- Colour: Black
- Density: 1.13 g/cm³
- Length: 1.2 m
- Width: 600 mm
- Thickness: 3 mm
- Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Hot Water, Vegetable Oil
- Maximum Operating Temperature: +100 °C



5063214 EPDM

RS PRO WHITE RUBBER SHEET, 1.5M X 500MM X 1.5MM

ขนาดบรรจุภัณฑ์: **1 x EA**

- Material: Nitrile
- Colour: White
- Density: 1.5 g/cm³
- Length: 1.5 m
- Width: 500 mm
- Thickness: 1.5 mm
- Suitability: Fatty Food
- Maximum Operating Temperature: +80 °C



5063242 Nitrile

RS PRO WHITE RUBBER SHEET, 1.5M X 500MM X 3MM

ขนาดบรรจุภัณฑ์: **1 x EA**

- Material: Nitrile
- Colour: White
- Density: 1.5 g/cm³
- Length: 1.5 m
- Width: 500 mm
- Thickness: 3 mm
- Suitability: Fatty Food
- Maximum Operating Temperature: +80 °C



5063258 Nitrile

RS PRO WHITE RUBBER SPONGE SHEET, 600MM X 600MM X 1.5MM

ขนาดบรรจุภัณฑ์: **1 x EA**

- Material: Silicone
- Colour: White
- Density: 1.25 g/cm³
- Length: 600 mm
- Width: 600 mm
- Thickness: 1.5 mm
- Suitability: Cold Water, Hot Water
- Maximum Operating Temperature: +200 °C



5063264 Silicone

RS PRO WHITE RUBBER SPONGE SHEET, 1.2M X 600MM X 1.5MM

ขนาดบรรจุภัณฑ์: **1 x EA**

- Material: Silicone
- Colour: White
- Density: 1.25 g/cm³
- Length: 1.2 m
- Width: 600 mm
- Thickness: 1.5 mm
- Suitability: Cold Water, Hot Water
- Maximum Operating Temperature: +200 °C



5063292 Silicone

RS PRO WHITE RUBBER SPONGE SHEET, 600MM X 600MM X 3MM

ขนาดบรรจุภัณฑ์: **1 x EA**

- Material: Silicone
- Colour: White
- Density: 1.25 g/cm³
- Length: 600 mm
- Width: 600 mm
- Thickness: 3 mm
- Suitability: Cold Water, Hot Water
- Maximum Operating Temperature: +200 °C



5063315 Silicone

RS PRO BLACK RUBBER SHEET, 1M X 2M X 3MM

ขนาดบรรจุภัณฑ์: **1 x EA**

- Material: Polyethylene
- Colour: Black
- Density: 45 kg/m³
- Length: 1 m
- Width: 2 m
- Adhesive Backing: Yes
- Thickness: 3 mm
- Maximum Operating Temperature: +110 °C



7336703 Polyethylene

RS PRO WHITE RUBBER SPONGE SHEET, 1M X 600MM X 3MM

ขนาดบรรจุภัณฑ์: **1 x EA**

- Material: Silicone
- Colour: White
- Density: 0.25 g/cm³
- Length: 1 m
- Width: 600 mm
- Thickness: 3 mm
- Suitability: Cold Water, Ethylene Glycol, Hot Water
- Maximum Operating Temperature: +200 °C



7336713 Silicone

SILICONE SPONGE, 1.5MM

ขนาดบรรจุภัณฑ์: **1 x EA**

- Material: Silicone
- Colour: White
- Density: 0.25 g/cm³
- Length: 1 m
- Width: 600 mm
- Thickness: 1.5 mm
- Suitability: Cold Water, Ethylene Glycol, Hot Water
- Maximum Operating Temperature: +200 °C



7336719 Silicone

RS PRO WHITE RUBBER SPONGE SHEET, 1M X 600MM X 6MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Silicone
 - Colour: White
 - Density: 0.25 g/cm³
 - Length: 1 m
 - Width: 600 mm
 - Thickness: 6 mm
 - Suitability: Cold Water, Ethylene Glycol, Hot Water
 - Maximum Operating Temperature: +200 °C



7336722 Silicone

SILICONE SPONGE SAB, 1.5MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Silicone
 - Colour: White
 - Density: 0.25 g/cm³
 - Length: 1 m
 - Width: 600 mm
 - Adhesive Backing: Yes
 - Suitability: Cold Water, Ethylene Glycol, Hot Water
 - Thickness: 1.5 mm



7336725 Silicone

RS PRO WHITE RUBBER SPONGE SHEET, 1M X 600MM X 3MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Silicone
 - Colour: White
 - Density: 0.25 g/cm³
 - Length: 1 m
 - Width: 600 mm
 - Adhesive Backing: Yes
 - Suitability: Cold Water, Ethylene Glycol, Hot Water
 - Thickness: 3 mm



7336729 Silicone

RS PRO BLACK RUBBER SHEET, 1M X 2M X 1.5MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Neoprene
 - Colour: Black
 - Density: 122 kg/m³
 - Length: 1 m
 - Width: 2 m
 - Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
 - Thickness: 1.5 mm
 - Maximum Operating Temperature: +85 °C



7336731 Neoprene

RS PRO BLACK RUBBER SHEET, 1M X 2M X 3MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Neoprene
 - Colour: Black
 - Density: 122 kg/m³
 - Length: 1 m
 - Width: 2 m
 - Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
 - Thickness: 3 mm
 - Maximum Operating Temperature: +85 °C



7336735 Neoprene

RS PRO WHITE RUBBER SPONGE SHEET, 1M X 600MM X 6MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Silicone
 - Colour: White
 - Density: 0.25 g/cm³
 - Length: 1 m
 - Width: 600 mm
 - Adhesive Backing: Yes
 - Suitability: Cold Water, Ethylene Glycol, Hot Water
 - Thickness: 6 mm



7336738 Silicone

RS PRO BLACK RUBBER SHEET, 1M X 2M X 6MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Neoprene
 - Colour: Black
 - Density: 122 kg/m³
 - Length: 1 m
 - Width: 2 m
 - Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
 - Thickness: 6 mm
 - Maximum Operating Temperature: +85 °C



7336744 Neoprene

RS PRO BLACK RUBBER SPONGE SHEET, 1M X 2M X 10MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Neoprene Sponge
 - Colour: Black
 - Density: 122 kg/m³
 - Length: 1 m
 - Width: 2 m
 - Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
 - Thickness: 10 mm
 - Maximum Operating Temperature: +85 °C



7336747 Neoprene Sponge

RS PRO BLACK RUBBER SHEET, 1M X 2M X 20MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Neoprene
 - Colour: Black
 - Density: 122 kg/m³
 - Length: 1 m
 - Width: 2 m
 - Thickness: 20 mm
 - Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
 - Maximum Operating Temperature: +85 °C



7336750 Neoprene

RS PRO BLACK RUBBER SHEET, 1M X 2M X 1.5MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Neoprene
 - Colour: Black
 - Density: 122 kg/m³
 - Length: 1 m
 - Width: 2 m
 - Adhesive Backing: Yes
 - Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
 - Thickness: 1.5 mm



7336753 Neoprene

RS PRO BLACK RUBBER SHEET, 1M X 2M X 3MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Neoprene
 - Colour: Black
 - Density: 122 kg/m³
 - Length: 1 m
 - Width: 2 m
 - Adhesive Backing: Yes
 - Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
 - Thickness: 3 mm



7336757 Neoprene

RS PRO BLACK RUBBER SHEET, 1M X 2M X 20MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Neoprene
 - Colour: Black
 - Density: 122 kg/m³
 - Length: 1 m
 - Width: 2 m
 - Adhesive Backing: Yes
 - Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
 - Thickness: 20 mm



7336763 Neoprene

RS PRO BLACK RUBBER SHEET, 1M X 2M X 6MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Neoprene
 - Colour: Black
 - Density: 122 kg/m³
 - Length: 1 m
 - Width: 2 m
 - Adhesive Backing: Yes
 - Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
 - Thickness: 6 mm



7336766 Neoprene

RS PRO BLACK RUBBER SHEET, 1M X 2M X 10MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Neoprene
 - Colour: Black
 - Density: 122 kg/m³
 - Length: 1 m
 - Width: 2 m
 - Adhesive Backing: Yes
 - Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
 - Thickness: 10 mm



7336769 Neoprene

RS PRO BLACK RUBBER SHEET, 1.2M X 600MM X 1.5MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: EPDM
 - Colour: Black
 - Density: 1.13 g/cm³
 - Length: 1.2 m
 - Width: 600 mm
 - Thickness: 1.5 mm
 - Suitability: WRAS approved for use with potable water
 - Maximum Operating Temperature: +100 °C



8405523 EPDM

RS PRO BLACK RUBBER SHEET, 1.2M X 1.2M X 1.5MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: EPDM
 - Colour: Black
 - Density: 1.13 g/cm³
 - Length: 1.2 m
 - Width: 1.2 m
 - Thickness: 1.5 mm
 - Suitability: WRAS approved for use with potable water
 - Maximum Operating Temperature: +100 °C



8405532 EPDM

RS PRO BLACK RUBBER SHEET, 1.2M X 600MM X 6MM


- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: EPDM
 - Colour: Black
 - Density: 1.13 g/cm³
 - Length: 1.2 m
 - Width: 600 mm
 - Thickness: 6 mm
 - Suitability: WRAS approved for use with potable water
 - Maximum Operating Temperature: +100 °C



8405535 EPDM

TRANSLUCENT SILICONE RUBBER 600X600X1.5MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Silicone
 - Colour: Translucent
 - Density: 1.2 g/cm³
 - Length: 600 mm
 - Width: 600 mm
 - Thickness: 1.5 mm
 - Suitability: FDA and WRAS approval for use with food and drink
 - Maximum Operating Temperature: +230 °C



8405541 Silicone

RS PRO BLACK RUBBER SHEET, 1M X 600MM X 3MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Natural
 - Colour: Black
 - Density: 1.5 g/cm³
 - Length: 1 m
 - Width: 600 mm
 - Thickness: 3 mm
 - Suitability: All purpose rubber for use with non food applications
 - Maximum Operating Temperature: +70 °C



8405548 Natural

RS PRO TRANSLUCENT RUBBER SPONGE SHEET, 600MM X 600MM X

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Silicone
 - Colour: Translucent
 - Density: 1.2 g/cm³
 - Length: 600 mm
 - Width: 600 mm
 - Thickness: 6 mm
 - Maximum Operating Temperature: +230 °C
 - Minimum Operating Temperature: -60 °C



8788571 Silicone

RS PRO TRANSLUCENT RUBBER SPONGE SHEET, 600MM X 600MM X

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Silicone
 - Colour: Translucent
 - Density: 1.2 g/cm³
 - Length: 600 mm
 - Width: 600 mm
 - Thickness: 3 mm
 - Maximum Operating Temperature: +230 °C
 - Minimum Operating Temperature: -60 °C



8788578 Silicone

RS PRO SHIM KIT, BRASS - YELLOW

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Brass
 - Thickness: 0.05 → 0.8 mm
 - Length: 300 mm
 - Width: 150 mm
 - Number of Sheets: 10
 - Colour: Yellow



518728 Brass

RS PRO SHIM KIT, PLASTIC - ASSORTED

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Plastic
 - Thickness: 0.0005 → 0.030 in
 - Length: 20 in
 - Width: 5 in
 - Number of Sheets: 14
 - Colour: Assorted



518778 Plastic

RS PRO SHIM KIT, STEEL - GREEN

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Steel
 - Thickness: 0.05 → 0.8 mm
 - Length: 300 mm
 - Width: 150 mm
 - Number of Sheets: 10
 - Colour: Green



518867 Steel

RS PRO SHIM KIT, STEEL - GREEN

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Steel
 - Thickness: 0.001 → 0.015 in
 - Length: 12 in
 - Width: 6 in
 - Number of Sheets: 12
 - Colour: Green



518891 Steel

RS PRO SHIM KIT, STAINLESS STEEL - RED

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Stainless Steel
 - Thickness: 0.05 → 0.5 mm
 - Length: 300 mm
 - Width: 150 mm
 - Number of Sheets: 8
 - Colour: Red



518946 Stainless Steel

RS PRO SHIM KIT, BRASS - YELLOW

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Brass
 - Thickness: 0.001 → 0.015 in
 - Length: 12 in
 - Width: 6 in
 - Number of Sheets: 12
 - Colour: Yellow



519018 Brass

RS PRO SHIM KIT, STEEL - NATURAL

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Material: Steel
 - Thickness: 0.002 in, 0.003 in, 0.004 in, 0.005 in, 0.006 in, 0.008 in, 0.01 in, 0.015 in
 - Length: 305 mm
 - Width: 102 mm
 - Number of Sheets: 8
 - Colour: Natural



680145 Steel

RS PRO SHIM KIT, BRASS - NATURAL


- ขนาดบรรจุภัณฑ์: **8 x EA**
- Material: Brass
 - Thickness: 0.002 in, 0.003 in, 0.004 in, 0.005 in, 0.006 in, 0.008 in, 0.01 in, 0.015 in
 - Length: 305 mm
 - Width: 102 mm
 - Number of Sheets: 8
 - Colour: Natural



681249 Brass

SHIM, STOCK, PLASTIC, ASSORTED KIT


- ขนาดบรรจุภัณฑ์: **8 x EA**
- Material: Plastic
 - Thickness: 0.05 mm, 0.08 mm, 0.1 mm, 0.13 mm, 0.19 mm, 0.25 mm, 0.38 mm, 0.51 mm
 - Length: 305 mm
 - Width: 152 mm
 - Number of Sheets: 8
 - Colour: Blue, Brown, Green, Orange, Red, Transparent, White, Yellow



681407 Plastic

RS PRO SHIM KIT, PLASTIC - BLACK, BLUE, GREEN, GREY, NATURAL,

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Material: Plastic
 - Thickness: 0.05 mm, 0.08 mm, 0.1 mm, 0.13 mm, 0.19 mm, 0.25 mm, 0.38 mm, 0.51 mm
 - Length: 457 mm
 - Width: 305 mm
 - Number of Sheets: 8
 - Colour: Black, Blue, Green, Grey, Natural, Orange, Red, Yellow



770816 Plastic

FERROUS STOCK, SPRING STEEL, KIT, 6X121N

- ขนาดบรรจุภัณฑ์: **1 x SET**
- Material: Spring Steel
 - Thickness: 0.01 in, 0.015 in, 0.018 in, 0.02 in, 0.022 in
 - Length: 12 in
 - Width: 0.625 in, 1.5 in
 - Number of Sheets: 6



3140527 Spring Steel

STEEL SHIM, 100IN X 6IN X 0.254MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Material: Steel
 - Thickness: 0.254 mm
 - Length: 100 in
 - Width: 6 in



518750 Steel

STEEL SHIM, 100IN X 6IN X 0.203MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Material: Steel
 - Thickness: 0.203 mm
 - Length: 100 in
 - Width: 6 in



518756 Steel

STEEL SHIM, 1.25M X 150MM X 0.2MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Material: Stainless Steel
 - Thickness: 0.2 mm
 - Length: 1.25 m
 - Width: 150 mm



518762 Stainless Steel

STEEL SHIM, 1.25M X 150MM X 0.1MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Material: Stainless Steel
 - Thickness: 0.1 mm
 - Length: 1.25 m
 - Width: 150 mm



518801 Stainless Steel

STEEL SHIM, 50IN X 6IN X 0.127MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Material: Stainless Steel
 - Thickness: 0.127 mm
 - Length: 50 in
 - Width: 6 in



518829 Stainless Steel

STEEL SHIM, 2.5M X 150MM X 0.25MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Material: Steel
 - Thickness: 0.25 mm
 - Length: 2.5 m
 - Width: 150 mm



518841 Steel

STEEL SHIM, 1.25M X 150MM X 0.25MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Material: Stainless Steel
 - Thickness: 0.25 mm
 - Length: 1.25 m
 - Width: 150 mm



518857 Stainless Steel

STEEL SHIM, 2.5M X 150MM X 0.5MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Material: Steel
 - Thickness: 0.5 mm
 - Length: 2.5 m
 - Width: 150 mm



518863 Steel

STEEL SHIM, 2.5M X 150MM X 0.2MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Material: Steel
 - Thickness: 0.2 mm
 - Length: 2.5 m
 - Width: 150 mm



518879 Steel

STEEL SHIM, 100IN X 6IN X 0.787MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Material: Steel
 - Thickness: 0.787 mm
 - Length: 100 in
 - Width: 6 in



518902 Steel

STEEL SHIM, 2.5M X 150MM X 0.1MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Material: Steel
 - Thickness: 0.1 mm
 - Length: 2.5 m
 - Width: 150 mm



518918 Steel

STEEL SHIM, 1.25M X 150MM X 0.8MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Material: Stainless Steel
 - Thickness: 0.8 mm
 - Length: 1.25 m
 - Width: 150 mm



518942 Stainless Steel

STEEL SHIM, 1.25M X 150MM X 0.3MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Material: Stainless Steel
 - Thickness: 0.3 mm
 - Length: 1.25 m
 - Width: 150 mm



518980 Stainless Steel

STEEL SHIM, 1.25M X 150MM X 0.05MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Material: Stainless Steel
 - Thickness: 0.05 mm
 - Length: 1.25 m
 - Width: 150 mm



519024 Stainless Steel

STEEL SHIM, 100IN X 6IN X 0.025MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Material: Steel
 - Thickness: 0.025 mm
 - Length: 100 in
 - Width: 6 in



519034 Steel

STEEL SHIM, 1.25M X 150MM X 0.4MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Material: Stainless Steel
 - Thickness: 0.4 mm
 - Length: 1.25 m
 - Width: 150 mm



519062 Stainless Steel

STEEL SHIM, 50IN X 6IN X 0.025MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Stainless Steel
 - Thickness: 0.025 mm
 - Length: 50 in
 - Width: 6 in



519074 Stainless Steel

STEEL SHIM, 50IN X 6IN X 0.051MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Stainless Steel
 - Thickness: 0.051 mm
 - Length: 50 in
 - Width: 6 in



519096 Stainless Steel

STEEL SHIM, 1.25M X 150MM X 0.5MM


- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Stainless Steel
 - Thickness: 0.5 mm
 - Length: 1.25 m
 - Width: 150 mm



519119 Stainless Steel

PAI THERMAL INSULATING FILM, 420MM X 297MM X 1.6MM


- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: PAI
 - Maximum Operating Temperature: +160 °C
 - Length: 420 mm
 - Width: 297 mm
 - Thickness: 1.6 mm



2035175 PAI

THERMAL INSULATING FILM, 420MM X 297MM X 3MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Maximum Operating Temperature: +160 °C
 - Length: 420 mm
 - Width: 297 mm
 - Thickness: 3 mm



2035176 +160 °C

THERMAL INSULATING FILM, 420MM X 297MM X 6MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Maximum Operating Temperature: +160 °C
 - Length: 420 mm
 - Width: 297 mm
 - Thickness: 6 mm



2035177 +160 °C

RS PRO FLAME RETARDANT MICROPOROUS BOARD THERMAL

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Microporous Board
 - Maximum Operating Temperature: +950 °C
 - Form: Sheet
 - Length: 595 mm
 - Width: 495 mm
 - Thickness: 20 mm
 - Density: 200 to 250 kg/m³
 - Flame Retardant: Yes



1034077 Microporous

RS PRO AEROGEL MIROPOROUS BLANKET THERMAL INSULATING

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Aerogel Miroporous Blanket
 - Form: Sheet
 - Maximum Operating Temperature: +650 °C
 - Length: 1 m
 - Width: 700 mm
 - Thickness: 10 mm
 - Density: 0.18 g/cm³



1034078 Aerogel

RS PRO NON-CERAMIC MILLBOARD THERMAL INSULATING SHEET, 1M X 1M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Non-Ceramic Millboard
 - Maximum Operating Temperature: +1000 °C
 - Form: Sheet
 - Length: 1 m
 - Width: 1 m
 - Thickness: 3 mm
 - Density: 1,000 kg/m³
 - Flame Retardant: No



2035131 Non-Ceramic

RS PRO THERMAL INSULATING SHEET, 1M X 1M X 6MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Maximum Operating Temperature: +1000 °C
 - Form: Sheet
 - Length: 1 m
 - Width: 1 m
 - Thickness: 6 mm
 - Density: 1,000 kg/m³
 - Flame Retardant: No
 - Thermal Shock Resistant: Yes



2035132 +1000 °C

RS PRO FLAME RETARDANT EPOXY GLASS THERMAL INSULATING SHEET,

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Epoxy Glass
 - Maximum Operating Temperature: +130 °C
 - Form: Sheet
 - Length: 420 mm
 - Width: 297 mm
 - Thickness: 2.4 mm
 - Density: 1.85 g/cm³
 - Flame Retardant: Yes



2035179 Epoxy Glass

RS PRO FLAME RETARDANT EPOXY GLASS THERMAL INSULATING SHEET,

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Epoxy Glass
 - Maximum Operating Temperature: +130 °C
 - Form: Sheet
 - Length: 420 mm
 - Width: 297 mm
 - Thickness: 0.2 mm
 - Density: 1.85 g/cm³
 - Flame Retardant: Yes



2035180 Epoxy Glass

RS PRO FLAME RETARDANT EPOXY GLASS THERMAL INSULATING SHEET,


- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Epoxy Glass
 - Form: Sheet
 - Maximum Operating Temperature: +130 °C
 - Length: 420 mm
 - Width: 297 mm
 - Thickness: 0.5 mm
 - Flame Retardant: Yes



2035181 Epoxy Glass

RS PRO EPOXY GLASS THERMAL INSULATING SHEET, 420MM X 297MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material: Epoxy Glass
 - Maximum Operating Temperature: +130 °C
 - Length: 420 mm
 - Width: 297 mm
 - Thickness: 1 mm



2035182 Epoxy Glass

NOMEX PAPER 0.25MM, 5 SHEETS

- ขนาดบรรจุภัณฑ์: **5 x EA**
- Material: Nomex
 - Form: Sheet
 - Maximum Operating Temperature: +300 °C
 - Length: 304 mm
 - Width: 200 mm
 - Thickness: 0.25 mm
 - Density: 0.96 g/cm³



7757469 Nomex

RS PRO BLOW TORCH MT/770 MINI GAS TORCH

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Accessory Type: Soldering Nozzle
 - For Use With: MT/770 Mini Gas Torch



467456 Soldering Nozzle

RS PRO STEEL WIRE 0.8MM DIAMETER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Accessory Type: Steel Wire
 - For Use With: MIG Welding Process
 - Weight: 5 kg
 - Wire Diameter: 0.8 mm



623158 Steel Wire

RS PRO STAINLESS STEEL WIRE 0.6MM DIAMETER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Accessory Type: Stainless Steel Wire
 - For Use With: MIG Welding Process
 - Weight: 0.5 kg
 - Wire Diameter: 0.6 mm



1828770 Stainless Steel

RS PRO STAINLESS STEEL WIRE 0.8MM DIAMETER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Accessory Type: Stainless Steel Wire
 - For Use With: MIG Welding Process
 - Weight: 0.5 kg
 - Wire Diameter: 0.8 mm



1828786 Stainless Steel

RS PRO WELDING CURTAIN 300MM 2M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Thickness: 2 mm
 - Length: 2 m
 - Width: 300 mm



3250854 2 mm

COTTAM GREEN 37MM STEEL WIRE BRUSH, FOR ENGINEERING, GENERAL

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Application: Engineering, General Cleaning, Rust Remover
 - Brush Type: Heavy Duty Brush
 - Bristle Material: Steel
 - Bristle Length: 37 mm
 - Number of Rows: 3
 - Colour: Green



822608 Engineering,

COTTAM GREEN 25MM BRASS WIRE BRUSH, FOR ENGINEERING, GENERAL

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Application: Engineering, General Cleaning, Rust Remover
 - Brush Type: Heavy Duty Brush
 - Bristle Material: Brass
 - Bristle Length: 25 mm
 - Brush Diameter or Width: 80 mm
 - Brush Depth: 270 mm
 - Number of Rows: 4
 - Colour: Green



822636 Engineering,

BRUSH,WIRE,STAINLESS STEEL,3 ROW

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Application: Surface Preparation
 - Brush Type: Heavy Duty Brush
 - Bristle Material: Steel
 - Bristle Length: 30 mm
 - Brush Diameter or Width: 130 mm
 - Brush Depth: 280 mm
 - Number of Rows: 3
 - Colour: Blue



822642 Surface

BRUSH,WIRE,STAINLESS STEEL,4 ROW

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Application: Surface Preparation
 - Brush Type: Heavy Duty Brush
 - Bristle Material: Steel
 - Bristle Length: 30 mm
 - Brush Diameter or Width: 130 mm
 - Brush Depth: 280 mm
 - Number of Rows: 4
 - Colour: Blue



822658 Surface

RS PRO MALE 6.35MM STEREO JACK TO MALE 6.35MM STEREO JACK AUX

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: 6.35mm Stereo Jack
 - Connector B: 6.35mm Stereo Jack
 - Connector A Gender: Male
 - Connector B Gender: Male
 - Length: 5 m
 - Sheath Colour: Black



1924456 6.35mm Stereo

RS PRO MALE 6.35MM STEREO JACK TO MALE 6.35MM STEREO JACK AUX

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: 6.35mm Stereo Jack
 - Connector B: 6.35mm Stereo Jack
 - Connector A Gender: Male
 - Connector B Gender: Male
 - Length: 3 m
 - Sheath Colour: Black



1924457 6.35mm Stereo

RS PRO MALE 6.35MM STEREO JACK TO MALE 6.35MM STEREO JACK AUX

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: 6.35mm Stereo Jack
 - Connector B: 6.35mm Stereo Jack
 - Connector A Gender: Male
 - Connector B Gender: Male
 - Length: 2 m
 - Sheath Colour: Black



1924458 6.35mm Stereo

RS PRO MALE 6.35MM STEREO JACK TO MALE 6.35MM STEREO JACK AUX

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: 6.35mm Stereo Jack
 - Connector B: 6.35mm Stereo Jack
 - Connector A Gender: Male
 - Connector B Gender: Male
 - Length: 1 m
 - Sheath Colour: Black



1924459 6.35mm Stereo

RS PRO MALE 6.35MM STEREO JACK TO MALE 6.35MM STEREO JACK AUX

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: 6.35mm Stereo Jack
 - Connector B: 6.35mm Stereo Jack
 - Connector A Gender: Male
 - Connector B Gender: Male
 - Length: 10 m
 - Sheath Colour: Black
 - Outer Sheath Material: PVC



1924463 6.35mm Stereo

RS PRO MALE 6.35MM STEREO JACK TO MALE 6.35MM STEREO JACK AUX

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: 6.35mm Stereo Jack
 - Connector B: 6.35mm Stereo Jack
 - Connector A Gender: Male
 - Connector B Gender: Male
 - Length: 6 m
 - Sheath Colour: Black



1924464 6.35mm Stereo

RS PRO MALE 6.35MM STEREO JACK TO MALE 6.35MM STEREO JACK AUX

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: 6.35mm Stereo Jack
 - Connector B: 6.35mm Stereo Jack
 - Connector A Gender: Male
 - Connector B Gender: Male
 - Length: 5 m
 - Sheath Colour: Black



1924465 6.35mm Stereo

RS PRO MALE 6.35MM STEREO JACK TO MALE 6.35MM STEREO JACK AUX

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: 6.35mm Stereo Jack
 - Connector B: 6.35mm Stereo Jack
 - Connector A Gender: Male
 - Connector B Gender: Male
 - Length: 3 m
 - Sheath Colour: Black



1924466 6.35mm Stereo

RS PRO MALE 6.35MM STEREO JACK TO MALE 6.35MM STEREO JACK AUX

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: 6.35mm Stereo Jack
 - Connector B: 6.35mm Stereo Jack
 - Connector A Gender: Male
 - Connector B Gender: Male
 - Length: 2 m
 - Sheath Colour: Black



1924467 6.35mm Stereo

RS PRO MALE 6.35MM STEREO JACK TO MALE 6.35MM STEREO JACK AUX

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: 6.35mm Stereo Jack
 - Connector B: 6.35mm Stereo Jack
 - Connector A Gender: Male
 - Connector B Gender: Male
 - Length: 1 m
 - Sheath Colour: Black



1924468 6.35mm Stereo

RS PRO MALE 6.35MM STEREO JACK TO MALE 6.35MM STEREO JACK AUX

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: 6.35mm Stereo Jack
 - Connector B: 6.35mm Stereo Jack
 - Connector A Gender: Male
 - Connector B Gender: Male
 - Length: 500 mm
 - Sheath Colour: Black
 - Outer Sheath Material: PVC



1924469 6.35mm Stereo

RS PRO MALE 3.5 MM STEREO SOCKET TO MALE RCA X 2 AUX

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: 3.5 mm Stereo Socket
 - Connector B: RCA x 2
 - Connector A Gender: Male
 - Connector B Gender: Male
 - Length: 200 mm
 - Sheath Colour: Black
 - Outer Sheath Material: PVC



1924470 3.5 mm Stereo

15CM HDMI M SOURCE - VGA M DISPLAY CABLE

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Type: HDMI to VGA Adapter
 - Converts From Type: HDMI
 - Converts To Type: VGA
 - Length: 150 mm
 - Converts From Gender: Male
 - Converts To Gender: Female
 - Colour: Black



1828478 HDMI to VGA

RS PRO MALE 3.5MM STEREO JACK TO FEMALE 3.5MM STEREO JACK AUX

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: 3.5mm Stereo Jack
 - Connector B: 3.5mm Stereo Jack
 - Connector A Gender: Male
 - Connector B Gender: Female
 - Length: 2 m



2369050 3.5mm Stereo

CONNECTOR, DVI-I FEMALE TO VGA MALE, ADAPTOR

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Type: Adapter
 - Converts From Type: DVI-I
 - Converts To Type: VGA
 - Converts From Gender: Female
 - Converts To Gender: Male
 - Body Orientation: Straight
 - Contact Material: Nickel Plated
 - Colour: Black



489355 Adapter

RS PRO AV ADAPTER, MALE DVI TO FEMALE VGA

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Converts From Type: DVI
 - Converts To Type: VGA
 - Converts From Gender: Male
 - Length: 55 mm
 - Converts To Gender: Female
 - Body Orientation: Straight
 - Housing Material: PVC
 - Colour: Black



1828557 DVI

DVI-D SINGLE LINK F - HDMI M ADAPTOR - B

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Type: Video
 - Converts From Type: HDMI
 - Converts To Type: DVI-D
 - Converts From Gender: Male
 - Converts To Gender: Female
 - Body Orientation: Straight
 - Housing Material: PVC
 - Colour: Black



1828558 Video

RS PRO AV ADAPTER, FEMALE RCA TO MALE XLR

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Type: For sound, video and lighting equipment
 - Converts From Type: RCA
 - Converts To Type: XLR
 - Converts From Gender: Female
 - Converts To Gender: Male
 - Body Orientation: Straight



1924471 For sound, video

RS PRO AV ADAPTER, MALE RCA TO MALE XLR

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Type: For sound, video and lighting equipment
 - Converts From Type: RCA
 - Converts To Type: XLR
 - Converts From Gender: Male
 - Converts To Gender: Male
 - Body Orientation: Straight
 - Colour: Silver



1924472 For sound, video

RS PRO AV ADAPTER, FEMALE XLR TO FEMALE XLR

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Type: For sound, video and lighting equipment
 - Converts From Type: XLR
 - Converts To Type: XLR
 - Converts From Gender: Female
 - Converts To Gender: Female
 - Body Orientation: Straight
 - Colour: Silver



1924475 For sound, video

RS PRO AV ADAPTER, MALE 6.35 MM STEREO TO MALE XLR

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Type: For sound, video and lighting equipment
 - Converts From Type: 6.35 mm Stereo
 - Converts To Type: XLR
 - Converts From Gender: Male
 - Converts To Gender: Male
 - Body Orientation: Straight



1924476 For sound, video

RS PRO AV ADAPTER, MALE 6.35 MM STEREO TO FEMALE XLR

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Type: For sound, video and lighting equipment
 - Converts From Type: 6.35 mm Stereo
 - Converts To Type: XLR
 - Converts From Gender: Male
 - Converts To Gender: Female
 - Body Orientation: Straight



1924477 For sound, video

15CM ACTIVE DISPLAY PORT M - HDMI F

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Converts From Type: HDMI
 - Converts To Type: DisplayPort
 - Converts From Gender: Female
 - Length: 150 mm
 - Converts To Gender: Male
 - Colour: Black



1954279 HDMI

RS PRO HDMI ADAPTER, FEMALE HDMI, DVI, VGA TO MALE MINI

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Converts From Type: HDMI, DVI, VGA
 - Converts To Type: Mini DisplayPort
 - Converts From Gender: Female
 - Length: 500 mm
 - Converts To Gender: Male
 - Colour: White



1954281 HDMI, DVI, VGA

15CM HDMI M-VGA (DISPLAY) F+AUD+POWER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Type: HDMI
 - Converts From Type: HDMI
 - Converts To Type: VGA
 - Converts From Gender: Male
 - Converts To Gender: Female



1954343 HDMI

RS PRO AV ADAPTER, MALE VGA TO FEMALE HDMI

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Type: HDMI Splitter
 - Converts From Type: VGA
 - Converts To Type: HDMI
 - Converts From Gender: Male
 - Converts To Gender: Female
 - Colour: Black



1954344 HDMI Splitter

15CM HDMI M TO VGA (DISPLAY) F - AUDIO

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Type: HDMI
 - Converts From Type: HDMI
 - Converts To Type: VGA
 - Converts From Gender: Male
 - Converts To Gender: Female



1954345 HDMI

RS PRO ADAPTER, MALE HDMI TO FEMALE DVI-D

- ขนาดบรรจุภัณฑ์: **1 x EA**
- End 1: Male HDMI (1)
 - End 2: Female DVI-D
 - Type: Adaptor
 - Converts From Type: HDMI
 - Converts To Type: DVI-D
 - Converts From Gender: Male
 - Converts To Gender: Female
 - Body Orientation: Straight



2206487 Male HDMI (1)

RS PRO HDMI ADAPTER, MALE DISPLAYPORT TO FEMALE HDMI

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Converts From Type: DisplayPort
 - Converts To Type: HDMI
 - Converts From Gender: Male
 - Length: 15 cm
 - Converts To Gender: Female
 - Colour: Black



2206490 DisplayPort

RS PRO ADAPTER DVI-D VGA

- ขนาดบรรจุภัณฑ์: **1 x EA**
- End 1: Male DVID (1)
 - End 2: Female VGA (1)
 - Type: Monitor Adaptor
 - Converts From Type: DVI-D
 - Converts To Type: VGA



2369105 Male DVID (1)

RS PRO ADAPTER DVI-I VGA

- ขนาดบรรจุภัณฑ์: **1 x EA**
- End 1: Female DVI-I (1)
 - End 2: VGA
 - Type: Monitor Adaptor
 - Converts From Type: DVI-I
 - Converts To Type: VGA



2369106 Female DVI-I (1)

RS PRO ADAPTER DVI-I DVI-I

- ขนาดบรรจุภัณฑ์: **1 x EA**
- End 1: Female DVI-I (1)
 - End 2: Female DVI (1)
 - Type: Adaptor
 - Converts From Type: DVI-I
 - Converts To Type: DVI-I



2369107 Female DVI-I (1)

HDMI M SOURCE - SVGA F DISPLAY ADAPTOR

- ขนาดบรรจุภัณฑ์: **1 x EA**
- End 1: Male HDMI (1)
 - End 2: Female VGA (1)
 - Type: Display Adaptor
 - Converts From Type: HDMI
 - Converts To Type: VGA



2369126 Male HDMI (1)

RS PRO ADAPTER MINI HDMI HDMI

- ขนาดบรรจุภัณฑ์: **1 x EA**
- End 1: Male Mini HDMI
 - End 2: Female HDMI (1)
 - Type: Adaptor
 - Converts From Type: Mini HDMI
 - Converts To Type: HDMI



2369122 Male Mini HDMI

RS PRO MALE TV AERIAL CONNECTOR TO MALE TV AERIAL CONNECTOR TV

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Terminated/Unterminated: Terminated
 - Coaxial Type: RF
 - Connector A: TV Aerial Connector
 - Connector A Gender: Male
 - Connector B: TV Aerial Connector
 - Outer Diameter: 5 mm
 - Connector B Gender: Male
 - Characteristic Impedance: 75 Ω



1924478 Terminated

RS PRO MALE TV AERIAL CONNECTOR TO MALE TV AERIAL CONNECTOR TV

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Terminated/Unterminated: Terminated
 - Coaxial Type: RF
 - Connector A: TV Aerial Connector
 - Connector A Gender: Male
 - Connector B: TV Aerial Connector
 - Outer Diameter: 5 mm
 - Connector B Gender: Male
 - Characteristic Impedance: 75 Ω



1924482 Terminated

RS PRO MALE TV AERIAL CONNECTOR TO MALE TV AERIAL CONNECTOR TV

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Terminated/Unterminated: Terminated
 - Coaxial Type: RF
 - Connector A: TV Aerial Connector
 - Connector A Gender: Male
 - Connector B: TV Aerial Connector
 - Outer Diameter: 5 mm
 - Connector B Gender: Male
 - Characteristic Impedance: 75 Ω



1924483 Terminated

RS PRO MALE TV AERIAL CONNECTOR TO MALE TV AERIAL CONNECTOR TV

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Terminated/Unterminated: Terminated
 - Coaxial Type: RF
 - Connector A: TV Aerial Connector
 - Connector A Gender: Male
 - Connector B: TV Aerial Connector
 - Outer Diameter: 5 mm
 - Connector B Gender: Male
 - Characteristic Impedance: 75 Ω



1924484 Terminated

RS PRO MALE TV AERIAL CONNECTOR TO MALE TV AERIAL CONNECTOR TV

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Terminated/Unterminated: Terminated
 - Coaxial Type: RF
 - Connector A: TV Aerial Connector
 - Connector A Gender: Male
 - Connector B: TV Aerial Connector
 - Outer Diameter: 5 mm
 - Connector B Gender: Male
 - Characteristic Impedance: 75 Ω



1924485 Terminated

RS PRO MALE TV AERIAL CONNECTOR TO MALE TV AERIAL CONNECTOR TV

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Terminated/Unterminated: Terminated
 - Coaxial Type: RF
 - Connector A: TV Aerial Connector
 - Connector A Gender: Male
 - Connector B: TV Aerial Connector
 - Outer Diameter: 5 mm
 - Connector B Gender: Male
 - Characteristic Impedance: 75 Ω



1924486 Terminated

RS PRO MALE TV AERIAL CONNECTOR TO MALE TV AERIAL CONNECTOR TV

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Terminated/Unterminated: Terminated
 - Coaxial Type: RF
 - Connector A: TV Aerial Connector
 - Connector A Gender: Male
 - Connector B: TV Aerial Connector
 - Outer Diameter: 5 mm
 - Connector B Gender: Male
 - Characteristic Impedance: 75 Ω



1924487 Terminated

RS PRO MALE TV AERIAL CONNECTOR TO MALE TV AERIAL CONNECTOR TV

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Terminated/Unterminated: Terminated
 - Coaxial Type: RF
 - Connector A: TV Aerial Connector
 - Connector A Gender: Male
 - Connector B: TV Aerial Connector
 - Outer Diameter: 5 mm
 - Connector B Gender: Male
 - Characteristic Impedance: 75 Ω



1924488 Terminated

RS PRO MALE TV AERIAL CONNECTOR TO MALE TV AERIAL CONNECTOR TV

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Terminated/Unterminated: Terminated
 - Coaxial Type: RF
 - Connector A: TV Aerial Connector
 - Connector A Gender: Male
 - Connector B: TV Aerial Connector
 - Outer Diameter: 5 mm
 - Connector B Gender: Male
 - Characteristic Impedance: 75 Ω



1924491 Terminated

RS PRO MALE TV AERIAL CONNECTOR TO MALE TV AERIAL CONNECTOR TV

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Terminated/Unterminated: Terminated
 - Coaxial Type: RF
 - Connector A: TV Aerial Connector
 - Connector A Gender: Male
 - Connector B: TV Aerial Connector
 - Outer Diameter: 5 mm
 - Connector B Gender: Male
 - Characteristic Impedance: 75 Ω



1924492 Terminated

RS PRO MALE TV AERIAL CONNECTOR TO MALE TV AERIAL CONNECTOR TV

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Terminated/Unterminated: Terminated
 - Coaxial Type: RF
 - Connector A: TV Aerial Connector
 - Connector A Gender: Male
 - Connector B: TV Aerial Connector
 - Outer Diameter: 5 mm
 - Connector B Gender: Male
 - Characteristic Impedance: 75 Ω



1924495 Terminated

RS PRO MALE TV AERIAL CONNECTOR TO MALE TV AERIAL CONNECTOR TV

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Terminated/Unterminated: Terminated
 - Coaxial Type: RF
 - Connector A: TV Aerial Connector
 - Connector A Gender: Male
 - Connector B: TV Aerial Connector
 - Outer Diameter: 5 mm
 - Connector B Gender: Male
 - Characteristic Impedance: 75 Ω



1924500 Terminated

GENDER,CHANGER,MIN,9-25 WAY,ADAPTOR,MALE-MALE,SP/SP

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Converts From Gender: Male
 - Converts From Type: 9 Way D-Sub
 - Converts To Gender: Male
 - Converts To Type: 25 Way D-Sub



218251 Male

RS PRO D-SUB ADAPTER FEMALE 9 WAY D-SUB TO MALE 25 WAY D-SUB

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Converts From Gender: Female
 - Converts From Type: 9 Way D-Sub
 - Converts To Gender: Male
 - Converts To Type: 25 Way D-Sub



218273 Female

RS PRO D-SUB ADAPTER MALE 9 WAY D-SUB TO FEMALE 25 WAY D-SUB

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Converts From Gender: Male
 - Converts From Type: 9 Way D-Sub
 - Converts To Gender: Female
 - Converts To Type: 25 Way D-Sub



218289 Male

GENDER,CHANGER,MIN,9-25 WAY,ADAPTOR,MALE-FEMALE,LP/SP

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Converts From Gender: Male
 - Converts From Type: 9 Way D-Sub
 - Converts To Gender: Female
 - Converts To Type: 25 Way D-Sub



174763 Male

ADAPTOR,THUMBSCREW,9 WAY,F THUMBSCREW,25 WAY M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Converts From Gender: Female
 - Converts From Type: 9 Way D-Sub
 - Converts To Gender: Male
 - Converts To Type: 25 Way D-Sub



2101004 Female

RS PRO D-SUB ADAPTER FEMALE 9 WAY D-SUB TO FEMALE 25 WAY D-

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Converts From Gender: Female
 - Converts From Type: 9 Way D-Sub
 - Converts To Gender: Female
 - Converts To Type: 25 Way D-Sub



2101010 Female

RS PRO D-SUB ADAPTER MALE 15 WAY D-SUB TO FEMALE 15 WAY D-SUB

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Converts From Gender: Male
 - Converts From Type: 15 Way D-Sub
 - Converts To Gender: Female
 - Converts To Type: 15 Way D-Sub



2338925 Male

SUB-D HD15F/15F CHANGER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Converts From Gender: Female
 - Converts From Type: VGA
 - Converts To Gender: Female
 - Converts To Type: VGA



4081924 Female

RS PRO MALE MINI DISPLAYPORT TO MALE HDMI CABLE, 4.5M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: Mini DisplayPort
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Length: 4.5 m
 - Outer Sheath Material: PVC
 - Sheath Colour: Black
 - Shielding: Shielded



1448608 Mini DisplayPort

RS PRO MALE DISPLAYPORT TO MALE HDMI CABLE, 1080P, 5M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: DisplayPort
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Length: 5 m
 - Maximum Resolution: 1080p
 - Outer Sheath Material: PVC
 - Sheath Colour: Black



1828791 DisplayPort

RS PRO MALE DISPLAYPORT TO MALE HDMI CABLE, 4K, 3M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: DisplayPort
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Length: 3 m
 - Maximum Resolution: 4K



1828921 DisplayPort

RS PRO MALE MINI DISPLAYPORT TO MALE DISPLAYPORT CABLE, 4K, 1M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: Mini DisplayPort
 - Connector A Gender: Male
 - Connector B: DisplayPort
 - Connector B Gender: Male
 - Length: 1 m
 - Maximum Resolution: 4K
 - Outer Sheath Material: PVC
 - Sheath Colour: Black



1863018 Mini DisplayPort

RS PRO MALE MINI DISPLAYPORT TO MALE DISPLAYPORT CABLE, 1080P,

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: Mini DisplayPort
 - Connector A Gender: Male
 - Connector B: DisplayPort
 - Connector B Gender: Male
 - Length: 5 m
 - Maximum Resolution: 1080p
 - Outer Sheath Material: PVC
 - Sheath Colour: Black



1863019 Mini DisplayPort

RS PRO MALE DISPLAYPORT TO MALE DISPLAYPORT CABLE, 4K, 500MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: DisplayPort
 - Connector A Gender: Male
 - Connector B: DisplayPort
 - Connector B Gender: Male
 - Length: 500 mm
 - Maximum Resolution: 4K
 - Outer Sheath Material: PVC
 - Sheath Colour: Black



1863022 DisplayPort

RS PRO MALE DISPLAYPORT TO MALE HDMI CABLE, 4K, 1M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: DisplayPort
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Length: 1 m
 - Maximum Resolution: 4K
 - Outer Sheath Material: PVC
 - Sheath Colour: Black



1863034 DisplayPort

RS PRO MALE DISPLAYPORT TO MALE HDMI CABLE, 1080P, 2M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: DisplayPort
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Length: 2 m
 - Maximum Resolution: 1080p
 - Outer Sheath Material: PVC
 - Sheath Colour: Black



1863035 DisplayPort

RS PRO MALE DISPLAYPORT TO MALE HDMI CABLE, 1080P, 3M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: DisplayPort
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Length: 3 m
 - Maximum Resolution: 1080p
 - Outer Sheath Material: PVC
 - Sheath Colour: Black



1863036 DisplayPort

RS PRO MALE DISPLAYPORT TO MALE VGA CABLE, 1080P, 1M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: DisplayPort
 - Connector A Gender: Male
 - Connector B: VGA
 - Connector B Gender: Male
 - Length: 1 m
 - Maximum Resolution: 1080p
 - Outer Sheath Material: PVC
 - Sheath Colour: Black



1863037 DisplayPort

RS PRO MALE USB C TO MALE DISPLAYPORT CABLE, 4K, 2M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: USB C
 - Connector A Gender: Male
 - Connector B: DisplayPort
 - Connector B Gender: Male
 - Length: 2 m
 - Maximum Resolution: 4K
 - Outer Sheath Material: PVC



1924680 USB C

RS PRO MALE DISPLAYPORT TO MALE USB C CABLE, 4K, 3M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: DisplayPort
 - Connector A Gender: Male
 - Connector B: USB C
 - Connector B Gender: Male
 - Length: 3 m
 - Maximum Resolution: 4K
 - Outer Sheath Material: PVC



1924681 DisplayPort

RS PRO MALE USB C TO MALE DISPLAYPORT CABLE, 4K, 5M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: USB C
 - Connector A Gender: Male
 - Connector B: DisplayPort
 - Connector B Gender: Male
 - Length: 5 m
 - Maximum Resolution: 4K
 - Outer Sheath Material: PVC



1924682 USB C

RS PRO MALE MINI DISPLAYPORT TO MALE DISPLAYPORT CABLE, 8K, 8K,

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: Mini DisplayPort
 - Connector A Gender: Male
 - Connector B: DisplayPort
 - Connector B Gender: Male
 - Length: 500 mm
 - Maximum Resolution: 8K



1954903 Mini DisplayPort

RS PRO MALE MINI DISPLAYPORT TO MALE DISPLAYPORT CABLE, 8K, 1M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: Mini DisplayPort
 - Connector A Gender: Male
 - Connector B: DisplayPort
 - Connector B Gender: Male
 - Length: 1 m
 - Maximum Resolution: 8K



1954904 Mini DisplayPort

RS PRO MALE MINI DISPLAYPORT TO MALE DISPLAYPORT CABLE, 8K, 2M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: Mini DisplayPort
 - Connector A Gender: Male
 - Connector B: DisplayPort
 - Connector B Gender: Male
 - Length: 2 m
 - Maximum Resolution: 8K



1954905 Mini DisplayPort

RS PRO MALE DISPLAYPORT TO MALE DISPLAYPORT CABLE, 8K, 500MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: DisplayPort
 - Connector A Gender: Male
 - Connector B: DisplayPort
 - Connector B Gender: Male
 - Length: 500 mm
 - Maximum Resolution: 8K



1954906 DisplayPort

RS PRO MALE DISPLAYPORT TO MALE DISPLAYPORT CABLE, 8K, 1M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: DisplayPort
 - Connector A Gender: Male
 - Connector B: DisplayPort
 - Connector B Gender: Male
 - Length: 1 m
 - Maximum Resolution: 8K



1954907 DisplayPort

RS PRO MALE DISPLAYPORT TO MALE DISPLAYPORT CABLE, 8K, 2M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: DisplayPort
 - Connector A Gender: Male
 - Connector B: DisplayPort
 - Connector B Gender: Male
 - Length: 2 m
 - Maximum Resolution: 8K



1954909 DisplayPort

RS PRO MALE DISPLAYPORT TO MALE DISPLAYPORT CABLE, 8K, 3M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: DisplayPort
 - Connector A Gender: Male
 - Connector B: DisplayPort
 - Connector B Gender: Male
 - Length: 3 m
 - Maximum Resolution: 8K



1954910 DisplayPort

RS PRO MALE DISPLAYPORT TO MALE USB C CABLE, 8K, 1M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: DisplayPort
 - Connector A Gender: Male
 - Connector B: USB C
 - Connector B Gender: Male
 - DisplayPort Version: 1.4
 - Length: 1 m
 - Maximum Resolution: 8K



2299974 DisplayPort

RS PRO MALE DISPLAYPORT TO MALE USB C CABLE, 8K, 2M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: DisplayPort
 - Connector A Gender: Male
 - Connector B: USB C
 - Connector B Gender: Male
 - DisplayPort Version: 1.4
 - Length: 2 m
 - Maximum Resolution: 8K



2299975 DisplayPort

RS PRO MALE DISPLAYPORT TO MALE USB C CABLE, 1M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: DisplayPort
 - Connector A Gender: Male
 - Connector B: USB C
 - Connector B Gender: Male
 - DisplayPort Version: 1.2
 - Length: 1 m



2299979 DisplayPort

RS PRO MALE DISPLAYPORT TO MALE DISPLAYPORT CABLE, 4K, 2M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: DisplayPort
 - Connector A Gender: Male
 - Connector B: DisplayPort
 - Connector B Gender: Male
 - DisplayPort Version: 1.2
 - Length: 2 m
 - Maximum Resolution: 4K
 - Shielding: Braid



2369095 DisplayPort

RS PRO MALE DISPLAYPORT TO MALE DISPLAYPORT CABLE, 4K, 3M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: DisplayPort
 - Connector A Gender: Male
 - Connector B: DisplayPort
 - Connector B Gender: Male
 - DisplayPort Version: 1.2
 - Length: 3 m
 - Maximum Resolution: 4K
 - Shielding: Braid



2369096 DisplayPort

RS PRO MALE DISPLAYPORT TO MALE DISPLAYPORT CABLE, K4, 5M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: DisplayPort
 - Connector A Gender: Male
 - Connector B: DisplayPort
 - Connector B Gender: Male
 - DisplayPort Version: 1.2
 - Length: 5 m
 - Maximum Resolution: K4
 - Shielding: Braid



2369097 DisplayPort

RS PRO MALE DISPLAYPORT TO MALE DISPLAYPORT CABLE, 8K, 500MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: DisplayPort
 - Connector A Gender: Male
 - Connector B: DisplayPort
 - Connector B Gender: Male
 - DisplayPort Version: 1.4
 - Length: 500 mm
 - Maximum Resolution: 8K



2369101 DisplayPort

RS PRO MALE DISPLAYPORT TO MALE DISPLAYPORT CABLE, 8K, 1M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: DisplayPort
 - Connector A Gender: Male
 - Connector B: DisplayPort
 - Connector B Gender: Male
 - DisplayPort Version: 1.4
 - Length: 1 m
 - Maximum Resolution: 8K



2369102 DisplayPort

RS PRO MALE DISPLAYPORT TO MALE DISPLAYPORT CABLE, 8K, 2M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: DisplayPort
 - Connector A Gender: Male
 - Connector B: DisplayPort
 - Connector B Gender: Male
 - DisplayPort Version: 1.4
 - Length: 2 m
 - Maximum Resolution: 8K



2369103 DisplayPort

RS PRO MALE DISPLAYPORT TO MALE DISPLAYPORT CABLE, 8K, 3M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: DisplayPort
 - Connector A Gender: Male
 - Connector B: DisplayPort
 - Connector B Gender: Male
 - DisplayPort Version: 1.4
 - Length: 3 m
 - Maximum Resolution: 8K



2369104 DisplayPort

RS PRO MALE HDMI TO FEMALE DISPLAYPORT CABLE, 1080P, 150MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: DisplayPort
 - Connector B Gender: Female
 - DisplayPort Version: 1.2
 - Length: 150 mm
 - Maximum Resolution: 1080P



2369124 HDMI

RS PRO MALE MINI DISPLAYPORT TO FEMALE DISPLAYPORT CABLE, 4K,

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: Mini DisplayPort
 - Connector A Gender: Male
 - Connector B: DisplayPort
 - Connector B Gender: Female
 - DisplayPort Version: 1.2
 - Length: 150 mm
 - Maximum Resolution: 4K



2369125 Mini DisplayPort

1MTR DVI-D 19+1 SINGLE LINK M-M CABLE -

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: DVI-D
 - Connector A Gender: Male
 - Connector B: DVI-D
 - Connector B Gender: Male
 - Length: 1 m
 - Outer Sheath Material: PVC
 - Sheath Colour: Black
 - Size of Strands: 30 AWG



1863023 DVI-D

2MTR DVI-D 19+1 SINGLE LINK M-M CABLE -

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: DVI-D
 - Connector A Gender: Male
 - Connector B: DVI-D
 - Connector B Gender: Male
 - Length: 2 m
 - Outer Sheath Material: PVC
 - Sheath Colour: Black
 - Size of Strands: 30 AWG



1863024 DVI-D

3MTR DVI-D 19+1 SINGLE LINK M-M CABLE -

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: DVI-D
 - Connector A Gender: Male
 - Connector B: DVI-D
 - Connector B Gender: Male
 - Length: 3 m
 - Outer Sheath Material: PVC
 - Sheath Colour: Black
 - Size of Strands: 30 AWG



1863025 DVI-D

10MTR DVI-D 19+1 SINGLE LINK M-M CABLE -

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: DVI-D
 - Connector A Gender: Male
 - Connector B: DVI-D
 - Connector B Gender: Male
 - Length: 10 m
 - Outer Sheath Material: PVC
 - Sheath Colour: Black
 - Size of Strands: 30 AWG



1863027 DVI-D

RS PRO DVI-D TO FEMALE HDMI CABLE, 150MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: DVI-D
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Female
 - Length: 150 mm



2369108 DVI-D

RS PRO DVI-D TO MALE DVI-D CABLE, 15M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: DVI-D
 - Connector A Gender: Male
 - Connector B: DVI-D
 - Connector B Gender: Male
 - Length: 15 m



2369111 DVI-D

RS PRO DVI-D TO FEMALE DVI-D CABLE, 2M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: DVI-D
 - Connector A Gender: Male
 - Connector B: DVI-D
 - Connector B Gender: Female
 - Length: 2 m



2369114 DVI-D

RS PRO CAT6 ETHERNET CABLE, RJ45 TO RJ45, PURPLE, 2M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- LAN Category: Cat6
 - Terminated/Unterminated: Terminated
 - Connector A: RJ45
 - Connector A Gender: Male
 - Connector B: RJ45
 - Connector B Gender: Male
 - Wiring Configuration: Straight Through
 - Length: 2 m



2369131 Cat6

RS PRO CAT6 ETHERNET CABLE, RJ45 TO RJ45, WHITE, 2M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- LAN Category: Cat6
 - Terminated/Unterminated: Terminated
 - Connector A: RJ45
 - Connector A Gender: Male
 - Connector B: RJ45
 - Connector B Gender: Male
 - Wiring Configuration: Straight Through
 - Length: 2 m



2369132 Cat6

2M GREY FIREWIRE CABLE

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: Firewire
 - Connector A Gender: Female
 - Connector B: Female
 - Connector B Gender: Female
 - Length: 2 m
 - Sheath Colour: Grey
 - Standards Met: IEEE1394 Compliant
 - Shielding: Shielded



3319329 Firewire

RS HDMI HS CABLE+ETH, A-A, M/M, LSOH, 1M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Length: 1 m
 - Sheath Colour: Black
 - HDMI Version: High Speed
 - Voltage Rating: 30 V



1212779 HDMI

RS PRO MALE HDMI TO MALE HDMI CABLE, 2M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Length: 2 m
 - Sheath Colour: Black
 - HDMI Version: High Speed
 - Voltage Rating: 30 V



1212780 HDMI

RS PRO MALE HDMI TO MALE HDMI CABLE, 3M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Length: 3 m
 - Sheath Colour: Black
 - HDMI Version: High Speed
 - Voltage Rating: 30 V



1212781 HDMI

RS PRO MALE HDMI TO MALE HDMI CABLE, 5M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Length: 5 m
 - Sheath Colour: Black
 - HDMI Version: High Speed
 - Voltage Rating: 30 V



1212782 HDMI

RS PRO MALE HDMI TO MALE HDMI CABLE, 10M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Length: 10 m
 - Sheath Colour: Black
 - HDMI Version: High Speed
 - Voltage Rating: 30 V



1212783 HDMI

50CM HDMI M-M HS+E CABLE SUPER SLIM SOFT

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Maximum Resolution: 4K
 - Length: 500 mm
 - Sheath Colour: Black
 - Outer Sheath Material: PVC



1828768 HDMI

20MTR DVI-D M - HDMI M CABLE - BLACK

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: DVI-D
 - Connector B Gender: Male
 - Maximum Resolution: 4K
 - Length: 20 m
 - Sheath Colour: Black
 - Outer Sheath Material: PVC



1863028 HDMI

1MTR HDMI TO VGA CABLE GOLD PLATED

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: VGA
 - Connector B Gender: Male
 - Length: 1 m
 - Outer Sheath Material: PVC



1924515 HDMI

RS PRO MALE HDMI TO MALE VGA CABLE, 1M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: VGA
 - Connector B Gender: Male
 - Length: 1 m
 - Outer Sheath Material: PVC



1924517 HDMI

1.8MTR HDMI TO VGA CABLE WITH AUDIO CABL

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: VGA
 - Connector B Gender: Male
 - Length: 1.8 m
 - Outer Sheath Material: PVC



1924518 HDMI

0.5M 8KHDMI M-M28AWG BLUE ALUMINIUM HOOD

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Maximum Resolution: 8K
 - Length: 500 mm



1954882 HDMI

0.5M 8KHDMI M-M 28AWG ORANGE HOOD

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Maximum Resolution: 8K
 - Length: 500 mm



1954883 HDMI

0.5M 8KHDMI M-M 28AWG BLK ALUMINIUM HOOD

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Maximum Resolution: 8K
 - Length: 500 mm



1954884 HDMI

RS PRO 8K MALE HDMI TO MALE HDMI CABLE, 500MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Maximum Resolution: 8K
 - Length: 500 mm



1954886 HDMI

1M 8KHDMI M-M 28AWG BLUE ALUMINIUM HOOD

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Maximum Resolution: 8K
 - Length: 1 m



1954887 HDMI

1M 8KHDMI M-M28AWG ORANGE ALUMINIUM HOOD

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Maximum Resolution: 8K
 - Length: 1 m



1954888 HDMI

1M 8KHDMI M-M 28AWG BLACK ALUMINIUM HOOD

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Maximum Resolution: 8K
 - Length: 1 m



1954889 HDMI

RS PRO 8K MALE HDMI TO MALE HDMI CABLE, 1M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Maximum Resolution: 8K
 - Length: 1 m



1954890 HDMI

RS PRO 8K MALE HDMI TO MALE HDMI CABLE, 2M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Maximum Resolution: 8K
 - Length: 2 m



1954891 HDMI

2M 8KHDMI M-M28AWG ORANGE ALUMINIUM HOOD

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Maximum Resolution: 8K
 - Length: 2 m



1954892 HDMI

2M 8KHDMI M-M 28AWG BLACK ALUMINIUM HOOD

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Maximum Resolution: 8K
 - Length: 2 m



1954893 HDMI

2M 8KHDMI M-M 28AWG SLV ALUMINIUM HOOD

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Maximum Resolution: 8K
 - Length: 2 m



1954894 HDMI

3M 8K HDMI M-M 28AWG BLUE ALUMINIUM HOOD

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Maximum Resolution: 8K
 - Length: 3 m



1954895 HDMI

3M 8KHDMI M-M28AWG ORANGE ALUMINIUM HOOD

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Maximum Resolution: 8K
 - Length: 3 m



1954896 HDMI

RS PRO 8K MALE HDMI TO MALE HDMI CABLE, 3M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Maximum Resolution: 8K
 - Length: 3 m



1954897 HDMI

3M 8KHDMI M-M 28AWG SLV ALUMINIUM HOOD

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Maximum Resolution: 8K
 - Length: 3 m



1954898 HDMI

5M 8K HDMI M-M 26AWG BLUE ALUMINIUM HOOD

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Maximum Resolution: 8K
 - Length: 5 m



1954899 HDMI

5M 8KHDMI M-M26AWG ORANGE ALUMINIUM HOOD

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Maximum Resolution: 8K
 - Length: 5 m



1954900 HDMI

RS PRO 8K MALE HDMI TO MALE HDMI CABLE, 5M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Maximum Resolution: 8K
 - Length: 5 m



1954901 HDMI

5M 8K HDMI M-M 26AWG SLV ALUMINIUM HOOD

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Maximum Resolution: 8K
 - Length: 5 m



1954902 HDMI

RS PRO MALE HDMI TO MALE HDMI CABLE, 1.5M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - HDMI Cable Speed: High Speed
 - Length: 1.5 m
 - Sheath Colour: Black
 - Outer Sheath Material: PVC



2206486 HDMI

RS PRO 4K MALE HDMI TO MALE HDMI CABLE, 2M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Maximum Resolution: 4K
 - Length: 2 m



2369090 HDMI

RS PRO 4K MALE HDMI TO MALE HDMI CABLE, 3M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Maximum Resolution: 4K
 - Length: 3 m



2369091 HDMI

RS PRO 1080 MALE HDMI TO MALE DVI-D CABLE, 1.5M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: DVI-D
 - Connector B Gender: Male
 - Maximum Resolution: 1080
 - Length: 1.5 m



2369113 HDMI

RS PRO 4K MALE HDMI TO MALE MICRO HDMI CABLE, 3M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: Micro HDMI
 - Connector B Gender: Male
 - HDMI Cable Speed: High Speed
 - Maximum Resolution: 4K
 - Length: 3 m



2369116 HDMI

RS PRO 4K MALE HDMI TO MALE MICRO HDMI CABLE, 5M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: Micro HDMI
 - Connector B Gender: Male
 - HDMI Cable Speed: High Speed
 - Maximum Resolution: 4K
 - Length: 5 m



2369117 HDMI

THINWIRE HDMI CABLE 10M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Length: 10 m
 - Sheath Colour: Black
 - Series: Thin Wire



8525257 HDMI

HD LOCK, WITH LOCKING CONNECTOR 3M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Length: 3 m
 - Sheath Colour: Black



8525273 HDMI

HD LOCK, WITH LOCKING CONNECTOR 1M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Length: 1 m
 - Sheath Colour: Black



8525279 HDMI

HD LOCK, WITH LOCKING CONNECTOR 5M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Length: 5 m
 - Sheath Colour: Black



8525282 HDMI

HD LOCK, WITH LOCKING CONNECTOR 10M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Length: 10 m
 - Sheath Colour: Black



8525285 HDMI

THINWIRE HDMI CABLE

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Length: 7.5 m
 - Sheath Colour: Black
 - Series: Thin Wire



9134821 HDMI

RS PRO MALE HDMI TO MALE HDMI CABLE, 7.5M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Length: 7.5 m
 - Sheath Colour: White
 - Shielding: Braid



9134828 HDMI

HDMI CABLE WITH SLIM CONNECTOR

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Length: 7.5 m
 - Sheath Colour: Black



9134834 HDMI

HDMI CABLE, SLIM ALUMINIUM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Length: 7.5 m
 - Sheath Colour: Grey



9134846 HDMI

HDMI CABLE, SLIM ALUMINIUM, BLUE

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Length: 7.5 m
 - Sheath Colour: Blue
 - Outer Sheath Material: PVC
 - Shielding: Braid



9134856 HDMI

HDMI CABLE, SLIM ALUMINIUM, BLUE

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Length: 3 m
 - Sheath Colour: Blue
 - Outer Sheath Material: PVC
 - Shielding: Braid



9134859 HDMI

RS PRO MALE HDMI TO MALE HDMI CABLE, 7.5M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Length: 7.5 m
 - Sheath Colour: Red
 - Outer Sheath Material: PVC
 - Shielding: Braid



9134871 HDMI

HDMI CABLE, SLIM ALUMINIUM, GREEN

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Length: 7.5 m
 - Sheath Colour: Green
 - Outer Sheath Material: PVC
 - Shielding: Braid



9134880 HDMI

FLAT HDMI TO HDMI CABLE, ANGLED

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: HDMI
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Length: 2 m
 - Sheath Colour: Black
 - Outer Sheath Material: PVC
 - Size of Strands: 0.23 mm



9134975 HDMI

RS PRO EARPHONES WITH BUILT IN MICROPHONE

- ขนาดบรรจุภัณฑ์: 1 x EA
- Headphone Type: Earphones with Built in Microphone



1954876 Earphones with

RS PRO BLACK, RED WIRED ON EAR HEADSET

- ขนาดบรรจุภัณฑ์: 1 x EA
- Headphone Type: On Ear Headset
 - Wired/Wireless: Wired
 - Colour: Black, Red
 - Connectivity: Jack Plug



2013520 On Ear Headset

RS PRO WHITE WIRED ON EAR HEADSET

- ขนาดบรรจุภัณฑ์: 1 x EA
- Headphone Type: On Ear Headset
 - Wired/Wireless: Wired
 - Colour: White
 - Connectivity: Jack Plug



2013523 On Ear Headset

RS PRO BLACK WIRED ON EAR HEADSET

- ขนาดบรรจุภัณฑ์: 1 x EA
- Headphone Type: On Ear Headset
 - Wired/Wireless: Wired
 - Colour: Black
 - Connectivity: Jack Plug



2013524 On Ear Headset

RS PRO 3 A DVI-I TO MALE DVI-I CABLE

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: DVI-I
 - Connector A Gender: Female
 - Connector B: DVI-I
 - Connector B Gender: Male
 - Current Rating: 3 A
 - Outer Sheath Material: PVC
 - Sheath Colour: Black



489343 DVI-I

RS PRO USB SERIAL CABLE ADAPTER

- ขนาดบรรจุภัณฑ์: 1 x EA
- Input Port: USB
 - Output Port: RS232
 - Number of Ports: 1
 - Bus Type: USB 2.0



1445699 USB

RS PRO INTERFACE ADAPTER

- ขนาดบรรจุภัณฑ์: 1 x EA
- Cable Type: DisplayPort
 - Connector A Gender: Male
 - Connector A Type: Mini DisplayPort
 - Connector B Gender: Female
 - Connector B Type: DisplayPort
 - Length: 45 mm



1924523 DisplayPort

RS PRO USB C TO USB MICRO USB ADAPTER

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: USB C
 - Connector B: USB Micro
 - Connector A Gender: Male
 - Connector B Gender: Female
 - USB Standard: USB 3.0



1954881 USB C

RS PRO DB-9 MALE TO USB INTERFACE ADAPTER

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: DB-9 Male
 - Connector B: USB
 - Connector A Gender: Male
 - Connector B Gender: Male



2206494 DB-9 Male

80CM USB 2.0 USB AM-4XDB9 RS232 M BLACK

- ขนาดบรรจุภัณฑ์: 1 x EA
- Input Port: USB
 - Output Port: DB 9
 - Number of Ports: 4
 - Bus Type: USB 2.0



2206501 USB

CONNECTOR, ADAPTOR, GENDER CHANGER, USB A (F) - USB A

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: USB Female
 - Connector B: USB Female
 - Connector A Gender: Female
 - Connector B Gender: Female



4955336 USB Female

CONNECTOR, ADAPTOR, GENDER CHANGER, USB A (F) - USB B

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: USB Female
 - Connector B: USB B Male
 - Connector A Gender: Female
 - Connector B Gender: Male



4955342 USB Female

CONNECTOR, ADAPTOR, GENDER CHANGER, USB A (M) - USB B

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: USB A Male
 - Connector B: USB B Female
 - Connector A Gender: Male
 - Connector B Gender: Female



4955358 USB A Male

CONNECTOR, ADAPTOR, GENDER CHANGER, USB A (F) - USB B

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: USB Female
 - Connector B: USB B Female
 - Connector A Gender: Female
 - Connector B Gender: Female



4955364 USB Female

CONNECTOR, ADAPTOR, GENDER CHANGER, USB A (M) - USB A

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: USB Male
 - Connector B: USB Male
 - Connector A Gender: Male
 - Connector B Gender: Male



5142610 USB Male

RS PRO WALL MOUNTING MONITOR ARM FOR 1 X SCREEN

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Product Type: Monitor Arm
 - Mounting Surface: Wall
 - Number of Displays Supported: 1
 - Maximum Load: 25 kg
 - VESA Configurations: 100 x 100 mm, 75 x 75 mm
 - Height: 100 mm
 - Width: 100 mm
 - Depth: 15 mm



1418304 Monitor Arm

RS PRO WALL MOUNTING MONITOR ARM FOR 1 X SCREEN

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Product Type: Monitor Arm
 - Mounting Surface: Wall
 - Number of Displays Supported: 1
 - Maximum Load: 25 kg
 - Extension Arm: Yes
 - VESA Configurations: 75 x 75 mm, 100 x 100 mm, 200 x 100 mm, 200 x 200 mm
 - Height: 224 mm
 - Width: 224 mm



1418306 Monitor Arm

RS PRO WALL MOUNTING MONITOR ARM FOR 1 X SCREEN

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Product Type: Monitor Arm
 - Mounting Surface: Wall
 - Number of Displays Supported: 1
 - Maximum Load: 8 kg
 - Extension Arm: Yes
 - VESA Configurations: 100 x 100 mm, 75 x 75 mm
 - Height: 100 mm
 - Width: 75 mm



1418307 Monitor Arm

RS PRO WALL MOUNTING MONITOR ARM FOR 1 X SCREEN

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Product Type: Monitor Arm
 - Mounting Surface: Wall
 - Number of Displays Supported: 1
 - Maximum Load: 10 kg
 - Extension Arm: Yes
 - VESA Configurations: 100 x 100 mm, 75 x 75 mm
 - Depth: 305 mm



1418308 Monitor Arm

RS PRO WALL MOUNTING MONITOR ARM FOR 1 X SCREEN

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Product Type: Monitor Arm
 - Mounting Surface: Wall
 - Number of Displays Supported: 1
 - Maximum Load: 15 kg
 - Extension Arm: Yes
 - VESA Configurations: 100 x 100 mm, 75 x 75 mm
 - Height: 126 mm
 - Width: 126 mm



1418309 Monitor Arm

RS PRO MONITOR ARM FOR 1 X SCREEN

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Product Type: Monitor Arm
 - Number of Displays Supported: 1
 - Extension Arm: Yes
 - VESA Configurations: 75 x 75 mm, 100 x 100 mm
 - Colour: Silver



1763376 Monitor Arm

RS PRO WALL MOUNTING MONITOR ARM FOR 1 X SCREEN

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Product Type: Monitor Arm
 - Mounting Surface: Wall
 - Number of Displays Supported: 1



1763379 Monitor Arm

RS PRO WALL MOUNTING MONITOR ARM FOR 1 X SCREEN, 24 IN SCREEN

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Product Type: Monitor Arm
 - Mounting Surface: Wall
 - Number of Displays Supported: 1
 - Extension Arm: Yes
 - Maximum Screen Size: 24 in
 - VESA Configurations: 75 x 75 mm, 100 x 100 mm
 - Colour: Black



1763380 Monitor Arm

RS PRO WALL MOUNTING MONITOR ARM FOR 1 X SCREEN, 24 IN SCREEN

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Product Type: Monitor Arm
 - Mounting Surface: Wall
 - Number of Displays Supported: 1
 - Extension Arm: Yes
 - Maximum Screen Size: 24 in
 - VESA Configurations: 75 x 75 mm, 100 x 100 mm
 - Colour: Black



1763381 Monitor Arm

RS PRO MALE TOSLINK TO MALE TOSLINK OPTICAL AUDIO CABLE

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: TOSLINK
 - Connector A Gender: Male
 - Connector B: TOSLINK
 - Connector B Gender: Male
 - Length: 0.5 m
 - Outer Sheath Material: PVC



1924505 TOSLINK

RS PRO MALE TOSLINK TO MALE TOSLINK OPTICAL AUDIO CABLE, 1M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: TOSLINK
 - Connector A Gender: Male
 - Connector B: TOSLINK
 - Connector B Gender: Male
 - Length: 1 m



1924506 TOSLINK

RS PRO MALE TOSLINK TO MALE TOSLINK OPTICAL AUDIO CABLE, 1.5M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: TOSLINK
 - Connector A Gender: Male
 - Connector B: TOSLINK
 - Connector B Gender: Male
 - Length: 1.5 m
 - Outer Sheath Material: PVC



1924507 TOSLINK

RS PRO MALE TOSLINK TO MALE TOSLINK OPTICAL AUDIO CABLE, 2M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: TOSLINK
 - Connector A Gender: Male
 - Connector B: TOSLINK
 - Connector B Gender: Male
 - Length: 2 m



1924508 TOSLINK

RS PRO MALE TOSLINK TO MALE TOSLINK OPTICAL AUDIO CABLE

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: TOSLINK
 - Connector A Gender: Male
 - Connector B: TOSLINK
 - Connector B Gender: Male
 - Length: 2.5 m



1924509 TOSLINK

RS PRO MALE TOSLINK TO MALE TOSLINK OPTICAL AUDIO CABLE, 3M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: TOSLINK
 - Connector A Gender: Male
 - Connector B: TOSLINK
 - Connector B Gender: Male
 - Length: 3 m



1924510 TOSLINK

RS PRO MALE TOSLINK TO MALE TOSLINK OPTICAL AUDIO CABLE, 5M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: TOSLINK
 - Connector A Gender: Male
 - Connector B: TOSLINK
 - Connector B Gender: Male
 - Length: 5 m



1924511 TOSLINK

RS PRO MALE TOSLINK TO MALE TOSLINK OPTICAL AUDIO CABLE, 10M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: TOSLINK
 - Connector A Gender: Male
 - Connector B: TOSLINK
 - Connector B Gender: Male
 - Length: 10 m



1924512 TOSLINK

RS PRO MALE TOSLINK TO MALE TOSLINK OPTICAL AUDIO CABLE, 15M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: TOSLINK
 - Connector A Gender: Male
 - Connector B: TOSLINK
 - Connector B Gender: Male
 - Length: 15 m



1924513 TOSLINK

RS PRO MALE TOSLINK TO MALE TOSLINK OPTICAL AUDIO CABLE, 20M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: TOSLINK
 - Connector A Gender: Male
 - Connector B: TOSLINK
 - Connector B Gender: Male
 - Length: 20 m



1924514 TOSLINK

RS PRO MALE GPIB TO MALE GPIB PARALLEL CABLE, 4M, GREY SHEATH

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A Gender: Male
 - Connector A: GPIB
 - Connector B Gender: Male
 - Connector B: GPIB
 - Length: 4 m
 - Sheath Colour: Grey
 - Standards Met: IEEE488
 - Outer Sheath Material: PVC



2177865 Male

RS PRO MALE PS/2 TO MALE PS/2, PS/2 CABLE ASSEMBLY 2M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: PS/2
 - Connector B: PS/2
 - Connector A Gender: Male
 - Connector B Gender: Male
 - Sheath Colour: Grey
 - Length: 2 m



2369120 PS/2

RS PRO MALE SATA TO FEMALE SATA 150MM SATA CABLE

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: SATA
 - Connector A Gender: Male
 - Connector A Number of Contacts: 4
 - Connector B: SATA
 - Connector B Gender: Female
 - Connector B Number of Contacts: 15
 - Length: 150 mm
 - Outer Sheath Material: PVC



6665060 SATA

RS PRO MALE SATA SATA X 2 120MM SATA CABLE

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: SATA
 - Connector A Gender: Male
 - Connector A Number of Contacts: 4
 - Connector B: SATA x 2
 - Connector B Number of Contacts: 15
 - Length: 120 mm
 - Outer Sheath Material: PVC



6665066 SATA

RS PRO MALE SATA SATA 100MM SATA CABLE

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: SATA
 - Connector A Gender: Male
 - Connector A Number of Contacts: 4
 - Connector B: SATA
 - Connector B Number of Contacts: 15
 - Length: 100 mm
 - Outer Sheath Material: PVC



6665079 SATA

RS PRO 3M 25 PIN D-SUB TO 25 PIN D-SUB SERIAL CABLE

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: 25 pin D-sub
 - Connector A Gender: Male
 - Connector B: 25 pin D-sub
 - Connector B Gender: Female
 - Length: 3 m



489942 25 pin D-sub

RS PRO 200MM 9 PIN D-SUB TO USB A SERIAL CABLE

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: 9 pin D-sub
 - Connector A Gender: Male
 - Connector B: USB A
 - Connector B Gender: Male
 - Length: 200 mm
 - Sheath Colour: Black
 - Outer Sheath Material: PVC



1954915 9 pin D-sub

RS PRO 500MM 9 PIN D-SUB TO 9 PIN D-SUB SERIAL CABLE

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: 9 pin D-sub
 - Connector A Gender: Male
 - Connector B: 9 pin D-sub
 - Connector B Gender: Female
 - Length: 500 mm
 - Sheath Colour: Black
 - Outer Sheath Material: PVC



2369118 9 pin D-sub

RS PRO 1M 9 PIN D-SUB TO 9 PIN D-SUB SERIAL CABLE

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: 9 pin D-sub
 - Connector A Gender: Male
 - Connector B: 9 pin D-sub
 - Connector B Gender: Female
 - Length: 1 m
 - Sheath Colour: Black
 - Outer Sheath Material: PVC



2369119 9 pin D-sub

RS PRO 5M 25 PIN D-SUB TO 25 PIN D-SUB SERIAL CABLE

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: 25 pin D-sub
 - Connector A Gender: Male
 - Connector B: 25 pin D-sub
 - Connector B Gender: Male
 - Length: 5 m



2369138 25 pin D-sub

RS PRO 3M 25 PIN D-SUB TO 25 PIN D-SUB SERIAL CABLE

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: 25 pin D-sub
 - Connector A Gender: Male
 - Connector B: 25 pin D-sub
 - Connector B Gender: Female
 - Length: 3 m



2369140 25 pin D-sub

RS PRO 5M 25 PIN D-SUB TO 25 PIN D-SUB SERIAL CABLE

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: 25 pin D-sub
 - Connector A Gender: Male
 - Connector B: 25 pin D-sub
 - Connector B Gender: Female
 - Length: 5 m



2369141 25 pin D-sub

RS PRO 1M 15 PIN D-SUB TO 15 PIN D-SUB SERIAL CABLE

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: 15 pin D-sub
 - Connector A Gender: Male
 - Connector B: 15 pin D-sub
 - Connector B Gender: Female
 - Length: 1 m



2369142 15 pin D-sub

RS PRO 1.5M 15 PIN D-SUB TO 15 PIN D-SUB SERIAL CABLE

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: 15 pin D-sub
 - Connector A Gender: Male
 - Connector B: 15 pin D-sub
 - Connector B Gender: Female
 - Length: 1.5 m



2369144 15 pin D-sub

RS PRO 3M 15 PIN D-SUB TO 15 PIN D-SUB SERIAL CABLE

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: 15 pin D-sub
 - Connector A Gender: Male
 - Connector B: 15 pin D-sub
 - Connector B Gender: Female
 - Length: 3 m



2369145 15 pin D-sub

RS PRO 3W SPEAKER SET, 90 → 18KHZ

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Speaker Type: PC Speaker
 - Nominal Rated Power: 3 W, 5 W
 - Frequency Response: 90 → 18KHz



2013518 PC Speaker

RS PRO MALE USB A TO MALE USB C CABLE, USB 3.1, 1M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: USB Cable
 - Connector A: USB A
 - Connector A Gender: Male
 - Connector B: USB C
 - Connector B Gender: Male
 - Length: 1 m
 - USB Version: USB 3.1
 - Sheath Colour: Black



1169372 USB Cable

RS PRO MALE USB A TO MALE LIGHTNING CABLE, USB 2.0, 150MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: USB Cable
 - Connector A: USB A
 - Connector A Gender: Male
 - Connector B: Lightning
 - Connector B Gender: Male
 - Length: 150 mm
 - USB Version: USB 2.0
 - Sheath Colour: Black



1448587 USB Cable

RS PRO MALE USB A TO MALE USB C CABLE, USB 3.1, 1M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: USB Cable
 - Connector A: USB A
 - Connector A Gender: Male
 - Connector B: USB C
 - Connector B Gender: Male
 - Length: 1 m
 - USB Version: USB 3.1
 - Sheath Colour: White



1448617 USB Cable

RS PRO MALE MICRO USB B TO UNTERMINATED CABLE, 500MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: USB Cable
 - Connector A: Micro USB B
 - Connector A Gender: Male
 - Connector B: Untermated
 - Length: 500 mm
 - Sheath Colour: Black
 - Standards Met: UL2464



1733530 USB Cable

RS PRO MALE MICRO USB B TO UNTERMINATED CABLE, 1.8M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: USB Cable
 - Connector A: Micro USB B
 - Connector A Gender: Male
 - Connector B: Untermated
 - Length: 1.8 m
 - Sheath Colour: Black
 - Standards Met: UL2464



1733531 USB Cable

RS PRO MALE USB A TO MALE MINI USB B CABLE, USB 2.0, 200MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: USB Cable
 - Connector A: USB A
 - Connector A Gender: Male
 - Connector B: Mini USB B
 - Connector B Gender: Male
 - Length: 200 mm
 - USB Version: USB 2.0
 - Sheath Colour: Black



1784179 USB Cable

RS PRO MALE USB C TO MALE USB A CABLE, USB 3.0, 1M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: USB Cable
 - Connector A: USB C
 - Connector A Gender: Male
 - Connector B: USB A
 - Connector B Gender: Male
 - Length: 1 m
 - USB Version: USB 3.0
 - Sheath Colour: Black



1828847 USB Cable

RS PRO MALE USB C TO MALE USB A CABLE, USB 2.0, 1M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: USB Cable
 - Connector A: USB C
 - Connector A Gender: Male
 - Connector B: USB A
 - Connector B Gender: Male
 - Length: 1 m
 - USB Version: USB 2.0
 - Sheath Colour: Black



1828848 USB Cable

RS PRO MALE USB A TO MALE LIGHTNING CABLE, USB 2.0, 2M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: USB Cable
 - Connector A: USB A
 - Connector A Gender: Male
 - Connector B: Lightning
 - Connector B Gender: Male
 - Length: 2 m
 - USB Version: USB 2.0
 - Sheath Colour: White



1828908 USB Cable

RS PRO MALE USB A TO FEMALE USB A USB EXTENSION CABLE, USB 3.0, 1.8M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: USB Extension Cable
 - Connector A: USB A
 - Connector A Gender: Male
 - Connector B: USB A
 - Connector B Gender: Female
 - Length: 1.8 m
 - USB Version: USB 3.0
 - Sheath Colour: White



1828913 USB Extension

RS PRO MALE USB A TO MALE 9 PIN D-SUB CABLE, 1.2M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: USB Cable
 - Connector A: USB A
 - Connector A Gender: Male
 - Connector B: 9 pin D-sub
 - Connector B Gender: Male
 - Length: 1.2 m
 - Sheath Colour: Black



1860518 USB Cable

RS PRO MALE USB A TO MALE USB A CABLE, USB 2.0, 500MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: USB Cable
 - Connector A: USB A
 - Connector A Gender: Male
 - Connector B: USB A
 - Connector B Gender: Male
 - Length: 500 mm
 - USB Version: USB 2.0
 - Sheath Colour: Black



1863011 USB Cable

RS PRO MALE USB A TO FEMALE USB A CABLE, USB 2.0, 500MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: USB Cable
 - Connector A: USB A
 - Connector A Gender: Male
 - Connector B: USB A
 - Connector B Gender: Female
 - Length: 500 mm
 - USB Version: USB 2.0
 - Sheath Colour: Black


1863012 USB Cable

RS PRO MALE USB A TO FEMALE USB A USB EXTENSION CABLE, USB 2.0, 1.8M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: USB Extension Cable
 - Connector A: USB A
 - Connector A Gender: Male
 - Connector B: USB A
 - Connector B Gender: Female
 - Length: 1.8 m
 - USB Version: USB 2.0
 - Sheath Colour: Black


1863013 USB Extension

RS PRO MALE USB A TO FEMALE USB A USB EXTENSION CABLE, USB 2.0, 3M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: USB Extension Cable
 - Connector A: USB A
 - Connector A Gender: Male
 - Connector B: USB A
 - Connector B Gender: Female
 - Length: 3 m
 - USB Version: USB 2.0
 - Sheath Colour: Black


1863014 USB Extension

RS PRO MALE USB A TO FEMALE USB A USB EXTENSION CABLE, USB 3.0, 2M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: USB Extension Cable
 - Connector A: USB A
 - Connector A Gender: Male
 - Connector B: USB A
 - Connector B Gender: Female
 - Length: 2 m
 - USB Version: USB 3.0
 - Sheath Colour: Blue


1863051 USB Extension

RS PRO MALE USB A TO MALE USB A CABLE, USB 3.0, 2M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: USB Cable
 - Connector A: USB A
 - Connector A Gender: Male
 - Connector B: USB A
 - Connector B Gender: Male
 - Length: 2 m
 - USB Version: USB 3.0
 - Sheath Colour: Blue


1863052 USB Cable

RS PRO MALE USB A TO MALE USB C CABLE, USB 3.0, USB 3.1, 2M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: USB Cable
 - Connector A: USB A
 - Connector A Gender: Male
 - Connector B: USB C
 - Connector B Gender: Male
 - Length: 2 m
 - USB Version: USB 3.0, USB 3.1
 - Sheath Colour: Black


1863053 USB Cable

RS PRO MALE USB A TO MALE USB C CABLE, USB 3.0, USB 3.1, 2M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: USB Cable
 - Connector A: USB A
 - Connector A Gender: Male
 - Connector B: USB C
 - Connector B Gender: Male
 - Length: 2 m
 - USB Version: USB 3.0, USB 3.1
 - Sheath Colour: Black


1863055 USB Cable

RS PRO MALE USB A TO MALE USB C CABLE, USB 2.0, 3M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: USB Cable
 - Connector A: USB A
 - Connector A Gender: Male
 - Connector B: USB C
 - Connector B Gender: Male
 - Length: 3 m
 - USB Version: USB 2.0
 - Sheath Colour: Black


1863056 USB Cable

RS PRO MALE USB C TO FEMALE USB A CABLE, USB 3.0, USB 3.1, 500MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: USB Cable
 - Connector A: USB C
 - Connector A Gender: Male
 - Connector B: USB A
 - Connector B Gender: Female
 - Length: 500 mm
 - USB Version: USB 3.0, USB 3.1
 - Sheath Colour: Black


1863057 USB Cable

RS PRO MALE USB C TO FEMALE USB A CABLE, USB 3.0, USB 3.1, 1M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: USB Cable
 - Connector A: USB C
 - Connector A Gender: Male
 - Connector B: USB A
 - Connector B Gender: Female
 - Length: 1 m
 - USB Version: USB 3.0, USB 3.1
 - Sheath Colour: Black


1863058 USB Cable

RS PRO MALE USB C TO MALE HDMI CABLE, USB 3.1, 1M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: USB Cable
 - Connector A: USB C
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Length: 1 m
 - USB Version: USB 3.1
 - Sheath Colour: Black


1924696 USB Cable

RS PRO MALE USB C TO MALE HDMI CABLE, USB 3.1, 2M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: USB Cable
 - Connector A: USB C
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Length: 2 m
 - USB Version: USB 3.1
 - Sheath Colour: Black


1924697 USB Cable

RS PRO MALE USB C TO MALE HDMI CABLE, USB 3.1, 3M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: USB Cable
 - Connector A: USB C
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Length: 3 m
 - USB Version: USB 3.1
 - Sheath Colour: Black


1924698 USB Cable

RS PRO MALE USB C TO MALE HDMI CABLE, USB 3.1, 5M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: USB Cable
 - Connector A: USB C
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Length: 5 m
 - USB Version: USB 3.1
 - Sheath Colour: Black


1924699 USB Cable

RS PRO MALE USB C TO MALE MINI DISPLAYPORT

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: USB C
 - Connector A Gender: Male
 - Connector B: Mini DisplayPort
 - Connector B Gender: Male


1924709 USB C

RS PRO MALE USB C TO MALE MINI DISPLAYPORT

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: USB C
 - Connector A Gender: Male
 - Connector B: Mini DisplayPort
 - Connector B Gender: Male


1924710 USB C

RS PRO MALE USB C TO MALE USB C CABLE, USB 3.1, 1.5M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: USB Cable
 - Connector A: USB C
 - Connector A Gender: Male
 - Connector B: USB C
 - Connector B Gender: Male
 - Length: 1.5 m
 - USB Version: USB 3.1
 - Sheath Colour: Black



1924724 USB Cable

RS PRO MALE USB C TO MALE USB A CABLE, USB 3.1, 500MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: USB Cable
 - Connector A: USB C
 - Connector A Gender: Male
 - Connector B: USB A
 - Connector B Gender: Male
 - Length: 500 mm
 - USB Version: USB 3.1
 - Sheath Colour: Black



1924726 USB Cable

RS PRO MALE USB C TO MALE USB B CABLE, USB 2.0, 3M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: USB Cable
 - Connector A: USB C
 - Connector A Gender: Male
 - Connector B: USB B
 - Connector B Gender: Male
 - Length: 3 m
 - USB Version: USB 2.0
 - Sheath Colour: Black



1924728 USB Cable

RS PRO MALE USB C TO MALE USB B CABLE, USB 2.0, 2M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: USB Cable
 - Connector A: USB C
 - Connector A Gender: Male
 - Connector B: USB B
 - Connector B Gender: Male
 - Length: 2 m
 - USB Version: USB 2.0
 - Sheath Colour: Black



1924729 USB Cable

RS PRO MALE USB C TO MALE USB B CABLE, USB 2.0, 1M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: USB Cable
 - Connector A: USB C
 - Connector A Gender: Male
 - Connector B: USB B
 - Connector B Gender: Male
 - Length: 1 m
 - USB Version: USB 2.0
 - Sheath Colour: Black



1924730 USB Cable

RS PRO MALE USB C TO MALE MICRO USB B CABLE, USB 2.0, 3M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: USB Cable
 - Connector A: USB C
 - Connector A Gender: Male
 - Connector B: Micro USB B
 - Connector B Gender: Male
 - Length: 3 m
 - USB Version: USB 2.0
 - Sheath Colour: Black



1924731 USB Cable

RS PRO MALE USB C TO MALE MICRO USB B CABLE, USB 2.0, 2M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: USB Cable
 - Connector A: USB C
 - Connector A Gender: Male
 - Connector B: Micro USB B
 - Connector B Gender: Male
 - Length: 2 m
 - USB Version: USB 2.0
 - Sheath Colour: Black



1924732 USB Cable

RS PRO MALE USB C TO MALE MICRO USB B CABLE, USB 2.0, 1M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: USB Cable
 - Connector A: USB C
 - Connector A Gender: Male
 - Connector B: Micro USB B
 - Connector B Gender: Male
 - Length: 1 m
 - USB Version: USB 2.0
 - Sheath Colour: Black



1924734 USB Cable

RS PRO MALE USB C TO 3.5MM STEREO JACK CABLE, 150MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: USB Cable
 - Connector A: USB C
 - Connector A Gender: Male
 - Connector B: 3.5mm Stereo Jack
 - Length: 150 mm
 - Sheath Colour: Black
 - Standards Met: CE, REACH, RoHS



1954877 USB Cable

RS PRO MALE USB A TO MALE USB B ACTIVE BOOSTER CABLE, USB 2.0,

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: Active Booster Cable
 - Connector A: USB A
 - Connector A Gender: Male
 - Connector B: USB B
 - Connector B Gender: Male
 - Length: 10 m
 - USB Version: USB 2.0
 - Sheath Colour: Black



2206498 Active Booster

RS PRO MALE USB A TO MALE USB B ACTIVE BOOSTER CABLE, USB 2.0,

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: Active Booster Cable
 - Connector A: USB A
 - Connector A Gender: Male
 - Connector B: USB B
 - Connector B Gender: Male
 - Length: 15 m
 - USB Version: USB 2.0
 - Sheath Colour: Clear



2206499 Active Booster

RS PRO MALE USB A TO MALE CENTRONICS CABLE, USB 1.1, 1M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: USB Cable
 - Connector A: USB A
 - Connector A Gender: Male
 - Connector B: Centronics
 - Connector B Gender: Male
 - Length: 1 m
 - USB Version: USB 1.1
 - Sheath Colour: Black



2299956 USB Cable

RS PRO MALE USB C TO MALE HDMI CABLE, 2M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: USB Cable
 - Connector A: USB C
 - Connector A Gender: Male
 - Connector B: HDMI
 - Connector B Gender: Male
 - Length: 2 m
 - Sheath Colour: Black



2299977 USB Cable

RS PRO MALE USB A TO MALE USB A CABLE, USB 2.0, 1.8M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: USB Cable
 - Connector A: USB A
 - Connector A Gender: Male
 - Connector B: USB A
 - Connector B Gender: Male
 - Length: 1.8 m
 - USB Version: USB 2.0



2369066 USB Cable

RS PRO MALE USB A TO MALE USB A CABLE, USB 2.0, 3M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: USB Cable
 - Connector A: USB A
 - Connector A Gender: Male
 - Connector B: USB A
 - Connector B Gender: Male
 - Length: 3 m
 - USB Version: USB 2.0



2369067 USB Cable

RS PRO MALE USB A TO MALE USB A CABLE, USB 2.0, 5M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Cable Type: USB Cable
 - Connector A: USB A
 - Connector A Gender: Male
 - Connector B: USB A
 - Connector B Gender: Male
 - Length: 5 m
 - USB Version: USB 2.0



2369068 USB Cable

RS PRO MALE USB A TO FEMALE USB B CABLE, USB 2.0, 5M

- ขนาดบรรจุภัณฑ์: 1 x EA
- USB Cable Type: USB Cable
 - Connector A: USB A
 - Connector A Gender: Male
 - Connector B: USB B
 - Connector B Gender: Female
 - Length: 5 m
 - USB Version: USB 2.0



2369151 USB Cable

RS PRO MALE USB A TO MALE USB B CABLE, USB 2.0, 2M

- ขนาดบรรจุภัณฑ์: 1 x EA
- USB Cable Type: USB Cable
 - Connector A: USB A
 - Connector A Gender: Male
 - Connector B: USB B
 - Connector B Gender: Male
 - Length: 2 m
 - USB Version: USB 2.0



2369152 USB Cable

RS PRO MALE USB A TO MALE USB B CABLE, USB 3.0, 2M

- ขนาดบรรจุภัณฑ์: 1 x EA
- USB Cable Type: USB Cable
 - Connector A: USB A
 - Connector A Gender: Male
 - Connector B: USB B
 - Connector B Gender: Male
 - Length: 2 m
 - USB Version: USB 3.0



2369155 USB Cable

RS PRO MALE USB C TO MALE USB A CABLE, USB 2.0, 0.5M

- ขนาดบรรจุภัณฑ์: 1 x EA
- USB Cable Type: USB Cable
 - Connector A: USB C
 - Connector A Gender: Male
 - Connector B: USB A
 - Connector B Gender: Male
 - Length: 0.5 m
 - USB Version: USB 2.0



2369157 USB Cable

RS PRO FEMALE USB C TO MALE USB A CABLE, USB 3.0, 150MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- USB Cable Type: USB Cable
 - Connector A: USB C
 - Connector A Gender: Female
 - Connector B: USB A
 - Connector B Gender: Male
 - Length: 150 mm
 - USB Version: USB 3.0



2369158 USB Cable

RS PRO MALE USB A TO MALE MICRO USB B CABLE, USB 3.0, 2M

- ขนาดบรรจุภัณฑ์: 1 x EA
- USB Cable Type: USB Cable
 - Connector A: USB A
 - Connector A Gender: Male
 - Connector B: Micro USB B
 - Connector B Gender: Male
 - Length: 2 m
 - USB Version: USB 3.0



2369161 USB Cable

RS PRO MALE USB A TO MALE MICRO USB B CABLE, USB 3.0, 2M

- ขนาดบรรจุภัณฑ์: 1 x EA
- USB Cable Type: USB Cable
 - Connector A: USB A
 - Connector A Gender: Male
 - Connector B: Micro USB B
 - Connector B Gender: Male
 - Length: 2 m
 - USB Version: USB 3.0



2369162 USB Cable

RS PRO MALE USB A TO MALE USB B CABLE, USB 3.0, 3.0M

- ขนาดบรรจุภัณฑ์: 1 x EA
- USB Cable Type: USB Cable
 - Connector A: USB A
 - Connector A Gender: Male
 - Connector B: USB B
 - Connector B Gender: Male
 - Length: 3 m
 - USB Version: USB 3.0
 - Sheath Colour: White



7903697 USB Cable

RS PRO FEMALE 20 PIN SOCKET TO FEMALE USB A X 2 CABLE, USB 3.0,

- ขนาดบรรจุภัณฑ์: 1 x EA
- USB Cable Type: USB Cable
 - Connector A: 20 Pin Socket
 - Connector A Gender: Female
 - Connector B: USB A x 2
 - Connector B Gender: Female
 - Length: 900 mm
 - USB Version: USB 3.0
 - Sheath Colour: Black



7966825 USB Cable

RS PRO STRAIGHT, MALE TO FEMALE TYPE USB A PS/2 1.1 USB CONNECTOR

- ขนาดบรรจุภัณฑ์: 1 x EA
- Gender: Male to Female
 - USB Type: USB A PS/2
 - USB Version: 1.1
 - Body Orientation: Straight



2369149 Male to Female

RS PRO STRAIGHT, FEMALE TO MALE TYPE USB A PS/2 1.1 USB CONNECTOR

- ขนาดบรรจุภัณฑ์: 1 x EA
- Gender: Female to Male
 - USB Type: USB A PS/2
 - USB Version: 1.1
 - Body Orientation: Straight



2369150 Female to Male

USB 2.0 ACTIVE REPEATER CABLE

- ขนาดบรรจุภัณฑ์: 1 x EA
- USB Standard: USB 2.0
 - Number of USB Ports: 1
 - Extension Distance: 12 m
 - Transmission Method: USB



1448000 USB 2.0

RS PRO 1 PORT USB 2.0 OVER CAT5 EXTENDER UP TO 50M EXTENSION

- ขนาดบรรจุภัณฑ์: 1 x EA
- USB Standard: USB 2.0
 - Number of USB Ports: 1
 - Extension Distance: 50 m
 - Transmission Method: CAT5
 - Local Device Dimensions: 68.35 x 31 x 21 mm



2206495 USB 2.0

RS PRO 1 PORT USB 2.0 USB ACTIVE BOOSTER CABLE UP TO 10M

- ขนาดบรรจุภัณฑ์: 1 x EA
- USB Standard: USB 2.0
 - Number of USB Ports: 1
 - Extension Distance: 10 m
 - Transmission Method: USB



2206500 USB 2.0

RS PRO 1 PORT USB 3.0 USB ACTIVE BOOSTER CABLE UP TO 10M

- ขนาดบรรจุภัณฑ์: 1 x EA
- USB Standard: USB 3.0
 - Number of USB Ports: 1
 - Extension Distance: 10 m
 - Transmission Method: USB



2206504 USB 3.0

RS PRO 1 PORT USB 1.1 OVER CAT5 EXTENDER UP TO 50M EXTENSION

- ขนาดบรรจุภัณฑ์: 1 x EA
- USB Standard: USB 1.1
 - Number of USB Ports: 1
 - Extension Distance: 50 m
 - Transmission Method: CAT5
 - Local Device Dimensions: 70 X 30 X 19 mm



2206506 USB 1.1

RS PRO 1 PORT USB 1.1 EXTENDER UP TO 45M EXTENSION DISTANCE

- ขนาดบรรจุภัณฑ์: 1 x EA
- USB Standard: USB 1.1
 - Number of USB Ports: 1
 - Extension Distance: 45 m



2299957 USB 1.1

RS PRO 1 PORT USB 3.0 USB EXTENDER

- ขนาดบรรจุภัณฑ์: 1 x EA
- USB Standard: USB 3.0
 - Number of USB Ports: 1
 - Transmission Method: USB
 - Local Device Dimensions: 60 x 30 x 20 mm



2369135 USB 3.0

RS PRO 4 PORT USB 2.0 USB A HUB, USB BUS POWERED

- ขนาดบรรจุภัณฑ์: 1 x EA
- USB Standard: USB 2.0
 - Number of USB Ports: 4
 - USB Connection Type: USB A
 - Power Source: USB Bus
 - Dimensions: 81.9 x 24 x 15 mm
 - Depth: 24 mm
 - Height: 15 mm
 - Width: 81.9 mm



1411989 USB 2.0

RS PRO 1 PORT USB 3.1 USB C HUB, USB POWERED

- ขนาดบรรจุภัณฑ์: 1 x EA
- USB Standard: USB 3.1
 - Number of USB Ports: 1
 - USB Connection Type: USB C
 - Network Connection Type: RJ45
 - Power Source: USB



1924693 USB 3.1

RS PRO 2 PORT USB 3.0 USB C HUB, USB POWERED

- ขนาดบรรจุภัณฑ์: 1 x EA
- USB Standard: USB 3.0
 - Number of USB Ports: 2
 - USB Connection Type: USB C
 - Power Source: USB



1924704 USB 3.0

RS PRO 3 PORT USB 3.0 USB C HUB, USB POWERED

- ขนาดบรรจุภัณฑ์: 1 x EA
- USB Standard: USB 3.0
 - Number of USB Ports: 3
 - USB Connection Type: USB C
 - Power Source: USB



1924706 USB 3.0

RS PRO 4 PORT USB 3.1 USB C HUB, USB POWERED

- ขนาดบรรจุภัณฑ์: 1 x EA
- USB Standard: USB 3.1
 - Number of USB Ports: 4
 - USB Connection Type: USB C
 - Power Source: USB



1924707 USB 3.1

RS PRO 4 PORT USB 3.0 USB C HUB, USB POWERED

- ขนาดบรรจุภัณฑ์: 1 x EA
- USB Standard: USB 3.0
 - Number of USB Ports: 4
 - USB Connection Type: USB C
 - Power Source: USB



1924708 USB 3.0

RS PRO MALE USB C AUDIO SUPPORTED TO FEMALE USB A X 3

- ขนาดบรรจุภัณฑ์: 1 x EA
- USB Cable Type: USB Cable
 - Connector A: USB C Audio supported
 - Connector A Gender: Male
 - Connector B: USB A x 3 Audio supported
 - Connector B Gender: Female
 - Length: 270 mm
 - USB Version: USB 3.0
 - Standards Met: CE, REACH, RoHS



1954880 USB Cable

RS PRO 4 PORT USB 2.0 USB A HUB, USB POWERED

- ขนาดบรรจุภัณฑ์: 1 x EA
- USB Standard: USB 2.0
 - Number of USB Ports: 4
 - USB Connection Type: USB A
 - Power Source: USB
 - Dimensions: 105 x 30 x 10 mm



2206492 USB 2.0

RS PRO 4 PORT USB 3.0 USB A HUB, USB POWERED

- ขนาดบรรจุภัณฑ์: 1 x EA
- USB Standard: USB 3.0
 - Number of USB Ports: 4
 - USB Connection Type: USB A
 - Power Source: USB



2369129 USB 3.0

RS PRO USB ETHERNET ADAPTER USB 2.0 USB 2.0 TO RJ45

- ขนาดบรรจุภัณฑ์: 1 x EA
- USB Standard: USB 2.0
 - Connector A: USB 2.0
 - Connector B: RJ45
 - Connector B Gender: Female
 - Number of Ports: 1
 - Network Speed: 10/100 Mbit/s
 - Wake On LAN: Yes



1447998 USB 2.0

RS PRO USB ETHERNET ADAPTER USB 3.0 USB A TO RJ45

- ขนาดบรรจุภัณฑ์: 1 x EA
- USB Standard: USB 3.0
 - Connector A: USB A
 - Connector B: RJ45
 - Connector B Gender: Female
 - Number of Ports: 1
 - Network Speed: 10/100/1000 Mbit/s
 - Wake On LAN: Yes



1447999 USB 3.0

RS PRO USB NETWORK ADAPTER USB 1.1, USB 2.0 USB A X 2 TO ETHERNET

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A Gender: Male
 - USB Standard: USB 1.1, USB 2.0
 - Connector A: USB A x 2
 - Connector B: Ethernet
 - Connector B Gender: Female
 - Number of Ports: 1



1954911 Male

RS PRO USB NETWORK ADAPTER USB 3.0 USB A TO ETHERNET

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A Gender: Male
 - USB Standard: USB 3.0
 - Connector A: USB A
 - Connector B: Ethernet
 - Connector B Gender: Female
 - Number of Ports: 1



1954912 Male

RS PRO USB NETWORK ADAPTER USB 3.0 TO RJ45 FEMALE

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A Gender: Male
 - Connector A: USB 3.0
 - Connector B: RJ45 Female
 - Connector B Gender: Female



2369160 Male

RS PRO USB C TO DISPLAYPORT ADAPTER CABLE, 1 SUPPORTED

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Connection Type: USB C
 - Number of Displays Supported: 1
 - Video Connection Type: DisplayPort
 - Maximum Resolution: 4K



1924683 USB C

RS PRO USB C TO DVI ADAPTER CABLE, 1 SUPPORTED DISPLAY(S) - 4K

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Connection Type: USB C
 - Number of Displays Supported: 1
 - Video Connection Type: DVI
 - Maximum Resolution: 4K



1924685 USB C

RS PRO USB C TO DVI ADAPTER CABLE, 1 SUPPORTED DISPLAY(S) - 4K

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Connection Type: USB C
 - Number of Displays Supported: 1
 - Video Connection Type: DVI
 - Maximum Resolution: 4K



1924686 USB C

RS PRO USB C TO DVI ADAPTER CABLE, 1 SUPPORTED DISPLAY(S)

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Connection Type: USB C
 - Number of Displays Supported: 1
 - Video Connection Type: DVI



1924689 USB C

RS PRO USB C TO DVI-D ADAPTER CABLE, 1 SUPPORTED DISPLAY(S)

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Standard: USB C
 - Number of Displays Supported: 1
 - Video Connection Type: DVI-D



1924692 USB C

RS PRO USB C ADAPTER, USB 3.1

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Standard: USB 3.1
 - USB Connection Type: USB C



1924694 USB 3.1

RS PRO USB C TO HDMI ADAPTER, USB 3.1, 1 SUPPORTED DISPLAY(S)

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Standard: USB 3.1
 - USB Connection Type: USB C
 - Number of Displays Supported: 1
 - Video Connection Type: HDMI



1924700 USB 3.1

RS PRO USB C TO HDMI ADAPTER, USB 3.1, 1 SUPPORTED DISPLAY(S)

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Standard: USB 3.1
 - USB Connection Type: USB C
 - Number of Displays Supported: 1
 - Video Connection Type: HDMI



1924701 USB 3.1

RS PRO USB C TO HDMI ADAPTER, USB 3.1, 1 SUPPORTED DISPLAY(S)

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Standard: USB 3.1
 - USB Connection Type: USB C
 - Number of Displays Supported: 1
 - Video Connection Type: HDMI



1924702 USB 3.1

RS PRO USB C TO HDMI ADAPTER, USB 3.1, 1 SUPPORTED DISPLAY(S)

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Standard: USB 3.1
 - USB Connection Type: USB C
 - Number of Displays Supported: 1
 - Video Connection Type: HDMI



1924703 USB 3.1

RS PRO USB C TO MINI DISPLAYPORT ADAPTER CABLE, USB 3.1, 1

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Standard: USB 3.1
 - USB Connection Type: USB C
 - Number of Displays Supported: 1
 - Video Connection Type: Mini DisplayPort
 - Maximum Resolution: 3840 x 2160



1924712 USB 3.1

RS PRO USB C TO MINI DISPLAYPORT ADAPTER CABLE, USB 3.1, 1

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Standard: USB 3.1
 - USB Connection Type: USB C
 - Number of Displays Supported: 1
 - Video Connection Type: Mini DisplayPort
 - Maximum Resolution: 3840 x 2160



1924713 USB 3.1

RS PRO USB C TO VGA ADAPTER CABLE, USB 3.1, 1 SUPPORTED

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Standard: USB 3.1
 - USB Connection Type: USB C
 - Number of Displays Supported: 1
 - Video Connection Type: VGA
 - Maximum Resolution: 1080p



1924714 USB 3.1

RS PRO USB C TO VGA ADAPTER CABLE, USB 3.1, 1 SUPPORTED

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Standard: USB 3.1
 - USB Connection Type: USB C
 - Number of Displays Supported: 1
 - Video Connection Type: VGA
 - Maximum Resolution: 1080p



1924715 USB 3.1

RS PRO USB C TO VGA ADAPTER CABLE, USB 3.1, 1 SUPPORTED

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Standard: USB 3.1
 - USB Connection Type: USB C
 - Number of Displays Supported: 1
 - Video Connection Type: VGA
 - Maximum Resolution: 1080p



1924716 USB 3.1

RS PRO USB C TO VGA ADAPTER CABLE, USB 3.1, 1 SUPPORTED

- ขนาดบรรจุภัณฑ์: **1 x EA**
- USB Standard: USB 3.1
 - USB Connection Type: USB C
 - Number of Displays Supported: 1
 - Video Connection Type: VGA
 - Maximum Resolution: 1080p



1924717 USB 3.1

RS PRO USB C TO VGA ADAPTER, USB 3.1, 1 SUPPORTED DISPLAY(S)

- ขนาดบรรจุภัณฑ์: 1 x EA
- USB Standard: USB 3.1
 - USB Connection Type: USB C
 - Number of Displays Supported: 1
 - Video Connection Type: VGA



1924719 USB 3.1

RS PRO USB C TO DVI, HDMI, VGA ADAPTER, USB 3.1, 1 SUPPORTED

- ขนาดบรรจุภัณฑ์: 1 x EA
- USB Standard: USB 3.1
 - USB Connection Type: USB C
 - Number of Displays Supported: 1
 - Video Connection Type: DVI, HDMI, VGA



1924722 USB 3.1

RS PRO USB C TO DISPLAYPORT, DVI, HDMI ADAPTER, USB 3.1, 1

- ขนาดบรรจุภัณฑ์: 1 x EA
- USB Standard: USB 3.1
 - USB Connection Type: USB C
 - Number of Displays Supported: 1
 - Video Connection Type: DisplayPort, DVI, HDMI



1924723 USB 3.1

RS PRO USB C TO HDMI, VGA ADAPTER, USB 3.0, 1 SUPPORTED

- ขนาดบรรจุภัณฑ์: 1 x EA
- USB Standard: USB 3.0
 - USB Connection Type: USB C
 - Number of Displays Supported: 1
 - Video Connection Type: HDMI, VGA
 - Maximum Resolution: 1080



2206502 USB 3.0

RS PRO USB A TO HDMI ADAPTER, USB 3.0, 1 SUPPORTED DISPLAY(S) -

- ขนาดบรรจุภัณฑ์: 1 x EA
- USB Standard: USB 3.0
 - USB Connection Type: USB A
 - Number of Displays Supported: 1
 - Video Connection Type: HDMI
 - Maximum Resolution: 1600 X 1200



2206505 USB 3.0

RS PRO USB C TO HDMI ADAPTER, USB C, 3 SUPPORTED DISPLAY(S) -

- ขนาดบรรจุภัณฑ์: 1 x EA
- USB Standard: USB C
 - USB Connection Type: USB C
 - Number of Displays Supported: 3
 - Video Connection Type: HDMI
 - Maximum Resolution: 3840 x 2160



2368994 USB C

RS PRO USB C TO HDMI ADAPTER, USB C, 3 SUPPORTED DISPLAY(S) -

- ขนาดบรรจุภัณฑ์: 1 x EA
- USB Standard: USB C
 - USB Connection Type: USB C
 - Number of Displays Supported: 3
 - Video Connection Type: HDMI
 - Maximum Resolution: 3840 x 2160



2368995 USB C

RS PRO USB C TO DISPLAYPORT ADAPTER, USB C, 2 SUPPORTED

- ขนาดบรรจุภัณฑ์: 1 x EA
- USB Standard: USB C
 - USB Connection Type: USB C
 - Number of Displays Supported: 2
 - Video Connection Type: DisplayPort
 - Maximum Resolution: 3840 x 2160



2368996 USB C

RS PRO USB C TO HDMI ADAPTER, USB C, 2 SUPPORTED DISPLAY(S) -

- ขนาดบรรจุภัณฑ์: 1 x EA
- USB Standard: USB C
 - USB Connection Type: USB C
 - Number of Displays Supported: 2
 - Video Connection Type: HDMI
 - Maximum Resolution: 3840 x 2160



2368997 USB C

7MTR VGA/SVGA HD15 M-F EXTENSION CABLE -

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A Gender: Male
 - Connector A: VGA
 - Connector B Gender: Female
 - Connector B: VGA
 - Length: 7 m
 - Outer Sheath Material: PVC
 - Sheath Colour: Black
 - Size of Strands: 0.12 mm



1863020 Male

RS PRO MALE VGA TO FEMALE VGA CABLE, 30M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A Gender: Male
 - Connector A: VGA
 - Connector B Gender: Female
 - Connector B: VGA
 - Length: 30 m
 - Outer Sheath Material: PVC
 - Sheath Colour: Black
 - Size of Strands: 0.12 mm



1863021 Male

RS PRO MALE VGA TO FEMALE VGA CABLE, 200MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A Gender: Male
 - Connector A: VGA
 - Connector B Gender: Female
 - Connector B: VGA
 - Length: 200 mm
 - Outer Sheath Material: PVC
 - Sheath Colour: Black



1954277 Male

RS PRO MALE SVGA TO MALE SVGA CABLE, 2M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A Gender: Male
 - Connector A: SVGA
 - Connector B Gender: Male
 - Connector B: SVGA
 - Length: 2 m



2369094 Male

RS PRO MALE SVGA TO MALE SVGA CABLE, 1M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A Gender: Male
 - Connector A: SVGA
 - Connector B Gender: Male
 - Connector B: SVGA
 - Length: 1 m
 - Outer Sheath Material: PVC
 - Sheath Colour: Black
 - Size of Strands: 0.23 mm



9135010 Male

RS PRO MALE SVGA TO MALE SVGA CABLE, 2M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A Gender: Male
 - Connector A: SVGA
 - Connector B Gender: Male
 - Connector B: SVGA
 - Length: 2 m
 - Outer Sheath Material: PVC
 - Sheath Colour: Black
 - Size of Strands: 0.23 mm



9135013 Male

RS PRO MALE SVGA TO MALE SVGA CABLE, 3M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A Gender: Male
 - Connector A: SVGA
 - Connector B Gender: Male
 - Connector B: SVGA
 - Length: 3 m
 - Outer Sheath Material: PVC
 - Sheath Colour: Black
 - Size of Strands: 0.23 mm



9135017 Male

RS PRO MALE SVGA TO MALE SVGA CABLE, 3M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A Gender: Male
 - Connector A: SVGA
 - Connector B Gender: Male
 - Connector B: SVGA
 - Length: 3 m
 - Outer Sheath Material: PVC
 - Sheath Colour: Black
 - Size of Strands: 0.23 mm



9135023 Male

RS PRO MALE SVGA TO MALE SVGA CABLE, 5M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A Gender: Male
 - Connector A: SVGA
 - Connector B Gender: Male
 - Connector B: SVGA
 - Length: 5 m
 - Outer Sheath Material: PVC
 - Sheath Colour: Black
 - Size of Strands: 0.23 mm



9135026 Male

RS PRO MALE SVGA TO MALE SVGA CABLE, 7.5M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A Gender: Male
 - Connector A: SVGA
 - Connector B Gender: Male
 - Connector B: SVGA
 - Length: 7.5 m
 - Outer Sheath Material: PVC
 - Sheath Colour: Black
 - Size of Strands: 0.23 mm



9135029 Male

RS PRO 4 PORT 1 INPUT 3 OUTPUT MATRIX SWITCH 1080P

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Device Type: Matrix Switch
 - Number of Ports: 4
 - Number of Video Outputs: 3
 - Number of Video Inputs: 1
 - Maximum Resolution: 1080p



1828803 Matrix Switch

RS PRO 2 PORT 2 INPUT 2 OUTPUT HDMI SWITCH 1080

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Device Type: Switch
 - Video Connection Type: HDMI
 - Number of Ports: 2
 - Number of Video Inputs: 2
 - Number of Video Outputs: 2
 - Maximum Resolution: 1080



2369133 Switch

RS PRO 720P USB WEBCAM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Maximum Resolution: 1080 x 720
 - Built-In Microphone: Yes
 - Effective Pixels: 0.8 MP
 - Frame Rate: 30 fps



2013517 1080 x 720

RS PRO MOLEX 4 PIN CONNECTOR TO MOLEX 4 PIN CONNECTOR WIRE TO

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: Molex 4 Pin Connector
 - Connector A Gender: Male
 - Connector B: Molex 4 Pin Connector
 - Connector B Gender: Female
 - Connector A Number of Contacts: 4
 - Connector B Number of Contacts: 4
 - Sheath Colour: Black/Red/Yellow
 - Cable Length: 2 m



6665063 Molex 4 Pin

RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 0.5M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: 3 pin XLR
 - Connector B: 3 pin XLR
 - Connector A Gender: Male
 - Connector B Gender: Female
 - Length: 0.5 m
 - Sheath Colour: Black
 - Shielding: Copper Braid
 - Outer Sheath Material: PVC



1924432 3 pin XLR

RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 1M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: 3 pin XLR
 - Connector B: 3 pin XLR
 - Connector A Gender: Male
 - Connector B Gender: Female
 - Length: 1 m
 - Sheath Colour: Black
 - Outer Sheath Material: PVC
 - Series: 2XLR-SV



1924433 3 pin XLR

RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 2M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: 3 pin XLR
 - Connector B: 3 pin XLR
 - Connector A Gender: Male
 - Connector B Gender: Female
 - Length: 2 m
 - Sheath Colour: Black
 - Outer Sheath Material: PVC
 - Series: 2XLR-SV



1924434 3 pin XLR

RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 3M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: 3 pin XLR
 - Connector B: 3 pin XLR
 - Connector A Gender: Male
 - Connector B Gender: Female
 - Length: 3 m
 - Sheath Colour: Black
 - Outer Sheath Material: PVC
 - Series: 2XLR-SV



1924435 3 pin XLR

RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 5M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: 3 pin XLR
 - Connector B: 3 pin XLR
 - Connector A Gender: Male
 - Connector B Gender: Female
 - Length: 5 m
 - Sheath Colour: Black
 - Outer Sheath Material: PVC
 - Series: 2XLR-SV



1924436 3 pin XLR

RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 10M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: 3 pin XLR
 - Connector B: 3 pin XLR
 - Connector A Gender: Male
 - Connector B Gender: Female
 - Length: 10 m
 - Sheath Colour: Black
 - Shielding: Copper Braid
 - Outer Sheath Material: PVC



1924438 3 pin XLR

RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 15M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: 3 pin XLR
 - Connector B: 3 pin XLR
 - Connector A Gender: Male
 - Connector B Gender: Female
 - Length: 15 m
 - Sheath Colour: Black
 - Outer Sheath Material: PVC
 - Series: 2XLR-SV



1924439 3 pin XLR

RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 20M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: 3 pin XLR
 - Connector B: 3 pin XLR
 - Connector A Gender: Male
 - Connector B Gender: Female
 - Length: 20 m
 - Sheath Colour: Black
 - Outer Sheath Material: PVC
 - Series: 2XLR-SV



1924440 3 pin XLR

RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 0.5M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Connector A: 3 pin XLR
 - Connector B: 3 pin XLR
 - Connector A Gender: Male
 - Connector B Gender: Female
 - Length: 0.5 m
 - Sheath Colour: Black
 - Shielding: Copper Braid
 - Outer Sheath Material: PVC



1924441 3 pin XLR

RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 1M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: 3 pin XLR
 - Connector B: 3 pin XLR
 - Connector A Gender: Male
 - Connector B Gender: Female
 - Length: 1 m
 - Sheath Colour: Black
 - Outer Sheath Material: PVC
 - Series: 2XLR-BK



1924442 3 pin XLR

RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 2M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: 3 pin XLR
 - Connector B: 3 pin XLR
 - Connector A Gender: Male
 - Connector B Gender: Female
 - Length: 2 m
 - Sheath Colour: Black
 - Outer Sheath Material: PVC
 - Series: 2XLR-BK



1924443 3 pin XLR

RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 3M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: 3 pin XLR
 - Connector B: 3 pin XLR
 - Connector A Gender: Male
 - Connector B Gender: Female
 - Length: 3 m
 - Sheath Colour: Black
 - Outer Sheath Material: PVC
 - Series: 2XLR-BK



1924444 3 pin XLR

RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 5M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: 3 pin XLR
 - Connector B: 3 pin XLR
 - Connector A Gender: Male
 - Connector B Gender: Female
 - Length: 5 m
 - Sheath Colour: Black
 - Outer Sheath Material: PVC
 - Series: 2XLR-BK



1924445 3 pin XLR

RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 6M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: 3 pin XLR
 - Connector B: 3 pin XLR
 - Connector A Gender: Male
 - Connector B Gender: Female
 - Length: 6 m
 - Sheath Colour: Black
 - Outer Sheath Material: PVC
 - Series: 2XLR-BK



1924447 3 pin XLR

RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 15M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: 3 pin XLR
 - Connector B: 3 pin XLR
 - Connector A Gender: Male
 - Connector B Gender: Female
 - Length: 15 m
 - Sheath Colour: Black
 - Outer Sheath Material: PVC
 - Series: 2XLR-BK



1924449 3 pin XLR

RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 20M

- ขนาดบรรจุภัณฑ์: 1 x EA
- Connector A: 3 pin XLR
 - Connector B: 3 pin XLR
 - Connector A Gender: Male
 - Connector B Gender: Female
 - Length: 20 m
 - Sheath Colour: Black
 - Shielding: Copper Braid
 - Outer Sheath Material: PVC



1924450 3 pin XLR

CONDUCTIVE PP BRUSH, 144X50X20MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Material: Nylon
 - Shape: Flat
 - Length: 164 mm
 - Dissipative: Yes
 - Conductive: Yes
 - Cleanroom: No
 - Complies with EN 61340-5-1: Yes
 - Handle Length: 144 mm



1250302 Nylon

CIRCULAR ANTI STATIC BRUSH, PLASTIC

- ขนาดบรรจุภัณฑ์: 1 x EA
- Material: Plastic
 - Shape: Circular
 - Length: 152 mm
 - Dissipative: No
 - Conductive: Yes
 - Cleanroom: No
 - Complies with EN 61340-5-1: Yes
 - Handle Length: 140 mm



2878170 Plastic

BRUSH,CIRCULAR,ANTISTATIC,C/W HANDLE,60MM

- ขนาดบรรจุภัณฑ์: 1 x EA
- Material: Plastic
 - Shape: Rectangular
 - Length: 245 mm
 - Dissipative: Yes
 - Conductive: Yes
 - Cleanroom: No
 - Complies with EN 61340-5-1: Yes
 - Handle Length: 225 mm



2878186 Plastic

RS PRO 227ML ESD BOTTLE

- ขนาดบรรจุภัณฑ์: 1 x EA
- Dispenser Type: Bottle
 - Capacity: 227 ml
 - Dissipative: Yes
 - Conductive: No
 - Anti-Static: Yes
 - Cleanroom: Yes



1846689 Bottle

ANTI-SPLASH PUMP DISPENSER,240ML (8OZ)

- ขนาดบรรจุภัณฑ์: 1 x EA
- Dispenser Type: Bottle
 - Capacity: 240 ml
 - Dissipative: Yes
 - Conductive: No
 - Anti-Static: No
 - Cleanroom: No
 - Complies with EN 61340-5-1: Yes



7989332 Bottle

CLEANROOM DRY WIPES,9X9IN.100

- ขนาดบรรจุภัณฑ์: 100 x EA
- Dispenser Type: Wipe
 - Capacity: 100
 - Dissipative: No
 - Conductive: No
 - Anti-Static: No
 - Cleanroom: Yes
 - Complies with EN 61340-5-1: No



8295120 Wipe

RS PRO 150 CLEANROOM WIPES

- ขนาดบรรจุภัณฑ์: 100 x EA
- Dispenser Type: Wipe
 - Capacity: 150
 - Dissipative: No
 - Conductive: No
 - Anti-Static: No
 - Cleanroom: Yes
 - Complies with EN 61340-5-1: No



8295124 Wipe

RS PRO 150 CLEANROOM WIPES

- ขนาดบรรจุภัณฑ์: 150 x EA
- Dispenser Type: Wipe
 - Capacity: 150
 - Dissipative: No
 - Conductive: No
 - Anti-Static: No
 - Cleanroom: Yes
 - Complies with EN 61340-5-1: No



8295133 Wipe

CLEANROOM POLY/CELLULOSE DRY WIPES,100

- ขนาดบรรจุภัณฑ์: 100 x EA
- Dispenser Type: Wipe
 - Capacity: 100
 - Dissipative: No
 - Conductive: No
 - Anti-Static: No
 - Cleanroom: Yes
 - Complies with EN 61340-5-1: No



8295136 Wipe

RS PRO 100 CLEANROOM WIPES

- ขนาดบรรจุภัณฑ์: 100 x EA
- Dispenser Type: Wipe
 - Capacity: 100
 - Dissipative: No
 - Conductive: No
 - Anti-Static: No
 - Cleanroom: Yes
 - Complies with EN 61340-5-1: No



8295142 Wipe

RS PRO 100 CLEANROOM WIPES

- ขนาดบรรจุภัณฑ์: 100 x EA
- Dispenser Type: Wipe
 - Capacity: 100
 - Dissipative: No
 - Conductive: No
 - Anti-Static: No
 - Cleanroom: Yes
 - Complies with EN 61340-5-1: No



8295146 Wipe

RS PRO 200 CLEANROOM WIPES

- ขนาดบรรจุภัณฑ์: 200 x EA
- Dispenser Type: Wipe
 - Capacity: 200
 - Dissipative: No
 - Conductive: No
 - Anti-Static: No
 - Cleanroom: Yes
 - Complies with EN 61340-5-1: No



8295149 Wipe

RS PRO 100 CLEANROOM WIPES

- ขนาดบรรจุภัณฑ์: 100 x EA
- Dispenser Type: Wipe
 - Capacity: 100
 - Dissipative: No
 - Conductive: No
 - Anti-Static: No
 - Cleanroom: Yes
 - Complies with EN 61340-5-1: No



8295155 Wipe

HAND,PROTECTION,ANTISTATIC,GLOVES,POLYESTER,C/W SUPER GRIP,M

- ขนาดบรรจุภัณฑ์: 1 x PR
- Size: 8 - M
 - Material: PET
 - Latex Free: Yes
 - Number of Gloves: 2
 - Reusable/Disposable: Reusable
 - Complies with EN 61340-5-1: No



3562208 8 - M

HAND,PROTECTION,ANTISTATIC,GLOVES,POLYESTER,C/W SUPER GRIP,L

- ขนาดบรรจุภัณฑ์: 1 x PR
- Size: 9 - L
 - Material: PET
 - Latex Free: Yes
 - Number of Gloves: 2
 - Reusable/Disposable: Reusable
 - Complies with EN 61340-5-1: No



3562214 9 - L

HAND,PROTECTION,ANTISTATIC,GLOVES,POLYESTER,C/W SUPER GRIP,XL

- ขนาดบรรจุภัณฑ์: 1 x PR
- Size: 10 - XL
 - Material: PET
 - Latex Free: Yes
 - Number of Gloves: 2
 - Reusable/Disposable: Reusable
 - Complies with EN 61340-5-1: No



3562220 10 - XL

RS PRO 8 - M PET ANTI-STATIC GLOVES

- ขนาดบรรจุภัณฑ์: **1 x PR**
- Size: 8 - M
 - Material: PET
 - Latex Free: Yes
 - Number of Gloves: 2
 - Reusable/Disposable: Reusable
 - Complies with EN 61340-5-1: No



3562236 8 - M

HAND, PROTECTION, ANTISTATIC, GLOVES, POLYESTER, C/W PVC SMOOTH

- ขนาดบรรจุภัณฑ์: **1 x PR**
- Size: 9 - L
 - Material: PET
 - Latex Free: Yes
 - Number of Gloves: 2
 - Reusable/Disposable: Reusable
 - Complies with EN 61340-5-1: No



3562258 9 - L

GROUNDING, ANTISTATIC, FIELD SERVICE MAT, LIGHT WEIGHT

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Use Type: Bench, Floor
 - Suitable For: Bench, Floor Mat
 - Length: 380 mm
 - Width: 500 mm
 - Complies with EN 61340-5-1: Yes
 - Number of Material Layers: 2
 - Surface Texture Type: Smooth



3407640 Bench, Floor

BENCH/FLOOR ESD-SAFE MAT, 1.2M X 600MM X 3.2MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Use Type: Bench, Floor
 - Suitable For: Chemical Resistance, Continuous Monitoring, Soldering
 - Thickness: 3.2 mm
 - Length: 1.2 m
 - Width: 600 mm
 - Complies with EN 61340-5-1: Yes
 - Surface Texture Type: Smooth
 - Number of Material Layers: 3



4661643 Bench, Floor

GREY BENCH/FLOOR ESD-SAFE MAT, 1.2M X 600MM X 3.2MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Use Type: Bench, Floor
 - Suitable For: Chemical Resistance, Continuous Monitoring, Soldering
 - Thickness: 3.2 mm
 - Colour: Grey
 - Length: 1.2 m
 - Width: 600 mm
 - Complies with EN 61340-5-1: Yes
 - Number of Material Layers: 3



4661659 Bench, Floor

BENCH ESD-SAFE MAT, 1.2M X 600MM X 2MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Use Type: Bench
 - Thickness: 2 mm
 - Suitable For: Bench
 - Length: 1.2 m
 - Width: 600 mm
 - Surface Texture Type: Smooth
 - Complies with EN 61340-5-1: No
 - Resistance: 4.4 x 1,000,000 Ω



7873114 Bench

CLEANROOM TACKY MAT, 1.14M X 460MM X 1.65MM

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Use Type: Cleanroom
 - Suitable For: Standard Shoes
 - Thickness: 1.65 mm
 - Length: 1.14 m
 - Width: 460 mm
 - Complies with EN 61340-5-1: No
 - Surface Texture Type: Smooth
 - Number of Material Layers: 30



8295281 Cleanroom

CLEANROOM TACKY MAT, 1.14M X 460MM X 1.65MM

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Use Type: Cleanroom
 - Suitable For: Standard Shoes
 - Thickness: 1.65 mm
 - Length: 1.14 m
 - Width: 460 mm
 - Complies with EN 61340-5-1: No
 - Surface Texture Type: Smooth
 - Number of Material Layers: 30



8295287 Cleanroom

CLEANROOM TACKY MAT, 1.14M X 660MM X 1.65MM

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Use Type: Cleanroom
 - Suitable For: Standard Shoes
 - Thickness: 1.65 mm
 - Length: 1.14 m
 - Width: 660 mm
 - Complies with EN 61340-5-1: No
 - Surface Texture Type: Smooth
 - Number of Material Layers: 30



8295290 Cleanroom

CLEANROOM TACKY MAT, 1.14M X 660MM X 1.65MM

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Use Type: Cleanroom
 - Suitable For: Standard Shoes
 - Thickness: 1.65 mm
 - Length: 1.14 m
 - Width: 660 mm
 - Complies with EN 61340-5-1: No
 - Surface Texture Type: Smooth
 - Number of Material Layers: 30



8295293 Cleanroom

CLEANROOM TACKY MAT, 910MM X 910MM X 1.65MM

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Use Type: Cleanroom
 - Suitable For: Standard Shoes
 - Thickness: 1.65 mm
 - Colour: White
 - Length: 910 mm
 - Width: 910 mm
 - Complies with EN 61340-5-1: No
 - Number of Material Layers: 30



8295297 Cleanroom

CLEANROOM TACKY MAT, 1.14M X 910MM X 1.65MM

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Use Type: Cleanroom
 - Suitable For: Standard Shoes
 - Thickness: 1.65 mm
 - Length: 1.14 m
 - Width: 910 mm
 - Complies with EN 61340-5-1: No
 - Surface Texture Type: Smooth
 - Number of Material Layers: 30



8295300 Cleanroom

BLUE CLEANROOM TACKY MAT, 910MM X 910MM X 1.65MM

- ขนาดบรรจุภัณฑ์: **8 x EA**
- Use Type: Cleanroom
 - Thickness: 1.65 mm
 - Suitable For: Standard Shoes
 - Colour: Blue
 - Length: 910 mm
 - Width: 910 mm
 - Complies with EN 61340-5-1: No
 - Surface Texture Type: Smooth



8295307 Cleanroom

RS PRO BLACK CONDUCTIVE BAG 203MM(W)X 127MM(L)

- ขนาดบรรจุภัณฑ์: **10 x EA**
- Packaging Type: Black Conductive Bag
 - Type: Bag
 - Colour: Black
 - Length: 127 mm
 - Thickness: 0.075 mm
 - Width: 203 mm
 - Quantity Per Package: 10
 - Dissipative: No



550072 Black Conductive

RS PRO BLACK CONDUCTIVE BAG 254MM(W)X 203MM(L)

- ขนาดบรรจุภัณฑ์: **10 x EA**
- Packaging Type: Black Conductive Bag
 - Type: Bag
 - Colour: Black
 - Length: 203 mm
 - Thickness: 0.075 mm
 - Width: 254 mm
 - Quantity Per Package: 10
 - Dissipative: No



550088 Black Conductive

RS PRO BLACK CONDUCTIVE BAG 305MM(W)X 252MM(L)

- ขนาดบรรจุภัณฑ์: **10 x EA**
- Packaging Type: Black Conductive Bag
 - Type: Bag
 - Colour: Black
 - Length: 252 mm
 - Thickness: 0.075 mm
 - Width: 305 mm
 - Quantity Per Package: 10
 - Dissipative: No



550094 Black Conductive

ANTISTATIC,ELECTRICALLY CONDUCTIVE,STORAGE

- ขนาดบรรจุภัณฑ์: **10 x EA**
- Packaging Type: Black Conductive Bag
 - Type: Bag
 - Colour: Black
 - Length: 305 mm
 - Thickness: 0.075 mm
 - Width: 406 mm
 - Quantity Per Package: 10
 - Dissipative: No



550101 Black Conductive

ANTISTATIC,ELECTRICALLY CONDUCTIVE,STORAGE

- ขนาดบรรจุภัณฑ์: **10 x EA**
- Packaging Type: Black Conductive Bag
 - Type: Bag
 - Colour: Black
 - Length: 406 mm
 - Thickness: 0.075 mm
 - Width: 508 mm
 - Quantity Per Package: 10
 - Dissipative: No



550117 Black Conductive

DISSIPATIVE CLEAR ZIP BAG,100X150MM,100

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: ESD Ultra Clear Bag
 - Type: Bag
 - Colour: Clear
 - Length: 150 mm
 - Thickness: 0.09 mm
 - Width: 100 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1229154 ESD Ultra Clear

DISSIPATIVE CLEAR ZIP BAG,150X200MM,100

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: ESD Ultra Clear Bag
 - Type: Bag
 - Colour: Clear
 - Length: 200 mm
 - Thickness: 0.09 mm
 - Width: 150 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1229155 ESD Ultra Clear

DISSIPATIVE CLEAR ZIP BAG,200X250MM,100

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: ESD Ultra Clear Bag
 - Type: Bag
 - Colour: Clear
 - Length: 250 mm
 - Thickness: 0.09 mm
 - Width: 200 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1229156 ESD Ultra Clear

RS PRO ESD ULTRA CLEAR BAG 250MM(W)X 300MM(L)

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: ESD Ultra Clear Bag
 - Type: Bag
 - Colour: Clear
 - Length: 300 mm
 - Thickness: 0.09 mm
 - Width: 250 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1229157 ESD Ultra Clear

DISSIPATIVE CLEAR ZIP BAG,75X125MM,100

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: ESD Ultra Clear Bag
 - Type: Bag
 - Colour: Clear
 - Length: 125 mm
 - Thickness: 0.09 mm
 - Width: 75 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1229158 ESD Ultra Clear

RS PRO GUSSETED SHROUD 1250MM(W)X 1.85M(L)

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Packaging Type: Gusseted Shroud
 - Type: Cover
 - Colour: Pink
 - Length: 1.85 m
 - Thickness: 0.08 mm
 - Width: 1250 mm
 - Dissipative: Yes
 - Conductive: No



1252348 Gusseted Shroud

RS PRO GUSSETED SHROUD 1250MM(W)X 1.6M(L)

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Packaging Type: Gusseted Shroud
 - Type: Cover
 - Colour: Pink
 - Length: 1.6 m
 - Thickness: 0.08 mm
 - Width: 1250 mm
 - Dissipative: Yes
 - Conductive: No



1252349 Gusseted Shroud

RS PRO GUSSETED SHROUD 579MM(W)X 745MM(L)

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Packaging Type: Gusseted Shroud
 - Type: Cover
 - Colour: Pink
 - Length: 745 mm
 - Thickness: 0.08 mm
 - Width: 579 mm
 - Dissipative: Yes
 - Conductive: No



1252350 Gusseted Shroud

RS PRO TUBE 100MM(W)X 250M(L)

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Packaging Type: Tube
 - Type: Tube
 - Colour: Pink
 - Length: 250 m
 - Thickness: 0.09 mm
 - Width: 100 mm
 - Dissipative: Yes
 - Conductive: No



1252351 Tube

RS PRO TUBE 76MM(W)X 152M(L)

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Packaging Type: Tube
 - Type: Tube
 - Colour: Black
 - Length: 152 m
 - Thickness: 0.1 mm
 - Width: 76 mm
 - Dissipative: No
 - Conductive: Yes



1252358 Tube

RS PRO TUBE 102MM(W)X 152M(L)

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Packaging Type: Tube
 - Type: Tube
 - Colour: Black
 - Length: 152 m
 - Thickness: 0.1 mm
 - Width: 102 mm
 - Dissipative: No
 - Conductive: Yes



1252359 Tube

RS PRO STRAP 25.4MM(W)X 508MM(L)

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Packaging Type: Strap
 - Type: Strap
 - Colour: Black
 - Length: 508 mm
 - Thickness: 0.5 mm
 - Width: 25.4 mm
 - Dissipative: Yes
 - Conductive: No



1252399 Strap

BAG,STATIC SHIELDED,SSC 0305

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Silver
 - Length: 127 mm
 - Thickness: 0.07 mm
 - Width: 76 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1828792 Static Shielding

BAG,STATIC SHIELDED,SSC 0406

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Silver
 - Length: 152 mm
 - Thickness: 0.07 mm
 - Width: 102 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1828809 Static Shielding

**RS PRO STATIC SHIELDING BAG
127MM(W)X 203MM(L)**

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Silver
 - Length: 203 mm
 - Thickness: 0.07 mm
 - Width: 127 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1828815 Static Shielding

**RS PRO STATIC SHIELDING BAG
152MM(W)X 254MM(L)**

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Silver
 - Length: 254 mm
 - Thickness: 0.07 mm
 - Width: 152 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1828821 Static Shielding

BAG,STATIC SHIELDED,SSC 0810

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Silver
 - Length: 254 mm
 - Thickness: 0.07 mm
 - Width: 203 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1828837 Static Shielding

BAG,STATIC SHIELDED,SSC 1012

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Silver
 - Length: 305 mm
 - Thickness: 0.07 mm
 - Width: 254 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1828843 Static Shielding

**RS PRO STATIC SHIELDING BAG
355MM(W)X 405MM(L)**

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Black
 - Length: 405 mm
 - Thickness: 0.07 mm
 - Width: 355 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1908423 Static Shielding

**RS PRO ESD ULTRA CLEAR BAG
76MM(W)X 127MM(L)**

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: ESD Ultra Clear Bag
 - Type: Bag
 - Colour: Clear
 - Length: 127 mm
 - Thickness: 0.09 mm
 - Width: 76 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1908426 ESD Ultra Clear

**RS PRO STATIC SHIELDING BAG
150MM(W)X 230MM(L)**

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Black
 - Length: 230 mm
 - Thickness: 0.07 mm
 - Width: 150 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1908427 Static Shielding

**RS PRO STATIC SHIELDING BAG
505MM(W)X 610MM(L)**

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Black
 - Length: 610 mm
 - Thickness: 0.07 mm
 - Width: 505 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1908428 Static Shielding

**RS PRO STATIC SHIELDING BAG
610MM(W)X 914MM(L)**


- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Black
 - Length: 914 mm
 - Thickness: 0.07 mm
 - Width: 610 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1908429 Static Shielding

**RS PRO STATIC SHIELDING BAG
50MM(W)X 75MM(L)**

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Black
 - Length: 75 mm
 - Thickness: 0.07 mm
 - Width: 50 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1908430 Static Shielding

**RS PRO STATIC SHIELDING BAG
75MM(W)X 125MM(L)**

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Black
 - Length: 125 mm
 - Thickness: 0.07 mm
 - Width: 75 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1908431 Static Shielding

**RS PRO STATIC SHIELDING BAG
125MM(W)X 200MM(L)**

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Black
 - Length: 200 mm
 - Thickness: 0.07 mm
 - Width: 125 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1908432 Static Shielding

**RS PRO STATIC SHIELDING BAG
150MM(W)X 255MM(L)**

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Black
 - Length: 255 mm
 - Thickness: 0.07 mm
 - Width: 150 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1908433 Static Shielding

**RS PRO STATIC SHIELDING BAG
200MM(W)X 255MM(L)**

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Black
 - Length: 255 mm
 - Thickness: 0.07 mm
 - Width: 200 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1908434 Static Shielding

**RS PRO STATIC SHIELDING BAG
255MM(W)X 355MM(L)**

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Black
 - Length: 355 mm
 - Thickness: 0.07 mm
 - Width: 255 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1908435 Static Shielding

**RS PRO STATIC SHIELDING BAG
305MM(W)X 455MM(L)**

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Black
 - Length: 455 mm
 - Thickness: 0.07 mm
 - Width: 305 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1908436 Static Shielding

RS PRO STATIC SHIELDING BAG 355MM(W)X 455MM(L)

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Black
 - Length: 455 mm
 - Thickness: 0.07 mm
 - Width: 355 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1908437 Static Shielding

RS PRO MOISTURE BARRIER BAG 305MM(W)X 405MM(L)

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Moisture Barrier Bag
 - Type: Bag
 - Colour: Silver
 - Length: 405 mm
 - Thickness: 0.09 mm
 - Width: 305 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1908442 Moisture Barrier

RS PRO MOISTURE BARRIER BAG 380MM(W)X 455MM(L)

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Moisture Barrier Bag
 - Type: Bag
 - Colour: Silver
 - Length: 455 mm
 - Thickness: 0.09 mm
 - Width: 380 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1908444 Moisture Barrier

RS PRO MOISTURE BARRIER BAG 405MM(W)X 455MM(L)

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Moisture Barrier Bag
 - Type: Bag
 - Colour: Silver
 - Length: 455 mm
 - Thickness: 0.09 mm
 - Width: 405 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1908445 Moisture Barrier

BAG,ANTISTATIC,SHIELDING,152X203 MM

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Silver
 - Length: 203 mm
 - Thickness: 0.07 mm
 - Width: 152 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



2877739 Static Shielding

RS PRO STATIC SHIELDING BAG 254MM(W)X 356MM(L)

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Silver
 - Length: 356 mm
 - Thickness: 0.07 mm
 - Width: 254 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



2877767 Static Shielding

RS PRO STATIC SHIELDING BAG 457MM(W)X 610MM(L)

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Silver
 - Length: 610 mm
 - Thickness: 0.07 mm
 - Width: 457 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



2877773 Static Shielding

BAG,ANTISTATIC,PINK,76X122MM

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Anti Static Bag
 - Type: Bag
 - Colour: Pink
 - Length: 75 mm
 - Thickness: 0.075 mm
 - Width: 125 mm
 - Quantity Per Package: 100
 - Dissipative: No



2877852 Anti Static Bag

BAG,ANTISTATIC,PINK,101X152MM

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Anti Static Bag
 - Type: Bag
 - Colour: Pink
 - Length: 100 mm
 - Thickness: 0.075 mm
 - Width: 155 mm
 - Quantity Per Package: 100
 - Dissipative: No



2877868 Anti Static Bag

BAG,ANTISTATIC,PINK,152X203MM

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Anti Static Bag
 - Type: Bag
 - Colour: Pink
 - Length: 152 mm
 - Thickness: 0.075 mm
 - Width: 203 mm
 - Quantity Per Package: 100
 - Dissipative: No



2877874 Anti Static Bag

BAG,ANTISTATIC,PINK,152X229MM

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Anti Static Bag
 - Type: Bag
 - Colour: Pink
 - Length: 152 mm
 - Thickness: 0.075 mm
 - Width: 229 mm
 - Quantity Per Package: 100
 - Dissipative: No



2877880 Anti Static Bag

BAG,ANTISTATIC,PINK,203X305MM

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Anti Static Bag
 - Type: Bag
 - Colour: Pink
 - Length: 305 mm
 - Thickness: 0.075 mm
 - Width: 205 mm
 - Quantity Per Package: 100
 - Dissipative: No



2877903 Anti Static Bag

BAG,ANTISTATIC,PINK,203X254MM

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Anti Static Bag
 - Type: Bag
 - Colour: Pink
 - Length: 205 mm
 - Thickness: 0.075 mm
 - Width: 255 mm
 - Quantity Per Package: 100
 - Dissipative: No



2877919 Anti Static Bag

BAG,ANTISTATIC,PINK,254X356MM

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Anti Static Bag
 - Type: Bag
 - Colour: Pink
 - Length: 254 mm
 - Thickness: 0.075 mm
 - Width: 356 mm
 - Quantity Per Package: 100
 - Dissipative: No



2877925 Anti Static Bag

BAG,ANTISTATIC,PINK,305X406MM

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Anti Static Bag
 - Type: Bag
 - Colour: Pink
 - Length: 305 mm
 - Thickness: 0.075 mm
 - Width: 406 mm
 - Quantity Per Package: 100
 - Dissipative: No



2877931 Anti Static Bag

BAG,ANTISTATIC,SHIELDING,287X305 MM

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Silver
 - Length: 305 mm
 - Thickness: 0.07 mm
 - Width: 203 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



2878221 Static Shielding

**RS PRO STATIC SHIELDING BAG
305MM(W)X 457MM(L)**

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Silver
 - Length: 457 mm
 - Thickness: 0.07 mm
 - Width: 305 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



2909375 Static Shielding

**BAG,ANTISTATIC,GUSSETTED,PINK,46
0X640X630MM**

- ขนาดบรรจุภัณฑ์: **20 x EA**
- Packaging Type: Anti Static Gussetted Bag
 - Type: Bag
 - Colour: Pink
 - Length: 630 mm
 - Thickness: 0.075 mm
 - Width: 460 mm, 610 mm
 - Quantity Per Package: 20
 - Dissipative: No



3562179 Anti Static

**BAG,ANTISTATIC,GUSSETTED,PINK,46
0X750X1080MM**

- ขนาดบรรจุภัณฑ์: **20 x EA**
- Packaging Type: Anti Static Gussetted Bag
 - Type: Bag
 - Colour: Pink
 - Length: 1080 mm
 - Thickness: 0.075 mm
 - Width: 460 mm, 750 mm
 - Quantity Per Package: 20
 - Dissipative: No



3562191 Anti Static

**RS PRO BUBBLE WRAP 500MM(W)X
50M(L)**

- ขนาดบรรจุภัณฑ์: **50 x MTR**
- Packaging Type: Bubble Wrap
 - Type: Roll
 - Colour: Pink
 - Length: 50 m
 - Thickness: 6 mm
 - Width: 500 mm
 - Dissipative: Yes
 - Conductive: No



3562315 Bubble Wrap

**BAG,ANTISTATIC,BUBBLEWRAP,PINK,
100X135MM**

- ขนาดบรรจุภัณฑ์: **50 x EA**
- Packaging Type: Anti Static Bubble Bag
 - Type: Bag
 - Colour: Pink
 - Length: 100 mm
 - Width: 135 mm
 - Quantity Per Package: 50
 - Dissipative: No
 - Conductive: No



3562343 Anti Static Bubble

**BAG,ANTISTATIC,BUBBLEWRAP,PINK,
130X185MM**

- ขนาดบรรจุภัณฑ์: **50 x EA**
- Packaging Type: Anti Static Bubble Bag
 - Type: Bag
 - Colour: Pink
 - Length: 130 mm
 - Width: 185 mm
 - Quantity Per Package: 50
 - Dissipative: No
 - Conductive: No



3562359 Anti Static Bubble

**BAG,ANTISTATIC,BUBBLEWRAP,PINK,
180X235MM**

- ขนาดบรรจุภัณฑ์: **50 x EA**
- Packaging Type: Anti Static Bubble Bag
 - Type: Bag
 - Colour: Pink
 - Length: 180 mm
 - Width: 235 mm
 - Quantity Per Package: 50
 - Dissipative: No
 - Conductive: No



3562365 Anti Static Bubble

**BAG,ANTISTATIC,BUBBLEWRAP,PINK,
230X285MM**

- ขนาดบรรจุภัณฑ์: **50 x EA**
- Packaging Type: Anti Static Bubble Bag
 - Type: Bag
 - Colour: Pink
 - Length: 230 mm
 - Width: 285 mm
 - Quantity Per Package: 50
 - Dissipative: No
 - Conductive: No



3562371 Anti Static Bubble

**RS PRO ANTI STATIC BUBBLE BAG
435MM(W)X 305MM(L)**

- ขนาดบรรจุภัณฑ์: **50 x EA**
- Packaging Type: Anti Static Bubble Bag
 - Type: Bag
 - Colour: Pink
 - Length: 305 mm
 - Width: 435 mm
 - Quantity Per Package: 50
 - Dissipative: No
 - Conductive: No



3562393 Anti Static Bubble

**RS PRO ANTI STATIC BUBBLE BAG
435MM(W)X 380MM(L)**

- ขนาดบรรจุภัณฑ์: **50 x EA**
- Packaging Type: Anti Static Bubble Bag
 - Type: Bag
 - Colour: Pink
 - Length: 380 mm
 - Width: 435 mm
 - Quantity Per Package: 50
 - Dissipative: No
 - Conductive: No



3562400 Anti Static Bubble

**RS PRO STATIC SHIELDING BAG
305MM(W)X 406MM(L)**

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Silver
 - Length: 406 mm
 - Thickness: 0.07 mm
 - Width: 305 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



3876406 Static Shielding

**RS PRO STATIC SHIELDING BAG
356MM(W)X 457MM(L)**

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Silver
 - Length: 457 mm
 - Thickness: 0.07 mm
 - Width: 356 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



3876412 Static Shielding

**BAG,ANTISTATIC,GUSSETTED,300X50
0X650MM**

- ขนาดบรรจุภัณฑ์: **20 x EA**
- Packaging Type: Anti Static Gussetted Bag
 - Type: Bag
 - Colour: Pink
 - Length: 650 mm
 - Thickness: 0.075 mm
 - Width: 300 mm, 500 mm
 - Quantity Per Package: 20
 - Dissipative: No



3974291 Anti Static

**BAG,ANTISTATIC,GUSSETTED,750X10
00X1200MM**

- ขนาดบรรจุภัณฑ์: **10 x EA**
- Packaging Type: Anti Static Gussetted Bag
 - Type: Bag
 - Colour: Pink
 - Length: 1200 mm
 - Thickness: 0.075 mm
 - Width: 750 mm, 1000 mm
 - Quantity Per Package: 10
 - Dissipative: No



3974308 Anti Static

**RS PRO STATIC SHIELDING BAG
279MM(W)X 381MM(L)**

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Silver
 - Length: 381 mm
 - Thickness: 0.07 mm
 - Width: 279 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



4156977 Static Shielding

**RS PRO STATIC SHIELDING BAG
457MM(W)X 457MM(L)**

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Silver
 - Length: 457 mm
 - Thickness: 0.07 mm
 - Width: 457 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



4157009 Static Shielding

BAG,ANTISTATIC,ZIPPER,SHIELDED,X100,102X152MM

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Silver
 - Length: 152 mm
 - Thickness: 0.07 mm
 - Width: 102 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



4319538 Static Shielding

BAG,ANTISTATIC,ZIPPER,SHIELDED,X100,152X203MM

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Silver
 - Length: 203 mm
 - Thickness: 0.07 mm
 - Width: 152 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



4319544 Static Shielding

BAG,ANTISTATIC,ZIPPER,SHIELDED,X100,254X305MM

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Silver
 - Length: 305 mm
 - Thickness: 0.07 mm
 - Width: 254 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



4319550 Static Shielding

BAG,ANTISTATIC,ZIPPER,SHIELDED,X100,305X406MM

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Silver
 - Length: 406 mm
 - Thickness: 0.07 mm
 - Width: 305 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



4319566 Static Shielding

RS PRO STATIC SHIELDING BAG 457MM(W)X 457MM(L)

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Silver
 - Length: 457 mm
 - Thickness: 0.07 mm
 - Width: 457 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



4319572 Static Shielding

BAG,ANTISTATIC,PINK,152X254MM

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Packaging Type: Anti Static Bag
 - Type: Bag
 - Colour: Pink
 - Length: 155 mm
 - Thickness: 0.075 mm
 - Width: 254 mm
 - Quantity Per Package: 100
 - Dissipative: No



4849073 Anti Static Bag

RS PRO BUBBLE WRAP 500MM(W)X 25M(L)


- ขนาดบรรจุภัณฑ์: **25 x MTR**
- Packaging Type: Bubble Wrap
 - Type: Roll
 - Colour: Pink
 - Length: 25 m
 - Thickness: 12 mm
 - Width: 500 mm
 - Dissipative: Yes
 - Conductive: No



6281772 Bubble Wrap

RS PRO SHIELDING BUBBLE BAGS 505MM(W)X 405MM(L)

- ขนาดบรรจุภัณฑ์: **5 x EA**
- Packaging Type: Shielding Bubble Bags
 - Type: Bag
 - Colour: Pink
 - Length: 405 mm
 - Width: 505 mm
 - Quantity Per Package: 5
 - Dissipative: Yes
 - Conductive: Yes



8153483 Shielding Bubble

SHIELDING BUBBLE BAG,305X405MM,PACK OF 5

- ขนาดบรรจุภัณฑ์: **5 x EA**
- Packaging Type: Shielding Bubble Bags
 - Type: Bag
 - Colour: Pink
 - Length: 405 mm
 - Width: 305 mm
 - Quantity Per Package: 5
 - Dissipative: Yes
 - Conductive: Yes



8153486 Shielding Bubble

HIGH DENSITY CONDUCTIVE FOAM,6X305X305MM

- ขนาดบรรจุภัณฑ์: **9 x EA**
- Packaging Type: High Density ESD Foam
 - Type: Foam
 - Colour: Black
 - Length: 305 mm
 - Thickness: 6 mm
 - Width: 305 mm
 - Dissipative: No
 - Conductive: Yes



8153509 High Density ESD

RS PRO FILM 500MM(W)X 300M(L)

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Packaging Type: Film
 - Type: Film
 - Colour: Pink
 - Length: 300 m
 - Thickness: 0.025 mm
 - Width: 500 mm
 - Dissipative: Yes
 - Conductive: No



8157012 Film

RS PRO 80MM ANTI STATIC ROLLER REFILL

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Type: Refill
 - Roller Width: 80 mm



2664224 Refill

RS PRO 80MM ANTI STATIC ROLLER HANDLE AND REFILL

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Type: Handle and Refill
 - Roller Width: 80 mm



2664347 Handle and Refill

RS PRO 228.6MM ANTI STATIC ROLLER EXTENSION HANDLE

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Type: Extension Handle
 - Roller Width: 228.6 mm, 457.2 mm



8295326 Extension Handle

CONDUCTIVE ESD BOX

- ขนาดบรรจุภัณฑ์: **10 x EA**
- Material Properties: Conductive
 - Height: 38 mm
 - Length: 175 mm
 - Width: 127 mm
 - Dissipative: No
 - Conductive: Yes
 - Anti-Static: No
 - Static Shielding: Yes



233496 Conductive

BOX,TRANSIT,ANTISTATIC,CONDUCTIVE,229X191X64MM

- ขนาดบรรจุภัณฑ์: **5 x EA**
- Material Properties: Conductive
 - Height: 64 mm
 - Length: 229 mm
 - Width: 191 mm
 - Dissipative: No
 - Conductive: Yes
 - Anti-Static: No
 - Static Shielding: Yes



233503 Conductive

CONDUCTIVE ESD BOX

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material Properties: Conductive
 - Height: 64 mm
 - Length: 521 mm
 - Width: 394 mm
 - Dissipative: No
 - Conductive: Yes
 - Anti-Static: No
 - Static Shielding: Yes



233519 Conductive

CONDUCTIVE ESD BOX

- ขนาดบรรจุภัณฑ์: **10 x EA**
- Material Properties: Conductive
 - Height: 64 mm
 - Length: 267 mm
 - Width: 216 mm
 - Dissipative: No
 - Conductive: Yes
 - Anti-Static: No
 - Static Shielding: Yes



539227 Conductive

CONDUCTIVE ESD BOX

- ขนาดบรรจุภัณฑ์: **10 x EA**
- Material Properties: Conductive
 - Height: 64 mm
 - Length: 394 mm
 - Width: 318 mm
 - Dissipative: No
 - Conductive: Yes
 - Anti-Static: No
 - Static Shielding: Yes



539233 Conductive

BIN, STORAGE, CONDUCTIVE, 100X90X 50MM

- ขนาดบรรจุภัณฑ์: **5 x EA**
- Material Properties: Conductive
 - Material: Plastic
 - Height: 50 mm
 - Length: 90 mm
 - Width: 100 mm
 - Dissipative: Yes
 - Conductive: Yes
 - Anti-Static: Yes



550319 Conductive

BIN, STORAGE, CONDUCTIVE, 101X167X 76MM

- ขนาดบรรจุภัณฑ์: **5 x EA**
- Material Properties: Conductive
 - Material: Plastic
 - Height: 75 mm
 - Length: 165 mm
 - Width: 100 mm
 - Dissipative: Yes
 - Conductive: Yes
 - Anti-Static: Yes



550325 Conductive

CONDUCTIVE PLASTIC ESD BIN

- ขนาดบรรจุภัณฑ์: **5 x EA**
- Material Properties: Conductive
 - Material: Plastic
 - Height: 130 mm
 - Length: 150 mm
 - Width: 240 mm
 - Dissipative: Yes
 - Conductive: Yes
 - Anti-Static: Yes



550331 Conductive

IC, ANTISTATIC, STORAGE BOX, 40X40X13.5MM

- ขนาดบรรจุภัณฑ์: **10 x EA**
- Material Properties: Conductive
 - Height: 13.5 mm
 - Length: 40 mm
 - Width: 40 mm
 - Dissipative: No
 - Conductive: Yes
 - Anti-Static: No
 - Static Shielding: Yes



550864 Conductive

IC, CONDUCTIVE, STORAGE BOX, 77X55X19MM

- ขนาดบรรจุภัณฑ์: **5 x EA**
- Material Properties: Conductive
 - Height: 19 mm
 - Length: 77 mm
 - Width: 55 mm
 - Dissipative: No
 - Conductive: Yes
 - Anti-Static: No
 - Static Shielding: Yes



550870 Conductive

BOX, CONDUCTIVE, 111X86X17MM

- ขนาดบรรจุภัณฑ์: **5 x EA**
- Material Properties: Conductive
 - Height: 17 mm
 - Length: 111 mm
 - Width: 86 mm
 - Dissipative: No
 - Conductive: Yes
 - Anti-Static: No
 - Static Shielding: Yes



550886 Conductive

CONDUCTIVE ESD BOX

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material Properties: Conductive
 - Height: 33 mm
 - Length: 232 mm
 - Width: 130 mm
 - Dissipative: No
 - Conductive: Yes
 - Anti-Static: No
 - Static Shielding: Yes



820810 Conductive

BOX, STORAGE, COMPONENT, LARGE, I C, SIZE B

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material Properties: Conductive
 - Height: 38 mm
 - Length: 140 mm
 - Width: 106 mm
 - Dissipative: No
 - Conductive: Yes
 - Anti-Static: No
 - Static Shielding: Yes



2179221 Conductive

CONDUCTIVE ESD BOX

- ขนาดบรรจุภัณฑ์: **5 x EA**
- Material Properties: Conductive
 - Height: 16 mm
 - Length: 89 mm
 - Width: 64 mm
 - Dissipative: No
 - Conductive: Yes
 - Anti-Static: No
 - Static Shielding: Yes



2878091 Conductive

CONDUCTIVE ESD BOX

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material Properties: Conductive
 - Height: 32 mm
 - Length: 229 mm
 - Width: 127 mm
 - Dissipative: No
 - Conductive: Yes
 - Anti-Static: No
 - Static Shielding: Yes



2878108 Conductive

CONDUCTIVE ESD BOX

- ขนาดบรรจุภัณฑ์: **10 x EA**
- Material Properties: Conductive
 - Height: 64 mm
 - Length: 318 mm
 - Width: 267 mm
 - Dissipative: No
 - Conductive: Yes
 - Anti-Static: No
 - Static Shielding: Yes



2878237 Conductive

CONDUCTIVE ESD BOX

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material Properties: Conductive
 - Height: 23 mm
 - Length: 229 mm
 - Width: 126 mm
 - Dissipative: No
 - Conductive: Yes
 - Anti-Static: No
 - Static Shielding: Yes



4201386 Conductive

IC, CONDUCTIVE, STORAGE BOX, 229X126X42MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material Properties: Conductive
 - Height: 42 mm
 - Length: 229 mm
 - Width: 126 mm
 - Dissipative: No
 - Conductive: Yes
 - Anti-Static: No
 - Static Shielding: Yes



4201409 Conductive

CONDUCTIVE POLYPROPYLENE ESD BOX

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Material Properties: Conductive
 - Material: Polypropylene
 - Height: 16 mm
 - Length: 15 mm
 - Width: 12 mm
 - Dissipative: No
 - Conductive: Yes
 - Anti-Static: No



8157003 Conductive

RS PRO RING BINDER SPINE 40MM X 320MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Type: Ring Binder
 - Quantity Included: 1
 - Width: Spine 40 mm
 - Depth: Ring 25 mm
 - Paper Size: A4
 - Height: 320 mm
 - Dissipative: Yes
 - Conductive: No



733946 Ring Binder

STATIC SAFE, STORAGE, DOCUMENT WALLETS

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Type: Document Sleeve
 - Quantity Included: 100
 - Width: 220 mm
 - Paper Size: A4
 - Height: 297 mm
 - Dissipative: No
 - Conductive: No
 - Anti-Static: Yes



733952 Document Sleeve

RS PRO WASTE BIN 330MM X 530MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Type: Waste Bin
 - Quantity Included: 1
 - Width: 330 mm
 - Depth: 530 mm
 - Height: 530 mm
 - Dissipative: No
 - Conductive: Yes
 - Anti-Static: No



1252403 Waste Bin

RS PRO WASTE BAG 330MM X 750MM

- ขนาดบรรจุภัณฑ์: **10 x EA**
- Type: Waste Bag
 - Quantity Included: 10
 - Width: 330 mm
 - Depth: 530 mm
 - Height: 750 mm
 - Dissipative: No
 - Conductive: No
 - Anti-Static: Yes



1252404 Waste Bag

RS PRO SCISSOR 178MM X 8MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Type: Scissor
 - Quantity Included: 1
 - Width: 178 mm
 - Depth: 70 mm
 - Height: 8 mm
 - Conductive: Yes
 - Anti-Static: Yes
 - Cleanroom: Yes



1846690 Scissor

RS PRO X 178MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Type: Pen
 - Quantity Included: 1
 - Height: 178 mm
 - Conductive: Yes
 - Anti-Static: Yes
 - Cleanroom: Yes
 - Complies with EN 61340-5-1: Yes



1846691 Pen

RS PRO CLEAR BINDER 235MM X 315MM

- ขนาดบรรจุภัณฑ์: **5 x EA**
- Type: Clear Binder
 - Quantity Included: 5
 - Width: 235 mm
 - Depth: 4 mm
 - Height: 315 mm
 - Paper Size: A4
 - Dissipative: No
 - Conductive: No



4439840 Clear Binder

RS PRO WASTE BIN 285MM X 320MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Type: Waste Bin
 - Quantity Included: 1
 - Width: 285 mm
 - Height: 320 mm
 - Dissipative: No
 - Conductive: No
 - Anti-Static: Yes
 - Cleanroom: No



8157006 Waste Bin

RS PRO AUTOCLAVEABLE PAPER 235MM X 315MM

- ขนาดบรรจุภัณฑ์: **250 x EA**
- Type: Autoclaveable Paper
 - Quantity Included: 250
 - Width: 235 mm
 - Depth: 255 mm
 - Paper Size: A4
 - Height: 315 mm
 - Dissipative: No
 - Conductive: No



8295180 Autoclaveable

RS PRO AUTOCLAVEABLE PAPER 235MM X 315MM

- ขนาดบรรจุภัณฑ์: **250 x EA**
- Type: Autoclaveable Paper
 - Quantity Included: 250
 - Width: 235 mm
 - Depth: 255 mm
 - Paper Size: A4
 - Height: 315 mm
 - Dissipative: No
 - Conductive: No



8295199 Autoclaveable

RS PRO 265MM X 325MM

- ขนาดบรรจุภัณฑ์: **12 x EA**
- Type: Pen
 - Quantity Included: 12
 - Width: 265 mm
 - Depth: 102 mm
 - Height: 325 mm
 - Dissipative: No
 - Conductive: No
 - Anti-Static: No



8295203 Pen

RS PRO 265MM X 325MM

- ขนาดบรรจุภัณฑ์: **12 x EA**
- Type: Pen
 - Quantity Included: 12
 - Width: 265 mm
 - Depth: 102 mm
 - Height: 325 mm
 - Dissipative: No
 - Conductive: No
 - Anti-Static: No



8295206 Pen

CLEANROOM A4 TECHNICAL PAPER WHITE


- ขนาดบรรจุภัณฑ์: **250 x EA**
- Type: Technical Paper
 - Quantity Included: 250
 - Width: 235 mm
 - Depth: 210 mm
 - Paper Size: A4
 - Height: 297 mm
 - Dissipative: No
 - Conductive: No



8295212 Technical Paper

CLEANROOM A4 TECHNICAL PAPER BLUE

- ขนาดบรรจุภัณฑ์: **250 x EA**
- Type: Technical Paper
 - Quantity Included: 250
 - Width: 235 mm
 - Depth: 210 mm
 - Paper Size: A4
 - Height: 297 mm
 - Dissipative: No
 - Conductive: No



8295215 Technical Paper

RS PRO 210MM X 148MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Type: Notebook
 - Quantity Included: 50
 - Width: 210 mm
 - Depth: 100 mm
 - Paper Size: A5
 - Height: 148 mm
 - Dissipative: No
 - Conductive: No



8295221 Notebook

RS PRO TECHNICAL PAPER 235MM X 297MM

- ขนาดบรรจุภัณฑ์: **250 x EA**
- Type: Technical Paper
 - Quantity Included: 250
 - Width: 235 mm
 - Depth: 210 mm
 - Paper Size: A4
 - Height: 297 mm
 - Dissipative: No
 - Conductive: No



8295225 Technical Paper

RS PRO 297MM X 210MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Type: Notebook
 - Quantity Included: 50
 - Width: 297 mm
 - Depth: 100 mm
 - Paper Size: A4
 - Height: 210 mm
 - Dissipative: No
 - Conductive: No



8295228 Notebook

RS PRO TECHNICAL PAPER 235MM X 297MM

- ขนาดบรรจุภัณฑ์: **250 x EA**
- Type: Technical Paper
 - Quantity Included: 250
 - Width: 235 mm
 - Depth: 210 mm
 - Paper Size: A4
 - Height: 297 mm
 - Dissipative: No
 - Conductive: No



8295234 Technical Paper

ABECO 587AS ANTISTATIC DE-SOLDERING TOOL

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Desoldering Tool Type: Solder Sucker
 - Overall Length: 190 mm



557878 Solder Sucker

DESOLDERING,PUMP,ANTISTATIC,FLEXIBLE CONNECTOR

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Desoldering Tool Type: Solder Sucker
 - Overall Length: 200 mm



3437253 Solder Sucker

DESOLDERING PUMP,STANDARD

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Desoldering Tool Type: Solder Sucker
 - Overall Length: 190 mm



4794197 Solder Sucker

DESOLDERING TOOL,HAND OPERATED,ANTISTATIC,MINI

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Desoldering Tool Type: Solder Sucker
 - Overall Length: 154 mm



4795904 Solder Sucker

RS DE-SOLDERING PUMP

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Desoldering Tool Type: Solder Sucker
 - Model Number: SC-50



7719543 Solder Sucker

TIP,REPLACEMENT,DESOLDERING TOOL

- ขนาดบรรจุภัณฑ์: **5 x EA**
- Desoldering Tool Type: Desoldering Nozzle
 - Type: Desoldering
 - For Use With: Abeco DSG PRM Desoldering Gun



4794204 Desoldering

RS PRO DESOLDERING NOZZLE FOR USE WITH VARIOUS DESOLDERING

- ขนาดบรรจุภัณฑ์: **5 x EA**
- Desoldering Tool Type: Desoldering Nozzle
 - Type: Desoldering
 - For Use With: Abeco Anti-Static DSG Desoldering Gun



4795926 Desoldering

RS PRO DESOLDERING NOZZLE FOR USE WITH ABECO MINI ANTI-STATIC

- ขนาดบรรจุภัณฑ์: **5 x EA**
- Desoldering Tool Type: Desoldering Nozzle
 - Type: Desoldering
 - For Use With: Abeco Mini Anti-Static DSG Desoldering Gun



4795932 Desoldering

ANTI-SPLASH PUMP DISPENSER,180ML (6OZ)

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Use With: Cleaner
 - Product Capacity: 180 ml
 - Colour: Blue



7989323 Cleaner

ANTI-SPLASH PUMP DISPENSER,120ML (4OZ)

- ขนาดบรรจุภัณฑ์: **1 x EA**
- For Use With: Cleaner
 - Product Capacity: 120 ml
 - Colour: Blue



7989329 Cleaner

RS PRO 18 DRAWER ESD DRAWER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Type: Drawer
 - Drawers per Cabinet: 18
 - Compartments per Insert: 18
 - Drawer Height: 20 mm
 - Drawer Depth: 275 mm
 - Drawer Length: 20 mm
 - Complies with EN 61340-5-1: Yes
 - Drawer Width: 250 mm



575728 Drawer

RS PRO ESD RACK, 155 X 390 X 250MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Type: Rack
 - Compartments per Insert: 20



1212704 Rack

RS PRO RACK DIVIDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Type: Divider



1212705 Divider

RS PRO ESD-SAFE DRAWER DIVIDER

ขนาดบรรจุภัณฑ์: 24 x EA

- Type: Divider
- Compartments per Insert: 24
- Drawer Height: 87 mm
- Drawer Depth: 2 mm
- Complies with EN 61340-5-1: Yes
- Drawer Length: 87 mm
- Drawer Width: 49 mm



4849607 Divider

RS PRO 24 DRAWER ESD CABINET, 290 X 310 X 180MM

ขนาดบรรจุภัณฑ์: 1 x EA

- Type: Cabinet
- Drawers per Cabinet: 24
- Compartments per Insert: 1
- Drawer Height: 40 mm
- Drawer Depth: 170 mm
- Drawer Length: 170 mm
- Complies with EN 61340-5-1: Yes
- Drawer Width: 69 mm



9096978 Cabinet

RS PRO 48 DRAWER ESD CABINET, 550 X 310 X 180MM

ขนาดบรรจุภัณฑ์: 1 x EA

- Type: Cabinet
- Drawers per Cabinet: 48
- Compartments per Insert: 1
- Drawer Height: 40 mm
- Drawer Depth: 170 mm
- Drawer Length: 170 mm
- Complies with EN 61340-5-1: Yes
- Drawer Width: 69 mm



9096980 Cabinet

RS PRO 24 DRAWER ESD CABINET, 550 X 310 X 180MM

ขนาดบรรจุภัณฑ์: 1 x EA

- Type: Cabinet
- Drawers per Cabinet: 24
- Compartments per Insert: 1
- Drawer Height: 62 mm
- Drawer Depth: 170 mm
- Drawer Length: 170 mm
- Complies with EN 61340-5-1: Yes
- Drawer Width: 92 mm



9096984 Cabinet

RS PRO 12 DRAWER ESD CABINET, 290 X 310 X 180MM

ขนาดบรรจุภัณฑ์: 1 x EA

- Type: Cabinet
- Drawers per Cabinet: 12
- Compartments per Insert: 1
- Drawer Height: 62 mm
- Drawer Depth: 170 mm
- Drawer Length: 170 mm
- Complies with EN 61340-5-1: Yes
- Drawer Width: 92 mm



9096987 Cabinet

RS PRO ESD EARTH BONDING BOX WITH 10 MM STUD X 2

ขนาดบรรจุภัณฑ์: 1 x EA

- Accessory Type: Earth Bonding Box
- Connector Type: 10 mm Stud x 2
- Termination Type: Ring Terminal
- Complies with EN 61340-5-1: Yes
- Resistance: 1 mΩ
- Cord Style: Straight
- Cord Length: 2 m



392135 Earth Bonding

BONDING, POINT, ANTISTATIC, RACK CABINET

ขนาดบรรจุภัณฑ์: 1 x EA

- Accessory Type: Rack Bonding Point
- Connector Type: 10 mm Stud
- Complies with EN 61340-5-1: Yes
- Stud Size: 10 mm



392141 Rack Bonding

WRISTSTRAP, ANTISTATIC, ADJ, FABRIC C

ขนาดบรรจุภัณฑ์: 1 x EA

- Accessory Type: Anti Static Wrist Strap
- Connector Type: 10 mm Stud
- Termination Type: Press Stud
- Complies with EN 61340-5-1: Yes
- Stud Size: 10 mm
- Reusable/Disposable: Reusable
- Wrist Strap Size: Adjustable
- Band Material: Fabric



392163 Anti Static Wrist

EARTH STUD, KIT, ANTISTATIC

ขนาดบรรจุภัณฑ์: 1 x KT

- Accessory Type: Earth Stud Kit
- Connector Type: 10mm Studs & Post
- Complies with EN 61340-5-1: Yes
- Stud Size: 10 mm



559205 Earth Stud Kit

WRISTSTRAP, ANTISTATIC, LARGE

ขนาดบรรจุภัณฑ์: 1 x EA

- Accessory Type: Anti Static Wrist Strap
- Connector Type: 10 mm Stud
- Termination Type: Press Stud
- Complies with EN 61340-5-1: Yes
- Stud Size: 10 mm
- Reusable/Disposable: Reusable
- Wrist Strap Size: Large
- Band Material: Fabric



552876 Anti Static Wrist

WRISTSTRAP, ANTISTATIC, SMALL

ขนาดบรรจุภัณฑ์: 1 x EA

- Accessory Type: Anti Static Wrist Strap
- Connector Type: 10 mm Stud
- Termination Type: Press Stud
- Complies with EN 61340-5-1: Yes
- Wrist Strap Size: Small
- Reusable/Disposable: Reusable
- Stud Size: 10 mm
- Band Material: Fabric



552882 Anti Static Wrist

CONNECTOR, COILED LEAD, ANTISTATIC, STUD-CLIP

ขนาดบรรจุภัณฑ์: 1 x EA

- Accessory Type: Grounding Cord
- Connector Type: 10 mm Socket
- Termination Type: Press Stud - Banana Plug/Croc Clip
- Complies with EN 61340-5-1: Yes
- Stud Size: 10 mm
- Resistance: 2 mΩ
- Cord Style: Coiled
- Cord Length: 1.8 m



552898 Grounding Cord

CONNECTOR, COILED LEAD, ANTISTATIC, 10MM STUD-STUD

ขนาดบรรจุภัณฑ์: 1 x EA

- Accessory Type: Grounding Cord
- Connector Type: 10 mm Socket
- Termination Type: Press Stud - Press Stud
- Complies with EN 61340-5-1: Yes
- Stud Size: 10 mm
- Resistance: 4 mΩ
- Cord Style: Coiled
- Cord Length: 1.8 m



552905 Grounding Cord

WRISTSTRAP, ANTISTATIC, ADJ, STAINLESS STEEL CONDUCTIVE

ขนาดบรรจุภัณฑ์: 1 x EA

- Accessory Type: Anti Static Wrist Strap
- Connector Type: 10 mm Stud
- Termination Type: Press Stud
- Complies with EN 61340-5-1: Yes
- Wrist Strap Size: Adjustable
- Reusable/Disposable: Reusable
- Stud Size: 10 mm
- Band Material: Metal



663229 Anti Static Wrist

RS PRO ESD DISSIPATIVE TURNTABLE

ขนาดบรรจุภัณฑ์: 1 x EA

- Accessory Type: ESD Turntable
- Complies with EN 61340-5-1: Yes



1212709 ESD Turntable

RS PRO ESD DISSIPATIVE TURNTABLE

ขนาดบรรจุภัณฑ์: 1 x EA

- Accessory Type: ESD Turntable
- Complies with EN 61340-5-1: Yes



1212710 ESD Turntable

UNIVERSAL SNAP KIT, 10MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Accessory Type: Universal Snap Kit
 - Connector Type: 10 mm Socket, 10 mm Stud
 - Termination Type: Screw Terminal
 - Complies with EN 61340-5-1: Yes
 - Stud Size: 10 mm



1229148 Universal Snap

DISPOSABLE HEEL GRINDER, PACK 100

- ขนาดบรรจุภัณฑ์: **100 x EA**
- Accessory Type: Heel Grinder
 - Complies with EN 61340-5-1: Yes
 - Reusable/Disposable: Disposable
 - Attachment Type: Adhesive



1229150 Heel Grinder

RS PRO ESD GROUNDING CORD WITH 10 MM SOCKET

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Accessory Type: Grounding Cord
 - Connector Type: 10 mm Socket
 - Termination Type: 4mm Banana Plug
 - Complies with EN 61340-5-1: Yes
 - Resistance: 1 mΩ
 - Cord Style: Straight
 - Cord Length: 4 m



1229153 Grounding Cord

RS PRO ESD FIELD KIT WITH 10 MM SOCKET, 10 MM STUD

- ขนาดบรรจุภัณฑ์: **1 x KT**
- Accessory Type: ESD Field Kit
 - Connector Type: 10 mm Socket, 10 mm Stud
 - Plug Type: UK
 - Complies with EN 61340-5-1: Yes
 - Mat Thickness: 2 mm
 - Mat Width: 450 mm
 - Resistance: 1 mΩ
 - Stud Size: 10 mm



1235614 ESD Field Kit

GROUNDING, ANTISTATIC, CONNECTION CORDS, 1M OHM, 2M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Accessory Type: Grounding Cord
 - Connector Type: 10 mm Socket
 - Termination Type: Press Stud - Press Stud
 - Complies with EN 61340-5-1: Yes
 - Stud Size: 10 mm
 - Resistance: 1 mΩ
 - Cord Style: Straight
 - Cord Length: 2 m



1294874 Grounding Cord

CONNECTOR, COMMON POINT, GROUND LEAD, ANTISTATIC, 1M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Accessory Type: Earthing Wire Stud
 - Connector Type: 10 mm Banana Socket, 10 mm Stud
 - Complies with EN 61340-5-1: Yes
 - Resistance: 1 mΩ
 - Cord Style: Straight
 - Stud Size: 10 mm
 - Cord Length: 1 m



1294931 Earthing Wire

ANTISTATIC, PERSONAL GROUNDING, STUD FIX ADAPTOR

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Accessory Type: Adapter
 - Connector Type: 10 mm Stud to 4 mm Banana Socket
 - Complies with EN 61340-5-1: Yes



1294947 Adapter

GROUNDING, ANTISTATIC, CONNECTION CORDS, 1M OHM, 1M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Accessory Type: Grounding Cord
 - Connector Type: 10 mm Socket
 - Termination Type: Press Stud - Press Stud
 - Complies with EN 61340-5-1: Yes
 - Stud Size: 10 mm
 - Resistance: 1 mΩ
 - Cord Style: Straight
 - Cord Length: 1 m



1294969 Grounding Cord

GROUNDING, ANTISTATIC, CONNECTION CORDS, 1M OHM, 115MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Cord Type: Connecting
 - Termination Type: Press Stud - Press Stud
 - Stud Size: 10 mm
 - Cord Length: 0.115 m
 - Cord Style: Straight
 - Lead Resistance: 0 Ω
 - Complies with EN 61340-5-1: Yes



1294975 Connecting

ANTI STATIC WRIST STRAP (WITH CORD)

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Accessory Type: ESD Grounding Wrist Strap & Cord Set
 - Connector Type: 10 mm Socket, 10 mm Stud
 - Termination Type: Banana Plug - Croc Clip
 - Complies with EN 61340-5-1: Yes
 - Reusable/Disposable: Reusable
 - Stud Size: 10 mm
 - Resistance: 1 mΩ
 - Wrist Strap Size: Adjustable



1923678 ESD Grounding

RS PRO ANTISTATIC HEEL GRINDER

- ขนาดบรรจุภัณฑ์: **2 x EA**
- Accessory Type: Heel Grinder
 - Complies with EN 61340-5-1: Yes
 - Reusable/Disposable: Reusable
 - Resistance: $3.5 \times 10^7 \Omega$
 - Attachment Type: Elasticated Hook & Loop



2179265 Heel Grinder

CONNECTOR, CROCODILE CLIP, ANTISTATIC, LARGE, YELLOW

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Accessory Type: Crocodile Clip
 - Connector Type: 10 mm Stud
 - Complies with EN 61340-5-1: Yes
 - Stud Size: 10 mm



2504144 Crocodile Clip

RS PRO ESD FEMALE SNAP WITH 10 MM SNAP

- ขนาดบรรจุภัณฑ์: **12 x EA**
- Accessory Type: Female Snap
 - Connector Type: 10 mm Snap
 - Complies with EN 61340-5-1: Yes



2640414 Female Snap

ANTISTATIC, PERSONAL GROUNDING, COIL, WRIST-CORD-

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Accessory Type: Grounding Cord
 - Connector Type: 10 mm Socket
 - Termination Type: Press Stud - Banana Plug/Croc Clip
 - Complies with EN 61340-5-1: Yes
 - Stud Size: 10 mm
 - Resistance: 1 mΩ
 - Cord Style: Coiled
 - Cord Length: 1.8 m



2736701 Grounding Cord

RS PRO ESD GROUNDING CORD WITH 10 MM SOCKET

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Accessory Type: Grounding Cord
 - Connector Type: 10 mm Socket
 - Termination Type: Press Stud - Press Stud
 - Complies with EN 61340-5-1: Yes
 - Cord Length: 1.8 m
 - Resistance: 1 mΩ
 - Stud Size: 10 mm
 - Cord Style: Coiled



2736717 Grounding Cord

WRISTSTRAP, ANTISTATIC, ADJ, 10MM-BANANA PLUG/CROC CLIP

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Accessory Type: ESD Grounding Wrist Strap & Cord Set
 - Connector Type: 10 mm Socket, 10 mm Stud
 - Termination Type: Banana Plug - Croc Clip
 - Complies with EN 61340-5-1: Yes
 - Reusable/Disposable: Reusable
 - Stud Size: 10 mm
 - Resistance: 1 mΩ
 - Wrist Strap Size: Adjustable



2877379 ESD Grounding

WRISTSTRAP,ANTISTATIC,ADJ,10MM-10MM PRESS STUD

ขนาดบรรจุภัณฑ์: **1 x EA**

- Accessory Type: ESD Grounding Wrist Strap & Cord Set
- Connector Type: 10 mm Socket, 10 mm Stud
- Termination Type: Press Stud
- Complies with EN 61340-5-1: Yes
- Reusable/Disposable: Reusable
- Stud Size: 10 mm
- Resistance: 1 mΩ
- Wrist Strap Size: Adjustable



2877385 ESD Grounding

ANTISTATIC,PERSONAL GROUNDING COIL,WRIST-CORD-EXTERNAL

ขนาดบรรจุภัณฑ์: **1 x EA**

- Accessory Type: Grounding Cord
- Connector Type: 10 mm Socket
- Termination Type: Press Stud - Banana Plug/Croc Clip
- Complies with EN 61340-5-1: Yes
- Cord Style: Coiled
- Stud Size: 10 mm
- Cord Length: 3.6 m
- Resistance: 2 mΩ



2877391 Grounding Cord

WRISTSTRAP,ANTISTATIC,FIXED METAL BAND,CORD SET,ADJ,BANANA

ขนาดบรรจุภัณฑ์: **1 x EA**

- Accessory Type: ESD Grounding Wrist Strap & Cord Set
- Connector Type: 10 mm Socket, 10 mm Stud
- Termination Type: Banana Plug - Press Stud
- Complies with EN 61340-5-1: Yes
- Reusable/Disposable: Reusable
- Stud Size: 10 mm
- Resistance: 1 mΩ
- Wrist Strap Size: Adjustable



2877414 ESD Grounding

WRISTSTRAP,ANTISTATIC,FIXED METAL BAND,CORD SET,ADJ

ขนาดบรรจุภัณฑ์: **1 x EA**

- Accessory Type: ESD Grounding Wrist Strap & Cord Set
- Connector Type: 10 mm Socket, 10 mm Stud
- Termination Type: Press Stud - Press Stud
- Complies with EN 61340-5-1: Yes
- Reusable/Disposable: Reusable
- Stud Size: 10 mm
- Resistance: 1 mΩ
- Wrist Strap Size: Adjustable



2877420 ESD Grounding

GROUNDING,ANTISTATIC,CONNECT ON CORDS,1M OHM,180MM

ขนาดบรรจุภัณฑ์: **1 x EA**

- Accessory Type: Grounding Cord
- Connector Type: 10 mm Socket
- Termination Type: Press Stud - Press Stud
- Complies with EN 61340-5-1: Yes
- Stud Size: 10 mm
- Resistance: 1 mΩ
- Cord Style: Straight
- Cord Length: 0.18 m



2877470 Grounding Cord

CONNECTOR,COMMON POINT,GROUND LEAD,ANTISTATIC,1M

ขนาดบรรจุภัณฑ์: **1 x EA**

- Accessory Type: Earthing Wire Stud
- Connector Type: 10 mm Stud
- Termination Type: Press Stud
- Complies with EN 61340-5-1: Yes
- Stud Size: 10 mm
- Resistance: 1 mΩ
- Cord Style: Straight
- Cord Length: 4.5 m



2877486 Earthing Wire

EARTH BONDING MODULE,ANTISTATIC,10MM

ขนาดบรรจุภัณฑ์: **1 x EA**

- Accessory Type: Earth Bonding Bracket
- Connector Type: 10 mm Stud x 3
- Termination Type: Ring Terminal
- Complies with EN 61340-5-1: Yes
- Stud Size: 10 mm
- Resistance: 1 mΩ
- Cord Style: Straight
- Cord Length: 3 m



2877492 Earth Bonding

EARTH BONDING MODULE,ANTISTATIC,BANANA PLUG

ขนาดบรรจุภัณฑ์: **1 x EA**

- Accessory Type: Earth Bonding Bracket
- Connector Type: 4 mm Banana Stud x 3
- Termination Type: Ring Terminal
- Complies with EN 61340-5-1: Yes
- Stud Size: 4 mm
- Resistance: 1 mΩ
- Cord Style: Straight
- Cord Length: 2 m



2877509 Earth Bonding

RS PRO ANTISTATIC HEEL GRINDER

ขนาดบรรจุภัณฑ์: **1 x EA**

- Accessory Type: Heel Grinder
- Complies with EN 61340-5-1: Yes
- Reusable/Disposable: Reusable
- Resistance: $3.5 \times 10^7 \Omega$
- Attachment Type: Elasticated Hook & Loop



2877565 Heel Grinder

RS PRO ESD SNAP WITH 10 MM SOCKET

ขนาดบรรจุภัณฑ์: **100 x EA**

- Accessory Type: Snaps & Studs
- Connector Type: 10 mm Socket
- Complies with EN 61340-5-1: Yes



2877701 Snaps & Studs

RS PRO ESD EARTH STUD INSTALLATION TOOL

ขนาดบรรจุภัณฑ์: **1 x EA**

- Accessory Type: Earth Stud Installation Tool
- Complies with EN 61340-5-1: Yes



2919467 Earth Stud

GROUNDING,ANTISTATIC,PRESS STUD,10MM

ขนาดบรรจุภัณฑ์: **1 x EA**

- Accessory Type: Grounding Cord
- Connector Type: 10 mm Socket
- Termination Type: Press Stud - Press Stud
- Complies with EN 61340-5-1: Yes
- Stud Size: 10 mm
- Resistance: 2 mΩ
- Cord Style: Coiled
- Cord Length: 1.8 m



2919489 Grounding Cord

GROUNDING,ANTISTATIC,PRESS STUD,MALE

ขนาดบรรจุภัณฑ์: **100 x EA**

- Accessory Type: Snaps & Studs
- Connector Type: 10 mm Stud
- Complies with EN 61340-5-1: Yes
- Stud Size: 10 mm



2919596 Snaps & Studs

RS PRO ESD EARTH BONDING BRACKET WITH 10 MM STUD, 4 MM

ขนาดบรรจุภัณฑ์: **1 x EA**

- Accessory Type: Earth Bonding Bracket
- Connector Type: 10 mm Stud, 4 mm Stud x 2
- Termination Type: Ring Terminal
- Complies with EN 61340-5-1: Yes
- Stud Size: 10 mm, 4 mm
- Resistance: 1 mΩ
- Cord Style: Straight
- Cord Length: 3 m



2983913 Earth Bonding

RS PRO ESD EARTH BONDING BOX WITH 10 MM STUD, 4 MM SOCKET X 2

ขนาดบรรจุภัณฑ์: **1 x EA**

- Accessory Type: Earth Bonding Box
- Connector Type: 10 mm Stud, 4 mm Socket x 2
- Termination Type: Ring Terminal
- Complies with EN 61340-5-1: Yes
- Cord Style: Straight
- Resistance: 1 mΩ



2983941 Earth Bonding

CONNECTOR,EARTH BONDING BRACKET,3X10MM STUDS

ขนาดบรรจุภัณฑ์: **1 x EA**

- Accessory Type: Earth Bonding Box
- Connector Type: 10 mm Stud x 3
- Termination Type: Ring Terminal
- Complies with EN 61340-5-1: Yes
- Cord Style: Straight
- Resistance: 1 mΩ



2983957 Earth Bonding

RS PRO ESD EARTH BONDING BRACKET WITH GROUNDING POST X 1

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Accessory Type: Earth Bonding Bracket
 - Connector Type: Grounding Post x 1
 - Termination Type: Ring Terminal
 - Complies with EN 61340-5-1: Yes
 - Cord Style: Straight



2983963 Earth Bonding

ANTISTATIC,PERSONAL GROUNDING,HEEL GROUNDER,NON

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Accessory Type: Heel Grounder
 - Complies with EN 61340-5-1: Yes
 - Reusable/Disposable: Reusable
 - Resistance: <math> < 3.5 \times 10^7 \Omega </math>
 - Attachment Type: Elasticated Hook & Loop



3407606 Heel Grounder

GROUNDING,ANTISTATIC,HEEL GROUNDER,1M OHM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Accessory Type: Heel Grounder
 - Complies with EN 61340-5-1: Yes
 - Reusable/Disposable: Reusable
 - Resistance: <math> < 3.5 \times 10^7 \Omega </math>
 - Attachment Type: Elasticated Hook & Loop



3632931 Heel Grounder

ANTISTATIC,GROUNDER,HEEL,DISPOSABLE,SELF ADHESIVE

- ขนาดบรรจุภัณฑ์: **20 x EA**
- Accessory Type: Heel Grounder
 - Complies with EN 61340-5-1: Yes
 - Reusable/Disposable: Disposable
 - Attachment Type: Adhesive



4668559 Heel Grounder

10MM STUD-STUD ADJUSTABLE WRIST BAND

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Accessory Type: ESD Grounding Wrist Strap & Cord Set
 - Connector Type: 10 mm Socket, 10 mm Stud
 - Termination Type: Press Stud - Press Stud
 - Complies with EN 61340-5-1: Yes
 - Reusable/Disposable: Reusable
 - Stud Size: 10 mm
 - Resistance: 2 mΩ
 - Wrist Strap Size: Adjustable



7873101 ESD Grounding

ADJUSTABLE METAL WRIST BAND

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Accessory Type: Anti Static Wrist Strap
 - Connector Type: 10 mm Stud
 - Termination Type: Press Stud
 - Complies with EN 61340-5-1: Yes
 - Reusable/Disposable: Reusable
 - Stud Size: 10 mm
 - Band Material: Metal



7873108 Anti Static Wrist

4MM STUD-BANANA MINI WRIST STRAP+CORD

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Accessory Type: ESD Grounding Wrist Strap & Cord Set
 - Connector Type: 4 mm Stud
 - Complies with EN 61340-5-1: Yes
 - Resistance: 2 mΩ
 - Reusable/Disposable: Reusable
 - Stud Size: 4 mm
 - Cord Style: Coiled
 - Wrist Strap Size: Adjustable



7989272 ESD Grounding

10MM STUD-BANANA MINI WRIST STRAP+CORD

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Accessory Type: ESD Grounding Wrist Strap & Cord Set
 - Connector Type: 10 mm Socket, 10 mm Stud
 - Complies with EN 61340-5-1: Yes
 - Resistance: 1 mΩ
 - Reusable/Disposable: Reusable
 - Stud Size: 10 mm
 - Cord Style: Coiled
 - Wrist Strap Size: Adjustable



7989275 ESD Grounding

RS PRO ESD GROUNDING WRIST STRAP WITH 10 MM STUD

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Accessory Type: Anti Static Wrist Strap
 - Connector Type: 10 mm Stud
 - Termination Type: Press Stud
 - Complies with EN 61340-5-1: Yes
 - Stud Size: 10 mm
 - Reusable/Disposable: Reusable
 - Resistance: 1 mΩ
 - Wrist Strap Size: Adjustable



7989278 Anti Static Wrist

4-10MM STUD-STUD METAL WRIST STRAP+CORD

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Accessory Type: ESD Grounding Wrist Strap & Cord Set
 - Connector Type: 4 mm Stud
 - Termination Type: Press Stud - Press Stud
 - Complies with EN 61340-5-1: Yes
 - Stud Size: 4 mm
 - Wrist Strap Size: Adjustable
 - Reusable/Disposable: Reusable
 - Cord Style: Coiled



7989281 ESD Grounding

RS PRO ESD GROUNDING WRIST STRAP & CORD SET WITH 4 MM STUD

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Accessory Type: ESD Grounding Wrist Strap & Cord Set
 - Connector Type: 4 mm Stud
 - Complies with EN 61340-5-1: Yes
 - Resistance: 1 mΩ
 - Reusable/Disposable: Reusable
 - Stud Size: 4 mm
 - Cord Style: Coiled
 - Wrist Strap Size: Adjustable



7989284 ESD Grounding

4MM STUD-BANANA FABRIC WRIST STRAP+CORD

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Accessory Type: ESD Grounding Wrist Strap & Cord Set
 - Connector Type: 4 mm Stud
 - Termination Type: Press Stud - Press Stud
 - Complies with EN 61340-5-1: Yes
 - Reusable/Disposable: Reusable
 - Stud Size: 4 mm
 - Resistance: 1 mΩ
 - Wrist Strap Size: Adjustable



7989288 ESD Grounding

RS PRO ESD GROUNDING WRIST STRAP

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Accessory Type: Anti Static Wrist Strap
 - Termination Type: Press Stud
 - Complies with EN 61340-5-1: Yes
 - Reusable/Disposable: Reusable
 - Stud Size: 4 mm
 - Wrist Strap Size: Adjustable
 - Cord Style: Coiled
 - Band Material: Fabric



7989290 Anti Static Wrist

RS PRO ESD GROUNDING WRIST STRAP

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Accessory Type: Anti Static Wrist Strap
 - Termination Type: Press Stud
 - Complies with EN 61340-5-1: Yes
 - Reusable/Disposable: Reusable
 - Stud Size: 4 mm
 - Wrist Strap Size: Adjustable
 - Cord Style: Coiled
 - Band Material: Fabric



7989294 Anti Static Wrist

4-10MM STUD ADJUSTABLE WRIST STRAP+CORD

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Accessory Type: ESD Grounding Wrist Strap & Cord Set
 - Connector Type: 4 mm Stud
 - Termination Type: Press Stud - Press Stud
 - Complies with EN 61340-5-1: Yes
 - Reusable/Disposable: Reusable
 - Stud Size: 4 mm
 - Resistance: 1 mΩ
 - Wrist Strap Size: Adjustable



7989297 ESD Grounding

4MM STUD-BANANA COILED CORD, 1.8M L

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Accessory Type: Grounding Cord
 - Termination Type: Banana Plug
 - Complies with EN 61340-5-1: Yes
 - Stud Size: 4 mm
 - Reusable/Disposable: Reusable
 - Resistance: 1 mΩ
 - Cord Length: 2 m
 - Cord Style: Coiled



7989304 Grounding Cord

4-10MM STUD COILED CORD, 1.8M L

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Accessory Type: Grounding Cord
 - Connector Type: 10 mm Socket
 - Termination Type: Press Stud
 - Complies with EN 61340-5-1: Yes
 - Stud Size: 4 mm, 10 mm
 - Reusable/Disposable: Reusable
 - Resistance: 1 mΩ
 - Cord Length: 2 m



7989307 Grounding Cord

RS PRO ESD GROUNDING CORD WITH 10 MM SOCKET

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Accessory Type: Grounding Cord
 - Connector Type: 10 mm Socket
 - Termination Type: Press Stud - Ring
 - Complies with EN 61340-5-1: Yes
 - Stud Size: 10 mm
 - Resistance: 1 mΩ
 - Cord Style: Straight
 - Cord Length: 4.5 m



7989335 Grounding Cord

TAPE, PACKAGING, ANTISTATIC, PVC, SELF ADHESIVE

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Length: 66 m
 - Dissipative: No
 - Width: 50 mm
 - Conductive: No
 - Anti-Static: Yes
 - Cleanroom: No
 - Text/Logo On Tape: Attention ESD Protected Area
 - Colour: Black/Yellow



733980 66 m

PACKING TAPE IN 3 LANGUAGES 66M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Length: 66 m
 - Dissipative: No
 - Width: 50 mm
 - Conductive: No
 - Anti-Static: Yes
 - Cleanroom: No
 - Text/Logo On Tape: Attention
 - Usage Type: Packaging



1252397 66 m

ESD SAFE TAPE

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Usage Type: Masking
 - Complies with EN 61340-5-1: Yes



1846695 Masking

TAPE, FLOOR, MARKING, ANTISTATIC, 5 OMMX66M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Length: 66 m
 - Dissipative: No
 - Width: 48 mm
 - Conductive: No
 - Anti-Static: No
 - Cleanroom: No
 - Text/Logo On Tape: ESD Protected Area
 - Colour: Black/Yellow



3407533 66 m

ESD UNISEX LAB COAT, LARGE

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Size: L
 - Reusable/Disposable: Reusable
 - Gender: Unisex
 - Colour: White
 - Material Properties: Anti-Static
 - Application: Laboratory
 - Closure Type: Button
 - Material: Cotton, Polyester



7898081 L

RS PRO WHITE UNISEX REUSABLE LAB COAT, S

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Size: S
 - Reusable/Disposable: Reusable
 - Gender: Unisex
 - Colour: White
 - Material Properties: Anti-Static
 - Application: Laboratory
 - Closure Type: Button
 - Material: Cotton, Polyester



7898084 S

RS PRO WHITE UNISEX REUSABLE LAB COAT, M

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Size: M
 - Reusable/Disposable: Reusable
 - Gender: Unisex
 - Colour: White
 - Material Properties: Anti-Static
 - Application: Laboratory
 - Closure Type: Button
 - Material: Cotton, Polyester



7898087 M

ESD UNISEX LAB COAT, X LARGE

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Size: XL
 - Reusable/Disposable: Reusable
 - Gender: Unisex
 - Colour: White
 - Material Properties: Anti-Static
 - Application: Laboratory
 - Closure Type: Button
 - Material: Cotton, Polyester



7898090 XL

RS PRO WHITE UNISEX REUSABLE LAB COAT, XXL

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Size: XXL
 - Reusable/Disposable: Reusable
 - Gender: Unisex
 - Colour: White
 - Material Properties: Anti-Static
 - Application: Laboratory
 - Closure Type: Button
 - Material: Cotton, Polyester



7898093 XXL

CONDUCTIVE, HOLDER, ANTISTATIC, BE NCH MOUNT

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Height: 14 mm
 - Depth: 254 mm
 - Dimensions: 353 x 254 x 14 mm
 - Width: 353 mm
 - Type: Holder
 - Complies with EN 61340-5-1: Yes
 - Material: Black Conductive Polypropylene
 - Conductive: Yes



550016 14 mm

RS PRO PCB RACK

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Type: Rack



550921 Rack

RS PRO PCB RACK, 210 X 95 X 275MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Height: 275 mm
 - Depth: 95 mm
 - Dimensions: 210 x 95 x 275 mm
 - Width: 210 mm
 - Type: Rack
 - Complies with EN 61340-5-1: Yes
 - Conductive: Yes



2878079 275 mm

RS PRO PCB RACK, 210 X 130 X 350MM

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Height: 350 mm
 - Depth: 130 mm
 - Dimensions: 210 x 130 x 350 mm
 - Width: 210 mm
 - Type: Rack
 - Complies with EN 61340-5-1: Yes
 - Conductive: Yes



2878085 350 mm

RS PRO 2 MM STRAIGHT KNIFE SOLDERING IRON TIP FOR USE WITH

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Tip Shape: Straight Knife
 - For Use With: DS90
 - Tip Size: 2 mm
 - Tip Series: DS



7998945 Straight Knife

AT90DH-4 SOLDERING TIP

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Tip Shape: Conical Bevel
 - For Use With: DS90
 - Tip Size: 2.4 mm
 - Tip Series: DS
 - Tip Angle: 45°



7998951 Conical Bevel

AT90DH-2 SOLDERING TIP

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Tip Shape: Conical Sharp
 - For Use With: DS90
 - Tip Size: 0.25 mm
 - Tip Series: DS



7998954 Conical Sharp

AT90DH-3 SOLDERING TIP

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Tip Shape: Conical Bevel
 - For Use With: DS90
 - Tip Size: 1.2 mm
 - Tip Series: DS
 - Tip Angle: 45°



7998957 Conical Bevel

AT90DH-5 SOLDERING TIP

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Tip Shape: Conical Chisel
 - For Use With: DS90
 - Tip Size: 1.6 mm
 - Tip Series: DS



7998960 Conical Chisel

AT90DH-6 SOLDERING TIP

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Tip Shape: Conical Chisel
 - For Use With: DS90
 - Tip Size: 0.8 mm
 - Tip Series: DS



7998963 Conical Chisel

RS PRO 0.8 MM CONICAL CHISEL SOLDERING IRON TIP FOR USE WITH

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Tip Shape: Conical Chisel
 - For Use With: AT60D, AT80D
 - Tip Size: 0.8 mm
 - Tip Series: DS



7998967 Conical Chisel

AT60D&80D-3 SOLDERING TIP

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Tip Shape: Conical Chisel
 - For Use With: AT60D, AT80D
 - Tip Size: 2.4 mm
 - Tip Series: AT



7998973 Conical Chisel

AT60D&80D-1 SOLDERING TIP

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Tip Shape: Conical Sharp
 - For Use With: AT60D, AT80D
 - Tip Size: 0.2 mm
 - Tip Series: AT



7998976 Conical Sharp

AT60D&80D-2 SOLDERING TIP

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Tip Shape: Conical Chisel
 - For Use With: AT60D, AT80D
 - Tip Size: 1.2 mm
 - Tip Series: AT



7998979 Conical Chisel

AT60D&80D-4 SOLDERING TIP

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Tip Shape: Conical Chisel
 - For Use With: AT60D, AT80D
 - Tip Size: 3.2 mm
 - Tip Series: AT



7998982 Conical Chisel

AT60D&80D-5 SOLDERING TIP

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Tip Shape: Straight Conical
 - For Use With: AT60D, AT80D
 - Tip Size: 0.8 mm
 - Tip Series: AT



7998985 Straight Conical

AT60D&80D-6 SOLDERING TIP

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Tip Shape: Conical Bevel
 - For Use With: AT60D, AT80D
 - Tip Size: 2 mm
 - Tip Series: AT
 - Tip Angle: 45°



7998989 Conical Bevel

RS PRO SOLDERING ACCESSORY SOLDERING IRON STAND, FOR USE

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Soldering Accessory Type: Soldering Iron Stand
 - For Use With: Soldering Stations



1466439 Soldering Iron

RS PRO SOLDERING ACCESSORY PCB WORK FRAME, FOR USE WITH

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Soldering Accessory Type: PCB Work Frame
 - For Use With: PCB Soldering & Desoldering Rework



1466440 PCB Work Frame

HELPING HANDS HOLDING CLAMP

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Soldering Accessory Type: Soldering Iron Stand
 - For Use With: Electronics, Model Making



1466441 Soldering Iron

HELPING HANDS MAGN & SOL IRON HOLDER

- ขนาดบรรจุภัณฑ์: **1 x EA**
- Soldering Accessory Type: Soldering Iron Stand
 - For Use With: Electronics, Model Making



1466442 Soldering Iron

SOLDERING, TOOL SET

ขนาดบรรจุภัณฑ์: 1 x KT

- Soldering Accessory Type: Soldering Iron Soldering Tool Set
- For Use With: Soldering Tools
- Type: Soldering Tool Set



2266331 Soldering Iron

RS SOLDERING IRON STAND

ขนาดบรรจุภัณฑ์: 1 x EA

- Soldering Accessory Type: Soldering Iron Stand
- For Use With: Soldering Irons
- Series: KP88
- Type: Soldering Iron Stand



7719546 Soldering Iron

RS PRO TOOL CASE

ขนาดบรรจุภัณฑ์: 1 x EA

- Box Type: Tool Case
- Tools Included: No



600565 Tool Case



PART OF RS GROUP



ติดต่อเราเพื่อสั่งซื้อ

อีเมล: mktg@dhrit.com

เบอร์: 02 678 2224 , 06 4159 0479

Line ID: @domnickhunterr1

ที่อยู่: บริษัท ดอมนิค ฮันเตอร์-อาร์แอล (ประเทศไทย) จำกัด

99/1-3 ถ.นราธิวาสราชนครินทร์ แขวง ซ่องนนทรี เขต ยานนาวา กรุงเทพฯ 10120



@domnickhunterr1

บริษัท อาร์เอส คอมโพเน็นส์ จำกัด

ฝ่ายคำสั่งซื้อ

orders.TH@rsgroup.com

เบอร์: 02 648 6868

ฝ่ายตอบข้อมูลสอบถาม

rcustomerserviceth@rsgroup.com

ฝ่ายสนับสนุนทางเทคนิค

tech.TH@rsgroup.com

ที่ตั้งสำนักงาน

บริษัท อาร์เอส คอมโพเน็นส์ จำกัด (สำนักงานใหญ่)

50 จีเอ็มเอ็ม แกรมมีเพลส ชั้นที่ 19

ห้อง 1901-1904 ถนนสุขุมวิท 21 (อโศก) แขวงคลองตันเหนือ

เขตวัฒนา จังหวัดกรุงเทพมหานคร ประเทศไทย 10110

