

RS PRO

產品指南

您的明智之選

工業耗材



p.2

粘合劑、清潔
及標記產品




P.16

抗震產品



p.44

電池



p.50

工程材料



p.78

資訊科技



p.102

焊接及
ESD產品



RS PRO BLACK ANTI-SLIP TILE POLYMER ANTI-SLIP TILE, SOLID

包装尺寸: 10 x EA

- Type: Anti-Slip Tile
- Material: Polymer
- Self-Adhesive: Yes
- Surface Type: Solid
- Quantity Per Package: 10
- Colour: Black
- Product Type: Mat, Tread
- Length: 140 mm



7621512 Anti-Slip Tile

RS PRO BLACK ANTI-SLIP FLOORING POLYMER MAT, SOLID FINISH 610MM

包装尺寸: 10 x EA

- Type: Mat
- Material: Polymer
- Self-Adhesive: Yes
- Surface Type: Solid
- Quantity Per Package: 10
- Colour: Black
- Product Type: Mat, Tread
- Product Format: Individual



7621516 Mat

COTTAM BROOM, BROWN WITH NATURAL COCO BRISTLES FOR

包装尺寸: 1 x EA

- Application: Indoor and Outdoor Areas
- Depth: 55.5 mm
- Width: 280 mm
- Bristle Length: 65.8 mm
- Bristle Material: Natural Coco
- Colour: Brown
- Hard/Soft: Soft



9033478 Indoor and

RS PRO CLEAR OFFICE TAPE 50MM X 33M

包装尺寸: 1 x EA

- Colour: Clear
- Length: 33 m
- Repositionable: Yes
- Width: 50 mm
- Trade Name: Clear Polythene Tape



2205882 Clear

RS PRO FR60 CLEAR OFFICE TAPE 38MM X 50M

包装尺寸: 1 x EA

- Colour: Clear
- Length: 50 m
- Width: 38 mm
- Model Number: FR60



2231092 Clear

PLASTIC FOAM TIPPED BUDS,150MM L 25/BOX

包装尺寸: 25 x EA

- Application: Computers
- Number of Buds per Pack: 25
- Package Type: Box
- Bud Material: Foam
- Stick Material: Plastic
- Length: 150 mm



494562 Computers

SLIM COTTON TIP BUDS,150MM L 25/BOX

包装尺寸: 25 x EA

- Application: Computers
- Number of Buds per Pack: 25
- Package Type: Box
- Bud Material: Cotton
- Stick Material: Plastic
- Length: 150 mm



494578 Computers

SINGLE ENDED COTTON BUDS,150MM L L 200/BOX

包装尺寸: 200 x EA

- Application: Computers
- Number of Buds per Pack: 200
- Package Type: Box
- Bud Material: Cotton
- Stick Material: Wood
- Length: 150 mm



558802 Computers

POLYETHYLENE TRIGGER SPRAY,600ML

包装尺寸: 1 x EA

- Product Capacity: 600 ml
- Colour: Clear



779318 600 ml

ANTI-SPLASH PUMP DISPENSER,240ML (8OZ)

包装尺寸: 1 x EA

- For Use With: Cleaner, Solvent
- Product Capacity: 240 ml
- Colour: Pink



4237391 Cleaner, Solvent

PRECISION DISPENSER,20Z

包装尺寸: 1 x EA

- For Use With: Oil, Solvent
- Product Capacity: 60 ml
- Colour: Translucent



5474226 Oil, Solvent

POLYPROPYLENE SQUEEZE DISPENSER,110ML

包装尺寸: 1 x EA

- For Use With: Cleaner, Oil, Solvent
- Product Capacity: 110 ml
- Colour: Translucent



5480962 Cleaner, Oil,

POLYPROPYLENE SQUEEZE DISPENSER,225ML

包装尺寸: 1 x EA

- For Use With: Cleaner, Oil, Solvent
- Product Capacity: 225 ml
- Colour: Translucent



5484289 Cleaner, Oil,

RS PRO SEALANT GUN 305ML

包装尺寸: 1 x EA

- Type: Sealant Gun
- Product Capacity: 305 ml, 310 ml, 380 ml, 400 ml



174791 Sealant Gun

RS PRO ADHESIVE SYRINGE GUN 50ML

包装尺寸: 1 x EA

- Type: Adhesive Gun
- Product Capacity: 50 ml



503379 Adhesive Gun

RS PRO SEALANT GUN 200ML

包装尺寸: 1 x EA

- Type: Adhesive Gun
- Product Capacity: 200 ml



9158987 Adhesive Gun

RS PRO SEALANT GUN 400ML

包裝尺寸: **1 x EA**

- Type: Adhesive Gun
- Product Capacity: 400 ml



9158993 Adhesive Gun

RS PRO TRANSLUCENT STRAIGHT DISPENSING TIP

包裝尺寸: **10 x EA**

- Type: Straight
- For Use With: 400 ml Dispenser
- Length: 198.12 mm
- Colour: Translucent



4788473 Straight

POLYPROPYLENE 2SIDED TAPE,50M L X 50MM W

包裝尺寸: **50 x MTR**

- Tape Type: Plastic Tape
- Backing Material: PP
- Width: 50 mm
- Length: 50 m
- Thickness: 0.1 mm
- Colour: Yellow
- Adhesive Material: Rubber



512884 Plastic Tape

RS PRO YELLOW DOUBLE SIDED PLASTIC TAPE, 0.1MM THICK, PP

包裝尺寸: **20 x MTR**

- Tape Type: Plastic Tape
- Backing Material: PP
- Width: 25 mm
- Length: 20 m
- Thickness: 0.1 mm
- Colour: Yellow
- Adhesive Material: Rubber



555033 Plastic Tape

RS PRO WHITE DOUBLE SIDED PAPER TAPE, NON-WOVEN BACKING, 15MM

包裝尺寸: **1 x EA**

- Tape Type: Paper Tape
- Backing Material: Non-Woven
- Width: 15 mm
- Length: 50 m
- Colour: White
- Adhesive Material: Acrylic, Rubber
- Maximum Operating Temperature: +80 °C



1254303 Paper Tape

RS PRO WHITE DOUBLE SIDED PAPER TAPE, NON-WOVEN BACKING, 12MM

包裝尺寸: **1 x EA**

- Tape Type: Paper Tape
- Backing Material: Non-Woven
- Width: 12 mm
- Length: 50 m
- Colour: White
- Adhesive Material: Acrylic, Rubber
- Maximum Operating Temperature: +80 °C



1254302 Paper Tape

RS PRO WHITE DOUBLE SIDED PAPER TAPE, NON-WOVEN BACKING, 25MM

包裝尺寸: **1 x EA**

- Tape Type: Paper Tape
- Backing Material: Non-Woven
- Width: 25 mm
- Length: 50 m
- Colour: White
- Adhesive Material: Acrylic, Rubber
- Maximum Operating Temperature: +80 °C



1254304 Paper Tape

RS PRO WHITE DOUBLE SIDED PAPER TAPE, NON-WOVEN BACKING, 9MM X

包裝尺寸: **1 x EA**

- Tape Type: Paper Tape
- Backing Material: Non-Woven
- Width: 9 mm
- Length: 50 m
- Colour: White
- Adhesive Material: Acrylic, Rubber
- Maximum Operating Temperature: +80 °C



1254306 Paper Tape

RS PRO WHITE DOUBLE SIDED PLASTIC TAPE, 0.18MM THICK, 12

包裝尺寸: **1 x EA**

- Tape Type: Plastic Tape
- Backing Material: PVC
- Width: 19 mm
- Length: 50 m
- Thickness: 0.18 mm
- Colour: White
- Adhesive Material: Acrylic
- Adhesion Strength: 12 N/cm



2175254 Plastic Tape

RS PRO WHITE DOUBLE SIDED PLASTIC TAPE, 0.18MM THICK, 12

包裝尺寸: **1 x EA**

- Backing Material: PVC
- Width: 25 mm
- Length: 50 m
- Thickness: 0.18 mm
- Colour: White
- Adhesive Material: Acrylic
- Adhesion Strength: 12 N/cm
- Maximum Operating Temperature: +70 °C



2175255 PVC

RS PRO WHITE DOUBLE SIDED PLASTIC TAPE, 0.18MM THICK, 12

包裝尺寸: **1 x EA**

- Backing Material: PVC
- Width: 38 mm
- Length: 50 m
- Thickness: 0.18 mm
- Colour: White
- Adhesive Material: Acrylic
- Adhesion Strength: 12 N/cm
- Maximum Operating Temperature: +70 °C



2175256 PVC

RS PRO BLACK DOUBLE SIDED PLASTIC TAPE, 0.15MM THICK, 6

包裝尺寸: **1 x EA**

- Backing Material: PVC
- Width: 25 mm
- Length: 50 m
- Thickness: 0.15 mm
- Colour: Black
- Adhesive Material: Acrylic
- Adhesion Strength: 6 N/cm
- Tensile Strength: 23 N/cm



2175258 PVC

RS PRO F30 YELLOW DOUBLE SIDED POLYESTER TAPE, 0.245MM THICK,

包裝尺寸: **1 x EA**

- Backing Material: PVC
- Tape Type: Plastic Tape
- Width: 12 mm
- Length: 50 m
- Thickness: 0.245 mm
- Colour: Yellow
- Model Number: F30



2231077 PVC

RS PRO F40 RED DOUBLE SIDED POLYESTER TAPE, 0.2MM THICK,

包裝尺寸: **1 x EA**

- Backing Material: Polyester
- Tape Type: Plastic Tape
- Width: 12 mm
- Length: 50 m
- Thickness: 0.2 mm
- Colour: Red
- Model Number: F40



2231078 Polyester

RS PRO F40 RED DOUBLE SIDED POLYESTER TAPE, 0.2MM THICK,

包裝尺寸: **1 x EA**

- Backing Material: Polyester
- Tape Type: Plastic Tape
- Width: 15 mm
- Length: 50 m
- Thickness: 0.2 mm
- Colour: Red
- Model Number: F40



2231079 Polyester

RS PRO F20 WHITE DOUBLE SIDED PAPER TAPE, 0.1MM THICK, 19MM X

包裝尺寸: **1 x EA**

- Width: 19 mm
- Length: 50 m
- Thickness: 0.1 mm
- Colour: White
- Model Number: F20



2231080 19 mm

RS PRO F20 WHITE DOUBLE SIDED PAPER TAPE, 0.16MM THICK, 19MM X

- 包装尺寸: 1 x EA
- Width: 19 mm
 - Length: 50 m
 - Thickness: 0.16 mm
 - Colour: White
 - Model Number: F20



2231081 19 mm

RS PRO F30 YELLOW DOUBLE SIDED POLYESTER TAPE, 0.245MM THICK,

- 包装尺寸: 1 x EA
- Backing Material: PVC
 - Tape Type: Plastic Tape
 - Width: 19 mm
 - Length: 50 m
 - Thickness: 0.245 mm
 - Colour: Yellow
 - Model Number: F30



2231083 PVC

RS PRO F40 RED DOUBLE SIDED POLYESTER TAPE, 0.2MM THICK,

- 包装尺寸: 1 x EA
- Backing Material: Polyester
 - Tape Type: Plastic Tape
 - Width: 19 mm
 - Length: 50 m
 - Thickness: 0.2 mm
 - Colour: Red
 - Model Number: F40



2231084 Polyester

RS PRO F40 RED DOUBLE SIDED POLYESTER TAPE, 0.2MM THICK,

- 包装尺寸: 1 x EA
- Backing Material: Polyester
 - Tape Type: Plastic Tape
 - Width: 20 mm
 - Length: 50 m
 - Thickness: 0.2 mm
 - Colour: Red
 - Model Number: F40



2231086 Polyester

RS PRO F20 WHITE DOUBLE SIDED PAPER TAPE, 0.1MM THICK, 25MM X

- 包装尺寸: 1 x EA
- Width: 25 mm
 - Length: 50 m
 - Thickness: 0.1 mm
 - Colour: White
 - Model Number: F20



2231087 25 mm

RS PRO F30 YELLOW DOUBLE SIDED POLYESTER TAPE, 0.245MM THICK,

- 包装尺寸: 1 x EA
- Backing Material: PVC
 - Tape Type: Plastic Tape
 - Width: 38 mm
 - Length: 50 m
 - Thickness: 0.245 mm
 - Colour: Yellow
 - Model Number: F30



2231090 PVC

RS PRO F40 RED DOUBLE SIDED POLYESTER TAPE, 0.2MM THICK,

- 包装尺寸: 1 x EA
- Backing Material: Polyester
 - Tape Type: Plastic Tape
 - Width: 38 mm
 - Length: 50 m
 - Thickness: 0.2 mm
 - Colour: Red
 - Model Number: F40



2231091 Polyester

RS PRO F20 WHITE DOUBLE SIDED PAPER TAPE, 0.1MM THICK, 50MM X

- 包装尺寸: 1 x EA
- Width: 50 mm
 - Length: 50 m
 - Thickness: 0.1 mm
 - Colour: White
 - Model Number: F20



2231093 50 mm

RS PRO F30 YELLOW DOUBLE SIDED POLYESTER TAPE, 0.245MM THICK,

- 包装尺寸: 1 x EA
- Backing Material: PVC
 - Tape Type: Plastic Tape
 - Width: 50 mm
 - Length: 50 m
 - Thickness: 0.245 mm
 - Colour: Yellow
 - Model Number: F30



2231094 PVC

RS PRO F40 RED DOUBLE SIDED POLYESTER TAPE, 0.2MM THICK,


- 包装尺寸: 1 x EA
- Backing Material: Polyester
 - Tape Type: Plastic Tape
 - Width: 50 mm
 - Length: 50 m
 - Thickness: 0.2 mm
 - Colour: Red
 - Model Number: F40



2231095 Polyester

RS PRO DUCT TAPE, 50M X 50MM, SILVER, GLOSS FINISH

- 包装尺寸: 1 x EA
- Tape Type: Duct Tape
 - Colour: Silver
 - Width: 50 mm
 - Length: 50 m
 - Backing Material: Cloth
 - Thickness: 0.17 mm
 - Adhesive Material: Rubber Resin
 - Adhesion Strength: 3 N/cm, 4 N/cm



1466827 Duct Tape

RS PRO DUCT TAPE, 50M X 50MM, BLACK, GLOSS FINISH

- 包装尺寸: 1 x EA
- Tape Type: Duct Tape
 - Colour: Black
 - Width: 50 mm
 - Length: 50 m
 - Backing Material: Cloth
 - Thickness: 0.17 mm
 - Adhesive Material: Rubber Resin
 - Adhesion Strength: 3 N/cm, 4 N/cm



1466828 Duct Tape

RS PRO CLOTH TAPE, 50M X 50MM, WHITE, GLOSS FINISH

- 包装尺寸: 1 x EA
- Tape Type: Cloth Tape
 - Colour: White
 - Width: 50 mm
 - Length: 50 m
 - Backing Material: Cloth
 - Thickness: 0.17 mm
 - Adhesive Material: Rubber Resin
 - Adhesion Strength: 3 N/cm, 4 N/cm



1466829 Cloth Tape

RS PRO CLOTH TAPE, 50M X 50MM, BLACK, GLOSS FINISH

- 包装尺寸: 1 x EA
- Colour: Black
 - Tape Type: Cloth Tape
 - Width: 50 mm
 - Length: 50 m
 - Backing Material: Fabric
 - Thickness: 0.23 mm
 - Adhesive Material: Rubber Resin
 - Adhesion Strength: 3.5 N/cm, 5.5 N/cm



1467414 Black

RS PRO CLOTH TAPE, 50M X 50MM, YELLOW, GLOSS FINISH

- 包装尺寸: 1 x EA
- Tape Type: Cloth Tape
 - Colour: Yellow
 - Width: 50 mm
 - Length: 50 m
 - Backing Material: Fabric
 - Thickness: 0.23 mm
 - Adhesive Material: Rubber Resin
 - Adhesion Strength: 3.5 N/cm, 5.5 N/cm



1467415 Cloth Tape

RS PRO CLOTH TAPE, 50M X 50MM, RED, GLOSS FINISH

- 包装尺寸: 1 x EA
- Tape Type: Cloth Tape
 - Colour: Red
 - Width: 50 mm
 - Length: 50 m
 - Backing Material: Fabric
 - Thickness: 0.23 mm
 - Adhesive Material: Rubber Resin
 - Adhesion Strength: 3.5 N/cm, 5.5 N/cm



1467418 Cloth Tape

RS PRO CLOTH TAPE, 50M X 50MM, SILVER, GLOSS FINISH

- 包裝尺寸: 1 x EA
- Tape Type: Cloth Tape
 - Colour: Silver
 - Width: 50 mm
 - Length: 50 m
 - Backing Material: Fabric
 - Thickness: 0.23 mm
 - Adhesive Material: Rubber Resin
 - Adhesion Strength: 3.5 N/cm, 5.5 N/cm



1467416 Cloth Tape

RS PRO DUCT TAPE, 50M X 50MM, BLUE, GLOSS FINISH

- 包裝尺寸: 1 x EA
- Tape Type: Duct Tape
 - Colour: Blue
 - Width: 50 mm
 - Length: 50 m
 - Backing Material: Fabric
 - Thickness: 0.23 mm
 - Adhesive Material: Rubber Resin
 - Adhesion Strength: 3.5 N/cm, 5.5 N/cm



1467419 Duct Tape

RS PRO DUCT TAPE, 25M X 50MM, BLACK

- 包裝尺寸: 1 x EA
- Tape Type: Duct Tape
 - Colour: Black
 - Width: 50 mm
 - Length: 25 m
 - Backing Material: PE Cloth
 - Thickness: 0.26 mm
 - Adhesive Material: Rubber Resin
 - Adhesion Strength: 4.5 N/cm



1769807 Duct Tape

RS PRO DUCT TAPE, 25M X 50MM, WHITE

- 包裝尺寸: 1 x EA
- Tape Type: Duct Tape
 - Colour: White
 - Width: 50 mm
 - Length: 25 m
 - Backing Material: PE Cloth
 - Thickness: 0.26 mm
 - Adhesive Material: Rubber Resin
 - Adhesion Strength: 4.5 N/cm



1769808 Duct Tape

RS PRO DUCT TAPE, 25M X 50MM, GREY

- 包裝尺寸: 1 x EA
- Tape Type: Duct Tape
 - Colour: Grey
 - Width: 50 mm
 - Length: 25 m
 - Backing Material: PE Cloth
 - Thickness: 0.26 mm
 - Adhesive Material: Rubber Resin
 - Adhesion Strength: 4.5 N/cm



1769809 Duct Tape

FABRIC BACKED BLACK DUCT TAPE, 50M L

- 包裝尺寸: 1 x EA
- Colour: Black
 - Tape Type: Duct Tape
 - Width: 50 mm
 - Length: 50 m
 - Backing Material: PE Film With PET Filaments
 - Thickness: 0.18 mm
 - Adhesive Material: Synthetic Rubber
 - Adhesion Strength: 4.3 (Steel) N/cm



3731577 Black

FABRIC BACKED SILVER DUCT TAPE, 50M L

- 包裝尺寸: 1 x EA
- Colour: Silver
 - Tape Type: Duct Tape
 - Width: 50 mm
 - Length: 50 m
 - Backing Material: PE Film With PET Filaments
 - Thickness: 0.18 mm
 - Adhesive Material: Synthetic Rubber
 - Adhesion Strength: 4.3 (Steel) N/cm



3731606 Silver

PVC INSULATING TAPE BLACK 33MX19MM

- 包裝尺寸: 1 x EA
- Colour: Black
 - Width: 19 mm
 - Length: 33 m
 - Backing Material: PVC
 - Thickness: 0.13 mm
 - Maximum Operating Temperature: +70 °C



1347319 Black

PVC INSULATING TAPE WHITE 33MX19MM

- 包裝尺寸: 1 x EA
- Colour: White
 - Width: 19 mm
 - Length: 33 m
 - Backing Material: PVC
 - Thickness: 0.13 mm
 - Maximum Operating Temperature: +70 °C



1347320 White

PVC INSULATING TAPE BLACK 20MX12MM

- 包裝尺寸: 1 x EA
- Colour: Black
 - Width: 12 mm
 - Length: 20 m
 - Backing Material: PVC
 - Thickness: 0.13 mm
 - Maximum Operating Temperature: +70 °C



1347321 Black

PVC INSULATING TAPE RED 33MX19MM

- 包裝尺寸: 1 x EA
- Colour: Red
 - Width: 19 mm
 - Length: 33 m
 - Backing Material: PVC
 - Thickness: 0.13 mm
 - Maximum Operating Temperature: +70 °C



1347323 Red

PVC INSULATING TAPE BLUE 33MX19MM

- 包裝尺寸: 1 x EA
- Colour: Blue
 - Width: 19 mm
 - Length: 33 m
 - Backing Material: PVC
 - Thickness: 0.13 mm
 - Maximum Operating Temperature: +70 °C



1347324 Blue

PVC INSULATING TAPE GRN/YEL 20MX12MM

- 包裝尺寸: 1 x EA
- Colour: Green, Yellow
 - Width: 12 mm
 - Length: 20 m
 - Backing Material: PVC
 - Thickness: 0.13 mm
 - Maximum Operating Temperature: +70 °C



1347325 Green, Yellow

PVC INSULATING TAPE YELLOW 33MX19MM

- 包裝尺寸: 1 x EA
- Colour: Yellow
 - Width: 19 mm
 - Length: 33 m
 - Backing Material: PVC
 - Thickness: 0.13 mm
 - Maximum Operating Temperature: +70 °C



1347326 Yellow

PVC INSULATING TAPE RED 20MX12MM

- 包裝尺寸: 1 x EA
- Colour: Red
 - Width: 12 mm
 - Length: 20 m
 - Backing Material: PVC
 - Thickness: 0.13 mm
 - Maximum Operating Temperature: +70 °C



1347327 Red

PVC INSULATING TAPE GRN/YEL 33MX19MM

- 包裝尺寸: 1 x EA
- Colour: Green, Yellow
 - Width: 19 mm
 - Length: 33 m
 - Backing Material: PVC
 - Thickness: 0.13 mm
 - Maximum Operating Temperature: +70 °C



1347328 Green, Yellow

PVC INSULATING TAPE BLACK 20MX38MM

- 包装尺寸: 1 x EA
- Colour: Black
 - Width: 38 mm
 - Length: 20 m
 - Backing Material: PVC
 - Thickness: 0.13 mm
 - Maximum Operating Temperature: +70 °C



1347329 Black

PVC INSULATING TAPE BLUE 20MX12MM

- 包装尺寸: 1 x EA
- Colour: Blue
 - Width: 12 mm
 - Length: 20 m
 - Backing Material: PVC
 - Thickness: 0.13 mm
 - Maximum Operating Temperature: +70 °C



1347330 Blue

PVC INSULATING TAPE GREEN 33MX19MM

- 包装尺寸: 1 x EA
- Colour: Green
 - Width: 19 mm
 - Length: 33 m
 - Backing Material: PVC
 - Thickness: 0.13 mm
 - Maximum Operating Temperature: +70 °C



1347331 Green

PVC INSULATING TAPE YELLOW 20MX12MM

- 包装尺寸: 1 x EA
- Colour: Yellow
 - Width: 12 mm
 - Length: 20 m
 - Backing Material: PVC
 - Thickness: 0.13 mm
 - Maximum Operating Temperature: +70 °C



1347332 Yellow

PVC INSULATING TAPE WHITE 20MX12MM

- 包装尺寸: 1 x EA
- Colour: White
 - Width: 12 mm
 - Length: 20 m
 - Backing Material: PVC
 - Thickness: 0.13 mm
 - Maximum Operating Temperature: +70 °C



1347333 White

PVC INSULATING TAPE GREEN 20MX12MM

- 包装尺寸: 1 x EA
- Colour: Green
 - Width: 12 mm
 - Length: 20 m
 - Backing Material: PVC
 - Thickness: 0.13 mm
 - Maximum Operating Temperature: +70 °C



1347334 Green

PVC INSULATING TAPE WHITE 20MX38MM

- 包装尺寸: 1 x EA
- Colour: White
 - Width: 38 mm
 - Length: 20 m
 - Backing Material: PVC
 - Thickness: 0.13 mm
 - Maximum Operating Temperature: +70 °C



1347335 White

PVC HARNESSING TAPE BLACK 20MX19MM

- 包装尺寸: 1 x EA
- Colour: Black
 - Width: 19 mm
 - Length: 20 m
 - Backing Material: PVC
 - Thickness: 0.10 mm
 - Maximum Operating Temperature: +70 °C



1347336 Black

BLACK VINYL ELECTRICAL TAPE 20M X 19MM

- 包装尺寸: 1 x EA
- Colour: Black
 - Width: 19 mm
 - Length: 20 m
 - Thickness: 0.19 mm
 - Maximum Operating Temperature: +150 °C



1347337 Black

GLASS CLOTH TAPE CLASS H 33MX12MM

- 包装尺寸: 1 x EA
- Colour: White
 - Width: 12 mm
 - Length: 33 m
 - Backing Material: Glass Cloth
 - Thickness: 0.18 mm
 - Maximum Operating Temperature: +180 °C



1347339 White

RS PRO WHITE GLASS CLOTH ELECTRICAL TAPE, 25MM X 33M

- 包装尺寸: 1 x EA
- Colour: White
 - Width: 25 mm
 - Length: 33 m
 - Backing Material: Glass Cloth
 - Thickness: 0.18 mm
 - Maximum Operating Temperature: +180 °C



1347340 White

GLASS CLOTH TAPE CLASS H 33MX19MM

- 包装尺寸: 1 x EA
- Colour: White
 - Width: 19 mm
 - Length: 33 m
 - Backing Material: Glass Cloth
 - Thickness: 0.18 mm
 - Maximum Operating Temperature: +180 °C



1347341 White

RS PRO BLACK PVC ELECTRICAL TAPE, 50MM X 33M

- 包装尺寸: 1 x EA
- Colour: Black
 - Width: 50 mm
 - Length: 33 m
 - Backing Material: PVC
 - Thickness: 0.13 mm
 - Maximum Operating Temperature: +60 °C



2205880 Black

POLYESTER TAPE CLASS B 66MX12MM AT4004


- 包装尺寸: 1 x EA
- Colour: Yellow
 - Width: 12 mm
 - Length: 66 m
 - Backing Material: Polyester
 - Thickness: 0.06 mm
 - Maximum Operating Temperature: +130 °C
 - Trade Name: AT4004



4089489 Yellow

POLYESTER TAPE CLASS B 66MX19MM AT4004

- 包装尺寸: 1 x EA
- Colour: Yellow
 - Width: 19 mm
 - Length: 66 m
 - Backing Material: Polyester
 - Thickness: 0.06 mm
 - Maximum Operating Temperature: +130 °C
 - Trade Name: AT4004



4089495 Yellow

POLYESTER TAPE CLASS B 66MX25MM AT4004

- 包装尺寸: 1 x EA
- Colour: Yellow
 - Width: 25 mm
 - Length: 66 m
 - Backing Material: Polyester
 - Thickness: 0.06 mm
 - Maximum Operating Temperature: +130 °C
 - Trade Name: AT4004



4089502 Yellow

POLYPROP ADHESIVE GRID TAPE, 34MX12MM

- 包装尺寸: 1 x EA
- Length: 36 m
 - Dissipative: Yes
 - Width: 12 mm
 - Conductive: No
 - Anti-Static: Yes
 - Cleanroom: No
 - Text/Logo On Tape: Logo
 - Colour: Clear



4439799 36 m

18MM X 36M ESD TAPE

- 包装尺寸: 1 x EA
- Length: 36 m
 - Dissipative: Yes
 - Width: 18 mm
 - Conductive: Yes
 - Anti-Static: Yes
 - Cleanroom: No
 - Text/Logo On Tape: Logo
 - Colour: Clear



4439812 36 m

POLYPROP ADHESIVE GRID TAPE, 34MX24MM

- 包装尺寸: 1 x EA
- Length: 36 m
 - Dissipative: Yes
 - Width: 24 mm
 - Conductive: No
 - Anti-Static: Yes
 - Cleanroom: No
 - Text/Logo On Tape: Logo
 - Colour: Clear



4439828 36 m

POLYPROP ADHESIVE GRID TAPE, 34MX48MM

- 包装尺寸: 1 x EA
- Length: 36 m
 - Dissipative: Yes
 - Width: 48 mm
 - Conductive: No
 - Anti-Static: Yes
 - Cleanroom: No
 - Text/Logo On Tape: Logo
 - Colour: Clear



4439834 36 m

RS PRO NATURAL BRISTLE PCB AND FLUX BRUSH

- 包装尺寸: 5 x EA
- Type: PCB and Flux Brush
 - Material: Natural Bristle
 - Dimensions: 200 mm



2299690 PCB and Flux

RS PRO WHITE FOAM TAPE, 8MM X 16.5M, 3MM THICK

- 包装尺寸: 1 x EA
- Width: 8 mm
 - Thickness: 3 mm
 - Length: 16.5 m
 - Backing Material: EPDM
 - Colour: White
 - Adhesive Material: Rubber
 - Maximum Operating Temperature: +50 °C



193168 8 mm

RS PRO WHITE FOAM TAPE, 12MM X 150MM, 0.8MM THICK

- 包装尺寸: 25 x EA
- Width: 12 mm
 - Thickness: 0.8 mm
 - Length: 150 mm
 - Backing Material: Foam
 - Colour: White
 - Single/Double Sided: Double Sided
 - Adhesive Material: Acrylic



512856 12 mm

RS PRO WHITE FOAM TAPE, 12MM X 12MM, 0.8MM THICK

- 包装尺寸: 500 x EA
- Width: 12 mm
 - Thickness: 0.8 mm
 - Length: 12 mm
 - Backing Material: Foam
 - Colour: White
 - Single/Double Sided: Double Sided



512862 12 mm

RS PRO GREY FOAM TAPE, 25MM X 25MM, 0.8MM THICK

- 包装尺寸: 250 x EA
- Width: 25 mm
 - Thickness: 0.8 mm
 - Length: 25 mm
 - Backing Material: Foam
 - Colour: Grey
 - Single/Double Sided: Double Sided



512878 25 mm

RS PRO WHITE FOAM TAPE, 25MM X 150MM, 0.8MM THICK

- 包装尺寸: 25 x EA
- Width: 25 mm
 - Thickness: 0.8 mm
 - Length: 150 mm
 - Backing Material: PE Foam
 - Colour: White
 - Single/Double Sided: Double Sided
 - Adhesive Material: Rubber



554844 25 mm

RS PRO BLACK FOAM TAPE, 20MM X 5M, 4MM THICK

- 包装尺寸: 5 x MTR
- Width: 20 mm
 - Thickness: 4 mm
 - Length: 5 m
 - Backing Material: PE
 - Colour: Black



554866 20 mm

RS PRO WHITE FOAM TAPE, 25MM X 12MM, 0.8MM THICK

- 包装尺寸: 500 x EA
- Width: 25 mm
 - Thickness: 0.8 mm
 - Length: 12 mm
 - Backing Material: Foam
 - Colour: White
 - Single/Double Sided: Double Sided



555257 25 mm

RS PRO BLACK FOAM TAPE, 12MM X 10M, 2MM THICK

- 包装尺寸: 10 x MTR
- Width: 12 mm
 - Thickness: 2 mm
 - Length: 10 m
 - Backing Material: PVC
 - Colour: Black
 - Adhesive Material: Polychloroprene
 - Maximum Operating Temperature: +70 °C



556525 12 mm

RS PRO BLACK FOAM TAPE, 12MM X 10M, 3MM THICK

- 包装尺寸: 10 x MTR
- Width: 12 mm
 - Thickness: 3 mm
 - Length: 10 m
 - Backing Material: EPDM
 - Colour: Black
 - Adhesive Material: Rubber
 - Maximum Operating Temperature: +90 °C



567963 12 mm

RS PRO TRANSLUCENT FOAM TAPE, 19MM X 33M, 1MM THICK

- 包装尺寸: 1 x EA
- Width: 19 mm
 - Thickness: 1 mm
 - Length: 33 m
 - Backing Material: Foam
 - Colour: Translucent
 - Single/Double Sided: Double Sided
 - Adhesive Material: Acrylic



1254309 19 mm

RS PRO TRANSLUCENT FOAM TAPE, 6MM X 33M, 1MM THICK

- 包装尺寸: 1 x EA
- Width: 6 mm
 - Thickness: 1 mm
 - Length: 33 m
 - Backing Material: Foam
 - Colour: Translucent
 - Single/Double Sided: Double Sided
 - Adhesive Material: Acrylic



1254310 6 mm

RS PRO GREY FOAM TAPE, 6MM X 30M, 3MM THICK

- 包装尺寸: 1 x EA
- Width: 6 mm
 - Thickness: 3 mm
 - Length: 30 m
 - Backing Material: PVC
 - Colour: Grey



2050805 6 mm

RS PRO GREY FOAM TAPE, 9MM X 30M, 3MM THICK

- 包装尺寸: 1 x EA
- Width: 9 mm
 - Thickness: 3 mm
 - Length: 30 m
 - Backing Material: PVC
 - Colour: Grey



2050827 9 mm

RS PRO GREY FOAM TAPE, 12MM X 30M, 3MM THICK

- 包装尺寸: 1 x EA
- Width: 12 mm
 - Thickness: 3 mm
 - Length: 30 m
 - Backing Material: PVC
 - Colour: Grey



2050833 12 mm

RS PRO GREY FOAM TAPE, 9MM X 15M, 6MM THICK

- 包装尺寸: 1 x EA
- Width: 9 mm
 - Thickness: 6 mm
 - Length: 15 m
 - Backing Material: PVC
 - Colour: Grey



2050849 9 mm

RS PRO GREY FOAM TAPE, 12MM X 15M, 6MM THICK

- 包装尺寸: 1 x EA
- Width: 12 mm
 - Thickness: 6 mm
 - Length: 15 m
 - Backing Material: PVC
 - Colour: Grey



2050855 12 mm

RS PRO BLACK FOAM TAPE, 12MM X 30M, 3MM THICK

- 包装尺寸: 1 x EA
- Width: 12 mm
 - Thickness: 3 mm
 - Length: 30 m
 - Backing Material: PVC
 - Colour: Black



2050861 12 mm

RS PRO BLACK FOAM TAPE, 12MM X 15M, 6MM THICK

- 包装尺寸: 1 x EA
- Width: 12 mm
 - Thickness: 6 mm
 - Length: 15 m
 - Backing Material: PVC
 - Colour: Black



2050877 12 mm

RS PRO BLACK FOAM TAPE, 25MM X 15M, 6MM THICK

- 包装尺寸: 1 x EA
- Width: 25 mm
 - Thickness: 6 mm
 - Length: 15 m
 - Backing Material: PVC
 - Colour: Black



2050883 25 mm

RS PRO BLACK FOAM TAPE, 12MM X 10M, 10MM THICK

- 包装尺寸: 1 x EA
- Width: 12 mm
 - Thickness: 10 mm
 - Length: 10 m
 - Backing Material: PVC
 - Colour: Black



2050899 12 mm

RS PRO BLACK FOAM TAPE, 25MM X 10M, 10MM THICK

- 包装尺寸: 1 x EA
- Width: 25 mm
 - Thickness: 10 mm
 - Length: 10 m
 - Backing Material: PVC
 - Colour: Black



2050906 25 mm

RS PRO GREY FOAM TAPE, 9MM X 30M, 3MM THICK

- 包装尺寸: 1 x EA
- Width: 9 mm
 - Thickness: 3 mm
 - Length: 30 m
 - Backing Material: PVC
 - Colour: Grey
 - Foam Density: 165 → 260 kg/m³
 - Adhesive Material: Acrylic
 - Tensile Strength: 64 N/cm



2050912 9 mm

RS PRO GREY FOAM TAPE, 12MM X 30M, 3MM THICK

- 包装尺寸: 1 x EA
- Width: 12 mm
 - Thickness: 3 mm
 - Length: 30 m
 - Backing Material: PVC
 - Colour: Grey
 - Foam Density: 165 → 260 kg/m³
 - Adhesive Material: Acrylic
 - Tensile Strength: 64 N/cm



2050928 12 mm

RS PRO GREY FOAM TAPE, 12MM X 15M, 6MM THICK


- 包装尺寸: 1 x EA
- Width: 12 mm
 - Thickness: 6 mm
 - Length: 15 m
 - Backing Material: PVC
 - Colour: Grey
 - Foam Density: 165 → 260 kg/m³
 - Adhesive Material: Acrylic
 - Tensile Strength: 64 N/cm



2050934 12 mm

RS PRO GREY FOAM TAPE, 25MM X 15M, 6MM THICK

- 包装尺寸: 1 x EA
- Width: 25 mm
 - Thickness: 6 mm
 - Length: 15 m
 - Backing Material: PVC
 - Colour: Grey
 - Foam Density: 165 → 260 kg/m³
 - Adhesive Material: Acrylic
 - Tensile Strength: 64 N/cm



2050940 25 mm

RS PRO BLACK FOAM TAPE, 12MM X 31M, 3.2MM THICK

- 包装尺寸: 1 x EA
- Width: 12 mm
 - Thickness: 3.2 mm
 - Length: 31 m
 - Backing Material: PVC Foam
 - Colour: Black
 - Single/Double Sided: Double Sided



2050962 12 mm

RS PRO BLACK FOAM TAPE, 9MM X 31M, 3.2MM THICK

- 包装尺寸: 1 x EA
- Width: 9 mm
 - Thickness: 3.2 mm
 - Length: 31 m
 - Backing Material: PVC Foam
 - Colour: Black
 - Single/Double Sided: Double Sided



2050956 9 mm

RS PRO BLACK FOAM TAPE, 12MM X 15M, 4.8MM THICK

- 包装尺寸: 1 x EA
- Width: 12 mm
 - Thickness: 4.8 mm
 - Length: 15 m
 - Backing Material: PVC Foam
 - Colour: Black
 - Single/Double Sided: Double Sided



2050984 12 mm

RS PRO HB 8010P WHITE FOAM TAPE, 19MM X 50M, 1MM THICK

- 包装尺寸: 1 x EA
- Width: 19 mm
 - Thickness: 1 mm
 - Length: 50 m
 - Backing Material: PE Foam
 - Colour: White
 - Model Number: HB 8010P
 - Series: HB



2243440 19 mm

RS PRO HB 810 WHITE FOAM TAPE, 25MM X 50M, 1MM THICK

- 包装尺寸: 1 x EA
- Width: 25 mm
 - Thickness: 1 mm
 - Length: 50 m
 - Backing Material: PE Foam
 - Colour: White
 - Model Number: HB 810
 - Series: HB



2243441 25 mm

RS PRO VST 3120G GREY FOAM TAPE, 12MM X 33M, 1MM THICK

- 包装尺寸: 1 x EA
- Width: 12 mm
 - Thickness: 1 mm
 - Length: 33 m
 - Backing Material: Acrylic Foam
 - Colour: Grey
 - Single/Double Sided: Double Sided
 - Model Number: VST 3120G
 - Series: VST



2243442 12 mm

RS PRO VST 4100C TRANSPARENT FOAM TAPE, 12MM X 10M, 1MM THICK

- 包装尺寸: 1 x EA
- Width: 12 mm
 - Thickness: 1 mm
 - Length: 10 m
 - Backing Material: Acrylic Foam
 - Colour: Transparent
 - Single/Double Sided: Double Sided
 - Model Number: VST 4100C
 - Series: VST



2243444 12 mm

RS PRO VST 4100C TRANSPARENT FOAM TAPE, 25MM X 10M, 1MM THICK

- 包装尺寸: 1 x EA
- Width: 25 mm
 - Thickness: 1 mm
 - Length: 10 m
 - Backing Material: Acrylic Foam
 - Colour: Transparent
 - Single/Double Sided: Double Sided
 - Model Number: VST 4100C
 - Series: VST



2243446 25 mm

RS PRO VST 5064B BLACK FOAM TAPE, 12MM X 33M, 0.64MM THICK

- 包装尺寸: 1 x EA
- Width: 12 mm
 - Thickness: 0.64 mm
 - Length: 33 m
 - Backing Material: Acrylic Foam
 - Colour: Black
 - Single/Double Sided: Double Sided
 - Model Number: VST 5064B
 - Series: VST



2243448 12 mm

RS PRO VST 5064B BLACK FOAM TAPE, 19MM X 33M, 0.64MM THICK

- 包装尺寸: 1 x EA
- Width: 19 mm
 - Thickness: 0.64 mm
 - Length: 33 m
 - Backing Material: Acrylic Foam
 - Colour: Black
 - Single/Double Sided: Double Sided
 - Model Number: VST 5064B
 - Series: VST



2243449 19 mm

RS PRO VST 6064G GREY FOAM TAPE, 19MM X 33M, 0.64MM THICK

- 包装尺寸: 1 x EA
- Width: 19 mm
 - Thickness: 0.64 mm
 - Length: 33 m
 - Backing Material: Acrylic Foam
 - Colour: Grey
 - Single/Double Sided: Double Sided
 - Model Number: VST 6064G
 - Series: VST



2243454 19 mm

RS PRO VST 6110G GREY FOAM TAPE, 12MM X 33M, 1.1MM THICK

- 包装尺寸: 1 x EA
- Width: 12 mm
 - Thickness: 1.1 mm
 - Length: 33 m
 - Backing Material: Acrylic Foam
 - Colour: Grey
 - Single/Double Sided: Double Sided
 - Model Number: VST 6110G
 - Series: VST



2243455 12 mm

RS PRO VST 6110G GREY FOAM TAPE, 19MM X 33M, 1.1MM THICK

- 包装尺寸: 1 x EA
- Width: 19 mm
 - Thickness: 1.1 mm
 - Length: 33 m
 - Backing Material: Acrylic Foam
 - Colour: Grey
 - Single/Double Sided: Double Sided
 - Model Number: VST 6110G
 - Series: VST



2243456 19 mm

RS PRO GREY FOAM TAPE, 12MM X 6.1M, 2.4MM THICK

- 包装尺寸: 1 x EA
- Width: 12 mm
 - Thickness: 2.4 mm
 - Length: 6.1 m
 - Backing Material: Silicone Foam
 - Colour: Grey
 - Foam Density: 352 kg/m³
 - Single/Double Sided: Single Sided
 - Adhesive Material: Acrylic



7336781 12 mm

RS PRO GREY FOAM TAPE, 15MM X 5M, 3.2MM THICK


- 包装尺寸: 1 x EA
- Width: 15 mm
 - Thickness: 3.2 mm
 - Length: 5 m
 - Backing Material: Silicone Foam
 - Colour: Grey
 - Foam Density: 352 kg/m³
 - Single/Double Sided: Single Sided
 - Adhesive Material: Acrylic



7336785 15 mm

RS PRO GREY FOAM TAPE, 25MM X 5M, 3.2MM THICK

- 包装尺寸: 1 x EA
- Width: 25 mm
 - Thickness: 3.2 mm
 - Length: 5 m
 - Backing Material: Silicone Foam
 - Colour: Grey
 - Foam Density: 352 kg/m³
 - Single/Double Sided: Single Sided
 - Adhesive Material: Acrylic



7336791 25 mm

RS PRO GREY FOAM TAPE, 15MM X 5M, 4.8MM THICK

- 包装尺寸: 1 x EA
- Width: 15 mm
 - Thickness: 4.8 mm
 - Length: 5 m
 - Backing Material: Silicone Foam
 - Colour: Grey
 - Foam Density: 352 kg/m³
 - Single/Double Sided: Single Sided
 - Adhesive Material: Acrylic



7336794 15 mm

RS PRO GREY FOAM TAPE, 20MM X 5M, 6.4MM THICK

- 包装尺寸: 1 x EA
- Width: 20 mm
 - Thickness: 6.4 mm
 - Length: 5 m
 - Backing Material: Silicone Foam
 - Colour: Grey
 - Foam Density: 352 kg/m³
 - Single/Double Sided: Single Sided
 - Adhesive Material: Acrylic



7336797 20 mm

RS PRO WHITE FOAM TAPE, 12MM X 6M, 2.4MM THICK

- 包装尺寸: 1 x EA
- Width: 12 mm
 - Thickness: 2.4 mm
 - Length: 6 m
 - Backing Material: Silicone Foam
 - Colour: White
 - Foam Density: 352 kg/m³
 - Single/Double Sided: Single Sided
 - Adhesive Material: Acrylic



7336801 12 mm

RS PRO WHITE FOAM TAPE, 15MM X 6M, 3.2MM THICK

- 包装尺寸: 1 x EA
- Width: 15 mm
 - Thickness: 3.2 mm
 - Length: 6 m
 - Backing Material: Silicone Foam
 - Colour: White
 - Foam Density: 208 kg/m³
 - Single/Double Sided: Single Sided
 - Adhesive Material: Acrylic



7336804 15 mm

RS PRO WHITE FOAM TAPE, 15MM X 6M, 4.8MM THICK

- 包装尺寸: 1 x EA
- Width: 15 mm
 - Thickness: 4.8 mm
 - Length: 6 m
 - Backing Material: Silicone Foam
 - Colour: White
 - Foam Density: 208 kg/m³
 - Single/Double Sided: Single Sided
 - Adhesive Material: Acrylic



7336808 15 mm

RS PRO WHITE FOAM TAPE, 25MM X 6M, 3.2MM THICK

- 包装尺寸: 1 x EA
- Width: 25 mm
 - Thickness: 3.2 mm
 - Length: 6 m
 - Backing Material: Silicone Foam
 - Colour: White
 - Foam Density: 208 kg/m³
 - Single/Double Sided: Single Sided
 - Adhesive Material: Acrylic



7336810 25 mm

RS PRO WHITE FOAM TAPE, 20MM X 6M, 6.4MM THICK

- 包装尺寸: 1 x EA
- Width: 20 mm
 - Thickness: 6.4 mm
 - Length: 6 m
 - Backing Material: Silicone Foam
 - Colour: White
 - Foam Density: 208 kg/m³
 - Single/Double Sided: Single Sided
 - Adhesive Material: Acrylic



7336817 20 mm

RS PRO BLACK/YELLOW REFLECTIVE TAPE 100MM X 25M

- 包装尺寸: 1 x EA
- Colour: Black/Yellow
 - Tape Type: Reflective Tape
 - Backing Material: Aluminium Foil
 - Adhesive Material: High Grade Solvent Acrylic
 - Width: 100 mm
 - Length: 25 m
 - Maximum Operating Temperature: +25 °C
 - Minimum Operating Temperature: -15 °C



2197881 Black/Yellow

BLK/YEL BS1710 REFLECTIVE TAPE, 50MM X 25M

- 包装尺寸: 1 x EA
- Colour: Black/Yellow
 - Tape Type: Reflective Tape
 - Backing Material: Aluminium Foil
 - Width: 50 mm
 - Length: 25 m
 - Maximum Operating Temperature: +25 °C
 - Minimum Operating Temperature: 0 °C



2197897 Black/Yellow

RED/WHT BS1710 REFLECTIVE TAPE, 50MM X 25M

- 包装尺寸: 1 x EA
- Colour: Red/White
 - Tape Type: Reflective Tape
 - Backing Material: Aluminium Foil
 - Width: 50 mm
 - Length: 25 m
 - Maximum Operating Temperature: +25 °C
 - Minimum Operating Temperature: 0 °C



2197910 Red/White

RS PRO GREEN REFLECTIVE TAPE 40MM X 10M

- 包装尺寸: 10 x MTR
- Colour: Green
 - Tape Type: Reflective Tape
 - Backing Material: Vinyl
 - Adhesive Material: Rubber
 - Width: 40 mm
 - Length: 10 m
 - Maximum Operating Temperature: +70 °C
 - Minimum Operating Temperature: -40 °C



2610558 Green

WHITE REFLECTIVE TAPE, 25MM X 9M

- 包装尺寸: 1 x EA
- Colour: White
 - Tape Type: Reflective Tape
 - Adhesive Material: Rubber
 - Width: 25 mm
 - Length: 9 m
 - Maximum Operating Temperature: +70 °C
 - Minimum Operating Temperature: -40 °C



7632042 White

RS PRO BLACK HOOK & LOOP TAPE, 25MM X 5M LOW PROFILE

- 包装尺寸: 1 x EA
- Width: 25 mm
 - Length: 5 m
 - Hook Type: Hook
 - Colour: Black
 - Features: Low Profile
 - Pre-cut: No
 - Number in Pack: 1
 - Package Quantity: 1



2176997 25 mm

RS PRO BLACK HOOK & LOOP TAPE, 50MM X 2.5M ADHESIVE

- 包装尺寸: 1 x EA
- Width: 50 mm
 - Length: 2.5 m
 - Hook Type: Hook & Loop
 - Colour: Black
 - Features: Adhesive
 - Pre-cut: No



2176998 50 mm

RS PRO WHITE HOOK & LOOP TAPE, 50MM X 5M ADHESIVE

- 包装尺寸: 1 x EA
- Width: 50 mm
 - Length: 5 m
 - Hook Type: Hook & Loop
 - Colour: White
 - Features: Adhesive
 - Pre-cut: No



2176999 50 mm

WHITE BACK-BACK STRIP, 20MM X 10M

- 包装尺寸: 1 x EA
- Width: 20 mm
 - Length: 10 m
 - Hook Type: Hook & Loop
 - Colour: White



8904143 20 mm

WHITE HOOK STRIP, 5M L X 20MM W

- 包装尺寸: 1 x EA
- Width: 20 mm
 - Length: 5 m
 - Hook Type: Hook
 - Colour: White



8904146 20 mm

BLACK BACK-BACK STRIP, 20MM X 10M

- 包装尺寸: 1 x EA
- Width: 20 mm
 - Length: 10 m
 - Hook Type: Hook & Loop
 - Colour: Black



8904149 20 mm

WHITE LOOP STRIP,5M L X 20MM W

- 包装尺寸: 1 x EA
- Width: 20 mm
 - Length: 5 m
 - Hook Type: Loop
 - Colour: White



8904152 20 mm

BLACK HOOK STRIP,5M L X 20MM W

- 包装尺寸: 1 x EA
- Width: 20 mm
 - Length: 5 m
 - Hook Type: Hook
 - Colour: Black



8904155 20 mm

BLACK BACK-BACK STRIP,5M L X 20MM W

- 包装尺寸: 1 x EA
- Width: 20 mm
 - Length: 5 m
 - Hook Type: Hook & Loop
 - Colour: Black



8904159 20 mm

RS PRO BLACK HOOK TAPE, 20MM X 5M

- 包装尺寸: 1 x EA
- Width: 20 mm
 - Length: 5 m
 - Hook Type: Hook Tape
 - Colour: Black



8904161 20 mm

RS PRO BLACK HOOK & LOOP TAPE, 25MM X 5M

- 包装尺寸: 1 x EA
- Width: 25 mm
 - Length: 5 m
 - Hook Type: Hook
 - Colour: Black
 - Pre-cut Width: 25 mm
 - Pre-cut Length: 25 mm



8904165 25 mm

RUBBER ADHESIVE LOOP STRIP,20MM W

- 包装尺寸: 1 x EA
- Width: 20 mm
 - Length: 5 m
 - Hook Type: Loop
 - Colour: Black



8904168 20 mm

RS PRO WHITE HOOK & LOOP TAPE, 22MM X 5M

- 包装尺寸: 1 x EA
- Width: 22 mm
 - Length: 5 m
 - Hook Type: Loop
 - Colour: White



8904171 22 mm

BLACK HD STICK ON TAPE,1M L X 50MM W

- 包装尺寸: 1 x EA
- Width: 50 mm
 - Length: 1 m
 - Hook Type: Hook & Loop
 - Colour: Black



8904174 50 mm

BLACK HD STICK ON TAPE,5M L X 50MM W

- 包装尺寸: 1 x EA
- Width: 50 mm
 - Length: 5 m
 - Hook Type: Hook & Loop
 - Colour: Black



8904180 50 mm

HOOK & EYE TAPE DISCS, WHITE,16MM

- 包装尺寸: 1 x EA
- Width: 16 mm
 - Hook Type: Hook & Loop
 - Colour: White



8904183 16 mm

BLACK ONE-WRAP CONTINUOUS TAPE,20MM W

- 包装尺寸: 1 x EA
- Width: 20 mm
 - Length: 10 m
 - Hook Type: Hook & Loop
 - Colour: Black



8904187 20 mm

RS PRO WHITE HOOK & LOOP TAPE, 22MM X 5M

- 包装尺寸: 1 x EA
- Width: 22 mm
 - Length: 5 m
 - Hook Type: Hook
 - Colour: White



8904193 22 mm

RS PRO BLACK HOOK & LOOP TAPE, 25MM X 5M

- 包装尺寸: 1 x EA
- Width: 25 mm
 - Length: 5 m
 - Hook Type: Loop
 - Colour: Black
 - Pre-cut Width: 25 mm
 - Pre-cut Length: 25 mm



8904199 25 mm

BLK ADJUSTABLE CARRYING STRAPS,50MMX1.8M

- 包装尺寸: 1 x EA
- Width: 50 mm
 - Length: 1.8 m
 - Hook Type: Loop
 - Colour: Black



8904200 50 mm

BLACK SELF ENGAGING FASTENER,25MM W

- 包装尺寸: 1 x EA
- Width: 25 mm
 - Length: 5 m
 - Hook Type: Mushroom Hook
 - Colour: Black



8904203 25 mm

50 X ONE-WRAP TAPE,20MM X 200MM L

- 包装尺寸: 1 x EA
- Width: 20 mm
 - Length: 200 mm
 - Hook Type: Hook & Loop
 - Colour: Black



8904206 20 mm

BLACK HD STICK ON STRIP,100X50MM

包装尺寸: 1 x EA

- Width: 50 mm
- Length: 100 mm
- Hook Type: Hook & Loop
- Colour: Black



8904212 50 mm

ACRYLIC ADHESIVE HOOK STRIP,5M L X20MM W

包装尺寸: 1 x EA

- Width: 20 mm
- Length: 5 m
- Hook Type: Hook
- Colour: Black



8904216 20 mm

RS PRO WHITE HOOK & LOOP TAPE, 50MM X 100MM

包装尺寸: 1 x EA

- Width: 50 mm
- Length: 100 mm
- Hook Type: Hook & Loop
- Colour: White



8904219 50 mm

ACRYLIC ADHESIVE LOOP STRIP,5M L X20MM W

包装尺寸: 1 x EA

- Width: 20 mm
- Length: 5 m
- Hook Type: Loop
- Colour: Black



8904225 20 mm

100MM MAGNETIC TAPE, ADHESIVE BACK, 2.3MM THICKNESS

包装尺寸: 10 x EA

- Back Type: Adhesive
- Length: 100 mm
- Width: 12 mm
- Thickness: 2.3 mm



846339 Adhesive

60°C PAPER MASKING TAPE 19MMX50M

包装尺寸: 1 x EA

- Backing Material: Paper
- Adhesive Material: Rubber
- Width: 19 mm
- Length: 50 m
- Thickness: 0.11 mm
- Colour: White



1719702 Paper

60°C PAPER MASKING TAPE 25MMX50M

包装尺寸: 1 x EA

- Backing Material: Paper
- Adhesive Material: Rubber
- Width: 25 mm
- Length: 50 m
- Thickness: 0.11 mm
- Colour: White



1719703 Paper

RS PRO MASKING TAPE 12MM X 50M

包装尺寸: 1 x EA

- Backing Material: Crepe Paper
- Adhesive Material: Rubber
- Width: 12 mm
- Length: 50 m
- Thickness: 0.11 mm



1846799 Crepe Paper

RS PRO MASKING TAPE 38MM X 50M

包装尺寸: 1 x EA

- Backing Material: Crepe Paper
- Adhesive Material: Rubber
- Width: 38 mm
- Length: 50 m
- Thickness: 0.11 mm



1846800 Crepe Paper

RS PRO MASKING TAPE 75MM X 50M

包装尺寸: 1 x EA

- Backing Material: Crepe Paper
- Adhesive Material: Rubber
- Width: 75 mm
- Length: 50 m
- Thickness: 0.11 mm



1846801 Crepe Paper

RS PRO MASKING TAPE 100MM X 50M

包装尺寸: 1 x EA

- Backing Material: Crepe Paper
- Adhesive Material: Rubber
- Width: 100 mm
- Length: 50 m
- Thickness: 0.11 mm



1846802 Crepe Paper

RS PRO MASKING TAPE 12MM X 50M

包装尺寸: 1 x EA

- Backing Material: Crepe Paper
- Adhesive Material: Rubber
- Width: 12 mm
- Length: 50 m
- Thickness: 0.12 mm



1846803 Crepe Paper

RS PRO MASKING TAPE 19MM X 50M

包装尺寸: 1 x EA

- Backing Material: Crepe Paper
- Adhesive Material: Rubber
- Width: 19 mm
- Length: 50 m
- Thickness: 0.12 mm



1846804 Crepe Paper

RS PRO MASKING TAPE 25MM X 50M

包装尺寸: 1 x EA

- Backing Material: Crepe Paper
- Adhesive Material: Rubber
- Width: 25 mm
- Length: 50 m
- Thickness: 0.12 mm



1846805 Crepe Paper

RS PRO MASKING TAPE 38MM X 50M

包装尺寸: 1 x EA

- Backing Material: Crepe Paper
- Adhesive Material: Rubber
- Width: 38 mm
- Length: 50 m
- Thickness: 0.12 mm



1846806 Crepe Paper

RS PRO MASKING TAPE 50MM X 50M

包装尺寸: 1 x EA

- Backing Material: Crepe Paper
- Adhesive Material: Rubber
- Width: 50 mm
- Length: 50 m
- Thickness: 0.12 mm



1846808 Crepe Paper

RS PRO MASKING TAPE 75MM X 50M

包装尺寸: 1 x EA

- Backing Material: Crepe Paper
- Adhesive Material: Rubber
- Width: 75 mm
- Length: 50 m
- Thickness: 0.12 mm



1846809 Crepe Paper

RS PRO MASKING TAPE 100MM X 50M

包装尺寸: 1 x EA

- Backing Material: Crepe Paper
- Adhesive Material: Rubber
- Width: 100 mm
- Length: 50 m
- Thickness: 0.12 mm



1846810 Crepe Paper

RS PRO ORANGE MASKING TAPE 50MM X 33M

包装尺寸: 1 x EA

- Backing Material: Polythene
- Adhesive Material: Rubber
- Width: 50 mm
- Length: 33 m
- Thickness: 0.11 mm
- Colour: Orange



2205883 Polythene

RS PRO METALLIC TAPE, 50MM X 45M

包装尺寸: 1 x EA

- Total Thickness: 0.07 mm
- Tape Type: Aluminium Tape
- Foil Thickness: 0.03 mm
- Width: 50 mm
- Length: 45 m
- Adhesion Strength: 3.6 N/cm
- Adhesive Material: Aluminium Foil
- Maximum Temperature Resistance: +110 °C



1468961 0.07 mm

RS PRO METALLIC TAPE, 50MM X 45M

包装尺寸: 1 x EA

- Total Thickness: 0.08 mm
- Tape Type: Aluminium Tape
- Foil Thickness: 0.04 mm
- Width: 50 mm
- Length: 45 m
- Adhesion Strength: 3.8 N/cm
- Adhesive Material: Aluminium Foil
- Maximum Temperature Resistance: +110 °C



1468962 0.08 mm

RS PRO METALLIC TAPE, 50MM X 50M

包装尺寸: 1 x EA

- Total Thickness: 0.09 mm
- Tape Type: Aluminium Tape
- Foil Thickness: 0.05 mm
- Width: 50 mm
- Length: 50 m
- Adhesion Strength: 3.8 N/cm
- Adhesive Material: Aluminium Foil
- Maximum Temperature Resistance: +110 °C



1468963 0.09 mm

RS PRO CONDUCTIVE METALLIC TAPE, 25MM X 33M

包装尺寸: 1 x EA

- Total Thickness: 0.06 mm
- Tape Type: Copper Tape
- Foil Thickness: 0.035 mm
- Width: 25 mm
- Length: 33 m
- Conductivity: Conductive
- Adhesion Strength: 4.5 N/cm
- Adhesive Material: Thermosetting Acrylic



1767498 0.06 mm

RS PRO CONDUCTIVE METALLIC TAPE, 19MM X 33M

包装尺寸: 1 x EA

- Tape Type: Copper Tape
- Total Thickness: 0.06 mm
- Foil Thickness: 0.035 mm
- Width: 19 mm
- Length: 33 m
- Conductivity: Conductive
- Adhesion Strength: 4.5 N/cm
- Adhesive Material: Thermosetting Acrylic



1767499 Copper Tape

RS PRO CONDUCTIVE METALLIC TAPE, 10MM X 33M

包装尺寸: 1 x EA

- Total Thickness: 0.06 mm
- Tape Type: Copper Tape
- Foil Thickness: 0.035 mm
- Width: 10 mm
- Length: 33 m
- Conductivity: Conductive
- Adhesion Strength: 4.5 N/cm
- Adhesive Material: Thermosetting Acrylic



1767500 0.06 mm

RS PRO NON-CONDUCTIVE METALLIC TAPE, 25MM X 33M

包装尺寸: 1 x EA

- Total Thickness: 0.065 mm
- Tape Type: Copper Tape
- Foil Thickness: 0.035 mm
- Width: 25 mm
- Length: 33 m
- Conductivity: Non-Conductive
- Adhesion Strength: 4.5 N/cm
- Adhesive Material: Thermosetting Acrylic



1767501 0.065 mm

RS PRO NON-CONDUCTIVE METALLIC TAPE, 19MM X 33M

包装尺寸: 1 x EA

- Total Thickness: 0.065 mm
- Tape Type: Copper Tape
- Foil Thickness: 0.035 mm
- Width: 19 mm
- Length: 33 m
- Conductivity: Non-Conductive
- Adhesion Strength: 4.5 N/cm
- Adhesive Material: Thermosetting Acrylic



1767503 0.065 mm

EPOXY MIXER NOZZLE, 50ML BAYONET 10 MIXI

包装尺寸: 10 x EA

- Supported Adhesive Type: Epoxy
- Supported Cartridge Size: 50 ml
- Supported Cartridge Type: Bayonet
- Number of Mixing Elements: 10
- Length: 150 mm



503385 Epoxy

STATIC MIXER FOR 50ML ACRYLIC ADHESIVE

包装尺寸: 10 x EA

- Supported Adhesive Type: Acrylic
- Supported Cartridge Size: 50 ml
- Supported Cartridge Type: Bayonet
- Number of Mixing Elements: 7
- Length: 58 mm



2397788 Acrylic

RS PRO MIXER NOZZLE, 200ML SCREW FIT 10 MIXING ELEMENTS

包装尺寸: 10 x EA

- Supported Adhesive Type: Epoxy
- Supported Cartridge Size: 200 ml
- Supported Cartridge Type: Screw Fit
- Number of Mixing Elements: 10
- Length: 190 mm



4788467 Epoxy

RS PRO TRANSPARENT PACKING TAPE, 66M X 48MM

包装尺寸: 1 x EA

- Backing Material: Polypropylene
- Width: 48 mm
- Length: 66 m
- Thickness: 0.054 mm
- Colour: Transparent
- Elongation at Break: 110 %



1769805 Polypropylene

RS PRO PACKING TAPE, 66M X 48MM

包装尺寸: 1 x EA

- Backing Material: Polypropylene
- Width: 48 mm
- Length: 66 m
- Thickness: 0.054 mm
- Elongation at Break: 110 %



1769806 Polypropylene

LARGE WOOD HANDLE BRISTLE BRUSH, 150X40MM

- 包装尺寸: 1 x EA
- Brush Size: Extra Broad
 - Bristle Shape: Flat
 - Bristle Material: Fibre
 - Brush Diameter or Width: 150 mm
 - Angled: No



2379184 Extra Broad

ROUND FITCH DETAIL PAINT BRUSH, NO.12

- 包装尺寸: 5 x EA
- Brush Size: Thin
 - Bristle Shape: Round
 - Bristle Material: Fibre
 - Artist Brush Number: 12
 - Brush Diameter or Width: 16 mm
 - Angled: No



2379207 Thin

COTTAM THIN 12.7MM FIBRE PAINT BRUSH WITH ROUND BRISTLES

- 包装尺寸: 5 x EA
- Brush Size: Thin
 - Bristle Shape: Round
 - Bristle Material: Fibre
 - Artist Brush Number: 10
 - Brush Diameter or Width: 12.7 mm
 - Angled: No



2379229 Thin

COTTAM THIN 19MM SYNTHETIC PAINT BRUSH SET WITH FLAT BRISTLES

- 包装尺寸: 5 x EA
- Brush Size: Thin
 - Bristle Shape: Flat
 - Bristle Material: Synthetic
 - Artist Brush Number: 10
 - Brush Diameter or Width: 19 mm
 - Angled: No



3152154 Thin

COTTAM THIN 22MM SYNTHETIC PAINT BRUSH SET WITH FLAT BRISTLES

- 包装尺寸: 5 x EA
- Brush Size: Thin
 - Bristle Shape: Flat
 - Bristle Material: Synthetic
 - Artist Brush Number: 12
 - Brush Diameter or Width: 22 mm
 - Angled: No



3152160 Thin

COTTAM 25.4MM SYNTHETIC PAINT BRUSH SET WITH FLAT BRISTLES

- 包装尺寸: 3 x EA
- Brush Size: Mixed
 - Bristle Shape: Flat
 - Bristle Material: Synthetic
 - Brush Diameter or Width: 25.4 mm, 38.1 mm, 50.8 mm
 - Angled: No



4716333 Mixed

COTTAM 228MM X 44MM PAINT ROLLER (LONG PILE)

- 包装尺寸: 1 x EA
- Type: Roller
 - Roller Diameter: 44 mm
 - Width: 228 mm
 - Pile Length: Long



2076469 Roller

COTTAM 228MM X 44MM PAINT ROLLER (LONG PILE)

- 包装尺寸: 1 x EA
- Type: Roller
 - Roller Diameter: 44 mm
 - Width: 228 mm
 - Pile Length: Long



2076475 Roller

RS PRO PAINT ROLLER REFILL

- 包装尺寸: 1 x EA
- Type: Roller Refill



2076504 Roller Refill

PLASTIC TRAY FOR 9IN ROLLER

- 包装尺寸: 1 x EA
- Type: Tray
 - Width: 228 mm



2076510 Tray

COTTAM 228MM X 44MM PAINT ROLLER (MEDIUM PILE)

- 包装尺寸: 1 x EA
- Type: Roller
 - Roller Diameter: 44 mm
 - Width: 228 mm
 - Pile Length: Medium



3152198 Roller

12" MULTIPURPOSE MEDIUM PILE POLYESTER


- 包装尺寸: 1 x EA
- Type: Roller
 - Roller Diameter: 44 mm
 - Width: 305 mm
 - Pile Length: Medium



3152261 Roller

COTTAM 102MM X 12MM PAINT ROLLER (LONG PILE)

- 包装尺寸: 10 x EA
- Type: Roller
 - Roller Diameter: 12 mm
 - Width: 102 mm
 - Pile Length: Long



3152312 Roller

COTTAM 102MM X 102MM PAINT ROLLER (SHORT PILE)

- 包装尺寸: 10 x EA
- Type: Roller
 - Roller Diameter: 102 mm
 - Width: 102 mm
 - Pile Length: Short



3152328 Roller

COTTAM 300MM PAINT TRAY

- 包装尺寸: 1 x EA
- Type: Scuttle
 - Width: 300 mm



3152334 Scuttle

COTTAM PAINT ROLLER AND TRAY KIT INCLUDES: CAGE FRAME, PLASTIC

- 包装尺寸: 1 x KT
- Type: Decorator Kit
 - Kit Includes: Cage Frame, Plastic Tray, Polyester Roller Sleeve



9132459 Decorator Kit

COTTAM PAINT ROLLER AND TRAY KIT INCLUDES: 2 X ACRYLIC ROLLER

包裝尺寸: 1 x KT

- Type: Decorator Kit
- Kit Includes: 2 x Acrylic Roller Sleeve, 2 x Foam Roller Sleeve, Mini Roller Cage Frame, Plastic Tray, Velour Roller Sleeve



9132468 Decorator Kit

ONE WRAP PTFE TAPE, 5ML X 12MMW X 0.2MMT

包裝尺寸: 1 x EA

- Width: 12 mm
- Thickness: 0.2 mm
- Length: 5 m
- Colour: White
- Minimum Operating Temperature: -200 °C
- Maximum Operating Temperature: +260 °C



231964 12 mm

PTFE SEALING STRIP, 2M LX7WX3TMM

包裝尺寸: 2 x MTR

- Width: 7 mm
- Thickness: 0.2 mm
- Length: 2 m
- Colour: White
- Minimum Operating Temperature: -196 °C
- Maximum Operating Temperature: +260 °C



512244 7 mm

PTFE THREAD SEAL TAPE 12MM X 12M

包裝尺寸: 1 x EA

- Width: 12 mm
- Thickness: 0.075 mm
- Length: 12 m
- Colour: White
- Minimum Operating Temperature: -190 °C
- Maximum Operating Temperature: +230 °C



1833490 12 mm

RS PRO BLACK/YELLOW HIGH-DENSITY POLYETHYLENE 100M

包裝尺寸: 1 x EA

- Colour: Black/Yellow
- Tape Type: Hazard Tape
- Backing Material: High-Density Polyethylene
- Width: 50 mm
- Length: 100 m
- Thickness: 0.02 mm



503708 Black/Yellow

RS PRO RED/WHITE HIGH-DENSITY POLYETHYLENE 100M BARRIER TAPE,

包裝尺寸: 1 x EA

- Colour: Red/White
- Tape Type: Barrier Tape
- Backing Material: High-Density Polyethylene
- Width: 50 mm
- Length: 100 m
- Thickness: 0.02 mm



503714 Red/White

RS PRO RSNA 580 RB RED/WHITE HIGH-DENSITY POLYETHYLENE 500M

包裝尺寸: 1 x EA

- Colour: Red/White
- Tape Type: Hazard Tape
- Backing Material: High-Density Polyethylene
- Width: 75 mm
- Length: 500 m
- Thickness: 0.025 mm
- Model Number: RSNA 580 RB



1252187 Red/White

RS PRO YELLOW 33M LANE MARKING TAPE

包裝尺寸: 1 x EA

- Colour: Yellow
- Tape Type: Lane Marking Tape
- Width: 50 mm
- Length: 33 m



1719692 Yellow

RS PRO BLUE 33M LANE MARKING TAPE

包裝尺寸: 1 x EA

- Colour: Blue
- Tape Type: Lane Marking Tape
- Width: 50 mm
- Length: 33 m



1719693 Blue

RS PRO GREEN 33M LANE MARKING TAPE

包裝尺寸: 1 x EA

- Colour: Green
- Tape Type: Lane Marking Tape
- Width: 50 mm
- Length: 33 m



1719694 Green

RS PRO BLACK 33M LANE MARKING TAPE

包裝尺寸: 1 x EA

- Colour: Black
- Tape Type: Lane Marking Tape
- Width: 50 mm
- Length: 33 m



1719695 Black

RS PRO RED 33M LANE MARKING TAPE

包裝尺寸: 1 x EA

- Colour: Red
- Tape Type: Lane Marking Tape
- Width: 50 mm
- Length: 33 m



1719696 Red

RS PRO WHITE 33M LANE MARKING TAPE

包裝尺寸: 1 x EA

- Colour: White
- Tape Type: Lane Marking Tape
- Width: 50 mm
- Length: 33 m



1719697 White

RS PRO RED/WHITE 33M FLOOR TAPE

包裝尺寸: 1 x EA

- Colour: Red/White
- Tape Type: Lane Marking Tape
- Width: 50 mm
- Length: 33 m



1719700 Red/White

RS PRO GREEN/WHITE 33M LANE MARKING TAPE

包裝尺寸: 1 x EA

- Colour: Green/White
- Tape Type: Lane Marking Tape
- Width: 50 mm
- Length: 33 m



1719701 Green/White

RS PRO BLACK/YELLOW PVC 33M LANE MARKING TAPE, 0.14MM

包裝尺寸: 1 x EA

- Tape Type: Lane Marking Tape
- Colour: Black/Yellow
- Backing Material: PVC
- Width: 50 mm
- Length: 33 m
- Thickness: 0.14 mm
- Adhesion Strength: 3.5 N/cm
- Maximum Operating Temperature: +40 °C



1971012 Lane Marking

GREY SCREW FIXING FEET,19MM DIA X 10.2MM H

包裝尺寸: 50 x EA

- Diameter: 19 mm
- Overall Height: 10.2 mm
- Material: Polyethylene
- Foot Shape: Round
- Maximum Operating Temperature: +70 °C
- Minimum Operating Temperature: -30 °C



543232 19 mm

GRY SCREW FIXING FEET,15.5MM DIA X 8.9MM H

包裝尺寸: 50 x EA

- Diameter: 15.5 mm
- Overall Height: 8.9 mm
- Material: Polyethylene
- Foot Shape: Round
- Maximum Operating Temperature: +70 °C
- Minimum Operating Temperature: -30 °C



543248 15.5 mm

RS PRO M12 RUBBER ADJUSTABLE FOOT, 1000KG STATIC LOAD

包裝尺寸: 1 x EA

- Static Load Capacity: 1000 kg
- Thread Size: M12
- Thread Length: 120 mm
- Tilt Angle: 10 °
- Foot Material: Rubber
- Base Material: Stainless Steel
- Shore Hardness: 70 Shore A
- Height: 129



1263550 1000 kg

BLK SCREW FIXING FEET,19MM DIA X 15.5MM H

包裝尺寸: 50 x EA

- Diameter: 19 mm
- Overall Height: 15.9 mm
- Material: Low Density Polyethylene (LDPE)
- Foot Shape: Round
- Maximum Operating Temperature: +70 °C
- Minimum Operating Temperature: -30 °C



543513 19 mm

FIXED HEIGHT MOUNT 46 X 16 M0 X 37

包裝尺寸: 1 x EA

- Thread Size: M10
- Diameter: 46 mm
- Foot Height: 15 mm
- Overall Height: 16 mm
- Material: Natural Rubber
- Mounting Type: Screw-in
- Foot Shape: Round
- Metalwork: Zinc Plated Steel



1263556 M10

RS PRO M12 80MM DIA. RUBBER ADJUSTABLE FOOT, 1000KG STATIC

包裝尺寸: 1 x EA

- Static Load Capacity: 1000 kg
- Thread Size: M12
- Thread Length: 125 mm
- Tilt Angle: 10 °
- Foot Material: Rubber
- Base Material: Stainless Steel
- Diameter: 80 mm
- Shore Hardness: 70 Shore A



1263560 1000 kg

RS PRO M12 RUBBER ADJUSTABLE FOOT, 1500KG STATIC LOAD

包裝尺寸: 1 x EA

- Static Load Capacity: 1500 kg
- Thread Size: M12
- Thread Length: 100 mm
- Tilt Angle: 5 °
- Foot Material: Rubber
- Base Material: Zinc Plated Steel
- Shore Hardness: 70 Shore A
- Height: 132



1263551 1500 kg

RS PRO M12 80MM DIA. RUBBER ADJUSTABLE FOOT, 1000KG STATIC

包裝尺寸: 1 x EA

- Static Load Capacity: 1000 kg
- Thread Size: M12
- Thread Length: 150 mm
- Tilt Angle: 10 °
- Foot Material: Rubber
- Base Material: Mild Steel
- Diameter: 80 mm
- Shore Hardness: 70 Shore A



1263553 1000 kg

RS PRO M20 RUBBER ADJUSTABLE FOOT, 3000KG STATIC LOAD

包裝尺寸: 1 x EA

- Static Load Capacity: 3000 kg
- Thread Size: M20
- Thread Length: 160 mm
- Foot Material: Rubber
- Base Material: Mild Steel
- Shore Hardness: 60 Shore A
- Height: 48 → 53 mm
- Maximum Adjustment Height: 170 mm



1263552 3000 kg

RS PRO M16 RUBBER ADJUSTABLE FOOT, 1500KG STATIC LOAD

包裝尺寸: 1 x EA

- Static Load Capacity: 1500 kg
- Thread Size: M16
- Thread Length: 150 mm
- Tilt Angle: 10 °
- Foot Material: Rubber
- Base Material: Zinc Plated Steel
- Shore Hardness: 70 Shore A
- Height: 119



1263554 1500 kg

RS PRO M16 RUBBER ADJUSTABLE FOOT, 1000KG STATIC LOAD

包裝尺寸: 1 x EA

- Static Load Capacity: 1000 kg
- Thread Size: M16
- Thread Length: 150 mm
- Tilt Angle: 10 °
- Foot Material: Rubber
- Base Material: Zinc Plated Steel
- Shore Hardness: 70 Shore A
- Height: 185



1263562 1000 kg

RS PRO CYLINDRICAL M4 ANTI VIBRATION MOUNT WITH 7KG

包裝尺寸: 4 x EA

- Thread Size: M4
- Diameter: 9.3 mm
- Foot Height: 11.5 mm
- Overall Height: 9 mm
- Static Load Capacity: 7 kg
- Material: Natural Rubber
- Mounting Type: Screw-in
- Foot Shape: Cylindrical



1263565 M4

RS PRO CYLINDRICAL M5 ANTI VIBRATION MOUNT WITH 10KG

包裝尺寸: 4 x EA

- Thread Size: M5
- Diameter: 10.2 mm
- Foot Height: 14.5 mm
- Overall Height: 15 mm
- Static Load Capacity: 10 kg
- Material: Natural Rubber
- Mounting Type: Screw-in
- Shore Hardness: 60 Shore A



1263566 M5

RS PRO CYLINDRICAL M6 ANTI VIBRATION MOUNT WITH 14KG

包裝尺寸: 4 x EA

- Thread Size: M6
- Diameter: 12.7 mm
- Foot Height: 17 mm
- Overall Height: 18 mm
- Static Load Capacity: 14 kg
- Material: Natural Rubber
- Mounting Type: Screw-in
- Foot Shape: Cylindrical



1263567 M6

RS PRO CYLINDRICAL M8 ANTI VIBRATION MOUNT WITH 28KG

包裝尺寸: 4 x EA

- Thread Size: M8
- Diameter: 16.5 mm
- Foot Height: 22 mm
- Overall Height: 24 mm
- Static Load Capacity: 28 kg
- Material: Natural Rubber
- Mounting Type: Screw-in
- Foot Shape: Cylindrical



1263568 M8

RS PRO CYLINDRICAL M3 ANTI VIBRATION MOUNT WITH 6KG

包裝尺寸: 4 x EA

- Thread Size: M3
- Diameter: 12 mm
- Foot Height: 16 mm
- Overall Height: 9 mm
- Static Load Capacity: 6 kg
- Material: Natural Rubber
- Mounting Type: Screw-in
- Foot Shape: Cylindrical



1263569 M3

RS PRO CYLINDRICAL M12 ANTI VIBRATION MOUNT, RUBBER BUSH

- 包裝尺寸: 1 x EA
- Anti Vibration Mount Type: Rubber Bush
 - Thread Size: M12
 - Diameter: 44.5 mm
 - Foot Height: 25.4 mm
 - Overall Height: 25 mm
 - Static Load Capacity: 155 kg
 - Material: Natural Rubber
 - Mounting Type: Screw-in



1263573 Rubber Bush

RS PRO CYLINDRICAL M10 ANTI VIBRATION MOUNT, RUBBER BUSH

- 包裝尺寸: 4 x EA
- Anti Vibration Mount Type: Rubber Bush
 - Thread Size: M10
 - Diameter: 27 mm
 - Foot Height: 16 mm
 - Overall Height: 16 mm
 - Static Load Capacity: 0
 - Material: Natural Rubber
 - Mounting Type: Screw-in



1263575 Rubber Bush

RS PRO ROUND M10 ANTI VIBRATION MOUNT WITH 40KG COMPRESSION

- 包裝尺寸: 1 x EA
- Thread Size: M10
 - Diameter: 85 mm
 - Foot Height: 25 mm
 - Overall Height: 25 mm
 - Static Load Capacity: 40 kg
 - Material: Natural Rubber
 - Metalwork: Zinc Plated Steel
 - Compression Load: 40 kg



1263576 M10

RS PRO ROUND M16 ANTI VIBRATION MOUNT WITH 390 COMPRESSION

- 包裝尺寸: 1 x EA
- Thread Size: M16
 - Diameter: 64 mm
 - Foot Height: 63 mm
 - Overall Height: 63 mm
 - Static Load Capacity: 390
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Round



1263581 M16

RS PRO ROUND M14 ANTI VIBRATION MOUNT WITH 172 COMPRESSION

- 包裝尺寸: 1 x EA
- Thread Size: M14
 - Diameter: 47 mm
 - Foot Height: 52 mm
 - Overall Height: 52 mm
 - Static Load Capacity: 172
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Round



1263582 M14

RS PRO ROUND M10 ANTI VIBRATION MOUNT WITH 51 COMPRESSION

- 包裝尺寸: 2 x EA
- Thread Size: M10
 - Diameter: 32 mm
 - Foot Height: 32 mm
 - Overall Height: 32 mm
 - Static Load Capacity: 51
 - Material: Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Round



1263583 M10

RS PRO ROUND M10 ANTI VIBRATION MOUNT WITH 100 COMPRESSION

- 包裝尺寸: 2 x EA
- Thread Size: M10
 - Diameter: 32 mm
 - Foot Height: 32 mm
 - Overall Height: 32 mm
 - Static Load Capacity: 100
 - Material: Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Round



1263584 M10

RS PRO CIRCULAR ANTI VIBRATION MOUNT WITH 100 COMPRESSION

- 包裝尺寸: 2 x EA
- Diameter: 50 mm
 - Foot Height: 30 mm
 - Overall Height: 30 mm
 - Static Load Capacity: 100
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Circular
 - Metalwork: Zinc Plated Steel



1263855 50 mm

RS PRO CIRCULAR ANTI VIBRATION MOUNT WITH 0 COMPRESSION LOAD

- 包裝尺寸: 2 x EA
- Diameter: 40 mm
 - Foot Height: 30 mm
 - Overall Height: 30 mm
 - Static Load Capacity: 0
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Circular
 - Metalwork: Zinc Plated Steel



1263856 40 mm

RS PRO CIRCULAR ANTI VIBRATION MOUNT WITH 0 COMPRESSION LOAD

- 包裝尺寸: 2 x EA
- Diameter: 25 mm
 - Foot Height: 25 mm
 - Overall Height: 25 mm
 - Static Load Capacity: 0
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Circular
 - Metalwork: Zinc Plated Steel



1263859 25 mm

RS PRO CIRCULAR ANTI VIBRATION MOUNT WITH 0 COMPRESSION LOAD

- 包裝尺寸: 4 x EA
- Diameter: 25 mm
 - Foot Height: 20 mm
 - Overall Height: 20 mm
 - Static Load Capacity: 0
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Circular
 - Metalwork: Zinc Plated Steel



1263860 25 mm

CYL MT 25MMODX10.5MMIDX15MM HT 50 SHA

- 包裝尺寸: 4 x EA
- Diameter: 25 mm
 - Foot Height: 15 mm
 - Overall Height: 15 mm
 - Static Load Capacity: 0
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Circular
 - Metalwork: Zinc Plated Steel



1263861 25 mm

RS PRO CIRCULAR ANTI VIBRATION MOUNT WITH 0 COMPRESSION LOAD

- 包裝尺寸: 4 x EA
- Diameter: 20 mm
 - Foot Height: 30 mm
 - Overall Height: 30 mm
 - Static Load Capacity: 0
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Circular
 - Metalwork: Stainless Steel



1263862 20 mm

RS PRO CIRCULAR ANTI VIBRATION MOUNT WITH 0 COMPRESSION LOAD

- 包裝尺寸: 4 x EA
- Diameter: 20 mm
 - Foot Height: 20 mm
 - Overall Height: 20 mm
 - Static Load Capacity: 0
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Circular
 - Metalwork: Stainless Steel



1263865 20 mm

RS PRO CIRCULAR ANTI VIBRATION MOUNT WITH 0 COMPRESSION LOAD

- 包裝尺寸: 8 x EA
- Diameter: 20 mm
 - Foot Height: 15 mm
 - Overall Height: 15 mm
 - Static Load Capacity: 0
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Circular
 - Metalwork: Stainless Steel



1263866 20 mm

RS PRO ROUND M16 ANTI VIBRATION MOUNT WITH 690 COMPRESSION

- 包裝尺寸: 1 x EA
- Thread Size: M16
 - Diameter: 192 mm
 - Foot Height: 40.5 mm
 - Overall Height: 41 mm
 - Static Load Capacity: 690
 - Material: Natural Rubber
 - Metalwork: Zinc Plated Steel
 - Compression Load: 690



1263871 M16

RS PRO ROUND M20 ANTI VIBRATION MOUNT WITH 2300 COMPRESSION

包装尺寸: 1 x EA

- Thread Size: M20
- Diameter: 190 mm
- Foot Height: 66.5 mm
- Overall Height: 66 mm
- Static Load Capacity: 2300
- Material: Natural Rubber
- Metalwork: Zinc Plated Steel
- Compression Load: 2300



1263873 M20

RS PRO ROUND M16 ANTI VIBRATION MOUNT WITH 750 COMPRESSION

包装尺寸: 1 x EA

- Thread Size: M16
- Diameter: 190 mm
- Foot Height: 50 mm
- Overall Height: 50 mm
- Static Load Capacity: 750
- Material: Natural Rubber
- Metalwork: Stainless Steel
- Compression Load: 750



1263874 M16

RS PRO ROUND M16 ANTI VIBRATION MOUNT WITH 750 COMPRESSION

包装尺寸: 1 x EA

- Thread Size: M16
- Diameter: 190 mm
- Foot Height: 50 mm
- Overall Height: 50 mm
- Static Load Capacity: 750
- Material: Natural Rubber
- Metalwork: Zinc Plated Steel
- Compression Load: 750



1263875 M16

RS PRO ROUND M16 ANTI VIBRATION MOUNT WITH 450 COMPRESSION

包装尺寸: 1 x EA

- Thread Size: M16
- Diameter: 172 mm
- Foot Height: 38 mm
- Overall Height: 38 mm
- Static Load Capacity: 450
- Material: Natural Rubber
- Metalwork: Zinc Plated Steel
- Compression Load: 450



1263877 M16

RS PRO ROUND M16 ANTI VIBRATION MOUNT WITH 400 COMPRESSION

包装尺寸: 1 x EA

- Thread Size: M16
- Diameter: 169 mm
- Foot Height: 40 mm
- Overall Height: 40 mm
- Static Load Capacity: 400
- Material: Natural Rubber
- Metalwork: Stainless Steel
- Compression Load: 400



1263878 M16

RS PRO ROUND M16 ANTI VIBRATION MOUNT WITH 400 COMPRESSION

包装尺寸: 1 x EA

- Thread Size: M16
- Diameter: 169 mm
- Foot Height: 40 mm
- Overall Height: 40 mm
- Static Load Capacity: 400
- Material: Natural Rubber
- Metalwork: Zinc Plated Steel
- Compression Load: 400



1263879 M16

RS PRO ROUND M12 ANTI VIBRATION MOUNT WITH 330 COMPRESSION

包装尺寸: 1 x EA

- Thread Size: M12
- Diameter: 144 mm
- Foot Height: 36 mm
- Overall Height: 36 mm
- Static Load Capacity: 330
- Material: Natural Rubber
- Metalwork: Stainless Steel
- Compression Load: 330



1263880 M12

RS PRO ROUND M12 ANTI VIBRATION MOUNT WITH 330 COMPRESSION

包装尺寸: 1 x EA

- Thread Size: M12
- Diameter: 144 mm
- Foot Height: 36 mm
- Overall Height: 36 mm
- Static Load Capacity: 330
- Material: Natural Rubber
- Metalwork: Zinc Plated Steel
- Compression Load: 330



1263881 M12

RS PRO ROUND M12 ANTI VIBRATION MOUNT WITH 600 COMPRESSION

包装尺寸: 1 x EA

- Thread Size: M12
- Diameter: 128 mm
- Foot Height: 45 mm
- Overall Height: 45 mm
- Static Load Capacity: 600
- Material: Natural Rubber
- Metalwork: Zinc Plated Steel
- Compression Load: 600



1263884 M12

RS PRO ROUND M10 ANTI VIBRATION MOUNT WITH 220 COMPRESSION

包装尺寸: 1 x EA

- Thread Size: M10
- Diameter: 128 mm
- Foot Height: 30 mm
- Overall Height: 30 mm
- Static Load Capacity: 220
- Material: Natural Rubber
- Metalwork: Zinc Plated Steel
- Compression Load: 220



1263885 M10

RS PRO ROUND M12 ANTI VIBRATION MOUNT WITH 124 COMPRESSION

包装尺寸: 1 x EA

- Thread Size: M12
- Diameter: 110 mm
- Foot Height: 35 mm
- Overall Height: 35 mm
- Static Load Capacity: 124
- Material: Natural Rubber
- Metalwork: Stainless Steel
- Compression Load: 124



1263889 M12

RS PRO ROUND M12 ANTI VIBRATION MOUNT WITH 124 COMPRESSION

包装尺寸: 1 x EA

- Thread Size: M12
- Diameter: 110 mm
- Foot Height: 35 mm
- Overall Height: 35 mm
- Static Load Capacity: 124
- Material: Natural Rubber
- Metalwork: Zinc Plated Steel
- Compression Load: 124



1263890 M12

RS PRO M12 RUBBER ADJUSTABLE FOOT, 600KG STATIC LOAD

包装尺寸: 1 x EA

- Static Load Capacity: 600 kg
- Thread Size: M12
- Thread Length: 80 mm
- Foot Material: Rubber
- Base Material: Mild Steel
- Shore Hardness: 60 Shore A
- Height: 38 → 48 mm
- Maximum Adjustment Height: 100 mm



1263896 600 kg

RS PRO M16 RUBBER ADJUSTABLE FOOT, 1500KG STATIC LOAD

包装尺寸: 1 x EA

- Static Load Capacity: 1500 kg
- Thread Size: M16
- Thread Length: 120 mm
- Foot Material: Rubber
- Base Material: Mild Steel
- Shore Hardness: 60 Shore A
- Height: 43 → 50 mm
- Maximum Adjustment Height: 120 mm



1263897 1500 kg

RS PRO CYLINDRICAL M10 ANTI VIBRATION MOUNT WITH 120KG

包装尺寸: 1 x EA

- Thread Size: M10
- Diameter: 60 mm
- Foot Height: 25 mm
- Overall Height: 108 mm
- Static Load Capacity: 120 kg
- Material: Natural Rubber
- Mounting Type: Screw-in
- Shore Hardness: 65 Shore A



1263898 M10

RS PRO CYLINDRICAL M8 ANTI VIBRATION MOUNT WITH 80KG

包装尺寸: 2 x EA

- Thread Size: M8
- Diameter: 48 mm
- Foot Height: 23 mm
- Overall Height: 63 mm
- Static Load Capacity: 80 kg
- Material: Natural Rubber
- Mounting Type: Screw-in
- Foot Shape: Cylindrical



1263899 M8

RS PRO ROUND M6 ANTI VIBRATION MOUNT WITH 9KG COMPRESSION

- 包装尺寸: **2 x EA**
- Thread Size: M6
 - Diameter: 64 mm
 - Foot Height: 20 mm
 - Overall Height: 64 mm
 - Static Load Capacity: 9 kg
 - Material: Natural Rubber
 - Metalwork: Zinc Plated Steel
 - Compression Load: 9 kg



1263904 M6

RS PRO ROUND M12 ANTI VIBRATION MOUNT WITH 500 COMPRESSION

- 包装尺寸: **1 x EA**
- Thread Size: M12
 - Diameter: 150 mm
 - Foot Height: 63 mm
 - Overall Height: 63 mm
 - Static Load Capacity: 500
 - Material: Zinc Plated Steel
 - Compression Load: 500



1263905 M12

CYL. MT (M/M) 10X8MM M5X15 60 SHA SS

- 包装尺寸: **8 x EA**
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M5
 - Diameter: 10 mm
 - Foot Height: 8 mm
 - Overall Height: 8 mm
 - Static Load Capacity: 5.4 kg
 - Mounting Type: Screw-in
 - Metalwork: Stainless Steel



1263910 Male to Male

RS PRO CYLINDRICAL M8 ANTI VIBRATION MOUNT, MALE TO MALE

- 包装尺寸: **8 x EA**
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M8
 - Diameter: 20 mm
 - Foot Height: 15 mm
 - Overall Height: 15 mm
 - Static Load Capacity: 18 kg
 - Mounting Type: Screw-in
 - Metalwork: Stainless Steel



1263911 Male to Male

CYL. MT (M/M) 30X20MM M8X20 55 SHA SS

- 包装尺寸: **4 x EA**
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M8
 - Diameter: 30 mm
 - Foot Height: 20 mm
 - Overall Height: 20 mm
 - Static Load Capacity: 47.2 kg
 - Mounting Type: Screw-in
 - Metalwork: Stainless Steel



1263912 Male to Male

RS PRO CYLINDRICAL M10 ANTI VIBRATION MOUNT, MALE TO MALE

- 包装尺寸: **2 x EA**
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M10
 - Diameter: 40 mm
 - Foot Height: 30 mm
 - Overall Height: 30 mm
 - Static Load Capacity: 96.2 kg
 - Material: Natural Rubber
 - Mounting Type: Screw-in



1263913 Male to Male

RS PRO CYLINDRICAL M10 ANTI VIBRATION MOUNT, MALE TO MALE

- 包装尺寸: **1 x EA**
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M10
 - Diameter: 50 mm
 - Foot Height: 40 mm
 - Overall Height: 40 mm
 - Static Load Capacity: 146 kg
 - Material: EPDM
 - Mounting Type: Screw-in



1263914 Male to Male

RS PRO CYLINDRICAL M12 ANTI VIBRATION MOUNT, MALE TO MALE

- 包装尺寸: **1 x EA**
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M12
 - Diameter: 75 mm
 - Foot Height: 40 mm
 - Overall Height: 40 mm
 - Static Load Capacity: 178 kg
 - Mounting Type: Screw-in
 - Metalwork: Stainless Steel



1263915 Male to Male

CYL. MT (M/F) 10X15MM M5X8 80 SHA EPDMSS

- 包装尺寸: **8 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M5
 - Diameter: 10 mm
 - Foot Height: 15 mm
 - Overall Height: 15 mm
 - Static Load Capacity: 8.43 kg
 - Material: EPDM
 - Mounting Type: Screw-in



1263916 Male to Female

CYL. MT (M/F) 25X15MM M6X20 60 SHA SS

- 包装尺寸: **8 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M6
 - Diameter: 25 mm
 - Foot Height: 15 mm
 - Overall Height: 15 mm
 - Static Load Capacity: 47.3 kg
 - Mounting Type: Screw-in
 - Metalwork: Stainless Steel



1263917 Male to Female

CYL. MT (M/F) 30X20MM M8X20 55 SHA SS

- 包装尺寸: **4 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M8
 - Diameter: 30 mm
 - Foot Height: 20 mm
 - Overall Height: 20 mm
 - Static Load Capacity: 51.92 kg
 - Mounting Type: Screw-in
 - Metalwork: Stainless Steel



1263918 Male to Female

CYL. MT (M/F) 40X30MM M8X20 45 SHA SS

- 包装尺寸: **2 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M8
 - Diameter: 40 mm
 - Foot Height: 30 mm
 - Overall Height: 30 mm
 - Static Load Capacity: 52.91 kg
 - Material: EPDM
 - Mounting Type: Screw-in



1263919 Male to Female

RS PRO CYLINDRICAL M10 ANTI VIBRATION MOUNT, MALE TO FEMALE

- 包装尺寸: **1 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M10
 - Diameter: 50 mm
 - Foot Height: 45 mm
 - Overall Height: 45 mm
 - Static Load Capacity: 154.22 kg
 - Mounting Type: Screw-in
 - Metalwork: Stainless Steel



1263920 Male to Female

RS PRO CYLINDRICAL M10 ANTI VIBRATION MOUNT, MALE TO FEMALE

- 包装尺寸: **1 x EA**
- Anti Vibration Mount Type: Male to Female Bobbin
 - Thread Size: M10
 - Diameter: 60 mm
 - Foot Height: 50 mm
 - Overall Height: 50 mm
 - Static Load Capacity: 165 kg
 - Material: EPDM
 - Mounting Type: Screw-in



1263921 Male to Female

RS PRO CYLINDRICAL M4 ANTI VIBRATION MOUNT, FEMALE TO

- 包装尺寸: **4 x EA**
- Anti Vibration Mount Type: Female to Female Bobbin
 - Thread Size: M4
 - Diameter: 15 mm
 - Foot Height: 12 mm
 - Overall Height: 12 mm
 - Static Load Capacity: 9.43 kg
 - Mounting Type: Screw-in
 - Metalwork: Stainless Steel



1263922 Female to Female

CYL. MT (F/F) 20X20MM M6 60 SHA SS

- 包装尺寸: **8 x EA**
- Anti Vibration Mount Type: Female to Female Bobbin
 - Thread Size: M6
 - Diameter: 20 mm
 - Foot Height: 20 mm
 - Overall Height: 20 mm
 - Static Load Capacity: 25.3 kg
 - Mounting Type: Screw-in
 - Metalwork: Stainless Steel



1263923 Female to Female

RS PRO CYLINDRICAL M6 ANTI VIBRATION MOUNT, FEMALE TO

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Female to Female Bobbin
- Thread Size: M6
- Diameter: 30 mm
- Foot Height: 40 mm
- Overall Height: 40 mm
- Static Load Capacity: 26.8 kg
- Mounting Type: Screw-in
- Metalwork: Stainless Steel



1263924 Female to Female

RS PRO CYLINDRICAL M10 ANTI VIBRATION MOUNT, FEMALE TO

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Female to Female Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Foot Height: 40 mm
- Overall Height: 40 mm
- Static Load Capacity: 83.95 kg
- Mounting Type: Screw-in
- Metalwork: Stainless Steel



1263925 Female to Female

RS PRO CYLINDRICAL M10 ANTI VIBRATION MOUNT, FEMALE TO

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Female to Female Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Foot Height: 45 mm
- Overall Height: 45 mm
- Static Load Capacity: 128.99 kg
- Mounting Type: Screw-in
- Metalwork: Stainless Steel



1263926 Female to Female

CYL. FOOT MT (M) 10X8MM M4X6 85 SHA SS

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M4
- Diameter: 10 mm
- Foot Height: 8 mm
- Overall Height: 8 mm
- Static Load Capacity: 18 kg
- Material: EPDM
- Mounting Type: Screw-in



1263927 Male Buffer Foot

CYL. FOOT MT(M)20X20MMM6X20 50 SHA SS

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M6
- Diameter: 20 mm
- Foot Height: 20 mm
- Overall Height: 20 mm
- Static Load Capacity: 13.97 kg
- Mounting Type: Screw-in
- Metalwork: Stainless Steel



1263928 Male Buffer Foot

CYL. FOOT MT(M)30X20MMM8X15 45 SHA SS

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M8
- Diameter: 30 mm
- Foot Height: 20 mm
- Overall Height: 20 mm
- Static Load Capacity: 29.5 kg
- Mounting Type: Screw-in
- Metalwork: Stainless Steel



1263929 Male Buffer Foot

RS PRO CYLINDRICAL M10 ANTI VIBRATION MOUNT, MALE BUFFER

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M10
- Diameter: 50 mm
- Foot Height: 40 mm
- Overall Height: 40 mm
- Static Load Capacity: 281 kg
- Mounting Type: Screw-in
- Metalwork: Stainless Steel



1263930 Male Buffer Foot

RS PRO CYLINDRICAL M6 ANTI VIBRATION MOUNT WITH 18.8KG

包装尺寸: 2 x EA

- Thread Size: M6
- Diameter: 20 mm
- Foot Height: 20 mm
- Overall Height: 20 mm
- Static Load Capacity: 18.8 kg
- Mounting Type: Screw-in
- Foot Shape: Cylindrical
- Compression Load: 18.8 kg



1263932 M6

RS PRO CYLINDRICAL M8 ANTI VIBRATION MOUNT, FEMALE BUFFER

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M8
- Diameter: 40 mm
- Foot Height: 20 mm
- Overall Height: 20 mm
- Static Load Capacity: 101.12 kg
- Mounting Type: Screw-in
- Metalwork: Stainless Steel



1263933 Female Buffer

RS PRO M3 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 4.8KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M3
- Diameter: 8 mm
- Overall Height: 8 mm
- Material: Natural Rubber
- Compression Load: 4.8 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263935 Male to Male

RS PRO M3 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 3.05KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M3
- Diameter: 8 mm
- Overall Height: 8 mm
- Material: Natural Rubber
- Shore Hardness: 50 Shore A
- Compression Load: 3.05 kg
- Metalwork: Zinc Plated Steel



1263936 Male to Male

RS PRO CYLINDRICAL M10 ANTI VIBRATION MOUNT, FEMALE BUFFER

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M10
- Diameter: 40 mm
- Foot Height: 25 mm
- Overall Height: 25 mm
- Static Load Capacity: 86.4 kg
- Mounting Type: Screw-in
- Metalwork: Stainless Steel



1263934 Female Buffer

RS PRO M4 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 6.16KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M4
- Diameter: 10 mm
- Overall Height: 8 mm
- Material: Natural Rubber
- Compression Load: 6.16 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 55 Shore A



1263939 Male to Male

RS PRO M4 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 18.4KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M4
- Diameter: 15 mm
- Overall Height: 10 mm
- Material: Natural Rubber
- Compression Load: 18.4 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263941 Male to Male

RS PRO M5 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 3.5KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M5
- Diameter: 15 mm
- Overall Height: 10 mm
- Material: Natural Rubber
- Compression Load: 3.5 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263942 Male to Male

RS PRO M5 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 44.1KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M5
- Diameter: 16 mm
- Overall Height: 10 mm
- Material: Natural Rubber
- Compression Load: 44.1 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 70 Shore A



1263943 Male to Male

RS PRO M5 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 4.3KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M5
- Diameter: 12.5 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 4.3 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1263940 Male to Male

RS PRO M4 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 12KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M4
- Diameter: 16 mm
- Overall Height: 18 mm
- Material: Natural Rubber
- Compression Load: 12 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263944 Male to Male

RS PRO M5 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 12KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M5
- Diameter: 16 mm
- Overall Height: 18 mm
- Material: Natural Rubber
- Compression Load: 12 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263945 Male to Male

RS PRO M5 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 12KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M5
- Diameter: 16 mm
- Overall Height: 18 mm
- Material: Natural Rubber
- Compression Load: 12 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263946 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 26KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 18 mm
- Overall Height: 8.5 mm
- Material: Natural Rubber
- Compression Load: 26 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263947 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 15.62KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 15.62 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1263948 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 22KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 22 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263949 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 22KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 22 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263950 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 20.4KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 20.4 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263951 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 29.99 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 70 Shore A



1263952 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 41.91KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 25 mm
- Overall Height: 10 mm
- Material: Natural Rubber
- Compression Load: 41.91 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1263953 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 43KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 43 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263954 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 43KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 25 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 43 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263955 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 36.8KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 25 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 36.8 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263956 Male to Male

STUD MOUNT (M/M) 25X25MM M6X18 60 SHA

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A
- Compression Load: 34.2 kg



1263957 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 27.36KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 27.36 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 55 Shore A



1263958 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 32.8KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 32.8 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263959 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 32.8KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 25 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A
- Compression Load: 32.8 kg



1263960 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 32.8KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 25 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 32.8 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263961 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 2.2KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 35 mm
- Material: Natural Rubber
- Compression Load: 2.2 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1263962 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 75.6KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 75.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263963 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 59KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 59 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263964 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 54KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 22 mm
- Material: Natural Rubber
- Compression Load: 54 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263965 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 52.6KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A
- Compression Load: 52.6 kg



1263966 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 31.5KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 31.5 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1263967 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 49.6KG

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 49.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263968 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 42.8KG

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 35 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 42.8 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1263969 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 63.2KG

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 40 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 63.2 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1263970 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 108KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 40 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 108 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263971 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 98.4KG

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 40 mm
- Overall Height: 28 mm
- Material: Natural Rubber
- Compression Load: 98.4 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263972 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 96.2KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 40 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 96.2 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263973 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 96.2KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 96.2 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263974 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 35 mm
- Material: Natural Rubber
- Compression Load: 58.42 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1263975 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 87.4KG

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 40 mm
- Material: Natural Rubber
- Compression Load: 87.4 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263976 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 87.4KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 40 mm
- Material: Natural Rubber
- Compression Load: 87.4 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263977 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 249.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263978 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 195.2KG

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 195.2 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263979 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 169.2KG

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 169.2 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263980 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 154.8KG

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 35 mm
- Material: Natural Rubber
- Compression Load: 154.8 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263981 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 140.2KG

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 45 mm
- Material: Natural Rubber
- Compression Load: 140.2 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263984 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 146KG

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 40 mm
- Material: Natural Rubber
- Compression Load: 146 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263982 Male to Male

RS PRO M12 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 143KG

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M12
- Diameter: 50 mm
- Overall Height: 42 mm
- Material: Natural Rubber
- Compression Load: 143 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263983 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 305KG

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 60 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 305 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264268 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 247.4KG

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 60 mm
- Overall Height: 35 mm
- Material: Natural Rubber
- Compression Load: 247.4 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264269 Male to Male

RS PRO M12 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M12
- Diameter: 70 mm
- Overall Height: 35 mm
- Material: Natural Rubber
- Compression Load: 455.04 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 65 Shore A



1264270 Male to Male

RS PRO M12 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M12
- Diameter: 75 mm
- Overall Height: 50 mm
- Material: Natural Rubber
- Compression Load: 353.2 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264272 Male to Male

SM WAISTED (M/M) 10X10 M4X10 45 SHA NR

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M4
- Diameter: 10 mm
- Overall Height: 10 mm
- Material: Natural Rubber
- Compression Load: 1.18
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1264273 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 9

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 18 mm
- Material: Natural Rubber
- Compression Load: 9
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1264274 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 19.46

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 19.46
- Metalwork: Zinc Plated Steel
- Shore Hardness: 55 Shore A



1264275 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 14

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 14
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1264276 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 36

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 38 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 36
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264279 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 12

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 12
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1264277 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 13

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 13
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1264278 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 48.9

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 45 mm
- Overall Height: 36 mm
- Material: Natural Rubber
- Compression Load: 48.9
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264280 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 58

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 60 mm
- Overall Height: 60 mm
- Material: Natural Rubber
- Compression Load: 58
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1264281 Male to Male

STUD MOUNT (M/F) 8X8MM M3X6 60 SHA

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M3
- Diameter: 8 mm
- Overall Height: 8 mm
- Material: Natural Rubber
- Compression Load: 5.28 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264282 Male to Female

RS PRO M5 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH 7KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M5
- Diameter: 12 mm
- Overall Height: 19 mm
- Material: Natural Rubber
- Compression Load: 7 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264285 Male to Female

STUD MOUNT (M/F) 10X8MM M4X6 55 SHA

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M4
- Diameter: 10 mm
- Overall Height: 8 mm
- Material: Natural Rubber
- Compression Load: 4.75 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 55 Shore A



1264283 Male to Female

STUD MOUNT (M/F) 10X18MM M4X6 60 SHA

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M4
- Diameter: 10 mm
- Overall Height: 18 mm
- Material: Natural Rubber
- Compression Load: 4.95 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264284 Male to Female

RS PRO M4 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH 6.4KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M4
- Diameter: 10 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 6.4 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264286 Male to Female

RS PRO M4 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M4
- Diameter: 15 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 10.78 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264287 Male to Female

RS PRO M4 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M4
- Diameter: 16 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 12.7 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1264290 Male to Female

STUD MOUNT (M/F) 16X15MM M4X10 60 SHA

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M4
- Diameter: 16 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 25 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264291 Male to Female

RS PRO M4 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M4
- Diameter: 15 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 2.96 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 55 Shore A



1264288 Male to Female

RS PRO M5 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH 16KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M5
- Diameter: 16 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 16 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 55 Shore A



1264292 Male to Female

STUD MOUNT (M/F) 20X10MM M6X10 60 SHA

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 10 mm
- Material: Natural Rubber
- Compression Load: 37.4 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264294 Male to Female

STUD MOUNT (M/F) 20X15MM M6X18 45 SHA

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 13.53 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1264296 Male to Female

RS PRO M5 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M5
- Diameter: 16 mm
- Overall Height: 10 mm
- Material: Natural Rubber
- Compression Load: 20.96 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1264289 Male to Female

STUD MOUNT (M/F) 20X20MM M6X18 60 SHA

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 24.2 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264297 Male to Female

STUD MOUNT (M/F) 20X25MM M5X15 45 SHA

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M5
- Diameter: 20 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 11.55 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1264298 Male to Female

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 23.1 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264299 Male to Female

STUD MOUNT (M/F) 20X30MM M6X10 60 SHA

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 22.44 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264300 Male to Female

STUD M (M/F) 25X10MM M6X20 60 SHA SS

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 10 mm
- Material: Natural Rubber
- Compression Load: 53 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1264301 Male to Female

STUD MOUNT (M/F) 25X15MM M6X18 60 SHA

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 47.3 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264302 Male to Female

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 25 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 37.62 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264303 Male to Female

STUD MOUNT (M/F) 25X30MM M6X18 65 SHA

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 43.3 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 65 Shore A



1264304 Male to Female

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 25 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 22.91 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1264306 Male to Female

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 25 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 36.08 kg
- Shore Hardness: 60 Shore A
- Metalwork: Zinc Plated Steel



1264305 Male to Female

STUD MOUNT (M/F) 16X20MM M5X12 55 SHA

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M5
- Diameter: 16 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 14 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 55 Shore A



1264293 Male to Female

STUD MOUNT (M/F) 20X15MM M6X15 55 SHA

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Metalwork: Zinc Plated Steel
- Compression Load: 17.18 kg
- Shore Hardness: 55 Shore A



1264295 Male to Female

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 22 mm
- Material: Natural Rubber
- Compression Load: 59.4 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264309 Male to Female

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M6
- Diameter: 30 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 28.93 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1264311 Male to Female

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 25 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 36.08 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264307 Male to Female

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 83.16 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264308 Male to Female

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 54.56 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264314 Male to Female

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M10
- Diameter: 40 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 139.04 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264315 Male to Female

STUD MOUNT (M/F) 40X20MM M8X23 60 SHA

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 139.04 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264316 Male to Female

STUD MOUNT (M/F) 30X30MM M8X20 60 SHA

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 54.56 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264313 Male to Female

STUD MOUNT (M/F) 40X30MM M8X23 60 SHA

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 105.82 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264319 Male to Female

STUD MOUNT (M/F) 40X40MM M8X20 60 SHA

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 40 mm
- Material: Natural Rubber
- Compression Load: 96.14 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264321 Male to Female

STUD MOUNT (M/F) 30X25MM M8X10 60 SHA

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 57.86 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264312 Male to Female

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M10
- Diameter: 40 mm
- Overall Height: 28 mm
- Material: Natural Rubber
- Compression Load: 108.2 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264317 Male to Female

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 35 mm
- Material: Natural Rubber
- Compression Load: 170.28 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264324 Male to Female

STUD MOUNT (M/F) 50X40MM M10X25 60 SHA

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 40 mm
- Material: Natural Rubber
- Compression Load: 160.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264325 Male to Female

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 45 mm
- Material: Natural Rubber
- Compression Load: 154.22 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264326 Male to Female

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 274.56 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264322 Male to Female

**STUD MOUNT (M/F) 50X20MM
M12X33 60 SHA**

包裝尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M12
- Diameter: 50 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 274.56 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264323 Male to Female

**RS PRO M12 ANTI VIBRATION MOUNT,
MALE TO FEMALE BOBBIN WITH**

包裝尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M12
- Diameter: 75 mm
- Overall Height: 40 mm
- Material: Natural Rubber
- Compression Load: 283.87 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264332 Male to Female

**RS PRO M10 ANTI VIBRATION MOUNT,
MALE TO FEMALE BOBBIN WITH**

包裝尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 50 mm
- Material: Natural Rubber
- Compression Load: 149.82 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264327 Male to Female

**RS PRO M12 ANTI VIBRATION MOUNT,
MALE TO FEMALE BOBBIN WITH**

包裝尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M12
- Diameter: 50 mm
- Overall Height: 55 mm
- Material: Natural Rubber
- Compression Load: 160.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264328 Male to Female

**RS PRO M8 ANTI VIBRATION MOUNT,
MALE TO FEMALE BOBBIN WITH 66KG**

包裝尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 66 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264334 Male to Female

**RS PRO M5 ANTI VIBRATION MOUNT,
FEMALE BUFFER FOOT WITH 13.8KG**

包裝尺寸: 2 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M5
- Diameter: 16 mm
- Overall Height: 18 mm
- Material: Natural Rubber
- Compression Load: 13.8 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264338 Female Buffer

**RS PRO M4 ANTI VIBRATION MOUNT,
FEMALE BUFFER FOOT WITH 13.8KG**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M4
- Diameter: 15 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 13.8 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264335 Female Buffer

**RS PRO M5 ANTI VIBRATION MOUNT,
FEMALE BUFFER FOOT WITH 13.8KG**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M5
- Diameter: 15 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 13.8 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264336 Female Buffer

**RS PRO M5 ANTI VIBRATION MOUNT,
FEMALE BUFFER FOOT WITH 17.97KG**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M5
- Diameter: 20 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 17.97 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1264339 Female Buffer

**RS PRO M6 ANTI VIBRATION MOUNT,
FEMALE BUFFER FOOT WITH 33.96KG**

包裝尺寸: 2 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 15 mm
- Material: Rubber
- Compression Load: 33.96 kg
- Metalwork: Stainless Steel
- Shore Hardness: 65 Shore A



1264340 Female Buffer

**RS PRO M6 ANTI VIBRATION MOUNT,
FEMALE BUFFER FOOT WITH 19.33KG**

包裝尺寸: 8 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 19.33 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 55 Shore A



1264898 Female Buffer

**RS PRO M6 ANTI VIBRATION MOUNT,
FEMALE BUFFER FOOT WITH 20.24KG**

包裝尺寸: 8 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 20.24 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 55 Shore A



1264341 Female Buffer

**RS PRO M6 ANTI VIBRATION MOUNT,
FEMALE BUFFER FOOT WITH 42.32KG**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 42.32 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264900 Female Buffer

**RS PRO M6 ANTI VIBRATION MOUNT,
FEMALE BUFFER FOOT WITH 39.34KG**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 39.34 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264903 Female Buffer

**RS PRO M8 ANTI VIBRATION MOUNT,
FEMALE BUFFER FOOT WITH 39.34KG**

包裝尺寸: 2 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M8
- Diameter: 25 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 39.34 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264904 Female Buffer

**RS PRO M8 ANTI VIBRATION MOUNT,
FEMALE BUFFER FOOT WITH 67.86KG**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 67.86 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264906 Female Buffer

RS PRO M8 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 62.1KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 22 mm
- Material: Natural Rubber
- Compression Load: 62.1 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264907 Female Buffer

STUD MOUNT (F/F) 40X40MM M8 60 SHA

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 40 mm
- Material: Natural Rubber
- Compression Load: 100.52 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264911 Female Buffer

RS PRO M8 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 57.04KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 57.04 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264908 Female Buffer

RS PRO M10 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 113.16KG

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M10
- Diameter: 40 mm
- Overall Height: 28 mm
- Material: Natural Rubber
- Compression Load: 113.16 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264910 Female Buffer

RS PRO M10 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 194.58 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264912 Female Buffer

RS PRO M10 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 161.24KG

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 45 mm
- Material: Natural Rubber
- Compression Load: 161.24 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264914 Female Buffer

RS PRO M12 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M12
- Diameter: 50 mm
- Overall Height: 50 mm
- Material: Natural Rubber
- Compression Load: 156.64 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264915 Female Buffer

RS PRO M10 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 327.3KG

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M10
- Diameter: 70 mm
- Overall Height: 50 mm
- Material: Natural Rubber
- Compression Load: 327.3 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264919 Female Buffer

RS PRO M12 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 757KG

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M12
- Diameter: 80 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 757 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264920 Female Buffer

STUD MOUNT FOOT (M) 8X5MM M3X6 60 SHA

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M3
- Diameter: 8 mm
- Overall Height: 5 mm
- Material: Natural Rubber
- Compression Load: 5.5 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264923 Male Buffer Foot

STUD MOUNT FOOT (M) 10X8MM M4X10 45 SHA

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M4
- Diameter: 10 mm
- Overall Height: 8 mm
- Material: Natural Rubber
- Compression Load: 2.7 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1264925 Male Buffer Foot

STUD MOUNT FOOT (M) 10X10MM M4X6 60 SHA

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M4
- Diameter: 10 mm
- Overall Height: 10 mm
- Material: Natural Rubber
- Compression Load: 5 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264926 Male Buffer Foot

STUD MOUNT FOOT (M) 15X8MM M4X10 45 SHA

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M4
- Diameter: 15 mm
- Overall Height: 8 mm
- Material: Natural Rubber
- Compression Load: 12 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1264929 Male Buffer Foot

STUD MOUNT FOOT (M) 15X8MM M4X15 60 SHA

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M4
- Diameter: 15 mm
- Overall Height: 8 mm
- Material: Natural Rubber
- Compression Load: 24 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264931 Male Buffer Foot

RS PRO M4 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 7.62KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M4
- Diameter: 15 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 7.62 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1264932 Male Buffer Foot

RS PRO M5 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 12KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M5
- Diameter: 15 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 12 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264933 Male Buffer Foot

RS PRO M6 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 12KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M6
- Diameter: 15 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 12 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264934 Male Buffer Foot

RS PRO M5 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 5.8KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M5
- Diameter: 15 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 5.8 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264936 Male Buffer Foot

STUD MOUNT FOOT (M) 16X10MM M5X12 55 SHA

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M5
- Diameter: 16 mm
- Overall Height: 10 mm
- Material: Natural Rubber
- Compression Load: 25.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 55 Shore A



1264937 Male Buffer Foot

RS PRO M4 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 12KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M4
- Diameter: 16 mm
- Overall Height: 18 mm
- Material: Natural Rubber
- Compression Load: 12 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264938 Male Buffer Foot

RS PRO M5 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 12KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M5
- Diameter: 16 mm
- Overall Height: 18 mm
- Material: Natural Rubber
- Compression Load: 12 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264939 Male Buffer Foot

RS PRO M5 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 6KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M5
- Diameter: 16 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264940 Male Buffer Foot

STUD MOUNT FOOT (M) 20X8MM M6X15 60 SHA

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 8 mm
- Material: Natural Rubber
- Compression Load: 50 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264941 Male Buffer Foot

STUD MOUNT FOOT (M) 20X10MM M8X20 60 SHA

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M8
- Diameter: 20 mm
- Overall Height: 10 mm
- Material: Natural Rubber
- Compression Load: 34 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264942 Male Buffer Foot

RS PRO M6 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 28.2KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 13 mm
- Material: Natural Rubber
- Compression Load: 28.2 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264943 Male Buffer Foot

STUD MOUNT FOOT (M) 20X20MM M6X15 60 SHA

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 22 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264945 Male Buffer Foot

RS PRO M6 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 11KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Shore Hardness: 45 Shore A
- Compression Load: 11 kg
- Metalwork: Zinc Plated Steel



1264947 Male Buffer Foot

RS PRO M6 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 17.6KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 17.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 55 Shore A



1264948 Male Buffer Foot

RS PRO M6 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 21KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 21 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264949 Male Buffer Foot

RS PRO M6 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 66KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 10 mm
- Material: Natural Rubber
- Compression Load: 66 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264950 Male Buffer Foot

RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 66KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M8
- Diameter: 25 mm
- Overall Height: 10 mm
- Material: Natural Rubber
- Shore Hardness: 60 Shore A
- Metalwork: Zinc Plated Steel
- Compression Load: 66 kg



1264951 Male Buffer Foot

STUD MOUNT FOOT (M) 25X15MM M6X18 45 SHA

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 21.5 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1264953 Male Buffer Foot

RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 43KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M8
- Diameter: 25 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 43 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264954 Male Buffer Foot

STUD MOUNT FOOT (M) 25X20MM M8X20 60 SHA

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M8
- Diameter: 25 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 36.8 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264955 Male Buffer Foot

RS PRO M6 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 32.8KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 32.8 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264956 Male Buffer Foot

RS PRO M6 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 72KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M6
- Diameter: 30 mm
- Overall Height: 10 mm
- Material: Natural Rubber
- Compression Load: 72 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 55 Shore A



1264959 Male Buffer Foot

RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 72KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 17 mm
- Material: Natural Rubber
- Shore Hardness: 60 Shore A
- Compression Load: 72 kg
- Metalwork: Zinc Plated Steel



1264961 Male Buffer Foot

RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 59KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 59 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264962 Male Buffer Foot

RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 59KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 59 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264963 Male Buffer Foot

RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 52.6KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 52.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A




1264964 Male Buffer Foot

STUD MOUNT FOOT (M) 30X30MM M8X25 60 SHA

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 49.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264965 Male Buffer Foot

RS PRO M6 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 48KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M6
- Diameter: 30 mm
- Overall Height: 35 mm
- Material: Natural Rubber
- Compression Load: 48 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264966 Male Buffer Foot

RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 48KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 35 mm
- Material: Natural Rubber
- Compression Load: 48 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264969 Male Buffer Foot

RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 126.4KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M10
- Diameter: 40 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 126.4 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264970 Male Buffer Foot

RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 80.26KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 80.26 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A




1264971 Male Buffer Foot

RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 108KG

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M10
- Diameter: 40 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 108 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264972 Male Buffer Foot

RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 48.1KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 48.1 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1264976 Male Buffer Foot

RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 96.2KG

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 96.2 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264978 Male Buffer Foot

RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 73.6KG

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 35 mm
- Material: Natural Rubber
- Compression Load: 73.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 55 Shore A



1264979 Male Buffer Foot

RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 87.4KG

包裝尺寸: 2 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M10
- Diameter: 40 mm
- Overall Height: 40 mm
- Material: Natural Rubber
- Compression Load: 87.4 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264981 Male Buffer Foot

RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 249.6KG

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 249.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A




1264982 Male Buffer Foot

RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 195.2KG

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 195.2 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264983 Male Buffer Foot

RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 169.2KG

包裝尺寸: 2 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 169.2 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264984 Male Buffer Foot

RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 146KG

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 40 mm
- Material: Natural Rubber
- Compression Load: 146 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1265931 Male Buffer Foot

RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 140.2KG

包裝尺寸: 2 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 45 mm
- Material: Natural Rubber
- Compression Load: 140.2 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1265932 Male Buffer Foot

RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 136.2KG

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M8
- Diameter: 50 mm
- Overall Height: 50 mm
- Material: Natural Rubber
- Compression Load: 136.2 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1265934 Male Buffer Foot

RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 247.4KG

包裝尺寸: 1 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M10
- Diameter: 60 mm
- Overall Height: 35 mm
- Material: Natural Rubber
- Compression Load: 247.4 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1265935 Male Buffer Foot

RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 524.4KG

包裝尺寸: 1 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M10
- Diameter: 70 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 524.4 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1265936 Male Buffer Foot

RS PRO M4 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M4
- Diameter: 70 mm
- Overall Height: 15 mm
- Static Load Capacity: 5.6 kg
- Material: Rubber
- Shore Hardness: 50 Shore A
- Series: AV Type A



1265939 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT

包裝尺寸: 1 x EA

- Thread Size: M10
- Diameter: 60 mm
- Overall Height: 85 mm
- Material: Rubber
- Shore Hardness: 60 Shore A
- Series: AV Type B
- Maximum Operating Temperature: +70 °C
- Minimum Operating Temperature: -25 °C



1265941 M10

RS PRO M12 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 176.6KG

包裝尺寸: 1 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M12
- Diameter: 75 mm
- Overall Height: 50 mm
- Material: Natural Rubber
- Compression Load: 176.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1265944 Male Buffer Foot

STUD MT FOOT (F) 16X10MM M4 45 SHA

包裝尺寸: 8 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M4
- Diameter: 16 mm
- Overall Height: 10 mm
- Material: Natural Rubber
- Compression Load: 15 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1265946 Female Buffer

RS PRO M6 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 24.6KG

包裝尺寸: 8 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 24.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1265947 Female Buffer

RS PRO M5 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 23.6KG

包裝尺寸: 8 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M5
- Diameter: 20 mm
- Overall Height: 17 mm
- Material: Natural Rubber
- Compression Load: 23.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1265948 Female Buffer

RS PRO M6 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 21KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 21 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1265949 Female Buffer

RS PRO M8 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 37.47KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 37.47 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1265953 Female Buffer

RS PRO M8 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 27KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 22 mm
- Material: Natural Rubber
- Compression Load: 27 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1265954 Female Buffer

RS PRO M6 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 113.6KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M6
- Diameter: 40 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 113.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 55 Shore A



1265956 Female Buffer

RS PRO M5 ANTI VIBRATION MOUNT, BUMP STOP

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Bump Stop
- Thread Size: M5
- Diameter: 10 mm
- Overall Height: 10 mm
- Static Load Capacity: 10 kg
- Material: Rubber
- Shore Hardness: 60 Shore A
- Series: DP



1265957 Bump Stop

DAMPER PARABOLIC (M) 20X24MMM6X1860SHANR

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Bump Stop
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 24 mm
- Static Load Capacity: 45 kg
- Material: Rubber
- Shore Hardness: 60 Shore A
- Series: DP



1265958 Bump Stop

DAMPER PARABOLIC (M) 25X20MMM8X2055SHANR

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Bump Stop
- Thread Size: M8
- Diameter: 20 mm
- Overall Height: 20 mm
- Static Load Capacity: 48 kg
- Material: Rubber
- Shore Hardness: 55 Shore A
- Series: DP



1265959 Bump Stop

RS PRO M6 ANTI VIBRATION MOUNT, BUMP STOP

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Bump Stop
- Thread Size: M6
- Diameter: 30 mm
- Overall Height: 30 mm
- Static Load Capacity: 56 kg
- Material: Rubber
- Shore Hardness: 60 Shore A
- Series: DP



1265960 Bump Stop

DAMPER PARABOLIC (M) 30X30MMM8X2060SHANR

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Bump Stop
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 30 mm
- Static Load Capacity: 56 kg
- Material: Rubber
- Shore Hardness: 60 Shore A
- Series: DP



1265961 Bump Stop

RS PRO M8 ANTI VIBRATION MOUNT, BUMP STOP

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Bump Stop
- Thread Size: M8
- Diameter: 50 mm
- Overall Height: 48 mm
- Static Load Capacity: 64 kg
- Material: Rubber
- Shore Hardness: 60 Shore A
- Series: DP



1265962 Bump Stop

RS PRO M10 ANTI VIBRATION MOUNT, BUMP STOP

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Bump Stop
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 50 mm
- Static Load Capacity: 184 kg
- Material: Rubber
- Shore Hardness: 60 Shore A
- Series: DP



1265963 Bump Stop

RS PRO M10 ANTI VIBRATION MOUNT, BUMP STOP

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Bump Stop
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 61 mm
- Static Load Capacity: 230 kg
- Material: Rubber
- Shore Hardness: 60 Shore A
- Series: DP



1265964 Bump Stop

RS PRO M12 ANTI VIBRATION MOUNT, BUMP STOP

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Bump Stop
- Thread Size: M12
- Diameter: 70 mm
- Overall Height: 58 mm
- Static Load Capacity: 370 kg
- Material: Rubber
- Shore Hardness: 60 Shore A
- Series: DP



1265966 Bump Stop

RS PRO M10 ANTI VIBRATION MOUNT, BUMP STOP

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Bump Stop
- Thread Size: M10
- Diameter: 70 mm
- Overall Height: 60 mm
- Static Load Capacity: 374 kg
- Material: Rubber
- Shore Hardness: 60 Shore A
- Maximum Operating Temperature: +70 °C



1265967 Bump Stop

RS PRO M10 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 306KG

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 306 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1265969 Female Buffer

RS PRO CYLINDRICAL M12 ANTI VIBRATION MOUNT WITH 300KG

包装尺寸: 1 x EA

- Thread Size: M12
- Diameter: 90 mm
- Foot Height: 33 mm
- Overall Height: 153 mm
- Static Load Capacity: 300 kg
- Material: Natural Rubber
- Metalwork: Zinc Plated Steel
- Compression Load: 300 kg



1265970 M12

RS PRO CYLINDRICAL M10 ANTI VIBRATION MOUNT

- 包装尺寸: 1 x EA
- Thread Size: M10
 - Diameter: 46 mm
 - Foot Height: 15 mm
 - Overall Height: 53 mm
 - Material: Natural Rubber
 - Shore Hardness: 55 Shore A
 - Foot Shape: Cylindrical
 - Metalwork: Stainless Steel



1265971 M10

RS PRO CYLINDRICAL M16 ANTI VIBRATION MOUNT WITH 800KG

- 包装尺寸: 1 x EA
- Thread Size: M16
 - Diameter: 125 mm
 - Foot Height: 45 mm
 - Overall Height: 155 mm
 - Static Load Capacity: 800 kg
 - Material: Natural Rubber
 - Metalwork: Zinc Plated Steel
 - Compression Load: 800 kg



1266366 M16

RS PRO CYLINDRICAL M20 ANTI VIBRATION MOUNT WITH 1600KG

- 包装尺寸: 1 x EA
- Thread Size: M20
 - Diameter: 170 mm
 - Foot Height: 57 mm
 - Overall Height: 167 mm
 - Static Load Capacity: 1600 kg
 - Material: Natural Rubber
 - Metalwork: Zinc Plated Steel
 - Compression Load: 1600 kg



1266367 M20

RS PRO M10 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 154.8KG

- 包装尺寸: 2 x EA
- Anti Vibration Mount Type: Female Buffer Foot
 - Thread Size: M10
 - Diameter: 50 mm
 - Overall Height: 35 mm
 - Material: Natural Rubber
 - Compression Load: 154.8 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1266369 Female Buffer

RS PRO M12 ANTI VIBRATION MOUNT WITH 360KG COMPRESSION LOAD

- 包装尺寸: 1 x EA
- Thread Size: M12
 - Diameter: 130 mm
 - Foot Height: 3 mm
 - Overall Height: 44 mm
 - Static Load Capacity: 360 kg
 - Material: Natural Rubber
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1623214 M12

RS PRO M12 ANTI VIBRATION MOUNT WITH 290KG COMPRESSION LOAD

- 包装尺寸: 1 x EA
- Thread Size: M12
 - Diameter: 130 mm
 - Foot Height: 3 mm
 - Overall Height: 44 mm
 - Static Load Capacity: 290 kg
 - Material: Natural Rubber
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 45 Shore A



1623215 M12

RS PRO M8 ANTI VIBRATION MOUNT WITH 80KG COMPRESSION LOAD

- 包装尺寸: 1 x EA
- Thread Size: M8
 - Diameter: 114 mm
 - Foot Height: 35 mm
 - Overall Height: 35 mm
 - Static Load Capacity: 80 kg
 - Material: Rubber
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1623217 M8

RS PRO M10 ANTI VIBRATION MOUNT WITH 118KG COMPRESSION LOAD

- 包装尺寸: 1 x EA
- Thread Size: M10
 - Diameter: 120 mm
 - Overall Height: 35 mm
 - Static Load Capacity: 118 kg
 - Material: Rubber
 - Compression Load: 118 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1623218 M10

RS PRO M6 ANTI VIBRATION MOUNT WITH 3.5KG COMPRESSION LOAD

- 包装尺寸: 1 x EA
- Thread Size: M6
 - Diameter: 64 mm
 - Foot Height: 20 mm
 - Overall Height: 20 mm
 - Static Load Capacity: 3.5 kg
 - Material: Rubber
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1623219 M6

RS PRO ROUND M12 ANTI VIBRATION MOUNT WITH 450KG COMPRESSION

- 包装尺寸: 1 x EA
- Thread Size: M12
 - Diameter: 172 mm
 - Foot Height: 3 mm
 - Overall Height: 38 mm
 - Static Load Capacity: 450 kg
 - Material: Natural Rubber
 - Mounting Type: 2-Hole Flange
 - Foot Shape: Round



1623221 M12

RS PRO ROUND M10 ANTI VIBRATION MOUNT WITH 0 COMPRESSION LOAD

- 包装尺寸: 1 x EA
- Thread Size: M10
 - Diameter: 148 mm
 - Overall Height: 25 mm
 - Static Load Capacity: 0
 - Material: Natural Rubber
 - Mounting Type: 2-Hole Flange
 - Foot Shape: Round
 - Compression Load: 0



1623224 M10

RS PRO M6 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 36.8KG

- 包装尺寸: 8 x EA
- Anti Vibration Mount Type: Male Buffer Foot
 - Thread Size: M6
 - Diameter: 25 mm
 - Overall Height: 20 mm
 - Material: Natural Rubber
 - Shore Hardness: 60 Shore A
 - Compression Load: 36.8 kg
 - Metalwork: Zinc Plated Steel



1623225 Male Buffer Foot

RS PRO M6 ANTI VIBRATION MOUNT WITH 60KG COMPRESSION LOAD

- 包装尺寸: 1 x EA
- Thread Size: M6
 - Diameter: 85 mm
 - Foot Height: 25 mm
 - Overall Height: 25 mm
 - Static Load Capacity: 60 kg
 - Material: Rubber
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1623226 M6

RS PRO RECTANGULAR M12 ANTI VIBRATION MOUNT, MARINE MOUNT

- 包装尺寸: 1 x EA
- Anti Vibration Mount Type: Marine Mount
 - Thread Size: M12
 - Diameter: 120 mm
 - Overall Height: 40 mm
 - Static Load Capacity: 65 kg
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Rectangular



1623229 Marine Mount

RS PRO ROUND M20 ANTI VIBRATION MOUNT, MARINE MOUNT WITH 900KG

- 包装尺寸: 1 x EA
- Anti Vibration Mount Type: Marine Mount
 - Thread Size: M20
 - Diameter: 184 mm
 - Foot Height: 5 mm
 - Overall Height: 86 mm
 - Material: Natural Rubber
 - Metalwork: Metal
 - Compression Load: 900 kg



1623230 Marine Mount

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 63.5KG

- 包装尺寸: 8 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
 - Thread Size: M8
 - Diameter: 25 mm
 - Overall Height: 15 mm
 - Material: Natural Rubber
 - Shore Hardness: 70 Shore A
 - Compression Load: 63.5 kg
 - Metalwork: Zinc Plated Steel



1623234 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 22KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Shore Hardness: 60 Shore A
- Compression Load: 22 kg
- Metalwork: Zinc Plated Steel



1623235 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 351KG

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 60 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Shore Hardness: 70 Shore A
- Compression Load: 351 kg
- Metalwork: Zinc Plated Steel



1623236 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 25.3KG

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Shore Hardness: 60 Shore A
- Compression Load: 25.3 kg
- Metalwork: Zinc Plated Steel



1623237 Female Buffer

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 59KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Shore Hardness: 60 Shore A
- Compression Load: 59 kg
- Metalwork: Zinc Plated Steel



1623238 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 25 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Shore Hardness: 70 Shore A
- Compression Load: 59.2 kg
- Metalwork: Zinc Plated Steel



1623239 Male to Female

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 164KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 40 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Shore Hardness: 70 Shore A
- Compression Load: 164 kg
- Metalwork: Zinc Plated Steel



1623240 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 180.2KG

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 40 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Shore Hardness: 70 Shore A
- Compression Load: 180.2 kg
- Metalwork: Zinc Plated Steel



1623243 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 24.6KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Shore Hardness: 60 Shore A
- Compression Load: 24.6 kg
- Metalwork: Zinc Plated Steel



1623245 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT, BUMP STOP

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Bump Stop
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 50 mm
- Static Load Capacity: 184 kg
- Material: Rubber
- Shore Hardness: 60 Shore A
- Series: DP



1623247 Bump Stop

RS PRO M8 ANTI VIBRATION MOUNT WITH 42KG COMPRESSION LOAD

包装尺寸: 1 x EA

- Thread Size: M8
- Diameter: 49 mm
- Foot Height: 35 mm
- Overall Height: 35 mm
- Static Load Capacity: 42 kg
- Material: Rubber
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1623249 M8

RS PRO M5 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 12KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M5
- Diameter: 15 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Shore Hardness: 60 Shore A
- Compression Load: 12 kg
- Metalwork: Zinc Plated Steel



1623251 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT WITH 40KG COMPRESSION LOAD

包装尺寸: 1 x EA

- Thread Size: M8
- Diameter: 46 mm
- Overall Height: 20 mm
- Static Load Capacity: 40 kg
- Material: Natural Rubber
- Compression Load: 40 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1623252 M8

RS PRO M12 RUBBER ADJUSTABLE FOOT, 900KG STATIC LOAD

包装尺寸: 1 x EA

- Static Load Capacity: 900 kg
- Thread Size: M12
- Thread Length: 100 mm
- Tilt Angle: 3°
- Foot Material: Rubber
- Base Material: Zinc Plated Steel
- Shore Hardness: 70 Shore A
- Height: 118



1623253 900 kg

RS PRO M3 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 1.65KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M3
- Diameter: 6 mm
- Overall Height: 7 mm
- Material: Natural Rubber
- Compression Load: 1.65 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1712566 Male to Male

RS PRO M3 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 4.8KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M3
- Diameter: 8 mm
- Overall Height: 8 mm
- Material: Natural Rubber
- Compression Load: 4.8 kg
- Metalwork: Stainless Steel
- Shore Hardness: 50 Shore A



1712567 Male to Male

RS PRO M5 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 11.76KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M5
- Diameter: 15 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 11.76 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 65 Shore A



1712569 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 22KG

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 22 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712570 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 66KG

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 25 mm
- Overall Height: 10 mm
- Material: Natural Rubber
- Compression Load: 66 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712572 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 36.8KG

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 25 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 36.8 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712573 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 34.2KG

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 34.2 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712575 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 49.6KG

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 30 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 49.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1712576 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 26.28KG

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 32 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 26.28 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 40 Shore A



1712579 Male to Male

ZP MTOM MNT 40MM D 20MM H M8X20

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 80.26 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1712581 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 96.2KG

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 96.2 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712582 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 169.2KG

包裝尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 169.2 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712583 Male to Male

RS PRO M12 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 136.2KG

包裝尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M12
- Diameter: 50 mm
- Overall Height: 50 mm
- Material: Natural Rubber
- Compression Load: 136.2 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1712584 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH

包裝尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 60 mm
- Overall Height: 35 mm
- Material: Natural Rubber
- Compression Load: 197.92 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 55 Shore A



1712585 Male to Male

RS PRO M16 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH

包裝尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M16
- Diameter: 100 mm
- Overall Height: 40 mm
- Material: Natural Rubber
- Compression Load: 726.56 kg
- Metalwork: Stainless Steel
- Shore Hardness: 55 Shore A



1712589 Male to Male

ZP MTOF MNT 10MM D 10MM H M4X6

包裝尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M4
- Diameter: 10 mm
- Overall Height: 10 mm
- Material: Natural Rubber
- Shore Hardness: 60 Shore A
- Compression Load: 5.5 kg
- Metalwork: Zinc Plated Steel



1712591 Male to Female

ZP MTOF MNT 15MM D 10MM H M4X6

包裝尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M4
- Diameter: 15 mm
- Overall Height: 10 mm
- Material: Natural Rubber
- Compression Load: 16.19 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 55 Shore A



1712592 Male to Female

ZP MTOF MNT 15MM D 15MM H M5X15

包裝尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M5
- Diameter: 15 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 6.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1712593 Male to Female

RS PRO M4 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M4
- Diameter: 15 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 13.2 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712594 Male to Female

RS PRO M5 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M5
- Diameter: 20 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 17.18 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1712595 Male to Female

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 37.62 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1712597 Male to Female

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 25 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 37.62 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712598 Male to Female

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M6
- Diameter: 30 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 83.16 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1712599 Male to Female

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M6
- Diameter: 30 mm
- Overall Height: 20 mm
- Material: EPDM
- Compression Load: 95.4 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 70 Shore A



1712600 Male to Female

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 54.56 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712601 Male to Female

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M10
- Diameter: 30 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 27.28 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1712602 Male to Female

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 40 mm
- Material: Natural Rubber
- Compression Load: 25.63 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1712604 Male to Female

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M10
- Diameter: 40 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 139.04 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712605 Male to Female

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 139.04 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1712606 Male to Female

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 274.56 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1712608 Male to Female

ZP MTOF MNT 50MM D 30MM H M10X25

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 186.12 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1712609 Male to Female

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 40 mm
- Material: Natural Rubber
- Compression Load: 160.6 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712610 Male to Female

RS PRO M12 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M12
- Diameter: 70 mm
- Overall Height: 50 mm
- Material: Natural Rubber
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A
- Compression Load: 313.06 kg



1712611 Male to Female

RS PRO M16 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M16
- Diameter: 100 mm
- Overall Height: 40 mm
- Material: Natural Rubber
- Compression Load: 499.51 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1712614 Male to Female

RS PRO M12 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M12
- Diameter: 75 mm
- Overall Height: 40 mm
- Material: Natural Rubber
- Compression Load: 447.04 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712612 Male to Female

RS PRO M12 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包裝尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M12
- Diameter: 75 mm
- Overall Height: 50 mm
- Material: Natural Rubber
- Compression Load: 194.26 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1712613 Male to Female

RS PRO M2.5 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M2.5
- Diameter: 6 mm
- Overall Height: 8 mm
- Material: Natural Rubber
- Compression Load: 4.7 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1712616 Female Buffer

ZP FEMTOF MNT 10MM D 10MM H M4

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M4
- Diameter: 10 mm
- Overall Height: 8 mm
- Material: Natural Rubber
- Compression Load: 2.88 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1712617 Female Buffer

RS PRO M6 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 42.32KG

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 42.32 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712621 Female Buffer

RS PRO M8 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 40.94KG

包裝尺寸: 2 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M8
- Diameter: 25 mm
- Overall Height: 22 mm
- Material: Natural Rubber
- Compression Load: 40.94 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712622 Female Buffer

RS PRO M6 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 43.09KG

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M6
- Diameter: 30 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 43.09 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1712623 Female Buffer

RS PRO M8 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 67.86KG

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 67.86 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1712624 Female Buffer

RS PRO M10 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 113.16KG

包裝尺寸: 2 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M10
- Diameter: 40 mm
- Overall Height: 28 mm
- Material: Natural Rubber
- Compression Load: 113.16 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712628 Female Buffer

RS PRO M8 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 110.64KG

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 110.64 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1712629 Female Buffer

ZP FEMTOF MNT 50MM D 25MM H M10

包裝尺寸: 2 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 224.48 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1712630 Female Buffer

RS PRO M10 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 167.9KG

包裝尺寸: 2 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 40 mm
- Material: Natural Rubber
- Compression Load: 167.9 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1712633 Female Buffer

RS PRO M12 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH

包裝尺寸: 1 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M12
- Diameter: 75 mm
- Overall Height: 50 mm
- Material: Natural Rubber
- Compression Load: 257.92 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1712635 Female Buffer

RS PRO M16 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH

包裝尺寸: 1 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M16
- Diameter: 100 mm
- Overall Height: 55 mm
- Material: Natural Rubber
- Compression Load: 794.66 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1712637 Female Buffer

RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 126.4KG

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M10
- Diameter: 40 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 126.4 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712638 Male Buffer Foot

RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 48.1KG

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 48.1 kg
- Metalwork: Stainless Steel
- Shore Hardness: 45 Shore A



1712639 Male Buffer Foot

RS PRO M14 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 412KG

包裝尺寸: 1 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M14
- Diameter: 80 mm
- Overall Height: 75 mm
- Material: Natural Rubber
- Compression Load: 412 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 70 Shore A



1712641 Male Buffer Foot

RS PRO SQUARE M10 ANTI VIBRATION MOUNT WITH 40KG COMPRESSION

- 包装尺寸: 1 x EA
- Thread Size: M10
 - Diameter: 85 mm
 - Foot Height: 25 mm
 - Overall Height: 25 mm
 - Static Load Capacity: 40 kg
 - Material: Natural Rubber
 - Metalwork: Stainless Steel
 - Foot Shape: Square



1712643 M10

RS PRO RECTANGULAR ANTI VIBRATION MOUNT WITH 180

- 包装尺寸: 1 x EA
- Diameter: 108 mm
 - Foot Height: 38 mm
 - Overall Height: 43 mm
 - Static Load Capacity: 180
 - Material: Natural Rubber
 - Compression Load: 180
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 50 Shore A



1712645 108 mm

RS PRO RECTANGULAR ANTI VIBRATION MOUNT WITH 280

- 包装尺寸: 1 x EA
- Diameter: 108 mm
 - Foot Height: 38 mm
 - Overall Height: 43 mm
 - Static Load Capacity: 280
 - Material: Natural Rubber
 - Compression Load: 280
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 60 Shore A



1712646 108 mm

RS PRO RECTANGULAR ANTI VIBRATION MOUNT WITH 450

- 包装尺寸: 1 x EA
- Diameter: 168 mm
 - Foot Height: 38 mm
 - Overall Height: 43 mm
 - Static Load Capacity: 450
 - Material: Natural Rubber
 - Compression Load: 450
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 50 Shore A



1712647 168 mm

RS PRO RECTANGULAR ANTI VIBRATION MOUNT WITH 1030

- 包装尺寸: 1 x EA
- Diameter: 168 mm
 - Foot Height: 38 mm
 - Overall Height: 43 mm
 - Static Load Capacity: 1030
 - Material: Natural Rubber
 - Compression Load: 1030
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 70 Shore A



1712649 168 mm

RS PRO HEXAGONAL M6 ANTI VIBRATION MOUNT WITH 3.75KG

- 包装尺寸: 4 x EA
- Thread Size: M6
 - Diameter: 15.2 mm
 - Foot Height: 16 mm
 - Overall Height: 16 mm
 - Static Load Capacity: 3.75 kg
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Hexagonal



1712650 M6

RS PRO HEXAGONAL M6 ANTI VIBRATION MOUNT WITH 6.7KG

- 包装尺寸: 4 x EA
- Thread Size: M6
 - Diameter: 15.2 mm
 - Foot Height: 16 mm
 - Overall Height: 16 mm
 - Static Load Capacity: 6.7 kg
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Hexagonal



1712651 M6

RS PRO HEXAGONAL M6 ANTI VIBRATION MOUNT WITH 10KG

- 包装尺寸: 4 x EA
- Thread Size: M6
 - Diameter: 20.7 mm
 - Foot Height: 19 mm
 - Overall Height: 19 mm
 - Static Load Capacity: 10 kg
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Hexagonal



1712652 M6

RS PRO HEXAGONAL M8 ANTI VIBRATION MOUNT WITH 14KG

- 包装尺寸: 4 x EA
- Thread Size: M8
 - Diameter: 20.7 mm
 - Foot Height: 19 mm
 - Overall Height: 19 mm
 - Static Load Capacity: 14 kg
 - Mounting Type: Screw-in
 - Foot Shape: Hexagonal
 - Compression Load: 14 kg



1712653 M8

RS PRO HEXAGONAL M8 ANTI VIBRATION MOUNT WITH 8KG

- 包装尺寸: 4 x EA
- Thread Size: M8
 - Diameter: 20.7 mm
 - Foot Height: 19 mm
 - Overall Height: 19 mm
 - Static Load Capacity: 8 kg
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Hexagonal



1712654 M8

RS PRO HEXAGONAL M8 ANTI VIBRATION MOUNT WITH 22KG

- 包装尺寸: 4 x EA
- Thread Size: m8
 - Diameter: 31.8 mm
 - Foot Height: 26.4 mm
 - Overall Height: 26.4 mm
 - Static Load Capacity: 22 kg
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Hexagonal



1712655 m8

RS PRO CYLINDRICAL M16 ANTI VIBRATION MOUNT WITH 380KG

- 包装尺寸: 1 x EA
- Thread Size: M16
 - Diameter: 105 mm
 - Foot Height: 40 mm
 - Overall Height: 40 mm
 - Static Load Capacity: 380 kg
 - Material: Natural Rubber
 - Mounting Type: Screw-in
 - Foot Shape: Cylindrical



1712659 M16

RS PRO CYLINDRICAL M16 ANTI VIBRATION MOUNT WITH 230KG

- 包装尺寸: 1 x EA
- Thread Size: M16
 - Diameter: 105 mm
 - Overall Height: 55 mm
 - Static Load Capacity: 230 kg
 - Foot Shape: Cylindrical
 - Compression Load: 230 kg
 - Metalwork: Zinc Plated Steel
 - Shore Hardness: 50 Shore A



1712660 M16

RS PRO 590MM ANTI-VIBRATION PAD RUBBER +70°C -10°C 590 X 590 X

- 包装尺寸: 1 x EA
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
 - Material: Rubber
 - Thickness: 10 mm
 - Size: 590 x 590 x 10 mm
 - Length: 590 mm
 - Maximum Operating Temperature: +70 °C
 - Minimum Operating Temperature: -10 °C
 - Width: 590 mm



1712670 Anti-Vibration

RS PRO 500MM ANTI-VIBRATION PAD RUBBER +70°C -10°C 500 X 500 X

- 包装尺寸: 1 x EA
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
 - Material: Rubber
 - Thickness: 10 mm
 - Size: 500 x 500 x 10 mm
 - Length: 500 mm
 - Maximum Operating Temperature: +70 °C
 - Minimum Operating Temperature: -10 °C
 - Width: 500 mm



1712671 Anti-Vibration

ALUMINIUM CABLE CLIPS

- 包装尺寸: 100 x EA
- Cable Clip/Clamp Style: Cable Clip
 - Maximum Bundle Diameter: 6.4 mm
 - Affixing Method: Screw
 - Material: Aluminium
 - Colour: Silver
 - Width: 9.5 mm



1720823 Cable Clip

RS PRO SILVER ALUMINIUM, 7.9MM MAX. BUNDLE

包装尺寸: 100 x EA

- Maximum Bundle Diameter: 7.9 mm
- Material: Aluminium
- Colour: Silver
- Width: 9.5 mm



1720824 7.9 mm

ALUMINIUM CABLE CLIPS

包装尺寸: 100 x EA

- Cable Clip/Clamp Style: Cable Clip
- Maximum Bundle Diameter: 9.5 mm
- Affixing Method: Screw
- Material: Aluminium
- Colour: Silver
- Width: 9.5 mm



1720825 Cable Clip

RS PRO SILVER ALUMINIUM CABLE CLIP, 11.1MM MAX. BUNDLE

包装尺寸: 100 x EA

- Cable Clip/Clamp Style: Cable Clip
- Maximum Bundle Diameter: 11.1 mm
- Affixing Method: Screw
- Material: Aluminium
- Colour: Silver
- Width: 9.5 mm



1720827 Cable Clip

RS PRO SILVER ALUMINIUM, 12.7MM MAX. BUNDLE

包装尺寸: 100 x EA

- Maximum Bundle Diameter: 12.7 mm
- Material: Aluminium
- Colour: Silver
- Width: 9.5 mm



1720828 12.7 mm

RS PRO SILVER ALUMINIUM CABLE CLIP, 14.3MM MAX. BUNDLE

包装尺寸: 100 x EA

- Cable Clip/Clamp Style: Cable Clip
- Maximum Bundle Diameter: 14.3 mm
- Affixing Method: Screw
- Material: Aluminium
- Colour: Silver
- Width: 9.5 mm



1720829 Cable Clip

RS PRO BLACK RUBBER, STEEL CABLE CLAMP, 4.76MM MAX. BUNDLE

包装尺寸: 100 x EA

- Cable Clip/Clamp Style: Cable Clamp
- Maximum Bundle Diameter: 4.76 mm
- Affixing Method: Screw
- Material: Rubber, Steel
- Colour: Black
- Width: 12.7 mm



1720840 Cable Clamp

RS PRO BLACK RUBBER, STEEL CABLE CLAMP, 6.35MM MAX. BUNDLE

包装尺寸: 100 x EA

- Cable Clip/Clamp Style: Cable Clamp
- Maximum Bundle Diameter: 6.35 mm
- Affixing Method: Screw
- Material: Rubber, Steel
- Colour: Black
- Width: 12.7 mm



1720841 Cable Clamp

RS PRO BLACK RUBBER, STEEL CABLE CLAMP, 7.94MM MAX. BUNDLE

包装尺寸: 100 x EA

- Cable Clip/Clamp Style: Cable Clamp
- Maximum Bundle Diameter: 7.94 mm
- Affixing Method: Screw
- Material: Rubber, Steel
- Colour: Black
- Width: 12.7 mm



1720842 Cable Clamp

CABLE CLIPS

包装尺寸: 100 x EA

- Cable Clip/Clamp Style: Cable Clamp
- Maximum Bundle Diameter: 9.53 mm
- Affixing Method: Screw
- Material: Rubber, Steel
- Colour: Black
- Width: 12.7 mm



1720843 Cable Clamp

RS PRO BLACK RUBBER, STEEL CABLE CLAMP, 11.12MM MAX. BUNDLE

包装尺寸: 100 x EA

- Cable Clip/Clamp Style: Cable Clamp
- Maximum Bundle Diameter: 11.12 mm
- Affixing Method: Screw
- Material: Rubber, Steel
- Colour: Black
- Width: 12.7 mm



1720844 Cable Clamp

RS PRO NATURAL NYLON CABLE CLIP, 6MM MAX. BUNDLE

包装尺寸: 100 x EA

- Cable Clip/Clamp Style: Cable Clip
- Maximum Bundle Diameter: 6 mm
- Affixing Method: Screw
- Material: Nylon 66
- Colour: Natural
- Length: 21.2 mm
- Width: 10.3 mm
- Dimensions [L x W (x D)]: 21.2 x 10.3 mm



1720846 Cable Clip

RS PRO NATURAL NYLON CABLE CLIP, 9.2MM MAX. BUNDLE

包装尺寸: 100 x EA

- Cable Clip/Clamp Style: Cable Clip
- Maximum Bundle Diameter: 9.2 mm
- Affixing Method: Screw
- Material: Nylon 66
- Colour: Natural
- Length: 20 mm
- Width: 10.2 mm
- Dimensions [L x W (x D)]: 20 x 10.2 mm



1720847 Cable Clip

RS PRO NATURAL NYLON CABLE CLIP, 12.7MM MAX. BUNDLE

包装尺寸: 100 x EA

- Cable Clip/Clamp Style: Cable Clip
- Maximum Bundle Diameter: 12.7 mm
- Affixing Method: Screw
- Material: Nylon 66
- Colour: Natural
- Length: 29.5 mm
- Width: 10.2 mm
- Dimensions [L x W (x D)]: 29.5 x 10.2 mm



1720848 Cable Clip

RS PRO NATURAL NYLON CABLE CLIP, 19.1MM MAX. BUNDLE

包装尺寸: 100 x EA

- Cable Clip/Clamp Style: Cable Clip
- Maximum Bundle Diameter: 19.1 mm
- Affixing Method: Screw
- Material: Nylon 66
- Colour: Natural
- Length: 32.54 mm
- Width: 12.7 mm
- Dimensions [L x W (x D)]: 32.54 x 12.7 mm



1720849 Cable Clip

FAST FITTING FEET, TYPE 3 20MM DIA X 10MM H

包装尺寸: 50 x EA

- Anti Vibration Mount Type: Rubber Foot
- Diameter: 20 mm
- Foot Height: 10 mm
- Overall Height: 15.5 mm
- Foot Shape: Round



1720852 Rubber Foot

RS PRO ROUND ANTI VIBRATION MOUNT, RUBBER FOOT

包装尺寸: 50 x EA

- Anti Vibration Mount Type: Rubber Foot
- Diameter: 25 mm
- Foot Height: 5 mm
- Overall Height: 10 mm
- Foot Shape: Round



1720853 Rubber Foot

FAST FITTING FEET, TYPE 2 21MM DIA X 6MM H

包装尺寸: 50 x EA

- Anti Vibration Mount Type: Rubber Foot
- Diameter: 21 mm
- Foot Height: 6 mm
- Overall Height: 6 mm
- Foot Shape: Round



1720854 Rubber Foot

RS PRO RIVET FAN MOUNT

包装尺寸: 50 x EA

- Mount Type: Rivet



1720881 Rivet

GREY STICK ON , 7.9MM H X 15.7MM DIA

包装尺寸: 64 x EA

- Mounting Type: Adhesive
- Thickness: 7.9 mm
- Shape: Hemispherical
- Colour: Grey
- Diameter: 15.7 mm
- Material: PUR
- Maximum Operating Temperature: +65.6 °C
- Minimum Operating Temperature: -40 °C



1735940 Adhesive

RS PRO HEMISPHERICAL PUR SELF ADHESIVE FEET, 15.7MM DIAMETER X

包装尺寸: 64 x EA

- Mounting Type: Adhesive
- Thickness: 7.9 mm
- Shape: Hemispherical
- Colour: Grey
- Diameter: 15.7 mm
- Material: PUR
- Maximum Operating Temperature: +65.6 °C
- Minimum Operating Temperature: -40 °C



1735941 Adhesive

BLACK STICK ON , 10.2MM H X 22.3MM DIA

包装尺寸: 36 x EA

- Mounting Type: Adhesive
- Thickness: 10.2 mm
- Shape: Circular
- Colour: Black
- Diameter: 22.3 mm
- Material: PUR
- Maximum Operating Temperature: +65.6 °C
- Minimum Operating Temperature: -40 °C




1735942 Adhesive

BLACK STICK ON SQ, 2.5MM H X 10.2MM DIA

包装尺寸: 121 x EA

- Mounting Type: Adhesive
- Thickness: 2.5 mm
- Shape: Square
- Colour: Black
- Diameter: 10.2 mm
- Material: PUR
- Maximum Operating Temperature: +65.6 °C
- Minimum Operating Temperature: -40 °C



1735944 Adhesive

BLACK STICK ON SQ, 3MM H X 12.7MM DIA

包装尺寸: 100 x EA

- Mounting Type: Adhesive
- Thickness: 3 mm
- Shape: Square
- Colour: Black
- Diameter: 12.7 mm
- Material: PUR
- Maximum Operating Temperature: +65.6 °C
- Minimum Operating Temperature: -40 °C



1735945 Adhesive

GREY STICK ON SQ, 3MM H X 12.7MM DIA

包装尺寸: 100 x EA

- Mounting Type: Adhesive
- Thickness: 3 mm
- Shape: Square
- Colour: Grey
- Diameter: 12.7 mm
- Material: PUR
- Maximum Operating Temperature: +65.6 °C
- Minimum Operating Temperature: -40 °C



1735946 Adhesive

BLACK STICK ON SQ, 5.8MM H X 12.7MM DIA

包装尺寸: 100 x EA

- Mounting Type: Adhesive
- Thickness: 5.8 mm
- Shape: Square
- Colour: Black
- Diameter: 12.7 mm
- Material: PUR
- Maximum Operating Temperature: +65.6 °C
- Minimum Operating Temperature: -40 °C



1735947 Adhesive

BLACK STICK ON SQ, 7.6MM H X 20.6MM DIA

包装尺寸: 49 x EA

- Mounting Type: Adhesive
- Thickness: 7.6 mm
- Shape: Square
- Colour: Black
- Diameter: 20.6 mm
- Material: PUR
- Maximum Operating Temperature: +65.6 °C
- Minimum Operating Temperature: -40 °C




1735948 Adhesive

RS PRO SQUARE PUR SELF ADHESIVE FEET, 12.7MM DIAMETER X 5.8MM

包装尺寸: 100 x EA

- Mounting Type: Adhesive
- Thickness: 5.8 mm
- Shape: Square
- Colour: Grey
- Diameter: 12.7 mm
- Material: PUR
- Maximum Operating Temperature: +65.6 °C
- Minimum Operating Temperature: -40 °C




1735949 Adhesive

GREY STICK ON SQ, 7.6MM H X 20.6MM DIA

包装尺寸: 49 x EA

- Mounting Type: Adhesive
- Thickness: 7.6 mm
- Shape: Square
- Colour: Grey
- Diameter: 20.6 mm
- Material: PUR
- Maximum Operating Temperature: +65.6 °C
- Minimum Operating Temperature: -40 °C



1735950 Adhesive

RS PRO CYLINDRICAL PUR SELF ADHESIVE FEET, 9.5MM DIAMETER X

包装尺寸: 75 x EA

- Mounting Type: Adhesive
- Thickness: 3.2 mm
- Shape: Cylindrical
- Colour: White
- Diameter: 9.5 mm
- Material: PUR
- Maximum Operating Temperature: +65.6 °C
- Minimum Operating Temperature: -40 °C



1735951 Adhesive

CLEAR STICK ON , 3.2MM H X 9.5MM DIA

包装尺寸: 75 x EA

- Mounting Type: Adhesive
- Thickness: 3.2 mm
- Shape: Cylindrical
- Colour: Clear
- Diameter: 9.5 mm
- Material: PUR
- Maximum Operating Temperature: +65.6 °C
- Minimum Operating Temperature: -40 °C



1735952 Adhesive

BLACK STICK ON , 10.2MM H X 16.5MM DIA

包装尺寸: 64 x EA

- Mounting Type: Adhesive
- Thickness: 10.2 mm
- Shape: Cylindrical
- Colour: Black
- Diameter: 16.5 mm
- Material: PUR
- Maximum Operating Temperature: +65.6 °C
- Minimum Operating Temperature: -40 °C



1735954 Adhesive

RS PRO CYLINDRICAL PUR SELF ADHESIVE FEET, 16.5MM DIAMETER X

包装尺寸: 64 x EA

- Mounting Type: Adhesive
- Thickness: 10.2 mm
- Shape: Cylindrical
- Colour: Clear
- Diameter: 16.5 mm
- Material: PUR
- Maximum Operating Temperature: +65.6 °C
- Minimum Operating Temperature: -40 °C



1735955 Adhesive

RS PRO CYLINDRICAL PUR SELF ADHESIVE FEET, 20.6MM DIAMETER X

- 包装尺寸: **36 x EA**
- Mounting Type: Adhesive
 - Thickness: 3 mm
 - Shape: Cylindrical
 - Colour: Black
 - Diameter: 20.6 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735956 Adhesive

RS PRO SQUARE PUR SELF ADHESIVE FEET, 20.6MM DIAMETER X 7.6MM

- 包装尺寸: **49 x EA**
- Mounting Type: Adhesive
 - Thickness: 7.6 mm
 - Shape: Square
 - Colour: Clear
 - Diameter: 20.6 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735957 Adhesive

RS PRO CONICAL PUR SELF ADHESIVE FEET, 18.3MM DIAMETER X 14.2MM

- 包装尺寸: **25 x EA**
- Mounting Type: Adhesive
 - Thickness: 14.2 mm
 - Shape: Conical
 - Colour: Black
 - Diameter: 18.3 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735953 Adhesive

RS PRO CIRCULAR PUR SELF ADHESIVE FEET, 22.3MM DIAMETER X

- 包装尺寸: **36 x EA**
- Mounting Type: Adhesive
 - Thickness: 10.2 mm
 - Shape: Circular
 - Colour: Clear
 - Diameter: 22.3 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735958 Adhesive

CLEAR STICK ON , 3.5MM H X 12.7MM DIA

- 包装尺寸: **100 x EA**
- Mounting Type: Adhesive
 - Thickness: 3.5 mm
 - Shape: Cylindrical
 - Colour: Clear
 - Diameter: 12.7 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735960 Adhesive

BLACK STICK ON , 9.6MM H X 17.8MM DIA

- 包装尺寸: **49 x EA**
- Mounting Type: Adhesive
 - Thickness: 9.6 mm
 - Shape: Hemispherical
 - Colour: Black
 - Diameter: 17.8 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735961 Adhesive

RS PRO HEMISPHERICAL PUR SELF ADHESIVE FEET, 17.8MM DIAMETER X

- 包装尺寸: **49 x EA**
- Mounting Type: Adhesive
 - Thickness: 9.6 mm
 - Shape: Hemispherical
 - Colour: Grey
 - Diameter: 17.8 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735962 Adhesive

BLACK STICK ON , 3.2MM H X 9.5MM DIA

- 包装尺寸: **75 x EA**
- Mounting Type: Adhesive
 - Thickness: 3.2 mm
 - Shape: Cylindrical
 - Colour: Black
 - Diameter: 9.5 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735963 Adhesive

RS PRO CYLINDRICAL PUR SELF ADHESIVE FEET, 9.5MM DIAMETER X


- 包装尺寸: **100 x EA**
- Mounting Type: Adhesive
 - Thickness: 4.8 mm
 - Shape: Cylindrical
 - Colour: Grey
 - Diameter: 9.5 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735964 Adhesive

BLACK STICK ON , 3.5MM H X 12.7MM DIA

- 包装尺寸: **100 x EA**
- Mounting Type: Adhesive
 - Thickness: 3.5 mm
 - Shape: Cylindrical
 - Colour: Black
 - Diameter: 12.7 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735965 Adhesive

RS PRO CYLINDRICAL PUR SELF ADHESIVE FEET, 12.7MM DIAMETER X

- 包装尺寸: **100 x EA**
- Mounting Type: Adhesive
 - Thickness: 3.5 mm
 - Shape: Cylindrical
 - Colour: White
 - Diameter: 12.7 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735966 Adhesive

BLACK STICK ON , 4.8MM H X 9.5MM DIA


- 包装尺寸: **100 x EA**
- Mounting Type: Adhesive
 - Thickness: 4.8 mm
 - Shape: Cylindrical
 - Colour: Black
 - Diameter: 9.5 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735967 Adhesive

RS PRO CYLINDRICAL PUR SELF ADHESIVE FEET, 12.7MM DIAMETER X

- 包装尺寸: **100 x EA**
- Mounting Type: Adhesive
 - Thickness: 3.5 mm
 - Shape: Cylindrical
 - Colour: Grey
 - Diameter: 12.7 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735968 Adhesive

BLACK STICK ON , 4.1MM H X 19.1MM DIA

- 包装尺寸: **49 x EA**
- Mounting Type: Adhesive
 - Thickness: 4.1 mm
 - Shape: Cylindrical
 - Colour: Black
 - Diameter: 19.1 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735969 Adhesive

CLEAR STICK ON , 4.8MM H X 9.5MM DIA

- 包装尺寸: **100 x EA**
- Mounting Type: Adhesive
 - Thickness: 4.8 mm
 - Shape: Cylindrical
 - Colour: Clear
 - Diameter: 9.5 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735970 Adhesive

CLEAR STICK ON , 2.2MM H X 7.9MM DIA

- 包装尺寸: **150 x EA**
- Mounting Type: Adhesive
 - Thickness: 2.2 mm
 - Shape: Hemispherical
 - Colour: Clear
 - Diameter: 7.9 mm
 - Material: PUR
 - Maximum Operating Temperature: +65.6 °C
 - Minimum Operating Temperature: -40 °C



1735972 Adhesive

RS PRO M10 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 112.5KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M10
- Diameter: 40 mm
- Overall Height: 35 mm
- Material: Natural Rubber
- Compression Load: 112.5 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A




1893244 Female Buffer

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 69.52 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1893247 Male to Female

RS PRO M12 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M12
- Diameter: 75 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 533.9 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 70 Shore A



1893266 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 70.1KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 50 mm
- Material: Natural Rubber
- Compression Load: 70.1 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1893275 Male to Male

RS PRO M4 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 13.3KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M4
- Diameter: 16 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 13.3 kg
- Shore Hardness: 60 Shore A
- Metalwork: Zinc Plated Steel



1893248 Male Buffer Foot

RS PRO M4 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 15.3KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M4
- Diameter: 16 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 15.3 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1893264 Female Buffer

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 14.6KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 50 mm
- Material: Natural Rubber
- Compression Load: 14.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1893250 Male to Male

RS PRO M3 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 4.4KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M3
- Diameter: 8 mm
- Overall Height: 8 mm
- Material: Natural Rubber
- Compression Load: 4.4 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1893249 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 12.3KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 12.3 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1893280 Male to Male

RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 147KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 147 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 70 Shore A



1893283 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 97.6KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 97.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1893288 Male to Male

RS PRO M6 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 28.05 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1893289 Male to Female

RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 230.6KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 230.6 kg
- Shore Hardness: 60 Shore A
- Metalwork: Zinc Plated Steel



1893296 Male Buffer Foot

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M10
- Diameter: 40 mm
- Overall Height: 35 mm
- Material: Natural Rubber
- Compression Load: 46.31 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1893302 Male to Female

RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M10
- Diameter: 92 mm
- Overall Height: 45 mm
- Material: Rubber
- Shore Hardness: 45 Shore A
- Compression Deflection: 4 mm



1893303 Male Buffer Foot

RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 159.8KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 33 mm
- Material: Natural Rubber
- Compression Load: 159.8 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1893313 Male to Male

RS PRO M10 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 167.9KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 50 mm
- Material: Natural Rubber
- Compression Load: 167.9 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1893305 Female Buffer

RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 48.1KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 48.1 kg
- Shore Hardness: 45 Shore A
- Metalwork: Zinc Plated Steel



1893323 Male Buffer Foot

RS PRO M4X6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M4X6
- Diameter: 10 mm
- Overall Height: 10 mm
- Material: Rubber
- Compression Load: 2.5 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1961319 Male to Male

RS PRO M4X10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M4X10
- Diameter: 10 mm
- Overall Height: 10 mm
- Material: Rubber
- Compression Load: 7.7 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1961318 Male to Male

RS PRO M4X10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M4X10
- Diameter: 15 mm
- Overall Height: 15 mm
- Material: EPDM
- Compression Load: 6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 35 Shore A



1961321 Male to Male

RS PRO M6X15 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6X15
- Diameter: 20 mm
- Overall Height: 10 mm
- Material: Rubber
- Compression Load: 25.9 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 55 Shore A



1961323 Male to Male

RS PRO M6X15 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6X15
- Diameter: 20 mm
- Overall Height: 15 mm
- Material: Rubber
- Compression Load: 20.4 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 55 Shore A



1961324 Male to Male

RS PRO M8X20 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8X20
- Diameter: 25 mm
- Overall Height: 22 mm
- Material: Rubber
- Compression Load: 22.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A




1961326 Male to Male

RS PRO M4X10 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M4X10
- Diameter: 15 mm
- Overall Height: 10 mm
- Material: EPDM
- Compression Load: 16.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1961345 Male to Female

RS PRO M5X12 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M5X12
- Diameter: 15 mm
- Overall Height: 15 mm
- Material: Rubber
- Compression Load: 14.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1961346 Male to Female

RS PRO M6X12 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M6X12
- Diameter: 20 mm
- Overall Height: 15 mm
- Material: Rubber
- Compression Load: 41.2 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 70 Shore A



1961348 Male to Female

RS PRO M16 ADJUSTABLE FOOT, 1800KG STATIC LOAD CAPACITY 30°

包装尺寸: 1 x PR

- Static Load Capacity: 1800 kg
- Thread Size: M16
- Thread Length: 100 mm
- Tilt Angle: 30°
- Base Material: Mild Steel
- Height: 132 mm
- Maximum Adjustment Height: 45 mm
- Minimum Adjustment Height: 115 mm



1965315 1800 kg

RS PRO M10 ADJUSTABLE FOOT, 1000KG STATIC LOAD CAPACITY 30°

包装尺寸: 1 x PR

- Static Load Capacity: 1000 kg
- Thread Size: M10
- Thread Length: 100 mm
- Tilt Angle: 30°
- Base Material: Stainless Steel
- Height: 130 mm
- Maximum Adjustment Height: 95 mm
- Minimum Adjustment Height: 35 mm



1965335 1000 kg

RS PRO M12 STAINLESS STEEL ADJUSTABLE FOOT, 700KG STATIC

包装尺寸: 1 x EA

- Static Load Capacity: 700 kg
- Thread Size: M12
- Thread Length: 150 mm
- Tilt Angle: 10°
- Foot Material: Stainless Steel
- Base Material: Stainless Steel
- Height: 182 mm
- Maximum Adjustment Height: 45 mm



1965351 700 kg

RS PRO M3X6 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M3X6
- Diameter: 8 mm
- Overall Height: 8 mm
- Material: Rubber
- Compression Load: 2.4 kg
- Shore Hardness: 45 Shore A
- Metalwork: Zinc Plated Steel



1961356 Male Buffer Foot

RS PRO M6X18 ANTI VIBRATION MOUNT, BUMP STOP

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Bump Stop
- Thread Size: M6X18
- Diameter: 20 mm
- Overall Height: 15 mm
- Material: Rubber
- Shore Hardness: 60 Shore A



1961362 Bump Stop

RS PRO AAA BATTERY CONTACT

- 包装尺寸: 1 x EA
- For Battery Size: AAA
 - Terminal Contact Material: Nickel Plated Spring Steel



1854671 AAA

RS PRO AAA BATTERY CONTACT

- 包装尺寸: 1 x EA
- For Battery Size: AAA
 - Terminal Contact Material: Nickel Plated Spring Steel



1854670 AAA

RS PRO AA BATTERY CONTACT

- 包装尺寸: 1 x EA
- For Battery Size: AA



1854673 AA

9V BATTERY SNAP

- 包装尺寸: 1 x EA
- For Battery Size: 9V



1854775 9V

RS PRO 9V BATTERY CONTACT

- 包装尺寸: 1 x EA
- For Battery Size: 9V



1854800 9V

9V BATTERY SNAP


- 包装尺寸: 1 x EA
- For Battery Size: 9V



1854788 9V

RS PRO 9V BATTERY CONTACT

- 包装尺寸: 1 x EA
- For Battery Size: 9V



1854790 9V

RS PRO AA BATTERY HOLDER

- 包装尺寸: 1 x EA
- For Battery Size: AA
 - Number of Cells: 1
 - Type: Battery Holder
 - Dimensions: 57 x 17 x 14 mm



1854605 AA

RS PRO AA BATTERY HOLDER

- 包装尺寸: 1 x EA
- For Battery Size: AA
 - Number of Cells: 2
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 57 x 16.5 x 26 mm



1854604 AA

RS PRO AA BATTERY HOLDER

- 包装尺寸: 1 x EA
- For Battery Size: AA
 - Number of Cells: 10
 - Mount: Snap-In
 - Type: Battery Holder
 - Dimensions: 78.5 x 58.5 x 29.8 mm



1854607 AA

RS PRO AA BATTERY HOLDER, SOLDER TAG CONTACT

- 包装尺寸: 1 x EA
- For Battery Size: AA
 - Number of Cells: 10
 - Type: Battery Holder
 - Dimensions: 78.5 x 58.5 x 29.8 mm
 - Terminal Contact Type: Solder Tag



1854606 AA

AA X 10 WITH LEAD WIRE 150MM

- 包装尺寸: 1 x EA
- For Battery Size: AA
 - Number of Cells: 10
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 78.5 x 58.5 x 29.8 mm



1854608 AA

RS PRO C BATTERY HOLDER

- 包装尺寸: 1 x EA
- For Battery Size: C
 - Number of Cells: 2
 - Mount: Snap-In
 - Type: Battery Holder
 - Dimensions: 62.6 x 55.8 x 23.5 mm



1854613 C

AA X 2 WITH SNAP TERMINAL

- 包装尺寸: 1 x EA
- For Battery Size: AA
 - Number of Cells: 2
 - Mount: Snap-In
 - Type: Battery Holder
 - Dimensions: 57 x 16.5 x 26 mm



1854615 AA

RS PRO C BATTERY HOLDER

- 包装尺寸: 1 x EA
- For Battery Size: C
 - Number of Cells: 4
 - Mount: Snap-In
 - Type: Battery Holder
 - Dimensions: 109 x 54.5 x 24 mm



1854620 C

RS PRO C BATTERY HOLDER, SOLDER TAG CONTACT

- 包装尺寸: 1 x EA
- For Battery Size: C
 - Number of Cells: 3
 - Type: Battery Holder
 - Dimensions: 82 x 59 x 24 mm
 - Terminal Contact Type: Solder Tag



1854621 C

RS PRO AA BATTERY HOLDER, SOLDER TAG CONTACT

- 包裝尺寸: 1 x EA
- For Battery Size: AA
 - Number of Cells: 4
 - Type: Battery Holder
 - Dimensions: 58 x 64 x 16 mm
 - Terminal Contact Type: Solder Tag



1854626 AA

RS PRO C BATTERY HOLDER, SOLDER TAG CONTACT

- 包裝尺寸: 1 x EA
- For Battery Size: C
 - Number of Cells: 6
 - Type: Battery Holder
 - Dimensions: 159 x 57.3 x 24.9 mm
 - Terminal Contact Type: Solder Tag



1854616 C

RS PRO AAA BATTERY HOLDER

- 包裝尺寸: 1 x EA
- For Battery Size: AAA
 - Number of Cells: 1
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 50 x 13 x 12 mm



1854630 AAA

AA X 8 WITH TAG

- 包裝尺寸: 1 x EA
- For Battery Size: AA
 - Number of Cells: 8
 - Type: Battery Holder
 - Dimensions: 63 x 57.8 x 28.5 mm
 - Terminal Contact Type: Solder Tag



1854631 AA

RS PRO AA BATTERY HOLDER

- 包裝尺寸: 1 x EA
- For Battery Size: AA
 - Number of Cells: 8
 - Mount: Snap-In
 - Type: Battery Holder
 - Dimensions: 57.8 x 63 x 28.5 mm



1854632 AA

RS PRO AA BATTERY HOLDER

- 包裝尺寸: 1 x EA
- For Battery Size: AA
 - Number of Cells: 8
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 57.8 x 63 x 28.5 mm



1854633 AA

RS PRO AA BATTERY HOLDER, SOLDER TAG CONTACT

- 包裝尺寸: 1 x EA
- For Battery Size: AA
 - Number of Cells: 6
 - Type: Battery Holder
 - Dimensions: 58 x 45 x 28 mm
 - Terminal Contact Type: Solder Tag



1854635 AA

AA X 6 WIRE LEAD WIRE 150MM

- 包裝尺寸: 1 x EA
- For Battery Size: AA
 - Number of Cells: 6
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 58 x 45 x 28 mm



1854637 AA

RS PRO AA BATTERY HOLDER

- 包裝尺寸: 1 x EA
- For Battery Size: AA
 - Number of Cells: 6
 - Mount: Snap-In
 - Type: Battery Holder
 - Dimensions: 58 x 45 x 28 mm



1854636 AA

RS PRO AA BATTERY HOLDER

- 包裝尺寸: 1 x EA
- For Battery Size: AA
 - Number of Cells: 2
 - Type: Battery Holder
 - Dimensions: 57.1 x 32 x 15.7 mm



1854638 AA

RS PRO AA BATTERY HOLDER

- 包裝尺寸: 1 x EA
- For Battery Size: AA
 - Number of Cells: 4
 - Type: Battery Holder
 - Dimensions: 58 x 64 x 16 mm



1854639 AA

AA X 2 WITH LEAD WIRE 150MM

- 包裝尺寸: 1 x EA
- For Battery Size: AA
 - Number of Cells: 2
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 57 x 26 x 16.5 mm



1854641 AA

AA X 4 WITH LEAD WIRE 150MM

- 包裝尺寸: 1 x EA
- For Battery Size: AA
 - Number of Cells: 4
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 58 x 63.1 x 16 mm



1854643 AA

RS PRO AA BATTERY HOLDER

- 包裝尺寸: 1 x EA
- For Battery Size: AA
 - Number of Cells: 3
 - Mount: Snap-In
 - Type: Battery Holder
 - Dimensions: 58 x 48.3 x 17 mm



1854646 AA

AA X 3 WITH TAG

- 包裝尺寸: 1 x EA
- For Battery Size: AA
 - Number of Cells: 3
 - Type: Battery Holder
 - Dimensions: 58 x 48.3 x 17 mm
 - Terminal Contact Type: Solder Tag



1854645 AA

RS PRO AA BATTERY HOLDER

- 包裝尺寸: 1 x EA
- For Battery Size: AA
 - Number of Cells: 3
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 58 x 48.3 x 17 mm



1854647 AA

AA X 2 WITH TAG

包裝尺寸: 1 x EA

- For Battery Size: AA
- Number of Cells: 2
- Type: Battery Holder
- Dimensions: 57 x 16.5 x 26 mm
- Terminal Contact Type: Solder Tag



1854649 AA

RS PRO C BATTERY HOLDER

包裝尺寸: 1 x EA

- For Battery Size: C
- Number of Cells: 2
- Mount: Wire Lead
- Type: Battery Holder
- Dimensions: 62.6 x 55.8 x 23.5 mm



1854650 C

AA X 4 WITH LEAD WIRE 150MM

包裝尺寸: 1 x EA

- For Battery Size: AA
- Number of Cells: 4
- Mount: Wire Lead
- Type: Battery Holder
- Dimensions: 58 x 32 x 28 mm



1854651 AA

RS PRO CR2032 BATTERY HOLDER

包裝尺寸: 1 x EA

- For Battery Size: CR2032
- Type: Battery Holder
- Dimensions: 31 x 20 x 4 mm



1854652 CR2032

RS PRO 1/2 AA BATTERY HOLDER

包裝尺寸: 1 x EA

- For Battery Size: 1/2 AA
- Type: Battery Holder
- Dimensions: 34.4 x 17.5 x 15 mm



1854654 1/2 AA

1/2AA WITH LEAD WIRE 150 MM

包裝尺寸: 1 x EA

- For Battery Size: 1/2 AA
- Mount: Wire Lead
- Type: Battery Holder
- Dimensions: 34.4 x 17.5 x 15 mm



1854655 1/2 AA

RS PRO CR2450 BATTERY HOLDER

包裝尺寸: 1 x EA

- For Battery Size: CR2450
- Type: Battery Holder
- Dimensions: 26.9 x 22.6 x 8.4 mm



1854658 CR2450

RS PRO CR2032 BATTERY HOLDER

包裝尺寸: 1 x EA

- For Battery Size: CR2032
- Type: Battery Holder
- Dimensions: 22.4 x 19.6 x 4 mm



1854664 CR2032

RS PRO CR2032 BATTERY HOLDER

包裝尺寸: 1 x EA

- For Battery Size: CR2032
- Type: Battery Holder
- Dimensions: 24.6 x 15.87 x 7.5 mm



1854661 CR2032

RS PRO D BATTERY HOLDER

包裝尺寸: 1 x EA

- For Battery Size: D
- Number of Cells: 2
- Mount: Wire Lead
- Type: Battery Holder
- Dimensions: 71.2 x 73.2 x 31.2 mm



1854665 D

RS PRO CR2032 BATTERY HOLDER

包裝尺寸: 1 x EA

- For Battery Size: CR2032
- Type: Battery Holder
- Dimensions: 28.6 x 7 x 4.7 mm



1854675 CR2032

RS PRO D BATTERY HOLDER, SOLDER TAG CONTACT

包裝尺寸: 1 x EA

- For Battery Size: D
- Number of Cells: 4
- Type: Battery Holder
- Dimensions: 133.5 x 74 x 32 mm
- Terminal Contact Type: Solder Tag



1854676 D

RS PRO C BATTERY HOLDER, SOLDER TAG CONTACT

包裝尺寸: 1 x EA

- For Battery Size: C
- Number of Cells: 1
- Type: Battery Holder
- Dimensions: 62 x 30 x 24.5 mm
- Terminal Contact Type: Solder Tag



1854677 C

RS PRO D BATTERY HOLDER, SOLDER TAG CONTACT

包裝尺寸: 1 x EA

- For Battery Size: D
- Number of Cells: 6
- Type: Battery Holder
- Dimensions: 195 x 73.5 x 32.8 mm
- Terminal Contact Type: Solder Tag



1854682 D

RS PRO D BATTERY HOLDER, SOLDER TAG CONTACT

包裝尺寸: 1 x EA

- For Battery Size: D
- Number of Cells: 8
- Type: Battery Holder
- Dimensions: 142 x 73 x 62 mm
- Terminal Contact Type: Solder Tag



1854680 D

RS PRO D BATTERY HOLDER

包裝尺寸: 1 x EA

- For Battery Size: D
- Number of Cells: 8
- Mount: Wire Lead
- Type: Battery Holder
- Dimensions: 142 x 73 x 62 mm



1854681 D

RS PRO D BATTERY HOLDER

- 包装尺寸: 1 x EA
- For Battery Size: D
 - Number of Cells: 6
 - Mount: Snap-In
 - Type: Battery Holder
 - Dimensions: 195 x 73.5 x 32.8 mm



1854683 D

RS PRO D BATTERY HOLDER

- 包装尺寸: 1 x EA
- For Battery Size: D
 - Number of Cells: 6
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 195 x 73.5 x 32 mm



1854685 D

RS PRO D BATTERY HOLDER

- 包装尺寸: 1 x EA
- For Battery Size: D
 - Number of Cells: 6
 - Mount: Snap-In
 - Type: Battery Holder
 - Dimensions: 106 x 70 x 55.6 mm



1854687 D

RS PRO D BATTERY HOLDER

- 包装尺寸: 1 x EA
- For Battery Size: D
 - Number of Cells: 6
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 69 x 37.3 x 27.5 mm



1854688 D

RS PRO D BATTERY HOLDER

- 包装尺寸: 1 x EA
- For Battery Size: D
 - Number of Cells: 4
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 141 x 73 x 31 mm



1854689 D

RS PRO D BATTERY HOLDER

- 包装尺寸: 1 x EA
- For Battery Size: D
 - Number of Cells: 4
 - Mount: Snap-In
 - Type: Battery Holder
 - Dimensions: 133.5 x 74 x 32 mm



1854692 D

RS PRO D BATTERY HOLDER

- 包装尺寸: 1 x EA
- For Battery Size: D
 - Number of Cells: 4
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 133.5 x 74 x 32 mm



1854693 D

RS PRO D BATTERY HOLDER

- 包装尺寸: 1 x EA
- For Battery Size: D
 - Number of Cells: 3
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 106 x 70 x 27.8 mm



1854695 D

RS PRO D BATTERY HOLDER

- 包装尺寸: 1 x EA
- For Battery Size: D
 - Number of Cells: 6
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 106 x 70 x 55.6 mm



1854701 D

CR2032 HOLDER

- 包装尺寸: 1 x EA
- For Battery Size: CR2032
 - Type: Battery Holder
 - Dimensions: 22.5 x 6.4 x 18.1 mm



1854702 CR2032

RS PRO D BATTERY HOLDER, SOLDER TAG CONTACT

- 包装尺寸: 1 x EA
- For Battery Size: D
 - Number of Cells: 3
 - Type: Battery Holder
 - Dimensions: 108 x 70 x 39 mm
 - Terminal Contact Type: Solder Tag



1854711 D

CR2032 HOLDER

- 包装尺寸: 1 x EA
- For Battery Size: CR2032
 - Type: Battery Holder
 - Dimensions: 27.8 x 22.8 mm
 - Body Material: PBT



1854712 CR2032

RS PRO AA BATTERY HOLDER

- 包装尺寸: 1 x EA
- For Battery Size: AA
 - Number of Cells: 3
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 68.5 x 48 x 18.5 mm



1854715 AA

CR2032 HOLDER

- 包装尺寸: 1 x EA
- For Battery Size: CR2032
 - Type: Battery Holder
 - Dimensions: 24.9 x 15.6 x 5.3 mm



1854716 CR2032

RS PRO BATTERY HOLDER

- 包装尺寸: 1 x EA
- Type: Battery Holder
 - Dimensions: 19.45 x 14.6 x 4.2 mm
 - Body Material: PPS



1854718 Battery Holder

RS PRO CR2032 BATTERY HOLDER

- 包装尺寸: 1 x EA
- For Battery Size: CR2032
 - Type: Battery Holder
 - Dimensions: 28.4 x 16 x 5.5 mm



1854717 CR2032

RS PRO CR2450 BATTERY HOLDER

包装尺寸: 1 x EA

- For Battery Size: CR2450
- Type: Battery Holder
- Dimensions: 29.35 x 26.75 x 9.5 mm



1854720 CR2450

RS PRO CR2032 BATTERY HOLDER

包装尺寸: 1 x EA

- For Battery Size: CR2032
- Type: Battery Holder
- Dimensions: 23 x 27 x 5.8 mm
- Body Material: PBT



1854721 CR2032

RS PRO CR2032 BATTERY HOLDER

包装尺寸: 1 x EA

- For Battery Size: CR2032
- Type: Battery Holder
- Dimensions: 22.9 x 23 x 5.7 mm



1854722 CR2032

CR2032 HOLDER

包装尺寸: 1 x EA

- For Battery Size: CR2032
- Type: Battery Holder
- Dimensions: 26 x 7.1 mm



1854723 CR2032

RS PRO AAA BATTERY HOLDER

包装尺寸: 1 x EA

- For Battery Size: AAA
- Number of Cells: 1
- Type: Battery Holder
- Dimensions: 50 x 13 x 12 mm



1854724 AAA

RS PRO 9V PP3 BATTERY HOLDER

包装尺寸: 1 x EA

- For Battery Size: 9V PP3
- Type: Battery Holder
- Dimensions: 68.3 x 66.3 x 33.3 mm



1854728 9V PP3

SAFETY BATTERY HOLDER , 9V WITH LEAD WIR

包装尺寸: 1 x EA

- For Battery Size: 9V PP3
- Mount: Wire Lead
- Type: Battery Holder
- Dimensions: 68.3 x 33.3 x 21.1 mm



1854730 9V PP3

SAFETY BATTERY HOLDER , 9V WITH LEAD WIR

包装尺寸: 1 x EA

- For Battery Size: 9V PP3
- Mount: Wire Lead
- Type: Battery Holder
- Dimensions: 68.3 x 66.3 x 33.3 mm



1854731 9V PP3

RS PRO AAA BATTERY HOLDER

包装尺寸: 1 x EA

- For Battery Size: AAA
- Number of Cells: 3
- Mount: Wire Lead
- Type: Battery Holder
- Dimensions: 63 x 48.5 x 15 mm



1854733 AAA

RS PRO AAA BATTERY HOLDER

包装尺寸: 1 x EA

- For Battery Size: AAA
- Number of Cells: 3
- Type: Battery Holder
- Dimensions: 54 x 37.5 x 15.2 mm



1854736 AAA

RS PRO AAA BATTERY HOLDER, SOLDER TAG CONTACT

包装尺寸: 1 x EA

- For Battery Size: AAA
- Number of Cells: 3
- Type: Battery Holder
- Dimensions: 54 x 37.5 x 15.2 mm
- Terminal Contact Type: Solder Tag



1854737 AAA

RS PRO C BATTERY HOLDER, SOLDER TAG CONTACT

包装尺寸: 1 x EA

- For Battery Size: C
- Number of Cells: 3
- Type: Battery Holder
- Dimensions: 84 x 58.5 x 31 mm
- Terminal Contact Type: Solder Tag



1854738 C

RS PRO AAA BATTERY HOLDER

包装尺寸: 1 x EA

- For Battery Size: AAA
- Number of Cells: 3
- Mount: Wire Lead
- Type: Battery Holder
- Dimensions: 63 x 37 x 15.5 mm



1854739 AAA

SAFETY BATTERY HOLDER , AA X 2 WITH LEAD

包装尺寸: 1 x EA

- For Battery Size: AA
- Number of Cells: 2
- Mount: Wire Lead
- Type: Battery Holder
- Dimensions: 68 x 33 x 19 mm



1854740 AA

SAFETY BATTERY HOLDER , AAA X 2 WITH LEA

包装尺寸: 1 x EA

- For Battery Size: AAA
- Number of Cells: 2
- Mount: Wire Lead
- Type: Battery Holder
- Dimensions: 62.6 x 25.7 x 15.7 mm



1854742 AAA

RS PRO AAA BATTERY HOLDER

包装尺寸: 1 x EA

- For Battery Size: AAA
- Number of Cells: 2
- Mount: Wire Lead
- Type: Battery Holder
- Dimensions: 62.6 x 25.7 x 15.7 mm



1854743 AAA

RS PRO AA BATTERY HOLDER, SOLDER TAG CONTACT

- 包裝尺寸: 1 x EA
- For Battery Size: AA
 - Number of Cells: 6
 - Type: Battery Holder
 - Dimensions: 66 x 114.5 x 18.8 mm
 - Terminal Contact Type: Solder Tag



1854744 AA

RS PRO AA BATTERY HOLDER

- 包裝尺寸: 1 x EA
- For Battery Size: AA
 - Number of Cells: 6
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 66.8 x 114 x 18.7 mm



1854745 AA

SAFETY BATTERY HOLDER , AA X 4 WITH LEAD

- 包裝尺寸: 1 x EA
- For Battery Size: AA
 - Number of Cells: 4
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 68 x 65 x 19 mm



1854747 AA

SAFETY BATTERY HOLDER , AA X 4 WITH LEAD

- 包裝尺寸: 1 x EA
- For Battery Size: AA
 - Number of Cells: 4
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 68 x 65 x 19 mm



1854748 AA

RS PRO AA BATTERY HOLDER

- 包裝尺寸: 1 x EA
- For Battery Size: AA
 - Number of Cells: 3
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 68.5 x 48 x 18.7 mm



1854749 AA

RS PRO CR2032 BATTERY HOLDER

- 包裝尺寸: 1 x EA
- For Battery Size: CR2032
 - Type: Battery Holder
 - Dimensions: 23.5 x 7.6 mm



1854750 CR2032

RS PRO AAA BATTERY HOLDER

- 包裝尺寸: 1 x EA
- For Battery Size: AAA
 - Number of Cells: 3
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 54.4 x 37.5 x 5.3 mm



1854751 AAA

RS PRO 9V PP3 BATTERY HOLDER, SOLDER TAG CONTACT

- 包裝尺寸: 1 x EA
- For Battery Size: 9V PP3
 - Type: Battery Holder
 - Dimensions: 54 x 29.6 x 20.6 mm
 - Terminal Contact Type: Solder Tag



1854753 9V PP3

RS PRO 9V PP3 BATTERY HOLDER

- 包裝尺寸: 1 x EA
- For Battery Size: 9V PP3
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 54 x 29.6 x 20.6 mm



1854754 9V PP3

9V HOUSE

- 包裝尺寸: 1 x EA
- For Battery Size: 9V PP3
 - Type: Battery Holder
 - Dimensions: 49 x 29 x 20 mm



1854764 9V PP3

RS PRO N BATTERY HOLDER

- 包裝尺寸: 1 x EA
- For Battery Size: N
 - Number of Cells: 1
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 34.6 x 13.2 x 12.5 mm



1854765 N

RS PRO AAA BATTERY HOLDER, SOLDER TAG CONTACT

- 包裝尺寸: 1 x EA
- For Battery Size: AAA
 - Number of Cells: 4
 - Type: Battery Holder
 - Dimensions: 53 x 24.5 x 24.5 mm
 - Terminal Contact Type: Solder Tag



1854766 AAA

AAA X 4 WITH SANP TERMINAL

- 包裝尺寸: 1 x EA
- For Battery Size: AAA
 - Number of Cells: 4
 - Type: Battery Holder
 - Dimensions: 53 x 24.5 x 24 mm



1854767 AAA

RS PRO AAA BATTERY HOLDER

- 包裝尺寸: 1 x EA
- For Battery Size: AAA
 - Number of Cells: 4
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 53 x 24.5 x 24 mm



1854768 AAA

RS PRO AAA BATTERY HOLDER

- 包裝尺寸: 1 x EA
- For Battery Size: AAA
 - Number of Cells: 4
 - Mount: Snap-In
 - Type: Battery Holder
 - Dimensions: 53.8 x 5.05 x 12.8 mm



1854771 AAA

RS PRO AAA BATTERY HOLDER

- 包裝尺寸: 1 x EA
- For Battery Size: AAA
 - Number of Cells: 4
 - Mount: Wire Lead
 - Type: Battery Holder
 - Dimensions: 53.5 x 50 x 13 mm



1854772 AAA

RS PRO ADHESIVE PVC ACOUSTIC INSULATION, 1M X 600MM X 2.6MM

包装尺寸: 2 x EA

- Material: PVC
- Length: 1 m
- Width: 600 mm
- Thickness: 2.6 mm
- Adhesive Backing: Yes
- Maximum Operating Temperature: +130 °C
- Minimum Operating Temperature: -20 °C



293108 PVC

RS PRO ADHESIVE PUR FOAM ACOUSTIC INSULATION, 1M X 600MM

包装尺寸: 2 x EA

- Material: PUR Foam
- Length: 1 m
- Width: 600 mm
- Thickness: 25 mm
- Adhesive Backing: Yes
- Maximum Operating Temperature: +107 °C
- Minimum Operating Temperature: -73 °C



293079 PUR Foam

TEDLAR(R) FILM SOUND INSULATION SHEET

包装尺寸: 2 x EA

- Material: PUR Foam
- Length: 1 m
- Width: 600 mm
- Thickness: 28 mm
- Adhesive Backing: Yes
- Maximum Operating Temperature: +130 °C
- Minimum Operating Temperature: -20 °C



293120 PUR Foam

RS PRO POLYETHYLENE (PE) ACOUSTIC INSULATION, 1.2M X

包装尺寸: 1 x EA

- Material: Polyethylene (PE)
- Length: 1.2 m
- Width: 600 mm
- Thickness: 50 mm




1034067 Polyethylene (PE)

RS PRO NITRILE, PVC ACOUSTIC INSULATION, 1M X 1M X 6MM

包装尺寸: 1 x EA

- Material: Nitrile, PVC
- Length: 1 m
- Width: 1 m
- Thickness: 6 mm
- Maximum Operating Temperature: +110 °C
- Minimum Operating Temperature: -30 °C



1034069 Nitrile, PVC

RS PRO POLYETHYLENE (PE) ACOUSTIC INSULATION, 1.2M X

包装尺寸: 1 x EA

- Material: Polyethylene (PE)
- Length: 1.2 m
- Width: 600 mm
- Thickness: 25 mm




1034068 Polyethylene (PE)

RS PRO NITRILE, PVC ACOUSTIC INSULATION, 1M X 1M X 15MM

包装尺寸: 1 x EA

- Material: Nitrile, PVC
- Length: 1 m
- Width: 1 m
- Thickness: 15 mm
- Maximum Operating Temperature: +110 °C
- Minimum Operating Temperature: -30 °C



1034072 Nitrile, PVC

RS PRO POLYETHYLENE (PE) ACOUSTIC INSULATION, 1M X 1M X

包装尺寸: 1 x EA

- Material: Polyethylene (PE)
- Length: 1 m
- Width: 1 m
- Thickness: 12 mm
- Maximum Operating Temperature: +110 °C
- Minimum Operating Temperature: -30 °C



1034073 Polyethylene (PE)

RS PRO ADHESIVE POLYIMIDE ACOUSTIC INSULATION, 1M X 950MM

包装尺寸: 1 x EA

- Material: Polyimide
- Length: 1 m
- Width: 950 mm
- Thickness: 3 mm
- Adhesive Backing: Yes
- Maximum Operating Temperature: +205 °C



1034074 Polyimide

PVA DAMPING SHEET, 800X500X1.4MM

包装尺寸: 1 x EA

- Length: 800 mm
- Width: 500 mm
- Thickness: 1.4 mm
- Adhesive Backing: Yes
- Maximum Operating Temperature: +100 °C
- Minimum Operating Temperature: -35 °C



1372242 800 mm

THINSULATE SAB 1000X600X21MM

包装尺寸: 1 x EA

- Material: Thinsulate
- Length: 1 m
- Width: 600 mm
- Thickness: 21 mm
- Adhesive Backing: Yes
- Maximum Operating Temperature: +120 °C



8814551 Thinsulate

THINSULATE PLAIN, 1000X600X21MM

包装尺寸: 1 x EA

- Material: Thinsulate
- Length: 1 m
- Width: 600 mm
- Thickness: 21 mm
- Maximum Operating Temperature: +120 °C



8814557 Thinsulate

RS PRO ADHESIVE VISCOSE-NYLON ACOUSTIC INSULATION, 50M X 10MM

包装尺寸: 1 x EA

- Material: Viscose-Nylon
- Length: 50 m
- Width: 10 mm
- Thickness: 0.8 mm
- Adhesive Backing: Yes
- Maximum Operating Temperature: +100 °C
- Minimum Operating Temperature: -10 °C



8814560 Viscose-Nylon

RS PRO 75MM ANTI-VIBRATION PAD RUBBER +100°C -50°C 75 X 75MM

包装尺寸: 8 x EA

- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
- Material: Rubber
- Thickness: 8 mm
- Size: 75 x 75 mm
- Length: 75 mm
- Maximum Operating Temperature: +100 °C
- Minimum Operating Temperature: -50 °C
- Width: 75 mm




2035152 Anti-Vibration

RS PRO 457MM ANTI-VIBRATION PAD RUBBER +100°C -50°C 457 X 457MM

包装尺寸: 1 x EA

- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
- Material: Rubber
- Thickness: 8 mm
- Size: 457 x 457 mm
- Length: 457 mm
- Maximum Operating Temperature: +100 °C
- Minimum Operating Temperature: -50 °C
- Width: 457 mm



2035153 Anti-Vibration

RS PRO 100MM ANTI-VIBRATION PAD RUBBER +100°C -50°C 100 X 100MM

包装尺寸: 4 x EA


- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
- Material: Rubber
- Thickness: 13 mm
- Size: 100 x 100 mm
- Length: 100 mm
- Maximum Operating Temperature: +100 °C
- Minimum Operating Temperature: -50 °C
- Width: 100 mm



2035154 Anti-Vibration

RS PRO 457MM ANTI-VIBRATION PAD RUBBER +100°C -50°C 457 X 457MM


- 包裝尺寸: **1 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
 - Material: Rubber
 - Thickness: 13 mm
 - Size: 457 x 457 mm
 - Length: 457 mm
 - Maximum Operating Temperature: +100 °C
 - Minimum Operating Temperature: -50 °C
 - Width: 457 mm



2035155 Anti-Vibration

RS PRO 50MM ANTI-VIBRATION PAD RUBBER +100°C -50°C 50 X 50MM


- 包裝尺寸: **12 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
 - Material: Rubber
 - Thickness: 19 mm
 - Size: 50 x 50 mm
 - Length: 50 mm
 - Maximum Operating Temperature: +100 °C
 - Minimum Operating Temperature: -50 °C
 - Width: 50 mm



2035156 Anti-Vibration

RS PRO 150MM ANTI-VIBRATION PAD RUBBER +100°C -50°C 150 X 150MM


- 包裝尺寸: **1 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
 - Material: Rubber
 - Thickness: 19 mm
 - Size: 150 x 150 mm
 - Length: 150 mm
 - Maximum Operating Temperature: +100 °C
 - Minimum Operating Temperature: -50 °C
 - Width: 150 mm



2035157 Anti-Vibration

RS PRO 457MM ANTI-VIBRATION PAD RUBBER +100°C -50°C 457 X 457MM


- 包裝尺寸: **1 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
 - Material: Rubber
 - Thickness: 19 mm
 - Size: 457 x 457 mm
 - Length: 457 mm
 - Maximum Operating Temperature: +100 °C
 - Minimum Operating Temperature: -50 °C
 - Width: 457 mm



2035160 Anti-Vibration

RS PRO 305MM ANTI-VIBRATION PAD RUBBER +100°C -50°C 305 X 305MM

- 包裝尺寸: **1 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
 - Material: Rubber
 - Thickness: 19 mm
 - Size: 305 x 305 mm
 - Length: 305 mm
 - Maximum Operating Temperature: +100 °C
 - Minimum Operating Temperature: -50 °C
 - Width: 305 mm



2035158 Anti-Vibration

RS PRO 75MM ANTI-VIBRATION PAD 250PSI NITRILE +100°C -50°C 75 X 75 X

- 包裝尺寸: **4 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
 - Material: Nitrile
 - Load Rating: 250 psi
 - Thickness: 21 mm
 - Size: 75 x 75 mm
 - Length: 75 mm
 - Maximum Operating Temperature: +100 °C
 - Minimum Operating Temperature: -50 °C



2035161 Anti-Vibration

RS PRO 100MM ANTI-VIBRATION PAD 250PSI NITRILE +100°C -50°C 100 X

- 包裝尺寸: **4 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
 - Material: Nitrile
 - Load Rating: 250 psi
 - Thickness: 21 mm
 - Size: 100 x 100 mm
 - Length: 100 mm
 - Maximum Operating Temperature: +100 °C
 - Minimum Operating Temperature: -50 °C



2035162 Anti-Vibration

RS PRO 150MM ANTI-VIBRATION PAD 250PSI NITRILE +100°C -50°C 150 X


- 包裝尺寸: **1 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
 - Material: Nitrile
 - Load Rating: 250 psi
 - Thickness: 21 mm
 - Size: 150 x 150 mm
 - Length: 150 mm
 - Maximum Operating Temperature: +100 °C
 - Minimum Operating Temperature: -50 °C



2035163 Anti-Vibration

RS PRO 50MM ANTI VIBRATION MAT 20PSI EVA FOAM +80°C -30°C 50 X


- 包裝尺寸: **12 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
 - Material: EVA Foam
 - Load Rating: 20 psi
 - Thickness: 22 mm
 - Size: 50 x 50 mm
 - Length: 50 mm
 - Maximum Operating Temperature: +80 °C
 - Minimum Operating Temperature: -30 °C



2035164 Anti-Vibration

RS PRO 100MM ANTI VIBRATION MAT 20PSI EVA FOAM +80°C -30°C 100 X


- 包裝尺寸: **4 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
 - Material: EVA Foam
 - Load Rating: 20 psi
 - Thickness: 22 mm
 - Size: 100 x 100 mm
 - Length: 100 mm
 - Maximum Operating Temperature: +80 °C
 - Minimum Operating Temperature: -30 °C



2035166 Anti-Vibration

RS PRO 305MM ANTI VIBRATION MAT 20PSI EVA FOAM +80°C -30°C 305 X


- 包裝尺寸: **1 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
 - Material: EVA Foam
 - Load Rating: 20 psi
 - Thickness: 22 mm
 - Size: 305 x 305 mm
 - Length: 305 mm
 - Maximum Operating Temperature: +80 °C
 - Minimum Operating Temperature: -30 °C



2035167 Anti-Vibration

RS PRO 457MM ANTI VIBRATION MAT 20PSI EVA FOAM +80°C -30°C 457 X


- 包裝尺寸: **1 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
 - Material: EVA Foam
 - Load Rating: 20 psi
 - Thickness: 22 mm
 - Size: 457 x 457 mm
 - Length: 457 mm
 - Maximum Operating Temperature: +80 °C
 - Minimum Operating Temperature: -30 °C



2035168 Anti-Vibration

100MM ANTI VIBRATION MAT 75PSI CORK +100°C -50°C 100 X 100MM


- 包裝尺寸: **4 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
 - Material: Cork
 - Load Rating: 75 psi
 - Thickness: 22 mm
 - Size: 100 x 100 mm
 - Length: 100 mm
 - Maximum Operating Temperature: +100 °C
 - Minimum Operating Temperature: -50 °C



2035170 Anti-Vibration

200MM ANTI VIBRATION MAT 75PSI CORK +100°C -50°C 200 X 200MM


- 包裝尺寸: **1 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
 - Material: Cork
 - Load Rating: 75 psi
 - Thickness: 22 mm
 - Size: 200 x 200 mm
 - Length: 200 mm
 - Maximum Operating Temperature: +100 °C
 - Minimum Operating Temperature: -50 °C



2035172 Anti-Vibration

305MM ANTI VIBRATION MAT 75PSI CORK +100°C -50°C 305 X 305MM


- 包裝尺寸: **1 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
 - Material: Cork
 - Load Rating: 75 psi
 - Thickness: 22 mm
 - Size: 305 x 305 mm
 - Length: 305 mm
 - Maximum Operating Temperature: +100 °C
 - Minimum Operating Temperature: -50 °C



2035173 Anti-Vibration

457MM ANTI VIBRATION MAT 75PSI CORK +100°C -50°C 457 X 457MM

- 包裝尺寸: **1 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
 - Material: Cork
 - Load Rating: 75 psi
 - Thickness: 22 mm
 - Size: 457 x 457 mm
 - Length: 457 mm
 - Maximum Operating Temperature: +100 °C
 - Minimum Operating Temperature: -50 °C



2035174 Anti-Vibration

BRASS SHIM, 2.5M X 150MM X 0.3MM

包装尺寸: 1 x EA

- Length: 2.5 m
- Thickness: 0.3 mm
- Width: 150 mm
- Colour: Yellow



518712 2.5 m

BRASS SHIM, 2.5M X 150MM X 0.1MM

包装尺寸: 1 x EA

- Length: 2.5 m
- Thickness: 0.1 mm
- Width: 150 mm
- Colour: Yellow



518839 2.5 m

BRASS SHIM, 2.5M X 150MM X 0.15MM

包装尺寸: 1 x EA

- Length: 2.5 m
- Thickness: 0.15 mm
- Width: 150 mm
- Colour: Yellow




519084 2.5 m

CARBON FIBRE SHEET, 300MM X 300MM X 1MM

包装尺寸: 1 x EA

- Material: Carbon Fibre Epoxy
- Maximum Operating Temperature: +80 °C
- Length: 300 mm
- Width: 300 mm
- Thickness: 1 mm
- Colour: Black
- Surface Pattern: Twill Weave
- Compressive Strength: 570 MPa



7648703 Carbon Fibre

CARBON FIBRE SHEET, 300MM X 300MM X 1.3MM

包装尺寸: 1 x EA

- Material: Carbon Fibre Epoxy
- Maximum Operating Temperature: +80 °C
- Length: 300 mm
- Width: 300 mm
- Thickness: 1.3 mm
- Colour: Black
- Surface Pattern: Twill Weave
- Compressive Strength: 570 MPa



7648707 Carbon Fibre

CARBON FIBRE SHEET, 300MM X 300MM X 2MM

包装尺寸: 1 x EA

- Material: Carbon Fibre Epoxy
- Maximum Operating Temperature: +80 °C
- Length: 300 mm
- Width: 300 mm
- Thickness: 2 mm
- Colour: Black
- Surface Pattern: Twill Weave
- Compressive Strength: 570 MPa



7648716 Carbon Fibre

WHITE CERAMIC FISHSPINE BEADS 1.5MM BORE

包装尺寸: 870 x EA

- Bore Size: 1.5 mm
- Material: Ceramic
- Colour: White
- Maximum Operating Temperature: +1200 °C



5364062 1.5 mm

WHITE CERAMIC FISHSPINE BEADS 4.5MM BORE

包装尺寸: 420 x EA

- Bore Size: 4.5 mm
- Material: Ceramic
- Colour: White
- Maximum Operating Temperature: +1200 °C



5364078 4.5 mm

WHITE CERAMIC BEAD 2.5MM BORE SIZE +1200°C

包装尺寸: 720 x EA

- Bore Size: 2.5 mm
- Material: Ceramic
- Colour: White
- Maximum Operating Temperature: +1200 °C



5364090 2.5 mm

WHITE CERAMIC FISHSPINE BEADS, 1MM BORE

包装尺寸: 1200 x EA

- Bore Size: 1 mm
- Material: Ceramic
- Colour: White
- Density: 2.6 g/cm³
- Water Absorption: 0 %
- Maximum Operating Temperature: +1200 °C



7648731 1 mm

FELT SHEET 3MM

包装尺寸: 1 x EA

- Material: Viscose, Wool
- Length: 1 m
- Width: 500 mm
- Thickness: 3 mm
- Density: 250 kg/m³
- Colour: White



7336775 Viscose, Wool

FELT SHEET 6MM

包装尺寸: 1 x EA

- Material: Viscose, Wool
- Length: 1 m
- Width: 500 mm
- Thickness: 6 mm
- Density: 250 kg/m³
- Colour: White



7336779 Viscose, Wool

VISCOSE, WOOL FELT SHEET, 1M X 500MM X 12.5MM

包装尺寸: 1 x EA

- Material: Viscose, Wool
- Length: 1 m
- Width: 500 mm
- Thickness: 12.5 mm
- Density: 250 kg/m³
- Colour: White



7336788 Viscose, Wool

RS PRO FLAME RETARDANT GLASS FIBRE ROPE, 30M X 15MM

包装尺寸: 1 x EA

- Product Type: Glass Fibre Rope
- Maximum Operating Temperature: +500 °C
- Length: 30 m
- Diameter: 15 mm
- Flame Retardant: Yes



1034055 Glass Fibre Rope

RS PRO FLAME RETARDANT GLASS FIBRE ROPE, 30M X 25MM

包装尺寸: 1 x EA

- Product Type: Glass Fibre Rope
- Maximum Operating Temperature: +500 °C
- Length: 30 m
- Diameter: 25 mm
- Flame Retardant: Yes



1034056 Glass Fibre Rope

RS PRO FLAME RETARDANT GLASS FIBRE ROPE, 30M X 32MM

包装尺寸: 1 x EA

- Product Type: Glass Fibre Rope
- Maximum Operating Temperature: +500 °C
- Length: 30 m
- Diameter: 32 mm
- Flame Retardant: Yes



1034057 Glass Fibre Rope

RS PRO FLAME RETARDANT GLASS FIBRE ROPE, 30M X 12MM

- 包装尺寸: 1 x EA
- Material: Glass Fibre Yarn
 - Product Type: Glass Fibre Rope
 - Maximum Operating Temperature: +300 °C
 - Length: 30 m
 - Diameter: 12 mm
 - Flame Retardant: Yes



7495124 Glass Fibre Yarn

RS PRO GLASS FIBRE ROPE, 30M X 20MM

- 包装尺寸: 1 x EA
- Material: Glass Fibre Yarn
 - Product Type: Glass Fibre Rope
 - Maximum Operating Temperature: +300 °C
 - Length: 30 m
 - Diameter: 20 mm



7495127 Glass Fibre Yarn

RS PRO GLASS FIBRE ROPE, 5M X 12MM

- 包装尺寸: 1 x EA
- Product Type: Glass Fibre Rope
 - Maximum Operating Temperature: +550 °C
 - Length: 5 m
 - Diameter: 12 mm



7757804 Glass Fibre Rope

RS PRO FLAME RETARDANT GLASS FIBRE ROPE, 5M X 20MM

- 包装尺寸: 1 x EA
- Product Type: Glass Fibre Rope
 - Maximum Operating Temperature: +550 °C
 - Length: 5 m
 - Diameter: 20 mm
 - Flame Retardant: Yes



7757807 Glass Fibre Rope

RS PRO FLAME RETARDANT, 25M X 1.5MM X 25MM

- 包装尺寸: 1 x EA
- Maximum Operating Temperature: +600 °C
 - Length: 25 m
 - Width: 25 mm
 - Thickness: 1.5 mm
 - Flame Retardant: Yes



2035134 +600 °C

RS PRO FLAME RETARDANT, 30M X 3MM X 40MM

- 包装尺寸: 1 x EA
- Maximum Operating Temperature: +550 °C
 - Length: 30 m
 - Width: 40 mm
 - Thickness: 3 mm
 - Flame Retardant: Yes



2035135 +550 °C

RS PRO FLAME RETARDANT GLASS FIBRE TAPE, 30M X 3MM X 25MM

- 包装尺寸: 1 x EA
- Product Type: Glass Fibre Tape
 - Material: Glass Fibre Yarn
 - Maximum Operating Temperature: +300 °C
 - Length: 30 m
 - Width: 25 mm
 - Thickness: 3 mm
 - Flame Retardant: Yes
 - Thermal Conductivity: 0.05 W/mK



7495111 Glass Fibre Tape

WOVEN GLASS WEBBING, 50MMX3MMX30M

- 包装尺寸: 1 x EA
- Product Type: Glass Fibre Tape
 - Material: Glass Fibre Yarn
 - Maximum Operating Temperature: +300 °C
 - Length: 30 m
 - Width: 50 mm
 - Thickness: 3 mm
 - Flame Retardant: Yes
 - Thermal Conductivity: 0.05 W/mK



7495115 Glass Fibre Tape

RS PRO POLYESTER SHEET FILTER, G3 GRADE

- 包装尺寸: 1 x EA
- Filter Type: Sheet
 - Filter Grade: G3
 - Colour: Black
 - Media Material: Polyester
 - Actual Depth: 12 mm
 - Actual Height: 480 mm
 - Actual Width: 480 mm



2035146 Sheet

RS PRO POLYESTER, G3 GRADE

- 包装尺寸: 1 x EA
- Filter Grade: G3
 - Media Material: Polyester
 - Actual Depth: 25 mm
 - Actual Height: 480 mm
 - Actual Width: 480 mm



2035147 G3

RS PRO FILTER MEDIA G3 GRADE, 480 X 480 X 12MM

- 包装尺寸: 1 x EA
- Filter Grade: G3
 - Initial Pressure Drop: 242 Pa



2035149 G3

RS PRO, G3 GRADE, 480MM


- 包装尺寸: 1 x EA
- Actual Dimensions: 480 mm x 480 mm
 - Filter Grade: G3
 - Initial Pressure Drop: 242 Pa



2035151 480 mm x 480

SIC 1050A ALUMINIUM SHEET, 500X300X3MM

- 包装尺寸: 3 x EA
- Length: 300 mm
 - Material: Aluminium
 - Construction: 1050A
 - Form: Solid
 - Width: 500 mm
 - Thickness: 3 mm
 - Material Grade: 1050A
 - Density: 2.71 g/cm³



178239 300 mm

ALUMINIUM SOLID METAL SHEET, 300MM L, 500MM W, 6MM


- 包装尺寸: 2 x EA
- Length: 300 mm
 - Material: Aluminium
 - Construction: 1050A
 - Form: Solid
 - Width: 500 mm
 - Thickness: 6 mm
 - Material Grade: 1050A
 - Density: 2.71 g/cm³



183944 300 mm

6082 ALUMINIUM SHEET, 500X300X3MM

- 包装尺寸: 3 x EA
- Length: 300 mm
 - Material: Aluminium
 - Construction: 6082
 - Form: Solid
 - Width: 500 mm
 - Thickness: 3 mm
 - Material Grade: 6082
 - Density: 2.7 g/cm³



187328 300 mm

ALUMINIUM SOLID METAL SHEET, 300MM L, 500MM W, 6MM

- 包装尺寸: 2 x EA
- Length: 300 mm
 - Material: Aluminium
 - Construction: 6082
 - Form: Solid
 - Width: 500 mm
 - Thickness: 6 mm
 - Material Grade: 6082
 - Density: 2.7 g/cm³



188264 300 mm

ALUMINIUM SOLID METAL SHEET, 300MM L, 500MM W, 8MM


- 包裝尺寸: 2 x EA
- Length: 300 mm
 - Material: Aluminium
 - Construction: 6082
 - Form: Solid
 - Width: 500 mm
 - Thickness: 8 mm
 - Material Grade: 6082
 - Density: 2.7 g/cm³



188292 300 mm

ALUMINIUM SOLID METAL SHEET, 300MM L, 500MM W, 10MM


- 包裝尺寸: 1 x EA
- Length: 300 mm
 - Material: Aluminium
 - Construction: 6082
 - Form: Solid
 - Width: 500 mm
 - Thickness: 10 mm
 - Material Grade: 6082
 - Density: 2.7 g/cm³



188321 300 mm

SIC 1050A ALUMINIUM SHEET, 300X200X1.2MM


- 包裝尺寸: 5 x EA
- Length: 200 mm
 - Material: Aluminium
 - Construction: 1050A
 - Form: Solid
 - Width: 300 mm
 - Thickness: 1.2 mm
 - Material Grade: 1050A
 - Density: 2.71 g/cm³



434043 200 mm

ALUMINIUM SOLID METAL SHEET, 300MM L, 500MM W, 2MM


- 包裝尺寸: 5 x EA
- Length: 300 mm
 - Material: Aluminium
 - Construction: 1050A
 - Form: Solid
 - Width: 500 mm
 - Thickness: 2 mm
 - Material Grade: 1050A
 - Density: 2.71 g/cm³



434059 300 mm

316 STAINLESS STEEL SOLID METAL SHEET, 500MM L, 300MM W, 3MM

- 包裝尺寸: 2 x EA
- Length: 500 mm
 - Material: 316 Stainless Steel
 - Form: Solid
 - Width: 300 mm
 - Thickness: 3 mm
 - Density: 8 g/cm³
 - Hardness: 95 HB
 - Colour: Silver



559111 500 mm

STAINLESS STEEL SOLID METAL SHEET, 500MM L, 300MM W, 1MM


- 包裝尺寸: 2 x EA
- Length: 500 mm
 - Material: Stainless Steel
 - Form: Solid
 - Width: 300 mm
 - Thickness: 1 mm
 - Density: 8 g/cm³
 - Hardness: 95 HB
 - Colour: Silver



559123 500 mm

316 STAINLESS STEEL SOLID METAL SHEET, 500MM L, 300MM W, 0.5MM


- 包裝尺寸: 2 x EA
- Length: 500 mm
 - Material: 316 Stainless Steel
 - Form: Solid
 - Width: 300 mm
 - Thickness: 0.5 mm
 - Density: 8 g/cm³
 - Hardness: 95 HB
 - Colour: Silver



559199 500 mm

ST STEEL SHEET MIRROR, 500X300X0.5MM

- 包裝尺寸: 2 x EA
- Length: 500 mm
 - Material: Stainless Steel
 - Form: Solid
 - Width: 300 mm
 - Thickness: 0.5 mm
 - Density: 8 g/cm³
 - Hardness: 95 HB
 - Colour: Silver



559206 500 mm

HDHC COPPER SHEET STOCK, 300X300X0.35MM

- 包裝尺寸: 5 x EA
- Length: 300 mm
 - Material: Copper
 - Form: Solid
 - Width: 300 mm
 - Thickness: 0.35 mm
 - Colour: Natural
 - Tensile Strength: 240 N/mm²



680959 300 mm

HDHC COPPER SHEET STOCK, 300X300X0.45MM


- 包裝尺寸: 5 x EA
- Length: 300 mm
 - Material: Copper
 - Form: Solid
 - Width: 300 mm
 - Thickness: 0.45 mm
 - Colour: Natural
 - Tensile Strength: 240 N/mm²



680965 300 mm

BRASS SOLID METAL SHEET, 600MM L, 300MM W, 1.6MM THICKNESS

- 包裝尺寸: 1 x EA
- Length: 600 mm
 - Material: Brass
 - Form: Solid
 - Width: 300 mm
 - Thickness: 1.6 mm
 - Colour: Natural



771077 600 mm

GALVANISED STEEL PERFORATED STEEL SHEET, 500MM L, 500MM W,

- 包裝尺寸: 2 x EA
- Length: 500 mm
 - Material: Galvanised Steel
 - Form: Solid
 - Width: 500 mm
 - Thickness: 0.7 mm
 - Hole Diameter: 4.8 mm
 - Hole Layout: 60°
 - Open Area Percentage: 50 %
 - Pattern Number: 6



817353 500 mm

GALVANISED STEEL PERFORATED METAL SHEET, 500MM L, 500MM W,

- 包裝尺寸: 2 x EA
- Length: 500 mm
 - Material: Galvanised Steel
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 0.7 mm
 - Hole Diameter: 8 mm
 - Hole Layout: 60°
 - Open Area Percentage: 68 %



817369 500 mm

GALVANISED STEEL PERFORATED METAL SHEET, 500MM L, 500MM W,

- 包裝尺寸: 2 x EA
- Length: 500 mm
 - Material: Galvanised Steel
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 0.7 mm
 - Hole Diameter: 1.2 mm
 - Hole Layout: 60°
 - Open Area Percentage: 42 %



817404 500 mm

GALVANISED STEEL PERFORATED METAL SHEET, 500MM L, 500MM W,


- 包裝尺寸: 2 x EA
- Length: 500 mm
 - Material: Galvanised Steel
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 0.7 mm
 - Hole Diameter: 2 mm
 - Hole Layout: 60°
 - Open Area Percentage: 47 %



817432 500 mm

STAINLESS STEEL PERFORATED METAL SHEET, 500MM L, 500MM W, 0.55MM


- 包裝尺寸: 2 x EA
- Length: 500 mm
 - Material: Stainless Steel
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 0.55 mm
 - Hole Diameter: 2 mm
 - Hole Layout: 60°
 - Open Area Percentage: 47 %



1828360 500 mm

STAINLESS STEEL PERFORATED METAL SHEET, 500MM L, 500MM W, 0.55MM


- 包装尺寸: 2 x EA
- Length: 500 mm
 - Material: Stainless Steel
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 0.55 mm
 - Hole Diameter: 3 mm
 - Hole Layout: 60°
 - Open Area Percentage: 33 %



1828382 500 mm

STAINLESS STEEL PERFORATED METAL SHEET, 500MM L, 500MM W, 0.55MM


- 包装尺寸: 2 x EA
- Length: 500 mm
 - Material: Stainless Steel
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 0.55 mm
 - Hole Diameter: 4.8 mm
 - Hole Layout: 60°
 - Open Area Percentage: 50 %



1828398 500 mm

STAINLESS STEEL PERFORATED METAL SHEET, 500MM L, 500MM W, 0.55MM

- 包装尺寸: 2 x EA
- Length: 500 mm
 - Material: Stainless Steel
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 0.55 mm
 - Hole Diameter: 6 mm
 - Hole Layout: Square
 - Open Area Percentage: 62 %



1828427 500 mm

STAINLESS STEEL PERFORATED PERFORATED STEEL SHEET, 500MM L,

- 包装尺寸: 2 x EA
- Length: 500 mm
 - Material: Stainless Steel
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 0.55 mm
 - Hole Diameter: 6.4 mm
 - Hole Layout: 60°
 - Open Area Percentage: 43 %



1828405 500 mm

ALUMINIUM PERFORATED METAL SHEET, 500MM L, 500MM W, 0.6MM


- 包装尺寸: 3 x EA
- Length: 500 mm
 - Material: Aluminium
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 0.6 mm
 - Hole Diameter: 1.2 mm
 - Hole Layout: 60°
 - Open Area Percentage: 42 %



2027861 500 mm

ALUMINIUM PERFORATED METAL SHEET, 500MM L, 500MM W, 0.6MM


- 包装尺寸: 3 x EA
- Length: 500 mm
 - Material: Aluminium
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 0.6 mm
 - Hole Diameter: 1.7 mm
 - Hole Layout: 60°
 - Open Area Percentage: 45 %



2027883 500 mm

ALUMINIUM PERFORATED METAL SHEET, 500MM L, 500MM W, 1.2MM

- 包装尺寸: 2 x EA
- Length: 500 mm
 - Material: Aluminium
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 1.2 mm
 - Hole Diameter: 2 mm
 - Hole Layout: 60°
 - Open Area Percentage: 47 %



2027906 500 mm

ALUMINIUM PERFORATED METAL SHEET, 500MM L, 500MM W, 1.2MM


- 包装尺寸: 2 x EA
- Length: 500 mm
 - Material: Aluminium
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 1.2 mm
 - Hole Diameter: 3 mm
 - Hole Layout: 60°
 - Open Area Percentage: 33 %



2027912 500 mm

ALUMINIUM PERFORATED METAL SHEET, 500MM L, 500MM W, 1.2MM

- 包装尺寸: 2 x EA
- Length: 500 mm
 - Material: Aluminium
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 1.2 mm
 - Hole Diameter: 8 mm
 - Hole Layout: 60°
 - Open Area Percentage: 68 %



2027940 500 mm

ALUMINIUM PERFORATED METAL SHEET, 500MM L, 500MM W, 1.2MM


- 包装尺寸: 2 x EA
- Length: 500 mm
 - Material: Aluminium
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 1.2 mm
 - Hole Diameter: 4.8 mm
 - Hole Layout: 60°
 - Open Area Percentage: 50 %



2027928 500 mm

ALUMINIUM PERFORATED METAL SHEET, 500MM L, 500MM W, 0.7MM


- 包装尺寸: 3 x EA
- Length: 500 mm
 - Material: Aluminium
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 0.7 mm
 - Hole Diameter: 6 mm
 - Hole Layout: Hexagonal
 - Open Area Percentage: 79 %



2622652 500 mm

STAINLESS STEEL PERFORATED METAL SHEET, 500MM L, 500MM W, 0.55MM

- 包装尺寸: 2 x EA
- Length: 500 mm
 - Material: Stainless Steel
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 0.55 mm
 - Hole Diameter: 6 mm
 - Hole Layout: 60°
 - Open Area Percentage: 79 %



2626121 500 mm

GALVANISED STEEL PERFORATED METAL SHEET, 500MM L, 500MM W,

- 包装尺寸: 2 x EA
- Length: 500 mm
 - Material: Galvanised Steel
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 0.7 mm
 - Hole Diameter: 6 mm
 - Hole Layout: 60°
 - Open Area Percentage: 79 %



2626115 500 mm

316 A4 STAINLESS STEEL SOLID METAL SHEET, 500MM L, 300MM W, 1.2MM


- 包装尺寸: 2 x EA
- Length: 500 mm
 - Material: 316 A4 Stainless Steel
 - Form: Solid
 - Width: 300 mm
 - Thickness: 1.2 mm
 - Density: 8 g/cm³
 - Hardness: 95 HB
 - Colour: Silver



2647257 500 mm

316 A4 STAINLESS STEEL SOLID METAL SHEET, 500MM L, 300MM W, 1MM


- 包装尺寸: 2 x EA
- Length: 500 mm
 - Material: 316 A4 Stainless Steel
 - Form: Solid
 - Width: 300 mm
 - Thickness: 1 mm
 - Density: 8 g/cm³
 - Hardness: 95 HB
 - Colour: Silver



2647241 500 mm

316 A4 STAINLESS STEEL SOLID METAL SHEET, 500MM L, 300MM W, 1.5MM


- 包装尺寸: 1 x EA
- Length: 500 mm
 - Material: 316 A4 Stainless Steel
 - Form: Solid
 - Width: 300 mm
 - Thickness: 1.5 mm
 - Density: 8 g/cm³
 - Hardness: 95 HB
 - Colour: Silver



2647263 500 mm

316 A4 STAINLESS STEEL SOLID METAL SHEET, 500MM L, 300MM W, 2.5MM


- 包装尺寸: 1 x EA
- Length: 500 mm
 - Material: 316 A4 Stainless Steel
 - Form: Solid
 - Width: 300 mm
 - Thickness: 2.5 mm
 - Density: 8 g/cm³
 - Hardness: 95 HB
 - Colour: Silver



2647279 500 mm

STAINLESS STEEL PERFORATED METAL SHEET, 500MM L, 500MM W, 0.55MM


- 包装尺寸: 2 x EA
- Length: 500 mm
 - Material: Stainless Steel
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 0.55 mm
 - Hole Diameter: 3 mm
 - Hole Layout: 60°
 - Open Area Percentage: 33 %



3406120 500 mm

STAINLESS STEEL PERFORATED METAL SHEET, 500MM L, 500MM W, 0.55MM


- 包装尺寸: 2 x EA
- Length: 500 mm
 - Material: Stainless Steel
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 0.55 mm
 - Hole Diameter: 4.7 mm
 - Hole Layout: Square
 - Open Area Percentage: 35 %



3406158 500 mm

STAINLESS STEEL PERFORATED STEEL SHEET, 500MM L, 500MM W, 0.55MM


- 包装尺寸: 2 x EA
- Length: 500 mm
 - Material: Stainless Steel
 - Width: 500 mm
 - Thickness: 0.55 mm
 - Hole Diameter: 6 mm
 - Hole Layout: In Line
 - Open Area Percentage: 62 %
 - Pattern Number: 9



3406164 500 mm

STAINLESS STEEL PERFORATED METAL SHEET, 500MM L, 500MM W, 0.55MM

- 包装尺寸: 2 x EA
- Length: 500 mm
 - Material: Stainless Steel
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 0.55 mm
 - Hole Diameter: 6 mm
 - Hole Layout: 60°
 - Open Area Percentage: 79 %



3406192 500 mm

304S15 S/STEEL SHEET, 500X300X0.5MM


- 包装尺寸: 2 x EA
- Length: 500 mm
 - Material: 304S15 Stainless Steel
 - Form: Solid
 - Width: 300 mm
 - Thickness: 0.5 mm
 - Density: 8 g/cm³
 - Hardness: 92 HB
 - Colour: Silver



3656858 500 mm

MILD STEEL PERFORATED METAL SHEET, 500MM L, 500MM W, 0.7MM


- 包装尺寸: 2 x EA
- Length: 500 mm
 - Material: Mild Steel
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 0.7 mm
 - Hole Diameter: 1.2 mm
 - Hole Layout: 60°
 - Open Area Percentage: 42 %



4475284 500 mm

GALVANISED STEEL PERFORATED METAL SHEET, 500MM L, 500MM W,

- 包装尺寸: 2 x EA
- Length: 500 mm
 - Material: Galvanised Steel
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 0.7 mm
 - Hole Diameter: 1 mm
 - Hole Layout: 60°
 - Open Area Percentage: 46 %



4475313 500 mm

304S15 STAINLESS STEEL SOLID METAL SHEET, 500MM L, 300MM W,

- 包装尺寸: 2 x EA
- Length: 500 mm
 - Material: 304S15 Stainless Steel
 - Form: Solid
 - Width: 300 mm
 - Thickness: 1 mm
 - Density: 8 g/cm³
 - Hardness: 92 HB
 - Colour: Silver



6614793 500 mm

304S15 STAINLESS STEEL SOLID METAL SHEET, 500MM L, 300MM W,

- 包装尺寸: 1 x EA
- Length: 500 mm
 - Material: 304S15 Stainless Steel
 - Form: Solid
 - Width: 300 mm
 - Thickness: 2.5 mm
 - Density: 8 g/cm³
 - Hardness: 92 HB
 - Colour: Silver



6614800 500 mm

304S15 STAINLESS STEEL SOLID METAL SHEET, 500MM L, 300MM W,

- 包装尺寸: 2 x EA
- Length: 500 mm
 - Material: 304S15 Stainless Steel
 - Form: Solid
 - Width: 300 mm
 - Thickness: 1.2 mm
 - Density: 8 g/cm³
 - Hardness: 92 HB
 - Colour: Silver



6614797 500 mm

304S15 S/STEEL SHEET, 300X300X1MM


- 包装尺寸: 2 x EA
- Length: 300 mm
 - Material: 304S15 Stainless Steel
 - Form: Solid
 - Width: 300 mm
 - Thickness: 1 mm
 - Density: 8 g/cm³
 - Hardness: 92 HB
 - Colour: Silver



7702961 300 mm

304S15 STAINLESS STEEL SOLID METAL SHEET, 500MM L, 500MM W,


- 包装尺寸: 2 x EA
- Length: 500 mm
 - Material: 304S15 Stainless Steel
 - Form: Solid
 - Width: 500 mm
 - Thickness: 1 mm
 - Density: 8 g/cm³
 - Hardness: 92 HB
 - Colour: Silver



7702964 500 mm

304S15 STAINLESS STEEL SOLID METAL SHEET, 1000MM L, 500MM W,


- 包装尺寸: 2 x EA
- Length: 1000 mm
 - Material: 304S15 Stainless Steel
 - Form: Solid
 - Width: 500 mm
 - Thickness: 1 mm
 - Density: 8 g/cm³
 - Hardness: 92 HB
 - Colour: Silver



7702968 1000 mm

304S15 STAINLESS STEEL SOLID METAL SHEET, 1000MM L, 1000MM W,

- 包装尺寸: 1 x EA
- Length: 1000 mm
 - Material: 304S15 Stainless Steel
 - Form: Solid
 - Width: 1000 mm
 - Thickness: 1 mm
 - Density: 8 g/cm³
 - Hardness: 92 HB
 - Colour: Silver



7702977 1000 mm

ALUMINIUM SOLID METAL SHEET, 300MM DIAMETER, 2.5MM

- 包装尺寸: 1 x EA
- Material: Aluminium
 - Construction: 1050A
 - Form: Solid
 - Thickness: 2.5 mm
 - Material Grade: 1050
 - Colour: Silver



7757817 Aluminium

ALUMINIUM HONEYCOMB COMPOSITE METAL SHEET, 600MM L,


- 包裝尺寸: 1 x EA
- Length: 600 mm
 - Material: Aluminium Honeycomb Composite
 - Width: 600 mm
 - Thickness: 6 mm
 - Hardness: HB-F
 - Suitability: Artistic Ceilings, Balconies, Facade Cladding, Roofing, Shelters
 - Colour: White
 - Adhesive Backing: No



7781661 600 mm

ALUMINIUM SOLID METAL SHEET, 600MM L, 600MM W, 10MM

- 包裝尺寸: 1 x EA
- Length: 600 mm
 - Material: Aluminium
 - Form: Solid
 - Width: 600 mm
 - Thickness: 10 mm
 - Hardness: HB-F
 - Colour: White
 - Suitability: Artistic Ceilings, Balconies, Facade Cladding, Roofing, Shelters



7781664 600 mm

ALUMINIUM SOLID METAL SHEET, 600MM L, 600MM W, 15MM

- 包裝尺寸: 1 x EA
- Length: 600 mm
 - Material: Aluminium
 - Form: Solid
 - Width: 600 mm
 - Thickness: 15 mm
 - Hardness: HB-F
 - Colour: White
 - Suitability: Artistic Ceilings, Balconies, Facade Cladding, Roofing, Shelters



7781677 600 mm

ALUMINIUM METAL SHEET, 600MM L, 600MM W, 3MM THICKNESS

- 包裝尺寸: 1 x EA
- Length: 600 mm
 - Material: Aluminium
 - Width: 600 mm
 - Thickness: 3 mm
 - Density: 3.5 kg/m²
 - Hardness: 3 H
 - Colour: Black
 - Suitability: Cladding, Fascia Panels, Folded Parts, Sign Trays



7781692 600 mm

ALUMINIUM SHEET METAL SHEET, 600MM L, 600MM W, 3MM

- 包裝尺寸: 1 x EA
- Length: 600 mm
 - Material: Aluminium
 - Form: Sheet
 - Width: 600 mm
 - Thickness: 3 mm
 - Density: 3.5 kg/m²
 - Hardness: 3 H
 - Colour: Yellow



7781703 600 mm

ALUMINIUM SOLID METAL SHEET, 600MM L, 600MM W, 3MM

- 包裝尺寸: 1 x EA
- Length: 600 mm
 - Material: Aluminium
 - Form: Solid
 - Width: 600 mm
 - Thickness: 3 mm
 - Density: 3.5 kg/m²
 - Hardness: 3 H
 - Colour: Red



7781706 600 mm

BRASS SOLID METAL SHEET, 600MM L, 300MM W, 0.9MM THICKNESS

- 包裝尺寸: 1 x EA
- Length: 600 mm
 - Material: Brass
 - Form: Solid
 - Width: 300 mm
 - Thickness: 0.9 mm
 - Material Grade: CW508L/CZ108
 - Density: 8.44 g/cm³
 - Hardness: 55 to 180 HV



8411903 600 mm

BRASS SOLID METAL SHEET, 600MM L, 300MM W, 0.45MM THICKNESS

- 包裝尺寸: 3 x EA
- Length: 600 mm
 - Material: Brass
 - Form: Solid
 - Width: 300 mm
 - Thickness: 0.45 mm
 - Material Grade: CW508L/CZ108
 - Density: 8.44 g/cm³
 - Hardness: 55 to 180 HV



8411906 600 mm

BRASS SOLID METAL SHEET, 600MM L, 300MM W, 0.7MM THICKNESS

- 包裝尺寸: 1 x EA
- Length: 600 mm
 - Material: Brass
 - Form: Solid
 - Width: 300 mm
 - Thickness: 0.7 mm
 - Material Grade: CW508L/CZ108
 - Density: 8.44 g/cm³
 - Hardness: 55 to 180 HV



8411893 600 mm

MILD STEEL PERFORATED METAL SHEET, 1000MM L, 500MM W, 1.5MM

- 包裝尺寸: 2 x EA
- Length: 1000 mm
 - Material: Mild Steel
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 1.5 mm
 - Hole Diameter: 3 mm
 - Hole Layout: 60°
 - Open Area Percentage: 33 %



9190694 1000 mm

BRASS SOLID METAL SHEET, 600MM L, 300MM W, 1.2MM THICKNESS

- 包裝尺寸: 1 x EA
- Length: 600 mm
 - Material: Brass
 - Form: Solid
 - Width: 300 mm
 - Thickness: 1.2 mm
 - Material Grade: CW508L/CZ108
 - Density: 8.44 g/cm³
 - Hardness: 55 to 180 HV



8732487 600 mm

GALVANISED STEEL PERFORATED METAL SHEET, 1000MM L, 500MM W,

- 包裝尺寸: 2 x EA
- Length: 1000 mm
 - Material: Galvanised Steel
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 1.5 mm
 - Hole Diameter: 3 mm
 - Hole Layout: 60°
 - Open Area Percentage: 33 %



9190698 1000 mm

GALVANISED STEEL PERFORATED METAL SHEET, 1000MM L, 500MM W,


- 包裝尺寸: 2 x EA
- Length: 1000 mm
 - Material: Galvanised Steel
 - Form: Perforated
 - Width: 500 mm
 - Thickness: 1.5 mm
 - Hole Diameter: 3 mm
 - Hole Layout: 60°
 - Open Area Percentage: 51 %



9190708 1000 mm

RECTANGULAR ALUMINIUM METAL TUBE, 1M L, 50MM W, 20MM H, 2MM

- 包裝尺寸: 5 x EA
- Material: Aluminium
 - Tube Form: Rectangular
 - Material Grade: T6
 - Length: 1 m
 - Height: 20 mm
 - Width: 50 mm
 - Thickness: 2 mm
 - Hardness: 95 HB



1368756 Aluminium

ROUND PHOSPHOR BRONZE METAL TUBE, 2IN OD, 1 1/2IN ID, 13IN L, 2IN


- 包裝尺寸: 1 x EA
- Tube Form: Round
 - Material: Phosphor Bronze
 - Length: 13 in
 - Width: 2 in
 - Inner Diameter: 1 1/2 in
 - Outer Diameter: 2 in
 - Thickness: 1/2 in
 - Tensile Strength: 420 N/mm²



110034 Round

RECTANGULAR ALUMINIUM METAL TUBE, 1M L, 60MM W, 40MM H, 2MM

- 包裝尺寸: 2 x EA
- Material: Aluminium
 - Tube Form: Rectangular
 - Material Grade: T6
 - Length: 1 m
 - Height: 40 mm
 - Width: 60 mm
 - Thickness: 2 mm
 - Hardness: 95 HB



1368757 Aluminium

ROUND ALUMINIUM METAL TUBE, 1/2IN OD, 3/8IN ID, 1M L, 16SWG

包装尺寸: 5 x EA

- Material: Aluminium
- Tube Form: Round
- Length: 1 m
- Material Grade: 6063-T6
- Inner Diameter: 3/8 in
- Outer Diameter: 1/2 in
- Thickness: 16 SWG
- Suitability: Architectural Applications, Doors, Extrusions, Shopfittings, Window Frames

SORRY
IMAGE NOT
AVAILABLE.



3047973 Aluminium

ROUND ALUMINIUM TUBE, 2IN OD, 1.75IN ID, 1M L, 10SWG THICKNESS

包装尺寸: 1 x EA

- Tube Form: Round
- Material Grade: 6063 T6
- Length: 1 m
- Inner Diameter: 1.75 in
- Outer Diameter: 2 in
- Thickness: 10 SWG
- Suitability: Architectural Applications, Doors, Extrusions, Shopfittings, Window Frames
- Tensile Strength: 230 MPa



3047995 Round

ROUND ALUMINIUM METAL TUBE, 1IN OD, 3/4IN ID, 1M L, 10SWG

包装尺寸: 2 x EA

- Material: Aluminium
- Tube Form: Round
- Length: 1 m
- Material Grade: 6063-T6
- Inner Diameter: 3/4 in
- Thickness: 10 SWG
- Outer Diameter: 1 in
- Suitability: Architectural Applications, Doors, Extrusions, Shopfittings, Window Frames



3048011 Aluminium

ROUND ALUMINIUM METAL TUBE, 10MM OD, 1M L, 10MM H, 1MM

包装尺寸: 5 x EA

- Material: Aluminium
- Tube Form: Round
- Material Grade: 6063-T6
- Length: 1 m
- Height: 10 mm
- Thickness: 1 mm
- Outer Diameter: 10 mm

9186374 Aluminium

ROUND ALUMINIUM METAL TUBE, 20MM OD, 1M L, 3MM THICKNESS

包装尺寸: 5 x EA

- Material: Aluminium
- Tube Form: Round
- Material Grade: 6063-T6
- Length: 1 m
- Thickness: 3 mm
- Outer Diameter: 20 mm



9186383 Aluminium

PEEK 381G FILM, 200X305X0.025MM

包装尺寸: 5 x EA

- Material: PEEK
- Length: 200 mm
- Width: 305 mm
- Thickness: 0.025 mm
- Dielectric Strength: 190 kV
- Maximum Operating Temperature: +200 °C
- Application: Aerospace, Automotive, Electronics, Energy Such as Oil & Gas, Food & Medical, Industrial, Semiconductors



7648719 PEEK

PEEK PLASTIC FILM, 200MM X 305MM X 0.05MM

包装尺寸: 5 x EA

- Material: PEEK
- Length: 200 mm
- Width: 305 mm
- Thickness: 0.05 mm
- Dielectric Strength: 190 kV
- Maximum Operating Temperature: +200 °C
- Application: Aerospace, Automotive, Electronics, Energy Such as Oil & Gas, Food & Medical, Industrial, Semiconductors



7648713 PEEK

PEEK 381G FILM, 200X305X0.1MM

包装尺寸: 5 x EA

- Material: PEEK
- Length: 200 mm
- Width: 305 mm
- Thickness: 0.1 mm
- Dielectric Strength: 190 kV
- Maximum Operating Temperature: +200 °C
- Application: Aerospace, Automotive, Electronics, Energy Such as Oil & Gas, Food & Medical, Industrial, Semiconductors



7648722 PEEK

PEEK PLASTIC FILM, 200MM X 305MM X 0.125MM

包装尺寸: 5 x EA

- Material: PEEK
- Length: 200 mm
- Width: 305 mm
- Thickness: 0.125 mm
- Dielectric Strength: 190 kV
- Maximum Operating Temperature: +200 °C
- Application: Aerospace, Automotive, Electronics, Energy Such as Oil & Gas, Food & Medical, Industrial, Semiconductors



7648725 PEEK

GRADE 4 PRESS PAPER, 0.5MM

包装尺寸: 5 x EA

- Material: Cotton
- Length: 304 mm
- Width: 200 mm
- Thickness: 0.5 mm
- Density: 1.05 to 1.2 g/cm³
- Dielectric Strength: 74 to 88 kV/mm, 14 kV/mm
- Application: Electrical



7757790 Cotton

FORMEX GK-17, 0.45MM

包装尺寸: 5 x EA

- Material: Polypropylene
- Length: 304 mm
- Width: 200 mm
- Thickness: 0.45 mm
- Density: 1.035 g/cm³
- Application: Electrical



7757797 Polypropylene

ELEPHANTIDE GRADE K, 1MM

包装尺寸: 5 x EA

- Material: PET
- Length: 304 mm
- Width: 200 mm
- Thickness: 1 mm
- Maximum Operating Temperature: +120 °C
- Application: Coil Separation, Phase Separation & Intercoil Insulations, Slot Liners



7757794 PET

MYLAR FILM 0.1MM, PACK OF 5

包装尺寸: 5 x EA

- Material: Mylar
- Length: 304 mm
- Width: 200 mm
- Thickness: 0.1 mm
- Maximum Operating Temperature: +150 °C
- Application: Industrial



7850792 Mylar

MYLAR FILM 0.050MM, PACK OF 5

包装尺寸: 5 x EA

- Material: Mylar
- Length: 304 mm
- Width: 200 mm
- Thickness: 0.05 mm
- Maximum Operating Temperature: +150 °C
- Application: Industrial



7850786 Mylar

MYLAR FILM 0.023MM, PACK OF 5

包装尺寸: 5 x EA

- Material: Mylar
- Length: 304 mm
- Width: 200 mm
- Thickness: 0.023 mm
- Maximum Operating Temperature: +150 °C
- Application: Industrial



7850782 Mylar

MYLAR FILM 0.075MM, PACK OF 5

包装尺寸: 5 x EA

- Material: Mylar
- Length: 304 mm
- Width: 200 mm
- Thickness: 0.075 mm
- Maximum Operating Temperature: +150 °C
- Application: Industrial



7850795 Mylar

MYLAR FILM 0.25MM, PACK OF 5

包裝尺寸: **5 x EA**

- Material: Mylar
- Length: 304 mm
- Width: 200 mm
- Thickness: 0.25 mm
- Maximum Operating Temperature: +150 °C
- Application: Industrial



7850802 Mylar

MYLAR PLASTIC FILM, 304MM X 200MM X 0.125MM

包裝尺寸: **5 x EA**

- Material: Mylar
- Length: 304 mm
- Width: 200 mm
- Thickness: 0.125 mm
- Maximum Operating Temperature: +150 °C
- Application: Industrial



7850798 Mylar

FORMEX BLACK 0.127MM, PACK OF 5

包裝尺寸: **5 x EA**

- Material: Polypropylene
- Length: 304 mm
- Width: 200 mm
- Thickness: 0.127 mm
- Density: 1035 kg/m³
- Dielectric Strength: 1460 kV
- Application: Electrical



7850805 Polypropylene

FORMEX BLACK 0.25MM, PACK OF 5

包裝尺寸: **5 x EA**

- Material: Polypropylene
- Length: 304 mm
- Width: 200 mm
- Thickness: 0.25 mm
- Density: 1035 kg/m³
- Dielectric Strength: 1460 kV
- Application: Electrical



7850809 Polypropylene

FORMEX BLACK 0.76MM, PACK OF 5

包裝尺寸: **5 x EA**

- Material: Polypropylene
- Length: 304 mm
- Width: 200 mm
- Thickness: 0.76 mm
- Density: 1035 kg/m³
- Dielectric Strength: 1460 kV
- Application: Electrical



7850811 Polypropylene

MICA FILM 0.2MM, PACK OF 5

包裝尺寸: **5 x EA**

- Material: Mica
- Length: 304 mm
- Width: 200 mm
- Thickness: 0.2 mm
- Density: 2.15 g/cm³
- Dielectric Strength: 25 kV/mm
- Maximum Operating Temperature: +500 °C
- Application: Electrical



7850815 Mica

FORMEX BLACK 0.45MM, PACK OF 5

包裝尺寸: **5 x EA**

- Material: Polypropylene
- Length: 304 mm
- Width: 200 mm
- Thickness: 0.45 mm
- Density: 1035 kg/m³
- Dielectric Strength: 1460 kV
- Application: Electrical



7850818 Polypropylene

MICA FILM 1.0MM, PACK OF 5

包裝尺寸: **5 x EA**

- Material: Mica
- Length: 304 mm
- Width: 200 mm
- Thickness: 1 mm
- Density: 2.15 g/cm³
- Dielectric Strength: 25 kV/mm
- Maximum Operating Temperature: +500 °C
- Application: Electrical



7850827 Mica

RS PRO BEIGE POLYETHERETHERKETONE PEEK ROD,

包裝尺寸: **1 x EA**

- Colour: Beige
- Length: 300 mm
- Material: PEEK
- Form: Rod
- Rod Diameter: 30 mm
- Density: 1.32 g/cm³
- Tensile Strength: 95 MPa
- Maximum Operating Temperature: +260 °C



129729 Beige

MICA FILM 0.5MM, PACK OF 5

包裝尺寸: **5 x EA**

- Material: Mica
- Length: 304 mm
- Width: 200 mm
- Thickness: 0.5 mm
- Density: 2.15 g/cm³
- Dielectric Strength: 25 kV/mm
- Maximum Operating Temperature: +500 °C
- Application: Electrical



7850824 Mica

RS PRO BEIGE POLYETHERETHERKETONE PEEK ROD,

包裝尺寸: **1 x EA**

- Colour: Beige
- Length: 300 mm
- Material: PEEK
- Form: Rod
- Rod Diameter: 32 mm
- Density: 1.32 g/cm³
- Tensile Strength: 95 MPa
- Maximum Operating Temperature: +260 °C



514354 Beige

PEEK 450G ROD STOCK, 300MM L 12MM DIA

包裝尺寸: **1 x EA**

- Colour: Beige
- Length: 300 mm
- Material: PEEK
- Form: Rod
- Rod Diameter: 12 mm
- Density: 1.15 g/cm³
- Tensile Strength: 95 MPa
- Maximum Operating Temperature: +260 °C



514360 Beige

RS PRO WHITE ACETAL ROD, 1M X 10MM DIAMETER

包裝尺寸: **5 x EA**

- Colour: White
- Length: 1 m
- Material: Acetal
- Form: Rod
- Rod Diameter: 10 mm
- Density: 1.42 g/cm³
- Tensile Strength: 70 MPa
- Maximum Operating Temperature: +100 °C



514512 White

RS PRO WHITE ACETAL ROD, 1M X 56MM DIAMETER

包裝尺寸: **1 x EA**

- Colour: White
- Length: 1 m
- Material: Acetal
- Form: Rod
- Rod Diameter: 56 mm
- Density: 1.42 g/cm³
- Tensile Strength: 70 MPa
- Maximum Operating Temperature: +100 °C



514726 White

RS PRO WHITE NYLON ROD, 1M X 12MM DIAMETER

包裝尺寸: **5 x EA**

- Colour: White
- Length: 1 m
- Material: Nylon
- Form: Rod
- Rod Diameter: 12 mm
- Density: 1.14 g/cm³
- Tensile Strength: 60 (Wet) MPa, 80 (Dry) MPa
- Maximum Operating Temperature: +170 °C



514607 White

RS PRO NATURAL NYLON ROD, 500MM X 125MM DIAMETER

包裝尺寸: **1 x EA**

- Colour: Natural
- Length: 500 mm
- Material: Nylon
- Form: Rod
- Rod Diameter: 125 mm
- Density: 1.15 g/cm³
- Tensile Strength: 60 (Wet) MPa, 85 (Dry) MPa
- Maximum Operating Temperature: +180 °C



514619 Natural

TECAPEEK CF 30% CARBON ROD 300X30 D

包装尺寸: 1 x EA

- Colour: Black
- Length: 300 mm
- Material: PEEK
- Form: Rod
- Rod Diameter: 30 mm
- Density: 1.44 g/cm³
- Tensile Strength: 215 MPa
- Maximum Operating Temperature: +260 °C



514736 Black

PEEK 450G ROD STOCK,300MM L 6MM DIA

包装尺寸: 1 x EA

- Colour: Beige
- Length: 300 mm
- Material: PEEK
- Form: Rod
- Rod Diameter: 6 mm
- Density: 1.32 g/cm³
- Tensile Strength: 95 MPa
- Maximum Operating Temperature: +260 °C



514748 Beige

RS PRO BEIGE POLYETHERETHERKETONE PEEK ROD,

包装尺寸: 1 x EA

- Colour: Beige
- Length: 300 mm
- Material: PEEK
- Form: Rod
- Rod Diameter: 50 mm
- Density: 1.49 g/cm³
- Tensile Strength: 180 MPa
- Maximum Operating Temperature: +260 °C



514764 Beige

RS PRO WHITE NYLON ROD, 1M X 32MM DIAMETER

包装尺寸: 1 x EA

- Colour: White
- Length: 1 m
- Material: Nylon
- Form: Rod
- Rod Diameter: 32 mm
- Density: 1.14 g/cm³
- Tensile Strength: 60 (Wet) MPa, 80 (Dry) MPa
- Maximum Operating Temperature: +170 °C



514805 White

RS PRO BEIGE POLYETHERETHERKETONE PEEK ROD,

包装尺寸: 1 x EA

- Colour: Beige
- Length: 300 mm
- Material: PEEK
- Form: Rod
- Rod Diameter: 80 mm
- Density: 1.32 g/cm³
- Tensile Strength: 95 MPa
- Maximum Operating Temperature: +260 °C



514770 Beige

PEEK 450G ROD STOCK,300MM L 8MM DIA

包装尺寸: 1 x EA

- Colour: Beige
- Length: 300 mm
- Material: PEEK
- Form: Rod
- Rod Diameter: 8 mm
- Density: 1.32 g/cm³
- Tensile Strength: 95 MPa
- Maximum Operating Temperature: +260 °C



514776 Beige

RS PRO WHITE NYLON ROD, 1M X 20MM DIAMETER

包装尺寸: 2 x EA

- Colour: White
- Length: 1 m
- Material: Nylon
- Form: Rod
- Rod Diameter: 20 mm
- Density: 1.14 g/cm³
- Tensile Strength: 60 (Wet) MPa, 80 (Dry) MPa
- Maximum Operating Temperature: +170 °C



680268 White

RS PRO WHITE NYLON ROD, 1M X 10MM DIAMETER

包装尺寸: 5 x EA

- Colour: White
- Length: 1 m
- Material: Nylon
- Form: Rod
- Rod Diameter: 10 mm
- Density: 1.14 g/cm³
- Tensile Strength: 60 (Wet) MPa, 80 (Dry) MPa
- Flammability Rating: UL HB



680246 White

RS PRO OPAQUE FLUOROPLASTICS PTFE ROD, 1M X 15MM DIAMETER

包装尺寸: 3 x EA

- Colour: Opaque
- Length: 1 m
- Material: PTFE
- Form: Rod
- Rod Diameter: 15 mm
- Density: 2.18 → 2.21 g/cm³
- Tensile Strength: 25 MPa
- Maximum Operating Temperature: +260 °C



680634 Opaque

RS PRO OPAQUE FLUOROPLASTICS PTFE ROD, 1M X 20MM DIAMETER

包装尺寸: 2 x EA

- Colour: Opaque
- Length: 1 m
- Material: PTFE
- Form: Rod
- Rod Diameter: 20 mm
- Density: 2.18 → 2.21 g/cm³
- Tensile Strength: 25 MPa
- Maximum Operating Temperature: +260 °C



680640 Opaque

RS PRO GREY POLYVINYL CHLORIDE PVC ROD, 1M X 15MM DIAMETER

包装尺寸: 3 x EA

- Colour: Grey
- Length: 1 m
- Material: PVC
- Form: Rod
- Rod Diameter: 15 mm
- Density: 1.47 g/cm³
- Tensile Strength: 55 MPa
- Maximum Operating Temperature: +60 °C



680713 Grey

RS PRO GREY POLYVINYL CHLORIDE PVC ROD, 1M X 20MM DIAMETER

包装尺寸: 2 x EA

- Colour: Grey
- Length: 1 m
- Material: PVC
- Form: Rod
- Rod Diameter: 20 mm
- Density: 1.47 g/cm³
- Tensile Strength: 55 MPa
- Maximum Operating Temperature: +60 °C



680729 Grey

RS PRO OPAQUE FLUOROPLASTICS PTFE ROD, 1M X 25MM DIAMETER

包装尺寸: 2 x EA

- Colour: Opaque
- Length: 1 m
- Material: PTFE
- Form: Rod
- Rod Diameter: 25 mm
- Density: 2.18 → 2.21 g/cm³
- Tensile Strength: 25 MPa
- Maximum Operating Temperature: +260 °C



680656 Opaque

RS PRO GREY POLYVINYL CHLORIDE PVC ROD, 1M X 25MM DIAMETER

包装尺寸: 2 x EA

- Colour: Grey
- Length: 1 m
- Material: PVC
- Form: Rod
- Rod Diameter: 25 mm
- Density: 1.43 g/cm³
- Tensile Strength: 500 MPa
- Maximum Operating Temperature: +60 °C



680735 Grey

RS PRO OPAQUE FLUOROPLASTICS PTFE ROD, 1M X 40MM DIAMETER

包装尺寸: 1 x EA

- Colour: Opaque
- Length: 1 m
- Material: PTFE
- Form: Rod
- Rod Diameter: 40 mm
- Density: 2.18 → 2.21 g/cm³
- Tensile Strength: 25 MPa
- Flammability Rating: UL 94 V-0



752600 Opaque

RS PRO WHITE ACETAL ROD, 1M X 12MM DIAMETER

包装尺寸: 5 x EA

- Colour: White
- Length: 1 m
- Material: Delrin®
- Form: Rod
- Rod Diameter: 12 mm
- Density: 1.42 g/cm³
- Tensile Strength: 70 MPa
- Maximum Operating Temperature: +100 °C



770282 White

RS PRO WHITE ACETAL ROD, 1M X 16MM DIAMETER

- 包装尺寸: **3 x EA**
- Colour: White
 - Length: 1 m
 - Material: Delrin®
 - Form: Rod
 - Rod Diameter: 16 mm
 - Density: 1.42 g/cm³
 - Tensile Strength: 70 MPa
 - Maximum Operating Temperature: +100 °C



770298 White

RS PRO WHITE ACETAL ROD, 1M X 20MM DIAMETER

- 包装尺寸: **2 x EA**
- Colour: White
 - Length: 1 m
 - Material: Delrin®
 - Form: Rod
 - Rod Diameter: 20 mm
 - Density: 1.42 g/cm³
 - Tensile Strength: 70 MPa
 - Maximum Operating Temperature: +100 °C



770305 White

PEEK 450G ROD STOCK,300MM L 10MM DIA

- 包装尺寸: **1 x EA**
- Colour: Beige
 - Length: 300 mm
 - Material: PEEK
 - Form: Rod
 - Rod Diameter: 10 mm
 - Density: 1.32 g/cm³
 - Tensile Strength: 95 MPa
 - Flammability Rating: UL 94 V-0



770670 Beige

PEEK 450G ROD STOCK,300MM L 16MM DIA

- 包装尺寸: **1 x EA**
- Colour: Beige
 - Length: 300 mm
 - Material: PEEK
 - Form: Rod
 - Rod Diameter: 16 mm
 - Density: 1.32 g/cm³
 - Tensile Strength: 95 MPa
 - Maximum Operating Temperature: +260 °C



770686 Beige

PEEK 450G ROD STOCK,300MM L 20MM DIA

- 包装尺寸: **1 x EA**
- Colour: Beige
 - Length: 300 mm
 - Material: PEEK
 - Form: Rod
 - Rod Diameter: 20 mm
 - Density: 1.32 g/cm³
 - Tensile Strength: 95 MPa
 - Maximum Operating Temperature: +260 °C



770692 Beige

PEEK 450G ROD STOCK,300MM L 25MM DIA

- 包装尺寸: **1 x EA**
- Colour: Beige
 - Length: 300 mm
 - Material: PEEK
 - Form: Rod
 - Rod Diameter: 25 mm
 - Density: 1.32 g/cm³
 - Tensile Strength: 95 MPa
 - Maximum Operating Temperature: +260 °C



770709 Beige

RS PRO BEIGE POLYETHERETHERKETONE PEEK ROD,

- 包装尺寸: **1 x EA**
- Colour: Beige
 - Length: 300 mm
 - Material: PEEK
 - Form: Rod
 - Rod Diameter: 40 mm
 - Density: 1.32 g/cm³
 - Tensile Strength: 95 MPa
 - Maximum Operating Temperature: +260 °C



770715 Beige

RS PRO BEIGE POLYETHERETHERKETONE PEEK ROD,

- 包装尺寸: **1 x EA**
- Colour: Beige
 - Length: 300 mm
 - Material: PEEK
 - Form: Rod
 - Rod Diameter: 50 mm
 - Density: 1.32 g/cm³
 - Tensile Strength: 95 MPa
 - Maximum Operating Temperature: +260 °C



770721 Beige

RS PRO GREEN NYLON ROD, 1M X 15MM DIAMETER

- 包装尺寸: **3 x EA**
- Colour: Green
 - Length: 1 m
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 15 mm
 - Density: 1.15 g/cm³
 - Tensile Strength: 70 MPa
 - Maximum Operating Temperature: +180 °C



771140 Green

RS PRO GREEN NYLON ROD, 1M X 35MM DIAMETER

- 包装尺寸: **1 x EA**
- Colour: Green
 - Length: 1 m
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 35 mm
 - Density: 1.15 g/cm³
 - Tensile Strength: 70 MPa
 - Maximum Operating Temperature: +180 °C



771178 Green

RS PRO YELLOW NYLON ROD, 500MM X 65MM DIAMETER

- 包装尺寸: **1 x EA**
- Colour: Yellow
 - Length: 500 mm
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 65 mm
 - Density: 1.15 g/cm³
 - Tensile Strength: 60 (Wet) MPa, 85 (Dry) MPa
 - Flammability Rating: UL 94 HB



1847074 Yellow

CAST NYLON 6 PLASTIC ROD STOCK,500X70MM

- 包装尺寸: **1 x EA**
- Colour: Natural
 - Length: 500 mm
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 70 mm
 - Density: 1.15 g/cm³
 - Tensile Strength: 60 (Wet) MPa, 85 (Dry) MPa
 - Maximum Operating Temperature: +180 °C



1847080 Natural

CAST NYLON 6 PLASTIC ROD STOCK,500X75MM

- 包装尺寸: **1 x EA**
- Colour: Natural
 - Length: 500 mm
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 75 mm
 - Density: 1.15 g/cm³
 - Tensile Strength: 60 (Wet) MPa, 85 (Dry) MPa
 - Maximum Operating Temperature: +180 °C



1847096 Natural

RS PRO NATURAL NYLON ROD, 500MM X 80MM DIAMETER

- 包装尺寸: **1 x EA**
- Colour: Natural
 - Length: 500 mm
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 80 mm
 - Density: 1.15 g/cm³
 - Tensile Strength: 60 (Wet) MPa, 85 (Dry) MPa
 - Maximum Operating Temperature: +180 °C



1847119 Natural

RS PRO NATURAL NYLON ROD, 500MM X 90MM DIAMETER

- 包装尺寸: **1 x EA**
- Colour: Natural
 - Length: 500 mm
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 90 mm
 - Density: 1.15 g/cm³
 - Tensile Strength: 60 (Wet) MPa, 85 (Dry) MPa
 - Flammability Rating: UL 94 HB



1847131 Natural

RS PRO NATURAL NYLON ROD, 500MM X 110MM DIAMETER

- 包装尺寸: **1 x EA**
- Colour: Natural
 - Length: 500 mm
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 110 mm
 - Density: 1.15 g/cm³
 - Tensile Strength: 60 (Wet) MPa, 85 (Dry) MPa
 - Maximum Operating Temperature: +180 °C



1847169 Natural

RS PRO BLACK NYLON ROD, 500MM X 65MM DIAMETER

- 包装尺寸: 1 x EA
- Colour: Black
 - Length: 500 mm
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 65 mm
 - Density: 1.15 g/cm³
 - Tensile Strength: 75 MPa
 - Flammability Rating: UL 94 HB



1935294 Black

RS PRO BLACK NYLON ROD, 500MM X 80MM DIAMETER

- 包装尺寸: 1 x EA
- Colour: Black
 - Length: 500 mm
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 80 mm
 - Density: 1.15 g/cm³
 - Tensile Strength: 75 MPa
 - Flammability Rating: UL 94 HB



1935323 Black

RS PRO BLACK NYLON ROD, 500MM X 90MM DIAMETER

- 包装尺寸: 1 x EA
- Colour: Black
 - Length: 500 mm
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 90 mm
 - Density: 1.15 g/cm³
 - Tensile Strength: 75 MPa
 - Flammability Rating: UL 94 HB



1935351 Black

RS PRO BLACK NYLON ROD, 500MM X 100MM DIAMETER

- 包装尺寸: 1 x EA
- Colour: Black
 - Length: 500 mm
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 100 mm
 - Density: 1.15 g/cm³
 - Tensile Strength: 75 MPa
 - Flammability Rating: UL 94 HB



1935373 Black

RS PRO BLACK NYLON ROD, 500MM X 75MM DIAMETER

- 包装尺寸: 1 x EA
- Colour: Black
 - Length: 500 mm
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 75 mm
 - Density: 1.15 g/cm³
 - Tensile Strength: 75 MPa
 - Flammability Rating: UL 94 HB



1935317 Black

RS PRO BLACK NYLON ROD, 500MM X 120MM DIAMETER

- 包装尺寸: 1 x EA
- Colour: Black
 - Length: 500 mm
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 120 mm
 - Density: 1.15 g/cm³
 - Tensile Strength: 75 MPa
 - Flammability Rating: UL 94 HB



1935424 Black

PTFE PLASTIC ROD STOCK, 500MM L 25MM DIA

- 包装尺寸: 1 x EA
- Colour: Opaque
 - Length: 500 mm
 - Material: PTFE
 - Form: Rod
 - Rod Diameter: 25 mm
 - Density: 2.18 → 2.21 g/cm³
 - Tensile Strength: 25 MPa
 - Maximum Operating Temperature: +260 °C



1969893 Opaque

PTFE PLASTIC ROD STOCK, 500MM L 38MM DIA

- 包装尺寸: 1 x EA
- Colour: Opaque
 - Length: 500 mm
 - Material: PTFE
 - Form: Rod
 - Rod Diameter: 38 mm
 - Density: 2.18 → 2.21 g/cm³
 - Tensile Strength: 25 MPa
 - Flammability Rating: UL 94 V-0



1969916 Opaque

PTFE PLASTIC ROD STOCK, 500MM L 40MM DIA

- 包装尺寸: 1 x EA
- Colour: Opaque
 - Length: 500 mm
 - Material: PTFE
 - Form: Rod
 - Rod Diameter: 40 mm
 - Density: 2.18 → 2.21 g/cm³
 - Tensile Strength: 25 MPa
 - Maximum Operating Temperature: +260 °C



1969922 Opaque

PTFE PLASTIC ROD STOCK, 500MM L 32MM DIA

- 包装尺寸: 1 x EA
- Colour: Opaque
 - Length: 500 mm
 - Material: PTFE
 - Form: Rod
 - Rod Diameter: 32 mm
 - Density: 2.18 → 2.21 g/cm³
 - Tensile Strength: 25 MPa
 - Maximum Operating Temperature: +260 °C



1969900 Opaque

RS PRO OPAQUE FLUOROPLASTICS PTFE ROD, 500MM X 45MM DIAMETER

- 包装尺寸: 1 x EA
- Colour: Opaque
 - Length: 500 mm
 - Material: PTFE
 - Form: Rod
 - Rod Diameter: 45 mm
 - Density: 2.18 → 2.21 g/cm³
 - Tensile Strength: 25 MPa
 - Maximum Operating Temperature: +260 °C



1969944 Opaque

RS PRO OPAQUE FLUOROPLASTICS PTFE ROD, 500MM X 65MM DIAMETER

- 包装尺寸: 1 x EA
- Colour: Opaque
 - Length: 500 mm
 - Material: PTFE
 - Form: Rod
 - Rod Diameter: 65 mm
 - Density: 2.18 → 2.21 g/cm³
 - Tensile Strength: 25 MPa
 - Maximum Operating Temperature: +260 °C



1969966 Opaque

PTFE PLASTIC ROD STOCK, 500MM L 50MM DIA


- 包装尺寸: 1 x EA
- Colour: Opaque
 - Length: 500 mm
 - Material: PTFE
 - Form: Rod
 - Rod Diameter: 50 mm
 - Density: 2.18 → 2.21 g/cm³
 - Tensile Strength: 25 MPa
 - Maximum Operating Temperature: +260 °C



1969950 Opaque

RS PRO OPAQUE FLUOROPLASTICS PTFE ROD, 300MM X 70MM DIAMETER

- 包装尺寸: 1 x EA
- Colour: Opaque
 - Length: 300 mm
 - Material: PTFE
 - Form: Rod
 - Rod Diameter: 70 mm
 - Density: 2.18 → 2.21 g/cm³
 - Tensile Strength: 25 MPa
 - Maximum Operating Temperature: +260 °C



1969972 Opaque

PTFE PLASTIC ROD STOCK, 300MM L 80MM DIA

- 包装尺寸: 1 x EA
- Colour: Opaque
 - Length: 300 mm
 - Material: PTFE
 - Form: Rod
 - Rod Diameter: 80 mm
 - Density: 2.18 → 2.21 g/cm³
 - Tensile Strength: 25 MPa
 - Maximum Operating Temperature: +260 °C



1969988 Opaque

RS PRO BROWN POLYAMIDE-IMIDE PAI ROD, 300MM X 12.7MM DIAMETER

- 包装尺寸: 1 x EA
- Colour: Brown
 - Length: 300 mm
 - Material: PAI
 - Form: Rod
 - Rod Diameter: 12.7 mm
 - Density: 1.42 g/cm³
 - Tensile Strength: 192 MPa
 - Maximum Operating Temperature: +260 °C



2577063 Brown

RS PRO BLACK POLYAMIDE-IMIDE PAI ROD, 300MM X 12.7MM DIAMETER

- 包装尺寸: 1 x EA
- Colour: Black
 - Length: 300 mm
 - Material: PAI
 - Form: Rod
 - Rod Diameter: 12.7 mm
 - Density: 1.46 g/cm³
 - Tensile Strength: 164 MPa
 - Maximum Operating Temperature: +260 °C



2577120 Black

RS PRO BLACK POLYAMIDE-IMIDE PAI ROD, 300MM X 19.049MM DIAMETER

- 包装尺寸: 1 x EA
- Colour: Black
 - Length: 300 mm
 - Material: PAI
 - Form: Rod
 - Rod Diameter: 19.049 mm
 - Density: 1.46 g/cm³
 - Tensile Strength: 164 MPa
 - Maximum Operating Temperature: +260 °C



2577136 Black

RS PRO BLACK NYLON ROD, 1M X 40MM DIAMETER


- 包装尺寸: 1 x EA
- Colour: Black
 - Length: 1 m
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 40 mm
 - Density: 1.14 g/cm³
 - Tensile Strength: 75 MPa
 - Flammability Rating: UL 94 HB



2577271 Black

RS PRO BLACK ACETAL ROD, 1M X 25MM DIAMETER

- 包装尺寸: 2 x EA
- Colour: Black
 - Length: 1 m
 - Material: Acetal
 - Form: Rod
 - Rod Diameter: 25 mm
 - Density: 1.41 g/cm³
 - Tensile Strength: 55 MPa
 - Maximum Operating Temperature: +100 °C



2820317 Black

RS PRO BLACK NYLON ROD, 1M X 30MM DIAMETER

- 包装尺寸: 2 x EA
- Colour: Black
 - Length: 1 m
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 30 mm
 - Density: 1.14 g/cm³
 - Tensile Strength: 75 MPa
 - Flammability Rating: UL 94 HB



2820676 Black

PEEK 450G ROD STOCK, 300MM L 36MM DIA

- 包装尺寸: 1 x EA
- Colour: Beige
 - Length: 300 mm
 - Material: PEEK
 - Form: Rod
 - Rod Diameter: 36 mm
 - Density: 1.32 g/cm³
 - Tensile Strength: 95 MPa
 - Flammability Rating: UL 94 V-0



2820610 Beige

RS PRO BLACK NYLON ROD, 1M X 25MM DIAMETER

- 包装尺寸: 2 x EA
- Colour: Black
 - Length: 1 m
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 25 mm
 - Density: 1.14 g/cm³
 - Tensile Strength: 75 MPa
 - Maximum Operating Temperature: +160 °C



2820654 Black

PEEK GF 30 ROD STOCK, 300MM L 10MM DIA

- 包装尺寸: 1 x EA
- Colour: Beige
 - Length: 300 mm
 - Material: PEEK
 - Form: Rod
 - Rod Diameter: 10 mm
 - Density: 1.49 g/cm³
 - Tensile Strength: 180 MPa
 - Maximum Operating Temperature: +260 °C



2970096 Beige

RS PRO BEIGE POLYETHERETHERKETONE PEEK ROD,

- 包装尺寸: 1 x EA
- Colour: Beige
 - Length: 300 mm
 - Material: PEEK
 - Form: Rod
 - Rod Diameter: 16 mm
 - Density: 1.49 g/cm³
 - Tensile Strength: 180 MPa
 - Maximum Operating Temperature: +260 °C



2970103 Beige

RS PRO BEIGE POLYETHERETHERKETONE PEEK ROD,

- 包装尺寸: 1 x EA
- Colour: Beige
 - Length: 300 mm
 - Material: PEEK
 - Form: Rod
 - Rod Diameter: 40 mm
 - Density: 1.49 g/cm³
 - Tensile Strength: 180 MPa
 - Maximum Operating Temperature: +260 °C



2970119 Beige

BLACK PEEK ROD STOCK, 300MM L 10MM DIA

- 包装尺寸: 1 x EA
- Colour: Black
 - Length: 300 mm
 - Material: PEEK
 - Form: Rod
 - Rod Diameter: 10 mm
 - Density: 1.48 g/cm³
 - Tensile Strength: 130 MPa
 - Maximum Operating Temperature: +260 °C



2970147 Black

RS PRO BLACK POLYETHERETHERKETONE PEEK ROD,

- 包装尺寸: 1 x EA
- Colour: Black
 - Length: 300 mm
 - Material: PEEK
 - Form: Rod
 - Rod Diameter: 40 mm
 - Density: 1.48 g/cm³
 - Tensile Strength: 130 MPa
 - Maximum Operating Temperature: +260 °C



2970153 Black

RS PRO BLACK POLYETHERETHERKETONE PEEK ROD,

- 包装尺寸: 1 x EA
- Colour: Black
 - Length: 300 mm
 - Material: PEEK
 - Form: Rod
 - Rod Diameter: 20 mm
 - Density: 1.48 g/cm³
 - Tensile Strength: 130 MPa
 - Maximum Operating Temperature: +260 °C



2970175 Black

RS PRO BLACK POLYPHENYLENE SULPHIDE (PPS) ROD, 500MM X 10MM

- 包装尺寸: 1 x EA
- Colour: Black
 - Length: 500 mm
 - Material: PPS
 - Form: Rod
 - Rod Diameter: 10 mm
 - Density: 1.64 g/cm³
 - Tensile Strength: 160 MPa
 - Maximum Operating Temperature: +230 °C



3257136 Black

RS PRO WHITE ACETAL ROD, 500MM X 80MM DIAMETER

- 包装尺寸: 1 x EA
- Colour: White
 - Length: 500 mm
 - Material: Delrin®
 - Form: Rod
 - Rod Diameter: 80 mm
 - Density: 1.42 g/cm³
 - Tensile Strength: 70 MPa
 - Maximum Operating Temperature: +100 °C



4083986 White

RS PRO NATURAL NYLON ROD, 500MM X 130MM DIAMETER

- 包装尺寸: 1 x EA
- Colour: Natural
 - Length: 500 mm
 - Material: Nylon
 - Form: Rod
 - Rod Diameter: 130 mm
 - Density: 1.15 g/cm³
 - Tensile Strength: 60 (Wet) MPa, 85 (Dry) MPa
 - Maximum Operating Temperature: +180 °C



4383703 Natural

RS PRO WHITE ACETAL ROD, 500MM X 80MM DIAMETER

包装尺寸: 1 x EA

- Colour: White
- Length: 500 mm
- Material: Acetal
- Form: Rod
- Rod Diameter: 80 mm
- Density: 1.41 g/cm³
- Tensile Strength: 60 MPa
- Maximum Operating Temperature: +100 °C



4386235 White

RS PRO BLACK NYLON ROD, 500MM X 130MM DIAMETER

包装尺寸: 1 x EA

- Colour: Black
- Length: 500 mm
- Material: Nylon
- Form: Rod
- Rod Diameter: 130 mm
- Density: 1.15 g/cm³
- Tensile Strength: 75 MPa
- Maximum Operating Temperature: +170 °C



4386421 Black

RS PRO WHITE ACETAL ROD, 500MM X 100MM DIAMETER

包装尺寸: 1 x EA

- Colour: White
- Length: 500 mm
- Material: Acetal
- Form: Rod
- Rod Diameter: 100 mm
- Density: 1.41 g/cm³
- Tensile Strength: 60 MPa
- Maximum Operating Temperature: +100 °C



4386241 White

RS PRO BLACK ACETAL ROD, 500MM X 80MM DIAMETER

包装尺寸: 1 x EA

- Colour: Black
- Length: 500 mm
- Material: Acetal
- Form: Rod
- Rod Diameter: 80 mm
- Density: 1.41 g/cm³
- Tensile Strength: 60 MPa
- Maximum Operating Temperature: +100 °C



4386263 Black

BEIGE PLASTIC SHEET, 500MM X 50MM X 12MM

包装尺寸: 1 x EA

- Colour: Beige
- Form: Full
- Length: 500 mm
- Width: 50 mm
- Thickness: 12 mm
- Material: PEEK
- Laminated: No
- Density: 1.32 g/cm³



129836 Beige

BEIGE PLASTIC SHEET, 500MM X 50MM X 16MM

包装尺寸: 1 x EA

- Colour: Beige
- Form: Full
- Length: 500 mm
- Width: 50 mm
- Thickness: 16 mm
- Material: PEEK
- Laminated: No
- Density: 1.32 g/cm³



129842 Beige

RS PRO BROWN POLYIMIDE PI ROD, 250MM X 13MM DIAMETER

包装尺寸: 1 x EA

- Colour: Brown
- Length: 250 mm
- Material: Polyimide
- Form: Rod
- Rod Diameter: 13 mm
- Density: 1.38 g/cm³
- Impact Strength: 9.8 kJ/m²
- Tensile Strength: 118 MPa



6889391 Brown

RS PRO GREY POLYVINYL CHLORIDE PVC ROD, 1M X 60MM DIAMETER

包装尺寸: 1 x EA

- Colour: Grey
- Length: 1 m
- Material: PVC
- Form: Rod
- Rod Diameter: 60 mm
- Density: 1.44 g/cm³
- Tensile Strength: 500 MPa
- Maximum Operating Temperature: +60 °C



7009855 Grey

WHITE PLASTIC SHEET, 500MM X 300MM X 40MM

包装尺寸: 1 x EA

- Colour: White
- Form: Full
- Length: 500 mm
- Width: 300 mm
- Thickness: 40 mm
- Material: POM
- Laminated: No
- Density: 1.41 g/cm³



139619 White

CLEAR EXTRUDED ACRYLIC SHEET, 500X300X3MM

包装尺寸: 1 x EA

- Colour: Clear
- Form: Full
- Length: 500 mm
- Width: 300 mm
- Thickness: 3 mm
- Material: PMMA
- Laminated: No
- Density: 1.41 g/cm³



434295 Clear

BEIGE PLASTIC SHEET, 300MM X 245MM X 5MM

包装尺寸: 1 x EA

- Colour: Beige
- Form: Full
- Length: 300 mm
- Width: 245 mm
- Thickness: 5 mm
- Material: PEEK
- Laminated: No
- Density: 1.32 g/cm³




514300 Beige

WHITE PLASTIC SHEET, 500MM X 300MM X 20MM

包装尺寸: 1 x EA

- Colour: White
- Form: Full
- Length: 500 mm
- Width: 300 mm
- Thickness: 20 mm
- Material: POM
- Laminated: No
- Density: 1.41 g/cm³



139580 White

WHITE PLASTIC SHEET, 500MM X 300MM X 30MM

包装尺寸: 1 x EA

- Colour: White
- Form: Full
- Length: 500 mm
- Width: 300 mm
- Thickness: 30 mm
- Material: POM
- Laminated: No
- Density: 1.41 g/cm³



139596 White

BEIGE PLASTIC SHEET, 300MM X 245MM X 6MM

包装尺寸: 1 x EA

- Colour: Beige
- Form: Full
- Length: 300 mm
- Width: 245 mm
- Thickness: 6 mm
- Material: PEEK
- Laminated: No
- Density: 1.32 g/cm³




514647 Beige

BEIGE PLASTIC SHEET, 500MM X 50MM X 6MM

包装尺寸: 1 x EA

- Colour: Beige
- Form: Full
- Length: 500 mm
- Width: 50 mm
- Thickness: 6 mm
- Material: PEEK
- Laminated: No
- Density: 1.32 g/cm³




514657 Beige

BLACK PLASTIC SHEET, 500MM X 300MM X 10MM

包装尺寸: 1 x EA

- Colour: Black
- Form: Full
- Length: 500 mm
- Width: 300 mm
- Thickness: 10 mm
- Material: PA
- Laminated: No
- Density: 1.14 g/cm³



514792 Black

**PEEK 450G STRIP
STOCK,500X50X5MM**

- 包装尺寸: 1 x EA
- Colour: Beige
 - Form: Full
 - Length: 500 mm
 - Width: 50 mm
 - Thickness: 5 mm
 - Material: PEEK
 - Laminated: No
 - Density: 1.32 g/cm³



514679 Beige

**WHITE PLASTIC SHEET, 500MM X
300MM X 10MM**

- 包装尺寸: 1 x EA
- Colour: White
 - Form: Full
 - Length: 500 mm
 - Width: 300 mm
 - Thickness: 10 mm
 - Material: POM
 - Laminated: No
 - Density: 1.41 g/cm³



680498 White

**WHITE PLASTIC SHEET, 500MM X
300MM X 25MM**

- 包装尺寸: 1 x EA
- Colour: White
 - Form: Full
 - Length: 500 mm
 - Width: 300 mm
 - Thickness: 25 mm
 - Material: POM
 - Laminated: No
 - Density: 1.41 g/cm³



680511 White

**BEIGE PLASTIC SHEET, 500MM X
50MM X 25MM**

- 包装尺寸: 1 x EA
- Colour: Beige
 - Form: Full
 - Length: 500 mm
 - Width: 50 mm
 - Thickness: 25 mm
 - Material: PEEK
 - Laminated: No
 - Density: 1.32 g/cm³



514782 Beige

**BLACK PLASTIC SHEET, 500MM X
300MM X 6MM**

- 包装尺寸: 2 x EA
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 300 mm
 - Thickness: 6 mm
 - Material: PA
 - Laminated: No
 - Density: 1.14 g/cm³



514798 Black

**WHITE PLASTIC SHEET, 960MM X
470MM X 4MM**

- 包装尺寸: 2 x EA
- Colour: White
 - Form: Full
 - Length: 960 mm
 - Width: 470 mm
 - Thickness: 4 mm
 - Material: PEHD
 - Laminated: No
 - Density: 0.95 → 0.96 g/cm³



680577 White

**WHITE PLASTIC SHEET, 960MM X
470MM X 8MM**

- 包装尺寸: 1 x EA
- Colour: White
 - Form: Full
 - Length: 960 mm
 - Width: 470 mm
 - Thickness: 8 mm
 - Material: PEHD
 - Laminated: No
 - Density: 0.95 → 0.96 g/cm³



680583 White

**WHITE PLASTIC SHEET, 1000MM X
500MM X 10MM**

- 包装尺寸: 1 x EA
- Colour: White
 - Form: Full
 - Length: 1000 mm
 - Width: 500 mm
 - Thickness: 10 mm
 - Material: PEHD
 - Laminated: No
 - Density: 0.95 → 0.96 g/cm³



680599 White

**WHITE PLASTIC SHEET, 600MM X
300MM X 3MM**

- 包装尺寸: 2 x EA
- Colour: White
 - Form: Full
 - Length: 600 mm
 - Width: 300 mm
 - Thickness: 3 mm
 - Material: PTFE
 - Laminated: No
 - Density: 2.18 → 2.21 g/cm³



680678 White

**WHITE PLASTIC SHEET, 1000MM X
500MM X 15MM**

- 包装尺寸: 1 x EA
- Colour: White
 - Form: Full
 - Length: 1000 mm
 - Width: 500 mm
 - Thickness: 15 mm
 - Material: PEHD
 - Laminated: No
 - Density: 0.95 → 0.96 g/cm³



680606 White

**GREY PLASTIC SHEET, 1000MM X
500MM X 4.5MM**

- 包装尺寸: 3 x EA
- Colour: Grey
 - Form: Full
 - Length: 1000 mm
 - Width: 500 mm
 - Thickness: 4.5 mm
 - Material: PVC
 - Laminated: No
 - Density: 1.47 g/cm³



680757 Grey

**WHITE PLASTIC SHEET, 600MM X
300MM X 1.6MM**

- 包装尺寸: 3 x EA
- Colour: White
 - Form: Full
 - Length: 600 mm
 - Width: 300 mm
 - Thickness: 1.6 mm
 - Material: PTFE
 - Laminated: No
 - Density: 2.18 → 2.21 g/cm³



680662 White

**WHITE PLASTIC SHEET, 600MM X
300MM X 6MM**

- 包装尺寸: 1 x EA
- Colour: White
 - Form: Full
 - Length: 600 mm
 - Width: 300 mm
 - Thickness: 6 mm
 - Material: PTFE
 - Laminated: No
 - Density: 2.18 → 2.21 g/cm³



680684 White

**GREY PLASTIC SHEET, 1000MM X
500MM X 3MM**

- 包装尺寸: 5 x EA
- Colour: Grey
 - Form: Full
 - Length: 1000 mm
 - Width: 500 mm
 - Thickness: 3 mm
 - Material: PVC
 - Laminated: No
 - Density: 1.47 g/cm³



680741 Grey

**GREY PLASTIC SHEET, 1000MM X
500MM X 6MM**

- 包装尺寸: 2 x EA
- Colour: Grey
 - Form: Full
 - Length: 1000 mm
 - Width: 500 mm
 - Thickness: 6 mm
 - Material: PVC
 - Laminated: No
 - Density: 1.47 g/cm³



680763 Grey

**BEIGE PLASTIC SHEET, 995MM X
495MM X 3MM**

- 包装尺寸: 3 x EA
- Colour: Beige
 - Form: Full
 - Length: 995 mm
 - Width: 495 mm
 - Thickness: 3 mm
 - Material: PP
 - Laminated: No
 - Density: 0.91 g/cm³



682551 Beige

BEIGE PLASTIC SHEET, 995MM X 495MM X 9MM


- 包装尺寸: 1 x EA
- Colour: Beige
 - Form: Full
 - Length: 995 mm
 - Width: 495 mm
 - Thickness: 9 mm
 - Material: PP
 - Laminated: No
 - Density: 0.91 g/cm³



682589 Beige

WHITE PLASTIC SHEET, 500MM X 300MM X 5MM

- 包装尺寸: 3 x EA
- Colour: White
 - Form: Full
 - Length: 500 mm
 - Width: 300 mm
 - Thickness: 5 mm
 - Material: PMMA
 - Laminated: No
 - Density: 1.41 g/cm³



680892 White

CLEAR EXTRUDED ACRYLIC SHEET, 500X300X6MM

- 包装尺寸: 3 x EA
- Colour: Clear
 - Form: Full
 - Length: 500 mm
 - Width: 300 mm
 - Thickness: 6 mm
 - Material: PMMA
 - Laminated: No
 - Density: 1.41 g/cm³



680886 Clear

WHITE PLASTIC SHEET, 600MM X 300MM X 10MM


- 包装尺寸: 1 x EA
- Colour: White
 - Form: Full
 - Length: 600 mm
 - Width: 300 mm
 - Thickness: 10 mm
 - Material: PTFE
 - Laminated: No
 - Density: 2.18 → 2.21 g/cm³



752644 White

BLACK PLASTIC SHEET, 500MM X 305MM X 10MM, POLYAMIDE 6.6


- 包装尺寸: 1 x EA
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 305 mm
 - Thickness: 10 mm
 - Material: GRP
 - Laminated: Yes
 - Density: 1.35 g/cm³



771869 Black

BLACK PLASTIC SHEET, 500MM X 305MM X 20MM, POLYAMIDE 6.6

- 包装尺寸: 1 x EA
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 305 mm
 - Thickness: 20 mm
 - Material: GRP
 - Laminated: Yes
 - Density: 1.35 g/cm³



771875 Black

CLEAR PLASTIC SHEET, 500MM X 400MM X 1.5MM

- 包装尺寸: 3 x EA
- Colour: Clear
 - Form: Full
 - Length: 500 mm
 - Width: 400 mm
 - Thickness: 1.5 mm
 - Material: PMMA
 - Laminated: No
 - Density: 1.41 g/cm³



824480 Clear

CLEAR PLASTIC SHEET, 500MM X 400MM X 4MM


- 包装尺寸: 3 x EA
- Colour: Clear
 - Form: Full
 - Length: 500 mm
 - Width: 400 mm
 - Thickness: 4 mm
 - Material: PMMA
 - Laminated: No
 - Density: 1.41 g/cm³



824519 Clear

CLEAR PLASTIC SHEET, 500MM X 400MM X 2MM


- 包装尺寸: 3 x EA
- Colour: Clear
 - Form: Full
 - Length: 500 mm
 - Width: 400 mm
 - Thickness: 2 mm
 - Material: PMMA
 - Laminated: No
 - Density: 1.41 g/cm³



824496 Clear

CLEAR PLASTIC SHEET, 500MM X 400MM X 2.5MM

- 包装尺寸: 3 x EA
- Colour: Clear
 - Form: Full
 - Length: 500 mm
 - Width: 400 mm
 - Thickness: 2.5 mm
 - Material: PMMA
 - Laminated: No
 - Density: 1.41 g/cm³



824503 Clear

CLEAR PLASTIC SHEET, 500MM X 400MM X 5MM

- 包装尺寸: 3 x EA
- Colour: Clear
 - Form: Full
 - Length: 500 mm
 - Width: 400 mm
 - Thickness: 5 mm
 - Material: PMMA
 - Laminated: No
 - Density: 1.41 g/cm³



824525 Clear

CLEAR PLASTIC SHEET, 500MM X 400MM X 4MM

- 包装尺寸: 2 x EA
- Colour: Clear
 - Form: Full
 - Length: 500 mm
 - Width: 400 mm
 - Thickness: 4 mm
 - Material: PMMA
 - Laminated: No
 - Density: 1.41 g/cm³



824660 Clear

CLEAR PLASTIC SHEET, 500MM X 400MM X 5MM

- 包装尺寸: 2 x EA
- Colour: Clear
 - Form: Full
 - Length: 500 mm
 - Width: 400 mm
 - Thickness: 5 mm
 - Material: PMMA
 - Laminated: No
 - Density: 1.41 g/cm³



824676 Clear

CLEAR PLASTIC SHEET, 500MM X 400MM X 2MM

- 包装尺寸: 2 x EA
- Colour: Clear
 - Form: Full
 - Length: 500 mm
 - Width: 400 mm
 - Thickness: 2 mm
 - Material: PMMA
 - Laminated: No
 - Density: 1.41 g/cm³



824632 Clear

CLEAR PLASTIC SHEET, 500MM X 400MM X 3MM

- 包装尺寸: 2 x EA
- Colour: Clear
 - Form: Full
 - Length: 500 mm
 - Width: 400 mm
 - Thickness: 3 mm
 - Material: PMMA
 - Laminated: No
 - Density: 1.41 g/cm³



824654 Clear

CLEAR PLASTIC SHEET, 500MM X 400MM X 6MM

- 包装尺寸: 2 x EA
- Colour: Clear
 - Form: Full
 - Length: 500 mm
 - Width: 400 mm
 - Thickness: 6 mm
 - Material: PMMA
 - Laminated: No
 - Density: 1.41 g/cm³



825253 Clear

WHITE PLASTIC SHEET, 500MM X 500MM X 2MM

- 包裝尺寸: 2 x EA
- Colour: White
 - Form: Perforated
 - Length: 500 mm
 - Width: 500 mm
 - Thickness: 2 mm
 - Material: PP
 - Laminated: No
 - Hole Size: 3 mm



852261 White

WHITE PLASTIC SHEET, 500MM X 500MM X 2MM

- 包裝尺寸: 2 x EA
- Colour: White
 - Form: Perforated
 - Length: 500 mm
 - Width: 500 mm
 - Thickness: 2 mm
 - Material: PP
 - Laminated: No
 - Hole Size: 8 mm



852299 White

WHITE PLASTIC SHEET, 500MM X 500MM X 2MM

- 包裝尺寸: 2 x EA
- Colour: White
 - Form: Perforated
 - Length: 500 mm
 - Width: 500 mm
 - Thickness: 2 mm
 - Material: PP
 - Laminated: No
 - Hole Size: 4.8 mm



852277 White

WHITE PLASTIC SHEET, 500MM X 500MM X 2MM


- 包裝尺寸: 2 x EA
- Colour: White
 - Form: Perforated
 - Length: 500 mm
 - Width: 500 mm
 - Thickness: 2 mm
 - Material: PP
 - Laminated: No
 - Hole Size: 6.4 mm



852283 White

NATURAL PLASTIC SHEET, 500MM X 500MM X 20MM

- 包裝尺寸: 1 x EA
- Colour: Natural
 - Form: Full
 - Length: 500 mm
 - Width: 500 mm
 - Thickness: 20 mm
 - Material: PA
 - Laminated: No
 - Density: 1.15 g/cm³



1847204 Natural

NATURAL PLASTIC SHEET, 500MM X 500MM X 10MM

- 包裝尺寸: 1 x EA
- Colour: Natural
 - Form: Full
 - Length: 500 mm
 - Width: 500 mm
 - Thickness: 10 mm
 - Material: PA
 - Laminated: No
 - Density: 1.15 g/cm³



1847181 Natural

WHITE PLASTIC SHEET, 500MM X 500MM X 2MM


- 包裝尺寸: 2 x EA
- Colour: White
 - Form: Perforated
 - Length: 500 mm
 - Width: 500 mm
 - Thickness: 2 mm
 - Material: PP
 - Laminated: No
 - Hole Size: 4.7 x 4.7 mm



852306 White

NYLON 66/GLASS SHEET STOCK, 500X300X8MM


- 包裝尺寸: 1 x EA
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 305 mm
 - Thickness: 8 mm
 - Material: GRP
 - Laminated: Yes
 - Density: 1.35 g/cm³



1853439 Black

BLACK PLASTIC SHEET, 500MM X 305MM X 30MM, POLYAMIDE 6.6


- 包裝尺寸: 1 x EA
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 305 mm
 - Thickness: 30 mm
 - Material: GRP
 - Laminated: Yes
 - Density: 1.35 g/cm³



1853502 Black

BLACK PLASTIC SHEET, 305MM X 250MM X 40MM, POLYAMIDE 6.6


- 包裝尺寸: 1 x EA
- Colour: Black
 - Form: Full
 - Length: 305 mm
 - Width: 250 mm
 - Thickness: 40 mm
 - Material: GRP
 - Laminated: Yes
 - Density: 1.35 g/cm³



1853524 Black

BLACK PLASTIC SHEET, 500MM X 500MM X 10MM

- 包裝尺寸: 1 x EA
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 500 mm
 - Thickness: 10 mm
 - Material: PA
 - Laminated: No
 - Density: 1.15 g/cm³



1935430 Black

PTFE PLASTIC SHEET STOCK, 300X300X6MM

- 包裝尺寸: 1 x EA
- Colour: White
 - Form: Full
 - Length: 300 mm
 - Width: 300 mm
 - Thickness: 6 mm
 - Material: PTFE
 - Laminated: No
 - Density: 2.18 → 2.21 g/cm³



1970051 White

PTFE PLASTIC SHEET STOCK, 300X300X8MM

- 包裝尺寸: 1 x EA
- Colour: White
 - Form: Full
 - Length: 300 mm
 - Width: 300 mm
 - Thickness: 8 mm
 - Material: PTFE
 - Laminated: No
 - Density: 2.18 → 2.21 g/cm³



1970067 White

PTFE PLASTIC SHEET STOCK, 300X300X10MM


- 包裝尺寸: 1 x EA
- Colour: White
 - Form: Full
 - Length: 300 mm
 - Width: 300 mm
 - Thickness: 10 mm
 - Material: PTFE
 - Laminated: No
 - Density: 2.18 → 2.21 g/cm³



1970073 White

WHITE PLASTIC SHEET, 300MM X 300MM X 12MM

- 包裝尺寸: 1 x EA
- Colour: White
 - Form: Full
 - Length: 300 mm
 - Width: 300 mm
 - Thickness: 12 mm
 - Material: PTFE
 - Laminated: No
 - Density: 2.18 → 2.21 g/cm³



1970089 White

PTFE PLASTIC SHEET STOCK, 300X300X15MM


- 包裝尺寸: 1 x EA
- Colour: White
 - Form: Full
 - Length: 300 mm
 - Width: 300 mm
 - Thickness: 15 mm
 - Material: PTFE
 - Laminated: No
 - Density: 2.18 → 2.21 g/cm³



1970095 White

BLACK PLASTIC SHEET, 500MM X 330MM X 6MM


- 包裝尺寸: 2 x EA
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 330 mm
 - Thickness: 6 mm
 - Material: POM
 - Laminated: No
 - Density: 1.42 g/cm³



1974435 Black

BLACK PLASTIC SHEET, 500MM X 330MM X 10MM


- 包裝尺寸: 1 x EA
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 330 mm
 - Thickness: 10 mm
 - Material: POM
 - Laminated: No
 - Density: 1.42 g/cm³



1974441 Black

BLACK PLASTIC SHEET, 500MM X 330MM X 12MM

- 包裝尺寸: 1 x EA
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 330 mm
 - Thickness: 12 mm
 - Material: POM
 - Laminated: No
 - Density: 1.42 g/cm³



1974457 Black

PP CLEAR SHEET 0.5MM THICK X 300 X 200

- 包裝尺寸: 50 x EA
- Colour: Clear
 - Form: Full
 - Length: 300 mm
 - Width: 220 mm
 - Thickness: 0.5 mm
 - Material: PP
 - Laminated: No
 - Density: 0.92 g/cm³



2012785 Clear

BROWN PLASTIC SHEET, 420MM X 297MM X 1.6MM, PHENOLIC RESIN,

- 包裝尺寸: 1 x EA
- Colour: Brown
 - Form: Full
 - Length: 420 mm
 - Width: 297 mm
 - Thickness: 1.6 mm
 - Material: SRBP
 - Laminated: Yes
 - Maximum Operating Temperature: +90 °C



2035346 Brown

BROWN PLASTIC SHEET, 420MM X 297MM X 0.8MM, PHENOLIC RESIN,

- 包裝尺寸: 1 x EA
- Colour: Brown
 - Form: Full
 - Length: 420 mm
 - Width: 297 mm
 - Thickness: 0.8 mm
 - Material: SRBP
 - Laminated: Yes
 - Maximum Operating Temperature: +90 °C



2035344 Brown

BROWN PLASTIC SHEET, 420MM X 297MM X 3MM, PHENOLIC RESIN,

- 包裝尺寸: 1 x EA
- Colour: Brown
 - Form: Full
 - Length: 420 mm
 - Width: 297 mm
 - Thickness: 3 mm
 - Material: SRBP
 - Laminated: Yes
 - Maximum Operating Temperature: +90 °C



2035347 Brown

BROWN PLASTIC SHEET, 420MM X 297MM X 6MM, PHENOLIC RESIN,

- 包裝尺寸: 1 x EA
- Colour: Brown
 - Form: Full
 - Length: 420 mm
 - Width: 297 mm
 - Thickness: 6 mm
 - Material: SRBP
 - Laminated: Yes
 - Maximum Operating Temperature: +90 °C



2035348 Brown

BROWN PLASTIC SHEET, 420MM X 297MM X 10MM, PHENOLIC RESIN,

- 包裝尺寸: 1 x EA
- Colour: Brown
 - Form: Full
 - Length: 420 mm
 - Width: 297 mm
 - Thickness: 10 mm
 - Material: SRBP
 - Laminated: Yes
 - Maximum Operating Temperature: +90 °C



2035349 Brown

BEIGE PLASTIC SHEET, 300MM X 245MM X 10MM

- 包裝尺寸: 1 x EA
- Colour: Beige
 - Form: Full
 - Length: 300 mm
 - Width: 245 mm
 - Thickness: 10 mm
 - Material: PEEK
 - Laminated: No
 - Density: 1.32 g/cm³



2377706 Beige

BEIGE PLASTIC SHEET, 300MM X 245MM X 16MM

- 包裝尺寸: 1 x EA
- Colour: Beige
 - Form: Full
 - Length: 300 mm
 - Width: 245 mm
 - Thickness: 16 mm
 - Material: PEEK
 - Laminated: No
 - Density: 1.32 g/cm³



2377728 Beige

BEIGE PLASTIC SHEET, 300MM X 245MM X 20MM


- 包裝尺寸: 1 x EA
- Colour: Beige
 - Form: Full
 - Length: 300 mm
 - Width: 245 mm
 - Thickness: 20 mm
 - Material: PEEK
 - Laminated: No
 - Density: 1.32 g/cm³



2377734 Beige

BLACK PLASTIC SHEET, 500MM X 300MM X 6MM


- 包裝尺寸: 2 x EA
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 300 mm
 - Thickness: 6 mm
 - Material: POM
 - Laminated: No
 - Density: 1.41 g/cm³



2820159 Black

BLACK PLASTIC SHEET, 500MM X 300MM X 8MM

- 包裝尺寸: 1 x EA
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 300 mm
 - Thickness: 8 mm
 - Material: POM
 - Laminated: No
 - Density: 1.41 g/cm³



2820171 Black

BLACK PLASTIC SHEET, 500MM X 300MM X 10MM


- 包裝尺寸: 1 x EA
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 300 mm
 - Thickness: 10 mm
 - Material: POM
 - Laminated: No
 - Density: 1.41 g/cm³



2820187 Black

BLACK PLASTIC SHEET, 500MM X 300MM X 12MM


- 包裝尺寸: 1 x EA
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 300 mm
 - Thickness: 12 mm
 - Material: POM
 - Laminated: No
 - Density: 1.41 g/cm³



2820193 Black

BLACK PLASTIC SHEET, 500MM X 300MM X 20MM


- 包装尺寸: 1 x EA
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 300 mm
 - Thickness: 20 mm
 - Material: POM
 - Laminated: No
 - Density: 1.41 g/cm³



2820216 Black

BLACK PLASTIC SHEET, 500MM X 300MM X 25MM


- 包装尺寸: 1 x EA
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 300 mm
 - Thickness: 25 mm
 - Material: POM
 - Laminated: No
 - Density: 1.41 g/cm³



2820238 Black

BLACK ACETAL SHEET STOCK, 500X300X30MM

- 包装尺寸: 1 x EA
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 300 mm
 - Thickness: 30 mm
 - Material: POM
 - Laminated: No
 - Density: 1.41 g/cm³



2820244 Black

WHITE PLASTIC SHEET, 600MM X 300MM X 1.5MM

- 包装尺寸: 3 x EA
- Colour: White
 - Form: Full
 - Length: 600 mm
 - Width: 300 mm
 - Thickness: 1.5 mm
 - Material: PTFE
 - Laminated: No
 - Density: 2.18 → 2.21 g/cm³



2820575 White

NATURAL PLASTIC SHEET, 500MM X 500MM X 16MM


- 包装尺寸: 1 x EA
- Colour: Natural
 - Form: Full
 - Length: 500 mm
 - Width: 500 mm
 - Thickness: 16 mm
 - Material: PA
 - Laminated: No
 - Density: 1.15 g/cm³



2820597 Natural

BLACK PLASTIC SHEET, 500MM X 300MM X 6MM


- 包装尺寸: 1 x EA
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 300 mm
 - Thickness: 6 mm
 - Material: PA
 - Laminated: No
 - Density: 1.14 g/cm³



2820711 Black

BLACK NYLON 6 SHEET STOCK, 500X300X10MM


- 包装尺寸: 1 x EA
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 300 mm
 - Thickness: 10 mm
 - Material: PA
 - Laminated: No
 - Density: 1.14 g/cm³



2820733 Black

BLACK PLASTIC SHEET, 500MM X 300MM X 12MM


- 包装尺寸: 1 x EA
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 300 mm
 - Thickness: 12 mm
 - Material: PA
 - Laminated: No
 - Density: 1.14 g/cm³



2820749 Black

BLACK PLASTIC SHEET, 500MM X 300MM X 20MM

- 包装尺寸: 1 x EA
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 300 mm
 - Thickness: 20 mm
 - Material: PA
 - Laminated: No
 - Density: 1.14 g/cm³



2820761 Black

ACETAL PLASTIC SHEET STOCK, 500X300X16MM


- 包装尺寸: 1 x EA
- Colour: White
 - Form: Full
 - Length: 500 mm
 - Width: 300 mm
 - Thickness: 16 mm
 - Material: POM
 - Laminated: No
 - Tensile Strength: 65 MPa



2822228 White

BEIGE PLASTIC SHEET, 1000MM X 500MM X 10MM


- 包装尺寸: 1 x EA
- Colour: Beige
 - Form: Full
 - Length: 1000 mm
 - Width: 500 mm
 - Thickness: 10 mm
 - Material: PP
 - Laminated: No
 - Tensile Strength: 35 MPa



3136332 Beige

BEIGE PLASTIC SHEET, 1000MM X 500MM X 15MM

- 包装尺寸: 1 x EA
- Colour: Beige
 - Form: Full
 - Length: 1000 mm
 - Width: 500 mm
 - Thickness: 15 mm
 - Material: PP
 - Laminated: No
 - Tensile Strength: 35 MPa



3136348 Beige

WHITE PLASTIC SHEET, 500MM X 330MM X 6MM

- 包装尺寸: 2 x EA
- Colour: White
 - Form: Full
 - Length: 500 mm
 - Width: 330 mm
 - Thickness: 6 mm
 - Material: POM
 - Laminated: No
 - Density: 1.42 g/cm³



3257057 White

WHITE PLASTIC SHEET, 500MM X 330MM X 20MM

- 包装尺寸: 1 x EA
- Colour: White
 - Form: Full
 - Length: 500 mm
 - Width: 330 mm
 - Thickness: 20 mm
 - Material: POM
 - Laminated: No
 - Density: 1.42 g/cm³



3257085 White

WHITE PLASTIC SHEET, 500MM X 330MM X 12MM

- 包装尺寸: 1 x EA
- Colour: White
 - Form: Full
 - Length: 500 mm
 - Width: 330 mm
 - Thickness: 12 mm
 - Material: POM
 - Laminated: No
 - Density: 1.42 g/cm³



3257079 White

WHITE PLASTIC SHEET, 500MM X 330MM X 8MM


- 包装尺寸: 1 x EA
- Colour: White
 - Form: Full
 - Length: 500 mm
 - Width: 330 mm
 - Thickness: 8 mm
 - Material: POM
 - Laminated: No
 - Density: 1.42 g/cm³



3257209 White

BLACK PLASTIC SHEET, 1000MM X 500MM X 3MM

- 包装尺寸: 3 x EA
- Colour: Black
 - Form: Full
 - Length: 1000 mm
 - Width: 500 mm
 - Thickness: 3 mm
 - Material: PEHD
 - Laminated: No
 - Density: 0.95 → 0.96 g/cm³



4083807 Black

BLACK PLASTIC SHEET, 1000MM X 500MM X 8MM

- 包装尺寸: 1 x EA
- Colour: Black
 - Form: Full
 - Length: 1000 mm
 - Width: 500 mm
 - Thickness: 8 mm
 - Material: PEHD
 - Laminated: No
 - Density: 0.95 → 0.96 g/cm³



4083835 Black

BLACK PLASTIC SHEET, 1000MM X 500MM X 10MM


- 包装尺寸: 1 x EA
- Colour: Black
 - Form: Full
 - Length: 1000 mm
 - Width: 500 mm
 - Thickness: 10 mm
 - Material: PEHD
 - Laminated: No
 - Density: 0.95 → 0.96 g/cm³



4083841 Black

BLACK PLASTIC SHEET, 1000MM X 500MM X 15MM


- 包装尺寸: 1 x EA
- Colour: Black
 - Form: Full
 - Length: 1000 mm
 - Width: 500 mm
 - Thickness: 15 mm
 - Material: PEHD
 - Laminated: No
 - Density: 0.95 → 0.96 g/cm³



4083857 Black

GREY PLASTIC SHEET, 1000MM X 500MM X 1MM


- 包装尺寸: 5 x EA
- Colour: Grey
 - Form: Full
 - Length: 1000 mm
 - Width: 500 mm
 - Thickness: 1 mm
 - Material: PVC
 - Laminated: No
 - Density: 1.47 g/cm³



4386370 Grey

BLACK PLASTIC SHEET, 500MM X 500MM X 20MM

- 包装尺寸: 1 x EA
- Colour: Black
 - Form: Full
 - Length: 500 mm
 - Width: 500 mm
 - Thickness: 20 mm
 - Material: PEHD
 - Laminated: No
 - Density: 0.95 → 0.96 g/cm³



4083863 Black

NATURAL PLASTIC SHEET, 500MM X 305MM X 5MM

- 包装尺寸: 2 x EA
- Colour: Natural
 - Form: Full
 - Length: 500 mm
 - Width: 305 mm
 - Thickness: 5 mm
 - Material: PA
 - Laminated: No
 - Density: 1.14 g/cm³



4083936 Natural

GREY PLASTIC SHEET, 1000MM X 500MM X 12MM

- 包装尺寸: 1 x EA
- Colour: Grey
 - Form: Full
 - Length: 1000 mm
 - Width: 500 mm
 - Thickness: 12 mm
 - Material: PVC
 - Laminated: No
 - Density: 1.47 g/cm³



4386409 Grey

WHITE PLASTIC SHEET, 500MM X 300MM X 10MM


- 包装尺寸: 1 x EA
- Colour: White
 - Form: Full
 - Length: 500 mm
 - Width: 300 mm
 - Thickness: 10 mm
 - Material: POM
 - Laminated: No
 - Density: 1.42 g/cm³



4946175 White

MIRROR PLASTIC SHEET, 600MM X 600MM X 3MM

- 包装尺寸: 1 x EA
- Colour: Mirror
 - Form: Full
 - Length: 600 mm
 - Width: 600 mm
 - Thickness: 3 mm
 - Material: PMMA
 - Laminated: No
 - Water Absorption: 0.4 %



7481302 Mirror

CLEAR PLASTIC SHEET, 305MM X 625MM X 1MM

- 包装尺寸: 3 x EA
- Colour: Clear
 - Form: Full
 - Length: 305 mm
 - Width: 625 mm
 - Thickness: 1 mm
 - Material: PC
 - Laminated: No
 - Density: 1.2 g/cm³



7698720 Clear

NATURAL PLASTIC SHEET, 1000MM X 500MM X 6.7MM

- 包装尺寸: 1 x EA
- Colour: Natural
 - Form: Full
 - Length: 1000 mm
 - Width: 500 mm
 - Thickness: 6.7 mm
 - Material: PA
 - Laminated: No
 - Density: 1.14 g/cm³



7048147 Natural

CLEAR PLASTIC SHEET, 305MM X 625MM X 1.5MM

- 包装尺寸: 3 x EA
- Colour: Clear
 - Form: Full
 - Length: 305 mm
 - Width: 625 mm
 - Thickness: 1.5 mm
 - Material: PC
 - Laminated: No
 - Density: 1.2 g/cm³



7698724 Clear

CLEAR PLASTIC SHEET, 305MM X 625MM X 4MM


- 包装尺寸: 1 x EA
- Colour: Clear
 - Form: Full
 - Length: 305 mm
 - Width: 625 mm
 - Thickness: 4 mm
 - Material: PC
 - Laminated: No
 - Density: 1.2 g/cm³



7698730 Clear

CLEAR PLASTIC SHEET, 305MM X 625MM X 2MM


- 包装尺寸: 2 x EA
- Colour: Clear
 - Form: Full
 - Length: 305 mm
 - Width: 625 mm
 - Thickness: 2 mm
 - Material: PC
 - Laminated: No
 - Density: 1.2 g/cm³



7698733 Clear

CLEAR PLASTIC SHEET, 305MM X 625MM X 3MM

- 包装尺寸: 1 x EA
- Colour: Clear
 - Form: Full
 - Length: 305 mm
 - Width: 625 mm
 - Thickness: 3 mm
 - Material: PC
 - Laminated: No
 - Density: 1.2 g/cm³



7698736 Clear

CLEAR PLASTIC SHEET, 305MM X 625MM X 6MM

- 包裝尺寸: 1 x EA
- Colour: Clear
 - Form: Full
 - Length: 305 mm
 - Width: 625 mm
 - Thickness: 6 mm
 - Material: PC
 - Laminated: No
 - Density: 1.2 g/cm³



7698742 Clear

CLEAR PLASTIC SHEET, 305MM X 625MM X 8MM

- 包裝尺寸: 1 x EA
- Colour: Clear
 - Form: Full
 - Length: 305 mm
 - Width: 625 mm
 - Thickness: 8 mm
 - Material: PC
 - Laminated: No
 - Density: 1.2 g/cm³



7698746 Clear

CLEAR PLASTIC SHEET, 305MM X 625MM X 5MM

- 包裝尺寸: 1 x EA
- Colour: Clear
 - Form: Full
 - Length: 305 mm
 - Width: 625 mm
 - Thickness: 5 mm
 - Material: PC
 - Laminated: No
 - Density: 1.2 g/cm³



7698749 Clear

WHITE PLASTIC SHEET, 600MM X 600MM X 2.5MM

- 包裝尺寸: 1 x EA
- Colour: White
 - Form: Full
 - Length: 600 mm
 - Width: 600 mm
 - Thickness: 2.5 mm
 - Material: PVC
 - Laminated: No
 - Tensile Strength: 54 MPa



8099695 White

WHITE PLASTIC SHEET, 600MM X 600MM X 2.5MM

- 包裝尺寸: 1 x EA
- Colour: White
 - Form: Full
 - Length: 600 mm
 - Width: 600 mm
 - Thickness: 2.5 mm
 - Material: PVC
 - Laminated: No
 - Tensile Strength: 54 MPa



8099698 White

CORAL VINYL PLASTIC SHIM, 20IN X 5IN X 0.762MM

- 包裝尺寸: 1 x EA
- Material: Vinyl
 - Thickness: 0.762 mm
 - Length: 20 in
 - Width: 5 in
 - Colour: Coral



519030 Vinyl

BLUE POLYESTER PLASTIC SHIM, 457MM X 305MM X 0.05MM

- 包裝尺寸: 8 x EA
- Material: Polyester
 - Thickness: 0.05 mm
 - Length: 457 mm
 - Width: 305 mm
 - Colour: Blue



770737 Polyester

GREEN POLYESTER PLASTIC SHIM, 457MM X 305MM X 0.08MM

- 包裝尺寸: 8 x EA
- Material: Polyester
 - Thickness: 0.08 mm
 - Length: 457 mm
 - Width: 305 mm
 - Colour: Green



770743 Polyester

ORANGE POLYESTER PLASTIC SHIM, 457MM X 305MM X 0.1MM

- 包裝尺寸: 8 x EA
- Material: Polyester
 - Thickness: 0.1 mm
 - Length: 457 mm
 - Width: 305 mm
 - Colour: Orange



770759 Polyester

BROWN POLYESTER PLASTIC SHIM, 457MM X 305MM X 0.13MM

- 包裝尺寸: 8 x EA
- Material: Polyester
 - Thickness: 0.13 mm
 - Length: 457 mm
 - Width: 305 mm
 - Colour: Brown



770765 Polyester

TRANSPARENT POLYESTER PLASTIC SHIM, 457MM X 305MM X 0.19MM

- 包裝尺寸: 8 x EA
- Material: Polyester
 - Thickness: 0.19 mm
 - Length: 457 mm
 - Width: 305 mm
 - Colour: Transparent



770771 Polyester

WHITE POLYESTER PLASTIC SHIM, 457MM X 305MM X 0.25MM

- 包裝尺寸: 8 x EA
- Material: Polyester
 - Thickness: 0.25 mm
 - Length: 457 mm
 - Width: 305 mm
 - Colour: White



770787 Polyester

RED POLYPROPYLENE PLASTIC SHIM, 457MM X 305MM X 0.38MM

- 包裝尺寸: 8 x EA
- Material: Polypropylene
 - Thickness: 0.38 mm
 - Length: 457 mm
 - Width: 305 mm
 - Colour: Red



770793 Polypropylene

RS PRO BROWN ROUND PAPER LAMINATED PLASTIC, 1.4M X 8MM OD

- 包裝尺寸: 1 x EA
- Colour: Brown
 - Length: 1.4 m
 - Material: Laminated Plastic
 - Laminated: Yes
 - Tube Form: Round
 - Inner Diameter: 6.1 mm
 - Outer Diameter: 8 mm
 - Thickness: 1.9 mm



2035352 Brown

YELLOW POLYPROPYLENE PLASTIC SHIM, 457MM X 305MM X 0.51MM

- 包裝尺寸: 8 x EA
- Material: Polypropylene
 - Thickness: 0.51 mm
 - Length: 457 mm
 - Width: 305 mm
 - Colour: Yellow



770800 Polypropylene

RS PRO BROWN ROUND PAPER LAMINATED PLASTIC, 1.2M X 22.2MM

- 包裝尺寸: 1 x EA
- Colour: Brown
 - Length: 1.2 m
 - Material: Laminated Plastic
 - Laminated: Yes
 - Tube Form: Round
 - Inner Diameter: 15.8 mm
 - Outer Diameter: 22.2 mm
 - Thickness: 6.4 mm



2035354 Brown

RS PRO CLEAR ROUND ACRYLIC TUBE, 1M X 12MM OD X 8MM ID

- 包装尺寸: 1 x EA
- Colour: Clear
 - Length: 1 m
 - Material: Acrylic
 - Tube Form: Round
 - Inner Diameter: 8 mm
 - Outer Diameter: 12 mm
 - Density: 1.18 g/cm³
 - Water Absorption: 0 %



4084018 Clear

RS PRO BEIGE ROUND PEEK TUBING, 300MM X 56MM OD X 40MM ID


- 包装尺寸: 1 x EA
- Colour: Beige
 - Length: 300 mm
 - Material: PEEK
 - Tube Form: Round
 - Inner Diameter: 40 mm
 - Outer Diameter: 56 mm
 - Density: 1.32 g/cm³
 - Water Absorption: 0.5 %



7781731 Beige

RS PRO BLACK RUBBER SHEET, 1M X 2M X 25MM

- 包装尺寸: 1 x EA
- Material: Neoprene
 - Colour: Black
 - Density: 170 kg/m³
 - Length: 1 m
 - Width: 2 m
 - Adhesive Backing: Yes
 - Thickness: 25 mm
 - Maximum Operating Temperature: +80 °C



1034059 Neoprene

RS PRO WHITE RUBBER SHEET, 2M X 1M X 3MM

- 包装尺寸: 1 x EA
- Material: EPDM
 - Colour: White
 - Length: 2 m
 - Width: 1 m
 - Thickness: 3 mm
 - Maximum Operating Temperature: +100 °C
 - Minimum Operating Temperature: -40 °C



1034061 EPDM

RS PRO WHITE RUBBER SHEET, 2M X 1M X 6MM

- 包装尺寸: 1 x EA
- Material: EPDM
 - Colour: White
 - Length: 2 m
 - Width: 1 m
 - Thickness: 6 mm
 - Maximum Operating Temperature: +100 °C
 - Minimum Operating Temperature: -40 °C



1034062 EPDM

BLACK RUBBER SHEET, 1.4M X 1M X 1.5MM


- 包装尺寸: 1 x EA
- Material: Nitrile
 - Colour: Black
 - Density: 1.25 g/cm³
 - Length: 1.4 m
 - Width: 1 m
 - Adhesive Backing: No
 - Thickness: 1.5 mm
 - Maximum Operating Temperature: 110 °C



2035138 Nitrile

RS PRO BLACK RUBBER SHEET, 600MM X 600MM X 1.5MM


- 包装尺寸: 1 x EA
- Material: Fluorocarbon
 - Colour: Black
 - Length: 600 mm
 - Width: 600 mm
 - Thickness: 1.5 mm
 - Suitability: Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Oil
 - Maximum Operating Temperature: +20+ °C
 - Minimum Operating Temperature: -18 °C



5062974 Fluorocarbon

RS PRO BLACK RUBBER SHEET, 1M X 600MM X 6MM


- 包装尺寸: 1 x EA
- Material: Natural
 - Colour: Black
 - Density: 1.5 g/cm³
 - Length: 1 m
 - Width: 600 mm
 - Thickness: 6 mm
 - Suitability: Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Oil
 - Maximum Operating Temperature: +70 °C



5063006 Natural

RS PRO BLACK RUBBER SHEET, 1M X 600MM X 10MM


- 包装尺寸: 1 x EA
- Material: Natural
 - Colour: Black
 - Density: 1.5 g/cm³
 - Length: 1 m
 - Width: 600 mm
 - Thickness: 10 mm
 - Suitability: Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Oil
 - Maximum Operating Temperature: +70 °C



5063028 Natural

RS PRO BLACK RUBBER SHEET, 1M X 600MM X 12MM

- 包装尺寸: 1 x EA
- Material: Natural
 - Colour: Black
 - Density: 1.5 g/cm³
 - Length: 1 m
 - Width: 600 mm
 - Thickness: 12 mm
 - Suitability: Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Oil
 - Maximum Operating Temperature: +70 °C



5063012 Natural

RS PRO BLACK RUBBER SHEET, 1M X 600MM X 1.5MM

- 包装尺寸: 1 x EA
- Material: Natural
 - Colour: Black
 - Density: 1.5 g/cm³
 - Length: 1 m
 - Width: 600 mm
 - Thickness: 1.5 mm
 - Suitability: Cold Water, Ethylene Glycol, Hot Water
 - Maximum Operating Temperature: +70 °C



5063078 Natural

RS PRO BLACK RUBBER SHEET, 1M X 600MM X 3MM

- 包装尺寸: 1 x EA
- Material: Natural
 - Colour: Black
 - Density: 1.5 g/cm³
 - Length: 1 m
 - Width: 600 mm
 - Thickness: 3 mm
 - Suitability: Cold Water, Ethylene Glycol, Hot Water
 - Maximum Operating Temperature: +70 °C



5063090 Natural

RS PRO BEIGE RUBBER SHEET, 1M X 1M X 3MM

- 包装尺寸: 1 x EA
- Material: Natural
 - Colour: Beige
 - Length: 1 m
 - Width: 1 m
 - Thickness: 3 mm
 - Suitability: Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Oil
 - Maximum Operating Temperature: +70 °C
 - Minimum Operating Temperature: -40 °C



5063034 Natural

RS PRO BLACK RUBBER SHEET, 1M X 600MM X 6MM


- 包装尺寸: 1 x EA
- Material: Natural
 - Colour: Black
 - Density: 1.5 g/cm³
 - Length: 1 m
 - Width: 600 mm
 - Thickness: 6 mm
 - Suitability: Cold Water, Ethylene Glycol, Hot Water
 - Maximum Operating Temperature: +70 °C



5063084 Natural

RS PRO BLACK RUBBER SHEET, 1M X 1.2M X 1.5MM

- 包装尺寸: 1 x EA
- Material: Neoprene
 - Colour: Black
 - Density: 1.4 g/cm³
 - Length: 1 m
 - Width: 1.2 m
 - Thickness: 1.5 mm
 - Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
 - Maximum Operating Temperature: +70 °C



5063107 Neoprene

RS PRO BLACK RUBBER SHEET, 1M X 600MM X 6MM

- 包装尺寸: 1 x EA
- Material: Neoprene
 - Colour: Black
 - Density: 1.4 g/cm³
 - Length: 1 m
 - Width: 600 mm
 - Thickness: 6 mm
 - Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
 - Maximum Operating Temperature: +70 °C




5063141 Neoprene

RS PRO BLACK RUBBER SHEET, 1M X 600MM X 3MM

包裝尺寸: 1 x EA

- Material: Neoprene
- Colour: Black
- Density: 1.4 g/cm³
- Length: 1 m
- Width: 600 mm
- Thickness: 3 mm
- Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
- Maximum Operating Temperature: +70 °C



5063157 Neoprene

NEOPRENE RUBBER, BLACK 1000X600X1.5MM

包裝尺寸: 1 x EA

- Material: Neoprene
- Colour: Black
- Density: 1.4 g/cm³
- Length: 1 m
- Width: 600 mm
- Thickness: 1.5 mm
- Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
- Maximum Operating Temperature: +70 °C




5063163 Neoprene

RS PRO BLACK RUBBER SHEET, 1M X 1.2M X 3MM

包裝尺寸: 1 x EA

- Material: Neoprene
- Colour: Black
- Density: 1.4 g/cm³
- Length: 1 m
- Width: 1.2 m
- Thickness: 3 mm
- Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
- Maximum Operating Temperature: +70 °C




5063208 Neoprene

RS PRO BLACK RUBBER SHEET, 1.2M X 600MM X 3MM

包裝尺寸: 1 x EA

- Material: EPDM
- Colour: Black
- Density: 1.13 g/cm³
- Length: 1.2 m
- Width: 600 mm
- Thickness: 3 mm
- Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Hot Water, Vegetable Oil
- Maximum Operating Temperature: +100 °C




5063214 EPDM

RS PRO WHITE RUBBER SHEET, 1.5M X 500MM X 1.5MM

包裝尺寸: 1 x EA

- Material: Nitrile
- Colour: White
- Density: 1.5 g/cm³
- Length: 1.5 m
- Width: 500 mm
- Thickness: 1.5 mm
- Suitability: Fatty Food
- Maximum Operating Temperature: +80 °C



5063242 Nitrile

RS PRO WHITE RUBBER SHEET, 1.5M X 500MM X 3MM

包裝尺寸: 1 x EA

- Material: Nitrile
- Colour: White
- Density: 1.5 g/cm³
- Length: 1.5 m
- Width: 500 mm
- Thickness: 3 mm
- Suitability: Fatty Food
- Maximum Operating Temperature: +80 °C



5063258 Nitrile

RS PRO WHITE RUBBER SPONGE SHEET, 1.2M X 600MM X 1.5MM

包裝尺寸: 1 x EA

- Material: Silicone
- Colour: White
- Density: 1.25 g/cm³
- Length: 1.2 m
- Width: 600 mm
- Thickness: 1.5 mm
- Suitability: Cold Water, Hot Water
- Maximum Operating Temperature: +200 °C




5063292 Silicone

RS PRO WHITE RUBBER SPONGE SHEET, 600MM X 600MM X 1.5MM

包裝尺寸: 1 x EA

- Material: Silicone
- Colour: White
- Density: 1.25 g/cm³
- Length: 600 mm
- Width: 600 mm
- Thickness: 1.5 mm
- Suitability: Cold Water, Hot Water
- Maximum Operating Temperature: +200 °C



5063264 Silicone

RS PRO WHITE RUBBER SPONGE SHEET, 600MM X 600MM X 3MM

包裝尺寸: 1 x EA

- Material: Silicone
- Colour: White
- Density: 1.25 g/cm³
- Length: 600 mm
- Width: 600 mm
- Thickness: 3 mm
- Suitability: Cold Water, Hot Water
- Maximum Operating Temperature: +200 °C




5063315 Silicone

RS PRO BLACK RUBBER SHEET, 1M X 2M X 3MM

包裝尺寸: 1 x EA

- Material: Polyethylene
- Colour: Black
- Density: 45 kg/m³
- Length: 1 m
- Width: 2 m
- Adhesive Backing: Yes
- Thickness: 3 mm
- Maximum Operating Temperature: +110 °C



7336703 Polyethylene

RS PRO WHITE RUBBER SPONGE SHEET, 1M X 600MM X 3MM

包裝尺寸: 1 x EA

- Material: Silicone
- Colour: White
- Density: 0.25 g/cm³
- Length: 1 m
- Width: 600 mm
- Thickness: 3 mm
- Suitability: Cold Water, Ethylene Glycol, Hot Water
- Maximum Operating Temperature: +200 °C



7336713 Silicone

SILICONE SPONGE, 1.5MM

包裝尺寸: 1 x EA

- Material: Silicone
- Colour: White
- Density: 0.25 g/cm³
- Length: 1 m
- Width: 600 mm
- Thickness: 1.5 mm
- Suitability: Cold Water, Ethylene Glycol, Hot Water
- Maximum Operating Temperature: +200 °C



7336719 Silicone

RS PRO WHITE RUBBER SPONGE SHEET, 1M X 600MM X 6MM

包裝尺寸: 1 x EA

- Material: Silicone
- Colour: White
- Density: 0.25 g/cm³
- Length: 1 m
- Width: 600 mm
- Thickness: 6 mm
- Suitability: Cold Water, Ethylene Glycol, Hot Water
- Maximum Operating Temperature: +200 °C



7336722 Silicone

SILICONE SPONGE SAB, 1.5MM

包裝尺寸: 1 x EA

- Material: Silicone
- Colour: White
- Density: 0.25 g/cm³
- Length: 1 m
- Width: 600 mm
- Adhesive Backing: Yes
- Suitability: Cold Water, Ethylene Glycol, Hot Water
- Thickness: 1.5 mm




7336725 Silicone

RS PRO WHITE RUBBER SPONGE SHEET, 1M X 600MM X 3MM

包裝尺寸: 1 x EA

- Material: Silicone
- Colour: White
- Density: 0.25 g/cm³
- Length: 1 m
- Width: 600 mm
- Adhesive Backing: Yes
- Suitability: Cold Water, Ethylene Glycol, Hot Water
- Thickness: 3 mm




7336729 Silicone

RS PRO BLACK RUBBER SHEET, 1M X 2M X 1.5MM

包裝尺寸: 1 x EA

- Material: Neoprene
- Colour: Black
- Density: 122 kg/m³
- Length: 1 m
- Width: 2 m
- Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
- Thickness: 1.5 mm
- Maximum Operating Temperature: +85 °C




7336731 Neoprene

RS PRO BLACK RUBBER SHEET, 1M X 2M X 3MM

包装尺寸: 1 x EA

- Material: Neoprene
- Colour: Black
- Density: 122 kg/m³
- Length: 1 m
- Width: 2 m
- Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
- Thickness: 3 mm
- Maximum Operating Temperature: +85 °C



7336735 Neoprene

RS PRO WHITE RUBBER SPONGE SHEET, 1M X 600MM X 6MM

包装尺寸: 1 x EA

- Material: Silicone
- Colour: White
- Density: 0.25 g/cm³
- Length: 1 m
- Width: 600 mm
- Adhesive Backing: Yes
- Suitability: Cold Water, Ethylene Glycol, Hot Water
- Thickness: 6 mm




7336738 Silicone

RS PRO BLACK RUBBER SHEET, 1M X 2M X 6MM

包装尺寸: 1 x EA

- Material: Neoprene
- Colour: Black
- Density: 122 kg/m³
- Length: 1 m
- Width: 2 m
- Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
- Thickness: 6 mm
- Maximum Operating Temperature: +85 °C



7336744 Neoprene

RS PRO BLACK RUBBER SPONGE SHEET, 1M X 2M X 10MM

包装尺寸: 1 x EA

- Material: Neoprene Sponge
- Colour: Black
- Density: 122 kg/m³
- Length: 1 m
- Width: 2 m
- Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
- Thickness: 10 mm
- Maximum Operating Temperature: +85 °C




7336747 Neoprene Sponge

RS PRO BLACK RUBBER SHEET, 1M X 2M X 20MM

包装尺寸: 1 x EA

- Material: Neoprene
- Colour: Black
- Density: 122 kg/m³
- Length: 1 m
- Width: 2 m
- Thickness: 20 mm
- Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
- Maximum Operating Temperature: +85 °C




7336750 Neoprene

RS PRO BLACK RUBBER SHEET, 1M X 2M X 1.5MM

包装尺寸: 1 x EA

- Material: Neoprene
- Colour: Black
- Density: 122 kg/m³
- Length: 1 m
- Width: 2 m
- Adhesive Backing: Yes
- Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
- Thickness: 1.5 mm




7336753 Neoprene

RS PRO BLACK RUBBER SHEET, 1M X 2M X 3MM

包装尺寸: 1 x EA

- Material: Neoprene
- Colour: Black
- Density: 122 kg/m³
- Length: 1 m
- Width: 2 m
- Adhesive Backing: Yes
- Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
- Thickness: 3 mm




7336757 Neoprene

RS PRO BLACK RUBBER SHEET, 1M X 2M X 20MM

包装尺寸: 1 x EA

- Material: Neoprene
- Colour: Black
- Density: 122 kg/m³
- Length: 1 m
- Width: 2 m
- Adhesive Backing: Yes
- Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
- Thickness: 20 mm




7336763 Neoprene

RS PRO BLACK RUBBER SHEET, 1M X 2M X 6MM

包装尺寸: 1 x EA

- Material: Neoprene
- Colour: Black
- Density: 122 kg/m³
- Length: 1 m
- Width: 2 m
- Adhesive Backing: Yes
- Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
- Thickness: 6 mm




7336766 Neoprene

RS PRO BLACK RUBBER SHEET, 1M X 2M X 10MM

包装尺寸: 1 x EA

- Material: Neoprene
- Colour: Black
- Density: 122 kg/m³
- Length: 1 m
- Width: 2 m
- Adhesive Backing: Yes
- Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
- Thickness: 10 mm




7336769 Neoprene

RS PRO BLACK RUBBER SHEET, 1.2M X 600MM X 1.5MM

包装尺寸: 1 x EA

- Material: EPDM
- Colour: Black
- Density: 1.13 g/cm³
- Length: 1.2 m
- Width: 600 mm
- Thickness: 1.5 mm
- Suitability: WRAS approved for use with potable water
- Maximum Operating Temperature: +100 °C




8405523 EPDM

RS PRO BLACK RUBBER SHEET, 1.2M X 1.2M X 1.5MM

包装尺寸: 1 x EA

- Material: EPDM
- Colour: Black
- Density: 1.13 g/cm³
- Length: 1.2 m
- Width: 1.2 m
- Thickness: 1.5 mm
- Suitability: WRAS approved for use with potable water
- Maximum Operating Temperature: +100 °C



8405532 EPDM

RS PRO BLACK RUBBER SHEET, 1.2M X 600MM X 6MM

包装尺寸: 1 x EA

- Material: EPDM
- Colour: Black
- Density: 1.13 g/cm³
- Length: 1.2 m
- Width: 600 mm
- Thickness: 6 mm
- Suitability: WRAS approved for use with potable water
- Maximum Operating Temperature: +100 °C



8405535 EPDM

TRANSLUCENT SILICONE RUBBER 600X600X1.5MM

包装尺寸: 1 x EA

- Material: Silicone
- Colour: Translucent
- Density: 1.2 g/cm³
- Length: 600 mm
- Width: 600 mm
- Thickness: 1.5 mm
- Suitability: FDA and WRAS approval for use with food and drink
- Maximum Operating Temperature: +230 °C



8405541 Silicone

RS PRO BLACK RUBBER SHEET, 1M X 600MM X 3MM

包装尺寸: 1 x EA

- Material: Natural
- Colour: Black
- Density: 1.5 g/cm³
- Length: 1 m
- Width: 600 mm
- Thickness: 3 mm
- Suitability: All purpose rubber for use with non food applications
- Maximum Operating Temperature: +70 °C



8405548 Natural

RS PRO TRANSLUCENT RUBBER SPONGE SHEET, 600MM X 600MM X

包装尺寸: 1 x EA

- Material: Silicone
- Colour: Translucent
- Density: 1.2 g/cm³
- Length: 600 mm
- Width: 600 mm
- Thickness: 6 mm
- Maximum Operating Temperature: +230 °C
- Minimum Operating Temperature: -60 °C



8788571 Silicone

RS PRO TRANSLUCENT RUBBER SPONGE SHEET, 600MM X 600MM X

- 包裝尺寸: **1 x EA**
- Material: Silicone
 - Colour: Translucent
 - Density: 1.2 g/cm³
 - Length: 600 mm
 - Width: 600 mm
 - Thickness: 3 mm
 - Maximum Operating Temperature: +230 °C
 - Minimum Operating Temperature: -60 °C



8788578 Silicone

RS PRO SHIM KIT, BRASS - YELLOW

- 包裝尺寸: **1 x EA**
- Material: Brass
 - Thickness: 0.05 → 0.8 mm
 - Length: 300 mm
 - Width: 150 mm
 - Number of Sheets: 10
 - Colour: Yellow



518728 Brass

RS PRO SHIM KIT, PLASTIC - ASSORTED

- 包裝尺寸: **1 x EA**
- Material: Plastic
 - Thickness: 0.0005 → 0.030 in
 - Length: 20 in
 - Width: 5 in
 - Number of Sheets: 14
 - Colour: Assorted



518778 Plastic

RS PRO SHIM KIT, STEEL - GREEN

- 包裝尺寸: **1 x EA**
- Material: Steel
 - Thickness: 0.05 → 0.8 mm
 - Length: 300 mm
 - Width: 150 mm
 - Number of Sheets: 10
 - Colour: Green



518867 Steel

RS PRO SHIM KIT, STEEL - GREEN

- 包裝尺寸: **1 x EA**
- Material: Steel
 - Thickness: 0.001 → 0.015 in
 - Length: 12 in
 - Width: 6 in
 - Number of Sheets: 12
 - Colour: Green



518891 Steel

RS PRO SHIM KIT, STAINLESS STEEL - RED

- 包裝尺寸: **1 x EA**
- Material: Stainless Steel
 - Thickness: 0.05 → 0.5 mm
 - Length: 300 mm
 - Width: 150 mm
 - Number of Sheets: 8
 - Colour: Red



518946 Stainless Steel

RS PRO SHIM KIT, BRASS - YELLOW

- 包裝尺寸: **1 x EA**
- Material: Brass
 - Thickness: 0.001 → 0.015 in
 - Length: 12 in
 - Width: 6 in
 - Number of Sheets: 12
 - Colour: Yellow



519018 Brass

RS PRO SHIM KIT, STEEL - NATURAL


- 包裝尺寸: **8 x EA**
- Material: Steel
 - Thickness: 0.002 in, 0.003 in, 0.004 in, 0.005 in, 0.006 in, 0.008 in, 0.01 in, 0.015 in
 - Length: 305 mm
 - Width: 102 mm
 - Number of Sheets: 8
 - Colour: Natural



680145 Steel

RS PRO SHIM KIT, BRASS - NATURAL


- 包裝尺寸: **8 x EA**
- Material: Brass
 - Thickness: 0.002 in, 0.003 in, 0.004 in, 0.005 in, 0.006 in, 0.008 in, 0.01 in, 0.015 in
 - Length: 305 mm
 - Width: 102 mm
 - Number of Sheets: 8
 - Colour: Natural



681249 Brass

ASSORTED PLASTIC SHIM STOCK, 12X6IN


- 包裝尺寸: **8 x EA**
- Material: Plastic
 - Thickness: 0.05 mm, 0.08 mm, 0.1 mm, 0.13 mm, 0.19 mm, 0.25 mm, 0.38 mm, 0.51 mm
 - Length: 305 mm
 - Width: 152 mm
 - Number of Sheets: 8
 - Colour: Blue, Brown, Green, Orange, Red, Transparent, White, Yellow



681407 Plastic

RS PRO SHIM KIT, PLASTIC - BLACK, BLUE, GREEN, GREY, NATURAL,

- 包裝尺寸: **8 x EA**
- Material: Plastic
 - Thickness: 0.05 mm, 0.08 mm, 0.1 mm, 0.13 mm, 0.19 mm, 0.25 mm, 0.38 mm, 0.51 mm
 - Length: 457 mm
 - Width: 305 mm
 - Number of Sheets: 8
 - Colour: Black, Blue, Green, Grey, Natural, Orange, Red, Yellow



770816 Plastic

6 PIECE SPRING STEEL SET, 12IN L

- 包裝尺寸: **1 x SET**
- Material: Spring Steel
 - Thickness: 0.01 in, 0.015 in, 0.018 in, 0.02 in, 0.022 in
 - Length: 12 in
 - Width: 0.625 in, 1.5 in
 - Number of Sheets: 6



3140527 Spring Steel

STEEL SHIM, 100IN X 6IN X 0.254MM

- 包裝尺寸: **1 x EA**
- Material: Steel
 - Thickness: 0.254 mm
 - Length: 100 in
 - Width: 6 in



518750 Steel

STEEL SHIM, 100IN X 6IN X 0.203MM


- 包裝尺寸: **1 x EA**
- Material: Steel
 - Thickness: 0.203 mm
 - Length: 100 in
 - Width: 6 in



518756 Steel

STEEL SHIM, 1.25M X 150MM X 0.2MM


- 包裝尺寸: **1 x EA**
- Material: Stainless Steel
 - Thickness: 0.2 mm
 - Length: 1.25 m
 - Width: 150 mm



518762 Stainless Steel

STEEL SHIM, 1.25M X 150MM X 0.1MM

- 包裝尺寸: **1 x EA**
- Material: Stainless Steel
 - Thickness: 0.1 mm
 - Length: 1.25 m
 - Width: 150 mm



518801 Stainless Steel

STEEL SHIM, 50IN X 6IN X 0.025MM

包装尺寸: 1 x EA

- Material: Stainless Steel
- Thickness: 0.025 mm
- Length: 50 in
- Width: 6 in



519074 Stainless Steel

STEEL SHIM, 50IN X 6IN X 0.051MM

包装尺寸: 1 x EA

- Material: Stainless Steel
- Thickness: 0.051 mm
- Length: 50 in
- Width: 6 in



519096 Stainless Steel

STEEL SHIM, 1.25M X 150MM X 0.5MM

包装尺寸: 1 x EA

- Material: Stainless Steel
- Thickness: 0.5 mm
- Length: 1.25 m
- Width: 150 mm




519119 Stainless Steel

PAI THERMAL INSULATING FILM, 420MM X 297MM X 1.6MM

包装尺寸: 1 x EA

- Material: PAI
- Maximum Operating Temperature: +160 °C
- Length: 420 mm
- Width: 297 mm
- Thickness: 1.6 mm




2035175 PAI

THERMAL INSULATING FILM, 420MM X 297MM X 3MM

包装尺寸: 1 x EA

- Maximum Operating Temperature: +160 °C
- Length: 420 mm
- Width: 297 mm
- Thickness: 3 mm




2035176 +160 °C

THERMAL INSULATING FILM, 420MM X 297MM X 6MM

包装尺寸: 1 x EA

- Maximum Operating Temperature: +160 °C
- Length: 420 mm
- Width: 297 mm
- Thickness: 6 mm



2035177 +160 °C

RS PRO FLAME RETARDANT MICROPOROUS BOARD THERMAL

包装尺寸: 1 x EA

- Material: Microporous Board
- Maximum Operating Temperature: +950 °C
- Form: Sheet
- Length: 595 mm
- Width: 495 mm
- Thickness: 20 mm
- Density: 200 to 250 kg/m³
- Flame Retardant: Yes



1034077 Microporous

RS PRO AEROGEL MIROPOROUS BLANKET THERMAL INSULATING

包装尺寸: 1 x EA

- Material: Aerogel Miroporous Blanket
- Form: Sheet
- Maximum Operating Temperature: +650 °C
- Length: 1 m
- Width: 700 mm
- Thickness: 10 mm
- Density: 0.18 g/cm³



1034078 Aerogel

RS PRO NON-CERAMIC MILLBOARD THERMAL INSULATING SHEET, 1M X 1M

包装尺寸: 1 x EA

- Material: Non-Ceramic Millboard
- Maximum Operating Temperature: +1000 °C
- Form: Sheet
- Length: 1 m
- Width: 1 m
- Thickness: 3 mm
- Density: 1,000 kg/m³
- Flame Retardant: No



2035131 Non-Ceramic

RS PRO THERMAL INSULATING SHEET, 1M X 1M X 6MM

包装尺寸: 1 x EA

- Maximum Operating Temperature: +1000 °C
- Form: Sheet
- Length: 1 m
- Width: 1 m
- Thickness: 6 mm
- Density: 1,000 kg/m³
- Flame Retardant: No
- Thermal Shock Resistant: Yes




2035132 +1000 °C

RS PRO FLAME RETARDANT EPOXY GLASS THERMAL INSULATING SHEET,

包装尺寸: 1 x EA

- Material: Epoxy Glass
- Maximum Operating Temperature: +130 °C
- Form: Sheet
- Length: 420 mm
- Width: 297 mm
- Thickness: 2.4 mm
- Density: 1.85 g/cm³
- Flame Retardant: Yes




2035179 Epoxy Glass

RS PRO FLAME RETARDANT EPOXY GLASS THERMAL INSULATING SHEET,

包装尺寸: 1 x EA

- Material: Epoxy Glass
- Maximum Operating Temperature: +130 °C
- Form: Sheet
- Length: 420 mm
- Width: 297 mm
- Thickness: 0.2 mm
- Density: 1.85 g/cm³
- Flame Retardant: Yes




2035180 Epoxy Glass

RS PRO FLAME RETARDANT EPOXY GLASS THERMAL INSULATING SHEET,

包装尺寸: 1 x EA

- Material: Epoxy Glass
- Form: Sheet
- Maximum Operating Temperature: +130 °C
- Length: 420 mm
- Width: 297 mm
- Thickness: 0.5 mm
- Flame Retardant: Yes




2035181 Epoxy Glass

RS PRO EPOXY GLASS THERMAL INSULATING SHEET, 420MM X 297MM

包装尺寸: 1 x EA

- Material: Epoxy Glass
- Maximum Operating Temperature: +130 °C
- Length: 420 mm
- Width: 297 mm
- Thickness: 1 mm



2035182 Epoxy Glass

NOMEX PAPER 0.25MM, 5 SHEETS

包装尺寸: 5 x EA

- Material: Nomex
- Form: Sheet
- Maximum Operating Temperature: +300 °C
- Length: 304 mm
- Width: 200 mm
- Thickness: 0.25 mm
- Density: 0.96 g/cm³



7757469 Nomex

RS PRO BLOW TORCH MT/770 MINI GAS TORCH

包装尺寸: 1 x EA

- Accessory Type: Soldering Nozzle
- For Use With: MT/770 Mini Gas Torch



467456 Soldering Nozzle

RS PRO STEEL WIRE 0.8MM DIAMETER

包装尺寸: 1 x EA

- Accessory Type: Steel Wire
- For Use With: MIG Welding Process
- Weight: 5 kg
- Wire Diameter: 0.8 mm



623158 Steel Wire

RS PRO STAINLESS STEEL WIRE 0.6MM DIAMETER

包装尺寸: 1 x EA

- Accessory Type: Stainless Steel Wire
- For Use With: MIG Welding Process
- Weight: 0.5 kg
- Wire Diameter: 0.6 mm



1828770 Stainless Steel

RS PRO STAINLESS STEEL WIRE 0.8MM DIAMETER

包装尺寸: 1 x EA

- Accessory Type: Stainless Steel Wire
- For Use With: MIG Welding Process
- Weight: 0.5 kg
- Wire Diameter: 0.8 mm



1828786 Stainless Steel

RS PRO WELDING CURTAIN 300MM 2M

包装尺寸: 1 x EA

- Thickness: 2 mm
- Length: 2 m
- Width: 300 mm



3250854 2 mm

COTTAM GREEN 37MM STEEL WIRE BRUSH, FOR ENGINEERING, GENERAL

包装尺寸: 1 x EA

- Application: Engineering, General Cleaning, Rust Remover
- Brush Type: Heavy Duty Brush
- Bristle Material: Steel
- Bristle Length: 37 mm
- Number of Rows: 3
- Colour: Green



822608 Engineering,

COTTAM GREEN 25MM BRASS WIRE BRUSH, FOR ENGINEERING, GENERAL

包装尺寸: 1 x EA

- Application: Engineering, General Cleaning, Rust Remover
- Brush Type: Heavy Duty Brush
- Bristle Material: Brass
- Bristle Length: 25 mm
- Brush Diameter or Width: 80 mm
- Brush Depth: 270 mm
- Number of Rows: 4
- Colour: Green



822636 Engineering,

COTTAM BLUE 30MM STEEL WIRE BRUSH, FOR SURFACE PREPARATION

包装尺寸: 1 x EA

- Application: Surface Preparation
- Brush Type: Heavy Duty Brush
- Bristle Material: Steel
- Bristle Length: 30 mm
- Brush Diameter or Width: 130 mm
- Brush Depth: 280 mm
- Number of Rows: 3
- Colour: Blue



822642 Surface

COTTAM BLUE 30MM STEEL WIRE BRUSH, FOR SURFACE PREPARATION

包装尺寸: 1 x EA

- Application: Surface Preparation
- Brush Type: Heavy Duty Brush
- Bristle Material: Steel
- Bristle Length: 30 mm
- Brush Diameter or Width: 130 mm
- Brush Depth: 280 mm
- Number of Rows: 4
- Colour: Blue



822658 Surface

RS PRO MALE 6.35MM STEREO JACK TO MALE 6.35MM STEREO JACK AUX

包裝尺寸: 1 x EA

- Connector 1: 6.35mm Stereo Jack
- Connector 2: 6.35mm Stereo Jack
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 5 m
- Sheath Colour: Black
- Connector B: 6.35mm Stereo Jack
- Connector B Gender: Male



1924456 6.35mm Stereo

RS PRO MALE 6.35MM STEREO JACK TO MALE 6.35MM STEREO JACK AUX

包裝尺寸: 1 x EA

- Connector 1: 6.35mm Stereo Jack
- Connector 2: 6.35mm Stereo Jack
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 3 m
- Sheath Colour: Black
- Connector B: 6.35mm Stereo Jack
- Connector B Gender: Male



1924457 6.35mm Stereo

RS PRO MALE 6.35MM STEREO JACK TO MALE 6.35MM STEREO JACK AUX

包裝尺寸: 1 x EA

- Connector 1: 6.35mm Stereo Jack
- Connector 2: 6.35mm Stereo Jack
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- Sheath Colour: Black
- Connector B: 6.35mm Stereo Jack
- Connector B Gender: Male



1924458 6.35mm Stereo

RS PRO MALE 6.35MM STEREO JACK TO MALE 6.35MM STEREO JACK AUX

包裝尺寸: 1 x EA

- Connector 1: 6.35mm Stereo Jack
- Connector 2: 6.35mm Stereo Jack
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1 m
- Sheath Colour: Black
- Connector B: 6.35mm Stereo Jack
- Connector B Gender: Male



1924459 6.35mm Stereo

RS PRO MALE 6.35MM STEREO JACK TO MALE 6.35MM STEREO JACK AUX

包裝尺寸: 1 x EA

- Connector 1: 6.35mm Stereo Jack
- Connector 2: 6.35mm Stereo Jack
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 10 m
- Sheath Colour: Black
- Outer Sheath Material: PVC
- Connector B: 6.35mm Stereo Jack



1924463 6.35mm Stereo

RS PRO MALE 6.35MM STEREO JACK TO MALE 6.35MM STEREO JACK AUX

包裝尺寸: 1 x EA

- Connector 1: 6.35mm Stereo Jack
- Connector 2: 6.35mm Stereo Jack
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 6 m
- Sheath Colour: Black
- Connector B: 6.35mm Stereo Jack
- Connector B Gender: Male



1924464 6.35mm Stereo

RS PRO MALE 6.35MM STEREO JACK TO MALE 6.35MM STEREO JACK AUX

包裝尺寸: 1 x EA

- Connector 1: 6.35mm Stereo Jack
- Connector 2: 6.35mm Stereo Jack
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 5 m
- Sheath Colour: Black
- Connector B: 6.35mm Stereo Jack
- Connector B Gender: Male



1924465 6.35mm Stereo

RS PRO MALE 6.35MM STEREO JACK TO MALE 6.35MM STEREO JACK AUX

包裝尺寸: 1 x EA

- Connector 1: 6.35mm Stereo Jack
- Connector 2: 6.35mm Stereo Jack
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 3 m
- Sheath Colour: Black
- Connector B: 6.35mm Stereo Jack
- Connector B Gender: Male



1924466 6.35mm Stereo

RS PRO MALE 6.35MM STEREO JACK TO MALE 6.35MM STEREO JACK AUX

包裝尺寸: 1 x EA

- Connector 1: 6.35mm Stereo Jack
- Connector 2: 6.35mm Stereo Jack
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- Sheath Colour: Black
- Connector B: 6.35mm Stereo Jack
- Connector B Gender: Male



1924467 6.35mm Stereo

RS PRO MALE 6.35MM STEREO JACK TO MALE 6.35MM STEREO JACK AUX

包裝尺寸: 1 x EA

- Connector 1: 6.35mm Stereo Jack
- Connector 2: 6.35mm Stereo Jack
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1 m
- Sheath Colour: Black
- Connector B: 6.35mm Stereo Jack
- Connector B Gender: Male



1924468 6.35mm Stereo

RS PRO MALE 6.35MM STEREO JACK TO MALE 6.35MM STEREO JACK AUX

包裝尺寸: 1 x EA

- Connector 1: 6.35mm Stereo Jack
- Connector 2: 6.35mm Stereo Jack
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 500 mm
- Sheath Colour: Black
- Outer Sheath Material: PVC
- Connector B: 6.35mm Stereo Jack



1924469 6.35mm Stereo

RS PRO MALE 3.5MM STEREO JACK TO MALE RCA X 2 AUX CABLE, BLACK,

包裝尺寸: 1 x EA

- Connector 1: 3.5mm Stereo Jack
- Connector 2: RCA x 2
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 200 mm
- Sheath Colour: Black
- Outer Sheath Material: PVC
- Connector B: RCA x 2



1924470 3.5mm Stereo

RS PRO MALE 3.5MM STEREO JACK TO FEMALE 3.5MM STEREO JACK AUX

包裝尺寸: 1 x EA

- Connector 1: 3.5mm Stereo Jack
- Connector 2: 3.5mm Stereo Jack
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 2 m
- Connector B: 3.5mm Stereo Jack
- Connector B Gender: Female
- Connector A: 3.5mm Stereo Jack



2369050 3.5mm Stereo

RS PRO AV ADAPTER, FEMALE DVI-I TO MALE VGA

包裝尺寸: 1 x EA

- End 1: Female DVI-I (1)
- End 2: VGA
- Type: Adapter
- Converts From Type: DVI-I
- Converts To Type: VGA
- Converts From Gender: Female
- Converts To Gender: Male
- End 1 Number of Connectors: 1



489355 Female DVI-I (1)

RS PRO AV ADAPTER, MALE HDMI TO FEMALE VGA

包裝尺寸: 1 x EA

- End 1: Male HDMI (1)
- End 2: Female VGA (1)
- Type: HDMI to VGA Adapter
- Converts From Type: HDMI
- Converts To Type: VGA
- Length: 150 mm
- Converts From Gender: Male
- Converts To Gender: Female



1828478 Male HDMI (1)

RS PRO AV ADAPTER, MALE DVI TO FEMALE VGA

包裝尺寸: 1 x EA

- End 1: Male DVI (1)
- End 2: Female VGA (1)
- Converts From Type: DVI
- Converts To Type: VGA
- Length: 55 mm
- Converts From Gender: Male
- Converts To Gender: Female
- End 1 Number of Connectors: 1



1828557 Male DVI (1)

RS PRO AV ADAPTER, MALE HDMI TO FEMALE DVI-D

- 包裝尺寸: 1 x EA
- End 1: Male HDMI (1)
 - End 2: Female DVI-D
 - Type: Video
 - Converts From Type: HDMI
 - Converts To Type: DVI-D
 - Converts From Gender: Male
 - Converts To Gender: Female
 - End 1 Number of Connectors: 1



1828558 Male HDMI (1)

RS PRO AV ADAPTER, FEMALE RCA TO MALE XLR

- 包裝尺寸: 1 x EA
- End 1: Female RCA (1)
 - End 2: Male XLR (1)
 - Type: For sound, video and lighting equipment
 - Converts From Type: RCA
 - Converts To Type: XLR
 - Converts From Gender: Female
 - Converts To Gender: Male
 - End 1 Number of Connectors: 1



1924471 Female RCA (1)

RS PRO AV ADAPTER, MALE RCA TO MALE XLR

- 包裝尺寸: 1 x EA
- End 1: Male RCA (1)
 - End 2: Male XLR (1)
 - Type: For sound, video and lighting equipment
 - Converts From Type: RCA
 - Converts To Type: XLR
 - Converts From Gender: Male
 - Converts To Gender: Male
 - End 1 Number of Connectors: 1



1924472 Male RCA (1)

RS PRO AV ADAPTER, FEMALE XLR TO FEMALE XLR

- 包裝尺寸: 1 x EA
- End 1: Female XLR (1)
 - End 2: Female XLR (1)
 - Type: For sound, video and lighting equipment
 - Converts From Type: XLR
 - Converts To Type: XLR
 - Converts From Gender: Female
 - Converts To Gender: Female
 - End 1 Number of Connectors: 1



1924475 Female XLR (1)

RS PRO AV ADAPTER, MALE 1/4 IN STEREO TO MALE XLR

- 包裝尺寸: 1 x EA
- End 2: Male XLR (1)
 - Type: For sound, video and lighting equipment
 - Converts From Type: 1/4 in Stereo
 - Converts To Type: XLR
 - Converts From Gender: Male
 - Converts To Gender: Male
 - End 1 Number of Connectors: 1
 - End 2 Number of Connectors: 1



1924476 Male XLR (1)

RS PRO AV ADAPTER, MALE 1/4 IN STEREO TO FEMALE XLR

- 包裝尺寸: 1 x EA
- End 2: Female XLR (1)
 - Type: For sound, video and lighting equipment
 - Converts From Type: 1/4 in Stereo
 - Converts To Type: XLR
 - Converts From Gender: Male
 - Converts To Gender: Female
 - End 1 Number of Connectors: 1
 - End 2 Number of Connectors: 1



1924477 Female XLR (1)

RS PRO HDMI ADAPTER, FEMALE HDMI TO MALE DISPLAYPORT

- 包裝尺寸: 1 x EA
- End 1: Female HDMI (1)
 - Converts From Type: HDMI
 - Converts To Type: DisplayPort
 - Length: 150 mm
 - Converts From Gender: Female
 - Converts To Gender: Male
 - End 1 Number of Connectors: 1
 - End 2 Number of Connectors: 1



1954279 Female HDMI (1)

RS PRO HDMI ADAPTER, FEMALE HDMI, DVI, VGA TO MALE MINI

- 包裝尺寸: 1 x EA
- End 1: Female HDMI (1)
 - End 2: Male Mini DisplayPort
 - Converts From Type: HDMI, DVI, VGA
 - Converts To Type: Mini DisplayPort
 - Length: 500 mm
 - Converts From Gender: Female
 - Converts To Gender: Male
 - End 1 Number of Connectors: 1



1954281 Female HDMI (1)

RS PRO AV ADAPTER, MALE HDMI TO FEMALE VGA

- 包裝尺寸: 1 x EA
- End 1: Male HDMI (1)
 - End 2: Female VGA (1)
 - Type: HDMI
 - Converts From Type: HDMI
 - Converts To Type: VGA
 - Converts From Gender: Male
 - Converts To Gender: Female
 - End 1 Number of Connectors: 1



1954343 Male HDMI (1)

RS PRO AV ADAPTER, MALE VGA TO FEMALE HDMI

- 包裝尺寸: 1 x EA
- End 1: Male VGA (1)
 - End 2: Female HDMI
 - Type: HDMI Splitter
 - Converts From Type: VGA
 - Converts To Type: HDMI
 - Converts From Gender: Male
 - Converts To Gender: Female
 - Colour: Black



1954344 Male VGA (1)

RS PRO ADAPTER, MALE HDMI TO FEMALE DVI-D

- 包裝尺寸: 1 x EA
- End 1: Male HDMI (1)
 - End 2: Female DVI-D
 - Type: Adapter
 - Converts From Type: HDMI
 - Converts To Type: DVI-D
 - Converts From Gender: Male
 - Converts To Gender: Female
 - End 1 Number of Connectors: 1



2206487 Male HDMI (1)

RS PRO AV ADAPTER, MALE HDMI TO FEMALE VGA

- 包裝尺寸: 1 x EA
- End 1: Male HDMI (1)
 - End 2: Female VGA (1)
 - Type: HDMI
 - Converts From Type: HDMI
 - Converts To Type: VGA
 - Converts From Gender: Male
 - Converts To Gender: Female
 - End 1 Number of Connectors: 1



1954345 Male HDMI (1)

RS PRO HDMI ADAPTER, MALE DISPLAYPORT TO FEMALE HDMI

- 包裝尺寸: 1 x EA
- End 1: Male DisplayPort (1)
 - End 2: Female HDMI (1)
 - Converts From Type: DisplayPort
 - Converts To Type: HDMI
 - Length: 15 cm
 - Converts From Gender: Male
 - Converts To Gender: Female
 - End 1 Number of Connectors: 1



2206490 Male DisplayPort

RS PRO ADAPTER, MALE DVI-D TO FEMALE VGA

- 包裝尺寸: 1 x EA
- End 1: Male DVI-D (1)
 - End 2: Female VGA (1)
 - Type: Monitor Adaptor
 - Converts From Type: DVI-D
 - Converts To Type: VGA
 - Converts From Gender: Male
 - Converts To Gender: Female
 - End 1 Number of Connectors: 1



2369105 Male DVI-D (1)

RS PRO ADAPTER, MALE VGA TO FEMALE DVI

- 包裝尺寸: 1 x EA
- End 1: Male VGA (1)
 - End 2: Female DVI (1)
 - Type: Monitor Adaptor
 - Converts From Type: VGA
 - Converts To Type: DVI
 - Converts From Gender: Male
 - Converts To Gender: Female
 - End 1 Number of Connectors: 1



2369106 Male VGA (1)

RS PRO ADAPTER, FEMALE DVI-I TO FEMALE DVI-I

- 包裝尺寸: 1 x EA
- End 1: Female DVI-I (1)
 - End 2: Female DVI (1)
 - Type: Adaptor
 - Converts From Type: DVI-I
 - Converts To Type: DVI-I
 - Converts From Gender: Female
 - Converts To Gender: Female
 - End 1 Number of Connectors: 1



2369107 Female DVI-I (1)

RS PRO ADAPTER, MALE MINI HDMI TO FEMALE HDMI

包裝尺寸: 1 x EA

- End 1: Male Mini HDMI
- End 2: Female HDMI (1)
- Type: Adaptor
- Converts From Type: Mini HDMI
- Converts To Type: HDMI
- Converts From Gender: Male
- Converts To Gender: Female
- End 1 Number of Connectors: 1



2369122 Male Mini HDMI

RS PRO ADAPTER, MALE HDMI TO FEMALE VGA

包裝尺寸: 1 x EA

- End 1: Male HDMI (1)
- End 2: Female VGA (1)
- Type: Display Adaptor
- Converts From Type: HDMI
- Converts To Type: VGA
- Converts From Gender: Male
- Converts To Gender: Female
- End 1 Number of Connectors: 1



2369126 Male HDMI (1)

RS PRO MALE TV AERIAL CONNECTOR TO MALE TV AERIAL CONNECTOR TV

包裝尺寸: 1 x EA

- Terminated/Unterminated: Terminated
- Connector 1: TV Aerial Connector
- Connector 2: TV Aerial Connector
- Coaxial Type: RF
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Outer Diameter: 5 mm
- Characteristic Impedance: 75 Ω



1924478 Terminated

RS PRO MALE TV AERIAL CONNECTOR TO MALE TV AERIAL CONNECTOR TV

包裝尺寸: 1 x EA

- Connector 1: TV Aerial Connector
- Terminated/Unterminated: Terminated
- Coaxial Type: RF
- Connector 2: TV Aerial Connector
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Outer Diameter: 5 mm
- Characteristic Impedance: 75 Ω



1924482 TV Aerial

RS PRO MALE TV AERIAL CONNECTOR TO MALE TV AERIAL CONNECTOR TV

包裝尺寸: 1 x EA

- Terminated/Unterminated: Terminated
- Connector 1: TV Aerial Connector
- Connector 2: TV Aerial Connector
- Coaxial Type: RF
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Outer Diameter: 5 mm
- Characteristic Impedance: 75 Ω



1924483 Terminated

RS PRO MALE TV AERIAL CONNECTOR TO MALE TV AERIAL CONNECTOR TV

包裝尺寸: 1 x EA

- Connector 1: TV Aerial Connector
- Terminated/Unterminated: Terminated
- Connector 2: TV Aerial Connector
- Coaxial Type: RF
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Outer Diameter: 5 mm
- Characteristic Impedance: 75 Ω



1924484 TV Aerial

RS PRO MALE TV AERIAL CONNECTOR TO MALE TV AERIAL CONNECTOR TV

包裝尺寸: 1 x EA

- Terminated/Unterminated: Terminated
- Connector 1: TV Aerial Connector
- Connector 2: TV Aerial Connector
- Coaxial Type: RF
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Outer Diameter: 5 mm
- Characteristic Impedance: 75 Ω



1924485 Terminated

RS PRO MALE TV AERIAL CONNECTOR TO MALE TV AERIAL CONNECTOR TV

包裝尺寸: 1 x EA

- Terminated/Unterminated: Terminated
- Connector 1: TV Aerial Connector
- Connector 2: TV Aerial Connector
- Coaxial Type: RF
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Outer Diameter: 5 mm
- Characteristic Impedance: 75 Ω



1924486 Terminated

RS PRO MALE TV AERIAL CONNECTOR TO MALE TV AERIAL CONNECTOR TV

包裝尺寸: 1 x EA

- Connector 1: TV Aerial Connector
- Terminated/Unterminated: Terminated
- Coaxial Type: RF
- Connector 2: TV Aerial Connector
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Outer Diameter: 5 mm
- Characteristic Impedance: 75 Ω



1924487 TV Aerial

RS PRO MALE TV AERIAL CONNECTOR TO MALE TV AERIAL CONNECTOR TV

包裝尺寸: 1 x EA

- Terminated/Unterminated: Terminated
- Connector 1: TV Aerial Connector
- Connector 2: TV Aerial Connector
- Coaxial Type: RF
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Outer Diameter: 5 mm
- Characteristic Impedance: 75 Ω



1924488 Terminated

RS PRO MALE TV AERIAL CONNECTOR TO MALE TV AERIAL CONNECTOR TV

包裝尺寸: 1 x EA

- Terminated/Unterminated: Terminated
- Connector 1: TV Aerial Connector
- Connector 2: TV Aerial Connector
- Coaxial Type: RF
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Outer Diameter: 5 mm
- Characteristic Impedance: 75 Ω



1924491 Terminated

RS PRO MALE TV AERIAL CONNECTOR TO MALE TV AERIAL CONNECTOR TV

包裝尺寸: 1 x EA

- Terminated/Unterminated: Terminated
- Connector 1: TV Aerial Connector
- Connector 2: TV Aerial Connector
- Coaxial Type: RF
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Outer Diameter: 5 mm
- Characteristic Impedance: 75 Ω



1924492 Terminated

RS PRO MALE TV AERIAL CONNECTOR TO MALE TV AERIAL CONNECTOR TV

包裝尺寸: 1 x EA

- Terminated/Unterminated: Terminated
- Connector 1: TV Aerial Connector
- Connector 2: TV Aerial Connector
- Coaxial Type: RF
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Outer Diameter: 5 mm
- Characteristic Impedance: 75 Ω



1924495 Terminated

RS PRO MALE TV AERIAL CONNECTOR TO MALE TV AERIAL CONNECTOR TV

包裝尺寸: 1 x EA

- Terminated/Unterminated: Terminated
- Connector 1: TV Aerial Connector
- Connector 2: TV Aerial Connector
- Coaxial Type: RF
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Outer Diameter: 5 mm
- Characteristic Impedance: 75 Ω



1924500 Terminated

9 MALE (SP)-25 MALE (SP) D ADAPTOR

包裝尺寸: 1 x EA

- Converts From Gender: Male
- Converts From Type: 9 Way D-Sub
- Converts To Gender: Male
- Converts To Type: 25 Way D-Sub



218251 Male

RS PRO D-SUB ADAPTER FEMALE 9 WAY D-SUB TO MALE 25 WAY D-SUB

包裝尺寸: 1 x EA

- Converts From Gender: Female
- Converts From Type: 9 Way D-Sub
- Converts To Gender: Male
- Converts To Type: 25 Way D-Sub



218273 Female

RS PRO D-SUB ADAPTER MALE 9 WAY D-SUB TO FEMALE 25 WAY D-SUB

包裝尺寸: 1 x EA

- Converts From Gender: Male
- Converts From Type: 9 Way D-Sub
- Converts To Gender: Female
- Converts To Type: 25 Way D-Sub



218289 Male

9 MALE (LP)-25 FEMALE (SP) D ADAPTOR

包裝尺寸: 1 x EA

- Converts From Gender: Male
- Converts From Type: 9 Way D-Sub
- Converts To Gender: Female
- Converts To Type: 25 Way D-Sub



174763 Male

9 FEMALE (SP)-25 MALE (SP) D ADAPTOR

包裝尺寸: 1 x EA

- Converts From Gender: Female
- Converts From Type: 9 Way D-Sub
- Converts To Gender: Male
- Converts To Type: 25 Way D-Sub



210100♀ Female

RS PRO D-SUB ADAPTER FEMALE 9 WAY D-SUB TO FEMALE 25 WAY D-

包裝尺寸: 1 x EA

- Converts From Gender: Female
- Converts From Type: 9 Way D-Sub
- Converts To Gender: Female
- Converts To Type: 25 Way D-Sub



2101010 Female

RS PRO D-SUB ADAPTER MALE 15 WAY D-SUB TO FEMALE 15 WAY D-SUB

包裝尺寸: 1 x EA

- Converts From Gender: Male
- Converts From Type: 15 Way D-Sub
- Converts To Gender: Female
- Converts To Type: 15 Way D-Sub



2338925 Male

SUB-D HD15F/15F CHANGER

包裝尺寸: 1 x EA

- Converts From Gender: Female
- Converts From Type: VGA
- Converts To Gender: Female
- Converts To Type: VGA



4081924 Female

RS PRO MALE MINI DISPLAYPORT TO MALE HDMI CABLE, 4.5M

包裝尺寸: 1 x EA

- Connector 1: Mini DisplayPort
- Connector 2: HDMI
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 4.5 m
- Outer Sheath Material: PVC
- Sheath Colour: Black
- Shielding: Shielded



1448608 Mini DisplayPort

RS PRO MALE DISPLAYPORT TO MALE HDMI CABLE, 1080P, 5M

包裝尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: HDMI
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 5 m
- Maximum Resolution: 1080p
- Outer Sheath Material: PVC
- Sheath Colour: Black



1828791 DisplayPort

RS PRO MALE DISPLAYPORT TO MALE HDMI CABLE, 4K, 3M

包裝尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: HDMI
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 3 m
- Maximum Resolution: 4K
- Connector B: HDMI
- Connector B Gender: Male



1828921 DisplayPort

RS PRO MALE MINI DISPLAYPORT TO MALE DISPLAYPORT CABLE, 4K, 1M

包裝尺寸: 1 x EA

- Connector 1: Mini DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1 m
- Maximum Resolution: 4K
- Outer Sheath Material: PVC
- Sheath Colour: Black



1863018 Mini DisplayPort

RS PRO MALE MINI DISPLAYPORT TO MALE DISPLAYPORT CABLE, 1080P,

包裝尺寸: 1 x EA

- Connector 1: Mini DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 5 m
- Maximum Resolution: 1080p
- Outer Sheath Material: PVC
- Sheath Colour: Black



1863019 Mini DisplayPort

RS PRO MALE DISPLAYPORT TO MALE DISPLAYPORT CABLE, 4K, 500MM

包裝尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 500 mm
- Maximum Resolution: 4K
- Outer Sheath Material: PVC
- Sheath Colour: Black



1863022 DisplayPort

RS PRO MALE DISPLAYPORT TO MALE HDMI CABLE, 4K, 1M

包裝尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: HDMI
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1 m
- Maximum Resolution: 4K
- Outer Sheath Material: PVC
- Sheath Colour: Black



1863034 DisplayPort

RS PRO MALE DISPLAYPORT TO MALE HDMI CABLE, 1080P, 2M

包裝尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: HDMI
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- Maximum Resolution: 1080p
- Outer Sheath Material: PVC
- Sheath Colour: Black



1863035 DisplayPort

RS PRO MALE DISPLAYPORT TO MALE HDMI CABLE, 1080P, 3M

包裝尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: HDMI
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 3 m
- Maximum Resolution: 1080p
- Outer Sheath Material: PVC
- Sheath Colour: Black



1863036 DisplayPort

RS PRO MALE DISPLAYPORT TO MALE VGA CABLE, 1080P, 1M

包裝尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: VGA
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1 m
- Maximum Resolution: 1080p
- Outer Sheath Material: PVC
- Sheath Colour: Black



1863037 DisplayPort

RS PRO MALE DISPLAYPORT TO MALE VGA CABLE, 1080P, 2M

包装尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: VGA
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- Maximum Resolution: 1080p
- Outer Sheath Material: PVC
- Sheath Colour: Black



1863038 DisplayPort

RS PRO MALE DISPLAYPORT TO MALE VGA CABLE, 1080P, 3M

包装尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: VGA
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 3 m
- Maximum Resolution: 1080p
- Outer Sheath Material: PVC
- Sheath Colour: Black



1863039 DisplayPort

RS PRO MALE DISPLAYPORT TO MALE VGA CABLE, 1080P, 5M

包装尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: VGA
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 5 m
- Maximum Resolution: 1080p
- Outer Sheath Material: PVC
- Sheath Colour: Black



1863040 DisplayPort

RS PRO MALE MINI DISPLAYPORT TO MALE MINI DISPLAYPORT CABLE, 4K,

包装尺寸: 1 x EA

- Connector 1: Mini DisplayPort
- Connector 2: Mini DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 500 mm
- Maximum Resolution: 4K
- Outer Sheath Material: PVC
- Sheath Colour: Black



1863041 Mini DisplayPort

RS PRO MALE MINI DISPLAYPORT TO MALE MINI DISPLAYPORT CABLE,

包装尺寸: 1 x EA

- Connector 1: Mini DisplayPort
- Connector 2: Mini DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1 m
- Maximum Resolution: 1080p
- Outer Sheath Material: PVC
- Sheath Colour: Black



1863042 Mini DisplayPort

RS PRO MALE MINI DISPLAYPORT TO MALE VGA CABLE, 1080P, 1M

包装尺寸: 1 x EA

- Connector 1: Mini DisplayPort
- Connector 2: VGA
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1 m
- Maximum Resolution: 1080p
- Outer Sheath Material: PVC
- Sheath Colour: Black



1863044 Mini DisplayPort

RS PRO MALE MINI DISPLAYPORT TO MALE DVI-D DUAL LINK CABLE, 4K, 1M

包装尺寸: 1 x EA

- Connector 1: Mini DisplayPort
- Connector 2: DVI-D Dual Link
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1 m
- Maximum Resolution: 4K
- Outer Sheath Material: PVC
- Sheath Colour: Black



1863047 Mini DisplayPort

RS PRO MALE MINI DISPLAYPORT TO MALE DVI-D DUAL LINK CABLE, 1080P,

包装尺寸: 1 x EA

- Connector 1: Mini DisplayPort
- Connector 2: DVI-D Dual Link
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- Maximum Resolution: 1080p
- Outer Sheath Material: PVC
- Sheath Colour: Black



1863049 Mini DisplayPort

RS PRO MALE MINI DISPLAYPORT TO MALE DVI-D DUAL LINK CABLE, 1080P,

包装尺寸: 1 x EA

- Connector 1: Mini DisplayPort
- Connector 2: DVI-D Dual Link
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 3 m
- Maximum Resolution: 1080p
- Outer Sheath Material: PVC
- Sheath Colour: Black



1863050 Mini DisplayPort

RS PRO MALE MINI DISPLAYPORT TO MALE DISPLAYPORT CABLE, 4K, 1M

包装尺寸: 1 x EA

- Connector 1: Mini DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1 m
- Maximum Resolution: 4K
- Outer Sheath Material: PVC
- Sheath Colour: White



1863059 Mini DisplayPort

RS PRO MALE MINI DISPLAYPORT TO MALE DISPLAYPORT CABLE, 4K, 2M

包装尺寸: 1 x EA

- Connector 1: Mini DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- Maximum Resolution: 4K
- Outer Sheath Material: PVC
- Sheath Colour: White



1863060 Mini DisplayPort

RS PRO MALE MINI DISPLAYPORT TO MALE DISPLAYPORT CABLE, 1080P,

包装尺寸: 1 x EA

- Connector 1: Mini DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 3 m
- Maximum Resolution: 1080p
- Outer Sheath Material: PVC
- Sheath Colour: White



1863061 Mini DisplayPort

RS PRO MALE MINI DISPLAYPORT TO MALE DISPLAYPORT CABLE, 1080P,

包装尺寸: 1 x EA

- Connector 1: Mini DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 5 m
- Maximum Resolution: 1080p
- Outer Sheath Material: PVC
- Sheath Colour: White



1863062 Mini DisplayPort

RS PRO MALE MINI DISPLAYPORT TO MALE MINI DISPLAYPORT CABLE, 4K,

包装尺寸: 1 x EA

- Connector 1: Mini DisplayPort
- Connector 2: Mini DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- Maximum Resolution: 4K
- Outer Sheath Material: PVC
- Connector B: Mini DisplayPort



1924520 Mini DisplayPort

RS PRO MALE MINI DISPLAYPORT TO MALE MINI DISPLAYPORT CABLE,

包装尺寸: 1 x EA

- Connector 1: Mini DisplayPort
- Connector 2: Mini DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 3 m
- Maximum Resolution: 1080p
- Outer Sheath Material: PVC
- Connector B: Mini DisplayPort



1924521 Mini DisplayPort

RS PRO MALE DISPLAYPORT TO FEMALE MINI DISPLAYPORT CABLE,

包装尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: Mini DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 36.5 mm
- Connector B: Mini DisplayPort
- Connector B Gender: Female
- Connector A: DisplayPort



1924522 DisplayPort

RS PRO MALE USB C TO MALE DISPLAYPORT CABLE, 4K, 2M

包装尺寸: 1 x EA

- Connector 1: USB C
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- Maximum Resolution: 4K
- Outer Sheath Material: PVC
- Connector B: DisplayPort



1924680 USB C

RS PRO MALE DISPLAYPORT TO MALE USB C CABLE, 4K, 3M

包装尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: USB C
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 3 m
- Maximum Resolution: 4K
- Outer Sheath Material: PVC
- Connector B: USB C



1924681 DisplayPort

RS PRO MALE USB C TO MALE DISPLAYPORT CABLE, 4K, 5M

包装尺寸: 1 x EA

- Connector 1: USB C
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 5 m
- Maximum Resolution: 4K
- Outer Sheath Material: PVC
- Connector B: DisplayPort



1924682 USB C

RS PRO MALE MINI DISPLAYPORT TO MALE DISPLAYPORT CABLE, 8K,

包装尺寸: 1 x EA

- Connector 1: Mini DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 500 mm
- Maximum Resolution: 8K
- Connector B: DisplayPort
- Connector B Gender: Male



1954903 Mini DisplayPort

RS PRO MALE MINI DISPLAYPORT TO MALE DISPLAYPORT CABLE, 8K, 1M

包装尺寸: 1 x EA

- Connector 1: Mini DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1 m
- Maximum Resolution: 8K
- Connector B: DisplayPort
- Connector B Gender: Male



1954904 Mini DisplayPort

RS PRO MALE MINI DISPLAYPORT TO MALE DISPLAYPORT CABLE, 8K, 2M

包装尺寸: 1 x EA

- Connector 1: Mini DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- Maximum Resolution: 8K
- Connector B: DisplayPort
- Connector B Gender: Male



1954905 Mini DisplayPort

RS PRO MALE DISPLAYPORT TO MALE DISPLAYPORT CABLE, 8K, 500MM

包装尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 500 mm
- Maximum Resolution: 8K
- Connector B: DisplayPort
- Connector B Gender: Male



1954906 DisplayPort

RS PRO MALE DISPLAYPORT TO MALE DISPLAYPORT CABLE, 8K, 1M

包装尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1 m
- Maximum Resolution: 8K
- Connector B: DisplayPort
- Connector B Gender: Male



1954907 DisplayPort

RS PRO MALE DISPLAYPORT TO MALE DISPLAYPORT CABLE, 8K, 2M

包装尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- Maximum Resolution: 8K
- Connector B: DisplayPort
- Connector B Gender: Male



1954909 DisplayPort

RS PRO MALE DISPLAYPORT TO MALE USB C CABLE, 8K, 1M

包装尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: USB C
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- DisplayPort Version: 1.4
- Length: 1 m
- Maximum Resolution: 8K
- Connector B: USB C



2299974 DisplayPort

RS PRO MALE DISPLAYPORT TO MALE DISPLAYPORT CABLE, 8K, 3M

包装尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 3 m
- Maximum Resolution: 8K
- Connector B: DisplayPort
- Connector B Gender: Male



1954910 DisplayPort

RS PRO MALE DISPLAYPORT TO MALE USB C CABLE, 8K, 2M

包装尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: USB C
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- DisplayPort Version: 1.4
- Length: 2 m
- Maximum Resolution: 8K
- Connector B: USB C



2299975 DisplayPort

RS PRO MALE DISPLAYPORT TO MALE USB C CABLE, 1M

包装尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: USB C
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- DisplayPort Version: 1.2
- Length: 1 m
- Connector B: USB C
- Connector B Gender: Male



2299979 DisplayPort

RS PRO MALE DISPLAYPORT TO MALE DISPLAYPORT CABLE, 4K, 2M

包装尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- DisplayPort Version: 1.2
- Length: 2 m
- Maximum Resolution: 4K
- Shielding: Braid



2369095 DisplayPort

RS PRO MALE DISPLAYPORT TO MALE DISPLAYPORT CABLE, 4K, 3M

包装尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- DisplayPort Version: 1.2
- Length: 3 m
- Maximum Resolution: 4K
- Shielding: Braid



2369096 DisplayPort

RS PRO MALE DISPLAYPORT TO MALE DISPLAYPORT CABLE, 4K, 5M

包装尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- DisplayPort Version: 1.2
- Length: 5 m
- Maximum Resolution: 4K
- Shielding: Braid



2369097 DisplayPort

RS PRO MALE DISPLAYPORT TO MALE DISPLAYPORT CABLE, 8K, 500MM

包装尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- DisplayPort Version: 1.4
- Length: 500 mm
- Maximum Resolution: 8K
- Connector B: DisplayPort



2369101 DisplayPort

RS PRO MALE DISPLAYPORT TO MALE DISPLAYPORT CABLE, 8K, 1M

包装尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- DisplayPort Version: 1.4
- Length: 1 m
- Maximum Resolution: 8K
- Connector B: DisplayPort



2369102 DisplayPort

RS PRO MALE DISPLAYPORT TO MALE DISPLAYPORT CABLE, 8K, 2M

包装尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- DisplayPort Version: 1.4
- Length: 2 m
- Maximum Resolution: 8K
- Connector B: DisplayPort



2369103 DisplayPort

RS PRO MALE DISPLAYPORT TO MALE DISPLAYPORT CABLE, 8K, 3M

包装尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- DisplayPort Version: 1.4
- Length: 3 m
- Maximum Resolution: 8K
- Connector B: DisplayPort



2369104 DisplayPort

RS PRO MALE HDMI TO FEMALE DISPLAYPORT CABLE, 1080P, 150MM

包装尺寸: 1 x EA

- Connector 1: HDMI
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- DisplayPort Version: 1.2
- Length: 150 mm
- Maximum Resolution: 1080P
- Connector B: DisplayPort



2369124 HDMI

RS PRO MALE MINI DISPLAYPORT TO FEMALE DISPLAYPORT CABLE, 4K,

包装尺寸: 1 x EA

- Connector 1: Mini DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- DisplayPort Version: 1.2
- Length: 150 mm
- Maximum Resolution: 4K
- Connector B: DisplayPort



2369125 Mini DisplayPort

RS PRO, MALE DVI-D SINGLE LINK TO MALE DVI-D SINGLE LINK CABLE, 1M

包装尺寸: 1 x EA

- Connector 1: DVI-D Single Link
- Connector 2: DVI-D Single Link
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1 m
- Outer Sheath Material: PVC
- Sheath Colour: Black
- Size of Strands: 30 AWG



1863023 DVI-D Single Link

RS PRO, MALE DVI-D SINGLE LINK TO MALE DVI-D SINGLE LINK CABLE, 2M

包装尺寸: 1 x EA

- Connector 1: DVI-D Single Link
- Connector 2: DVI-D Single Link
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- Outer Sheath Material: PVC
- Sheath Colour: Black
- Size of Strands: 30 AWG



1863024 DVI-D Single Link

RS PRO, MALE DVI-D SINGLE LINK TO MALE DVI-D SINGLE LINK CABLE, 3M

包装尺寸: 1 x EA

- Connector 1: DVI-D Single Link
- Connector 2: DVI-D Single Link
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 3 m
- Outer Sheath Material: PVC
- Sheath Colour: Black
- Size of Strands: 30 AWG



1863025 DVI-D Single Link

RS PRO, MALE DVI-D SINGLE LINK TO MALE DVI-D SINGLE LINK CABLE, 10M

包装尺寸: 1 x EA

- Connector 1: DVI-D Single Link
- Connector 2: DVI-D Single Link
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 10 m
- Outer Sheath Material: PVC
- Sheath Colour: Black
- Size of Strands: 30 AWG



1863027 DVI-D Single Link

RS PRO, MALE DVI-D DUAL LINK TO FEMALE HDMI CABLE, 150MM

包装尺寸: 1 x EA

- Connector 1: DVI-D Dual Link
- Connector 2: HDMI
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 150 mm
- Connector B: HDMI
- Connector B Gender: Female
- Connector A: DVI-D



2369108 DVI-D Dual Link

RS PRO, MALE DVI-D DUAL LINK TO MALE DVI-D DUAL LINK CABLE, 15M

包装尺寸: 1 x EA

- Connector 1: DVI-D Dual Link
- Connector 2: DVI-D Dual Link
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 15 m
- Connector B: DVI-D
- Connector B Gender: Male
- Connector A: DVI-D



2369111 DVI-D Dual Link

RS PRO, MALE DVI-D DUAL LINK TO FEMALE DVI-D DUAL LINK CABLE, 2M

包装尺寸: 1 x EA

- Connector 1: DVI-D Dual Link
- Connector 2: DVI-D Dual Link
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 2 m
- Connector B: DVI-D
- Connector B Gender: Female
- Connector A: DVI-D



2369114 DVI-D Dual Link

RS PRO CAT6 MALE RJ45 TO MALE RJ45 ETHERNET CABLE, WHITE, 2M

包装尺寸: 1 x EA

- Connector 1: RJ45
- LAN Category: Cat6
- Terminated/Unterminated: Terminated
- Connector 2: RJ45
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Wiring Configuration: Straight Through
- Length: 2 m



2369132 RJ45

RS PRO CAT6 MALE RJ45 TO MALE RJ45 ETHERNET CABLE, PURPLE, 2M

包装尺寸: 1 x EA

- Connector 1: RJ45
- LAN Category: Cat6
- Terminated/Unterminated: Terminated
- Connector 2: RJ45
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Wiring Configuration: Straight Through
- Length: 2 m



2369131 RJ45

RS PRO FEMALE FIREWIRE TO FEMALE FIREWIRE CABLE, GREY, 2M

包装尺寸: 1 x EA

- Connector 1: Firewire
- Connector 2: Firewire
- Connector 1 Gender: Female
- Connector 2 Gender: Female
- Length: 2 m
- Sheath Colour: Grey
- Shielding: Shielded
- Connector B: Female



3319329 Firewire

RS PRO MALE HDMI TO MALE HDMI CABLE, 1M

- 包装尺寸: 1 x EA
- Connector 1: HDMI
 - Connector 2: HDMI
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 1 m
 - Sheath Colour: Black
 - HDMI Version: High Speed
 - Standards Met: UL 20276



1212779 HDMI

RS PRO MALE HDMI TO MALE HDMI CABLE, 2M

- 包装尺寸: 1 x EA
- Connector 1: HDMI
 - Connector 2: HDMI
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 2 m
 - Sheath Colour: Black
 - HDMI Version: High Speed
 - Standards Met: UL 20276



1212780 HDMI

RS PRO MALE HDMI TO MALE HDMI CABLE, 3M

- 包装尺寸: 1 x EA
- Connector 1: HDMI
 - Connector 2: HDMI
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 3 m
 - Sheath Colour: Black
 - HDMI Version: High Speed
 - Connector B: HDMI



1212781 HDMI

RS PRO MALE HDMI TO MALE HDMI CABLE, 5M

- 包装尺寸: 1 x EA
- Connector 1: HDMI
 - Connector 2: HDMI
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 5 m
 - Sheath Colour: Black
 - HDMI Version: High Speed
 - Standards Met: UL 20276



1212782 HDMI

RS PRO MALE HDMI TO MALE HDMI CABLE, 10M

- 包装尺寸: 1 x EA
- Connector 1: HDMI
 - Connector 2: HDMI
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 10 m
 - Sheath Colour: Black
 - HDMI Version: High Speed
 - Standards Met: UL 20276



1212783 HDMI

RS PRO 4K MALE HDMI TO MALE HDMI CABLE, 500MM

- 包装尺寸: 1 x EA
- Connector 1: HDMI
 - Connector 2: HDMI
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Maximum Resolution: 4K
 - Length: 500 mm
 - Sheath Colour: Black
 - Outer Sheath Material: PVC



1828768 HDMI

RS PRO 4K MALE HDMI TO MALE DVI-D SINGLE LINK CABLE, 20M

- 包装尺寸: 1 x EA
- Connector 1: HDMI
 - Connector 2: DVI-D Single Link
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Maximum Resolution: 4K
 - Length: 20 m
 - Sheath Colour: Black
 - Outer Sheath Material: PVC



1863028 HDMI

RS PRO MALE HDMI TO MALE VGA CABLE, 1M

- 包装尺寸: 1 x EA
- Connector 1: HDMI
 - Connector 2: VGA
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 1 m
 - Connector B: VGA
 - Connector B Gender: Male
 - Connector A: HDMI



1924517 HDMI

RS PRO MALE HDMI TO MALE VGA CABLE, 1M

- 包装尺寸: 1 x EA
- Connector 1: HDMI
 - Connector 2: VGA
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 1 m
 - Connector B: VGA
 - Connector B Gender: Male
 - Connector A: HDMI



1924515 HDMI

RS PRO MALE HDMI TO MALE VGA CABLE, 1.8M

- 包装尺寸: 1 x EA
- Connector 1: HDMI
 - Connector 2: VGA
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 1.8 m
 - Connector B: VGA
 - Connector B Gender: Male
 - Connector A: HDMI



1924518 HDMI

RS PRO 8K MALE HDMI TO MALE HDMI CABLE, 500MM

- 包装尺寸: 1 x EA
- Connector 1: HDMI
 - Connector 2: HDMI
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Maximum Resolution: 8K
 - Length: 500 mm
 - Connector B: HDMI
 - Connector B Gender: Male



1954882 HDMI

RS PRO 8K MALE HDMI TO MALE HDMI CABLE, 500MM

- 包装尺寸: 1 x EA
- Connector 1: HDMI
 - Connector 2: HDMI
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Maximum Resolution: 8K
 - Length: 500 mm
 - Connector B: HDMI
 - Connector B Gender: Male



1954883 HDMI

RS PRO 8K MALE HDMI TO MALE HDMI CABLE, 500MM

- 包装尺寸: 1 x EA
- Connector 1: HDMI
 - Connector 2: HDMI
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Maximum Resolution: 8K
 - Length: 500 mm
 - Connector B: HDMI
 - Connector B Gender: Male



1954884 HDMI

RS PRO 8K MALE HDMI TO MALE HDMI CABLE, 1M

- 包装尺寸: 1 x EA
- Connector 1: HDMI
 - Connector 2: HDMI
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Maximum Resolution: 8K
 - Length: 1 m
 - Connector B: HDMI
 - Connector B Gender: Male



1954887 HDMI

RS PRO 8K MALE HDMI TO MALE HDMI CABLE, 500MM

- 包装尺寸: 1 x EA
- Connector 1: HDMI
 - Connector 2: HDMI
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Maximum Resolution: 8K
 - Length: 500 mm
 - Connector B: HDMI
 - Connector B Gender: Male



1954886 HDMI

RS PRO 8K MALE HDMI TO MALE HDMI CABLE, 1M

- 包装尺寸: 1 x EA
- Connector 1: HDMI
 - Connector 2: HDMI
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Maximum Resolution: 8K
 - Length: 1 m
 - Connector B: HDMI
 - Connector B Gender: Male



1954888 HDMI

RS PRO 4K MALE HDMI TO MALE HDMI CABLE, 3M

- 包装尺寸: 1 x EA
- Connector 1: HDMI
 - Connector 2: HDMI
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Maximum Resolution: 4K
 - Length: 3 m
 - Connector B: HDMI
 - Connector B Gender: Male



2369091 HDMI

RS PRO 1080 MALE HDMI TO MALE DVI-D DUAL LINK CABLE, 1.5M

- 包装尺寸: 1 x EA
- Connector 1: HDMI
 - Connector 2: DVI-D Dual Link
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Maximum Resolution: 1080
 - Length: 1.5 m
 - Connector B: DVI-D
 - Connector B Gender: Male



2369113 HDMI

RS PRO 4K MALE HDMI TO MALE MICRO HDMI CABLE, 3M

- 包装尺寸: 1 x EA
- Connector 1: HDMI
 - Connector 2: Micro HDMI
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - HDMI Cable Speed: High Speed
 - Maximum Resolution: 4K
 - Length: 3 m
 - Connector B: Micro HDMI



2369116 HDMI

RS PRO 4K MALE HDMI TO MALE MICRO HDMI CABLE, 5M

- 包装尺寸: 1 x EA
- Connector 1: HDMI
 - Connector 2: Micro HDMI
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - HDMI Cable Speed: High Speed
 - Maximum Resolution: 4K
 - Length: 5 m
 - Connector B: Micro HDMI



2369117 HDMI

RS PRO MALE HDMI TO MALE HDMI CABLE, 10M

- 包装尺寸: 1 x EA
- Connector 1: HDMI
 - Connector 2: HDMI
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 10 m
 - Sheath Colour: Black
 - Series: Thin Wire
 - Connector B: HDMI



8525257 HDMI

RS PRO MALE HDMI TO MALE HDMI CABLE, 3M

- 包装尺寸: 1 x EA
- Connector 1: HDMI
 - Connector 2: HDMI
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 3 m
 - Sheath Colour: Black
 - Connector B: HDMI
 - Connector B Gender: Male



8525273 HDMI

RS PRO MALE HDMI TO MALE HDMI CABLE, 1M

- 包装尺寸: 1 x EA
- Connector 1: HDMI
 - Connector 2: HDMI
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 1 m
 - Sheath Colour: Black
 - Connector B: HDMI
 - Connector B Gender: Male



8525279 HDMI

RS PRO MALE HDMI TO MALE HDMI CABLE, 5M

- 包装尺寸: 1 x EA
- Connector 1: HDMI
 - Connector 2: HDMI
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 5 m
 - Sheath Colour: Black
 - Connector B: HDMI
 - Connector B Gender: Male



8525282 HDMI

RS PRO MALE HDMI TO MALE HDMI CABLE, 10M

- 包装尺寸: 1 x EA
- Connector 1: HDMI
 - Connector 2: HDMI
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 10 m
 - Sheath Colour: Black
 - Connector B: HDMI
 - Connector B Gender: Male



8525285 HDMI

RS PRO MALE HDMI TO MALE HDMI CABLE, 7.5M

- 包装尺寸: 1 x EA
- Connector 1: HDMI
 - Connector 2: HDMI
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 7.5 m
 - Sheath Colour: Black
 - Series: Thin Wire
 - Connector B: HDMI



9134821 HDMI

RS PRO MALE HDMI TO MALE HDMI CABLE, 7.5M

- 包装尺寸: 1 x EA
- Connector 1: HDMI
 - Connector 2: HDMI
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 7.5 m
 - Sheath Colour: White
 - Connector B: HDMI
 - Connector B Gender: Male



9134828 HDMI

RS PRO MALE HDMI TO MALE HDMI CABLE, 7.5M

- 包装尺寸: 1 x EA
- Connector 1: HDMI
 - Connector 2: HDMI
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 7.5 m
 - Sheath Colour: Black
 - Connector B: HDMI
 - Connector B Gender: Male



9134834 HDMI

RS PRO MALE HDMI TO MALE HDMI CABLE, 7.5M

- 包装尺寸: 1 x EA
- Connector 1: HDMI
 - Connector 2: HDMI
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 7.5 m
 - Sheath Colour: Grey
 - Connector B: HDMI
 - Connector B Gender: Male



9134846 HDMI

RS PRO MALE HDMI TO MALE HDMI CABLE, 3M

- 包装尺寸: 1 x EA
- Connector 1: HDMI
 - Connector 2: HDMI
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 3 m
 - Sheath Colour: Blue
 - Size of Strands: 30 AWG
 - Shielding: Braid



9134859 HDMI

RS PRO MALE HDMI TO MALE HDMI CABLE, 7.5M

- 包装尺寸: 1 x EA
- Connector 1: HDMI
 - Connector 2: HDMI
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 7.5 m
 - Sheath Colour: Blue
 - Size of Strands: 30 AWG
 - Shielding: Braid



9134856 HDMI

RS PRO MALE HDMI TO MALE HDMI CABLE, 7.5M

- 包装尺寸: 1 x EA
- Connector 1: HDMI
 - Connector 2: HDMI
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 7.5 m
 - Sheath Colour: Red
 - Size of Strands: 30 AWG
 - Shielding: Braid



9134871 HDMI

RS PRO MALE HDMI TO MALE HDMI CABLE, 7.5M

包装尺寸: 1 x EA

- Connector 1: HDMI
- Connector 2: HDMI
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 7.5 m
- Sheath Colour: Green
- Size of Strands: 30 AWG
- Shielding: Braid



9134880 HDMI

RS PRO MALE HDMI TO MALE HDMI CABLE, 2M

包装尺寸: 1 x EA

- Connector 1: HDMI
- Connector 2: HDMI
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- Sheath Colour: Black
- Size of Strands: 0.23 mm
- Outer Sheath Material: PVC



9134975 HDMI

RS PRO EARPHONES WITH BUILT IN MICROPHONE

包装尺寸: 1 x EA

- Headphone Type: Earphones with Built in Microphone



1954876 Earphones with

RS PRO BLACK, RED WIRED ON EAR HEADSET

包装尺寸: 1 x EA

- Headphone Type: On Ear Headset
- Wired/Wireless: Wired
- Colour: Black, Red
- Connectivity: Jack Plug



2013520 On Ear Headset

RS PRO WHITE WIRED ON EAR HEADSET

包装尺寸: 1 x EA

- Headphone Type: On Ear Headset
- Wired/Wireless: Wired
- Colour: White
- Connectivity: Jack Plug



2013523 On Ear Headset

RS PRO 3 A DVI-I TO MALE DVI-I CABLE

包装尺寸: 1 x EA

- Connector A: DVI-I
- Connector A Gender: Female
- Connector B: DVI-I
- Connector B Gender: Male
- Current Rating: 3 A
- Outer Sheath Material: PVC
- Sheath Colour: Black



489343 DVI-I

RS PRO BLACK WIRED ON EAR HEADSET

包装尺寸: 1 x EA

- Headphone Type: On Ear Headset
- Wired/Wireless: Wired
- Colour: Black
- Connectivity: Jack Plug



2013524 On Ear Headset

RS PRO INTERFACE ADAPTER

包装尺寸: 1 x EA

- Cable Type: DisplayPort
- Connector A Gender: Male
- Connector A Type: Mini DisplayPort
- Connector B Gender: Female
- Connector B Type: DisplayPort
- Length: 45 mm



1924523 DisplayPort

RS PRO USB SERIAL CABLE ADAPTER

包装尺寸: 1 x EA

- Input Port: USB
- Output Port: RS232
- Number of Ports: 1
- Bus Type: USB 2.0



1445699 USB

RS PRO USB C TO USB MICRO USB ADAPTER

包装尺寸: 1 x EA

- Connector A: USB C
- Connector B: USB Micro
- Connector A Gender: Male
- Connector B Gender: Female
- USB Standard: USB 3.0



1954881 USB C

RS PRO DB-9 MALE TO USB INTERFACE ADAPTER

包装尺寸: 1 x EA

- Connector A: DB-9 Male
- Connector B: USB
- Connector A Gender: Male
- Connector B Gender: Male



2206494 DB-9 Male

80CM USB 2.0 USB AM-4XDB9 RS232 M BLACK

包装尺寸: 1 x EA

- Input Port: USB
- Output Port: DB 9
- Number of Ports: 4
- Bus Type: USB 2.0



2206501 USB

USB A (F) - USB A (F) GENDER CHANGER 2.0

包装尺寸: 1 x EA

- Connector A: USB Female
- Connector B: USB Female
- Connector A Gender: Female
- Connector B Gender: Female



4955336 USB Female

USB A (F) - USB B (M) GENDER CHANGER 2.0

包装尺寸: 1 x EA

- Connector A: USB Female
- Connector B: USB B Male
- Connector A Gender: Female
- Connector B Gender: Male



4955342 USB Female

USB A (M) - USB B (F) GENDER CHANGER 2.0

包装尺寸: 1 x EA

- Connector A: USB A Male
- Connector B: USB B Female
- Connector A Gender: Male
- Connector B Gender: Female



4955358 USB A Male

USB A (F) - USB B (F) GENDER CHANGER 2.0

包装尺寸: 1 x EA

- Connector A: USB Female
- Connector B: USB B Female
- Connector A Gender: Female
- Connector B Gender: Female



4955364 USB Female

USB A (M) - USB A (M) GENDER CHANGER 2.0

包裝尺寸: 1 x EA

- Connector A: USB Male
- Connector B: USB Male
- Connector A Gender: Male
- Connector B Gender: Male



5142610 USB Male

RS PRO WALL MOUNTING MONITOR ARM FOR 1 X SCREEN

包裝尺寸: 1 x EA

- Product Type: Monitor Arm
- Mounting Surface: Wall
- Number of Displays Supported: 1
- Maximum Load: 25 kg
- VESA Configurations: 100 x 100 mm, 75 x 75 mm
- Height: 100 mm
- Width: 100 mm
- Depth: 15 mm



1418304 Monitor Arm

RS PRO WALL MOUNTING MONITOR ARM FOR 1 X SCREEN

包裝尺寸: 1 x EA

- Product Type: Monitor Arm
- Mounting Surface: Wall
- Number of Displays Supported: 1
- Maximum Load: 25 kg
- Extension Arm: Yes
- VESA Configurations: 75 x 75 mm, 100 x 100 mm, 200 x 100 mm, 200 x 200 mm
- Height: 224 mm
- Width: 224 mm



1418306 Monitor Arm

RS PRO WALL MOUNTING MONITOR ARM FOR 1 X SCREEN

包裝尺寸: 1 x EA

- Product Type: Monitor Arm
- Mounting Surface: Wall
- Number of Displays Supported: 1
- Maximum Load: 8 kg
- Extension Arm: Yes
- VESA Configurations: 100 x 100 mm, 75 x 75 mm
- Height: 100 mm
- Width: 75 mm



1418307 Monitor Arm

RS PRO WALL MOUNTING MONITOR ARM FOR 1 X SCREEN

包裝尺寸: 1 x EA

- Product Type: Monitor Arm
- Mounting Surface: Wall
- Number of Displays Supported: 1
- Maximum Load: 10 kg
- Extension Arm: Yes
- VESA Configurations: 100 x 100 mm, 75 x 75 mm
- Depth: 305 mm



1418308 Monitor Arm

RS PRO WALL MOUNTING MONITOR ARM FOR 1 X SCREEN

包裝尺寸: 1 x EA

- Product Type: Monitor Arm
- Mounting Surface: Wall
- Number of Displays Supported: 1
- Maximum Load: 15 kg
- Extension Arm: Yes
- VESA Configurations: 100 x 100 mm, 75 x 75 mm
- Height: 126 mm
- Width: 126 mm



1418309 Monitor Arm

RS PRO MONITOR ARM FOR 1 X SCREEN

包裝尺寸: 1 x EA

- Product Type: Monitor Arm
- Number of Displays Supported: 1
- Extension Arm: Yes
- VESA Configurations: 75 x 75 mm, 100 x 100 mm
- Colour: Silver



1763376 Monitor Arm

RS PRO WALL MOUNTING MONITOR ARM FOR 1 X SCREEN

包裝尺寸: 1 x EA

- Product Type: Monitor Arm
- Mounting Surface: Wall
- Number of Displays Supported: 1



1763379 Monitor Arm

RS PRO WALL MOUNTING MONITOR ARM FOR 1 X SCREEN, 24IN SCREEN

包裝尺寸: 1 x EA

- Product Type: Monitor Arm
- Mounting Surface: Wall
- Number of Displays Supported: 1
- Extension Arm: Yes
- Maximum Screen Size: 24 in
- VESA Configurations: 75 x 75 mm, 100 x 100 mm
- Colour: Black



1763380 Monitor Arm

RS PRO WALL MOUNTING MONITOR ARM FOR 1 X SCREEN, 24IN SCREEN

包裝尺寸: 1 x EA

- Product Type: Monitor Arm
- Mounting Surface: Wall
- Number of Displays Supported: 1
- Extension Arm: Yes
- Maximum Screen Size: 24 in
- VESA Configurations: 75 x 75 mm, 100 x 100 mm
- Colour: Black



1763381 Monitor Arm

RS PRO MALE TOSLINK TO MALE TOSLINK OPTICAL AUDIO CABLE,

包裝尺寸: 1 x EA

- Connector 1: Toslink
- Connector 2: Toslink
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 0.5 m
- Connector B: TOSLINK
- Connector B Gender: Male
- Connector A: TOSLINK



1924505 Toslink

RS PRO MALE TOSLINK TO MALE TOSLINK OPTICAL AUDIO CABLE, 1M

包裝尺寸: 1 x EA

- Connector 1: Toslink
- Connector 2: Toslink
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1 m
- Connector B: TOSLINK
- Connector B Gender: Male
- Connector A: TOSLINK



1924506 Toslink

RS PRO MALE TOSLINK TO MALE TOSLINK OPTICAL AUDIO CABLE, 1.5M

包裝尺寸: 1 x EA

- Connector 1: Toslink
- Connector 2: Toslink
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1.5 m
- Connector B: TOSLINK
- Connector B Gender: Male
- Connector A: TOSLINK



1924507 Toslink

RS PRO MALE TOSLINK TO MALE TOSLINK OPTICAL AUDIO CABLE, 2M

包裝尺寸: 1 x EA

- Connector 1: Toslink
- Connector 2: Toslink
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- Connector B: TOSLINK
- Connector B Gender: Male
- Connector A: TOSLINK



1924508 Toslink

RS PRO MALE TOSLINK TO MALE TOSLINK OPTICAL AUDIO CABLE,

包裝尺寸: 1 x EA

- Connector 1: Toslink
- Connector 2: Toslink
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2.5 m
- Connector B: TOSLINK
- Connector B Gender: Male
- Connector A: TOSLINK



1924509 Toslink

RS PRO MALE TOSLINK TO MALE TOSLINK OPTICAL AUDIO CABLE, 3M

包裝尺寸: 1 x EA

- Connector 1: Toslink
- Connector 2: Toslink
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 3 m
- Connector B: TOSLINK
- Connector B Gender: Male
- Connector A: TOSLINK



1924510 Toslink

RS PRO MALE TOSLINK TO MALE TOSLINK OPTICAL AUDIO CABLE, 5M

- 包装尺寸: 1 x EA
- Connector 1: Toslink
 - Connector 2: Toslink
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 5 m
 - Connector B: TOSLINK
 - Connector B Gender: Male
 - Connector A: TOSLINK



1924511 Toslink

RS PRO MALE TOSLINK TO MALE TOSLINK OPTICAL AUDIO CABLE, 10M

- 包装尺寸: 1 x EA
- Connector 1: Toslink
 - Connector 2: Toslink
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 10 m
 - Connector B: TOSLINK
 - Connector B Gender: Male
 - Connector A: TOSLINK



1924512 Toslink

RS PRO MALE TOSLINK TO MALE TOSLINK OPTICAL AUDIO CABLE, 15M

- 包装尺寸: 1 x EA
- Connector 1: Toslink
 - Connector 2: Toslink
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 15 m
 - Connector B: TOSLINK
 - Connector B Gender: Male
 - Connector A: TOSLINK



1924513 Toslink

RS PRO MALE TOSLINK TO MALE TOSLINK OPTICAL AUDIO CABLE, 20M

- 包装尺寸: 1 x EA
- Connector 1: Toslink
 - Connector 2: Toslink
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 20 m
 - Connector B: TOSLINK
 - Connector B Gender: Male
 - Connector A: TOSLINK



1924514 Toslink

RS PRO MALE GPIB TO MALE GPIB PARALLEL CABLE, 4M, GREY SHEATH

- 包装尺寸: 1 x EA
- Connector 1: GPIB
 - Connector 2: GPIB
 - Connector 2 Gender: Male
 - Length: 4 m
 - Sheath Colour: Grey
 - Outer Sheath Material: PVC
 - Standards Met: IEEE488
 - Current Rating: 2 A



2177865 GPIB

RS PRO MALE PS/2 TO MALE PS/2, PS/2 CABLE ASSEMBLY 2M

- 包装尺寸: 1 x EA
- Connector 1: PS/2
 - Connector 2: PS/2
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Sheath Colour: Grey
 - Length: 2 m
 - Connector B: PS/2
 - Connector B Gender: Male



2369120 PS/2

RS PRO FEMALE SATA POWER TO MALE LP4 CABLE, 150MM

- 包装尺寸: 1 x EA
- Connector 1: SATA Power
 - Connector 2: LP4
 - Connector 1 Gender: Female
 - Connector 2 Gender: Male
 - Connector 1 Number of Contacts: 15
 - Connector 2 Number of Contacts: 4
 - Length: 150 mm
 - Connector 1 Orientation: Straight



6665060 SATA Power

RS PRO SATA POWER X 2 TO MALE LP4 CABLE, 120MM

- 包装尺寸: 1 x EA
- Connector 1: SATA Power x 2
 - Connector 2: LP4
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Connector 1 Number of Contacts: 15
 - Connector 2 Number of Contacts: 4
 - Length: 120 mm
 - Connector 1 Orientation: Straight
 - Connector 2 Orientation: Straight



6665066 SATA Power x 2

RS PRO SATA POWER TO MALE LP4 CABLE, 100MM


- 包装尺寸: 1 x EA
- Connector 1: SATA Power
 - Connector 2: LP4
 - Connector 2 Gender: Male
 - Connector 1 Number of Contacts: 15
 - Connector 2 Number of Contacts: 4
 - Length: 100 mm
 - Connector 1 Orientation: Right Angle
 - Connector 2 Orientation: Straight



6665079 SATA Power

RS PRO MALE 25 PIN D-SUB TO FEMALE 25 PIN D-SUB SERIAL CABLE,

- 包装尺寸: 1 x EA
- Connector 1: 25 Pin D-sub
 - Connector 2: 25 Pin D-sub
 - Connector 1 Gender: Male
 - Connector 2 Gender: Female
 - Length: 3 m
 - Connector B: 25 pin D-sub
 - Connector B Gender: Female
 - Connector A: 25 pin D-sub



489942 25 Pin D-sub

RS PRO MALE 9 PIN D-SUB TO MALE USB A SERIAL CABLE, 200MM

- 包装尺寸: 1 x EA
- Connector 1: 9 Pin D-sub
 - Connector 2: USB A
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 200 mm
 - Sheath Colour: Black
 - Outer Sheath Material: PVC
 - Connector B: USB A



1954915 9 Pin D-sub

RS PRO MALE 9 PIN D-SUB TO FEMALE 9 PIN D-SUB SERIAL CABLE, 500MM

- 包装尺寸: 1 x EA
- Connector 1: 9 Pin D-sub
 - Connector 2: 9 Pin D-sub
 - Connector 1 Gender: Male
 - Connector 2 Gender: Female
 - Length: 500 mm
 - Sheath Colour: Black
 - Outer Sheath Material: PVC
 - Connector B: 9 pin D-sub



2369118 9 Pin D-sub

RS PRO MALE 9 PIN D-SUB TO FEMALE 9 PIN D-SUB SERIAL CABLE, 1M

- 包装尺寸: 1 x EA
- Connector 1: 9 Pin D-sub
 - Connector 2: 9 Pin D-sub
 - Connector 1 Gender: Male
 - Connector 2 Gender: Female
 - Length: 1 m
 - Sheath Colour: Black
 - Outer Sheath Material: PVC
 - Connector B: 9 pin D-sub



2369119 9 Pin D-sub

RS PRO MALE 25 PIN D-SUB TO MALE 25 PIN D-SUB SERIAL CABLE, 5M

- 包装尺寸: 1 x EA
- Connector 1: 25 Pin D-sub
 - Connector 2: 25 Pin D-sub
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 5 m
 - Connector B: 25 pin D-sub
 - Connector B Gender: Male
 - Connector A: 25 pin D-sub



2369138 25 Pin D-sub

RS PRO MALE 25 PIN D-SUB TO FEMALE 25 PIN D-SUB SERIAL CABLE,

- 包装尺寸: 1 x EA
- Connector 1: 25 Pin D-sub
 - Connector 2: 25 Pin D-sub
 - Connector 1 Gender: Male
 - Connector 2 Gender: Female
 - Length: 3 m
 - Connector B: 25 pin D-sub
 - Connector B Gender: Female
 - Connector A: 25 pin D-sub



2369140 25 Pin D-sub

RS PRO MALE 25 PIN D-SUB TO FEMALE 25 PIN D-SUB SERIAL CABLE,

- 包装尺寸: 1 x EA
- Connector 1: 25 Pin D-sub
 - Connector 2: 25 Pin D-sub
 - Connector 1 Gender: Male
 - Connector 2 Gender: Female
 - Length: 5 m
 - Connector B: 25 pin D-sub
 - Connector B Gender: Female
 - Connector A: 25 pin D-sub



2369141 25 Pin D-sub

RS PRO MALE 15 PIN D-SUB TO FEMALE 15 PIN D-SUB SERIAL CABLE,

包装尺寸: 1 x EA

- Connector 1: 15 Pin D-sub
- Connector 2: 15 Pin D-sub
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 1 m
- Connector B: 15 pin D-sub
- Connector B Gender: Female
- Connector A: 15 pin D-sub



2369142 15 Pin D-sub

RS PRO MALE 15 PIN D-SUB TO FEMALE 15 PIN D-SUB SERIAL CABLE,

包装尺寸: 1 x EA

- Connector 1: 15 Pin D-sub
- Connector 2: 15 Pin D-sub
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 1.5 m
- Connector B: 15 pin D-sub
- Connector B Gender: Female
- Connector A: 15 pin D-sub



2369144 15 Pin D-sub

RS PRO MALE 15 PIN D-SUB TO FEMALE 15 PIN D-SUB SERIAL CABLE,

包装尺寸: 1 x EA

- Connector 1: 15 Pin D-sub
- Connector 2: 15 Pin D-sub
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 3 m
- Connector B: 15 pin D-sub
- Connector B Gender: Female
- Connector A: 15 pin D-sub



2369145 15 Pin D-sub

RS PRO 3W SPEAKER SET, 90 → 18KHZ

包装尺寸: 1 x EA

- Speaker Type: PC Speaker
- Nominal Rated Power: 3 W, 5 W
- Frequency Response: 90 → 18KHz



2013518 PC Speaker

RS PRO MALE USB A TO MALE USB C CABLE, USB 3.1, 1M

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: USB C
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1 m
- USB Version: USB 3.1
- Sheath Colour: Black



1169372 USB Cable

RS PRO MALE USB A TO MALE LIGHTNING CABLE, USB 2.0, 150MM

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: Lightning
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 150 mm
- USB Version: USB 2.0
- Sheath Colour: Black



1448587 USB Cable

RS PRO MALE USB A TO MALE USB C CABLE, USB 3.1, 1M

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: USB C
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1 m
- USB Version: USB 3.1
- Sheath Colour: White



1448617 USB Cable

RS PRO MALE MICRO USB B TO UNTERMINATED CABLE, 500MM

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: Micro USB B
- Connector 2: USB C
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 500 mm
- Sheath Colour: Black
- Standards Met: UL2464
- Connector B: Untermated



1733530 USB Cable

RS PRO MALE MICRO USB B TO UNTERMINATED CABLE, 1.8M

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: Micro USB B
- Connector 2: Untermated
- Connector 1 Gender: Male
- Length: 1.8 m
- Sheath Colour: Black
- Standards Met: UL2464
- Connector B: Untermated



1733531 USB Cable

RS PRO MALE USB A TO MALE MINI USB B CABLE, USB 2.0, 200MM

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: Mini USB B
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 200 mm
- USB Version: USB 2.0
- Sheath Colour: Black



1784179 USB Cable

RS PRO MALE USB C TO MALE USB A CABLE, USB 3.0, 1M

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB C
- Connector 2: USB A
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1 m
- USB Version: USB 3.0
- Sheath Colour: Black



1828847 USB Cable

RS PRO MALE USB C TO MALE USB A CABLE, USB 2.0, 1M

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB C
- Connector 2: USB A
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1 m
- USB Version: USB 2.0
- Sheath Colour: Black



1828848 USB Cable

RS PRO MALE USB A TO MALE LIGHTNING CABLE, USB 2.0, 2M

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: Lightning
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- USB Version: USB 2.0
- Sheath Colour: White



1828908 USB Cable

RS PRO MALE USB A TO FEMALE USB A USB EXTENSION CABLE, USB 3.0, 1.8M

包装尺寸: 1 x EA

- USB Cable Type: USB Extension Cable
- Connector 1: USB A
- Connector 2: USB A
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 1.8 m
- USB Version: USB 3.0
- Sheath Colour: White



1828913 USB Extension

RS PRO MALE USB A TO MALE 9 PIN D-SUB CABLE, 1.2M

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: 9 Pin D-sub
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1.2 m
- Sheath Colour: Black
- Connector B: 9 pin D-sub



1860518 USB Cable

RS PRO MALE USB A TO MALE USB A CABLE, USB 2.0, 500MM

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: USB A
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 500 mm
- USB Version: USB 2.0
- Sheath Colour: Black



1863011 USB Cable

RS PRO MALE USB A TO FEMALE USB A CABLE, USB 2.0, 500MM

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: USB A
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 500 mm
- USB Version: USB 2.0
- Sheath Colour: Black



1863012 USB Cable

RS PRO MALE USB A TO FEMALE USB A USB EXTENSION CABLE, USB 2.0, 1.8M

包装尺寸: 1 x EA

- USB Cable Type: USB Extension Cable
- Connector 1: USB A
- Connector 2: USB A
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 1.8 m
- USB Version: USB 2.0
- Sheath Colour: Black



1863013 USB Extension

RS PRO MALE USB A TO FEMALE USB A USB EXTENSION CABLE, USB 3.0, 2M

包装尺寸: 1 x EA

- USB Cable Type: USB Extension Cable
- Connector 1: USB A
- Connector 2: USB A
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 2 m
- USB Version: USB 3.0
- Sheath Colour: Blue



1863051 USB Extension

RS PRO MALE USB A TO FEMALE USB A USB EXTENSION CABLE, USB 2.0, 3M

包装尺寸: 1 x EA

- USB Cable Type: USB Extension Cable
- Connector 1: USB A
- Connector 2: USB A
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 3 m
- USB Version: USB 2.0
- Sheath Colour: Black



1863014 USB Extension

RS PRO MALE USB A TO MALE USB C CABLE, USB 3.0, USB 3.1, 2M

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: USB C
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- USB Version: USB 3.0, USB 3.1
- Sheath Colour: Black



1863053 USB Cable

RS PRO MALE USB A TO MALE USB A CABLE, USB 3.0, 2M

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: USB A
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- USB Version: USB 3.0
- Sheath Colour: Blue



1863052 USB Cable

RS PRO MALE USB A TO MALE USB C CABLE, USB 3.0, USB 3.1, 2M

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: USB C
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- USB Version: USB 3.0, USB 3.1
- Sheath Colour: Black



1863055 USB Cable

RS PRO MALE USB A TO MALE USB C CABLE, USB 2.0, 3M

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: USB C
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 3 m
- USB Version: USB 2.0
- Sheath Colour: Black



1863056 USB Cable

RS PRO MALE USB C TO FEMALE USB A CABLE, USB 3.0, USB 3.1, 500MM

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB C
- Connector 2: USB A
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 500 mm
- USB Version: USB 3.0, USB 3.1
- Sheath Colour: Black



1863057 USB Cable

RS PRO MALE USB C TO FEMALE USB A CABLE, USB 3.0, USB 3.1, 1M

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB C
- Connector 2: USB A
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 1 m
- USB Version: USB 3.0, USB 3.1
- Sheath Colour: Black



1863058 USB Cable

RS PRO MALE USB C TO MALE HDMI CABLE, USB 3.1, 1M

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB C
- Connector 2: HDMI
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1 m
- USB Version: USB 3.1
- Sheath Colour: Black



1924696 USB Cable

RS PRO MALE USB C TO MALE HDMI CABLE, USB 3.1, 2M

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB C
- Connector 2: HDMI
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- USB Version: USB 3.1
- Sheath Colour: Black



1924697 USB Cable

RS PRO MALE USB C TO MALE HDMI CABLE, USB 3.1, 3M

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB C
- Connector 2: HDMI
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 3 m
- USB Version: USB 3.1
- Sheath Colour: Black



1924698 USB Cable

RS PRO MALE USB C TO MALE HDMI CABLE, USB 3.1, 5M

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB C
- Connector 2: HDMI
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 5 m
- USB Version: USB 3.1
- Sheath Colour: Black



1924699 USB Cable

RS PRO MALE USB C TO MALE MINI DISPLAYPORT

包装尺寸: 1 x EA

- Connector 1: USB C
- Connector 2: Mini DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Connector B: Mini DisplayPort
- Connector A Gender: Male
- Connector A: USB C
- Connector B Gender: Male



1924709 USB C

RS PRO MALE USB C TO MALE MINI DISPLAYPORT

包装尺寸: 1 x EA

- Connector 1: USB C
- Connector 2: Mini DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Connector B: Mini DisplayPort
- Connector A Gender: Male
- Connector A: USB C
- Connector B Gender: Male



1924710 USB C

RS PRO MALE USB C TO MALE USB C CABLE, USB 3.1, 1.5M

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
 - Connector 1: USB C
 - Connector 2: USB C
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 1.5 m
 - USB Version: USB 3.1
 - Sheath Colour: Black



1924724 USB Cable

RS PRO MALE USB C TO MALE USB A CABLE, USB 3.1, 500MM

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
 - Connector 1: USB C
 - Connector 2: USB A
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 500 mm
 - USB Version: USB 3.1
 - Sheath Colour: Black



1924726 USB Cable

RS PRO MALE USB C TO MALE USB B CABLE, USB 2.0, 3M

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
 - Connector 1: USB C
 - Connector 2: USB B
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 3 m
 - USB Version: USB 2.0
 - Sheath Colour: Black



1924728 USB Cable

RS PRO MALE USB C TO MALE USB B CABLE, USB 2.0, 2M

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
 - Connector 1: USB C
 - Connector 2: USB B
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 2 m
 - USB Version: USB 2.0
 - Sheath Colour: Black



1924729 USB Cable

RS PRO MALE USB C TO MALE USB B CABLE, USB 2.0, 1M

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
 - Connector 1: USB C
 - Connector 2: USB B
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 1 m
 - USB Version: USB 2.0
 - Sheath Colour: Black



1924730 USB Cable

RS PRO MALE USB C TO MALE MICRO USB B CABLE, USB 2.0, 3M

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
 - Connector 1: USB C
 - Connector 2: Micro USB B
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 3 m
 - USB Version: USB 2.0
 - Sheath Colour: Black



1924731 USB Cable

RS PRO MALE USB C TO MALE MICRO USB B CABLE, USB 2.0, 2M

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
 - Connector 1: USB C
 - Connector 2: Micro USB B
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 2 m
 - USB Version: USB 2.0
 - Sheath Colour: Black



1924732 USB Cable

RS PRO MALE USB C TO MALE MICRO USB B CABLE, USB 2.0, 1M

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
 - Connector 1: USB C
 - Connector 2: Micro USB B
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 1 m
 - USB Version: USB 2.0
 - Sheath Colour: Black



1924734 USB Cable

RS PRO MALE USB C TO 3.5MM STEREO JACK CABLE, 150MM

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
 - Connector 1: USB C
 - Connector 2: 3.5mm Stereo Jack
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 150 mm
 - Sheath Colour: Black
 - Standards Met: CE, REACH, RoHS
 - Connector B: 3.5mm Stereo Jack



1954877 USB Cable

RS PRO MALE USB A TO MALE USB B USB EXTENSION BOOSTER CABLE,

- 包装尺寸: 1 x EA
- USB Cable Type: USB Extension Booster Cable
 - Connector 1: USB A
 - Connector 2: USB B
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 10 m
 - USB Version: USB 2.0
 - Sheath Colour: Black



2206498 USB Extension

RS PRO MALE USB A TO MALE USB B USB EXTENSION BOOSTER CABLE,

- 包装尺寸: 1 x EA
- USB Cable Type: USB Extension Booster Cable
 - Connector 1: USB A
 - Connector 2: USB B
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 15 m
 - USB Version: USB 2.0
 - Sheath Colour: Clear



2206499 USB Extension

RS PRO MALE USB A TO MALE CENTRONICS CABLE, USB 1.1, 1M

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
 - Connector 1: USB A
 - Connector 2: Centronics
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 1 m
 - USB Version: USB 1.1
 - Sheath Colour: Black



2299956 USB Cable

RS PRO MALE USB C TO MALE HDMI CABLE, 2M

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
 - Connector 1: USB C
 - Connector 2: HDMI
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 2 m
 - Sheath Colour: Black
 - Connector B: HDMI



2299977 USB Cable

RS PRO MALE USB A TO MALE USB A CABLE, USB 2.0, 1.8M

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
 - Connector 1: USB A
 - Connector 2: USB A
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 1.8 m
 - USB Version: USB 2.0
 - Connector B: USB A



2369066 USB Cable

RS PRO MALE USB A TO MALE USB A CABLE, USB 2.0, 3M

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
 - Connector 1: USB A
 - Connector 2: USB A
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 3 m
 - USB Version: USB 2.0
 - Connector B: USB A



2369067 USB Cable

RS PRO MALE USB A TO MALE USB A CABLE, USB 2.0, 5M

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
 - Connector 1: USB A
 - Connector 2: USB A
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 5 m
 - USB Version: USB 2.0
 - Connector B: USB A



2369068 USB Cable

RS PRO MALE USB A TO MALE MINI USB B CABLE, USB 2.0, 150MM

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: Mini USB B
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 150 mm
- USB Version: USB 2.0
- Connector B: Mini USB B



2369071 USB Cable

RS PRO MALE USB A TO MALE MINI USB B CABLE, USB 2.0, 0.5M

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: Mini USB B
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 0.5 m
- USB Version: USB 2.0
- Connector B: Mini USB B



2369072 USB Cable

RS PRO MALE USB A TO MALE MINI USB B CABLE, USB 2.0, 5M

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: Mini USB B
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 5 m
- USB Version: USB 2.0
- Connector B: Mini USB B



2369073 USB Cable

RS PRO MALE USB A TO MALE USB B CABLE, USB 2.0, 1M

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: USB B
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1 m
- USB Version: USB 2.0
- Connector B: USB B



2369074 USB Cable

RS PRO MALE USB A TO MALE USB B CABLE, USB 2.0, 1.8M

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: USB B
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1.8 m
- USB Version: USB 2.0
- Connector B: USB B



2369075 USB Cable

RS PRO MALE USB A TO MALE USB B CABLE, USB 2.0, 3M

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: USB B
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 3 m
- USB Version: USB 2.0
- Connector B: USB B



2369076 USB Cable

RS PRO MALE USB A TO MALE USB B CABLE, USB 2.0, 4.5M

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: USB B
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 4.5 m
- USB Version: USB 2.0
- Connector B: USB B



2369077 USB Cable

RS PRO MALE USB A TO MALE MICRO USB B CABLE, USB 2.0, 0.5M

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: Micro USB B
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 0.5 m
- USB Version: USB 2.0
- Connector B: Micro USB B



2369078 USB Cable

RS PRO MALE USB A TO MALE MICRO USB B CABLE, USB 2.0, 0.5M

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: Micro USB B
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 0.5 m
- USB Version: USB 2.0
- Connector B: Micro USB B



2369079 USB Cable

RS PRO MALE USB A TO MALE MICRO USB B CABLE, USB 2.0, 5M

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: Micro USB B
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 5 m
- USB Version: USB 2.0
- Connector B: Micro USB B



2369081 USB Cable

RS PRO MALE MICRO USB B TO MALE MICRO USB B CABLE, USB 2.0,

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: Micro USB B
- Connector 2: Micro USB B
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 200 mm
- USB Version: USB 2.0
- Connector B: Micro USB B



2369082 USB Cable

RS PRO MALE USB A TO MALE MICRO USB B CABLE, USB 2.0, 2M

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: Micro USB B
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- USB Version: USB 2.0
- Connector B: Micro USB B



2369083 USB Cable

RS PRO MALE MINI USB A TO MALE MINI USB B CABLE, USB 2.0, 1M

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: Mini USB A
- Connector 2: Mini USB B
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1 m
- USB Version: USB 2.0
- Connector B: Mini USB B



2369084 USB Cable

RS PRO MALE USB A TO MALE USB B CABLE, USB 3.0, 2M

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: USB B
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- USB Version: USB 3.0
- Connector B: USB B



2369087 USB Cable

RS PRO MALE USB A TO MALE LIGHTNING CABLE, USB 2.0, 3M

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: Lightning
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 3 m
- USB Version: USB 2.0
- Connector B: Lightning



2369128 USB Cable

RS PRO MALE USB A TO MALE 9 PIN D-SUB CABLE, USB 2.0, 1.8M

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: 9 Pin D-sub
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1.8 m
- USB Version: USB 2.0
- Connector B: 9 pin D-sub



2369134 USB Cable

RS PRO MALE USB A TO FEMALE USB B CABLE, USB 2.0, 5M

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
 - Connector 1: USB A
 - Connector 2: USB B
 - Connector 1 Gender: Male
 - Connector 2 Gender: Female
 - Length: 5 m
 - USB Version: USB 2.0
 - Connector B: USB B



2369151 USB Cable

RS PRO MALE USB A TO MALE USB B CABLE, USB 2.0, 2M

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
 - Connector 1: USB A
 - Connector 2: USB B
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 2 m
 - USB Version: USB 2.0
 - Connector B: USB B



2369152 USB Cable

RS PRO MALE USB A TO MALE USB B CABLE, USB 3.0, 2M

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
 - Connector 1: USB A
 - Connector 2: USB B
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 2 m
 - USB Version: USB 3.0
 - Connector B: USB B



2369155 USB Cable

RS PRO MALE USB C TO MALE USB A CABLE, USB 2.0, 0.5M

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
 - Connector 1: USB C
 - Connector 2: USB A
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 0.5 m
 - USB Version: USB 2.0
 - Connector B: USB A



2369157 USB Cable

RS PRO FEMALE USB C TO MALE USB A CABLE, USB 3.0, 150MM

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
 - Connector 1: USB C
 - Connector 2: USB A
 - Connector 1 Gender: Female
 - Connector 2 Gender: Male
 - Length: 150 mm
 - USB Version: USB 3.0
 - Connector B: USB A



2369158 USB Cable

RS PRO MALE USB A TO MALE MICRO USB B CABLE, USB 3.0, 2M

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
 - Connector 1: USB A
 - Connector 2: Micro USB B
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 2 m
 - USB Version: USB 3.0
 - Connector B: Micro USB B



2369161 USB Cable

RS PRO MALE USB A TO MALE MICRO USB B CABLE, USB 3.0, 2M

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
 - Connector 1: USB A
 - Connector 2: Micro USB B
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 2 m
 - USB Version: USB 3.0
 - Connector B: Micro USB B



2369162 USB Cable

RS PRO MALE USB A TO MALE USB B CABLE, USB 3.0, 3M

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
 - Connector 1: USB A
 - Connector 2: USB B
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 3 m
 - USB Version: USB 3.0
 - Sheath Colour: White



7903697 USB Cable

RS PRO FEMALE 20 PIN SOCKET TO FEMALE USB A X 2 CABLE, USB 3.0,

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
 - Connector 1: 20 Pin Socket
 - Connector 2: USB A x 2
 - Connector 1 Gender: Female
 - Connector 2 Gender: Female
 - Length: 900 mm
 - USB Version: USB 3.0
 - Sheath Colour: Black



7966825 USB Cable

RS PRO STRAIGHT, MALE TO FEMALE TYPE USB A PS/2 1.1 USB CONNECTOR

- 包装尺寸: 1 x EA
- Gender: Male to Female
 - USB Type: USB A PS/2
 - USB Version: 1.1
 - Body Orientation: Straight



2369149 Male to Female

RS PRO STRAIGHT, FEMALE TO MALE TYPE USB A PS/2 1.1 USB CONNECTOR

- 包装尺寸: 1 x EA
- Gender: Female to Male
 - USB Type: USB A PS/2
 - USB Version: 1.1
 - Body Orientation: Straight



2369150 Female to Male

USB 2.0 ACTIVE REPEATER CABLE

- 包装尺寸: 1 x EA
- USB Standard: USB 2.0
 - Number of USB Ports: 1
 - Extension Distance: 12 m
 - Transmission Method: USB



1448000 USB 2.0

RS PRO 1 PORT USB 2.0 OVER CATX EXTENDER UP TO 50M EXTENSION

- 包装尺寸: 1 x EA
- USB Standard: USB 2.0
 - Number of USB Ports: 1
 - Extension Distance: 50 m
 - Transmission Method: CATx
 - Local Device Dimensions: 68.35 x 31 x 21 mm



2206495 USB 2.0

RS PRO 1 PORT USB 2.0 USB ACTIVE BOOSTER CABLE UP TO 10M

- 包装尺寸: 1 x EA
- USB Standard: USB 2.0
 - Number of USB Ports: 1
 - Extension Distance: 10 m
 - Transmission Method: USB



2206500 USB 2.0

RS PRO 1 PORT USB 3.0 USB ACTIVE BOOSTER CABLE UP TO 10M

- 包装尺寸: 1 x EA
- USB Standard: USB 3.0
 - Number of USB Ports: 1
 - Extension Distance: 10 m
 - Transmission Method: USB



2206504 USB 3.0

RS PRO 1 PORT USB 1.1 OVER CATX EXTENDER UP TO 50M EXTENSION

- 包装尺寸: 1 x EA
- USB Standard: USB 1.1
 - Number of USB Ports: 1
 - Extension Distance: 50 m
 - Transmission Method: CATx
 - Local Device Dimensions: 70 X 30 X 19 mm



2206506 USB 1.1

RS PRO 1 PORT USB 1.1 EXTENDER UP TO 45M EXTENSION DISTANCE

包装尺寸: 1 x EA

- USB Standard: USB 1.1
- Number of USB Ports: 2
- Extension Distance: 45 m



2299957 USB 1.1

RS PRO 1 PORT USB 3.0 USB EXTENDER

包装尺寸: 1 x EA

- USB Standard: USB 3.0
- Number of USB Ports: 1
- Transmission Method: USB
- Local Device Dimensions: 60 x 30 x 20 mm



2369135 USB 3.0

RS PRO 4 PORT USB 2.0 USB A HUB, USB BUS POWERED

包装尺寸: 1 x EA

- USB Standard: USB 2.0
- Number of USB Ports: 4
- USB Connection Type: USB A
- Power Source: USB Bus
- Dimensions: 81.9 x 24 x 15 mm
- Depth: 24 mm
- Height: 15 mm
- Width: 81.9 mm



1411989 USB 2.0

RS PRO 1 PORT USB 3.1 USB C HUB, USB POWERED

包装尺寸: 1 x EA

- USB Standard: USB 3.1
- Number of USB Ports: 1
- USB Connection Type: USB C
- Network Connection Type: RJ45
- Power Source: USB



1924693 USB 3.1

RS PRO 2 PORT USB 3.0 USB C HUB, USB POWERED

包装尺寸: 1 x EA

- USB Standard: USB 3.0
- Number of USB Ports: 2
- USB Connection Type: USB C
- Power Source: USB



1924704 USB 3.0

RS PRO 3 PORT USB 3.0 USB C HUB, USB POWERED

包装尺寸: 1 x EA

- USB Standard: USB 3.0
- Number of USB Ports: 3
- USB Connection Type: USB C
- Power Source: USB



1924706 USB 3.0

RS PRO 4 PORT USB 3.1 USB C HUB, USB POWERED

包装尺寸: 1 x EA

- USB Standard: USB 3.1
- Number of USB Ports: 4
- USB Connection Type: USB C
- Power Source: USB



1924707 USB 3.1

RS PRO 4 PORT USB 3.0 USB C HUB, USB POWERED

包装尺寸: 1 x EA

- USB Standard: USB 3.0
- Number of USB Ports: 4
- USB Connection Type: USB C
- Power Source: USB



1924708 USB 3.0

RS PRO MALE USB C AUDIO SUPPORTED TO FEMALE USB A X 3

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector A: USB C Audio supported
- Connector A Gender: Male
- Connector B: USB A x 3 Audio supported
- Connector B Gender: Female
- Length: 270 mm
- USB Version: USB 3.0
- Standards Met: CE, REACH, RoHS



1954880 USB Cable

RS PRO 4 PORT USB 2.0 USB A HUB, USB POWERED

包装尺寸: 1 x EA

- USB Standard: USB 2.0
- Number of USB Ports: 4
- USB Connection Type: USB A
- Power Source: USB
- Dimensions: 105 x 30 x 10 mm



2206492 USB 2.0

RS PRO 4 PORT USB 3.0 USB A HUB, USB POWERED

包装尺寸: 1 x EA

- USB Standard: USB 3.0
- Number of USB Ports: 4
- USB Connection Type: USB A
- Power Source: USB



2369129 USB 3.0

RS PRO PORT USB ETHERNET ADAPTER USB 2.0 USB 2.0 TO RJ45

包装尺寸: 1 x EA

- USB Standard: USB 2.0
- Connector A: USB 2.0
- Connector B: RJ45
- Connector B Gender: Female
- Number of Ports: 1
- Network Speed: 10/100 Mbit/s
- Wake On LAN: Yes



1447998 USB 2.0

RS PRO PORT USB ETHERNET ADAPTER USB 3.0 USB A TO RJ45

包装尺寸: 1 x EA

- USB Standard: USB 3.0
- Connector A: USB A
- Connector B: RJ45
- Connector B Gender: Female
- Number of Ports: 1
- Network Speed: 10/100/1000 Mbit/s
- Wake On LAN: Yes



1447999 USB 3.0

RS PRO USB NETWORK ADAPTER USB 1.1, USB 2.0 USB A X 2 TO ETHERNET

包装尺寸: 1 x EA

- Connector A Gender: Male
- USB Standard: USB 1.1, USB 2.0
- Connector A: USB A x 2
- Connector B: Ethernet
- Connector B Gender: Female
- Number of Ports: 1



1954911 Male

RS PRO USB NETWORK ADAPTER USB 3.0 USB A TO ETHERNET

包装尺寸: 1 x EA

- Connector A Gender: Male
- USB Standard: USB 3.0
- Connector A: USB A
- Connector B: Ethernet
- Connector B Gender: Female
- Number of Ports: 1



1954912 Male

RS PRO USB NETWORK ADAPTER USB 3.0 TO RJ45 FEMALE

包装尺寸: 1 x EA

- Connector A Gender: Male
- Connector A: USB 3.0
- Connector B: RJ45 Female
- Connector B Gender: Female



2369160 Male

RS PRO USB C TO DISPLAYPORT ADAPTER CABLE, 1 SUPPORTED

包装尺寸: 1 x EA

- USB Connection Type: USB C
- Number of Displays Supported: 1
- Video Connection Type: DisplayPort
- Maximum Resolution: 4K



1924683 USB C

RS PRO USB C TO DVI ADAPTER CABLE, 1 SUPPORTED DISPLAY(S) - 4K

包装尺寸: 1 x EA

- USB Connection Type: USB C
- Number of Displays Supported: 1
- Video Connection Type: DVI
- Maximum Resolution: 4K



1924685 USB C

RS PRO USB C TO DVI ADAPTER CABLE, 1 SUPPORTED DISPLAY(S) - 4K

包装尺寸: 1 x EA

- USB Connection Type: USB C
- Number of Displays Supported: 1
- Video Connection Type: DVI
- Maximum Resolution: 4K



1924686 USB C

RS PRO USB C TO DVI ADAPTER CABLE, 1 SUPPORTED DISPLAY(S)

包装尺寸: 1 x EA

- USB Connection Type: USB C
- Number of Displays Supported: 1
- Video Connection Type: DVI



1924689 USB C

RS PRO USB C TO DVI-D ADAPTER CABLE, 1 SUPPORTED DISPLAY(S)

包装尺寸: 1 x EA

- USB Connection Type: USB C
- Number of Displays Supported: 1
- Video Connection Type: DVI-D



1924692 USB C

RS PRO USB C ADAPTER, USB 3.1

包装尺寸: 1 x EA

- USB Standard: USB 3.1
- USB Connection Type: USB C



1924694 USB 3.1

RS PRO USB C TO HDMI ADAPTER, USB 3.1, 1 SUPPORTED DISPLAY(S)

包装尺寸: 1 x EA

- USB Standard: USB 3.1
- USB Connection Type: USB C
- Number of Displays Supported: 1
- Video Connection Type: HDMI



1924700 USB 3.1

RS PRO USB C TO HDMI ADAPTER, USB 3.1, 1 SUPPORTED DISPLAY(S)

包装尺寸: 1 x EA

- USB Standard: USB 3.1
- USB Connection Type: USB C
- Number of Displays Supported: 1
- Video Connection Type: HDMI



1924701 USB 3.1

RS PRO USB C TO HDMI ADAPTER, USB 3.1, 1 SUPPORTED DISPLAY(S)

包装尺寸: 1 x EA

- USB Standard: USB 3.1
- USB Connection Type: USB C
- Number of Displays Supported: 1
- Video Connection Type: HDMI



1924702 USB 3.1

RS PRO USB C TO HDMI ADAPTER, USB 3.1, 1 SUPPORTED DISPLAY(S)

包装尺寸: 1 x EA

- USB Standard: USB 3.1
- USB Connection Type: USB C
- Number of Displays Supported: 1
- Video Connection Type: HDMI



1924703 USB 3.1

RS PRO USB C TO MINI DISPLAYPORT ADAPTER CABLE, USB 3.1, 1

包装尺寸: 1 x EA

- USB Standard: USB 3.1
- USB Connection Type: USB C
- Number of Displays Supported: 1
- Video Connection Type: Mini DisplayPort
- Maximum Resolution: 3840 x 2160



1924712 USB 3.1

RS PRO USB C TO MINI DISPLAYPORT ADAPTER CABLE, USB 3.1, 1

包装尺寸: 1 x EA

- USB Standard: USB 3.1
- USB Connection Type: USB C
- Number of Displays Supported: 1
- Video Connection Type: Mini DisplayPort
- Maximum Resolution: 3840 x 2160



1924713 USB 3.1

RS PRO USB C TO VGA ADAPTER CABLE, USB 3.1, 1 SUPPORTED

包装尺寸: 1 x EA

- USB Standard: USB 3.1
- USB Connection Type: USB C
- Number of Displays Supported: 1
- Video Connection Type: VGA
- Maximum Resolution: 1080p



1924714 USB 3.1

RS PRO USB C TO VGA ADAPTER CABLE, USB 3.1, 1 SUPPORTED

包装尺寸: 1 x EA

- USB Standard: USB 3.1
- USB Connection Type: USB C
- Number of Displays Supported: 1
- Video Connection Type: VGA
- Maximum Resolution: 1080p



1924715 USB 3.1

RS PRO USB C TO VGA ADAPTER CABLE, USB 3.1, 1 SUPPORTED

包装尺寸: 1 x EA

- USB Standard: USB 3.1
- USB Connection Type: USB C
- Number of Displays Supported: 1
- Video Connection Type: VGA
- Maximum Resolution: 1080p



1924716 USB 3.1

RS PRO USB C TO VGA ADAPTER CABLE, USB 3.1, 1 SUPPORTED

包装尺寸: 1 x EA

- USB Standard: USB 3.1
- USB Connection Type: USB C
- Number of Displays Supported: 1
- Video Connection Type: VGA
- Maximum Resolution: 1080p



1924717 USB 3.1

RS PRO USB C TO VGA ADAPTER, USB 3.1, 1 SUPPORTED DISPLAY(S)

包装尺寸: 1 x EA

- USB Standard: USB 3.1
- USB Connection Type: USB C
- Number of Displays Supported: 1
- Video Connection Type: VGA



1924719 USB 3.1

RS PRO USB C TO DVI, HDMI, VGA ADAPTER, USB 3.1, 1 SUPPORTED

包装尺寸: 1 x EA

- USB Standard: USB 3.1
- USB Connection Type: USB C
- Number of Displays Supported: 1
- Video Connection Type: DVI, HDMI, VGA



1924722 USB 3.1

RS PRO USB C TO DISPLAYPORT, DVI, HDMI ADAPTER, USB 3.1, 1

包装尺寸: 1 x EA

- USB Standard: USB 3.1
- USB Connection Type: USB C
- Number of Displays Supported: 1
- Video Connection Type: DisplayPort, DVI, HDMI



1924723 USB 3.1

RS PRO USB C TO HDMI, VGA ADAPTER, USB 3.0, 1 SUPPORTED

包装尺寸: 1 x EA

- USB Standard: USB 3.0
- USB Connection Type: USB C
- Number of Displays Supported: 1
- Video Connection Type: HDMI, VGA
- Maximum Resolution: 1080



2206502 USB 3.0

RS PRO USB A TO HDMI ADAPTER, USB 3.0, 1 SUPPORTED DISPLAY(S) -

包装尺寸: 1 x EA

- USB Standard: USB 3.0
- USB Connection Type: USB A
- Number of Displays Supported: 1
- Video Connection Type: HDMI
- Maximum Resolution: 1600 X 1200



2206505 USB 3.0

RS PRO USB C TO HDMI ADAPTER, USB C, 3 SUPPORTED DISPLAY(S) -

包装尺寸: 1 x EA

- USB Standard: USB C
- USB Connection Type: USB C
- Number of Displays Supported: 3
- Video Connection Type: HDMI
- Maximum Resolution: 3840 x 2160



2368994 USB C

RS PRO USB C TO HDMI ADAPTER, USB C, 3 SUPPORTED DISPLAY(S) -

包装尺寸: 1 x EA

- USB Standard: USB C
- USB Connection Type: USB C
- Number of Displays Supported: 3
- Video Connection Type: HDMI
- Maximum Resolution: 3840 x 2160



2368995 USB C

RS PRO USB C TO DISPLAYPORT ADAPTER, USB C, 2 SUPPORTED

包装尺寸: 1 x EA

- USB Standard: USB C
- USB Connection Type: USB C
- Number of Displays Supported: 2
- Video Connection Type: DisplayPort
- Maximum Resolution: 3840 x 2160



2368996 USB C

RS PRO USB C TO HDMI ADAPTER, USB C, 2 SUPPORTED DISPLAY(S) -

包装尺寸: 1 x EA

- USB Standard: USB C
- USB Connection Type: USB C
- Number of Displays Supported: 2
- Video Connection Type: HDMI
- Maximum Resolution: 3840 x 2160



2368997 USB C

RS PRO MALE VGA TO FEMALE VGA CABLE, 7M

包装尺寸: 1 x EA

- Connector 1: VGA
- Connector 2: VGA
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 7 m
- Outer Sheath Material: PVC
- Sheath Colour: Black
- Size of Strands: 0.12 mm



1863020 VGA

RS PRO MALE VGA TO FEMALE VGA CABLE, 30M

包装尺寸: 1 x EA

- Connector 1: VGA
- Connector 2: VGA
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 30 m
- Outer Sheath Material: PVC
- Sheath Colour: Black
- Size of Strands: 0.12 mm



1863021 VGA

RS PRO MALE VGA TO FEMALE VGA CABLE, 200MM

包装尺寸: 1 x EA

- Connector 1: VGA
- Connector 2: VGA
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 200 mm
- Outer Sheath Material: PVC
- Sheath Colour: Black
- Connector B: VGA



1954277 VGA

RS PRO MALE SVGA TO MALE SVGA CABLE, 2M

包装尺寸: 1 x EA

- Connector 1: SVGA
- Connector 2: SVGA
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- Connector B: SVGA
- Connector B Gender: Male
- Connector A: SVGA



2369094 SVGA

RS PRO MALE SVGA TO MALE SVGA CABLE, 1M

包装尺寸: 1 x EA

- Connector 1: SVGA
- Connector 2: SVGA
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1 m
- Outer Sheath Material: PVC
- Sheath Colour: Black
- Size of Strands: 0.23 mm



9135010 SVGA

RS PRO MALE SVGA TO MALE SVGA CABLE, 2M

包装尺寸: 1 x EA

- Connector 1: SVGA
- Connector 2: SVGA
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- Outer Sheath Material: PVC
- Sheath Colour: Black
- Size of Strands: 0.23 mm



9135013 SVGA

RS PRO MALE SVGA TO MALE SVGA CABLE, 3M

包装尺寸: 1 x EA

- Connector 1: SVGA
- Connector 2: SVGA
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 3 m
- Outer Sheath Material: PVC
- Sheath Colour: Black
- Size of Strands: 0.23 mm



9135017 SVGA

RS PRO MALE SVGA TO MALE SVGA CABLE, 3M

- 包裝尺寸: 1 x EA
- Connector 1: SVGA
 - Connector 2: SVGA
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 3 m
 - Outer Sheath Material: PVC
 - Sheath Colour: Black
 - Size of Strands: 0.23 mm



9135023 SVGA

RS PRO MALE SVGA TO MALE SVGA CABLE, 5M

- 包裝尺寸: 1 x EA
- Connector 1: SVGA
 - Connector 2: SVGA
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 5 m
 - Outer Sheath Material: PVC
 - Sheath Colour: Black
 - Size of Strands: 0.23 mm



9135026 SVGA

RS PRO MALE SVGA TO MALE SVGA CABLE, 7.5M

- 包裝尺寸: 1 x EA
- Connector 1: SVGA
 - Connector 2: SVGA
 - Connector 1 Gender: Male
 - Connector 2 Gender: Male
 - Length: 7.5 m
 - Outer Sheath Material: PVC
 - Sheath Colour: Black
 - Size of Strands: 0.23 mm



9135029 SVGA

RS PRO 4 PORT 1 INPUT 3 OUTPUT MATRIX SWITCH 1080P

- 包裝尺寸: 1 x EA
- Device Type: Matrix Switch
 - Number of Ports: 4
 - Number of Video Outputs: 3
 - Number of Video Inputs: 1
 - Maximum Resolution: 1080p



1828803 Matrix Switch

RS PRO 2 PORT 2 INPUT 2 OUTPUT HDMI SWITCH 1080

- 包裝尺寸: 1 x EA
- Device Type: Switch
 - Video Connection Type: HDMI
 - Number of Ports: 2
 - Number of Video Inputs: 2
 - Number of Video Outputs: 2
 - Maximum Resolution: 1080
 - Power Source: AC Adapter



2369133 Switch

RS PRO 720P USB WEBCAM

- 包裝尺寸: 1 x EA
- Maximum Resolution: 1080 x 720
 - Built-In Microphone: Yes
 - Effective Pixels: 0.8 MP
 - Frame Rate: 30 fps



2013517 1080 x 720

RS PRO 4 WAY MALE 4 PIN MOLEX TO 4 WAY FEMALE 4 PIN MOLEX WIRE TO

- 包裝尺寸: 1 x EA
- Connector 1: 4 Pin Molex
 - Connector 2: 4 Pin Molex
 - Connector 1 Gender: Male
 - Connector 2 Gender: Female
 - Connector 1 Number of Contacts: 4
 - Connector 2 Number of Contacts: 4
 - Sheath Colour: Black/Red/Yellow
 - Cable Length: 2 m



6665063 4 Pin Molex

RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 0.5M

- 包裝尺寸: 1 x EA
- Connector 1: 3 Pin XLR
 - Connector 2: 3 Pin XLR
 - Connector 1 Gender: Male
 - Connector 2 Gender: Female
 - Length: 0.5 m
 - Sheath Colour: Black
 - Outer Sheath Material: PVC
 - Connector B: 3 pin XLR



1924432 3 Pin XLR

RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 1M

- 包裝尺寸: 1 x EA
- Connector 1: 3 Pin XLR
 - Connector 2: 3 Pin XLR
 - Connector 1 Gender: Male
 - Connector 2 Gender: Female
 - Length: 1 m
 - Sheath Colour: Black
 - Series: 2XLR-SV
 - Outer Sheath Material: PVC



1924433 3 Pin XLR

RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 2M

- 包裝尺寸: 1 x EA
- Connector 1: 3 Pin XLR
 - Connector 2: 3 Pin XLR
 - Connector 1 Gender: Male
 - Connector 2 Gender: Female
 - Length: 2 m
 - Sheath Colour: Black
 - Series: 2XLR-SV
 - Outer Sheath Material: PVC



1924434 3 Pin XLR

RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 3M

- 包裝尺寸: 1 x EA
- Connector 1: 3 Pin XLR
 - Connector 2: 3 Pin XLR
 - Connector 1 Gender: Male
 - Connector 2 Gender: Female
 - Length: 3 m
 - Sheath Colour: Black
 - Series: 2XLR-SV
 - Outer Sheath Material: PVC



1924435 3 Pin XLR

RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 5M

- 包裝尺寸: 1 x EA
- Connector 1: 3 Pin XLR
 - Connector 2: 3 Pin XLR
 - Connector 1 Gender: Male
 - Connector 2 Gender: Female
 - Length: 5 m
 - Sheath Colour: Black
 - Series: 2XLR-SV
 - Outer Sheath Material: PVC



1924436 3 Pin XLR

RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 10M

- 包裝尺寸: 1 x EA
- Connector 1: 3 Pin XLR
 - Connector 2: 3 Pin XLR
 - Connector 1 Gender: Male
 - Connector 2 Gender: Female
 - Length: 10 m
 - Sheath Colour: Black
 - Outer Sheath Material: PVC
 - Connector B: 3 pin XLR



1924438 3 Pin XLR

RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 15M

- 包裝尺寸: 1 x EA
- Connector 1: 3 Pin XLR
 - Connector 2: 3 Pin XLR
 - Connector 1 Gender: Male
 - Connector 2 Gender: Female
 - Length: 15 m
 - Sheath Colour: Black
 - Series: 2XLR-SV
 - Outer Sheath Material: PVC



1924439 3 Pin XLR

RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 20M

- 包裝尺寸: 1 x EA
- Connector 1: 3 Pin XLR
 - Connector 2: 3 Pin XLR
 - Connector 1 Gender: Male
 - Connector 2 Gender: Female
 - Length: 20 m
 - Sheath Colour: Black
 - Series: 2XLR-SV
 - Outer Sheath Material: PVC



1924440 3 Pin XLR

RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 0.5M

- 包裝尺寸: 1 x EA
- Connector 1: 3 Pin XLR
 - Connector 2: 3 Pin XLR
 - Connector 1 Gender: Male
 - Connector 2 Gender: Female
 - Length: 0.5 m
 - Sheath Colour: Black
 - Outer Sheath Material: PVC
 - Connector B: 3 pin XLR



1924441 3 Pin XLR

CONDUCTIVE PP BRUSH, 144X50X20MM

包裝尺寸: 1 x EA

- Material: Nylon
- Shape: Flat
- Length: 164 mm
- Dissipative: Yes
- Conductive: Yes
- Cleanroom: No
- Complies with EN 61340-5-1: Yes
- Handle Length: 144 mm



1250302 Nylon

CIRCULAR ANTI STATIC BRUSH, PLASTIC

包裝尺寸: 1 x EA

- Material: Plastic
- Shape: Circular
- Length: 152 mm
- Dissipative: No
- Conductive: Yes
- Cleanroom: No
- Complies with EN 61340-5-1: Yes
- Handle Length: 140 mm



2878170 Plastic

ESD ANTISTATIC SAFE TOOTH BRUSH, 60MM

包裝尺寸: 1 x EA

- Material: Plastic
- Shape: Rectangular
- Length: 245 mm
- Dissipative: Yes
- Conductive: Yes
- Cleanroom: No
- Complies with EN 61340-5-1: Yes
- Handle Length: 225 mm



2878186 Plastic

ANTI-SPLASH PUMP DISPENSER, 240ML (8OZ)

包裝尺寸: 1 x EA

- Dispenser Type: Bottle
- Capacity: 240 ml
- Dissipative: Yes
- Conductive: No
- Anti-Static: No
- Cleanroom: No
- Complies with EN 61340-5-1: Yes



7989332 Bottle

RS PRO 227ML ESD BOTTLE

包裝尺寸: 1 x EA

- Dispenser Type: Bottle
- Capacity: 227 ml
- Dissipative: Yes
- Conductive: No
- Anti-Static: Yes
- Cleanroom: Yes



1846689 Bottle

CLEANROOM DRY WIPES, 9X9IN.100

包裝尺寸: 100 x EA

- Dispenser Type: Wipe
- Capacity: 100
- Dissipative: No
- Conductive: No
- Anti-Static: No
- Cleanroom: Yes
- Complies with EN 61340-5-1: No



8295120 Wipe

RS PRO 150 CLEANROOM WIPES

包裝尺寸: 100 x EA

- Dispenser Type: Wipe
- Capacity: 150
- Dissipative: No
- Conductive: No
- Anti-Static: No
- Cleanroom: Yes
- Complies with EN 61340-5-1: No



8295124 Wipe

RS PRO 150 CLEANROOM WIPES

包裝尺寸: 150 x EA

- Dispenser Type: Wipe
- Capacity: 150
- Dissipative: No
- Conductive: No
- Anti-Static: No
- Cleanroom: Yes
- Complies with EN 61340-5-1: No



8295133 Wipe

CLEANROOM POLY/CELLULOSE DRY WIPES, 100

包裝尺寸: 100 x EA

- Dispenser Type: Wipe
- Capacity: 100
- Dissipative: No
- Conductive: No
- Anti-Static: No
- Cleanroom: Yes
- Complies with EN 61340-5-1: No




8295136 Wipe

RS PRO 100 CLEANROOM WIPES

包裝尺寸: 100 x EA

- Dispenser Type: Wipe
- Capacity: 100
- Dissipative: No
- Conductive: No
- Anti-Static: No
- Cleanroom: Yes
- Complies with EN 61340-5-1: No



8295142 Wipe

RS PRO 100 CLEANROOM WIPES

包裝尺寸: 100 x EA

- Dispenser Type: Wipe
- Capacity: 100
- Dissipative: No
- Conductive: No
- Anti-Static: No
- Cleanroom: Yes
- Complies with EN 61340-5-1: No



8295146 Wipe

RS PRO 200 CLEANROOM WIPES

包裝尺寸: 200 x EA

- Dispenser Type: Wipe
- Capacity: 200
- Dissipative: No
- Conductive: No
- Anti-Static: No
- Cleanroom: Yes
- Complies with EN 61340-5-1: No



8295149 Wipe

RS PRO 100 CLEANROOM WIPES

包裝尺寸: 100 x EA

- Dispenser Type: Wipe
- Capacity: 100
- Dissipative: No
- Conductive: No
- Anti-Static: No
- Cleanroom: Yes
- Complies with EN 61340-5-1: No



8295155 Wipe

MEDIUM SUPER GRIP SURFACE GLOVES

包裝尺寸: 1 x PR

- Size: 8 - M
- Material: PET
- Latex Free: Yes
- Number of Gloves: 2
- Reusable/Disposable: Reusable
- Complies with EN 61340-5-1: No



3562208 8 - M

EXTRA LARGE SUPER GRIP SURFACE GLOVES

包裝尺寸: 1 x PR

- Size: 10 - XL
- Material: PET
- Latex Free: Yes
- Number of Gloves: 2
- Reusable/Disposable: Reusable
- Complies with EN 61340-5-1: No



3562220 10 - XL

LARGE SUPER GRIP SURFACE GLOVES

包裝尺寸: 1 x PR

- Size: 9 - L
- Material: PET
- Latex Free: Yes
- Number of Gloves: 2
- Reusable/Disposable: Reusable
- Complies with EN 61340-5-1: No



3562214 9 - L

RS PRO 8 - M PET ANTI-STATIC GLOVES

包裝尺寸: 1 x PR

- Size: 8 - M
- Material: PET
- Latex Free: Yes
- Number of Gloves: 2
- Reusable/Disposable: Reusable
- Complies with EN 61340-5-1: No



3562236 8 - M

LARGE PVC SMOOTH PALM SURFACE GLOVES

包裝尺寸: 1 x PR

- Size: 9 - L
- Material: PET
- Latex Free: Yes
- Number of Gloves: 2
- Reusable/Disposable: Reusable
- Complies with EN 61340-5-1: No



3562258 9 - L

BENCH/FLOOR ESD-SAFE MAT, 380MM X 500MM

包裝尺寸: 1 x EA

- Use Type: Bench, Floor
- Suitable For: Bench, Floor Mat
- Length: 380 mm
- Width: 500 mm
- Surface Texture Type: Smooth
- Complies with EN 61340-5-1: Yes
- Number of Material Layers: 2



3407640 Bench, Floor

BENCH/FLOOR ESD-SAFE MAT, 1.2M X 600MM X 3.2MM

包裝尺寸: 1 x EA

- Use Type: Bench, Floor
- Suitable For: Chemical Resistance, Continuous Monitoring, Soldering
- Thickness: 3.2 mm
- Length: 1.2 m
- Width: 600 mm
- Surface Texture Type: Smooth
- Complies with EN 61340-5-1: Yes
- Number of Material Layers: 3



4661643 Bench, Floor

GREY BENCH/FLOOR ESD-SAFE MAT, 1.2M X 600MM X 3.2MM

包裝尺寸: 1 x EA

- Use Type: Bench, Floor
- Suitable For: Chemical Resistance, Continuous Monitoring, Soldering
- Thickness: 3.2 mm
- Colour: Grey
- Length: 1.2 m
- Width: 600 mm
- Surface Texture Type: Smooth
- Complies with EN 61340-5-1: Yes



4661659 Bench, Floor

BENCH ESD-SAFE MAT, 1.2M X 600MM X 2MM

包裝尺寸: 1 x EA

- Use Type: Bench
- Thickness: 2 mm
- Suitable For: Bench
- Length: 1.2 m
- Width: 600 mm
- Surface Texture Type: Smooth
- Complies with EN 61340-5-1: No
- Resistance: 4.4 x 1,000,000 Ω




7873114 Bench

CLEANROOM TACKY MAT, 1.14M X 460MM X 1.65MM

包裝尺寸: 8 x EA

- Use Type: Cleanroom
- Suitable For: Standard Shoes
- Thickness: 1.65 mm
- Length: 1.14 m
- Width: 460 mm
- Surface Texture Type: Smooth
- Complies with EN 61340-5-1: No
- Number of Material Layers: 30



8295281 Cleanroom

CLEANROOM TACKY MAT, 1.14M X 460MM X 1.65MM

包裝尺寸: 8 x EA

- Use Type: Cleanroom
- Suitable For: Standard Shoes
- Thickness: 1.65 mm
- Length: 1.14 m
- Width: 460 mm
- Surface Texture Type: Smooth
- Complies with EN 61340-5-1: No
- Number of Material Layers: 30



8295287 Cleanroom

CLEANROOM TACKY MAT, 1.14M X 660MM X 1.65MM

包裝尺寸: 8 x EA

- Use Type: Cleanroom
- Suitable For: Standard Shoes
- Thickness: 1.65 mm
- Length: 1.14 m
- Width: 660 mm
- Surface Texture Type: Smooth
- Complies with EN 61340-5-1: No
- Number of Material Layers: 30



8295290 Cleanroom

CLEANROOM TACKY MAT, 1.14M X 660MM X 1.65MM

包裝尺寸: 8 x EA

- Use Type: Cleanroom
- Suitable For: Standard Shoes
- Thickness: 1.65 mm
- Length: 1.14 m
- Width: 660 mm
- Surface Texture Type: Smooth
- Complies with EN 61340-5-1: No
- Number of Material Layers: 30



8295293 Cleanroom

CLEANROOM TACKY MAT, 910MM X 910MM X 1.65MM

包裝尺寸: 8 x EA

- Use Type: Cleanroom
- Suitable For: Standard Shoes
- Thickness: 1.65 mm
- Colour: White
- Length: 910 mm
- Width: 910 mm
- Surface Texture Type: Smooth
- Complies with EN 61340-5-1: No



8295297 Cleanroom

CLEANROOM TACKY MAT, 1.14M X 910MM X 1.65MM

包裝尺寸: 8 x EA

- Use Type: Cleanroom
- Suitable For: Standard Shoes
- Thickness: 1.65 mm
- Length: 1.14 m
- Width: 910 mm
- Surface Texture Type: Smooth
- Complies with EN 61340-5-1: No
- Number of Material Layers: 30



8295300 Cleanroom

BLUE CLEANROOM TACKY MAT, 910MM X 910MM X 1.65MM

包裝尺寸: 8 x EA

- Use Type: Cleanroom
- Suitable For: Standard Shoes
- Thickness: 1.65 mm
- Colour: Blue
- Length: 910 mm
- Width: 910 mm
- Surface Texture Type: Smooth
- Complies with EN 61340-5-1: No



8295307 Cleanroom

RS PRO BLACK CONDUCTIVE BAG 203MM(W)X 127MM(L)

包裝尺寸: 10 x EA

- Packaging Type: Black Conductive Bag
- Type: Bag
- Colour: Black
- Length: 127 mm
- Thickness: 0.075 mm
- Width: 203 mm
- Quantity Per Package: 10
- Dissipative: No



550072 Black Conductive

RS PRO BLACK CONDUCTIVE BAG 254MM(W)X 203MM(L)

包裝尺寸: 10 x EA

- Packaging Type: Black Conductive Bag
- Type: Bag
- Colour: Black
- Length: 203 mm
- Thickness: 0.075 mm
- Width: 254 mm
- Quantity Per Package: 10
- Dissipative: No



550088 Black Conductive

RS PRO BLACK CONDUCTIVE BAG 305MM(W)X 252MM(L)

包裝尺寸: 10 x EA

- Packaging Type: Black Conductive Bag
- Type: Bag
- Colour: Black
- Length: 252 mm
- Thickness: 0.075 mm
- Width: 305 mm
- Quantity Per Package: 10
- Dissipative: No



550094 Black Conductive

BLACK CONDUCTIVE BAG,305X406MM

包裝尺寸: 10 x EA

- Packaging Type: Black Conductive Bag
- Type: Bag
- Colour: Black
- Length: 305 mm
- Thickness: 0.075 mm
- Width: 406 mm
- Quantity Per Package: 10
- Dissipative: No



550101 Black Conductive

BLACK CONDUCTIVE BAG,406X508MM

包裝尺寸: 10 x EA

- Packaging Type: Black Conductive Bag
- Type: Bag
- Colour: Black
- Length: 406 mm
- Thickness: 0.075 mm
- Width: 508 mm
- Quantity Per Package: 10
- Dissipative: No



550117 Black Conductive

DISSIPATIVE CLEAR ZIP BAG,100X150MM,100

包裝尺寸: 100 x EA

- Packaging Type: ESD Ultra Clear Bag
- Type: Bag
- Colour: Clear
- Length: 150 mm
- Thickness: 0.09 mm
- Width: 100 mm
- Quantity Per Package: 100
- Dissipative: Yes



1229154 ESD Ultra Clear

DISSIPATIVE CLEAR ZIP BAG,150X200MM,100

包裝尺寸: 100 x EA

- Packaging Type: ESD Ultra Clear Bag
- Type: Bag
- Colour: Clear
- Length: 200 mm
- Thickness: 0.09 mm
- Width: 150 mm
- Quantity Per Package: 100
- Dissipative: Yes



1229155 ESD Ultra Clear

DISSIPATIVE CLEAR ZIP BAG,200X250MM,100

包裝尺寸: 100 x EA

- Packaging Type: ESD Ultra Clear Bag
- Type: Bag
- Colour: Clear
- Length: 250 mm
- Thickness: 0.09 mm
- Width: 200 mm
- Quantity Per Package: 100
- Dissipative: Yes



1229156 ESD Ultra Clear

RS PRO ESD ULTRA CLEAR BAG 250MM(W)X 300MM(L)

包裝尺寸: 100 x EA

- Packaging Type: ESD Ultra Clear Bag
- Type: Bag
- Colour: Clear
- Length: 300 mm
- Thickness: 0.09 mm
- Width: 250 mm
- Quantity Per Package: 100
- Dissipative: Yes



1229157 ESD Ultra Clear

DISSIPATIVE CLEAR ZIP BAG,75X125MM,100

包裝尺寸: 100 x EA

- Packaging Type: ESD Ultra Clear Bag
- Type: Bag
- Colour: Clear
- Length: 125 mm
- Thickness: 0.09 mm
- Width: 75 mm
- Quantity Per Package: 100
- Dissipative: Yes



1229158 ESD Ultra Clear

RS PRO GUSSETED SHROUD 1250MM(W)X 1.85M(L)

包裝尺寸: 1 x EA

- Packaging Type: Gusseted Shroud
- Type: Cover
- Colour: Pink
- Length: 1.85 m
- Thickness: 0.08 mm
- Width: 1250 mm
- Dissipative: Yes
- Conductive: No



1252348 Gusseted Shroud

RS PRO GUSSETED SHROUD 1250MM(W)X 1.6M(L)

包裝尺寸: 1 x EA

- Packaging Type: Gusseted Shroud
- Type: Cover
- Colour: Pink
- Length: 1.6 m
- Thickness: 0.08 mm
- Width: 1250 mm
- Dissipative: Yes
- Conductive: No



1252349 Gusseted Shroud

RS PRO GUSSETED SHROUD 579MM(W)X 745MM(L)

包裝尺寸: 1 x EA

- Packaging Type: Gusseted Shroud
- Type: Cover
- Colour: Pink
- Length: 745 mm
- Thickness: 0.08 mm
- Width: 579 mm
- Dissipative: Yes
- Conductive: No



1252350 Gusseted Shroud

RS PRO TUBE 100MM(W)X 250M(L)

包裝尺寸: 1 x EA

- Packaging Type: Tube
- Type: Tube
- Colour: Pink
- Length: 250 m
- Thickness: 0.09 mm
- Width: 100 mm
- Dissipative: Yes
- Conductive: No



1252351 Tube

RS PRO TUBE 102MM(W)X 152M(L)

包裝尺寸: 1 x EA

- Packaging Type: Tube
- Type: Tube
- Colour: Black
- Length: 152 m
- Thickness: 0.1 mm
- Width: 102 mm
- Dissipative: No
- Conductive: Yes



1252359 Tube

RS PRO TUBE 76MM(W)X 152M(L)

包裝尺寸: 1 x EA

- Packaging Type: Tube
- Type: Tube
- Colour: Black
- Length: 152 m
- Thickness: 0.1 mm
- Width: 76 mm
- Dissipative: No
- Conductive: Yes



1252358 Tube

RS PRO STRAP 25.4MM(W)X 508MM(L)

包裝尺寸: 1 x EA

- Packaging Type: Strap
- Type: Strap
- Colour: Black
- Length: 508 mm
- Thickness: 0.5 mm
- Width: 25.4 mm
- Dissipative: Yes
- Conductive: No



1252399 Strap

HEAT SEAL STATIC SHIELDING BAG,76X127MM

包裝尺寸: 100 x EA

- Packaging Type: Static Shielding Bag
- Type: Bag
- Colour: Silver
- Length: 127 mm
- Thickness: 0.07 mm
- Width: 76 mm
- Quantity Per Package: 100
- Dissipative: Yes



1828792 Static Shielding

HEAT SEAL STATIC SHIELDING BAG,102X152MM

包裝尺寸: 100 x EA

- Packaging Type: Static Shielding Bag
- Type: Bag
- Colour: Silver
- Length: 152 mm
- Thickness: 0.07 mm
- Width: 102 mm
- Quantity Per Package: 100
- Dissipative: Yes



1828809 Static Shielding

**RS PRO STATIC SHIELDING BAG
127MM(W)X 203MM(L)**

- 包裝尺寸: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Silver
 - Length: 203 mm
 - Thickness: 0.07 mm
 - Width: 127 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1828815 Static Shielding

**RS PRO STATIC SHIELDING BAG
152MM(W)X 254MM(L)**

- 包裝尺寸: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Silver
 - Length: 254 mm
 - Thickness: 0.07 mm
 - Width: 152 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1828821 Static Shielding

**HEAT SEAL STATIC SHIELDING BAG,
203X254MM**

- 包裝尺寸: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Silver
 - Length: 254 mm
 - Thickness: 0.07 mm
 - Width: 203 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1828837 Static Shielding

**HEAT SEAL STATIC SHIELDING BAG,
254X305MM**


- 包裝尺寸: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Silver
 - Length: 305 mm
 - Thickness: 0.07 mm
 - Width: 254 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1828843 Static Shielding

**RS PRO STATIC SHIELDING BAG
355MM(W)X 405MM(L)**


- 包裝尺寸: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Black
 - Length: 405 mm
 - Thickness: 0.07 mm
 - Width: 355 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1908423 Static Shielding

**RS PRO ESD ULTRA CLEAR BAG
76MM(W)X 127MM(L)**

- 包裝尺寸: **100 x EA**
- Packaging Type: ESD Ultra Clear Bag
 - Type: Bag
 - Colour: Clear
 - Length: 127 mm
 - Thickness: 0.09 mm
 - Width: 76 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1908426 ESD Ultra Clear

**RS PRO STATIC SHIELDING BAG
150MM(W)X 230MM(L)**

- 包裝尺寸: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Black
 - Length: 230 mm
 - Thickness: 0.07 mm
 - Width: 150 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1908427 Static Shielding

**RS PRO STATIC SHIELDING BAG
505MM(W)X 610MM(L)**

- 包裝尺寸: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Black
 - Length: 610 mm
 - Thickness: 0.07 mm
 - Width: 505 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1908428 Static Shielding

**RS PRO STATIC SHIELDING BAG
610MM(W)X 914MM(L)**


- 包裝尺寸: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Black
 - Length: 914 mm
 - Thickness: 0.07 mm
 - Width: 610 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1908429 Static Shielding

**RS PRO STATIC SHIELDING BAG
50MM(W)X 75MM(L)**

- 包裝尺寸: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Black
 - Length: 75 mm
 - Thickness: 0.07 mm
 - Width: 50 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1908430 Static Shielding

**RS PRO STATIC SHIELDING BAG
75MM(W)X 125MM(L)**


- 包裝尺寸: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Black
 - Length: 125 mm
 - Thickness: 0.07 mm
 - Width: 75 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1908431 Static Shielding

**RS PRO STATIC SHIELDING BAG
125MM(W)X 200MM(L)**

- 包裝尺寸: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Black
 - Length: 200 mm
 - Thickness: 0.07 mm
 - Width: 125 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1908432 Static Shielding

**RS PRO STATIC SHIELDING BAG
150MM(W)X 255MM(L)**

- 包裝尺寸: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Black
 - Length: 255 mm
 - Thickness: 0.07 mm
 - Width: 150 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1908433 Static Shielding

**RS PRO STATIC SHIELDING BAG
200MM(W)X 255MM(L)**

- 包裝尺寸: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Black
 - Length: 255 mm
 - Thickness: 0.07 mm
 - Width: 200 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1908434 Static Shielding

**RS PRO STATIC SHIELDING BAG
255MM(W)X 355MM(L)**

- 包裝尺寸: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Black
 - Length: 355 mm
 - Thickness: 0.07 mm
 - Width: 255 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1908435 Static Shielding

**RS PRO STATIC SHIELDING BAG
305MM(W)X 455MM(L)**

- 包裝尺寸: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Black
 - Length: 455 mm
 - Thickness: 0.07 mm
 - Width: 305 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



1908436 Static Shielding

RS PRO STATIC SHIELDING BAG 355MM(W)X 455MM(L)

包裝尺寸: 100 x EA

- Packaging Type: Static Shielding Bag
- Type: Bag
- Colour: Black
- Length: 455 mm
- Thickness: 0.07 mm
- Width: 355 mm
- Quantity Per Package: 100
- Dissipative: Yes



1908437 Static Shielding

RS PRO MOISTURE BARRIER BAG 305MM(W)X 405MM(L)

包裝尺寸: 100 x EA

- Packaging Type: Moisture Barrier Bag
- Type: Bag
- Colour: Silver
- Length: 405 mm
- Thickness: 0.09 mm
- Width: 305 mm
- Quantity Per Package: 100
- Dissipative: Yes



1908442 Moisture Barrier

RS PRO MOISTURE BARRIER BAG 380MM(W)X 455MM(L)

包裝尺寸: 100 x EA

- Packaging Type: Moisture Barrier Bag
- Type: Bag
- Colour: Silver
- Length: 455 mm
- Thickness: 0.09 mm
- Width: 380 mm
- Quantity Per Package: 100
- Dissipative: Yes



1908444 Moisture Barrier

RS PRO MOISTURE BARRIER BAG 405MM(W)X 455MM(L)

包裝尺寸: 100 x EA

- Packaging Type: Moisture Barrier Bag
- Type: Bag
- Colour: Silver
- Length: 455 mm
- Thickness: 0.09 mm
- Width: 405 mm
- Quantity Per Package: 100
- Dissipative: Yes



1908445 Moisture Barrier

HEAT SEAL STATIC SHIELDING BAG, 152X203MM

包裝尺寸: 100 x EA

- Packaging Type: Static Shielding Bag
- Type: Bag
- Colour: Silver
- Length: 203 mm
- Thickness: 0.07 mm
- Width: 152 mm
- Quantity Per Package: 100
- Dissipative: Yes



2877739 Static Shielding

RS PRO STATIC SHIELDING BAG 254MM(W)X 356MM(L)

包裝尺寸: 100 x EA

- Packaging Type: Static Shielding Bag
- Type: Bag
- Colour: Silver
- Length: 356 mm
- Thickness: 0.07 mm
- Width: 254 mm
- Quantity Per Package: 100
- Dissipative: Yes



2877767 Static Shielding

RS PRO STATIC SHIELDING BAG 457MM(W)X 610MM(L)

包裝尺寸: 100 x EA

- Packaging Type: Static Shielding Bag
- Type: Bag
- Colour: Silver
- Length: 610 mm
- Thickness: 0.07 mm
- Width: 457 mm
- Quantity Per Package: 100
- Dissipative: Yes



2877773 Static Shielding

ANTISTATIC PINK BAG,75X125MM

包裝尺寸: 100 x EA

- Packaging Type: Anti Static Bag
- Type: Bag
- Colour: Pink
- Length: 75 mm
- Thickness: 0.075 mm
- Width: 125 mm
- Quantity Per Package: 100
- Dissipative: No



2877852 Anti Static Bag

ANTISTATIC PINK BAG,100X155MM

包裝尺寸: 100 x EA

- Packaging Type: Anti Static Bag
- Type: Bag
- Colour: Pink
- Length: 100 mm
- Thickness: 0.075 mm
- Width: 155 mm
- Quantity Per Package: 100
- Dissipative: No



2877868 Anti Static Bag

ANTISTATIC PINK BAG,152X203MM

包裝尺寸: 100 x EA

- Packaging Type: Anti Static Bag
- Type: Bag
- Colour: Pink
- Length: 152 mm
- Thickness: 0.075 mm
- Width: 203 mm
- Quantity Per Package: 100
- Dissipative: No



2877874 Anti Static Bag

ANTISTATIC PINK BAG,152X229MM

包裝尺寸: 100 x EA

- Packaging Type: Anti Static Bag
- Type: Bag
- Colour: Pink
- Length: 152 mm
- Thickness: 0.075 mm
- Width: 229 mm
- Quantity Per Package: 100
- Dissipative: No



2877880 Anti Static Bag

ANTISTATIC PINK BAG,205X305MM

包裝尺寸: 100 x EA

- Packaging Type: Anti Static Bag
- Type: Bag
- Colour: Pink
- Length: 305 mm
- Thickness: 0.075 mm
- Width: 205 mm
- Quantity Per Package: 100
- Dissipative: No



2877903 Anti Static Bag

ANTISTATIC PINK BAG,205X255MM

包裝尺寸: 100 x EA

- Packaging Type: Anti Static Bag
- Type: Bag
- Colour: Pink
- Length: 205 mm
- Thickness: 0.075 mm
- Width: 255 mm
- Quantity Per Package: 100
- Dissipative: No



2877919 Anti Static Bag

ANTISTATIC PINK BAG,254X356MM

包裝尺寸: 100 x EA

- Packaging Type: Anti Static Bag
- Type: Bag
- Colour: Pink
- Length: 356 mm
- Thickness: 0.075 mm
- Width: 254 mm
- Quantity Per Package: 100
- Dissipative: No



2877925 Anti Static Bag

ANTISTATIC PINK BAG,305X406MM

包裝尺寸: 100 x EA

- Packaging Type: Anti Static Bag
- Type: Bag
- Colour: Pink
- Length: 406 mm
- Thickness: 0.075 mm
- Width: 305 mm
- Quantity Per Package: 100
- Dissipative: No



2877931 Anti Static Bag

HEAT SEAL STATIC SHIELDING BAG, 203X305MM

包裝尺寸: 100 x EA

- Packaging Type: Static Shielding Bag
- Type: Bag
- Colour: Silver
- Length: 305 mm
- Thickness: 0.07 mm
- Width: 203 mm
- Quantity Per Package: 100
- Dissipative: Yes



2878221 Static Shielding

**RS PRO STATIC SHIELDING BAG
305MM(W)X 457MM(L)**

- 包裝尺寸: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Silver
 - Length: 457 mm
 - Thickness: 0.07 mm
 - Width: 305 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



2909375 Static Shielding

**ANTISTATIC GUSSETED BAG,460/610
X 630MM**

- 包裝尺寸: **20 x EA**
- Packaging Type: Anti Static Gusseted Bag
 - Type: Bag
 - Colour: Pink
 - Length: 630 mm
 - Thickness: 0.075 mm
 - Width: 460 mm, 610 mm
 - Quantity Per Package: 20
 - Dissipative: No



3562179 Anti Static

**ANTISTATIC GUSSETED BAG,460/750
X 1080MM**

- 包裝尺寸: **20 x EA**
- Packaging Type: Anti Static Gusseted Bag
 - Type: Bag
 - Colour: Pink
 - Length: 1080 mm
 - Thickness: 0.075 mm
 - Width: 460 mm, 750 mm
 - Quantity Per Package: 20
 - Dissipative: No



3562191 Anti Static

**RS PRO BUBBLE WRAP 500MM(W)X
50M(L)**

- 包裝尺寸: **50 x MTR**
- Packaging Type: Bubble Wrap
 - Type: Roll
 - Colour: Pink
 - Length: 50 m
 - Thickness: 6 mm
 - Width: 500 mm
 - Dissipative: Yes
 - Conductive: No



3562315 Bubble Wrap

ANTISTATIC BUBBLE BAG,100X135MM

- 包裝尺寸: **50 x EA**
- Packaging Type: Anti Static Bubble Bag
 - Type: Bag
 - Colour: Pink
 - Length: 100 mm
 - Width: 135 mm
 - Quantity Per Package: 50
 - Dissipative: No
 - Conductive: No



3562343 Anti Static Bubble

ANTISTATIC BUBBLE BAG,180X235MM

- 包裝尺寸: **50 x EA**
- Packaging Type: Anti Static Bubble Bag
 - Type: Bag
 - Colour: Pink
 - Length: 180 mm
 - Width: 235 mm
 - Quantity Per Package: 50
 - Dissipative: No
 - Conductive: No



3562365 Anti Static Bubble

ANTISTATIC BUBBLE BAG,230X285MM

- 包裝尺寸: **50 x EA**
- Packaging Type: Anti Static Bubble Bag
 - Type: Bag
 - Colour: Pink
 - Length: 230 mm
 - Width: 285 mm
 - Quantity Per Package: 50
 - Dissipative: No
 - Conductive: No



3562371 Anti Static Bubble

ANTISTATIC BUBBLE BAG,130X185MM

- 包裝尺寸: **50 x EA**
- Packaging Type: Anti Static Bubble Bag
 - Type: Bag
 - Colour: Pink
 - Length: 130 mm
 - Width: 185 mm
 - Quantity Per Package: 50
 - Dissipative: No
 - Conductive: No



3562359 Anti Static Bubble

**RS PRO ANTI STATIC BUBBLE BAG
435MM(W)X 305MM(L)**

- 包裝尺寸: **50 x EA**
- Packaging Type: Anti Static Bubble Bag
 - Type: Bag
 - Colour: Pink
 - Length: 305 mm
 - Width: 435 mm
 - Quantity Per Package: 50
 - Dissipative: No
 - Conductive: No



3562393 Anti Static Bubble

**RS PRO ANTI STATIC BUBBLE BAG
435MM(W)X 380MM(L)**

- 包裝尺寸: **50 x EA**
- Packaging Type: Anti Static Bubble Bag
 - Type: Bag
 - Colour: Pink
 - Length: 380 mm
 - Width: 435 mm
 - Quantity Per Package: 50
 - Dissipative: No
 - Conductive: No



3562400 Anti Static Bubble

**RS PRO STATIC SHIELDING BAG
305MM(W)X 406MM(L)**

- 包裝尺寸: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Silver
 - Length: 406 mm
 - Thickness: 0.07 mm
 - Width: 305 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



3876406 Static Shielding

**RS PRO STATIC SHIELDING BAG
356MM(W)X 457MM(L)**

- 包裝尺寸: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Silver
 - Length: 457 mm
 - Thickness: 0.07 mm
 - Width: 356 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



3876412 Static Shielding

**ANTISTATIC GUSSETED
BAG,300/500X650MM**

- 包裝尺寸: **20 x EA**
- Packaging Type: Anti Static Gusseted Bag
 - Type: Bag
 - Colour: Pink
 - Length: 650 mm
 - Thickness: 0.075 mm
 - Width: 300 mm, 500 mm
 - Quantity Per Package: 20
 - Dissipative: No



3974291 Anti Static

**ANTISTATIC GUSSETED
BAG,750/1000X1200MM**

- 包裝尺寸: **10 x EA**
- Packaging Type: Anti Static Gusseted Bag
 - Type: Bag
 - Colour: Pink
 - Length: 1200 mm
 - Thickness: 0.075 mm
 - Width: 750 mm, 1000 mm
 - Quantity Per Package: 10
 - Dissipative: No



3974308 Anti Static

**RS PRO STATIC SHIELDING BAG
457MM(W)X 457MM(L)**

- 包裝尺寸: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Silver
 - Length: 457 mm
 - Thickness: 0.07 mm
 - Width: 457 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



4157009 Static Shielding

**ZIP-LOCK SHIELDING
BAG,102X152MM 100PCS**

- 包裝尺寸: **100 x EA**
- Packaging Type: Static Shielding Bag
 - Type: Bag
 - Colour: Silver
 - Length: 152 mm
 - Thickness: 0.07 mm
 - Width: 102 mm
 - Quantity Per Package: 100
 - Dissipative: Yes



4319538 Static Shielding

ZIP-LOCK SHIELDING BAG, 152X203MM 100PCS

包装尺寸: 100 x EA

- Packaging Type: Static Shielding Bag
- Type: Bag
- Colour: Silver
- Length: 203 mm
- Thickness: 0.07 mm
- Width: 152 mm
- Quantity Per Package: 100
- Dissipative: Yes



4319544 Static Shielding

RS PRO STATIC SHIELDING BAG 279MM(W)X 381MM(L)

包装尺寸: 100 x EA

- Packaging Type: Static Shielding Bag
- Type: Bag
- Colour: Silver
- Length: 381 mm
- Thickness: 0.07 mm
- Width: 279 mm
- Quantity Per Package: 100
- Dissipative: Yes



4156977 Static Shielding

ZIP-LOCK SHIELDING BAG, 254X305MM 100PCS

包装尺寸: 100 x EA

- Packaging Type: Static Shielding Bag
- Type: Bag
- Colour: Silver
- Length: 305 mm
- Thickness: 0.07 mm
- Width: 254 mm
- Quantity Per Package: 100
- Dissipative: Yes



4319550 Static Shielding

ZIP-LOCK SHIELDING BAG, 305X406MM 100PCS

包装尺寸: 100 x EA

- Packaging Type: Static Shielding Bag
- Type: Bag
- Colour: Silver
- Length: 406 mm
- Thickness: 0.07 mm
- Width: 305 mm
- Quantity Per Package: 100
- Dissipative: Yes



4319566 Static Shielding

RS PRO STATIC SHIELDING BAG 457MM(W)X 457MM(L)

包装尺寸: 100 x EA

- Packaging Type: Static Shielding Bag
- Type: Bag
- Colour: Silver
- Length: 457 mm
- Thickness: 0.07 mm
- Width: 457 mm
- Quantity Per Package: 100
- Dissipative: Yes



4319572 Static Shielding

ANTISTATIC PINK BAG, 155X254MM

包装尺寸: 100 x EA

- Packaging Type: Anti Static Bag
- Type: Bag
- Colour: Pink
- Length: 155 mm
- Thickness: 0.075 mm
- Width: 254 mm
- Quantity Per Package: 100
- Dissipative: No



4849073 Anti Static Bag

RS PRO BUBBLE WRAP 500MM(W)X 25M(L)

包装尺寸: 25 x MTR

- Packaging Type: Bubble Wrap
- Type: Roll
- Colour: Pink
- Length: 25 m
- Thickness: 12 mm
- Width: 500 mm
- Dissipative: Yes
- Conductive: No



6281772 Bubble Wrap

RS PRO SHIELDING BUBBLE BAGS 505MM(W)X 405MM(L)

包装尺寸: 5 x EA

- Packaging Type: Shielding Bubble Bags
- Type: Bag
- Colour: Pink
- Length: 405 mm
- Width: 505 mm
- Quantity Per Package: 5
- Dissipative: Yes
- Conductive: Yes



8153483 Shielding Bubble

SHIELDING BUBBLE BAG, 305X405MM, PACK OF 5

包装尺寸: 5 x EA

- Packaging Type: Shielding Bubble Bags
- Type: Bag
- Colour: Pink
- Length: 405 mm
- Width: 305 mm
- Quantity Per Package: 5
- Dissipative: Yes
- Conductive: Yes



8153486 Shielding Bubble

RS PRO FILM 500MM(W)X 300M(L)

包装尺寸: 1 x EA

- Packaging Type: Film
- Type: Film
- Colour: Pink
- Length: 300 m
- Thickness: 0.025 mm
- Width: 500 mm
- Dissipative: Yes
- Conductive: No



8157012 Film

HIGH DENSITY CONDUCTIVE FOAM, 6X305X305MM

包装尺寸: 9 x EA

- Packaging Type: High Density ESD Foam
- Type: Foam
- Colour: Black
- Length: 305 mm
- Thickness: 6 mm
- Width: 305 mm
- Dissipative: No
- Conductive: Yes




8153509 High Density ESD

RS PRO 80MM ANTI STATIC ROLLER REFILL

包装尺寸: 1 x EA

- Type: Refill
- Roller Width: 80 mm



2664224 Refill

RS PRO 228.6MM ANTI STATIC ROLLER EXTENSION HANDLE

包装尺寸: 1 x EA

- Type: Extension Handle
- Roller Width: 228.6 mm, 457.2 mm



8295326 Extension Handle

RS PRO 80MM ANTI STATIC ROLLER HANDLE AND REFILL

包装尺寸: 1 x EA

- Type: Handle and Refill
- Roller Width: 80 mm



2664347 Handle and Refill

CONDUCTIVE ESD BOX

包装尺寸: 10 x EA

- Material Properties: Conductive
- Height: 38 mm
- Length: 175 mm
- Width: 127 mm
- Dissipative: No
- Conductive: Yes
- Anti-Static: No
- Static Shielding: Yes



233496 Conductive

DISSIPATIVE TRANSIT BOX, 229X191X64MM

包装尺寸: 5 x EA

- Material Properties: Conductive
- Height: 64 mm
- Length: 229 mm
- Width: 191 mm
- Dissipative: No
- Conductive: Yes
- Anti-Static: No
- Static Shielding: Yes



233503 Conductive

CONDUCTIVE ESD BOX

包裝尺寸: **1 x EA**

- Material Properties: Conductive
- Height: 64 mm
- Length: 521 mm
- Width: 394 mm
- Dissipative: No
- Conductive: Yes
- Anti-Static: No
- Static Shielding: Yes



233519 Conductive

CONDUCTIVE ESD BOX

包裝尺寸: **10 x EA**

- Material Properties: Conductive
- Height: 64 mm
- Length: 267 mm
- Width: 216 mm
- Dissipative: No
- Conductive: Yes
- Anti-Static: No
- Static Shielding: Yes



539227 Conductive

CONDUCTIVE ESD BOX

包裝尺寸: **10 x EA**

- Material Properties: Conductive
- Height: 64 mm
- Length: 394 mm
- Width: 318 mm
- Dissipative: No
- Conductive: Yes
- Anti-Static: No
- Static Shielding: Yes



539233 Conductive

CONDUCTIVE STORAGE BIN,100X90X50MM

包裝尺寸: **5 x EA**

- Material Properties: Conductive
- Material: Plastic
- Height: 50 mm
- Length: 90 mm
- Width: 100 mm
- Dissipative: Yes
- Conductive: Yes
- Anti-Static: Yes



550319 Conductive

CONDUCTIVE PLASTIC ESD BIN

包裝尺寸: **5 x EA**

- Material Properties: Conductive
- Material: Plastic
- Height: 130 mm
- Length: 150 mm
- Width: 240 mm
- Dissipative: Yes
- Conductive: Yes
- Anti-Static: Yes



550331 Conductive

IC STORAGE BOX,40X40X13.5MM

包裝尺寸: **10 x EA**

- Material Properties: Conductive
- Height: 13.5 mm
- Length: 40 mm
- Width: 40 mm
- Dissipative: No
- Conductive: Yes
- Anti-Static: No
- Static Shielding: Yes



550864 Conductive

CONDUCTIVE IC STORAGE BOX,77X55X19MM

包裝尺寸: **5 x EA**

- Material Properties: Conductive
- Height: 19 mm
- Length: 77 mm
- Width: 55 mm
- Dissipative: No
- Conductive: Yes
- Anti-Static: No
- Static Shielding: Yes



550870 Conductive

CONDUCTIVE STORAGE BIN,167X101X76MM

包裝尺寸: **5 x EA**

- Material Properties: Conductive
- Material: Plastic
- Height: 75 mm
- Length: 165 mm
- Width: 100 mm
- Dissipative: Yes
- Conductive: Yes
- Anti-Static: Yes



550325 Conductive

IC STORAGE BOX,111X86X17MM

包裝尺寸: **5 x EA**

- Material Properties: Conductive
- Height: 17 mm
- Length: 111 mm
- Width: 86 mm
- Dissipative: No
- Conductive: Yes
- Anti-Static: No
- Static Shielding: Yes



550886 Conductive

CONDUCTIVE ESD BOX

包裝尺寸: **1 x EA**

- Material Properties: Conductive
- Height: 33 mm
- Length: 232 mm
- Width: 130 mm
- Dissipative: No
- Conductive: Yes
- Anti-Static: No
- Static Shielding: Yes



820810 Conductive

LARGE IC STORAGE BOX,140X106X38MM

包裝尺寸: **1 x EA**

- Material Properties: Conductive
- Height: 38 mm
- Length: 140 mm
- Width: 106 mm
- Dissipative: No
- Conductive: Yes
- Anti-Static: No
- Static Shielding: Yes



2179221 Conductive

CONDUCTIVE ESD BOX

包裝尺寸: **5 x EA**

- Material Properties: Conductive
- Height: 16 mm
- Length: 89 mm
- Width: 64 mm
- Dissipative: No
- Conductive: Yes
- Anti-Static: No
- Static Shielding: Yes



2878091 Conductive

CONDUCTIVE ESD BOX

包裝尺寸: **1 x EA**

- Material Properties: Conductive
- Height: 32 mm
- Length: 229 mm
- Width: 127 mm
- Dissipative: No
- Conductive: Yes
- Anti-Static: No
- Static Shielding: Yes



2878108 Conductive

CONDUCTIVE ESD BOX

包裝尺寸: **1 x EA**

- Material Properties: Conductive
- Height: 23 mm
- Length: 229 mm
- Width: 126 mm
- Dissipative: No
- Conductive: Yes
- Anti-Static: No
- Static Shielding: Yes



4201386 Conductive

CONDUCTIVE ESD BOX

包裝尺寸: **10 x EA**

- Material Properties: Conductive
- Height: 64 mm
- Length: 318 mm
- Width: 267 mm
- Dissipative: No
- Conductive: Yes
- Anti-Static: No
- Static Shielding: Yes



2878237 Conductive

IC STORAGE BOX,229X126X42MM

包裝尺寸: **1 x EA**

- Material Properties: Conductive
- Height: 42 mm
- Length: 229 mm
- Width: 126 mm
- Dissipative: No
- Conductive: Yes
- Anti-Static: No
- Static Shielding: Yes



4201409 Conductive

CONDUCTIVE POLYPROPYLENE ESD BOX

包裝尺寸: 1 x EA

- Material Properties: Conductive
- Material: Polypropylene
- Height: 16 mm
- Length: 15 mm
- Width: 12 mm
- Dissipative: No
- Conductive: Yes
- Anti-Static: No



8157003 Conductive

STATIC DISSIPATIVE DOCUMENT A4 SLEEVE

包裝尺寸: 100 x EA

- Type: Document Sleeve
- Quantity Included: 100
- Width: 220 mm
- Paper Size: A4
- Height: 297 mm
- Dissipative: No
- Conductive: No
- Anti-Static: Yes



733952 Document Sleeve

RS PRO RING BINDER SPINE 40MM X 320MM

包裝尺寸: 1 x EA

- Type: Ring Binder
- Quantity Included: 1
- Width: Spine 40 mm
- Depth: Ring 25 mm
- Paper Size: A4
- Height: 320 mm
- Dissipative: Yes
- Conductive: No



733946 Ring Binder

RS PRO WASTE BIN 330MM X 530MM

包裝尺寸: 1 x EA

- Type: Waste Bin
- Quantity Included: 1
- Width: 330 mm
- Depth: 530 mm
- Height: 530 mm
- Dissipative: No
- Conductive: Yes
- Anti-Static: No



1252403 Waste Bin

RS PRO WASTE BAG 330MM X 750MM

包裝尺寸: 10 x EA

- Type: Waste Bag
- Quantity Included: 10
- Width: 330 mm
- Depth: 530 mm
- Height: 750 mm
- Dissipative: No
- Conductive: No
- Anti-Static: Yes



1252404 Waste Bag

RS PRO SCISSOR 178MM X 8MM

包裝尺寸: 1 x EA

- Type: Scissor
- Quantity Included: 1
- Width: 178 mm
- Depth: 70 mm
- Height: 8 mm
- Conductive: Yes
- Anti-Static: Yes
- Cleanroom: Yes



1846690 Scissor

RS PRO X 178MM

包裝尺寸: 1 x EA

- Type: Pen
- Quantity Included: 1
- Height: 178 mm
- Conductive: Yes
- Anti-Static: Yes
- Cleanroom: Yes
- Complies with EN 61340-5-1: Yes



1846691 Pen

RS PRO CLEAR BINDER 235MM X 315MM

包裝尺寸: 5 x EA

- Type: Clear Binder
- Quantity Included: 5
- Width: 235 mm
- Depth: 4 mm
- Height: 315 mm
- Paper Size: A4
- Dissipative: No
- Conductive: No



4439840 Clear Binder

RS PRO WASTE BIN 285MM X 320MM

包裝尺寸: 1 x EA

- Type: Waste Bin
- Quantity Included: 1
- Width: 285 mm
- Height: 320 mm
- Dissipative: No
- Conductive: No
- Anti-Static: Yes
- Cleanroom: No



8157006 Waste Bin

RS PRO AUTOCLAVEABLE PAPER 235MM X 315MM

包裝尺寸: 250 x EA

- Type: Autoclaveable Paper
- Quantity Included: 250
- Width: 235 mm
- Depth: 255 mm
- Paper Size: A4
- Height: 315 mm
- Dissipative: No
- Conductive: No



8295180 Autoclaveable

RS PRO AUTOCLAVEABLE PAPER 235MM X 315MM

包裝尺寸: 250 x EA

- Type: Autoclaveable Paper
- Quantity Included: 250
- Width: 235 mm
- Depth: 255 mm
- Paper Size: A4
- Height: 315 mm
- Dissipative: No
- Conductive: No



8295199 Autoclaveable

RS PRO 265MM X 325MM

包裝尺寸: 12 x EA

- Type: Pen
- Quantity Included: 12
- Width: 265 mm
- Depth: 102 mm
- Height: 325 mm
- Dissipative: No
- Conductive: No
- Anti-Static: No



8295203 Pen

CLEANROOM A4 TECHNICAL PAPER WHITE

包裝尺寸: 250 x EA

- Type: Technical Paper
- Quantity Included: 250
- Width: 235 mm
- Depth: 210 mm
- Paper Size: A4
- Height: 297 mm
- Dissipative: No
- Conductive: No




8295212 Technical Paper

CLEANROOM A4 TECHNICAL PAPER BLUE

包裝尺寸: 250 x EA

- Type: Technical Paper
- Quantity Included: 250
- Width: 235 mm
- Depth: 210 mm
- Paper Size: A4
- Height: 297 mm
- Dissipative: No
- Conductive: No



8295215 Technical Paper

RS PRO 210MM X 148MM

包裝尺寸: 1 x EA

- Type: Notebook
- Quantity Included: 50
- Width: 210 mm
- Depth: 100 mm
- Paper Size: A5
- Height: 148 mm
- Dissipative: No
- Conductive: No



8295221 Notebook

RS PRO TECHNICAL PAPER 235MM X 297MM

包裝尺寸: 250 x EA

- Type: Technical Paper
- Quantity Included: 250
- Width: 235 mm
- Depth: 210 mm
- Paper Size: A4
- Height: 297 mm
- Dissipative: No
- Conductive: No



8295225 Technical Paper

RS PRO 297MM X 210MM

- 包装尺寸: **1 x EA**
- Type: Notebook
 - Quantity Included: 50
 - Width: 297 mm
 - Depth: 100 mm
 - Paper Size: A4
 - Height: 210 mm
 - Dissipative: No
 - Conductive: No



8295228 Notebook

RS PRO TECHNICAL PAPER 235MM X 297MM

- 包装尺寸: **250 x EA**
- Type: Technical Paper
 - Quantity Included: 250
 - Width: 235 mm
 - Depth: 210 mm
 - Paper Size: A4
 - Height: 297 mm
 - Dissipative: No
 - Conductive: No



8295234 Technical Paper

ABECO 587AS ANTISTATIC DESOLDERING TOOL

- 包装尺寸: **1 x EA**
- Desoldering Tool Type: Solder Sucker
 - Overall Length: 190 mm



557878 Solder Sucker

ANTISTATIC FLEXIBLE DESOLDERING PUMP

- 包装尺寸: **1 x EA**
- Desoldering Tool Type: Solder Sucker
 - Overall Length: 200 mm



3437253 Solder Sucker

ALUMINIUM DESOLDERING GUN,56GM

- 包装尺寸: **1 x EA**
- Desoldering Tool Type: Solder Sucker
 - Overall Length: 190 mm



4794197 Solder Sucker

AL MINI ANTI-STATIC DESOLDERING GUN,35GM

- 包装尺寸: **1 x EA**
- Desoldering Tool Type: Solder Sucker
 - Overall Length: 154 mm



4795904 Solder Sucker

RS DE-SOLDERING PUMP

- 包装尺寸: **1 x EA**
- Desoldering Tool Type: Solder Sucker
 - Model Number: SC-50



7719543 Solder Sucker

RS PRO DESOLDERING NOZZLE FOR USE WITH VARIOUS DESOLDERING

- 包装尺寸: **5 x EA**
- Desoldering Tool Type: Desoldering Nozzle
 - Type: Desoldering
 - For Use With: Abeco Mini Anti-Static DSG Desoldering Gun



4795932 Desoldering

PTFE NOZZLE SPARE FOR DESOLDERING GUN

- 包装尺寸: **5 x EA**
- Desoldering Tool Type: Desoldering Nozzle
 - Type: Desoldering
 - For Use With: Abeco DSG PRM Desoldering Gun



4794204 Desoldering

RS PRO DESOLDERING NOZZLE FOR USE WITH VARIOUS DESOLDERING

- 包装尺寸: **5 x EA**
- Desoldering Tool Type: Desoldering Nozzle
 - Type: Desoldering
 - For Use With: Abeco Anti-Static DSG Desoldering Gun



4795926 Desoldering

ANTI-SPLASH PUMP DISPENSER,180ML (6OZ)

- 包装尺寸: **1 x EA**
- For Use With: Cleaner
 - Product Capacity: 180 ml
 - Colour: Blue



7989323 Cleaner

ANTI-SPLASH PUMP DISPENSER,120ML (4OZ)

- 包装尺寸: **1 x EA**
- For Use With: Cleaner
 - Product Capacity: 120 ml
 - Colour: Blue



7989329 Cleaner

RS PRO 18 DRAWER ESD DRAWER

- 包装尺寸: **1 x EA**
- Type: Drawer
 - Drawers per Cabinet: 18
 - Compartments per Insert: 18
 - Drawer Height: 20 mm
 - Drawer Depth: 275 mm
 - Drawer Length: 20 mm
 - Complies with EN 61340-5-1: Yes
 - Drawer Width: 250 mm



575728 Drawer

RS PRO ESD-SAFE DRAWER DIVIDER

- 包装尺寸: **24 x EA**
- Type: Divider
 - Compartments per Insert: 24
 - Drawer Height: 87 mm
 - Drawer Depth: 2 mm
 - Complies with EN 61340-5-1: Yes
 - Drawer Length: 87 mm
 - Drawer Width: 49 mm



4849607 Divider

RS PRO ESD RACK, 155 X 390 X 250MM

- 包装尺寸: **1 x EA**
- Type: Rack
 - Compartments per Insert: 20



1212704 Rack

RS PRO RACK DIVIDER

- 包装尺寸: **1 x EA**
- Type: Divider



1212705 Divider

RS PRO 48 DRAWER ESD CABINET, 550 X 310 X 180MM

包裝尺寸: 1 x EA

- Type: Cabinet
- Drawers per Cabinet: 48
- Compartments per Insert: 1
- Drawer Height: 40 mm
- Drawer Depth: 170 mm
- Drawer Length: 170 mm
- Complies with EN 61340-5-1: Yes
- Drawer Width: 69 mm



9096980 Cabinet

RS PRO 24 DRAWER ESD CABINET, 550 X 310 X 180MM

包裝尺寸: 1 x EA

- Type: Cabinet
- Drawers per Cabinet: 24
- Compartments per Insert: 1
- Drawer Height: 62 mm
- Drawer Depth: 170 mm
- Drawer Length: 170 mm
- Complies with EN 61340-5-1: Yes
- Drawer Width: 92 mm



9096984 Cabinet

RS PRO 24 DRAWER ESD CABINET, 290 X 310 X 180MM

包裝尺寸: 1 x EA

- Type: Cabinet
- Drawers per Cabinet: 24
- Compartments per Insert: 1
- Drawer Height: 40 mm
- Drawer Depth: 170 mm
- Drawer Length: 170 mm
- Complies with EN 61340-5-1: Yes
- Drawer Width: 69 mm



9096978 Cabinet

RS PRO 12 DRAWER ESD CABINET, 290 X 310 X 180MM

包裝尺寸: 1 x EA

- Type: Cabinet
- Drawers per Cabinet: 12
- Compartments per Insert: 1
- Drawer Height: 62 mm
- Drawer Depth: 170 mm
- Drawer Length: 170 mm
- Complies with EN 61340-5-1: Yes
- Drawer Width: 92 mm



9096987 Cabinet

RS PRO ESD EARTH BONDING BOX WITH 10 MM STUD X 2

包裝尺寸: 1 x EA

- Accessory Type: Earth Bonding Box
- Connector Type: 10 mm Stud x 2
- Termination Type: Ring Terminal
- Complies with EN 61340-5-1: Yes
- Resistance: 1 mΩ
- Cord Style: Straight
- Cord Length: 2 m



392135 Earth Bonding

ANTISTATIC EASYTO FIT RACK BONDING POINT

包裝尺寸: 1 x EA

- Accessory Type: Rack Bonding Point
- Connector Type: 10 mm Stud
- Complies with EN 61340-5-1: Yes
- Stud Size: 10 mm



392141 Rack Bonding

10MM MALESTUD FULLY ADJ FABRIC WRISTBAND

包裝尺寸: 1 x EA

- Accessory Type: Anti Static Wrist Strap
- Connector Type: 10 mm Stud
- Termination Type: Press Stud
- Complies with EN 61340-5-1: Yes
- Stud Size: 10 mm
- Reusable/Disposable: Reusable
- Wrist Strap Size: Adjustable
- Band Material: Fabric



392163 Anti Static Wrist

ANTISTATIC EARTH STUD KIT

包裝尺寸: 1 x KT

- Accessory Type: Earth Stud Kit
- Connector Type: 10mm Studs & Post
- Complies with EN 61340-5-1: Yes
- Stud Size: 10 mm



539205 Earth Stud Kit

10MM STUD LARGE FIXED FABRIC WRIST BAND

包裝尺寸: 1 x EA

- Accessory Type: Anti Static Wrist Strap
- Connector Type: 10 mm Stud
- Termination Type: Press Stud
- Complies with EN 61340-5-1: Yes
- Stud Size: 10 mm
- Reusable/Disposable: Reusable
- Wrist Strap Size: Large
- Band Material: Fabric



552876 Anti Static Wrist

10MM STUD SMALL FIXED FABRIC WRIST BAND

包裝尺寸: 1 x EA

- Accessory Type: Anti Static Wrist Strap
- Connector Type: 10 mm Stud
- Termination Type: Press Stud
- Complies with EN 61340-5-1: Yes
- Wrist Strap Size: Small
- Reusable/Disposable: Reusable
- Stud Size: 10 mm
- Band Material: Fabric



552882 Anti Static Wrist

10MM STUD-BANANA CORD,1.8M L 2MEG COIL

包裝尺寸: 1 x EA

- Accessory Type: Grounding Cord
- Connector Type: 10 mm Socket
- Termination Type: Press Stud - Banana Plug/Croc Clip
- Complies with EN 61340-5-1: Yes
- Stud Size: 10 mm
- Resistance: 2 mΩ
- Cord Style: Coiled
- Cord Length: 1.8 m



552898 Grounding Cord

10MM MALE PRESS STUD ADJ METAL WRISTBAND

包裝尺寸: 1 x EA

- Accessory Type: Anti Static Wrist Strap
- Connector Type: 10 mm Stud
- Termination Type: Press Stud
- Complies with EN 61340-5-1: Yes
- Wrist Strap Size: Adjustable
- Reusable/Disposable: Reusable
- Stud Size: 10 mm
- Band Material: Metal



663229 Anti Static Wrist

RS PRO ESD DISSIPATIVE TURNTABLE

包裝尺寸: 1 x EA

- Accessory Type: ESD Turntable
- Complies with EN 61340-5-1: Yes



1212710 ESD Turntable

RS PRO ESD GROUNDING CORD WITH 10 MM SOCKET

包裝尺寸: 1 x EA

- Accessory Type: Grounding Cord
- Connector Type: 10 mm Socket
- Termination Type: Press Stud - Press Stud
- Complies with EN 61340-5-1: Yes
- Cord Length: 1.8 m
- Resistance: 4 mΩ
- Stud Size: 10 mm
- Cord Style: Coiled



552905 Grounding Cord

RS PRO ESD DISSIPATIVE TURNTABLE

包裝尺寸: 1 x EA

- Accessory Type: ESD Turntable
- Complies with EN 61340-5-1: Yes



1212709 ESD Turntable

RS PRO ESD GROUNDING CORD WITH 10 MM SOCKET

包裝尺寸: 1 x EA

- Accessory Type: Grounding Cord
- Connector Type: 10 mm Socket
- Termination Type: 4mm Banana Plug
- Complies with EN 61340-5-1: Yes
- Resistance: 1 mΩ
- Cord Style: Straight
- Cord Length: 4 m



1229153 Grounding Cord

UNIVERSAL SNAP KIT, 10MM

- 包裝尺寸: **1 x EA**
- Accessory Type: Universal Snap Kit
 - Connector Type: 10 mm Socket, 10 mm Stud
 - Termination Type: Screw Terminal
 - Complies with EN 61340-5-1: Yes
 - Stud Size: 10 mm



1229148 Universal Snap

DISPOSABLE HEEL GRINDER, PACK 100

- 包裝尺寸: **100 x EA**
- Accessory Type: Heel Grinder
 - Complies with EN 61340-5-1: Yes
 - Reusable/Disposable: Disposable
 - Attachment Type: Adhesive



1229150 Heel Grinder

RS PRO ESD FIELD KIT WITH 10 MM SOCKET, 10 MM STUD

- 包裝尺寸: **1 x KT**
- Accessory Type: ESD Field Kit
 - Connector Type: 10 mm Socket, 10 mm Stud
 - Plug Type: UK
 - Complies with EN 61340-5-1: Yes
 - Cord Length: 2.4 m, 0.7 m
 - Resistance: 1 mΩ
 - Stud Size: 10 mm
 - Mat Width: 450 mm



1235614 ESD Field Kit

RS PRO ESD EARTHING WIRE STUD WITH 10 MM BANANA SOCKET, 10 MM

- 包裝尺寸: **1 x EA**
- Accessory Type: Earthing Wire Stud
 - Connector Type: 10 mm Banana Socket, 10 mm Stud
 - Complies with EN 61340-5-1: Yes
 - Cord Length: 1 m
 - Resistance: 1 mΩ
 - Cord Style: Straight
 - Stud Size: 10 mm



1294931 Earthing Wire

RS PRO ESD GROUNDING CORD WITH 10 MM SOCKET

- 包裝尺寸: **1 x EA**
- Accessory Type: Grounding Cord
 - Connector Type: 10 mm Socket
 - Termination Type: Press Stud - Press Stud
 - Complies with EN 61340-5-1: Yes
 - Cord Length: 2 m
 - Resistance: 1 mΩ
 - Stud Size: 10 mm
 - Cord Style: Straight



1294874 Grounding Cord

ANTISTATIC STUD FIX ADAPTOR

- 包裝尺寸: **1 x EA**
- Accessory Type: Adapter
 - Connector Type: 10 mm Stud to 4 mm Banana Socket
 - Complies with EN 61340-5-1: Yes



1294947 Adapter

接地,抗静电,连接线,0 OHM 欧姆,115MM

- 包裝尺寸: **1 x EA**
- Cord Type: Connecting
 - Termination Type: Press Stud - Press Stud
 - Stud Size: 10 mm
 - Cord Length: 0.115 m
 - Cord Style: Straight
 - Lead Resistance: 0 Ω
 - Complies with EN 61340-5-1: Yes



1294975 Connecting

RS PRO ESD GROUNDING CORD WITH 10 MM SOCKET

- 包裝尺寸: **1 x EA**
- Accessory Type: Grounding Cord
 - Connector Type: 10 mm Socket
 - Termination Type: Press Stud - Press Stud
 - Complies with EN 61340-5-1: Yes
 - Cord Length: 1 m
 - Resistance: 1 mΩ
 - Stud Size: 10 mm
 - Cord Style: Straight



1294969 Grounding Cord

ANTI STATIC WRIST STRAP(WITH CORD)

- 包裝尺寸: **1 x EA**
- Accessory Type: ESD Grounding Wrist Strap & Cord Set
 - Connector Type: 10 mm Socket, 10 mm Stud
 - Termination Type: Banana Plug - Croc Clip
 - Complies with EN 61340-5-1: Yes
 - Reusable/Disposable: Reusable
 - Stud Size: 10 mm
 - Resistance: 1 mΩ
 - Wrist Strap Size: Adjustable



1923678 ESD Grounding

RS PRO ANTISTATIC HEEL GRINDER

- 包裝尺寸: **2 x EA**
- Accessory Type: Heel Grinder
 - Complies with EN 61340-5-1: Yes
 - Resistance: <3.5 x 10⁷ Ω
 - Reusable/Disposable: Reusable
 - Attachment Type: Elasticated Hook & Loop



2179265 Heel Grinder

FULLY INSULATED LARGE CROCODILE CLIP

- 包裝尺寸: **1 x EA**
- Accessory Type: Crocodile Clip
 - Connector Type: 10 mm Stud
 - Complies with EN 61340-5-1: Yes
 - Stud Size: 10 mm



2504144 Crocodile Clip

RS PRO ESD FEMALE SNAP WITH 10 MM SNAP

- 包裝尺寸: **12 x EA**
- Accessory Type: Female Snap
 - Connector Type: 10 mm Snap
 - Complies with EN 61340-5-1: Yes



2640414 Female Snap

RS PRO ESD GROUNDING CORD WITH 10 MM SOCKET


- 包裝尺寸: **1 x EA**
- Accessory Type: Grounding Cord
 - Connector Type: 10 mm Socket
 - Termination Type: Press Stud - Banana Plug/Croc Clip
 - Complies with EN 61340-5-1: Yes
 - Cord Length: 1.8 m
 - Resistance: 1 mΩ
 - Stud Size: 10 mm
 - Cord Style: Coiled



2736701 Grounding Cord

RS PRO ESD GROUNDING CORD WITH 10 MM SOCKET

- 包裝尺寸: **1 x EA**
- Accessory Type: Grounding Cord
 - Connector Type: 10 mm Socket
 - Termination Type: Press Stud - Press Stud
 - Complies with EN 61340-5-1: Yes
 - Cord Length: 1.8 m
 - Resistance: 1 mΩ
 - Stud Size: 10 mm
 - Cord Style: Coiled



2736717 Grounding Cord

RS PRO ESD GROUNDING WRIST STRAP & CORD SET WITH 10 MM

- 包裝尺寸: **1 x EA**
- Accessory Type: ESD Grounding Wrist Strap & Cord Set
 - Connector Type: 10 mm Socket, 10 mm Stud
 - Termination Type: Banana Plug - Croc Clip
 - Complies with EN 61340-5-1: Yes
 - Cord Length: 1.8 m
 - Resistance: 1 mΩ
 - Stud Size: 10 mm
 - Reusable/Disposable: Reusable



2877379 ESD Grounding

10MM STUD-STUD ADJ FABRIC BAND/CORD SET

- 包裝尺寸: **1 x EA**
- Accessory Type: ESD Grounding Wrist Strap & Cord Set
 - Connector Type: 10 mm Socket, 10 mm Stud
 - Termination Type: Press Stud
 - Complies with EN 61340-5-1: Yes
 - Reusable/Disposable: Reusable
 - Stud Size: 10 mm
 - Resistance: 1 mΩ
 - Wrist Strap Size: Adjustable



2877385 ESD Grounding

RS PRO ESD GROUNDING CORD WITH 10 MM SOCKET

包裝尺寸: 1 x EA

- Accessory Type: Grounding Cord
- Connector Type: 10 mm Socket
- Termination Type: Press Stud - Banana Plug/Croc Clip
- Complies with EN 61340-5-1: Yes
- Cord Length: 3.6 m
- Resistance: 2 mΩ
- Stud Size: 10 mm
- Cord Style: Coiled



2877391 Grounding Cord

RS PRO ESD GROUNDING CORD WITH 10 MM SOCKET

包裝尺寸: 1 x EA

- Accessory Type: Grounding Cord
- Connector Type: 10 mm Socket
- Termination Type: Press Stud - Press Stud
- Complies with EN 61340-5-1: Yes
- Cord Length: 0.18 m
- Resistance: 1 mΩ
- Stud Size: 10 mm
- Cord Style: Straight



2877470 Grounding Cord

RS PRO ESD GROUNDING WRIST STRAP & CORD SET WITH 10 MM

包裝尺寸: 1 x EA

- Accessory Type: ESD Grounding Wrist Strap & Cord Set
- Connector Type: 10 mm Socket, 10 mm Stud
- Termination Type: Banana Plug - Press Stud
- Complies with EN 61340-5-1: Yes
- Cord Length: 1.8 m
- Resistance: 1 mΩ
- Stud Size: 10 mm
- Reusable/Disposable: Reusable



2877414 ESD Grounding

RS PRO ESD GROUNDING WRIST STRAP & CORD SET WITH 10 MM

包裝尺寸: 1 x EA

- Accessory Type: ESD Grounding Wrist Strap & Cord Set
- Connector Type: 10 mm Socket, 10 mm Stud
- Termination Type: Press Stud - Press Stud
- Complies with EN 61340-5-1: Yes
- Cord Length: 1.8 m
- Resistance: 1 mΩ
- Stud Size: 10 mm
- Reusable/Disposable: Reusable



2877420 ESD Grounding

EARTH BONDING BRACKET, 3X10MM STUD

包裝尺寸: 1 x EA

- Accessory Type: Earth Bonding Bracket
- Connector Type: 10 mm Stud x 3
- Termination Type: Ring Terminal
- Complies with EN 61340-5-1: Yes
- Stud Size: 10 mm
- Resistance: 1 mΩ
- Cord Style: Straight
- Cord Length: 3 m



2877492 Earth Bonding

EARTH BONDING BRACKET, 3X4MM BANANA

包裝尺寸: 1 x EA

- Accessory Type: Earth Bonding Bracket
- Connector Type: 4 mm Banana Stud x 3
- Termination Type: Ring Terminal
- Complies with EN 61340-5-1: Yes
- Stud Size: 4 mm
- Resistance: 1 mΩ
- Cord Style: Straight
- Cord Length: 2 m



2877509 Earth Bonding

RS PRO ESD SNAP WITH 10 MM SOCKET

包裝尺寸: 100 x EA

- Accessory Type: Snaps & Studs
- Connector Type: 10 mm Socket
- Complies with EN 61340-5-1: Yes



2877701 Snaps & Studs

COMMON POINT GROUND WIRE, 4.5M L 1MOHM

包裝尺寸: 1 x EA

- Accessory Type: Earthing Wire Stud
- Connector Type: 10 mm Stud
- Termination Type: Press Stud
- Complies with EN 61340-5-1: Yes
- Stud Size: 10 mm
- Resistance: 1 mΩ
- Cord Style: Straight
- Cord Length: 4.5 m



2877486 Earthing Wire

RS PRO ANTISTATIC HEEL GRINDER

包裝尺寸: 1 x EA

- Accessory Type: Heel Grinder
- Complies with EN 61340-5-1: Yes
- Reusable/Disposable: Reusable
- Resistance: $3.5 \times 10^7 \Omega$
- Attachment Type: Elasticated Hook & Loop



2877565 Heel Grinder

2 PART CONDUCTIVE MALE PRESS STUD 10MM

包裝尺寸: 100 x EA

- Accessory Type: Snaps & Studs
- Connector Type: 10 mm Stud
- Complies with EN 61340-5-1: Yes
- Stud Size: 10 mm



2919596 Snaps & Studs

RS PRO ESD EARTH STUD INSTALLATION TOOL

包裝尺寸: 1 x EA

- Accessory Type: Earth Stud Installation Tool
- Complies with EN 61340-5-1: Yes



2919467 Earth Stud

RS PRO ESD GROUNDING CORD WITH 10 MM SOCKET

包裝尺寸: 1 x EA

- Accessory Type: Grounding Cord
- Connector Type: 10 mm Socket
- Termination Type: Press Stud - Press Stud
- Complies with EN 61340-5-1: Yes
- Cord Length: 1.8 m
- Resistance: 2 mΩ
- Stud Size: 10 mm
- Cord Style: Coiled



2919489 Grounding Cord

RS PRO ESD EARTH BONDING BRACKET WITH 10 MM STUD, 4 MM

包裝尺寸: 1 x EA

- Accessory Type: Earth Bonding Bracket
- Connector Type: 10 mm Stud, 4 mm Stud x 2
- Termination Type: Ring Terminal
- Complies with EN 61340-5-1: Yes
- Stud Size: 10 mm, 4 mm
- Resistance: 1 mΩ
- Cord Style: Straight
- Cord Length: 3 m



2983913 Earth Bonding

RS PRO ESD EARTH BONDING BOX WITH 10 MM STUD, 4 MM SOCKET X 2

包裝尺寸: 1 x EA

- Accessory Type: Earth Bonding Box
- Connector Type: 10 mm Stud, 4 mm Socket x 2
- Termination Type: Ring Terminal
- Complies with EN 61340-5-1: Yes
- Cord Style: Straight
- Resistance: 1 mΩ



2983941 Earth Bonding

EARTH BONDING BOX, 3X10MM STUD

包裝尺寸: 1 x EA

- Accessory Type: Earth Bonding Box
- Connector Type: 10 mm Stud x 3
- Termination Type: Ring Terminal
- Complies with EN 61340-5-1: Yes
- Cord Style: Straight
- Resistance: 1 mΩ



2983957 Earth Bonding

NON-MARKING HEEL GRINDER WITH ADJ STRAP

包裝尺寸: 1 x EA

- Accessory Type: Heel Grinder
- Complies with EN 61340-5-1: Yes
- Reusable/Disposable: Reusable
- Resistance: $3.5 \times 10^7 \Omega$
- Attachment Type: Elasticated Hook & Loop



3407606 Heel Grinder

NYLON DISPOSABLE HEEL GROUNDER FOR SHOE

- 包装尺寸: 20 x EA
- Accessory Type: Heel Grounder
 - Complies with EN 61340-5-1: Yes
 - Reusable/Disposable: Disposable
 - Attachment Type: Adhesive



4668559 Heel Grounder

RS PRO ESD EARTH BONDING BRACKET WITH GROUNDING POST X 1

- 包装尺寸: 1 x EA
- Accessory Type: Earth Bonding Bracket
 - Connector Type: Grounding Post x 1
 - Termination Type: Ring Terminal
 - Complies with EN 61340-5-1: Yes
 - Cord Style: Straight



2983963 Earth Bonding

ANTISTATIC HEEL GROUNDER WITH ADJ STRAP

- 包装尺寸: 1 x EA
- Accessory Type: Heel Grounder
 - Complies with EN 61340-5-1: Yes
 - Reusable/Disposable: Reusable
 - Resistance: $\sim 3.5 \times 10^7 \Omega$
 - Attachment Type: Elasticated Hook & Loop



3632931 Heel Grounder

RS PRO ESD GROUNDING WRIST STRAP & CORD SET WITH 10 MM

- 包装尺寸: 1 x EA
- Accessory Type: ESD Grounding Wrist Strap & Cord Set
 - Connector Type: 10 mm Socket, 10 mm Stud
 - Termination Type: Press Stud - Press Stud
 - Complies with EN 61340-5-1: Yes
 - Cord Length: 2 m
 - Resistance: 2 m Ω
 - Stud Size: 10 mm
 - Reusable/Disposable: Reusable



7873101 ESD Grounding

ADJUSTABLE METAL WRIST BAND

- 包装尺寸: 1 x EA
- Accessory Type: Anti Static Wrist Strap
 - Connector Type: 10 mm Stud
 - Termination Type: Press Stud
 - Complies with EN 61340-5-1: Yes
 - Wrist Strap Size: Adjustable
 - Reusable/Disposable: Reusable
 - Stud Size: 10 mm
 - Band Material: Metal



7873108 Anti Static Wrist

RS PRO ESD GROUNDING WRIST STRAP & CORD SET WITH 4 MM STUD

- 包装尺寸: 1 x EA
- Accessory Type: ESD Grounding Wrist Strap & Cord Set
 - Connector Type: 4 mm Stud
 - Complies with EN 61340-5-1: Yes
 - Cord Length: 1.8 m
 - Resistance: 2 m Ω
 - Wrist Strap Size: Adjustable
 - Cord Style: Coiled
 - Reusable/Disposable: Reusable



7989272 ESD Grounding

RS PRO ESD GROUNDING WRIST STRAP & CORD SET WITH 10 MM

- 包装尺寸: 1 x EA
- Accessory Type: ESD Grounding Wrist Strap & Cord Set
 - Connector Type: 10 mm Socket, 10 mm Stud
 - Complies with EN 61340-5-1: Yes
 - Cord Length: 1.8 m
 - Resistance: 1 m Ω
 - Wrist Strap Size: Adjustable
 - Cord Style: Coiled
 - Reusable/Disposable: Reusable



7989275 ESD Grounding

RS PRO ESD GROUNDING WRIST STRAP & CORD SET WITH 4 MM STUD

- 包装尺寸: 1 x EA
- Accessory Type: ESD Grounding Wrist Strap & Cord Set
 - Connector Type: 4 mm Stud
 - Complies with EN 61340-5-1: Yes
 - Cord Length: 1.8 m
 - Resistance: 1 m Ω
 - Wrist Strap Size: Adjustable
 - Cord Style: Coiled
 - Reusable/Disposable: Reusable



7989284 ESD Grounding

RS PRO ESD GROUNDING WRIST STRAP WITH 10 MM STUD

- 包装尺寸: 1 x EA
- Accessory Type: Anti Static Wrist Strap
 - Connector Type: 10 mm Stud
 - Termination Type: Press Stud
 - Complies with EN 61340-5-1: Yes
 - Resistance: 1 m Ω
 - Stud Size: 10 mm
 - Reusable/Disposable: Reusable
 - Wrist Strap Size: Adjustable



7989278 Anti Static Wrist

RS PRO ESD GROUNDING WRIST STRAP & CORD SET WITH 4 MM STUD

- 包装尺寸: 1 x EA
- Accessory Type: ESD Grounding Wrist Strap & Cord Set
 - Connector Type: 4 mm Stud
 - Termination Type: Press Stud - Press Stud
 - Complies with EN 61340-5-1: Yes
 - Cord Length: 1 m
 - Resistance: 1 m Ω
 - Stud Size: 4 mm
 - Reusable/Disposable: Reusable



7989281 ESD Grounding

RS PRO ESD GROUNDING WRIST STRAP & CORD SET WITH 4 MM STUD

- 包装尺寸: 1 x EA
- Accessory Type: ESD Grounding Wrist Strap & Cord Set
 - Connector Type: 4 mm Stud
 - Termination Type: Press Stud - Press Stud
 - Complies with EN 61340-5-1: Yes
 - Cord Length: 2 m
 - Resistance: 1 m Ω
 - Stud Size: 4 mm
 - Reusable/Disposable: Reusable



7989288 ESD Grounding

RS PRO ESD GROUNDING WRIST STRAP

- 包装尺寸: 1 x EA
- Accessory Type: Anti Static Wrist Strap
 - Termination Type: Press Stud
 - Complies with EN 61340-5-1: Yes
 - Resistance: 1 m Ω
 - Wrist Strap Size: Adjustable
 - Reusable/Disposable: Reusable
 - Stud Size: 4 mm
 - Band Material: Fabric



7989290 Anti Static Wrist

RS PRO ESD GROUNDING CORD

- 包装尺寸: 1 x EA
- Accessory Type: Grounding Cord
 - Termination Type: Banana Plug
 - Complies with EN 61340-5-1: Yes
 - Cord Length: 2 m
 - Resistance: 1 m Ω
 - Stud Size: 4 mm
 - Reusable/Disposable: Reusable
 - Cord Style: Coiled



7989304 Grounding Cord

RS PRO ESD GROUNDING WRIST STRAP

- 包装尺寸: 1 x EA
- Accessory Type: Anti Static Wrist Strap
 - Termination Type: Press Stud
 - Complies with EN 61340-5-1: Yes
 - Resistance: 1 m Ω
 - Wrist Strap Size: Adjustable
 - Reusable/Disposable: Reusable
 - Stud Size: 4 mm
 - Band Material: Fabric



7989294 Anti Static Wrist

4-10MM STUD ADJUSTABLE WRIST STRAP+CORD

- 包装尺寸: 1 x EA
- Accessory Type: ESD Grounding Wrist Strap & Cord Set
 - Connector Type: 4 mm Stud
 - Termination Type: Press Stud - Press Stud
 - Complies with EN 61340-5-1: Yes
 - Reusable/Disposable: Reusable
 - Stud Size: 4 mm
 - Resistance: 1 m Ω
 - Wrist Strap Size: Adjustable



7989297 ESD Grounding

RS PRO ESD GROUNDING CORD WITH 10 MM SOCKET

- 包装尺寸: 1 x EA
- Accessory Type: Grounding Cord
 - Connector Type: 10 mm Socket
 - Termination Type: Press Stud
 - Complies with EN 61340-5-1: Yes
 - Cord Length: 2 m
 - Resistance: 1 m Ω
 - Stud Size: 4 mm, 10 mm
 - Reusable/Disposable: Reusable



7989307 Grounding Cord

RS PRO ESD GROUNDING CORD WITH 10 MM SOCKET

包装尺寸: 1 x EA

- Accessory Type: Grounding Cord
- Connector Type: 10 mm Socket
- Termination Type: Press Stud - Ring
- Complies with EN 61340-5-1: Yes
- Cord Length: 4,5 m
- Resistance: 1 mΩ
- Stud Size: 10 mm
- Cord Style: Straight



7989335 Grounding Cord

PVC ANTISTATIC PACKAGING TAPE, 66MX50MM

包装尺寸: 1 x EA

- Length: 66 m
- Dissipative: No
- Width: 50 mm
- Conductive: No
- Anti-Static: Yes
- Cleanroom: No
- Text/Logo On Tape: Attention ESD Protected Area
- Colour: Black/Yellow



733980 66 m

PACKING TAPE IN 3 LANGUAGES 66M

包装尺寸: 1 x EA

- Length: 66 m
- Dissipative: No
- Width: 50 mm
- Conductive: No
- Anti-Static: Yes
- Cleanroom: No
- Text/Logo On Tape: Attention
- Usage Type: Packaging



1252397 66 m

ESD SAFE TAPE

包装尺寸: 1 x EA

- Usage Type: Masking
- Complies with EN 61340-5-1: Yes



1846695 Masking

EPA FLOOR MARKING TAPE, 66MX50MM

包装尺寸: 1 x EA

- Length: 66 m
- Dissipative: No
- Width: 48 mm
- Conductive: No
- Anti-Static: No
- Cleanroom: No
- Text/Logo On Tape: ESD Protected Area
- Colour: Black/Yellow



3407533 66 m

RS PRO WHITE UNISEX REUSABLE LAB COAT, M

包装尺寸: 1 x EA

- Size: M
- Reusable/Disposable: Reusable
- Gender: Unisex
- Colour: White
- Material Properties: Anti-Static
- Application: Laboratory
- Closure Type: Button
- Material: Cotton, Polyester



7898087 M

ESD UNISEX LAB COAT, LARGE

包装尺寸: 1 x EA

- Size: L
- Reusable/Disposable: Reusable
- Gender: Unisex
- Colour: White
- Material Properties: Anti-Static
- Application: Laboratory
- Closure Type: Button
- Material: Cotton, Polyester



7898081 L

RS PRO WHITE UNISEX REUSABLE LAB COAT, XXL

包装尺寸: 1 x EA

- Size: XXL
- Reusable/Disposable: Reusable
- Gender: Unisex
- Colour: White
- Material Properties: Anti-Static
- Application: Laboratory
- Closure Type: Button
- Material: Cotton, Polyester



7898093 XXL

RS PRO WHITE UNISEX REUSABLE LAB COAT, S

包装尺寸: 1 x EA

- Size: S
- Reusable/Disposable: Reusable
- Gender: Unisex
- Colour: White
- Material Properties: Anti-Static
- Application: Laboratory
- Closure Type: Button
- Material: Cotton, Polyester



7898084 S

ESD UNISEX LAB COAT, X LARGE

包装尺寸: 1 x EA

- Size: XL
- Reusable/Disposable: Reusable
- Gender: Unisex
- Colour: White
- Material Properties: Anti-Static
- Application: Laboratory
- Closure Type: Button
- Material: Cotton, Polyester




7898090 XL

CONDUCTIVE PCB HOLDER, 353X254X14MM

包装尺寸: 1 x EA

- Height: 14 mm
- Depth: 254 mm
- Dimensions: 353 x 254 x 14 mm
- Width: 353 mm
- Type: Holder
- Complies with EN 61340-5-1: Yes
- Material: Black Conductive Polypropylene
- Conductive: Yes



550016 14 mm

RS PRO PCB RACK, 210 X 130 X 350MM

包装尺寸: 1 x EA

- Height: 350 mm
- Depth: 130 mm
- Dimensions: 210 x 130 x 350 mm
- Width: 210 mm
- Type: Rack
- Complies with EN 61340-5-1: Yes
- Conductive: Yes



2878085 350 mm

RS PRO PCB RACK

包装尺寸: 1 x EA

- Type: Rack



550921 Rack

RS PRO PCB RACK, 210 X 95 X 275MM

包装尺寸: 1 x EA

- Height: 275 mm
- Depth: 95 mm
- Dimensions: 210 x 95 x 275 mm
- Width: 210 mm
- Type: Rack
- Complies with EN 61340-5-1: Yes
- Conductive: Yes



2878079 275 mm

RS PRO 2 MM STRAIGHT KNIFE SOLDERING IRON TIP FOR USE WITH

包装尺寸: 1 x EA

- Tip Shape: Straight Knife
- For Use With: DS90
- Tip Size: 2 mm
- Tip Series: DS



7998945 Straight Knife

AT90DH-4 SOLDERING TIP

包装尺寸: 1 x EA

- Tip Shape: Conical Bevel
- For Use With: DS90
- Tip Size: 2,4 mm
- Tip Series: DS
- Tip Angle: 45°



7998951 Conical Bevel

AT90DH-2 SOLDERING TIP

包装尺寸: 1 x EA

- Tip Shape: Conical Sharp
- For Use With: DS90
- Tip Size: 0.25 mm
- Tip Series: DS



7998954 Conical Sharp

AT90DH-3 SOLDERING TIP

包装尺寸: 1 x EA

- Tip Shape: Conical Bevel
- For Use With: DS90
- Tip Size: 1.2 mm
- Tip Series: DS
- Tip Angle: 45 °



7998957 Conical Bevel

RS PRO 0.8 MM CONICAL CHISEL SOLDERING IRON TIP FOR USE WITH

包装尺寸: 1 x EA

- Tip Shape: Conical Chisel
- For Use With: DS90
- Tip Size: 0.8 mm
- Tip Series: DS



7998967 Conical Chisel

AT90DH-5 SOLDERING TIP

包装尺寸: 1 x EA

- Tip Shape: Conical Chisel
- For Use With: DS90
- Tip Size: 1.6 mm
- Tip Series: DS



7998960 Conical Chisel

AT60D&80D-1 SOLDERING TIP

包装尺寸: 1 x EA

- Tip Shape: Conical Sharp
- For Use With: AT60D, AT80D
- Tip Size: 0.2 mm
- Tip Series: AT



7998976 Conical Sharp

AT90DH-6 SOLDERING TIP

包装尺寸: 1 x EA

- Tip Shape: Conical Chisel
- For Use With: DS90
- Tip Size: 0.8 mm
- Tip Series: DS



7998963 Conical Chisel

AT60D&80D-4 SOLDERING TIP

包装尺寸: 1 x EA

- Tip Shape: Conical Chisel
- For Use With: AT60D, AT80D
- Tip Size: 3.2 mm
- Tip Series: AT



7998982 Conical Chisel

AT60D&80D-3 SOLDERING TIP

包装尺寸: 1 x EA

- Tip Shape: Conical Chisel
- For Use With: AT60D, AT80D
- Tip Size: 2.4 mm
- Tip Series: AT



7998973 Conical Chisel

AT60D&80D-2 SOLDERING TIP

包装尺寸: 1 x EA

- Tip Shape: Conical Chisel
- For Use With: AT60D, AT80D
- Tip Size: 1.2 mm
- Tip Series: AT



7998979 Conical Chisel

RS PRO SOLDERING ACCESSORY SOLDERING IRON STAND, FOR USE

包装尺寸: 1 x EA

- Soldering Accessory Type: Soldering Iron Stand
- For Use With: Soldering Stations



1466439 Soldering Iron

AT60D&80D-5 SOLDERING TIP

包装尺寸: 1 x EA

- Tip Shape: Straight Conical
- For Use With: AT60D, AT80D
- Tip Size: 0.8 mm
- Tip Series: AT



7998985 Straight Conical

AT60D&80D-6 SOLDERING TIP

包装尺寸: 1 x EA

- Tip Shape: Conical Bevel
- For Use With: AT60D, AT80D
- Tip Size: 2 mm
- Tip Series: AT
- Tip Angle: 45 °



7998989 Conical Bevel

RS PRO SOLDERING ACCESSORY PCB WORK FRAME, FOR USE WITH

包装尺寸: 1 x EA

- Soldering Accessory Type: PCB Work Frame
- For Use With: PCB Soldering & Desoldering Rework



1466440 PCB Work Frame

RS PRO SOLDERING ACCESSORY SOLDERING AID TOOL, FOR USE WITH

包装尺寸: 1 x EA

- Soldering Accessory Type: Soldering Aid Tool
- For Use With: Electronics, Model Making



1466441 Soldering Aid

PCB PREPARE/REPAIR SOLDERING TOOL SET

包装尺寸: 1 x KT

- Soldering Accessory Type: Soldering Iron Soldering Tool Set
- For Use With: Soldering Tools
- Type: Soldering Tool Set



2266331 Soldering Iron

RS PRO TOOL CASE

包装尺寸: 1 x EA

- Box Type: Tool Case
- Tools Included: No



600565 Tool Case



聯繫我們以了解更多：

電話: 0800 088 238

傳真: 0800 088 218

電郵: twenquiry@rs-components.com

地址: 台灣新北市土城區中正路1號8樓之2, 郵遞區號23670

