

Which labeller is for you?

Match your labelling uses and needs with the icons below to find the best labeller for you.



Cable

Management

Sustainable

BPA Free

LISB

connectivity Connectivity





General Identification





Visitor management

Do you need a special feature?

Rechargeable

Wireless

Connectivity

PC/Mac®

Compatibility

FSC

registered DYMO

MADE IN EUROPE

Made in

Europe

Bluetooth®

& Shipping

Recycled Material

00

LAN


Connectivity

DYMO

iOS/Android

Compatibility

DYMO® LabelManager™ 160



- Prints 6/9/12 mm widths
- · Edit text easily with one touch fast-formatting keys for text size, bold, italic, underline/box and vertical text
- Type text quickly on the computer style (QWERTY) keyboard with country specific layout
- 1. DYMO LabelManager™ 160
- 2. DYMO D1 adaptor

1.	XXXX	2174612	XXX	1/1	хх,хх
2.	XXXX	S0721430	XXX	1/1	хх,хх
					Carlos





DYM0® LabelManager™ 280



Smart, versatile - with all the right connections

- Prints 6/9/12 mm widths
- · Customise labels with any fonts and graphics on your computer through PC or Mac® connection
- Edit text easily with one-touch fast-formatting keys
- See font effects on screen before you print with a graphical display
- 1. DYMO LabelManager™ 280

1. XXXX S0968960

2. DYMO LabelManager™ 280 Kit Case

2.	XXXX	2091152	XXX	1/1	хх,хх
			-		
			LabelMan		8
Ava	ilable label v	vidth:	K sector Essential	oyer as	
6 r	nm 9 mm	A .	Contrador set pr as Ro		0730
-	9 111111	12 mm			
				0	
			P D	rMo	
					月
		DYMO Connect			

XXX

1/1





DYMO® LabelManager™ 210D+



All-purpose label maker with large graphical display

- Prints 6/9/12 mm widths
- Graphical display shows exactly how your label will print
- Easy navigation from start to print
- · Computer style keyboard
- Multiple copies to print and storing 9 labels
- 1. DYMO LabelManager™ 210D+
- 2. DYMO LabelManager™ 210D+ Kit Case

	Order-No.	SKU	Colour	QT	Price
1.	XXXX	S0784440	XXX	1/1	хх,хх
2.	XXXX	2094492	XXX	1/1	xx,xx
	ilable label w	12 mm	LabelManager of the state of th		France Co



DYMO® LabelManager™ 360D



Rechargeable, feature-packed label maker

- Prints 6/9/12/19 mm widths
- Powered by a rechargeable battery eliminating the inconvenience of AA batteries
- 7 font sizes, 3 font styles, 7 text styles and 8 boxes plus underline
- Large 7 cm x 3,8 cm screen that displays two lines of text

			\\\ <i>\\</i>	
Order-No.	SKU	Colour	QT	Price
XXXX	S0879490	XXX	1/1	xx,xx
Available label w	ridth:	19 mm	CO AND	

DYMO® LabelManager™ PnP



Just plug, type and print -It's that easy!

• Prints 6/9/12 mm widths

Art Supplies

- No software to install built-in software is ready to use with no installation
- · Customise your label with any fonts or graphics on your computer through PC or Mac® connection

XXXX \$0915390 XXX 1/1 xx,xx
Available label width: 6 mm 9 mm 12 mm















Employer of Sc. Serech Millimit School of Scho

DYMO® LabelManager™ 420P

High-performance label maker with PC or Mac® Connection

- Prints 6/9/12/19 mm widths
- Large 4-line backlit display
- Use standalone or connect via USB to your PC or Mac®
- UPC-E, Code 39, Code 128, EAN 13, EAN 8, UPC-A
- 1. DYMO LabelManager[™] 420P
- 2. DYMO LabelManager™ 420P Kit Case



DYMO® LabelManager™ 500TS

Just tap to create, edit and format labels with ease.

- Prints 6/9/12/19/24 mm
- Large, full-colour touch screen
- Print crystal-clear graphics, barcodes and logos at 300 dpi resolution
- Store profiles for up to 5 different users

Available label width: 6 mm 9 mm 12 mm 19 mm 24 mm 24 mm	I. AAAA	30370720	ААА	1/1	***	
9 mm 12 mm 19 mm 24 mm 24 mm 24 mm 25 mm 27 mm 26 mm 26 mm 27 mm 26 mm 27 mm 2						
9 mm 12 mm 19 mm 24 mm 24 mm 24 mm 25 mm 27 mm 26 mm 26 mm 27 mm 26 mm 27 mm 2						
9 mm 12 mm 19 mm 24 mm 24 mm 24 mm 24 mm	Available label width:					DYMO
12 mm 19 mm 24 mm 25 mm 26 mm	[]				_	
0 P 0 0 D D D D D D D D D D D D D D D D	9 mm	12 mm	19 mm	24 mm	Q.	
1 2 3 4 5 6 7 8 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0					1	X B / LL Ab /Ab
3 A S D F G H J K L CCC						o h ox p
a SDFGHJK Lest				· W		
					9	GHA A S D F G H J K L CSE

LabelManager Features















						M	
MODEL / FEATURE	LM 160	LM 210D+	LM 360D	LM 280	LM PnP	LM 420P	LM 500TS
PC Connectivity	No	No	No	廽/€	避/≰	≇∄/≰	≇∄/≰
Fonts	1	1	3	3+運/ 🕳	∰/€	8+注1/16	10 + 3 / 🕏
Lines Displayed On Screen	1	1	2	2	No	4	Yes
Character Sizes	6	6	7	6	细/ 🕏	7	25
Print Styles	8	7	7	7	■ / ≰	10	32
Border Styles	4	8	8	8	细/ 🕳	8	5
Underlining	Yes	Yes	Yes	≇ 1/ €	避/€	■ / €	■ / €
Vertical Printing	Yes	Yes	Yes	≇/ €	细/ 🕳	■/ €	■/ ≰
Repeat Printing	No	Yes	Yes	≇∄/≰	避/ ੬	■ / ≰	■/ 🔹
Multiple Lines Printing	2 lines	2 lines	2 lines	2 lines	Unlimited	4 lines	Unlimited
Mirror Printing	No	Yes	Yes	避/ ੬	■ / 當	细/ \$	雞/≰
Barcodes	No	No	No	: 11 / €	∰/€	细/ 🔹	濉/€
Adapter	Optional	Included	Included	Included	Included	Included	Included
Battery Power	6 AAA (excluded)	6 AA (excluded)	Rechargeable (adapter included))	Rechargeable (adapter included)	Rechargeable (adapter included)	Rechargeable (adapter included)	Rechargeable (adapter included)
Weight	350 g	435 g	610 g	770 g	275 g	415 g	800 g
Size	11.8 x 4.9 x 20.3 cm	15.5 x 16.5 x 6.4 cm	19.7 x 15 x 7.1 cm	20.2 x 11.4 x 5.8 cm	5.2 x 13.5 x 14.1 cm	10.4 x 21.5 x 5.7 cm	19 x 16.5 x 9.5 cn
Tape System	DYMO® D1	DYMO® D1	DYMO® D1	DYM0® D1	DYMO® D1	DYMO® D1	DYM0® D1
Tape Width	6/9/12 mm	6/9/12 mm	6/9/12/19 mm	6/9/12 mm	6/9/12 mm	6/9/12/19 mm	6/9/12/19/24 mm
Machine	Black/White 12 mm	Black/White 12 mm	Black/White 19 mm	Black/White 12 mm	Black/White 12 mm	Black/White 19 mm	Black/White 24 mm
Warranty Guarantee*	2+1 years	2+1 years	2+1 years	2+1 years	2+1 years	2+1 years	2+1 years

 $^{^{\}star}\,$ 2 years warranty +1 additional year upon registration on dymo.com







DYM0® D1 Standard Labels



For use with LabelManager[™] series and LabelWriter™ 450 Duo. For hundreds of tasks around the office, such as filing, office storage and asset management.



Easy-Peel Backing

Quickly and easily remove label backing for trouble-free application.

ABC



• 80% recycled material used for packaging



DYMO DURABLE

DYM0® D1 Durable Labels

Extra-strength labels resist tough conditions - UV sunlight, extreme temperatures, moisture, chemicals, and more. Ideal for both indoor and outdoor applications.

DYM0® D1 Permanent Polyester Labels

Look the same as standard labels but offer a powerful, permanent adhesive for when you want a label to stay put indefinitely.

DYMO® D1 Flexible Nylon Labels

For curved and/or heavily textured surfaces and flag-marking cables. Its permanent adhesive means it will stay put.







- 100% recycled material used for external cassette²
- 60% recycled material used for packaging





	ALWAYS US	E			
1 Labels	AUTHEN DYMO	TIC			
OLOUR	6 mm/Price	9 mm/Price	12 mm/Price	19 mm/Price	24 mm/Price
1 STANDARD LABELS (7 m)		Flat Surface	UV Resistant	Water Resistant Oil Resistant	Temperature: -18° C to 120 C
ABC	S0720780/xx	S0720680/xx	S0720530/xx	S0720830/xx	S0720930/xx
ABC	S0720770/xx	S0720670/xx	S0720500/xx	S0720820/xx	S0720920/xx
ABC	S0720790/xx	S0720730/xx	S0720580/xx	S0720880/xx	S0720980/xx
ABC	-	S0720710/xx	S0720560/xx	S0720860/xx	-
ABC	-	S0720740/xx	S0720590/xx	S0720890/xx	-
ABC	-	S0720720/xx	S0720570/xx	S0720870/xx	S0720970/xx
ABC	-	-	S0720610/xx	S0720910/xx	S0721010/xx
ABC	-	S0720690/xx	S0720540/xx	S0720840/xx	-
ABC	-	-	S0720510/xx	-	-
	-	-	S0720600/xx	-	-
ABC	-	S0720700/xx	S0720550/xx	S0720850/xx	-
ABC	-	-	S0720520/xx	-	-
1 STANDARD MULTIPACKS (10 x D1/7	′ M)				
ABC	-	2093096/xx	2093097/xx	2093098/xx	-
11 DURABLE LABELS (3 m) Flat	Textured Surface	Cable/Wire UV Resistan	Water Resistant	Oil Chemical Resistant	Temperature: -40° C to 80° C
ABC	-	-	1978366/xx	-	-
ABC	-	-	1978365/xx	-	-
ABC	-	-	1978367/xx	-	-
1 DURABLE LABELS (5.5 m)					
ABC	-	-	1978364/xx	-	-
1 PERMANENT POLYESTER (5.5 m)	Flat Surface	Textured Surface UV Resistan	t Water Resistant	Oil Resistant Chemical Resistant	Temperature: -40° C to 80° C
400					
ABC	-	-	S0718060/xx	S0718050/xx	-

S0718040/xx

S0718070/xx





DYMO® LabelWriter™550



Easy-to-use Ink-Free Label Printer for PC and Mac®

- New Automatic Label Recognition[™] see the size, type, and number of remaining labels at a glance
- Direct thermal printing technology no expensive ink or toner required
- Prints up to 62 labels per minute
- · Customize and print address, file folder, and barcode labels, name badges and more with DYMO® Connect for Desktop software

- Graphics are crystal clear, with 300 x 300 dpi
 With automatic "sleep mode" to save energy
 Print in bulk from Microsoft Excel, Outlook, and Google Contacts

XXXX	2112722	XXXX	1/1	xx,xx
			E E	
			www.DYMO.com	
				NO.
~				
FSC FSC			4	⊕ 🕨













DYMO® LabelWriter™ 450 Duo







- Add versatility to your label printing print labels for mailing and shipping (LW) as well as permanent labels for identification (D1) in a variety of sizes and colours
- Prints fast up to 71 labels per minute (4-line address Label), 40% faster than our base model

Order-No.	SKU S0838960	Colour XXXX	QT 1/1	Price xx,xx
			The state of the s	
			DYMO onnect	



DYMO® LabelWriter™550 Turbo



High-Speed PC/Mac® Label Printer with LAN connection

- New Automatic Label Recognition[™]- see the size, type,
- and number of remaining labels at a glance

 High-speed up to 45% faster than the LabelWriter™ 550 model, printing up to 90 labels per minute
- · LAN network connectivity allows you to connect to one machine and share amongst many

 Customize and print address, file folder, and barcode
- labels, name badges and more with DYMO® Connect for Desktop software
- Graphics are crystal clear, with 300 x 300 dpi
 With automatic "sleep mode" to save energy
 Print in bulk from Microsoft Excel, Outlook, and

Google Co	ontacts			
Order-No.	SKU	Colour	QT	Price
XXXX	2112723	XXXX	1/1	хх,хх
FSC DYMO Cornect			1234	
		- 品 6	4	AUTHENTIC



DYMO® LabelWriter™ 450 Twin Turbo



Maximise your labelling and mailing efficiency

- Enhance your efficiency and have two rolls of labels ready to print at all times - perfect for printing address labels and postage without swapping label rolls
- Prints up to 71 labels per minute (4-line adress labels)

Order-No.	SKU	Colour	QT	Price
XXXX	S0838910	XXXX	1/1	хх,хх
			150 Twin Turbo	
		DYMO Connect	÷	



DYMO® LabelWriter™ Wireless



Cable-free convenience and easy network sharing using Wi-Fi®

- Built-in Wi-Fi® for cable-free labelling printing from Macs, PCs, smartphones, and tablets
- · Add a single LabelWriter Wireless to a network and bring label printing to everyone
- · Direct thermal print technology eliminates the need for costly desktop printer ink or toner
- Free DYMO® Connect Software for PC/MAC and Mobile App for printing labels from a PC/MAC or Mobile device.
- Free DYMO[®] Connect mobile app for creating and printing labels using Wi-Fi® from smartphones and tablets

















DYMO® LabelWriter™ 5XL



PC/Mac® XL Shipping Label Printer with LAN Connection

- · Automatic new label recognition function- see the size, type, and number of remaining labels at a glance.
- · Direct thermal printing technology no expensive ink or toner required
- Up to 53 labels per minute
- · Customize and print address, file folder, and barcode labels, name badges, and more with DYMO® Connect for Deskton software
- 300 x 300 dpi resolution
- With the automatic "sleep mode" to save energy

XXXX	2112725	XXXX	1/1	хх,хх
		DYMO - A Newell Branch Company Alleran Good Paracet Company Malwa, An 30228	DYMO*	
FSC DYMO Connect			④ ७ (*



















LabelWriter Features













MODEL / FEATURE	LabelWriter™ 550	LabelWriter™ 550 Turbo	LabelWriter™ Wireless	LabelWriter™ 450 Duo	LabelWriter™ 450 Twin Turbo	LabelWriter™ 5XL
Automatic Label Recognition™	Yes	Yes	No	No	No	Yes
Print Resolution (DPI)	300 x 300	300 x 300	300 x 300	300 x 300	300 x 300	300 x 300
Printing System	Direct Thermal	Direct Thermal	Direct Thermal	Direct Thermal	Direct Thermal	Direct Thermal
Print Speed (labels per minute)	62	90	71	71	71	53 (129 on High Capacity Labels)
Maximum Print Width (mm)	56	56	56	56	56	106
Available Label Templates	100+	100+	100+	100+	100+	100+
Label Template Designer	Yes	Yes	Yes	Yes	Yes	Yes
Print texts, barcodes (20 types), images & pictures, date & time, serial numbers and much more	Yes	Yes	Yes	Yes	Yes	Yes
Label Types & Sizes	27	27	27	27 + 45 D1 Labels	27	31
Label Guides (keeps labels aligned)	Yes	Yes	Yes	No	Yes	Yes
Sleep Mode (conserve energy)	Yes	Yes	Yes	Yes	Yes	Yes
Connectivity	-	LAN	Bluetooth	-	-	LAN
Starter Labels Included	20 labels 89 x 36 mm	20 labels 89 x 36 mm	20 labels 89 x 36 mm	20 labels, 89 x 36 mm + 24 mm x 3 m D1 labels black on white	2 x 20 labels 89 x 36 mm	20 labels 104 x 159 mm
Size (WxDxH)	127 x 187 x 134 mm	127 x 187 x 134 mm	127 x 204 x 124 mm	140 x 197 x 183 mm	217 x 187 x 134 mm	178 x 187 x 134 mm
Weight	1,310 g	1,310 g	1,310 g	1,360 g	1,120 g	2,100 g
Warranty Guarantee*	2+1 years	2+1 years	2+1 years	2+1 years	2+1 years	2+1 years













DYMO® LW Durable Labels

Tear-resistant, coated polypropylene labels with extra-strength adhesive that withstand abrasion, common cleaners, and a wide range of temperatures-ideal for shelving, storage, and signage.



- BPA Free
- 80% recycled material used for packaging





LabelWriter Labels





DYM0® LW Paper labels: print one label or hundreds with ease.

- ▶ Direct thermal print technology provides clear text without messy, expensive ink or toner
- ▶ No sheet label jams, no layout hassle and no waste
- ▶ Available in a variety of sizes for mailing, shipping and specialty applications



- FSC registered
- BPA Free 80% recycled material used for packaging





LABEL TYPE	ITEM CODE	DESCRIPTION	SIZE (W x H mm)	ROLLS/ BOX	LABELS/ ROLL	ADHESIVE	MATERIAL	PRICE
STANDARD MAILING LABELS	S0722370	Standard Address Labels	28 x 89	2	130	Permanent	Paper	XX, XX
St. Life Control	S0722360	Standard Address Labels Multipack	28 x 89	24	130	Permanent	Paper	XX, XX
CONTRACTOR OF THE PARTY OF THE	2093091	Standard Address Labels Multipack	28 x 89	12	130	Permanent	Paper	XX, XX
	S0722380	Assorted Colour Labels	28 x 89	4	130	Permanent	Paper	XX, XX
	S0722400	Large Address Labels	36 x 89	2	260	Permanent	Paper	XX, XX
	S0722390	Large Address Labels Multipack	36 x 89	24	260	Permanent	Paper	XX, XX
th!	2093093	Large Address Labels Multipack	36 x 89	12	240	Permanent	Paper	XX, XX
	S0722410	Large Address Labels	36 x 89	1	260	Permanent	Transparent Plastic	XX, XX
The second second	S0722520	Large Return Address Labels	25 x 54	1	500	Permanent	Paper	XX, XX
	2177563	Large Return Address Labels Multipack	25 x 54	12	500	Permanent	Paper	XX, XX
	2177564	Large Return Address Labels Multipack	25 x 54	6	500	Permanent	Paper	XX, XX
STANDARD SHIPPING LABELS	S0722430	Shipping / Name Badge Labels	54 x 101	1	220	Permanent	Paper	XX, XX
A Part of	S0947420	High Capacity Shipping Labels	102 x 59	2	575	Permanent	Paper	XX, XX
N.F. (878). P.	2093092	Shipping / Name Badge Labels Multipack	54 x 101	6	220	Permanent	Paper	XX, XX
	S0722420	Shipping / Name Badge Labels Multipack	54 x 101	12	220	Permanent	Paper	XX, XX
D	2177565	Extra Large Shipping Labels DHL LW/5XL only Multipack	102 x 210	6	140	Permanent	Paper	XX, XX
Dis Robertuit	2166659	Extra Large Shipping Labels DHL LW/5XL only	102 x 210	1	140	Permanent	Paper	XX, XX
T STATE OF THE PARTY OF THE PAR	S0904980	Extra Large Shipping Labels LW/5XL only	104 x 159	1	220	Permanent	Paper	XX, XX
STANDARD MULTI-PURPOSE LABELS	S0722530	Multi-Purpose Labels	13 x 25	1	1000	Removable	Paper	XX, XX
	S0929120	Square Multi-Purpose Labels	25 x 25	1	750	Removable	Paper	XX, XX
Marie And	S0722550	Multi-Purpose Labels	19 x 51	1	500	Removable	Paper	XX, XX
	S0722540	Multi-Purpose Labels	32 x 57	1	1000	Removable	Paper	XX, XX
	S0722440	Large Multi-Purpose Labels	54 x 70	1	320	Permanent	Paper	XX, XX
Labellings on	2093094	Large Multi-Purpose Labels Multipack	32 x 57	6	1000	Permanent	Paper	XX, XX
1101	2093095	Large Multi-Purpose Labels Multipack	32 x 57	12	1000	Permanent	Paper	XX, XX
STANDARD SPECIALITY LABELS	S0722460	Suspension File Labels	12 x 50	1	220	Permanent	Paper	XX, XX
	S0722470	Small Lever Arch File Labels	38 x 190	1	110	Permanent	Paper	XX, XX
	S0722480	Large Lever Arch File Labels	59 x 190	1	110	Permanent	Paper	XX, XX
Bovery Thomas	S0722560	Small Name Badge Labels	41 x 89	1	300	Removable	Paper	XX, XX
Visitor Rimal Recognite	S0929100	Appointment / Name Badge Cards	51 x 89	1	300	Non-adhesive	Paper	XX, XX
	2133400	Shipping / Name Badge Labels Yellow	54 x 101	1	220	Permanent	Paper	XX, XX
	2133399	Shipping / Name Badge Labels Red	54 x 101	1	220	Permanent	Paper	XX, XX

DYMO® LW Durable Labels offers stronger resistance on challenging surfaces.

- Industrial-strength adhesive
- ▶ Protective coated poly propylene labels offering extra-resistance
- ▶ Scratch- and tear-resistant plastic material











LABEL TYPE	ITEM CODE	DESCRIPTION	SIZE (W x H mm)	ROLLS/ BOX	LABELS/ ROLL	ADHESIVE	MATERIAL	PRICE
LW DURABLE LABELS	2112285	LW Durable Labels	25 x 89	1	350	Permanent	Plastic	XX, XX
	2112286	LW Durable Labels	25 x 25	2	850	Permanent	Plastic	XX, XX
	2112289	LW Durable Labels	32 x 57	1	800	Permanent	Plastic	XX, XX
	2112284	LW Durable Labels	19 x 64	2	450	Permanent	Plastic	XX, XX
e tower	2112287	LW Durable Labels (4XL / 5XL only)	104 x 159	1	200	Permanent	Plastic	XX, XX
CHEMICAL STORAGE	2112288	LW Durable Labels	59 x 190	1	170	Permanent	Plastic	XX, XX
The state of the s	2112290	LW Durable Labels	59 x 102	1	300	Permanent	Plastic	XX, XX
	2112283	LW Durable Labels	25 x 54	1	160	Permanent	Plastic	XX, XX





DYMO® Junior

DYMO

Home Embossing Label Maker

- Easy to load just insert label cassette in slot
- Embosses 42 different characters including special symbols
- Last character embossed is always visible reduces label waste
- Cuts labels with easy-to-peel tabs
- Large knob for easy turn-and-click character selection
- Uses 9 mm wide 3D labels
- No batteries needed

OrderNo.	SKU 2174602	Colour XXXX	QT Piece	Price xx,xx
			CV7800	III DO DOWN 7 , Y
		To the second se	ABCDEFGH	
			1	



DYMO® Omega



Home Embossing Label Maker

- Embosses 49 different characters including special symbols
- Ergonomic handle with soft-touch grip for comfort
- Cuts labels with easy-peel tabs
- Uses 9 mm wide 3D labels
- Easy turn-and-click character selection
- Made of tough ABS plastic
- No batteries needed

OrderNo.	SKU 2174601	Colour	QT Piece	Price XX,XX
			AND STATE OF THE PARTY OF THE P	

DYMO® Embossing Labels



DYMO® 3D plastic embossing labels stick to any smooth, clean surface and are resistant to water, corrosion, abrasion and most chemicals. Whether you use them indoors or outdoors, you can count on them to last – and to stay in

Tab Cut

DYMO® embossing machines are equipped with a tab cut for easy removal of the plastic label liner

Water resistant

Withstands water, oils, greases and most milder solvents

UV resistant

Withstands exposure to sunlight without fading or peeling









DYMO® LetraTag® LT-100H



Handheld Personal Label Maker

- Large graphical display enables you to see text effects on screen before you print
- Prints 5 font sizes, 7 text styles and 8 box styles
- 9-label memory
- Auto-off power saver
- Easy-to-use navigation buttons for fast access to special features
- Prints on paper, plastic, metallic and iron-on LetraTag LT labels
- Uses 4 AA batteries (not included)

OrderNo.	SKU	Colour		Price
XXXX	2174576	XXXX	1/16	хх,хх
12 mm				THE CONTROL OF THE CO

DYMO® LetraTag® LT-100T

Handheld Personal Label Maker

- Large graphical display enables you to see text effects on screen before you print
- Prints 5 font sizes, 7 text styles and 8 box styles
- 9-label memory
- Auto-off power saver
- Easy-to-use navigation buttons for fast access to special features
- Prints on paper, plastic, metallic and iron-on LetraTag LT labels
- Uses 4 AA batteries (not included)





12 mm









LetraTag® 200B





Quick and Easy Smartphone labeling with Bluetooth® wireless technology

- The LetraTag® 200B is compact, lightweight, and battery operated* making it easy to slide into your bag for easy use on the go.
- Easy organization with customizable labels that include 5 font sizes, 15 box styles, 100+ icons, the option to underline, create multiple lines of text, or insert a date.
- New LetraTag® Connect app with access to 8 pre-saved templates for even easier label creation
- Bluetooth range: Up to approximately 10 meters/33 feet!

*(6 x AA - not included)












Personalize your labels with font styles, borders, icons and more. Easily pair with the DYMO LetraTag® 200B label maker with Bluetooth® wireless technology to print and label in your home, classroom or workplace!









- 100% recycled material used for external cassette
- 60% recycled material used for packaging

DYMO® LT Labels



Choose from four materials:

Paper

Economical labels for indoor use (FSC certified)

Tear-resistant, durable labels for indoor use

Tear-resistant, durable and wipeable labels for indoor use

Water resistant

Withstands water and most milder solvents

• Iron-on

Machine-washable labels for use on clothing and fabrics











COLOUR	Paper/Price 12 mm x 4 m	Plastic/Price 12 mm x 4 m	Metallic-Look/Price 12 mm x 4 m	Iron-On/Price 12 mm x 2 m
ABC	S0721510/xx	S0721610/xx	-	S0718850/xx
ABC	-	S0721530/xx	-	-
ABC	-	S0721620/xx	-	-
ABC		S0721630/xx	-	-
ABC		S0721640/xx	S0721740/xx	-
ABC		S0721650/xx	-	-
ABC		-	\$0721730/xx	-
Multi <mark>-Pack</mark>	\$0721790/xx	S0721790/xx	S0721790/xx	-





DYMO® Digital Postal and Shipping Scales

All postal and shipping scales are equipped with:

- 'Hold' feature locks weight display for ten seconds after item is removed - convenient when large package or envelope blocks view of display
- Tare function weigh items in a container minus weight of container
- Automatic shut-off when scale is not in use conserves battery power (3 x AAA, not included)



DYM0® Postal Scales

Calculate precise weights for envelopes and packages up to 2 kg

• Compact, accurate scales weigh envelopes and packages





DYM0® USB Postal Scales

Our most versatile scales weigh envelopes and packages up to 10 kg

- Compact, accurate scales weigh envelopes and packages
- Works with Windows® 7 or later and Mac OS® v10.10





DYMO® USB Shipping Scales

Heavy-duty portable scales for packages up to 180 kg

- Built-in wrap-around handle for easy portability allows you to carry the scale to heavy packages, not vice-versa
- Detachable LCD screen allows convenient hand-held or wall-mounted viewing
- Works with Windows® 7 or later and Mac OS® v10.10 or later.

50kg	OrderNo.	SKU	Colour		Price
OON	XXXX	S0929050	XXXX	XXXX	xx,xx
100	OrderNo.	SKU	Colour	QT	Price





Scale Features

MODEL / FEATURE	M1 Digital Postal Scale	M2 Digital Postal Scale	M5 Digital USB Postal Scale	M10 Digital USB Postal Scale	S50 Portable Digital USB Shipping Scale	S100 Portable Digital USB Shipping Scale
Product Number	S0928980	S0928990	S0929000	S0929010	S0929050	S0929060
Maximum weight capacity	2 kg	2 kg	5 kg	10 kg	50 kg	100 kg
Minimum weight capacity	2 g	2 g	4 g	4 g	0.5 kg	0.5 kg
Weight Display (Switch possibility kg <-> lb)	0 kg 000 g	0 kg 000 g	0 kg 000 g	0 kg 000 g	0.0 kg	0.0 kg
Weight interval	1 g	1 g	2 g	2 g	100 g	100 g
Automatic Shut-off	Yes	Yes	Yes	Yes	Yes	Yes
Hold button (to lock weight display)	Yes	Yes	Yes (+ led indicator)	Yes (+ led indicator)	Yes	Yes
Tare button (to weigh contents in a container)	Yes	Yes	Yes	Yes	Yes	Yes
USB Connection	No	No	Yes	Yes	Yes	Yes
Detachable LCD-display (handheld or Wall-mounted use)	No	No	No	No	Yes	Yes
Power Source (batteries excluded)	3 x AAA Batteries	3 x AAA Batteries	USB cable or 3 x AAA batteries	USB cable or 3 x AAA batteries	USB cable, AC adapter or 3 x AAA batteries	USB cable, AC adapter or 3 x AAA batteries
Platform Dimensions	15 cm x 15 cm	15 cm x 15 cm	20 cm x 20 cm	20 cm x 20 cm	30 cm x 30 cm	30 cm x 30 cm





DYMO® RHINO™ 4200

Compact, time-saving labelling tool for on-the-go pros

- Prints 6/9/12/19 mm widths
- Exclusive 'Hot Keys' automatically size, space and format labels for specific industrial applications
- Quick and comfortable text entry on the computer- style keyboard with country-specific layout
- Custom key (prevents needless repetition): Customise & save settings for individual label formats
- Kit version include: Rhino 4200 printer, hard carry case, 12mm black on white vinyl tape, rechargeable battery, AC adapter, and user guide
- 1. DYMO RHINO $^{\text{\tiny TM}}$ 4200 KIT 2. DYMO RHINO $^{\text{\tiny TM}}$ 4200 BOX

	Order-No.	SKU	Colour	QT	Price	
1.	XXXX	1852998	XXX	1/1	хх,хх	
2.	XXXX	S0955970	XXX	1/1	хх,хх	
						A01 A01 A01
Av	ailable label v	vidth:				DYMO Silve Base of Carlotte Company of Carlot
6	9 mm	12 mm	19 mm			00000000
3)		S.G.	



DYMO® RHINO™ 5200

IND

The portable, affordable label printer for DataComm, electrical, audio/visual, security, MRO, construction and broadcast professionals.

- Meets all ANSI and TIA/EIA-606-A industry labelling standards
- Patented one-touch "hot keys" automatically format label text for electrical and patch panels, wire and cable flags, face plate tags, terminal blocks, horizontal and vertical wraps, vertical and fixed-length applications
- Kit version include: Rhino 5200 printer, hard carry case, 19mm black on white vinyl tape, 12mm black on white vinyl tape, rechargeable battery, AC adapter, and user guide
- 1. DYMO RHINO™ 5200 KIT 2. DYMO RHINO™ 5200 BOX

1. 2.	Order-No. XXXX XXXX	SKU S0841400 S0841480	Colour XXX XXX	QT 1/1 1/1	Price xx,xx xx,xx	RHINO 5200 [MATINE SEE SEE SEE SEE SEE SEE SEE SEE SEE S
	mm ¹ 9 mm	vidth:	19 mm	i	BHIN	
)			SALE THE







IND

MODEL / FEATURE	RHINO™ 4200	RHINO™ 5200 Kit Case	RHINO™ 6000+ Kit Case
PC Connectivity	No	No	Yes
Fonts	1	1	2
Lines Displayed On Screen	1	4	4
Character Sizes	7	7	7
Flag & Cable Wraps	Yes	Yes	Yes
Patch Panels	No	Yes	Yes
Electrical Panels	Yes	Yes	Yes
Vertical Printing	Yes	Yes	Yes
Repeat Printing	Yes	Yes	Yes
Multiple Lines Printing	4 lines	5 lines	5 lines
Serialisation	Simple	Advanced	Advanced
Memory	25 labels	100 labels	200 labels
Barcodes	Yes	Yes	Yes
Adapter	Optional	Included	Included
Battery Power	6 AA or Rechargeable	Rechargeable	Rechargeable
Weight	460 g	250 g	1.81 kg
Size	17.6 x 11.6 x 6 cm	11.4 x 21.2 x 7 cm	7.5 x 13.7 x 24.6 cm
Tape System	DYMO® IND	DYMO® IND	DYMO® IND
Tape Width	6/9/12/19 mm	6/9/12/19 mm	6/9/12/19/24 mm
Tape Supplied with Machine	Black/White 12 mm Flex Vinyl	Black/White 12 & 19 mm Flex Vinyl	White Vinyl 9 mm+ Flexible Nylon 24 mm
Warranty Guarantee**	1+1 years	1+1 years	1+1 years

 $^{^{\}star\star}~1~\text{year}$ warranty +1 additional year upon registration on dymo.com







DYMO® RHINO™ 6000+

PC-connected or portable labeling tool

Create labels, or transfer files including barcodes and complex label layouts from DYMO ID™ software on PC to the Rhino 6000+ for easy editing on the job.

- Prints 6/9/12/19/24 mm widths
- Meets key ANSI and TIA/EIA-606-B industry labeling standards.
- Exclusive, one-touch "Hot Keys" automatically size, space and format label text
- · For electrical and patch panels, terminal and 110 blocks, wire and cable flags, horizontal and vertical wraps, vertical and fixed-length applications including 5-line print capability.
- Print 8 barcode types including Code 39, Code 128, Codabar, UPC A/E, EAN 8/13, PDF 417, code 39 mod 43 variant and QR code.
- Symbol library with 250+ pre-programmed industry symbols, terms, fractions and punctuation marks



DYMO® RHINO™ Industrial Labels



For use with Rhino series

• IND Vinyl

IND

RHINO6000

Ideal for both indoor and outdoor applications. Available in the widest range of colors that meet OSHA, ANSI and ISO colour standards

• IND Permanent Polyester

Professional polished finish ideal for panels, blocks, faceplates, shelves, bins, beams and more.

IND Heat Shrink

For high-end cable identification. A 3:1 shrink ratio helps ensure a secure fit on wires and cables.UL recognised as a component to UL 224, RoHS compliant, meets MIL-STD-202G, MIL-81531 & SAE-DTL 23053/5 (Class 1&3).

IND Flexible Nylon

Tear-proof material for labelling wires, cables and rounded surfaces







UL recognised component to UL 969. RoHS compliant



Using DYM0 ID is easy thanks to a uniform experience that integrates the same great features found on your RHIN0TM label maker and packs them into a powerful PC-based software package. Available as a free download from dymo.com, DYMO ID will provide you with the functionality you need to tackle even the most complex labelling

Environments SURFACE	₩ Heat/Cold Resistant	UV light resistant	Oil resistant	water resistant	chemical resistant	color coding
cable/wire	Flexible Nylon shrink tubing	Indoor/Outdoor Vinyl shrink tubing	Indoor/Outdoor Vinyl shrink tubing	Indoor/Outdoor Vinyl shrink tubing	Indoor/Outdoor Vinyl shrink tubing	Indoors/Outdoors Vinyl
uneven surface	Flexible Nylon Vinyl for indoor and outdoor use	Indoor/Outdoor Vinyl Flexible nylon	Indoor/Outdoor Vinyl	Indoor/Outdoor Vinyl Flexible nylon	Indoors/Outdoors Vinyl	Indoors/Outdoors Vinyl
flat surface	Permanent Polyester Flexible nylon	Permanent Polyester Indoor/Outdoor Vinyl	Permanent Polyester Indoor/Outdoor Vinyl	Permanent Polyester Indoor/Outdoor Vinyl	Permanent Polyester Indoor/Outdoor Vinyl	Indoors/Outdoors Vinyl
Rough surface	Permanent polyester Flexible nylon	Indoor/Outdoor Vinyl Permanent polyester	Indoors/Outdoors Vinyl			

DYMO® nylon straps for Rhino™

Flexible nylon tape specially designed for marking cables and wires. This tape has high adhesion and flexibility. Can also be used in environments where the belts are exposed to dirt and oil.

Temperature resistance: -18° to +120°C



mm	19 mm	24 mm	Price

Colour	6 mm	9 mm	12 mm	19 mm	24 mm	Price
ABC	-	-	18488	18489	1734524	xx,xx
ABC	-	-	18490	18491	1734525	XX.XX

DYMO® polyester tapes for Rhino™

Permanent polyester can be flat, rough on a variety or very rough surfaces are used and is particularly resistant to solvents and chemicals. UL recognized to UL 969.

Temperature resistance: -18° to +120°C



Colour	6 mm	9 mm	12 mm	19 mm	24 mm	Price
ABC	1805442	18482	18483	18484	1734523	хх,хх
ABC	1805440	18508DM0	622289	622290	-	хх,хх
ABC	1805441	18485	18486	18487	-	xx,xx

DYMO® heat shrink tubing for Rhino™

Heat shrink tubing is a tack-free yet permanent polyolefin solution that allows you to identify and protect your wires and cables at the same time. The tubing is fire retardant and has a 3:1 shrink ratio. Meets the following standards MIL-M-8153, MIL-STD-202G, SAE-DTL-23053/5 (Class 1/3) & UL recognized to UL 224

Temperature resistance: -55° C bis 135°C



DYMO® vinyl tapes for Rhino™

Colored vinyl combines flexibility, a strong adhesive and high chemical resistance, making this label ideal for many applications where color is desired. UL recognized to UL 969.

Temperature resistance: -40°C to 80°C









Our sustainability commitment



Authentic DYMO® products for sustainable labeling solutions!











DYMO® is committed into maximizing your efficiency, whilst investing into protecting the environment – one label at a time.

DYMO® has a dedicated team looking into government- and country specific requirements on product compliances, safety and sustainability and we are actively involved in going above and beyond in protecting our environment.

DYMO® invest for a sustainable future:



FSC® certified DYMO® LabelWriter™ paper and

DYMO® LetraTag® paper labels.



100% recycled material used for external cassette



BPA free

LabelWriter[™] labels.



No Ink - No Toner = Less Waste.



27% lower energy consumption*, during production since 2016.



Rechargeable batteries for majority of DYMO® machines.



+40% of DYMO® labels are produced* using "Water based solvents".



73% reduced fresh water use in the last 10 years in our production processes*



ISO 9001 & ISO 14001 certified since 1998 to monitor quality management and impact of operations on the environment.



All DYMO® products are **REACH and RoHS compliant.**

*Sint-Niklaas Plant, Belgium, Europe



Complete your work professionally with sustainability in mind!