

# RS PRO Range Guide

Your Smart Choice for

# CONSUMABLES




**p.2**     **Adhesives,  
Cleaning &  
Marking**



**p.17**     **Anti-Vibration**



**p.47**     **Battery**



**p.54**     **Engineering  
Materials**



**p.83**     **IT**



**p.108**     **Soldering  
& ESD**



## RS PRO BLACK ANTI-SLIP TILE POLYMER ANTI-SLIP TILE, SOLID

- 包装尺寸: 10 x EA
- Type: Anti-Slip Tile
  - Material: Polymer
  - Self-Adhesive: Yes
  - Surface Type: Solid
  - Quantity Per Package: 10
  - Colour: Black
  - Product Type: Mat, Tread
  - Length: 140 mm



7621512 Anti-Slip Tile

## RS PRO FR60 CLEAR OFFICE TAPE 38MM X 50M

- 包装尺寸: 1 x EA
- Colour: Clear
  - Length: 50 m
  - Width: 38 mm
  - Model Number: FR60



2231092 Clear

## RS PRO BLACK ANTI-SLIP FLOORING POLYMER MAT, SOLID FINISH 610MM

- 包装尺寸: 10 x EA
- Type: Mat
  - Material: Polymer
  - Self-Adhesive: Yes
  - Surface Type: Solid
  - Quantity Per Package: 10
  - Colour: Black
  - Product Type: Mat, Tread
  - Product Format: Individual



7621516 Mat

## RS PRO CLEAR OFFICE TAPE 50MM X 33M

- 包装尺寸: 1 x EA
- Colour: Clear
  - Length: 33 m
  - Repositionable: Yes
  - Width: 50 mm
  - Trade Name: Clear Polythene Tape



2205882 Clear

## CLEANER, FOAM TIPPED BUDS, 105MM

- 包装尺寸: 25 x EA
- Application: Computers
  - Number of Buds per Pack: 25
  - Package Type: Box
  - Bud Material: Foam
  - Stick Material: Plastic
  - Length: 150 mm



494562 Computers

## COTTAM BROOM, BROWN WITH NATURAL COCO BRISTLES FOR

- 包装尺寸: 1 x EA
- Application: Indoor and Outdoor Areas
  - Depth: 55.5 mm
  - Width: 280 mm
  - Bristle Length: 65.8 mm
  - Bristle Material: Natural Coco
  - Colour: Brown
  - Hard/Soft: Soft



9033478 Indoor and

## CLEANER, SLIM COTTON TIP BUDS, 150MM

- 包装尺寸: 25 x EA
- Application: Computers
  - Number of Buds per Pack: 25
  - Package Type: Box
  - Bud Material: Cotton
  - Stick Material: Plastic
  - Length: 150 mm



494578 Computers

## CLEANER, COTTON BUD STICKS, SINGLE ENDED, 150MM

- 包装尺寸: 200 x EA
- Application: Computers
  - Number of Buds per Pack: 200
  - Package Type: Box
  - Bud Material: Cotton
  - Stick Material: Wood
  - Length: 150 mm



558802 Computers

## CLEANER, CONTACT TREATMENT, AUTOMATIC, PUMP

- 包装尺寸: 1 x EA
- For Use With: Cleaner, Solvent
  - Product Capacity: 240 ml
  - Colour: Pink



4237391 Cleaner, Solvent

## SQUEEZE DISPENSER, BOTTLE, 4OZ

- 包装尺寸: 1 x EA
- For Use With: Cleaner, Oil, Solvent
  - Product Capacity: 110 ml
  - Colour: Translucent



5480962 Cleaner, Oil,

## CLEANER, CONTACT TREATMENT, POLYETHYLENE SQUEEZE

- 包装尺寸: 1 x EA
- For Use With: Oil, Solvent
  - Product Capacity: 60 ml
  - Colour: Translucent



5474226 Oil, Solvent

## CLEANER, APPLICATOR, TRIGGER SPRAY, 600ML

- 包装尺寸: 1 x EA
- Product Capacity: 600 ml
  - Colour: Clear



779318 600 ml

## SQUEEZE DISPENSER, BOTTLE, 8OZ

- 包装尺寸: 1 x EA
- For Use With: Cleaner, Oil, Solvent
  - Product Capacity: 225 ml
  - Colour: Translucent



5484289 Cleaner, Oil,

## RS PRO SEALANT GUN 305ML

- 包装尺寸: 1 x EA
- Type: Sealant Gun
  - Product Capacity: 305 ml, 310 ml, 380 ml, 400 ml



174791 Sealant Gun

## RS PRO ADHESIVE SYRINGE GUN 50ML

- 包装尺寸: 1 x EA
- Type: Adhesive Gun
  - Product Capacity: 50 ml



503379 Adhesive Gun

## RS PRO SEALANT GUN 200ML

- 包装尺寸: 1 x EA
- Type: Adhesive Gun
  - Product Capacity: 200 ml



9158987 Adhesive Gun

**RS PRO SEALANT GUN 400ML**

包裝尺寸: **1 x EA**

- Type: Adhesive Gun
- Product Capacity: 400 ml



**9158993** Adhesive Gun

**RS PRO TRANSLUCENT STRAIGHT DISPENSING TIP**

包裝尺寸: **10 x EA**

- Type: Straight
- For Use With: 400 ml Dispenser
- Length: 198.12 mm
- Colour: Translucent



**4788473** Straight

**TAPE,ADHESIVE,FLEXIBLE,POLYPROPYLENE,DOUBLE SIDED,50MMX50M**

包裝尺寸: **50 x MTR**

- Tape Type: Plastic Tape
- Backing Material: PP
- Width: 50 mm
- Length: 50 m
- Thickness: 0.1 mm
- Colour: Yellow
- Adhesive Material: Rubber



**512884** Plastic Tape

**RS PRO YELLOW DOUBLE SIDED PLASTIC TAPE, 0.1MM THICK, PP**

包裝尺寸: **20 x MTR**

- Tape Type: Plastic Tape
- Backing Material: PP
- Width: 25 mm
- Length: 20 m
- Thickness: 0.1 mm
- Colour: Yellow
- Adhesive Material: Rubber



**555033** Plastic Tape

**RS PRO WHITE DOUBLE SIDED PAPER TAPE, NON-WOVEN BACKING, 12MM**

包裝尺寸: **1 x EA**

- Tape Type: Paper Tape
- Backing Material: Non-Woven
- Width: 12 mm
- Length: 50 m
- Colour: White
- Adhesive Material: Acrylic, Rubber
- Maximum Operating Temperature: +80 °C



**1254302** Paper Tape

**RS PRO WHITE DOUBLE SIDED PAPER TAPE, NON-WOVEN BACKING, 15MM**

包裝尺寸: **1 x EA**

- Tape Type: Paper Tape
- Backing Material: Non-Woven
- Width: 15 mm
- Length: 50 m
- Colour: White
- Adhesive Material: Acrylic, Rubber
- Maximum Operating Temperature: +80 °C



**1254303** Paper Tape

**RS PRO WHITE DOUBLE SIDED PAPER TAPE, NON-WOVEN BACKING, 25MM**

包裝尺寸: **1 x EA**

- Tape Type: Paper Tape
- Backing Material: Non-Woven
- Width: 25 mm
- Length: 50 m
- Colour: White
- Adhesive Material: Acrylic, Rubber
- Maximum Operating Temperature: +80 °C



**1254304** Paper Tape

**RS PRO WHITE DOUBLE SIDED PAPER TAPE, NON-WOVEN BACKING, 9MM X**

包裝尺寸: **1 x EA**

- Tape Type: Paper Tape
- Backing Material: Non-Woven
- Width: 9 mm
- Length: 50 m
- Colour: White
- Adhesive Material: Acrylic, Rubber
- Maximum Operating Temperature: +80 °C



**1254306** Paper Tape

**RS PRO WHITE DOUBLE SIDED PLASTIC TAPE, 0.18MM THICK, 12**

包裝尺寸: **1 x EA**

- Tape Type: Plastic Tape
- Backing Material: PVC
- Width: 19 mm
- Length: 50 m
- Thickness: 0.18 mm
- Colour: White
- Adhesive Material: Acrylic
- Adhesion Strength: 12 N/cm



**2175254** Plastic Tape

**RS PRO WHITE DOUBLE SIDED PLASTIC TAPE, 0.18MM THICK, 12**

包裝尺寸: **1 x EA**

- Backing Material: PVC
- Width: 25 mm
- Length: 50 m
- Thickness: 0.18 mm
- Colour: White
- Adhesive Material: Acrylic
- Adhesion Strength: 12 N/cm
- Maximum Operating Temperature: +70 °C



**2175255** PVC

**RS PRO WHITE DOUBLE SIDED PLASTIC TAPE, 0.18MM THICK, 12**

包裝尺寸: **1 x EA**

- Backing Material: PVC
- Width: 38 mm
- Length: 50 m
- Thickness: 0.18 mm
- Colour: White
- Adhesive Material: Acrylic
- Adhesion Strength: 12 N/cm
- Maximum Operating Temperature: +70 °C



**2175256** PVC

**RS PRO BLACK DOUBLE SIDED PLASTIC TAPE, 0.15MM THICK, 6**

包裝尺寸: **1 x EA**

- Backing Material: PVC
- Width: 25 mm
- Length: 50 m
- Thickness: 0.15 mm
- Colour: Black
- Adhesive Material: Acrylic
- Adhesion Strength: 6 N/cm
- Tensile Strength: 23 N/cm



**2175258** PVC

**RS PRO F30 YELLOW DOUBLE SIDED POLYESTER TAPE, 0.245MM THICK,**

包裝尺寸: **1 x EA**

- Backing Material: PVC
- Tape Type: Plastic Tape
- Width: 12 mm
- Length: 50 m
- Thickness: 0.245 mm
- Colour: Yellow
- Model Number: F30



**2231077** PVC

**RS PRO F40 RED DOUBLE SIDED POLYESTER TAPE, 0.2MM THICK,**

包裝尺寸: **1 x EA**

- Backing Material: Polyester
- Tape Type: Plastic Tape
- Width: 12 mm
- Length: 50 m
- Thickness: 0.2 mm
- Colour: Red
- Model Number: F40



**2231078** Polyester

**RS PRO F40 RED DOUBLE SIDED POLYESTER TAPE, 0.2MM THICK,**

包裝尺寸: **1 x EA**

- Backing Material: Polyester
- Tape Type: Plastic Tape
- Width: 15 mm
- Length: 50 m
- Thickness: 0.2 mm
- Colour: Red
- Model Number: F40



**2231079** Polyester

**RS PRO F20 WHITE DOUBLE SIDED PAPER TAPE, 0.1MM THICK, 19MM X**

包裝尺寸: **1 x EA**

- Width: 19 mm
- Length: 50 m
- Thickness: 0.1 mm
- Colour: White
- Model Number: F20



**2231080** 19 mm

## RS PRO F20 WHITE DOUBLE SIDED PAPER TAPE, 0.16MM THICK, 19MM X

- 包装尺寸: 1 x EA
- Width: 19 mm
  - Length: 50 m
  - Thickness: 0.16 mm
  - Colour: White
  - Model Number: F20



2231081 19 mm

## RS PRO F30 YELLOW DOUBLE SIDED POLYESTER TAPE, 0.245MM THICK,

- 包装尺寸: 1 x EA
- Backing Material: PVC
  - Tape Type: Plastic Tape
  - Width: 19 mm
  - Length: 50 m
  - Thickness: 0.245 mm
  - Colour: Yellow
  - Model Number: F30



2231083 PVC

## RS PRO F40 RED DOUBLE SIDED POLYESTER TAPE, 0.2MM THICK,

- 包装尺寸: 1 x EA
- Backing Material: Polyester
  - Tape Type: Plastic Tape
  - Width: 19 mm
  - Length: 50 m
  - Thickness: 0.2 mm
  - Colour: Red
  - Model Number: F40



2231084 Polyester

## RS PRO F40 RED DOUBLE SIDED POLYESTER TAPE, 0.2MM THICK,

- 包装尺寸: 1 x EA
- Backing Material: Polyester
  - Tape Type: Plastic Tape
  - Width: 20 mm
  - Length: 50 m
  - Thickness: 0.2 mm
  - Colour: Red
  - Model Number: F40



2231086 Polyester

## RS PRO F20 WHITE DOUBLE SIDED PAPER TAPE, 0.1MM THICK, 25MM X

- 包装尺寸: 1 x EA
- Width: 25 mm
  - Length: 50 m
  - Thickness: 0.1 mm
  - Colour: White
  - Model Number: F20



2231087 25 mm

## RS PRO F30 YELLOW DOUBLE SIDED POLYESTER TAPE, 0.245MM THICK,

- 包装尺寸: 1 x EA
- Backing Material: PVC
  - Tape Type: Plastic Tape
  - Width: 38 mm
  - Length: 50 m
  - Thickness: 0.245 mm
  - Colour: Yellow
  - Model Number: F30



2231090 PVC

## RS PRO F40 RED DOUBLE SIDED POLYESTER TAPE, 0.2MM THICK,

- 包装尺寸: 1 x EA
- Backing Material: Polyester
  - Tape Type: Plastic Tape
  - Width: 38 mm
  - Length: 50 m
  - Thickness: 0.2 mm
  - Colour: Red
  - Model Number: F40



2231091 Polyester

## RS PRO F20 WHITE DOUBLE SIDED PAPER TAPE, 0.1MM THICK, 50MM X

- 包装尺寸: 1 x EA
- Width: 50 mm
  - Length: 50 m
  - Thickness: 0.1 mm
  - Colour: White
  - Model Number: F20



2231093 50 mm

## RS PRO F30 YELLOW DOUBLE SIDED POLYESTER TAPE, 0.245MM THICK,

- 包装尺寸: 1 x EA
- Backing Material: PVC
  - Tape Type: Plastic Tape
  - Width: 50 mm
  - Length: 50 m
  - Thickness: 0.245 mm
  - Colour: Yellow
  - Model Number: F30



2231094 PVC

## RS PRO F40 RED DOUBLE SIDED POLYESTER TAPE, 0.2MM THICK,

- 包装尺寸: 1 x EA
- Backing Material: Polyester
  - Tape Type: Plastic Tape
  - Width: 50 mm
  - Length: 50 m
  - Thickness: 0.2 mm
  - Colour: Red
  - Model Number: F40



2231095 Polyester

## RS PRO DUCT TAPE, 50M X 50MM, SILVER, GLOSS FINISH

- 包装尺寸: 1 x EA
- Tape Type: Duct Tape
  - Colour: Silver
  - Width: 50 mm
  - Length: 50 m
  - Backing Material: Cloth
  - Thickness: 0.17 mm
  - Adhesive Material: Rubber Resin
  - Adhesion Strength: 3 N/cm, 4 N/cm



1466827 Duct Tape

## RS PRO DUCT TAPE, 50M X 50MM, BLACK, GLOSS FINISH

- 包装尺寸: 1 x EA
- Tape Type: Duct Tape
  - Colour: Black
  - Width: 50 mm
  - Length: 50 m
  - Backing Material: Cloth
  - Thickness: 0.17 mm
  - Adhesive Material: Rubber Resin
  - Adhesion Strength: 3 N/cm, 4 N/cm



1466828 Duct Tape

## RS PRO CLOTH TAPE, 50M X 50MM, WHITE, GLOSS FINISH

- 包装尺寸: 1 x EA
- Tape Type: Cloth Tape
  - Colour: White
  - Width: 50 mm
  - Length: 50 m
  - Backing Material: Cloth
  - Thickness: 0.17 mm
  - Adhesive Material: Rubber Resin
  - Adhesion Strength: 3 N/cm, 4 N/cm



1466829 Cloth Tape

## RS PRO CLOTH TAPE, 50M X 50MM, BLACK, GLOSS FINISH

- 包装尺寸: 1 x EA
- Colour: Black
  - Tape Type: Cloth Tape
  - Width: 50 mm
  - Length: 50 m
  - Backing Material: Fabric
  - Thickness: 0.23 mm
  - Adhesive Material: Rubber Resin
  - Adhesion Strength: 3.5 N/cm, 5.5 N/cm



1467414 Black

## RS PRO CLOTH TAPE, 50M X 50MM, YELLOW, GLOSS FINISH

- 包装尺寸: 1 x EA
- Tape Type: Cloth Tape
  - Colour: Yellow
  - Width: 50 mm
  - Length: 50 m
  - Backing Material: Fabric
  - Thickness: 0.23 mm
  - Adhesive Material: Rubber Resin
  - Adhesion Strength: 3.5 N/cm, 5.5 N/cm



1467415 Cloth Tape

## RS PRO CLOTH TAPE, 50M X 50MM, SILVER, GLOSS FINISH

- 包装尺寸: 1 x EA
- Tape Type: Cloth Tape
  - Colour: Silver
  - Width: 50 mm
  - Length: 50 m
  - Backing Material: Fabric
  - Thickness: 0.23 mm
  - Adhesive Material: Rubber Resin
  - Adhesion Strength: 3.5 N/cm, 5.5 N/cm



1467416 Cloth Tape

**RS PRO CLOTH TAPE, 50M X 50MM, RED, GLOSS FINISH**

- 包裝尺寸: 1 x EA
- Tape Type: Cloth Tape
  - Colour: Red
  - Width: 50 mm
  - Length: 50 m
  - Backing Material: Fabric
  - Thickness: 0.23 mm
  - Adhesive Material: Rubber Resin
  - Adhesion Strength: 3.5 N/cm, 5.5 N/cm



**1467418** Cloth Tape

**RS PRO DUCT TAPE, 50M X 50MM, BLUE, GLOSS FINISH**

- 包裝尺寸: 1 x EA
- Tape Type: Duct Tape
  - Colour: Blue
  - Width: 50 mm
  - Length: 50 m
  - Backing Material: Fabric
  - Thickness: 0.23 mm
  - Adhesive Material: Rubber Resin
  - Adhesion Strength: 3.5 N/cm, 5.5 N/cm



**1467419** Duct Tape

**RS PRO DUCT TAPE, 25M X 50MM, BLACK**

- 包裝尺寸: 1 x EA
- Tape Type: Duct Tape
  - Colour: Black
  - Width: 50 mm
  - Length: 25 m
  - Backing Material: PE Cloth
  - Thickness: 0.26 mm
  - Adhesive Material: Rubber Resin
  - Adhesion Strength: 4.5 N/cm



**1769807** Duct Tape

**RS PRO DUCT TAPE, 25M X 50MM, WHITE**

- 包裝尺寸: 1 x EA
- Tape Type: Duct Tape
  - Colour: White
  - Width: 50 mm
  - Length: 25 m
  - Backing Material: PE Cloth
  - Thickness: 0.26 mm
  - Adhesive Material: Rubber Resin
  - Adhesion Strength: 4.5 N/cm



**1769808** Duct Tape

**RS PRO DUCT TAPE, 25M X 50MM, GREY**

- 包裝尺寸: 1 x EA
- Tape Type: Duct Tape
  - Colour: Grey
  - Width: 50 mm
  - Length: 25 m
  - Backing Material: PE Cloth
  - Thickness: 0.26 mm
  - Adhesive Material: Rubber Resin
  - Adhesion Strength: 4.5 N/cm



**1769809** Duct Tape

**TAPE,DUCT,BLACK,SEALING/PIPE,TESS A 4613,48MMX50M**

- 包裝尺寸: 1 x EA
- Colour: Black
  - Tape Type: Duct Tape
  - Width: 50 mm
  - Length: 50 m
  - Backing Material: PE Film With PET Filaments
  - Thickness: 0.18 mm
  - Adhesive Material: Synthetic Rubber
  - Adhesion Strength: 4.3 (Steel) N/cm



**3731577** Black

**TAPE,DUCT,SILVER,SEALING/PIPE,TESS A 4613,48MMX50M**

- 包裝尺寸: 1 x EA
- Colour: Silver
  - Tape Type: Duct Tape
  - Width: 50 mm
  - Length: 50 m
  - Backing Material: PE Film With PET Filaments
  - Thickness: 0.18 mm
  - Adhesive Material: Synthetic Rubber
  - Adhesion Strength: 4.3 (Steel) N/cm



**3731606** Silver

**PVC INSULATING TAPE BLACK 33MX19MM**

- 包裝尺寸: 1 x EA
- Colour: Black
  - Width: 19 mm
  - Length: 33 m
  - Backing Material: PVC
  - Thickness: 0.13 mm
  - Maximum Operating Temperature: +70 °C



**1347319** Black

**PVC INSULATING TAPE WHITE 33MX19MM**

- 包裝尺寸: 1 x EA
- Colour: White
  - Width: 19 mm
  - Length: 33 m
  - Backing Material: PVC
  - Thickness: 0.13 mm
  - Maximum Operating Temperature: +70 °C



**1347320** White

**PVC INSULATING TAPE BLACK 20MX12MM**

- 包裝尺寸: 1 x EA
- Colour: Black
  - Width: 12 mm
  - Length: 20 m
  - Backing Material: PVC
  - Thickness: 0.13 mm
  - Maximum Operating Temperature: +70 °C



**1347321** Black

**PVC INSULATING TAPE RED 33MX19MM**

- 包裝尺寸: 1 x EA
- Colour: Red
  - Width: 19 mm
  - Length: 33 m
  - Backing Material: PVC
  - Thickness: 0.13 mm
  - Maximum Operating Temperature: +70 °C



**1347323** Red

**PVC INSULATING TAPE BLUE 33MX19MM**

- 包裝尺寸: 1 x EA
- Colour: Blue
  - Width: 19 mm
  - Length: 33 m
  - Backing Material: PVC
  - Thickness: 0.13 mm
  - Maximum Operating Temperature: +70 °C



**1347324** Blue

**PVC INSULATING TAPE GRN/YEL 20MX12MM**

- 包裝尺寸: 1 x EA
- Colour: Green, Yellow
  - Width: 12 mm
  - Length: 20 m
  - Backing Material: PVC
  - Thickness: 0.13 mm
  - Maximum Operating Temperature: +70 °C



**1347325** Green, Yellow

**PVC INSULATING TAPE YELLOW 33MX19MM**

- 包裝尺寸: 1 x EA
- Colour: Yellow
  - Width: 19 mm
  - Length: 33 m
  - Backing Material: PVC
  - Thickness: 0.13 mm
  - Maximum Operating Temperature: +70 °C



**1347326** Yellow

**PVC INSULATING TAPE RED 20MX12MM**

- 包裝尺寸: 1 x EA
- Colour: Red
  - Width: 12 mm
  - Length: 20 m
  - Backing Material: PVC
  - Thickness: 0.13 mm
  - Maximum Operating Temperature: +70 °C



**1347327** Red

**PVC INSULATING TAPE GRN/YEL 33MX19MM**

- 包裝尺寸: 1 x EA
- Colour: Green, Yellow
  - Width: 19 mm
  - Length: 33 m
  - Backing Material: PVC
  - Thickness: 0.13 mm
  - Maximum Operating Temperature: +70 °C



**1347328** Green, Yellow

## PVC INSULATING TAPE BLACK 20MX38MM

- 包裝尺寸: 1 x EA
- Colour: Black
  - Width: 38 mm
  - Length: 20 m
  - Backing Material: PVC
  - Thickness: 0.13 mm
  - Maximum Operating Temperature: +70 °C



1347329 Black

## PVC INSULATING TAPE BLUE 20MX12MM

- 包裝尺寸: 1 x EA
- Colour: Blue
  - Width: 12 mm
  - Length: 20 m
  - Backing Material: PVC
  - Thickness: 0.13 mm
  - Maximum Operating Temperature: +70 °C



1347330 Blue

## PVC INSULATING TAPE GREEN 33MX19MM

- 包裝尺寸: 1 x EA
- Colour: Green
  - Width: 19 mm
  - Length: 33 m
  - Backing Material: PVC
  - Thickness: 0.13 mm
  - Maximum Operating Temperature: +70 °C



1347331 Green

## PVC INSULATING TAPE YELLOW 20MX12MM

- 包裝尺寸: 1 x EA
- Colour: Yellow
  - Width: 12 mm
  - Length: 20 m
  - Backing Material: PVC
  - Thickness: 0.13 mm
  - Maximum Operating Temperature: +70 °C



1347332 Yellow

## PVC INSULATING TAPE WHITE 20MX12MM

- 包裝尺寸: 1 x EA
- Colour: White
  - Width: 12 mm
  - Length: 20 m
  - Backing Material: PVC
  - Thickness: 0.13 mm
  - Maximum Operating Temperature: +70 °C



1347333 White

## PVC INSULATING TAPE GREEN 20MX12MM

- 包裝尺寸: 1 x EA
- Colour: Green
  - Width: 12 mm
  - Length: 20 m
  - Backing Material: PVC
  - Thickness: 0.13 mm
  - Maximum Operating Temperature: +70 °C



1347334 Green

## PVC INSULATING TAPE WHITE 20MX38MM

- 包裝尺寸: 1 x EA
- Colour: White
  - Width: 38 mm
  - Length: 20 m
  - Backing Material: PVC
  - Thickness: 0.13 mm
  - Maximum Operating Temperature: +70 °C



1347335 White

## PVC HARNESSING TAPE BLACK 20MX19MM

- 包裝尺寸: 1 x EA
- Colour: Black
  - Width: 19 mm
  - Length: 20 m
  - Backing Material: PVC
  - Thickness: 0.10 mm
  - Maximum Operating Temperature: +70 °C



1347336 Black

## BLACK VINYL ELECTRICAL TAPE 20M X 19MM

- 包裝尺寸: 1 x EA
- Colour: Black
  - Width: 19 mm
  - Length: 20 m
  - Thickness: 0.19 mm
  - Maximum Operating Temperature: +150 °C



1347337 Black

## GLASS CLOTH TAPE CLASS H 33MX12MM

- 包裝尺寸: 1 x EA
- Colour: White
  - Width: 12 mm
  - Length: 33 m
  - Backing Material: Glass Cloth
  - Thickness: 0.18 mm
  - Maximum Operating Temperature: +180 °C



1347339 White

## RS PRO WHITE GLASS CLOTH ELECTRICAL TAPE, 25MM X 33M

- 包裝尺寸: 1 x EA
- Colour: White
  - Width: 25 mm
  - Length: 33 m
  - Backing Material: Glass Cloth
  - Thickness: 0.18 mm
  - Maximum Operating Temperature: +180 °C



1347340 White

## GLASS CLOTH TAPE CLASS H 33MX19MM

- 包裝尺寸: 1 x EA
- Colour: White
  - Width: 19 mm
  - Length: 33 m
  - Backing Material: Glass Cloth
  - Thickness: 0.18 mm
  - Maximum Operating Temperature: +180 °C



1347341 White

## RS PRO BLACK PVC ELECTRICAL TAPE, 50MM X 33M

- 包裝尺寸: 1 x EA
- Colour: Black
  - Width: 50 mm
  - Length: 33 m
  - Backing Material: PVC
  - Thickness: 0.13 mm
  - Maximum Operating Temperature: +60 °C



2205880 Black

## TAPE, POLYESTER, B, 12MM WIDE, HIGH TEMP, 130DEGC

- 包裝尺寸: 1 x EA
- Colour: Yellow
  - Width: 12 mm
  - Length: 66 m
  - Backing Material: Polyester
  - Thickness: 0.06 mm
  - Maximum Operating Temperature: +130 °C
  - Trade Name: AT4004



4089489 Yellow

## TAPE, POLYESTER, B, 19MM WIDE, HIGH TEMP, 130DEGC

- 包裝尺寸: 1 x EA
- Colour: Yellow
  - Width: 19 mm
  - Length: 66 m
  - Backing Material: Polyester
  - Thickness: 0.06 mm
  - Maximum Operating Temperature: +130 °C
  - Trade Name: AT4004



4089495 Yellow

## TAPE, POLYESTER, B, 25MM WIDE, HIGH TEMP, 130DEGC

- 包裝尺寸: 1 x EA
- Colour: Yellow
  - Width: 25 mm
  - Length: 66 m
  - Backing Material: Polyester
  - Thickness: 0.06 mm
  - Maximum Operating Temperature: +130 °C
  - Trade Name: AT4004



4089502 Yellow

**TAPE, CONDUCTIVE, ANTISTATIC, GRIP, 12MM X 36M**

- 包裝尺寸: 1 x EA
- Length: 36 m
  - Dissipative: Yes
  - Width: 12 mm
  - Conductive: No
  - Anti-Static: Yes
  - Cleanroom: No
  - Text/Logo On Tape: Logo
  - Colour: Clear



4439799 36 m

**18MM X 36M ESD TAPE**

- 包裝尺寸: 1 x EA
- Length: 36 m
  - Dissipative: Yes
  - Width: 18 mm
  - Conductive: Yes
  - Anti-Static: Yes
  - Cleanroom: No
  - Text/Logo On Tape: Logo
  - Colour: Clear



4439812 36 m

**TAPE, CONDUCTIVE, ANTISTATIC, GRIP, 24MM X 36M**

- 包裝尺寸: 1 x EA
- Length: 36 m
  - Dissipative: Yes
  - Width: 24 mm
  - Conductive: No
  - Anti-Static: Yes
  - Cleanroom: No
  - Text/Logo On Tape: Logo
  - Colour: Clear



4439828 36 m

**TAPE, CONDUCTIVE, ANTISTATIC, GRIP, 48MM X 36M**

- 包裝尺寸: 1 x EA
- Length: 36 m
  - Dissipative: Yes
  - Width: 48 mm
  - Conductive: No
  - Anti-Static: Yes
  - Cleanroom: No
  - Text/Logo On Tape: Logo
  - Colour: Clear



4439834 36 m

**RS PRO NATURAL BRISTLE PCB AND FLUX BRUSH**

- 包裝尺寸: 5 x EA
- Type: PCB and Flux Brush
  - Material: Natural Bristle
  - Dimensions: 200 mm



2299690 PCB and Flux

**RS PRO WHITE FOAM TAPE, 8MM X 16.5M, 3MM THICK**

- 包裝尺寸: 1 x EA
- Width: 8 mm
  - Thickness: 3 mm
  - Length: 16.5 m
  - Backing Material: EPDM
  - Colour: White
  - Adhesive Material: Rubber
  - Maximum Operating Temperature: +50 °C



193168 8 mm

**RS PRO WHITE FOAM TAPE, 12MM X 150MM, 0.8MM THICK**

- 包裝尺寸: 25 x EA
- Width: 12 mm
  - Thickness: 0.8 mm
  - Length: 150 mm
  - Backing Material: Foam
  - Colour: White
  - Single/Double Sided: Double Sided
  - Adhesive Material: Acrylic



512856 12 mm

**RS PRO WHITE FOAM TAPE, 12MM X 12MM, 0.8MM THICK**

- 包裝尺寸: 500 x EA
- Width: 12 mm
  - Thickness: 0.8 mm
  - Length: 12 mm
  - Backing Material: Foam
  - Colour: White
  - Single/Double Sided: Double Sided



512862 12 mm

**RS PRO GREY FOAM TAPE, 25MM X 25MM, 0.8MM THICK**

- 包裝尺寸: 250 x EA
- Width: 25 mm
  - Thickness: 0.8 mm
  - Length: 25 mm
  - Backing Material: Foam
  - Colour: Grey
  - Single/Double Sided: Double Sided



512878 25 mm

**RS PRO WHITE FOAM TAPE, 25MM X 150MM, 0.8MM THICK**

- 包裝尺寸: 25 x EA
- Width: 25 mm
  - Thickness: 0.8 mm
  - Length: 150 mm
  - Backing Material: PE Foam
  - Colour: White
  - Single/Double Sided: Double Sided
  - Adhesive Material: Rubber



554844 25 mm

**RS PRO BLACK FOAM TAPE, 20MM X 5M, 4MM THICK**

- 包裝尺寸: 5 x MTR
- Width: 20 mm
  - Thickness: 4 mm
  - Length: 5 m
  - Backing Material: PE
  - Colour: Black



554866 20 mm

**RS PRO WHITE FOAM TAPE, 25MM X 12MM, 0.8MM THICK**

- 包裝尺寸: 500 x EA
- Width: 25 mm
  - Thickness: 0.8 mm
  - Length: 12 mm
  - Backing Material: Foam
  - Colour: White
  - Single/Double Sided: Double Sided



555257 25 mm

**RS PRO BLACK FOAM TAPE, 12MM X 10M, 2MM THICK**

- 包裝尺寸: 10 x MTR
- Width: 12 mm
  - Thickness: 2 mm
  - Length: 10 m
  - Backing Material: PVC
  - Colour: Black
  - Adhesive Material: Polychloroprene
  - Maximum Operating Temperature: +70 °C



556525 12 mm

**RS PRO BLACK FOAM TAPE, 12MM X 10M, 3MM THICK**

- 包裝尺寸: 10 x MTR
- Width: 12 mm
  - Thickness: 3 mm
  - Length: 10 m
  - Backing Material: EPDM
  - Colour: Black
  - Adhesive Material: Rubber
  - Maximum Operating Temperature: +90 °C



567963 12 mm

**RS PRO TRANSLUCENT FOAM TAPE, 19MM X 33M, 1MM THICK**

- 包裝尺寸: 1 x EA
- Width: 19 mm
  - Thickness: 1 mm
  - Length: 33 m
  - Backing Material: Foam
  - Colour: Translucent
  - Single/Double Sided: Double Sided
  - Adhesive Material: Acrylic



1254309 19 mm

**RS PRO TRANSLUCENT FOAM TAPE, 6MM X 33M, 1MM THICK**

- 包裝尺寸: 1 x EA
- Width: 6 mm
  - Thickness: 1 mm
  - Length: 33 m
  - Backing Material: Foam
  - Colour: Translucent
  - Single/Double Sided: Double Sided
  - Adhesive Material: Acrylic



1254310 6 mm

## RS PRO GREY FOAM TAPE, 6MM X 30M, 3MM THICK

- 包装尺寸: 1 x EA
- Width: 6 mm
  - Thickness: 3 mm
  - Length: 30 m
  - Backing Material: PVC
  - Colour: Grey



2050805 6 mm

## RS PRO GREY FOAM TAPE, 9MM X 30M, 3MM THICK

- 包装尺寸: 1 x EA
- Width: 9 mm
  - Thickness: 3 mm
  - Length: 30 m
  - Backing Material: PVC
  - Colour: Grey



2050827 9 mm

## RS PRO GREY FOAM TAPE, 9MM X 15M, 6MM THICK

- 包装尺寸: 1 x EA
- Width: 9 mm
  - Thickness: 6 mm
  - Length: 15 m
  - Backing Material: PVC
  - Colour: Grey



2050849 9 mm

## RS PRO GREY FOAM TAPE, 12MM X 15M, 6MM THICK

- 包装尺寸: 1 x EA
- Width: 12 mm
  - Thickness: 6 mm
  - Length: 15 m
  - Backing Material: PVC
  - Colour: Grey



2050855 12 mm

## RS PRO GREY FOAM TAPE, 12MM X 30M, 3MM THICK

- 包装尺寸: 1 x EA
- Width: 12 mm
  - Thickness: 3 mm
  - Length: 30 m
  - Backing Material: PVC
  - Colour: Grey



2050833 12 mm

## RS PRO BLACK FOAM TAPE, 12MM X 30M, 3MM THICK

- 包装尺寸: 1 x EA
- Width: 12 mm
  - Thickness: 3 mm
  - Length: 30 m
  - Backing Material: PVC
  - Colour: Black



2050861 12 mm

## RS PRO BLACK FOAM TAPE, 12MM X 15M, 6MM THICK

- 包装尺寸: 1 x EA
- Width: 12 mm
  - Thickness: 6 mm
  - Length: 15 m
  - Backing Material: PVC
  - Colour: Black



2050877 12 mm

## RS PRO BLACK FOAM TAPE, 12MM X 10M, 10MM THICK

- 包装尺寸: 1 x EA
- Width: 12 mm
  - Thickness: 10 mm
  - Length: 10 m
  - Backing Material: PVC
  - Colour: Black



2050899 12 mm

## RS PRO BLACK FOAM TAPE, 25MM X 10M, 10MM THICK

- 包装尺寸: 1 x EA
- Width: 25 mm
  - Thickness: 10 mm
  - Length: 10 m
  - Backing Material: PVC
  - Colour: Black



2050906 25 mm

## RS PRO BLACK FOAM TAPE, 25MM X 15M, 6MM THICK

- 包装尺寸: 1 x EA
- Width: 25 mm
  - Thickness: 6 mm
  - Length: 15 m
  - Backing Material: PVC
  - Colour: Black



2050883 25 mm

## RS PRO GREY FOAM TAPE, 12MM X 30M, 3MM THICK

- 包装尺寸: 1 x EA
- Width: 12 mm
  - Thickness: 3 mm
  - Length: 30 m
  - Backing Material: PVC
  - Colour: Grey
  - Foam Density: 165 → 260 kg/m<sup>3</sup>
  - Adhesive Material: Acrylic
  - Tensile Strength: 64 N/cm



2050928 12 mm

## RS PRO GREY FOAM TAPE, 9MM X 30M, 3MM THICK

- 包装尺寸: 1 x EA
- Width: 9 mm
  - Thickness: 3 mm
  - Length: 30 m
  - Backing Material: PVC
  - Colour: Grey
  - Foam Density: 165 → 260 kg/m<sup>3</sup>
  - Adhesive Material: Acrylic
  - Tensile Strength: 64 N/cm



2050912 9 mm

## RS PRO GREY FOAM TAPE, 12MM X 15M, 6MM THICK

- 包装尺寸: 1 x EA
- Width: 12 mm
  - Thickness: 6 mm
  - Length: 15 m
  - Backing Material: PVC
  - Colour: Grey
  - Foam Density: 165 → 260 kg/m<sup>3</sup>
  - Adhesive Material: Acrylic
  - Tensile Strength: 64 N/cm



2050934 12 mm

## RS PRO GREY FOAM TAPE, 25MM X 15M, 6MM THICK

- 包装尺寸: 1 x EA
- Width: 25 mm
  - Thickness: 6 mm
  - Length: 15 m
  - Backing Material: PVC
  - Colour: Grey
  - Foam Density: 165 → 260 kg/m<sup>3</sup>
  - Adhesive Material: Acrylic
  - Tensile Strength: 64 N/cm



2050940 25 mm

## RS PRO BLACK FOAM TAPE, 9MM X 31M, 3.2MM THICK

- 包装尺寸: 1 x EA
- Width: 9 mm
  - Thickness: 3.2 mm
  - Length: 31 m
  - Backing Material: PVC Foam
  - Colour: Black
  - Single/Double Sided: Double Sided



2050956 9 mm

## RS PRO BLACK FOAM TAPE, 12MM X 31M, 3.2MM THICK

- 包装尺寸: 1 x EA
- Width: 12 mm
  - Thickness: 3.2 mm
  - Length: 31 m
  - Backing Material: PVC Foam
  - Colour: Black
  - Single/Double Sided: Double Sided



2050962 12 mm



**RS PRO BLACK FOAM TAPE, 12MM X 15M, 4.8MM THICK**

- 包裝尺寸: 1 x EA
- Width: 12 mm
  - Thickness: 4.8 mm
  - Length: 15 m
  - Backing Material: PVC Foam
  - Colour: Black
  - Single/Double Sided: Double Sided



2050984 12 mm

**RS PRO HB 8010P WHITE FOAM TAPE, 19MM X 50M, 1MM THICK**

- 包裝尺寸: 1 x EA
- Width: 19 mm
  - Thickness: 1 mm
  - Length: 50 m
  - Backing Material: PE Foam
  - Colour: White
  - Model Number: HB 8010P
  - Series: HB



2243440 19 mm

**RS PRO HB 810 WHITE FOAM TAPE, 25MM X 50M, 1MM THICK**

- 包裝尺寸: 1 x EA
- Width: 25 mm
  - Thickness: 1 mm
  - Length: 50 m
  - Backing Material: PE Foam
  - Colour: White
  - Model Number: HB 810
  - Series: HB



2243441 25 mm

**RS PRO VST 3120G GREY FOAM TAPE, 12MM X 33M, 1MM THICK**

- 包裝尺寸: 1 x EA
- Width: 12 mm
  - Thickness: 1 mm
  - Length: 33 m
  - Backing Material: Acrylic Foam
  - Colour: Grey
  - Single/Double Sided: Double Sided
  - Model Number: VST 3120G
  - Series: VST



2243442 12 mm

**RS PRO VST 4100C TRANSPARENT FOAM TAPE, 12MM X 10M, 1MM THICK**

- 包裝尺寸: 1 x EA
- Width: 12 mm
  - Thickness: 1 mm
  - Length: 10 m
  - Backing Material: Acrylic Foam
  - Colour: Transparent
  - Single/Double Sided: Double Sided
  - Model Number: VST 4100C
  - Series: VST



2243444 12 mm

**RS PRO VST 4100C TRANSPARENT FOAM TAPE, 25MM X 10M, 1MM THICK**

- 包裝尺寸: 1 x EA
- Width: 25 mm
  - Thickness: 1 mm
  - Length: 10 m
  - Backing Material: Acrylic Foam
  - Colour: Transparent
  - Single/Double Sided: Double Sided
  - Model Number: VST 4100C
  - Series: VST



2243446 25 mm

**RS PRO VST 5064B BLACK FOAM TAPE, 12MM X 33M, 0.64MM THICK**

- 包裝尺寸: 1 x EA
- Width: 12 mm
  - Thickness: 0.64 mm
  - Length: 33 m
  - Backing Material: Acrylic Foam
  - Colour: Black
  - Single/Double Sided: Double Sided
  - Model Number: VST 5064B
  - Series: VST



2243448 12 mm

**RS PRO VST 5064B BLACK FOAM TAPE, 19MM X 33M, 0.64MM THICK**

- 包裝尺寸: 1 x EA
- Width: 19 mm
  - Thickness: 0.64 mm
  - Length: 33 m
  - Backing Material: Acrylic Foam
  - Colour: Black
  - Single/Double Sided: Double Sided
  - Model Number: VST 5064B
  - Series: VST



2243449 19 mm

**RS PRO VST 6064G GREY FOAM TAPE, 19MM X 33M, 0.64MM THICK**

- 包裝尺寸: 1 x EA
- Width: 19 mm
  - Thickness: 0.64 mm
  - Length: 33 m
  - Backing Material: Acrylic Foam
  - Colour: Grey
  - Single/Double Sided: Double Sided
  - Model Number: VST 6064G
  - Series: VST



2243454 19 mm

**RS PRO VST 6110G GREY FOAM TAPE, 12MM X 33M, 1.1MM THICK**

- 包裝尺寸: 1 x EA
- Width: 12 mm
  - Thickness: 1.1 mm
  - Length: 33 m
  - Backing Material: Acrylic Foam
  - Colour: Grey
  - Single/Double Sided: Double Sided
  - Model Number: VST 6110G
  - Series: VST



2243455 12 mm

**RS PRO VST 6110G GREY FOAM TAPE, 19MM X 33M, 1.1MM THICK**

- 包裝尺寸: 1 x EA
- Width: 19 mm
  - Thickness: 1.1 mm
  - Length: 33 m
  - Backing Material: Acrylic Foam
  - Colour: Grey
  - Single/Double Sided: Double Sided
  - Model Number: VST 6110G
  - Series: VST



2243456 19 mm

**RS PRO GREY FOAM TAPE, 12MM X 6.1M, 2.4MM THICK**

- 包裝尺寸: 1 x EA
- Width: 12 mm
  - Thickness: 2.4 mm
  - Length: 6.1 m
  - Backing Material: Silicone Foam
  - Colour: Grey
  - Foam Density: 352 kg/m<sup>3</sup>
  - Single/Double Sided: Single Sided
  - Adhesive Material: Acrylic



7336781 12 mm

**RS PRO GREY FOAM TAPE, 15MM X 5M, 3.2MM THICK**

- 包裝尺寸: 1 x EA
- Width: 15 mm
  - Thickness: 3.2 mm
  - Length: 5 m
  - Backing Material: Silicone Foam
  - Colour: Grey
  - Foam Density: 352 kg/m<sup>3</sup>
  - Single/Double Sided: Single Sided
  - Adhesive Material: Acrylic



7336785 15 mm

**RS PRO GREY FOAM TAPE, 25MM X 5M, 3.2MM THICK**

- 包裝尺寸: 1 x EA
- Width: 25 mm
  - Thickness: 3.2 mm
  - Length: 5 m
  - Backing Material: Silicone Foam
  - Colour: Grey
  - Foam Density: 352 kg/m<sup>3</sup>
  - Single/Double Sided: Single Sided
  - Adhesive Material: Acrylic



7336791 25 mm

**RS PRO GREY FOAM TAPE, 15MM X 5M, 4.8MM THICK**

- 包裝尺寸: 1 x EA
- Width: 15 mm
  - Thickness: 4.8 mm
  - Length: 5 m
  - Backing Material: Silicone Foam
  - Colour: Grey
  - Foam Density: 352 kg/m<sup>3</sup>
  - Single/Double Sided: Single Sided
  - Adhesive Material: Acrylic



7336794 15 mm

**RS PRO GREY FOAM TAPE, 20MM X 5M, 6.4MM THICK**

- 包裝尺寸: 1 x EA
- Width: 20 mm
  - Thickness: 6.4 mm
  - Length: 5 m
  - Backing Material: Silicone Foam
  - Colour: Grey
  - Foam Density: 352 kg/m<sup>3</sup>
  - Single/Double Sided: Single Sided
  - Adhesive Material: Acrylic



7336797 20 mm

## RS PRO WHITE FOAM TAPE, 12MM X 6M, 2.4MM THICK

包装尺寸: 1 x EA

- Width: 12 mm
- Thickness: 2.4 mm
- Length: 6 m
- Backing Material: Silicone Foam
- Colour: White
- Foam Density: 352 kg/m<sup>3</sup>
- Single/Double Sided: Single Sided
- Adhesive Material: Acrylic



7336801 12 mm

## RS PRO WHITE FOAM TAPE, 15MM X 6M, 3.2MM THICK

包装尺寸: 1 x EA

- Width: 15 mm
- Thickness: 3.2 mm
- Length: 6 m
- Backing Material: Silicone Foam
- Colour: White
- Foam Density: 208 kg/m<sup>3</sup>
- Single/Double Sided: Single Sided
- Adhesive Material: Acrylic



7336804 15 mm

## RS PRO WHITE FOAM TAPE, 15MM X 6M, 4.8MM THICK

包装尺寸: 1 x EA

- Width: 15 mm
- Thickness: 4.8 mm
- Length: 6 m
- Backing Material: Silicone Foam
- Colour: White
- Foam Density: 208 kg/m<sup>3</sup>
- Single/Double Sided: Single Sided
- Adhesive Material: Acrylic



7336808 15 mm

## RS PRO WHITE FOAM TAPE, 25MM X 6M, 3.2MM THICK

包装尺寸: 1 x EA

- Width: 25 mm
- Thickness: 3.2 mm
- Length: 6 m
- Backing Material: Silicone Foam
- Colour: White
- Foam Density: 208 kg/m<sup>3</sup>
- Single/Double Sided: Single Sided
- Adhesive Material: Acrylic



7336810 25 mm

## RS PRO WHITE FOAM TAPE, 20MM X 6M, 6.4MM THICK

包装尺寸: 1 x EA

- Width: 20 mm
- Thickness: 6.4 mm
- Length: 6 m
- Backing Material: Silicone Foam
- Colour: White
- Foam Density: 208 kg/m<sup>3</sup>
- Single/Double Sided: Single Sided
- Adhesive Material: Acrylic



7336817 20 mm

## RS PRO BLACK/YELLOW REFLECTIVE TAPE 100MM X 25M

包装尺寸: 1 x EA

- Colour: Black/Yellow
- Tape Type: Reflective Tape
- Backing Material: Aluminium Foil
- Adhesive Material: High Grade Solvent Acrylic
- Width: 100 mm
- Length: 25 m
- Maximum Operating Temperature: +25 °C
- Minimum Operating Temperature: -15 °C



2197881 Black/Yellow

## TAPE, REFLECTIVE, SAV, 50MM X 25M, BLACK/YELLOW

包装尺寸: 1 x EA

- Colour: Black/Yellow
- Tape Type: Reflective Tape
- Backing Material: Aluminium Foil
- Width: 50 mm
- Length: 25 m
- Maximum Operating Temperature: +25 °C
- Minimum Operating Temperature: 0 °C



2197897 Black/Yellow

## TAPE, REFLECTIVE, SAV, 50X25MM, RED

包装尺寸: 1 x EA

- Colour: Red/White
- Tape Type: Reflective Tape
- Backing Material: Aluminium Foil
- Width: 50 mm
- Length: 25 m
- Maximum Operating Temperature: +25 °C
- Minimum Operating Temperature: 0 °C



2197910 Red/White

## RS PRO GREEN REFLECTIVE TAPE 40MM X 10M

包装尺寸: 10 x MTR

- Colour: Green
- Tape Type: Reflective Tape
- Backing Material: Vinyl
- Adhesive Material: Rubber
- Width: 40 mm
- Length: 10 m
- Maximum Operating Temperature: +70 °C
- Minimum Operating Temperature: -40 °C



2610558 Green

## WHITE REFLECTIVE TAPE, 25MM X 9M

包装尺寸: 1 x EA

- Colour: White
- Tape Type: Reflective Tape
- Adhesive Material: Rubber
- Width: 25 mm
- Length: 9 m
- Maximum Operating Temperature: +70 °C
- Minimum Operating Temperature: -40 °C



7632042 White

## RS PRO BLACK HOOK & LOOP TAPE, 25MM X 5M LOW PROFILE

包装尺寸: 1 x EA

- Width: 25 mm
- Length: 5 m
- Hook Type: Hook
- Colour: Black
- Features: Low Profile
- Pre-cut: No
- Number in Pack: 1
- Package Quantity: 1



2176997 25 mm

## RS PRO BLACK HOOK & LOOP TAPE, 50MM X 2.5M ADHESIVE

包装尺寸: 1 x EA

- Width: 50 mm
- Length: 2.5 m
- Hook Type: Hook & Loop
- Colour: Black
- Features: Adhesive
- Pre-cut: No



2176998 50 mm

## RS PRO WHITE HOOK & LOOP TAPE, 50MM X 5M ADHESIVE

包装尺寸: 1 x EA

- Width: 50 mm
- Length: 5 m
- Hook Type: Hook & Loop
- Colour: White
- Features: Adhesive
- Pre-cut: No



2176999 50 mm

## WHITE BACK-BACK STRIP, 20MM X 10M

包装尺寸: 1 x EA

- Width: 20 mm
- Length: 10 m
- Hook Type: Hook & Loop
- Colour: White



8904143 20 mm

## WHITE HOOK STRIP, 5M L X 20MM W

包装尺寸: 1 x EA

- Width: 20 mm
- Length: 5 m
- Hook Type: Hook
- Colour: White



8904146 20 mm

## BLACK BACK-BACK STRIP, 20MM X 10M

包装尺寸: 1 x EA

- Width: 20 mm
- Length: 10 m
- Hook Type: Hook & Loop
- Colour: Black



8904149 20 mm

**WHITE LOOP STRIP,5M L X 20MM W**

- 包装尺寸: 1 x EA
- Width: 20 mm
  - Length: 5 m
  - Hook Type: Loop
  - Colour: White



8904152 20 mm

**BLACK HOOK STRIP,5M L X 20MM W**

- 包装尺寸: 1 x EA
- Width: 20 mm
  - Length: 5 m
  - Hook Type: Hook
  - Colour: Black



8904155 20 mm

**BLACK BACK-BACK STRIP,5M L X 20MM W**

- 包装尺寸: 1 x EA
- Width: 20 mm
  - Length: 5 m
  - Hook Type: Hook & Loop
  - Colour: Black



8904159 20 mm

**RS PRO BLACK HOOK TAPE, 20MM X 5M**

- 包装尺寸: 1 x EA
- Width: 20 mm
  - Length: 5 m
  - Hook Type: Hook Tape
  - Colour: Black



8904161 20 mm

**RS PRO BLACK HOOK & LOOP TAPE, 25MM X 5M**

- 包装尺寸: 1 x EA
- Width: 25 mm
  - Length: 5 m
  - Hook Type: Hook
  - Colour: Black
  - Pre-cut Width: 25 mm
  - Pre-cut Length: 25 mm



8904165 25 mm

**RUBBER ADHESIVE LOOP STRIP,20MM W**

- 包装尺寸: 1 x EA
- Width: 20 mm
  - Length: 5 m
  - Hook Type: Loop
  - Colour: Black



8904168 20 mm

**RS PRO WHITE HOOK & LOOP TAPE, 22MM X 5M**

- 包装尺寸: 1 x EA
- Width: 22 mm
  - Length: 5 m
  - Hook Type: Loop
  - Colour: White



8904171 22 mm

**BLACK HD STICK ON TAPE,1M L X 50MM W**

- 包装尺寸: 1 x EA
- Width: 50 mm
  - Length: 1 m
  - Hook Type: Hook & Loop
  - Colour: Black



8904174 50 mm

**BLACK HD STICK ON TAPE,5M L X 50MM W**

- 包装尺寸: 1 x EA
- Width: 50 mm
  - Length: 5 m
  - Hook Type: Hook & Loop
  - Colour: Black



8904180 50 mm

**HOOK & EYE TAPE DISCS, WHITE,16MM**

- 包装尺寸: 1 x EA
- Width: 16 mm
  - Hook Type: Hook & Loop
  - Colour: White



8904183 16 mm

**BLACK ONE-WRAP CONTINUOUS TAPE,20MM W**

- 包装尺寸: 1 x EA
- Width: 20 mm
  - Length: 10 m
  - Hook Type: Hook & Loop
  - Colour: Black



8904187 20 mm

**RS PRO WHITE HOOK & LOOP TAPE, 22MM X 5M**

- 包装尺寸: 1 x EA
- Width: 22 mm
  - Length: 5 m
  - Hook Type: Hook
  - Colour: White



8904193 22 mm

**RS PRO BLACK HOOK & LOOP TAPE, 25MM X 5M**

- 包装尺寸: 1 x EA
- Width: 25 mm
  - Length: 5 m
  - Hook Type: Loop
  - Colour: Black
  - Pre-cut Width: 25 mm
  - Pre-cut Length: 25 mm



8904199 25 mm

**BLK ADJUSTABLE CARRYING STRAPS,50MMX1.8M**

- 包装尺寸: 1 x EA
- Width: 50 mm
  - Length: 1.8 m
  - Hook Type: Loop
  - Colour: Black



8904200 50 mm

**50 X ONE-WRAP TAPE,20MM X 200MM L**

- 包装尺寸: 1 x EA
- Width: 20 mm
  - Length: 200 mm
  - Hook Type: Hook & Loop
  - Colour: Black



8904206 20 mm

**BLACK SELF ENGAGING FASTENER,25MM W**

- 包装尺寸: 1 x EA
- Width: 25 mm
  - Length: 5 m
  - Hook Type: Mushroom Hook
  - Colour: Black



8904203 25 mm

## BLACK HD STICK ON STRIP, 100X50MM

包装尺寸: 1 x EA

- Width: 50 mm
- Length: 100 mm
- Hook Type: Hook & Loop
- Colour: Black



8904212 50 mm

## ACRYLIC ADHESIVE HOOK STRIP, 5M L X 20MM W

包装尺寸: 1 x EA

- Width: 20 mm
- Length: 5 m
- Hook Type: Hook
- Colour: Black



8904216 20 mm

## RS PRO WHITE HOOK & LOOP TAPE, 50MM X 100MM

包装尺寸: 1 x EA

- Width: 50 mm
- Length: 100 mm
- Hook Type: Hook & Loop
- Colour: White



8904219 50 mm

## ACRYLIC ADHESIVE LOOP STRIP, 5M L X 20MM W

包装尺寸: 1 x EA

- Width: 20 mm
- Length: 5 m
- Hook Type: Loop
- Colour: Black



8904225 20 mm

## 100MM MAGNETIC TAPE, ADHESIVE BACK, 2.3MM THICKNESS

包装尺寸: 10 x EA

- Back Type: Adhesive
- Length: 100 mm
- Width: 12 mm
- Thickness: 2.3 mm



846339 Adhesive

## 60°C PAPER MASKING TAPE 19MMX50M

包装尺寸: 1 x EA

- Backing Material: Paper
- Adhesive Material: Rubber
- Width: 19 mm
- Length: 50 m
- Thickness: 0.11 mm
- Colour: White



1719702 Paper

## 60°C PAPER MASKING TAPE 25MMX50M

包装尺寸: 1 x EA

- Backing Material: Paper
- Adhesive Material: Rubber
- Width: 25 mm
- Length: 50 m
- Thickness: 0.11 mm
- Colour: White



1719703 Paper

## RS PRO MASKING TAPE 12MM X 50M

包装尺寸: 1 x EA

- Backing Material: Crepe Paper
- Adhesive Material: Rubber
- Width: 12 mm
- Length: 50 m
- Thickness: 0.11 mm



1846799 Crepe Paper

## RS PRO MASKING TAPE 100MM X 50M

包装尺寸: 1 x EA

- Backing Material: Crepe Paper
- Adhesive Material: Rubber
- Width: 100 mm
- Length: 50 m
- Thickness: 0.11 mm



1846802 Crepe Paper

## RS PRO MASKING TAPE 38MM X 50M

包装尺寸: 1 x EA

- Backing Material: Crepe Paper
- Adhesive Material: Rubber
- Width: 38 mm
- Length: 50 m
- Thickness: 0.11 mm



1846800 Crepe Paper

## RS PRO MASKING TAPE 19MM X 50M

包装尺寸: 1 x EA

- Backing Material: Crepe Paper
- Adhesive Material: Rubber
- Width: 19 mm
- Length: 50 m
- Thickness: 0.12 mm



1846804 Crepe Paper

## RS PRO MASKING TAPE 75MM X 50M

包装尺寸: 1 x EA

- Backing Material: Crepe Paper
- Adhesive Material: Rubber
- Width: 75 mm
- Length: 50 m
- Thickness: 0.11 mm



1846801 Crepe Paper

## RS PRO MASKING TAPE 12MM X 50M

包装尺寸: 1 x EA

- Backing Material: Crepe Paper
- Adhesive Material: Rubber
- Width: 12 mm
- Length: 50 m
- Thickness: 0.12 mm



1846803 Crepe Paper

## RS PRO MASKING TAPE 25MM X 50M

包装尺寸: 1 x EA

- Backing Material: Crepe Paper
- Adhesive Material: Rubber
- Width: 25 mm
- Length: 50 m
- Thickness: 0.12 mm



1846805 Crepe Paper

## RS PRO MASKING TAPE 38MM X 50M

包装尺寸: 1 x EA

- Backing Material: Crepe Paper
- Adhesive Material: Rubber
- Width: 38 mm
- Length: 50 m
- Thickness: 0.12 mm



1846806 Crepe Paper

## RS PRO MASKING TAPE 50MM X 50M

包装尺寸: 1 x EA

- Backing Material: Crepe Paper
- Adhesive Material: Rubber
- Width: 50 mm
- Length: 50 m
- Thickness: 0.12 mm



1846808 Crepe Paper

**RS PRO ORANGE MASKING TAPE  
50MM X 33M**

- 包裝尺寸: 1 x EA
- Backing Material: Polythene
  - Adhesive Material: Rubber
  - Width: 50 mm
  - Length: 33 m
  - Thickness: 0.11 mm
  - Colour: Orange



2205883 Polythene

**RS PRO MASKING TAPE 75MM X 50M**

- 包裝尺寸: 1 x EA
- Backing Material: Crepe Paper
  - Adhesive Material: Rubber
  - Width: 75 mm
  - Length: 50 m
  - Thickness: 0.12 mm



1846809 Crepe Paper

**RS PRO MASKING TAPE 100MM X 50M**

- 包裝尺寸: 1 x EA
- Backing Material: Crepe Paper
  - Adhesive Material: Rubber
  - Width: 100 mm
  - Length: 50 m
  - Thickness: 0.12 mm



1846810 Crepe Paper

**RS PRO METALLIC TAPE, 50MM X 45M**

- 包裝尺寸: 1 x EA
- Total Thickness: 0.07 mm
  - Tape Type: Aluminium Tape
  - Foil Thickness: 0.03 mm
  - Width: 50 mm
  - Length: 45 m
  - Adhesion Strength: 3.6 N/cm
  - Adhesive Material: Aluminium Foil
  - Maximum Temperature Resistance: +110 °C



1468961 0.07 mm

**RS PRO CONDUCTIVE METALLIC TAPE, 25MM X 33M**

- 包裝尺寸: 1 x EA
- Total Thickness: 0.06 mm
  - Tape Type: Copper Tape
  - Foil Thickness: 0.035 mm
  - Width: 25 mm
  - Length: 33 m
  - Conductivity: Conductive
  - Adhesion Strength: 4.5 N/cm
  - Adhesive Material: Thermosetting Acrylic



1767498 0.06 mm

**RS PRO METALLIC TAPE, 50MM X 45M**

- 包裝尺寸: 1 x EA
- Total Thickness: 0.08 mm
  - Tape Type: Aluminium Tape
  - Foil Thickness: 0.04 mm
  - Width: 50 mm
  - Length: 45 m
  - Adhesion Strength: 3.8 N/cm
  - Adhesive Material: Aluminium Foil
  - Maximum Temperature Resistance: +110 °C



1468962 0.08 mm

**RS PRO METALLIC TAPE, 50MM X 50M**

- 包裝尺寸: 1 x EA
- Total Thickness: 0.09 mm
  - Tape Type: Aluminium Tape
  - Foil Thickness: 0.05 mm
  - Width: 50 mm
  - Length: 50 m
  - Adhesion Strength: 3.8 N/cm
  - Adhesive Material: Aluminium Foil
  - Maximum Temperature Resistance: +110 °C



1468963 0.09 mm

**RS PRO NON-CONDUCTIVE METALLIC TAPE, 25MM X 33M**

- 包裝尺寸: 1 x EA
- Total Thickness: 0.065 mm
  - Tape Type: Copper Tape
  - Foil Thickness: 0.035 mm
  - Width: 25 mm
  - Length: 33 m
  - Conductivity: Non-Conductive
  - Adhesion Strength: 4.5 N/cm
  - Adhesive Material: Thermosetting Acrylic



1767501 0.065 mm

**RS PRO CONDUCTIVE METALLIC TAPE, 19MM X 33M**

- 包裝尺寸: 1 x EA
- Total Thickness: 0.06 mm
  - Tape Type: Copper Tape
  - Foil Thickness: 0.035 mm
  - Width: 19 mm
  - Length: 33 m
  - Conductivity: Conductive
  - Adhesion Strength: 4.5 N/cm
  - Adhesive Material: Thermosetting Acrylic



1767499 0.06 mm

**ADHESIVE, NOZZLES, DISPENSING SYSTEM**

- 包裝尺寸: 10 x EA
- Supported Adhesive Type: Epoxy
  - Supported Cartridge Size: 50 ml
  - Supported Cartridge Type: Bayonet
  - Number of Mixing Elements: 10
  - Length: 150 mm



503385 Epoxy

**RS PRO CONDUCTIVE METALLIC TAPE, 10MM X 33M**

- 包裝尺寸: 1 x EA
- Total Thickness: 0.06 mm
  - Tape Type: Copper Tape
  - Foil Thickness: 0.035 mm
  - Width: 10 mm
  - Length: 33 m
  - Conductivity: Conductive
  - Adhesion Strength: 4.5 N/cm
  - Adhesive Material: Thermosetting Acrylic



1767500 0.06 mm

**RS PRO MIXER NOZZLE, 200ML SCREW FIT 10 MIXING ELEMENTS**

- 包裝尺寸: 10 x EA
- Supported Adhesive Type: Epoxy
  - Supported Cartridge Size: 200 ml
  - Supported Cartridge Type: Screw Fit
  - Number of Mixing Elements: 10
  - Length: 190 mm



4788467 Epoxy

**RS PRO NON-CONDUCTIVE METALLIC TAPE, 19MM X 33M**

- 包裝尺寸: 1 x EA
- Total Thickness: 0.065 mm
  - Tape Type: Copper Tape
  - Foil Thickness: 0.035 mm
  - Width: 19 mm
  - Length: 33 m
  - Conductivity: Non-Conductive
  - Adhesion Strength: 4.5 N/cm
  - Adhesive Material: Thermosetting Acrylic



1767503 0.065 mm

**RS PRO PACKING TAPE, 66M X 48MM**

- 包裝尺寸: 1 x EA
- Backing Material: Polypropylene
  - Width: 48 mm
  - Length: 66 m
  - Thickness: 0.054 mm
  - Elongation at Break: 110 %



1769806 Polypropylene

**50ML BAYONET 7 MIXING ELEMENTS**

- 包裝尺寸: 10 x EA
- Supported Adhesive Type: Acrylic
  - Supported Cartridge Size: 50 ml
  - Supported Cartridge Type: Bayonet
  - Number of Mixing Elements: 7
  - Length: 58 mm



2397788 Acrylic

**BRUSH, FITCH, ROUND, 12**

- 包裝尺寸: 5 x EA
- Brush Size: Thin
  - Bristle Shape: Round
  - Bristle Material: Fibre
  - Artist Brush Number: 12
  - Brush Diameter or Width: 16 mm
  - Angled: No



2379207 Thin

## RS PRO TRANSPARENT PACKING TAPE, 66M X 48MM

- 包装尺寸: 1 x EA
- Backing Material: Polypropylene
  - Width: 48 mm
  - Length: 66 m
  - Thickness: 0.054 mm
  - Colour: Transparent
  - Elongation at Break: 110 %



1769805 Polypropylene

## BRUSH, LARGE, WHITE MEXICAN FIBRE FILLED, 150X40MM

- 包装尺寸: 1 x EA
- Brush Size: Extra Broad
  - Bristle Shape: Flat
  - Bristle Material: Fibre
  - Brush Diameter or Width: 150 mm
  - Angled: No



2379184 Extra Broad

## COTTAM THIN 12.7MM FIBRE PAINT BRUSH WITH ROUND BRISTLES

- 包装尺寸: 5 x EA
- Brush Size: Thin
  - Bristle Shape: Round
  - Bristle Material: Fibre
  - Artist Brush Number: 10
  - Brush Diameter or Width: 12.7 mm
  - Angled: No



2379229 Thin

## COTTAM THIN 19MM SYNTHETIC PAINT BRUSH SET WITH FLAT BRISTLES

- 包装尺寸: 5 x EA
- Brush Size: Thin
  - Bristle Shape: Flat
  - Bristle Material: Synthetic
  - Artist Brush Number: 10
  - Brush Diameter or Width: 19 mm
  - Angled: No



3152154 Thin

## COTTAM THIN 22MM SYNTHETIC PAINT BRUSH SET WITH FLAT BRISTLES

- 包装尺寸: 5 x EA
- Brush Size: Thin
  - Bristle Shape: Flat
  - Bristle Material: Synthetic
  - Artist Brush Number: 12
  - Brush Diameter or Width: 22 mm
  - Angled: No



3152160 Thin

## COTTAM 25.4MM SYNTHETIC PAINT BRUSH SET WITH FLAT BRISTLES

- 包装尺寸: 3 x EA
- Brush Size: Mixed
  - Bristle Shape: Flat
  - Bristle Material: Synthetic
  - Brush Diameter or Width: 25.4 mm, 38.1 mm, 50.8 mm
  - Angled: No



4716333 Mixed

## COTTAM 228MM X 44MM PAINT ROLLER (LONG PILE)

- 包装尺寸: 1 x EA
- Type: Roller
  - Roller Diameter: 44 mm
  - Width: 228 mm
  - Pile Length: Long



2076469 Roller

## TRAY, PLASTIC, PAINT ROLLER, 91N

- 包装尺寸: 1 x EA
- Type: Tray
  - Width: 228 mm



2076510 Tray

## COTTAM 228MM X 44MM PAINT ROLLER (MEDIUM PILE)

- 包装尺寸: 1 x EA
- Type: Roller
  - Roller Diameter: 44 mm
  - Width: 228 mm
  - Pile Length: Medium



3152198 Roller

## COTTAM 228MM X 44MM PAINT ROLLER (LONG PILE)

- 包装尺寸: 1 x EA
- Type: Roller
  - Roller Diameter: 44 mm
  - Width: 228 mm
  - Pile Length: Long



2076475 Roller

## COTTAM 102MM X 12MM PAINT ROLLER (LONG PILE)

- 包装尺寸: 10 x EA
- Type: Roller
  - Roller Diameter: 12 mm
  - Width: 102 mm
  - Pile Length: Long



3152312 Roller

## COTTAM 102MM X 102MM PAINT ROLLER (SHORT PILE)

- 包装尺寸: 10 x EA
- Type: Roller
  - Roller Diameter: 102 mm
  - Width: 102 mm
  - Pile Length: Short



3152328 Roller

## COTTAM 300MM PAINT TRAY

- 包装尺寸: 1 x EA
- Type: Scuttle
  - Width: 300 mm



3152334 Scuttle

## RS PRO PAINT ROLLER REFILL

- 包装尺寸: 1 x EA
- Type: Roller Refill



2076504 Roller Refill

## ROLLER, PAINT, MEDIUM PILE, 12IN

- 包装尺寸: 1 x EA
- Type: Roller
  - Roller Diameter: 44 mm
  - Width: 305 mm
  - Pile Length: Medium



3152261 Roller

## 20

- 包装尺寸: 1 x EA
- Width: 12 mm
  - Thickness: 0.2 mm
  - Length: 5 m
  - Colour: White
  - Minimum Operating Temperature: -200 °C
  - Maximum Operating Temperature: +260 °C



231964 12 mm

**TAPE, ADHESIVE, PTFE FOAM SEALING STRIP, 7MMX2M**

包裝尺寸: 2 x MTR

- Width: 7 mm
- Thickness: 2.5 mm
- Length: 2 m
- Colour: White
- Minimum Operating Temperature: -196 °C
- Maximum Operating Temperature: +260 °C



512244 7 mm

**COTTAM PAINT ROLLER AND TRAY KIT INCLUDES: CAGE FRAME, PLASTIC**

包裝尺寸: 1 x KT

- Type: Decorator Kit
- Kit Includes: Cage Frame, Plastic Tray, Polyester Roller Sleeve



9132459 Decorator Kit

**COTTAM PAINT ROLLER AND TRAY KIT INCLUDES: 2 X ACRYLIC ROLLER**

包裝尺寸: 1 x KT

- Type: Decorator Kit
- Kit Includes: 2 x Acrylic Roller Sleeve, 2 x Foam Roller Sleeve, Mini Roller Cage Frame, Plastic Tray, Velour Roller Sleeve



9132468 Decorator Kit

**PTFE THREAD SEAL TAPE 12MM X 12M**

包裝尺寸: 1 x EA

- Width: 12 mm
- Thickness: 0.075 mm
- Length: 12 m
- Colour: White
- Minimum Operating Temperature: -190 °C
- Maximum Operating Temperature: +230 °C



1833490 12 mm

**RS PRO RSNA 580 RB RED/WHITE HIGH-DENSITY POLYETHYLENE 500M**

包裝尺寸: 1 x EA

- Colour: Red/White
- Tape Type: Hazard Tape
- Backing Material: High-Density Polyethylene
- Width: 75 mm
- Length: 500 m
- Thickness: 0.025 mm
- Model Number: RSNA 580 RB



1252187 Red/White

**RS PRO YELLOW 33M LANE MARKING TAPE**

包裝尺寸: 1 x EA

- Colour: Yellow
- Tape Type: Lane Marking Tape
- Width: 50 mm
- Length: 33 m



1719692 Yellow

**RS PRO BLUE 33M LANE MARKING TAPE**

包裝尺寸: 1 x EA

- Colour: Blue
- Tape Type: Lane Marking Tape
- Width: 50 mm
- Length: 33 m



1719693 Blue

**RS PRO GREEN 33M LANE MARKING TAPE**

包裝尺寸: 1 x EA

- Colour: Green
- Tape Type: Lane Marking Tape
- Width: 50 mm
- Length: 33 m



1719694 Green

**RS PRO BLACK/YELLOW HIGH-DENSITY POLYETHYLENE 100M**

包裝尺寸: 1 x EA

- Colour: Black/Yellow
- Tape Type: Hazard Tape
- Backing Material: High-Density Polyethylene
- Width: 50 mm
- Length: 100 m
- Thickness: 0.02 mm



503708 Black/Yellow

**RS PRO RED 33M LANE MARKING TAPE**

包裝尺寸: 1 x EA

- Colour: Red
- Tape Type: Lane Marking Tape
- Width: 50 mm
- Length: 33 m



1719696 Red

**RS PRO WHITE 33M LANE MARKING TAPE**

包裝尺寸: 1 x EA

- Colour: White
- Tape Type: Lane Marking Tape
- Width: 50 mm
- Length: 33 m



1719697 White

**RS PRO RED/WHITE 33M FLOOR TAPE**

包裝尺寸: 1 x EA

- Colour: Red/White
- Tape Type: Lane Marking Tape
- Width: 50 mm
- Length: 33 m



1719700 Red/White

**RS PRO GREEN/WHITE 33M LANE MARKING TAPE**

包裝尺寸: 1 x EA

- Colour: Green/White
- Tape Type: Lane Marking Tape
- Width: 50 mm
- Length: 33 m



1719701 Green/White

**RS PRO BLACK POLYETHYLENE 18.3M HAZARD TAPE, 0.05MM THICKNESS**

包裝尺寸: 1 x EA

- Colour: Black
- Tape Type: Hazard Tape
- Backing Material: Polyethylene
- Width: 102 mm
- Length: 18.3 m
- Thickness: 0.05 mm



7621500 Black

**RS PRO BLACK/YELLOW PVC 33M LANE MARKING TAPE, 0.14MM**

包裝尺寸: 1 x EA

- Tape Type: Lane Marking Tape
- Colour: Black/Yellow
- Backing Material: PVC
- Width: 50 mm
- Length: 33 m
- Thickness: 0.14 mm
- Adhesion Strength: 3.5 N/cm
- Maximum Operating Temperature: +40 °C



1971012 Lane Marking

**RS PRO BLACK POLYPROPYLENE 18.3M HAZARD TAPE, 0.05MM**

包裝尺寸: 1 x EA

- Colour: Black
- Tape Type: Hazard Tape
- Backing Material: Polypropylene
- Width: 50 mm
- Length: 18.3 m
- Thickness: 0.05 mm



7621506 Black

## RS PRO BLACK POLYETHYLENE 18.3M HAZARD TAPE, 0.05MM THICKNESS

包装尺寸: 1 x EA

- Colour: Black
- Tape Type: Hazard Tape
- Backing Material: Polyethylene
- Width: 152 mm
- Length: 18.3 m
- Thickness: 0.05 mm



7621519 Black

## RS PRO BLACK/YELLOW POLYETHYLENE 18.3M HAZARD TAPE,

包装尺寸: 1 x EA

- Colour: Black/Yellow
- Tape Type: Hazard Tape
- Backing Material: Polyethylene
- Width: 50 mm
- Length: 18.3 m
- Thickness: 0.05 mm



7621525 Black/Yellow

## RS PRO RED/WHITE HIGH-DENSITY POLYETHYLENE 100M BARRIER TAPE,

包装尺寸: 1 x EA

- Colour: Red/White
- Tape Type: Barrier Tape
- Backing Material: High-Density Polyethylene
- Width: 50 mm
- Length: 100 m
- Thickness: 0.02 mm



503714 Red/White

## RS PRO BLACK SELF AMALGAMATING TAPE 25MM X 10M

包装尺寸: 1 x EA

- Backing Material: Polyisobutylene
- Width: 25 mm
- Length: 10 m
- Thickness: 0.5 mm
- Colour: Black
- Maximum Operating Temperature: +100 °C
- Minimum Operating Temperature: -30 °C



1468998 Polyisobutylene

## RS PRO BLACK 33M LANE MARKING TAPE

包装尺寸: 1 x EA

- Colour: Black
- Tape Type: Lane Marking Tape
- Width: 50 mm
- Length: 33 m



1719695 Black

## RS PRO BLACK SELF AMALGAMATING TAPE 19MM X 10M

包装尺寸: 1 x EA

- Width: 19 mm
- Length: 10 m
- Thickness: 0.5 mm
- Colour: Black
- Maximum Operating Temperature: +130 °C
- Minimum Operating Temperature: -35 °C



1469000 19 mm

## RS PRO BLACK SELF AMALGAMATING TAPE 38MM X 1.5M

包装尺寸: 1 x EA

- Backing Material: Rubber
- Width: 38 mm
- Length: 1.5 m
- Thickness: 3 mm
- Colour: Black
- Maximum Operating Temperature: +80 °C
- Minimum Operating Temperature: -30 °C



1469001 Rubber

## RS PRO SELF AMALGAMATING TAPE 50MM X 10M

包装尺寸: 1 x EA

- Width: 50 mm
- Length: 10 m



1468999 50 mm

## SYRINGE, WHITE, POLYETHYLENE, 5ML

包装尺寸: 10 x EA

- Product Capacity: 6 ml
- Length: 165 mm
- Product Material: PE
- Cap Included: Yes



496748 6 ml

## DUST, SHEET, POLYETHYLENE, 12X12FT

包装尺寸: 1 x EA

- Colour: Transparent
- Material: Polypropylene



3152340 Transparent

## DUST, SHEET, HD, 12X10FT

包装尺寸: 1 x EA

- Colour: Beige
- Material: Cotton
- Width: 2.7 m
- Length: 3.6 m



3152356 Beige

## RS PRO RED/WHITE PE 100M BARRIER TAPE

包装尺寸: 1 x EA

- Colour: Red/White
- Tape Type: Barrier Tape
- Backing Material: PE
- Width: 75 mm
- Length: 100 m
- Pre-printed: None



7632049 Red/White

## RS PRO BLACK SELF AMALGAMATING TAPE 38MM X 10M

包装尺寸: 1 x EA

- Backing Material: Rubber
- Width: 38 mm
- Length: 10 m
- Thickness: 1 mm
- Colour: Black
- Maximum Operating Temperature: +80 °C
- Minimum Operating Temperature: -30 °C



1469002 Rubber



## FEET, SCREW FIXING, GREY, 19MM DIA, 10.2MM

包装尺寸: 50 x EA

- Diameter: 19 mm
- Overall Height: 10.2 mm
- Material: Polyethylene
- Foot Shape: Round
- Maximum Operating Temperature: +70 °C
- Minimum Operating Temperature: -30 °C



543232 19 mm

## FEET, SCREW FIXING, GREY, 15.5MM DIA, 8.9MM

包装尺寸: 50 x EA

- Diameter: 15.5 mm
- Overall Height: 8.9 mm
- Material: Polyethylene
- Foot Shape: Round
- Maximum Operating Temperature: +70 °C
- Minimum Operating Temperature: -30 °C



543248 15.5 mm

## RS PRO M12 RUBBER ADJUSTABLE FOOT, 1000KG STATIC LOAD

包装尺寸: 1 x EA

- Static Load Capacity: 1000 kg
- Thread Size: M12
- Thread Length: 120 mm
- Tilt Angle: 10 °
- Foot Material: Rubber
- Base Material: Stainless Steel
- Shore Hardness: 70 Shore A
- Height: 129



1263550 1000 kg

## FEET, SCREW FIXING, BLACK, 19MM DIA, 15.5MM

包装尺寸: 50 x EA

- Diameter: 19 mm
- Overall Height: 15.9 mm
- Material: Low Density Polyethylene (LDPE)
- Foot Shape: Round
- Maximum Operating Temperature: +70 °C
- Minimum Operating Temperature: -30 °C



543513 19 mm

## FIXED HEIGHT MOUNT 46 X 16 M0 X 37

包装尺寸: 1 x EA

- Thread Size: M10
- Diameter: 46 mm
- Foot Height: 15 mm
- Overall Height: 16 mm
- Material: Natural Rubber
- Mounting Type: Screw-in
- Foot Shape: Round
- Metalwork: Zinc Plated Steel



1263556 M10

## RS PRO M12 80MM DIA. RUBBER ADJUSTABLE FOOT, 1000KG STATIC

包装尺寸: 1 x EA

- Static Load Capacity: 1000 kg
- Thread Size: M12
- Thread Length: 125 mm
- Tilt Angle: 10 °
- Foot Material: Rubber
- Base Material: Stainless Steel
- Diameter: 80 mm
- Shore Hardness: 70 Shore A



1263560 1000 kg

## RS PRO M12 RUBBER ADJUSTABLE FOOT, 1500KG STATIC LOAD

包装尺寸: 1 x EA

- Static Load Capacity: 1500 kg
- Thread Size: M12
- Thread Length: 100 mm
- Tilt Angle: 5 °
- Foot Material: Rubber
- Base Material: Zinc Plated Steel
- Shore Hardness: 70 Shore A
- Height: 132



1263551 1500 kg

## RS PRO M12 80MM DIA. RUBBER ADJUSTABLE FOOT, 1000KG STATIC

包装尺寸: 1 x EA

- Static Load Capacity: 1000 kg
- Thread Size: M12
- Thread Length: 150 mm
- Tilt Angle: 10 °
- Foot Material: Rubber
- Base Material: Mild Steel
- Diameter: 80 mm
- Shore Hardness: 70 Shore A



1263553 1000 kg

## RS PRO M20 RUBBER ADJUSTABLE FOOT, 3000KG STATIC LOAD

包装尺寸: 1 x EA

- Static Load Capacity: 3000 kg
- Thread Size: M20
- Thread Length: 160 mm
- Foot Material: Rubber
- Base Material: Mild Steel
- Shore Hardness: 60 Shore A
- Height: 48 → 53 mm
- Maximum Adjustment Height: 170 mm



1263552 3000 kg

## RS PRO M16 RUBBER ADJUSTABLE FOOT, 1500KG STATIC LOAD

包装尺寸: 1 x EA

- Static Load Capacity: 1500 kg
- Thread Size: M16
- Thread Length: 150 mm
- Tilt Angle: 10 °
- Foot Material: Rubber
- Base Material: Zinc Plated Steel
- Shore Hardness: 70 Shore A
- Height: 119



1263554 1500 kg

## RS PRO M16 RUBBER ADJUSTABLE FOOT, 1000KG STATIC LOAD

包装尺寸: 1 x EA

- Static Load Capacity: 1000 kg
- Thread Size: M16
- Thread Length: 150 mm
- Tilt Angle: 10 °
- Foot Material: Rubber
- Base Material: Zinc Plated Steel
- Shore Hardness: 70 Shore A
- Height: 185



1263562 1000 kg

## RS PRO CYLINDRICAL M4 ANTI VIBRATION MOUNT WITH 7KG

包装尺寸: 4 x EA

- Thread Size: M4
- Diameter: 9.3 mm
- Foot Height: 11.5 mm
- Overall Height: 9 mm
- Static Load Capacity: 7 kg
- Material: Natural Rubber
- Mounting Type: Screw-in
- Foot Shape: Cylindrical



1263565 M4

## RS PRO CYLINDRICAL M5 ANTI VIBRATION MOUNT WITH 10KG

包装尺寸: 4 x EA

- Thread Size: M5
- Diameter: 10.2 mm
- Foot Height: 14.5 mm
- Overall Height: 15 mm
- Static Load Capacity: 10 kg
- Material: Natural Rubber
- Mounting Type: Screw-in
- Shore Hardness: 60 Shore A



1263566 M5

## RS PRO CYLINDRICAL M6 ANTI VIBRATION MOUNT WITH 14KG

包装尺寸: 4 x EA

- Thread Size: M6
- Diameter: 12.7 mm
- Foot Height: 17 mm
- Overall Height: 18 mm
- Static Load Capacity: 14 kg
- Material: Natural Rubber
- Mounting Type: Screw-in
- Foot Shape: Cylindrical



1263567 M6

## RS PRO CYLINDRICAL M8 ANTI VIBRATION MOUNT WITH 28KG

包装尺寸: 4 x EA

- Thread Size: M8
- Diameter: 16.5 mm
- Foot Height: 22 mm
- Overall Height: 24 mm
- Static Load Capacity: 28 kg
- Material: Natural Rubber
- Mounting Type: Screw-in
- Foot Shape: Cylindrical



1263568 M8

## RS PRO CYLINDRICAL M3 ANTI VIBRATION MOUNT WITH 6KG

包装尺寸: 4 x EA

- Thread Size: M3
- Diameter: 12 mm
- Foot Height: 16 mm
- Overall Height: 9 mm
- Static Load Capacity: 6 kg
- Material: Natural Rubber
- Mounting Type: Screw-in
- Foot Shape: Cylindrical



1263569 M3

**RS PRO CYLINDRICAL M12 ANTI VIBRATION MOUNT, RUBBER BUSH**

- 包裝尺寸: 1 x EA
- Anti Vibration Mount Type: Rubber Bush
  - Thread Size: M12
  - Diameter: 44.5 mm
  - Foot Height: 25.4 mm
  - Overall Height: 25 mm
  - Static Load Capacity: 155 kg
  - Material: Natural Rubber
  - Mounting Type: Screw-in



1263573 Rubber Bush

**RS PRO CYLINDRICAL M10 ANTI VIBRATION MOUNT, RUBBER BUSH**

- 包裝尺寸: 4 x EA
- Anti Vibration Mount Type: Rubber Bush
  - Thread Size: M10
  - Diameter: 27 mm
  - Foot Height: 16 mm
  - Overall Height: 16 mm
  - Static Load Capacity: 0
  - Material: Natural Rubber
  - Mounting Type: Screw-in



1263575 Rubber Bush

**RS PRO ROUND M10 ANTI VIBRATION MOUNT WITH 40KG COMPRESSION**

- 包裝尺寸: 1 x EA
- Thread Size: M10
  - Diameter: 85 mm
  - Foot Height: 25 mm
  - Overall Height: 25 mm
  - Static Load Capacity: 40 kg
  - Material: Natural Rubber
  - Metalwork: Zinc Plated Steel
  - Compression Load: 40 kg



1263576 M10

**RS PRO ROUND M16 ANTI VIBRATION MOUNT WITH 390 COMPRESSION**

- 包裝尺寸: 1 x EA
- Thread Size: M16
  - Diameter: 64 mm
  - Foot Height: 63 mm
  - Overall Height: 63 mm
  - Static Load Capacity: 390
  - Material: Natural Rubber
  - Mounting Type: Screw-in
  - Foot Shape: Round



1263581 M16

**RS PRO ROUND M14 ANTI VIBRATION MOUNT WITH 172 COMPRESSION**

- 包裝尺寸: 1 x EA
- Thread Size: M14
  - Diameter: 47 mm
  - Foot Height: 52 mm
  - Overall Height: 52 mm
  - Static Load Capacity: 172
  - Material: Natural Rubber
  - Mounting Type: Screw-in
  - Foot Shape: Round



1263582 M14

**RS PRO ROUND M10 ANTI VIBRATION MOUNT WITH 51 COMPRESSION**

- 包裝尺寸: 2 x EA
- Thread Size: M10
  - Diameter: 32 mm
  - Foot Height: 32 mm
  - Overall Height: 32 mm
  - Static Load Capacity: 51
  - Material: Rubber
  - Mounting Type: Screw-in
  - Foot Shape: Round



1263583 M10

**RS PRO ROUND M10 ANTI VIBRATION MOUNT WITH 100 COMPRESSION**

- 包裝尺寸: 2 x EA
- Thread Size: M10
  - Diameter: 32 mm
  - Foot Height: 32 mm
  - Overall Height: 32 mm
  - Static Load Capacity: 100
  - Material: Rubber
  - Mounting Type: Screw-in
  - Foot Shape: Round



1263584 M10

**RS PRO CIRCULAR ANTI VIBRATION MOUNT WITH 100 COMPRESSION**

- 包裝尺寸: 2 x EA
- Diameter: 50 mm
  - Foot Height: 30 mm
  - Overall Height: 30 mm
  - Static Load Capacity: 100
  - Material: Natural Rubber
  - Mounting Type: Screw-in
  - Foot Shape: Circular
  - Metalwork: Zinc Plated Steel



1263855 50 mm

**RS PRO CIRCULAR ANTI VIBRATION MOUNT WITH 0 COMPRESSION LOAD**

- 包裝尺寸: 2 x EA
- Diameter: 40 mm
  - Foot Height: 30 mm
  - Overall Height: 30 mm
  - Static Load Capacity: 0
  - Material: Natural Rubber
  - Mounting Type: Screw-in
  - Foot Shape: Circular
  - Metalwork: Zinc Plated Steel



1263856 40 mm

**RS PRO CIRCULAR ANTI VIBRATION MOUNT WITH 0 COMPRESSION LOAD**

- 包裝尺寸: 2 x EA
- Diameter: 25 mm
  - Foot Height: 25 mm
  - Overall Height: 25 mm
  - Static Load Capacity: 0
  - Material: Natural Rubber
  - Mounting Type: Screw-in
  - Foot Shape: Circular
  - Metalwork: Zinc Plated Steel



1263859 25 mm

**RS PRO CIRCULAR ANTI VIBRATION MOUNT WITH 0 COMPRESSION LOAD**

- 包裝尺寸: 4 x EA
- Diameter: 25 mm
  - Foot Height: 20 mm
  - Overall Height: 20 mm
  - Static Load Capacity: 0
  - Material: Natural Rubber
  - Mounting Type: Screw-in
  - Foot Shape: Circular
  - Metalwork: Zinc Plated Steel



1263860 25 mm

**CYL MT 25MMODX10.5MMIDX15MM HT 50 SHA**

- 包裝尺寸: 4 x EA
- Diameter: 25 mm
  - Foot Height: 15 mm
  - Overall Height: 15 mm
  - Static Load Capacity: 0
  - Material: Natural Rubber
  - Mounting Type: Screw-in
  - Foot Shape: Circular
  - Metalwork: Zinc Plated Steel



1263861 25 mm

**RS PRO CIRCULAR ANTI VIBRATION MOUNT WITH 0 COMPRESSION LOAD**

- 包裝尺寸: 4 x EA
- Diameter: 20 mm
  - Foot Height: 30 mm
  - Overall Height: 30 mm
  - Static Load Capacity: 0
  - Material: Natural Rubber
  - Mounting Type: Screw-in
  - Foot Shape: Circular
  - Metalwork: Stainless Steel



1263862 20 mm

**RS PRO CIRCULAR ANTI VIBRATION MOUNT WITH 0 COMPRESSION LOAD**

- 包裝尺寸: 4 x EA
- Diameter: 20 mm
  - Foot Height: 20 mm
  - Overall Height: 20 mm
  - Static Load Capacity: 0
  - Material: Natural Rubber
  - Mounting Type: Screw-in
  - Foot Shape: Circular
  - Metalwork: Stainless Steel



1263865 20 mm

**RS PRO CIRCULAR ANTI VIBRATION MOUNT WITH 0 COMPRESSION LOAD**

- 包裝尺寸: 8 x EA
- Diameter: 20 mm
  - Foot Height: 15 mm
  - Overall Height: 15 mm
  - Static Load Capacity: 0
  - Material: Natural Rubber
  - Mounting Type: Screw-in
  - Foot Shape: Circular
  - Metalwork: Stainless Steel



1263866 20 mm

**RS PRO ROUND M16 ANTI VIBRATION MOUNT WITH 690 COMPRESSION**

- 包裝尺寸: 1 x EA
- Thread Size: M16
  - Diameter: 192 mm
  - Foot Height: 40.5 mm
  - Overall Height: 41 mm
  - Static Load Capacity: 690
  - Material: Natural Rubber
  - Metalwork: Zinc Plated Steel
  - Compression Load: 690



1263871 M16

## RS PRO ROUND M20 ANTI VIBRATION MOUNT WITH 2300 COMPRESSION

- 包裝尺寸: 1 x EA
- Thread Size: M20
  - Diameter: 190 mm
  - Foot Height: 66.5 mm
  - Overall Height: 66 mm
  - Static Load Capacity: 2300
  - Material: Natural Rubber
  - Metalwork: Zinc Plated Steel
  - Compression Load: 2300



1263873 M20

## RS PRO ROUND M16 ANTI VIBRATION MOUNT WITH 750 COMPRESSION

- 包裝尺寸: 1 x EA
- Thread Size: M16
  - Diameter: 190 mm
  - Foot Height: 50 mm
  - Overall Height: 50 mm
  - Static Load Capacity: 750
  - Material: Natural Rubber
  - Metalwork: Stainless Steel
  - Compression Load: 750



1263874 M16

## RS PRO ROUND M16 ANTI VIBRATION MOUNT WITH 750 COMPRESSION

- 包裝尺寸: 1 x EA
- Thread Size: M16
  - Diameter: 190 mm
  - Foot Height: 50 mm
  - Overall Height: 50 mm
  - Static Load Capacity: 750
  - Material: Natural Rubber
  - Metalwork: Zinc Plated Steel
  - Compression Load: 750



1263875 M16

## RS PRO ROUND M16 ANTI VIBRATION MOUNT WITH 450 COMPRESSION

- 包裝尺寸: 1 x EA
- Thread Size: M16
  - Diameter: 172 mm
  - Foot Height: 38 mm
  - Overall Height: 38 mm
  - Static Load Capacity: 450
  - Material: Natural Rubber
  - Metalwork: Zinc Plated Steel
  - Compression Load: 450



1263877 M16

## RS PRO ROUND M16 ANTI VIBRATION MOUNT WITH 400 COMPRESSION

- 包裝尺寸: 1 x EA
- Thread Size: M16
  - Diameter: 169 mm
  - Foot Height: 40 mm
  - Overall Height: 40 mm
  - Static Load Capacity: 400
  - Material: Natural Rubber
  - Metalwork: Stainless Steel
  - Compression Load: 400



1263878 M16

## RS PRO ROUND M16 ANTI VIBRATION MOUNT WITH 400 COMPRESSION

- 包裝尺寸: 1 x EA
- Thread Size: M16
  - Diameter: 169 mm
  - Foot Height: 40 mm
  - Overall Height: 40 mm
  - Static Load Capacity: 400
  - Material: Natural Rubber
  - Metalwork: Zinc Plated Steel
  - Compression Load: 400



1263879 M16

## RS PRO ROUND M12 ANTI VIBRATION MOUNT WITH 330 COMPRESSION

- 包裝尺寸: 1 x EA
- Thread Size: M12
  - Diameter: 144 mm
  - Foot Height: 36 mm
  - Overall Height: 36 mm
  - Static Load Capacity: 330
  - Material: Natural Rubber
  - Metalwork: Stainless Steel
  - Compression Load: 330



1263880 M12

## RS PRO ROUND M12 ANTI VIBRATION MOUNT WITH 330 COMPRESSION

- 包裝尺寸: 1 x EA
- Thread Size: M12
  - Diameter: 144 mm
  - Foot Height: 36 mm
  - Overall Height: 36 mm
  - Static Load Capacity: 330
  - Material: Natural Rubber
  - Metalwork: Zinc Plated Steel
  - Compression Load: 330



1263881 M12

## RS PRO ROUND M12 ANTI VIBRATION MOUNT WITH 600 COMPRESSION

- 包裝尺寸: 1 x EA
- Thread Size: M12
  - Diameter: 128 mm
  - Foot Height: 45 mm
  - Overall Height: 45 mm
  - Static Load Capacity: 600
  - Material: Natural Rubber
  - Metalwork: Zinc Plated Steel
  - Compression Load: 600



1263884 M12

## RS PRO ROUND M10 ANTI VIBRATION MOUNT WITH 220 COMPRESSION

- 包裝尺寸: 1 x EA
- Thread Size: M10
  - Diameter: 128 mm
  - Foot Height: 30 mm
  - Overall Height: 30 mm
  - Static Load Capacity: 220
  - Material: Natural Rubber
  - Metalwork: Zinc Plated Steel
  - Compression Load: 220



1263885 M10

## RS PRO ROUND M12 ANTI VIBRATION MOUNT WITH 124 COMPRESSION

- 包裝尺寸: 1 x EA
- Thread Size: M12
  - Diameter: 110 mm
  - Foot Height: 35 mm
  - Overall Height: 35 mm
  - Static Load Capacity: 124
  - Material: Natural Rubber
  - Metalwork: Stainless Steel
  - Compression Load: 124



1263889 M12

## RS PRO ROUND M12 ANTI VIBRATION MOUNT WITH 124 COMPRESSION

- 包裝尺寸: 1 x EA
- Thread Size: M12
  - Diameter: 110 mm
  - Foot Height: 35 mm
  - Overall Height: 35 mm
  - Static Load Capacity: 124
  - Material: Natural Rubber
  - Metalwork: Zinc Plated Steel
  - Compression Load: 124



1263890 M12

## RS PRO M12 RUBBER ADJUSTABLE FOOT, 600KG STATIC LOAD

- 包裝尺寸: 1 x EA
- Static Load Capacity: 600 kg
  - Thread Size: M12
  - Thread Length: 80 mm
  - Foot Material: Rubber
  - Base Material: Mild Steel
  - Shore Hardness: 60 Shore A
  - Height: 38 → 48 mm
  - Maximum Adjustment Height: 100 mm



1263896 600 kg

## RS PRO M16 RUBBER ADJUSTABLE FOOT, 1500KG STATIC LOAD

- 包裝尺寸: 1 x EA
- Static Load Capacity: 1500 kg
  - Thread Size: M16
  - Thread Length: 120 mm
  - Foot Material: Rubber
  - Base Material: Mild Steel
  - Shore Hardness: 60 Shore A
  - Height: 43 → 50 mm
  - Maximum Adjustment Height: 120 mm



1263897 1500 kg

## RS PRO CYLINDRICAL M10 ANTI VIBRATION MOUNT WITH 120KG

- 包裝尺寸: 1 x EA
- Thread Size: M10
  - Diameter: 60 mm
  - Foot Height: 25 mm
  - Overall Height: 108 mm
  - Static Load Capacity: 120 kg
  - Material: Natural Rubber
  - Mounting Type: Screw-in
  - Shore Hardness: 65 Shore A



1263898 M10

## RS PRO CYLINDRICAL M8 ANTI VIBRATION MOUNT WITH 80KG

- 包裝尺寸: 2 x EA
- Thread Size: M8
  - Diameter: 48 mm
  - Foot Height: 23 mm
  - Overall Height: 63 mm
  - Static Load Capacity: 80 kg
  - Material: Natural Rubber
  - Mounting Type: Screw-in
  - Foot Shape: Cylindrical



1263899 M8

**RS PRO ROUND M6 ANTI VIBRATION MOUNT WITH 9KG COMPRESSION**

包装尺寸: 2 x EA

- Thread Size: M6
- Diameter: 64 mm
- Foot Height: 20 mm
- Overall Height: 64 mm
- Static Load Capacity: 9 kg
- Material: Natural Rubber
- Metalwork: Zinc Plated Steel
- Compression Load: 9 kg



1263904 M6

**RS PRO ROUND M12 ANTI VIBRATION MOUNT WITH 500 COMPRESSION**

包装尺寸: 1 x EA

- Thread Size: M12
- Diameter: 150 mm
- Foot Height: 63 mm
- Overall Height: 63 mm
- Static Load Capacity: 500
- Material: Zinc Plated Steel
- Compression Load: 500



1263905 M12

**CYL. MT (M/M) 10X8MM M5X15 60 SHA SS**

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M5
- Diameter: 10 mm
- Foot Height: 8 mm
- Overall Height: 8 mm
- Static Load Capacity: 5.4 kg
- Mounting Type: Screw-in
- Metalwork: Stainless Steel



1263910 Male to Male

**RS PRO CYLINDRICAL M8 ANTI VIBRATION MOUNT, MALE TO MALE**

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 20 mm
- Foot Height: 15 mm
- Overall Height: 15 mm
- Static Load Capacity: 18 kg
- Mounting Type: Screw-in
- Metalwork: Stainless Steel



1263911 Male to Male

**CYL. MT (M/M) 30X20MM M8X20 55 SHA SS**

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 30 mm
- Foot Height: 20 mm
- Overall Height: 20 mm
- Static Load Capacity: 47.2 kg
- Mounting Type: Screw-in
- Metalwork: Stainless Steel



1263912 Male to Male

**RS PRO CYLINDRICAL M10 ANTI VIBRATION MOUNT, MALE TO MALE**

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 40 mm
- Foot Height: 30 mm
- Overall Height: 30 mm
- Static Load Capacity: 96.2 kg
- Material: Natural Rubber
- Mounting Type: Screw-in



1263913 Male to Male

**RS PRO CYLINDRICAL M10 ANTI VIBRATION MOUNT, MALE TO MALE**

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Foot Height: 40 mm
- Overall Height: 40 mm
- Static Load Capacity: 146 kg
- Material: EPDM
- Mounting Type: Screw-in



1263914 Male to Male

**RS PRO CYLINDRICAL M12 ANTI VIBRATION MOUNT, MALE TO MALE**

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M12
- Diameter: 75 mm
- Foot Height: 40 mm
- Overall Height: 40 mm
- Static Load Capacity: 178 kg
- Mounting Type: Screw-in
- Metalwork: Stainless Steel



1263915 Male to Male

**CYL. MT (M/F) 10X15MM M5X8 80 SHA EPDMSS**

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M5
- Diameter: 10 mm
- Foot Height: 15 mm
- Overall Height: 15 mm
- Static Load Capacity: 8.43 kg
- Material: EPDM
- Mounting Type: Screw-in



1263916 Male to Female

**CYL. MT (M/F) 25X15MM M6X20 60 SHA SS**

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M6
- Diameter: 25 mm
- Foot Height: 15 mm
- Overall Height: 15 mm
- Static Load Capacity: 47.3 kg
- Mounting Type: Screw-in
- Metalwork: Stainless Steel



1263917 Male to Female

**CYL. MT (M/F) 30X20MM M8X20 55 SHA SS**

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 30 mm
- Foot Height: 20 mm
- Overall Height: 20 mm
- Static Load Capacity: 51.92 kg
- Mounting Type: Screw-in
- Metalwork: Stainless Steel



1263918 Male to Female

**CYL. MT (M/F) 40X30MM M8X20 45 SHA SS**

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 40 mm
- Foot Height: 30 mm
- Overall Height: 30 mm
- Static Load Capacity: 52.91 kg
- Material: EPDM
- Mounting Type: Screw-in



1263919 Male to Female

**RS PRO CYLINDRICAL M10 ANTI VIBRATION MOUNT, MALE TO FEMALE**

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Foot Height: 45 mm
- Overall Height: 45 mm
- Static Load Capacity: 154.22 kg
- Mounting Type: Screw-in
- Metalwork: Stainless Steel



1263920 Male to Female

**RS PRO CYLINDRICAL M10 ANTI VIBRATION MOUNT, MALE TO FEMALE**

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M10
- Diameter: 60 mm
- Foot Height: 50 mm
- Overall Height: 50 mm
- Static Load Capacity: 165 kg
- Material: EPDM
- Mounting Type: Screw-in



1263921 Male to Female

**RS PRO CYLINDRICAL M4 ANTI VIBRATION MOUNT, FEMALE TO**

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Female to Female Bobbin
- Thread Size: M4
- Diameter: 15 mm
- Foot Height: 12 mm
- Overall Height: 12 mm
- Static Load Capacity: 9.43 kg
- Mounting Type: Screw-in
- Metalwork: Stainless Steel



1263922 Female to Female

**CYL. MT (F/F) 20X20MM M6 60 SHA SS**

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Female to Female Bobbin
- Thread Size: M6
- Diameter: 20 mm
- Foot Height: 20 mm
- Overall Height: 20 mm
- Static Load Capacity: 25.3 kg
- Mounting Type: Screw-in
- Metalwork: Stainless Steel



1263923 Female to Female

## RS PRO CYLINDRICAL M6 ANTI VIBRATION MOUNT, FEMALE TO

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Female to Female Bobbin
- Thread Size: M6
- Diameter: 30 mm
- Foot Height: 40 mm
- Overall Height: 40 mm
- Static Load Capacity: 26.8 kg
- Mounting Type: Screw-in
- Metalwork: Stainless Steel



1263924 Female to Female

## RS PRO CYLINDRICAL M10 ANTI VIBRATION MOUNT, FEMALE TO

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Female to Female Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Foot Height: 40 mm
- Overall Height: 40 mm
- Static Load Capacity: 83.95 kg
- Mounting Type: Screw-in
- Metalwork: Stainless Steel



1263925 Female to Female

## RS PRO CYLINDRICAL M10 ANTI VIBRATION MOUNT, FEMALE TO

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Female to Female Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Foot Height: 45 mm
- Overall Height: 45 mm
- Static Load Capacity: 128.99 kg
- Mounting Type: Screw-in
- Metalwork: Stainless Steel



1263926 Female to Female

## CYL. FOOT MT (M) 10X8MM M4X6 85 SHA SS

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M4
- Diameter: 10 mm
- Foot Height: 8 mm
- Overall Height: 8 mm
- Static Load Capacity: 18 kg
- Material: EPDM
- Mounting Type: Screw-in



1263927 Male Buffer Foot

## CYL. FOOT MT(M)20X20MMM6X20 50 SHA SS

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M6
- Diameter: 20 mm
- Foot Height: 20 mm
- Overall Height: 20 mm
- Static Load Capacity: 13.97 kg
- Mounting Type: Screw-in
- Metalwork: Stainless Steel



1263928 Male Buffer Foot

## CYL. FOOT MT(M)30X20MMM8X15 45 SHA SS

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M8
- Diameter: 30 mm
- Foot Height: 20 mm
- Overall Height: 20 mm
- Static Load Capacity: 29.5 kg
- Mounting Type: Screw-in
- Metalwork: Stainless Steel



1263929 Male Buffer Foot

## RS PRO CYLINDRICAL M10 ANTI VIBRATION MOUNT, MALE BUFFER

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M10
- Diameter: 50 mm
- Foot Height: 40 mm
- Overall Height: 40 mm
- Static Load Capacity: 281 kg
- Mounting Type: Screw-in
- Metalwork: Stainless Steel



1263930 Male Buffer Foot

## RS PRO CYLINDRICAL M6 ANTI VIBRATION MOUNT WITH 18.8KG

包装尺寸: 2 x EA

- Thread Size: M6
- Diameter: 20 mm
- Foot Height: 20 mm
- Overall Height: 20 mm
- Static Load Capacity: 18.8 kg
- Mounting Type: Screw-in
- Foot Shape: Cylindrical
- Compression Load: 18.8 kg



1263932 M6

## RS PRO CYLINDRICAL M8 ANTI VIBRATION MOUNT, FEMALE BUFFER

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M8
- Diameter: 40 mm
- Foot Height: 20 mm
- Overall Height: 20 mm
- Static Load Capacity: 101.12 kg
- Mounting Type: Screw-in
- Metalwork: Stainless Steel



1263933 Female Buffer

## RS PRO M3 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 4.8KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M3
- Diameter: 8 mm
- Overall Height: 8 mm
- Material: Natural Rubber
- Compression Load: 4.8 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263935 Male to Male

## RS PRO M3 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 3.05KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M3
- Diameter: 8 mm
- Overall Height: 8 mm
- Material: Natural Rubber
- Shore Hardness: 50 Shore A
- Compression Load: 3.05 kg
- Metalwork: Zinc Plated Steel



1263936 Male to Male

## RS PRO CYLINDRICAL M10 ANTI VIBRATION MOUNT, FEMALE BUFFER

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M10
- Diameter: 40 mm
- Foot Height: 25 mm
- Overall Height: 25 mm
- Static Load Capacity: 86.4 kg
- Mounting Type: Screw-in
- Metalwork: Stainless Steel



1263934 Female Buffer

## RS PRO M4 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 6.16KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M4
- Diameter: 10 mm
- Overall Height: 8 mm
- Material: Natural Rubber
- Compression Load: 6.16 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 55 Shore A



1263939 Male to Male

## RS PRO M4 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 18.4KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M4
- Diameter: 15 mm
- Overall Height: 10 mm
- Material: Natural Rubber
- Compression Load: 18.4 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263941 Male to Male

## RS PRO M5 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 3.5KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M5
- Diameter: 15 mm
- Overall Height: 10 mm
- Material: Natural Rubber
- Compression Load: 3.5 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263942 Male to Male

## RS PRO M5 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 44.1KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M5
- Diameter: 16 mm
- Overall Height: 10 mm
- Material: Natural Rubber
- Compression Load: 44.1 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 70 Shore A



1263943 Male to Male

**RS PRO M5 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 4.3KG**

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M5
- Diameter: 12.5 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 4.3 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1263940 Male to Male

**RS PRO M4 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 12KG**

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M4
- Diameter: 16 mm
- Overall Height: 18 mm
- Material: Natural Rubber
- Compression Load: 12 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263944 Male to Male

**RS PRO M5 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 12KG**

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M5
- Diameter: 16 mm
- Overall Height: 18 mm
- Material: Natural Rubber
- Compression Load: 12 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263945 Male to Male

**RS PRO M5 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 12KG**

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M5
- Diameter: 16 mm
- Overall Height: 18 mm
- Material: Natural Rubber
- Compression Load: 12 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263946 Male to Male

**RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 26KG**

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 18 mm
- Overall Height: 8.5 mm
- Material: Natural Rubber
- Compression Load: 26 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263947 Male to Male

**RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 15.62KG**

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 15.62 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1263948 Male to Male

**RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 22KG**

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 22 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263949 Male to Male

**RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 22KG**

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 22 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263950 Male to Male

**RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 20.4KG**

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 20.4 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263951 Male to Male

**RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH**

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 29.99 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 70 Shore A



1263952 Male to Male

**RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 41.91KG**

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 25 mm
- Overall Height: 10 mm
- Material: Natural Rubber
- Compression Load: 41.91 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1263953 Male to Male

**RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 43KG**

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 43 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263954 Male to Male

**RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 43KG**

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 25 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 43 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263955 Male to Male

**RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 36.8KG**

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 25 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 36.8 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263956 Male to Male

**STUD MOUNT (M/M) 25X25MM M6X18 60 SHA**

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A
- Compression Load: 34.2 kg



1263957 Male to Male

**RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 27.36KG**

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 27.36 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 55 Shore A



1263958 Male to Male

## RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 32.8KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 32.8 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263959 Male to Male

## RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 32.8KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 25 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A
- Compression Load: 32.8 kg



1263960 Male to Male

## RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 32.8KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 25 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 32.8 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263961 Male to Male

## RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 2.2KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 35 mm
- Material: Natural Rubber
- Compression Load: 2.2 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1263962 Male to Male

## RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 75.6KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 75.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263963 Male to Male

## RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 59KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 59 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263964 Male to Male

## RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 54KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 22 mm
- Material: Natural Rubber
- Compression Load: 54 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263965 Male to Male

## RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 52.6KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A
- Compression Load: 52.6 kg



1263966 Male to Male

## RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 31.5KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 31.5 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1263967 Male to Male

## RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 49.6KG

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 49.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263968 Male to Male

## RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 42.8KG

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 35 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 42.8 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1263969 Male to Male

## RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 63.2KG

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 40 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 63.2 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1263970 Male to Male

## RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 108KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 40 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 108 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263971 Male to Male

## RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 98.4KG

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 40 mm
- Overall Height: 28 mm
- Material: Natural Rubber
- Compression Load: 98.4 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263972 Male to Male

## RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 96.2KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 40 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 96.2 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263973 Male to Male

## RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 96.2KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 96.2 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263974 Male to Male

**RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 35 mm
- Material: Natural Rubber
- Compression Load: 58.42 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1263975 Male to Male

**RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 87.4KG**

包裝尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 40 mm
- Material: Natural Rubber
- Compression Load: 87.4 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263976 Male to Male

**RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 87.4KG**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 40 mm
- Material: Natural Rubber
- Compression Load: 87.4 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263977 Male to Male

**RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH**

包裝尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 249.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263978 Male to Male

**RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 195.2KG**

包裝尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 195.2 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263979 Male to Male

**RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 169.2KG**

包裝尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 169.2 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263980 Male to Male

**RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 154.8KG**

包裝尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 35 mm
- Material: Natural Rubber
- Compression Load: 154.8 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263981 Male to Male

**RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 140.2KG**

包裝尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 45 mm
- Material: Natural Rubber
- Compression Load: 140.2 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263984 Male to Male

**RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 146KG**

包裝尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 40 mm
- Material: Natural Rubber
- Compression Load: 146 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263982 Male to Male

**RS PRO M12 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 143KG**

包裝尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M12
- Diameter: 50 mm
- Overall Height: 42 mm
- Material: Natural Rubber
- Compression Load: 143 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1263983 Male to Male

**RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 305KG**

包裝尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 60 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 305 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264268 Male to Male

**RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 247.4KG**

包裝尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 60 mm
- Overall Height: 35 mm
- Material: Natural Rubber
- Compression Load: 247.4 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264269 Male to Male

**RS PRO M12 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH**

包裝尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M12
- Diameter: 70 mm
- Overall Height: 35 mm
- Material: Natural Rubber
- Compression Load: 455.04 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 65 Shore A



1264270 Male to Male

**RS PRO M12 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH**

包裝尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M12
- Diameter: 75 mm
- Overall Height: 50 mm
- Material: Natural Rubber
- Compression Load: 353.2 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264272 Male to Male

**SM WAISTED (M/M) 10X10 M4X10 45 SHA NR**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M4
- Diameter: 10 mm
- Overall Height: 10 mm
- Material: Natural Rubber
- Compression Load: 1.18
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1264273 Male to Male

**RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 9**

包裝尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 18 mm
- Material: Natural Rubber
- Compression Load: 9
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1264274 Male to Male



## RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 19.46

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 19.46
- Metalwork: Zinc Plated Steel
- Shore Hardness: 55 Shore A



1264275 Male to Male

## RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 14

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 14
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1264276 Male to Male

## RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 36

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 38 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 36
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264279 Male to Male

## RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 12

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 12
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1264277 Male to Male

## RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 13

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 13
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1264278 Male to Male

## RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 48.9

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 45 mm
- Overall Height: 36 mm
- Material: Natural Rubber
- Compression Load: 48.9
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264280 Male to Male

## RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 58

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 60 mm
- Overall Height: 60 mm
- Material: Natural Rubber
- Compression Load: 58
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1264281 Male to Male

## STUD MOUNT (M/F) 8X8MM M3X6 60 SHA

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M3
- Diameter: 8 mm
- Overall Height: 8 mm
- Material: Natural Rubber
- Compression Load: 5.28 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264282 Male to Female

## RS PRO M5 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH 7KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M5
- Diameter: 12 mm
- Overall Height: 19 mm
- Material: Natural Rubber
- Compression Load: 7 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264285 Male to Female

## STUD MOUNT (M/F) 10X8MM M4X6 55 SHA

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M4
- Diameter: 10 mm
- Overall Height: 8 mm
- Material: Natural Rubber
- Compression Load: 4.75 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 55 Shore A



1264283 Male to Female

## STUD MOUNT (M/F) 10X18MM M4X6 60 SHA

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M4
- Diameter: 10 mm
- Overall Height: 18 mm
- Material: Natural Rubber
- Compression Load: 4.95 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264284 Male to Female

## RS PRO M4 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH 6.4KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M4
- Diameter: 10 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 6.4 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264286 Male to Female

## RS PRO M4 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M4
- Diameter: 15 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 10.78 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264287 Male to Female

## RS PRO M4 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M4
- Diameter: 16 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 12.7 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1264290 Male to Female

## STUD MOUNT (M/F) 16X15MM M4X10 60 SHA

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M4
- Diameter: 16 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 25 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264291 Male to Female

## RS PRO M4 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M4
- Diameter: 15 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 2.96 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 55 Shore A



1264288 Male to Female

**RS PRO M5 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH 16KG**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M5
- Diameter: 16 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 16 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 55 Shore A



1264292 Male to Female

**STUD MOUNT (M/F) 20X10MM M6X10 60 SHA**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 10 mm
- Material: Natural Rubber
- Compression Load: 37.4 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264294 Male to Female

**STUD MOUNT (M/F) 20X15MM M6X18 45 SHA**

包裝尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 13.53 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1264296 Male to Female

**RS PRO M5 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M5
- Diameter: 16 mm
- Overall Height: 10 mm
- Material: Natural Rubber
- Compression Load: 20.96 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1264289 Male to Female

**STUD MOUNT (M/F) 20X20MM M6X18 60 SHA**

包裝尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 24.2 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264297 Male to Female

**STUD MOUNT (M/F) 20X25MM M5X15 45 SHA**

包裝尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M5
- Diameter: 20 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 11.55 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1264298 Male to Female

**RS PRO M6 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH**

包裝尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 23.1 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264299 Male to Female

**STUD MOUNT (M/F) 20X30MM M6X10 60 SHA**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 22.44 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264300 Male to Female

**STUD M (M/F) 25X10MM M6X20 60 SHA SS**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 10 mm
- Material: Natural Rubber
- Compression Load: 53 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1264301 Male to Female

**STUD MOUNT (M/F) 25X15MM M6X18 60 SHA**

包裝尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 47.3 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264302 Male to Female

**RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH**

包裝尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 25 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 37.62 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264303 Male to Female

**STUD MOUNT (M/F) 25X30MM M6X18 65 SHA**

包裝尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 43.3 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 65 Shore A



1264304 Male to Female

**RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH**

包裝尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 25 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 22.91 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1264306 Male to Female

**RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 25 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 36.08 kg
- Shore Hardness: 60 Shore A
- Metalwork: Zinc Plated Steel



1264305 Male to Female

**STUD MOUNT (M/F) 16X20MM M5X12 55 SHA**

包裝尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M5
- Diameter: 16 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 14 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 55 Shore A



1264293 Male to Female

**STUD MOUNT (M/F) 20X15MM M6X15 55 SHA**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Metalwork: Zinc Plated Steel
- Compression Load: 17.18 kg
- Shore Hardness: 55 Shore A



1264295 Male to Female

## RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 22 mm
- Material: Natural Rubber
- Compression Load: 59.4 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264309 Male to Female

## RS PRO M6 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M6
- Diameter: 30 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 28.93 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1264311 Male to Female

## RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 25 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 36.08 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264307 Male to Female

## RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 83.16 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264308 Male to Female

## RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 54.56 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264314 Male to Female

## RS PRO M10 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M10
- Diameter: 40 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 139.04 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264315 Male to Female

## STUD MOUNT (M/F) 40X20MM M8X23 60 SHA

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 139.04 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264316 Male to Female

## STUD MOUNT (M/F) 30X30MM M8X20 60 SHA

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 54.56 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264313 Male to Female

## STUD MOUNT (M/F) 40X30MM M8X23 60 SHA

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 105.82 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264319 Male to Female

## STUD MOUNT (M/F) 40X40MM M8X20 60 SHA

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 40 mm
- Material: Natural Rubber
- Compression Load: 96.14 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264321 Male to Female

## STUD MOUNT (M/F) 30X25MM M8X10 60 SHA

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 57.86 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264312 Male to Female

## RS PRO M10 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M10
- Diameter: 40 mm
- Overall Height: 28 mm
- Material: Natural Rubber
- Compression Load: 108.22 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264317 Male to Female

## RS PRO M10 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 35 mm
- Material: Natural Rubber
- Compression Load: 170.28 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264324 Male to Female

## STUD MOUNT (M/F) 50X40MM M10X25 60 SHA

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 40 mm
- Material: Natural Rubber
- Compression Load: 160.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264325 Male to Female

## RS PRO M10 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 45 mm
- Material: Natural Rubber
- Compression Load: 154.22 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264326 Male to Female

## RS PRO M10 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 274.56 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264322 Male to Female

**STUD MOUNT (M/F) 50X20MM  
M12X33 60 SHA**

包裝尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M12
- Diameter: 50 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 274.56 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264323 Male to Female

**RS PRO M12 ANTI VIBRATION MOUNT,  
MALE TO FEMALE BOBBIN WITH**

包裝尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M12
- Diameter: 75 mm
- Overall Height: 40 mm
- Material: Natural Rubber
- Compression Load: 283.87 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264332 Male to Female

**RS PRO M10 ANTI VIBRATION MOUNT,  
MALE TO FEMALE BOBBIN WITH**

包裝尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 50 mm
- Material: Natural Rubber
- Compression Load: 149.82 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264327 Male to Female

**RS PRO M12 ANTI VIBRATION MOUNT,  
MALE TO FEMALE BOBBIN WITH**

包裝尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M12
- Diameter: 50 mm
- Overall Height: 55 mm
- Material: Natural Rubber
- Compression Load: 160.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264328 Male to Female

**RS PRO M8 ANTI VIBRATION MOUNT,  
MALE TO FEMALE BOBBIN WITH 66KG**

包裝尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 66 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264334 Male to Female

**RS PRO M5 ANTI VIBRATION MOUNT,  
FEMALE BUFFER FOOT WITH 13.8KG**

包裝尺寸: 2 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M5
- Diameter: 16 mm
- Overall Height: 18 mm
- Material: Natural Rubber
- Compression Load: 13.8 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264338 Female Buffer

**RS PRO M4 ANTI VIBRATION MOUNT,  
FEMALE BUFFER FOOT WITH 13.8KG**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M4
- Diameter: 15 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 13.8 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264335 Female Buffer

**RS PRO M5 ANTI VIBRATION MOUNT,  
FEMALE BUFFER FOOT WITH 13.8KG**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M5
- Diameter: 15 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 13.8 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264336 Female Buffer

**RS PRO M5 ANTI VIBRATION MOUNT,  
FEMALE BUFFER FOOT WITH 17.97KG**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M5
- Diameter: 20 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 17.97 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1264339 Female Buffer

**RS PRO M6 ANTI VIBRATION MOUNT,  
FEMALE BUFFER FOOT WITH 33.96KG**

包裝尺寸: 2 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 15 mm
- Material: Rubber
- Compression Load: 33.96 kg
- Metalwork: Stainless Steel
- Shore Hardness: 65 Shore A



1264340 Female Buffer

**RS PRO M6 ANTI VIBRATION MOUNT,  
FEMALE BUFFER FOOT WITH 19.33KG**

包裝尺寸: 8 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 19.33 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 55 Shore A



1264898 Female Buffer

**RS PRO M6 ANTI VIBRATION MOUNT,  
FEMALE BUFFER FOOT WITH 20.24KG**

包裝尺寸: 8 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 20.24 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 55 Shore A



1264341 Female Buffer

**RS PRO M6 ANTI VIBRATION MOUNT,  
FEMALE BUFFER FOOT WITH 42.32KG**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 42.32 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264900 Female Buffer

**RS PRO M6 ANTI VIBRATION MOUNT,  
FEMALE BUFFER FOOT WITH 39.34KG**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 39.34 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264903 Female Buffer

**RS PRO M8 ANTI VIBRATION MOUNT,  
FEMALE BUFFER FOOT WITH 39.34KG**

包裝尺寸: 2 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M8
- Diameter: 25 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 39.34 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264904 Female Buffer

**RS PRO M8 ANTI VIBRATION MOUNT,  
FEMALE BUFFER FOOT WITH 67.86KG**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 67.86 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264906 Female Buffer

## RS PRO M8 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 62.1KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 22 mm
- Material: Natural Rubber
- Compression Load: 62.1 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264907 Female Buffer

## STUD MOUNT (F/F) 40X40MM M8 60 SHA

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 40 mm
- Material: Natural Rubber
- Compression Load: 100.52 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264911 Female Buffer

## RS PRO M8 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 57.04KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 57.04 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264908 Female Buffer

## RS PRO M10 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 113.16KG

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M10
- Diameter: 40 mm
- Overall Height: 28 mm
- Material: Natural Rubber
- Compression Load: 113.16 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264910 Female Buffer

## RS PRO M10 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 194.58 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264912 Female Buffer

## RS PRO M10 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 161.24KG

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 45 mm
- Material: Natural Rubber
- Compression Load: 161.24 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264914 Female Buffer

## RS PRO M12 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M12
- Diameter: 50 mm
- Overall Height: 50 mm
- Material: Natural Rubber
- Compression Load: 156.64 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264915 Female Buffer

## RS PRO M10 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 327.3KG

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M10
- Diameter: 70 mm
- Overall Height: 50 mm
- Material: Natural Rubber
- Compression Load: 327.3 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264919 Female Buffer

## RS PRO M12 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 757KG

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M12
- Diameter: 80 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 757 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264920 Female Buffer

## STUD MOUNT FOOT (M) 8X5MM M3X6 60 SHA

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M3
- Diameter: 8 mm
- Overall Height: 5 mm
- Material: Natural Rubber
- Compression Load: 5.5 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264923 Male Buffer Foot

## STUD MOUNT FOOT (M) 10X8MM M4X10 45 SHA

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M4
- Diameter: 10 mm
- Overall Height: 8 mm
- Material: Natural Rubber
- Compression Load: 2.7 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1264925 Male Buffer Foot

## STUD MOUNT FOOT (M) 10X10MM M4X6 60 SHA

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M4
- Diameter: 10 mm
- Overall Height: 10 mm
- Material: Natural Rubber
- Compression Load: 5 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264926 Male Buffer Foot

## STUD MOUNT FOOT (M) 15X8MM M4X10 45 SHA

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M4
- Diameter: 15 mm
- Overall Height: 8 mm
- Material: Natural Rubber
- Compression Load: 12 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1264929 Male Buffer Foot

## STUD MOUNT FOOT (M) 15X8MM M4X15 60 SHA

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M4
- Diameter: 15 mm
- Overall Height: 8 mm
- Material: Natural Rubber
- Compression Load: 24 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264931 Male Buffer Foot

## RS PRO M4 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 7.62KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M4
- Diameter: 15 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 7.62 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1264932 Male Buffer Foot

## RS PRO M5 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 12KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M5
- Diameter: 15 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 12 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264933 Male Buffer Foot

**RS PRO M6 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 12KG**

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M6
- Diameter: 15 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 12 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264934 Male Buffer Foot

**RS PRO M5 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 5.8KG**

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M5
- Diameter: 15 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 5.8 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264936 Male Buffer Foot

**STUD MOUNT FOOT (M) 16X10MM M5X12 55 SHA**

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M5
- Diameter: 16 mm
- Overall Height: 10 mm
- Material: Natural Rubber
- Compression Load: 25.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 55 Shore A



1264937 Male Buffer Foot

**RS PRO M4 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 12KG**

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M4
- Diameter: 16 mm
- Overall Height: 18 mm
- Material: Natural Rubber
- Compression Load: 12 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264938 Male Buffer Foot

**RS PRO M5 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 12KG**

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M5
- Diameter: 16 mm
- Overall Height: 18 mm
- Material: Natural Rubber
- Compression Load: 12 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264939 Male Buffer Foot

**RS PRO M5 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 6KG**

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M5
- Diameter: 16 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264940 Male Buffer Foot

**STUD MOUNT FOOT (M) 20X8MM M6X15 60 SHA**

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 8 mm
- Material: Natural Rubber
- Compression Load: 50 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264941 Male Buffer Foot

**STUD MOUNT FOOT (M) 20X10MM M8X20 60 SHA**

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M8
- Diameter: 20 mm
- Overall Height: 10 mm
- Material: Natural Rubber
- Compression Load: 34 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264942 Male Buffer Foot

**RS PRO M6 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 28.2KG**

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 13 mm
- Material: Natural Rubber
- Compression Load: 28.2 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264943 Male Buffer Foot

**STUD MOUNT FOOT (M) 20X20MM M6X15 60 SHA**

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 22 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264945 Male Buffer Foot

**RS PRO M6 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 11KG**

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Shore Hardness: 45 Shore A
- Compression Load: 11 kg
- Metalwork: Zinc Plated Steel



1264947 Male Buffer Foot

**RS PRO M6 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 17.6KG**

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 17.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 55 Shore A



1264948 Male Buffer Foot

**RS PRO M6 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 21KG**

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 21 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264949 Male Buffer Foot

**RS PRO M6 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 66KG**

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 10 mm
- Material: Natural Rubber
- Compression Load: 66 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264950 Male Buffer Foot

**RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 66KG**

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M8
- Diameter: 25 mm
- Overall Height: 10 mm
- Material: Natural Rubber
- Shore Hardness: 60 Shore A
- Metalwork: Zinc Plated Steel
- Compression Load: 66 kg



1264951 Male Buffer Foot

**STUD MOUNT FOOT (M) 25X15MM M6X18 45 SHA**

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 21.5 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1264953 Male Buffer Foot

## RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 43KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M8
- Diameter: 25 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 43 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264954 Male Buffer Foot

## STUD MOUNT FOOT (M) 25X20MM M8X20 60 SHA

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M8
- Diameter: 25 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 36.8 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264955 Male Buffer Foot

## RS PRO M6 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 32.8KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 32.8 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264956 Male Buffer Foot

## RS PRO M6 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 72KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M6
- Diameter: 30 mm
- Overall Height: 10 mm
- Material: Natural Rubber
- Compression Load: 72 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 55 Shore A



1264959 Male Buffer Foot

## RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 72KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 17 mm
- Material: Natural Rubber
- Shore Hardness: 60 Shore A
- Compression Load: 72 kg
- Metalwork: Zinc Plated Steel



1264961 Male Buffer Foot

## RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 59KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 59 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264962 Male Buffer Foot

## RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 59KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 59 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264963 Male Buffer Foot

## RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 52.6KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 52.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264964 Male Buffer Foot

## STUD MOUNT FOOT (M) 30X30MM M8X25 60 SHA

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 49.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264965 Male Buffer Foot

## RS PRO M6 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 48KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M6
- Diameter: 30 mm
- Overall Height: 35 mm
- Material: Natural Rubber
- Compression Load: 48 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264966 Male Buffer Foot

## RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 48KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 35 mm
- Material: Natural Rubber
- Compression Load: 48 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264969 Male Buffer Foot

## RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 126.4KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M10
- Diameter: 40 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 126.4 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264970 Male Buffer Foot

## RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 80.26KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 80.26 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1264971 Male Buffer Foot

## RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 108KG

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M10
- Diameter: 40 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 108 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264972 Male Buffer Foot

## RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 48.1KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 48.1 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1264976 Male Buffer Foot

## RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 96.2KG

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 96.2 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264978 Male Buffer Foot

**RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 73.6KG**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 35 mm
- Material: Natural Rubber
- Compression Load: 73.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 55 Shore A



1264979 Male Buffer Foot

**RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 87.4KG**

包裝尺寸: 2 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M10
- Diameter: 40 mm
- Overall Height: 40 mm
- Material: Natural Rubber
- Compression Load: 87.4 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264981 Male Buffer Foot

**RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 249.6KG**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 249.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264982 Male Buffer Foot

**RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 195.2KG**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 195.2 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264983 Male Buffer Foot

**RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 169.2KG**

包裝尺寸: 2 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 169.2 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1264984 Male Buffer Foot

**RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 146KG**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 40 mm
- Material: Natural Rubber
- Compression Load: 146 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1265931 Male Buffer Foot

**RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 140.2KG**

包裝尺寸: 2 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 45 mm
- Material: Natural Rubber
- Compression Load: 140.2 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1265932 Male Buffer Foot

**RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 136.2KG**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M8
- Diameter: 50 mm
- Overall Height: 50 mm
- Material: Natural Rubber
- Compression Load: 136.2 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1265934 Male Buffer Foot

**RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 247.4KG**

包裝尺寸: 1 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M10
- Diameter: 60 mm
- Overall Height: 35 mm
- Material: Natural Rubber
- Compression Load: 247.4 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1265935 Male Buffer Foot

**RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 524.4KG**

包裝尺寸: 1 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M10
- Diameter: 70 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 524.4 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1265936 Male Buffer Foot

**RS PRO M4 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M4
- Diameter: 70 mm
- Overall Height: 15 mm
- Static Load Capacity: 5.6 kg
- Material: Rubber
- Shore Hardness: 50 Shore A
- Series: AV Type A



1265939 Male to Male

**RS PRO M10 ANTI VIBRATION MOUNT**

包裝尺寸: 1 x EA

- Thread Size: M10
- Diameter: 60 mm
- Overall Height: 85 mm
- Material: Rubber
- Shore Hardness: 60 Shore A
- Series: AV Type B
- Maximum Operating Temperature: +70 °C
- Minimum Operating Temperature: -25 °C



1265941 M10

**RS PRO M12 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 176.6KG**

包裝尺寸: 1 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M12
- Diameter: 75 mm
- Overall Height: 50 mm
- Material: Natural Rubber
- Compression Load: 176.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1265944 Male Buffer Foot

**STUD MT FOOT (F) 16X10MM M4 45 SHA**

包裝尺寸: 8 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M4
- Diameter: 16 mm
- Overall Height: 10 mm
- Material: Natural Rubber
- Compression Load: 15 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1265946 Female Buffer

**RS PRO M6 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 24.6KG**

包裝尺寸: 8 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 24.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1265947 Female Buffer

**RS PRO M5 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 23.6KG**

包裝尺寸: 8 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M5
- Diameter: 20 mm
- Overall Height: 17 mm
- Material: Natural Rubber
- Compression Load: 23.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1265948 Female Buffer



## RS PRO M6 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 21KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 21 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1265949 Female Buffer

## RS PRO M8 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 37.47KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 37.47 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1265953 Female Buffer

## RS PRO M8 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 27KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 22 mm
- Material: Natural Rubber
- Compression Load: 27 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1265954 Female Buffer

## RS PRO M6 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 113.6KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M6
- Diameter: 40 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 113.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 55 Shore A



1265956 Female Buffer

## RS PRO M5 ANTI VIBRATION MOUNT, BUMP STOP

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Bump Stop
- Thread Size: M5
- Diameter: 10 mm
- Overall Height: 10 mm
- Static Load Capacity: 10 kg
- Material: Rubber
- Shore Hardness: 60 Shore A
- Series: DP



1265957 Bump Stop

## DAMPER PARABOLIC (M) 20X24MMM6X1860SHANR

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Bump Stop
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 24 mm
- Static Load Capacity: 45 kg
- Material: Rubber
- Shore Hardness: 60 Shore A
- Series: DP



1265958 Bump Stop

## DAMPER PARABOLIC (M) 25X20MMM8X2055SHANR

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Bump Stop
- Thread Size: M8
- Diameter: 20 mm
- Overall Height: 20 mm
- Static Load Capacity: 48 kg
- Material: Rubber
- Shore Hardness: 55 Shore A
- Series: DP



1265959 Bump Stop

## RS PRO M6 ANTI VIBRATION MOUNT, BUMP STOP

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Bump Stop
- Thread Size: M6
- Diameter: 30 mm
- Overall Height: 30 mm
- Static Load Capacity: 56 kg
- Material: Rubber
- Shore Hardness: 60 Shore A
- Series: DP



1265960 Bump Stop

## DAMPER PARABOLIC (M) 30X30MMM8X2060SHANR

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Bump Stop
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 30 mm
- Static Load Capacity: 56 kg
- Material: Rubber
- Shore Hardness: 60 Shore A
- Series: DP



1265961 Bump Stop

## RS PRO M8 ANTI VIBRATION MOUNT, BUMP STOP

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Bump Stop
- Thread Size: M8
- Diameter: 50 mm
- Overall Height: 48 mm
- Static Load Capacity: 64 kg
- Material: Rubber
- Shore Hardness: 60 Shore A
- Series: DP



1265962 Bump Stop

## RS PRO M10 ANTI VIBRATION MOUNT, BUMP STOP

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Bump Stop
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 50 mm
- Static Load Capacity: 184 kg
- Material: Rubber
- Shore Hardness: 60 Shore A
- Series: DP



1265963 Bump Stop

## RS PRO M10 ANTI VIBRATION MOUNT, BUMP STOP

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Bump Stop
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 61 mm
- Static Load Capacity: 230 kg
- Material: Rubber
- Shore Hardness: 60 Shore A
- Series: DP



1265964 Bump Stop

## RS PRO M12 ANTI VIBRATION MOUNT, BUMP STOP

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Bump Stop
- Thread Size: M12
- Diameter: 70 mm
- Overall Height: 58 mm
- Static Load Capacity: 370 kg
- Material: Rubber
- Shore Hardness: 60 Shore A
- Series: DP



1265966 Bump Stop

## RS PRO M10 ANTI VIBRATION MOUNT, BUMP STOP

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Bump Stop
- Thread Size: M10
- Diameter: 70 mm
- Overall Height: 60 mm
- Static Load Capacity: 374 kg
- Material: Rubber
- Shore Hardness: 60 Shore A
- Maximum Operating Temperature: +70 °C



1265967 Bump Stop

## RS PRO M10 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 306KG

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 306 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1265969 Female Buffer

## RS PRO CYLINDRICAL M12 ANTI VIBRATION MOUNT WITH 300KG

包装尺寸: 1 x EA

- Thread Size: M12
- Diameter: 90 mm
- Foot Height: 33 mm
- Overall Height: 153 mm
- Static Load Capacity: 300 kg
- Material: Natural Rubber
- Metalwork: Zinc Plated Steel
- Compression Load: 300 kg



1265970 M12

**RS PRO CYLINDRICAL M10 ANTI VIBRATION MOUNT**

- 包装尺寸: 1 x EA
- Thread Size: M10
  - Diameter: 46 mm
  - Foot Height: 15 mm
  - Overall Height: 53 mm
  - Material: Natural Rubber
  - Shore Hardness: 55 Shore A
  - Foot Shape: Cylindrical
  - Metalwork: Stainless Steel



1265971 M10

**RS PRO CYLINDRICAL M16 ANTI VIBRATION MOUNT WITH 800KG**

- 包装尺寸: 1 x EA
- Thread Size: M16
  - Diameter: 125 mm
  - Foot Height: 45 mm
  - Overall Height: 155 mm
  - Static Load Capacity: 800 kg
  - Material: Natural Rubber
  - Metalwork: Zinc Plated Steel
  - Compression Load: 800 kg



1266366 M16

**RS PRO CYLINDRICAL M20 ANTI VIBRATION MOUNT WITH 1600KG**

- 包装尺寸: 1 x EA
- Thread Size: M20
  - Diameter: 170 mm
  - Foot Height: 57 mm
  - Overall Height: 167 mm
  - Static Load Capacity: 1600 kg
  - Material: Natural Rubber
  - Metalwork: Zinc Plated Steel
  - Compression Load: 1600 kg



1266367 M20

**RS PRO M10 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 154.8KG**

- 包装尺寸: 2 x EA
- Anti Vibration Mount Type: Female Buffer Foot
  - Thread Size: M10
  - Diameter: 50 mm
  - Overall Height: 35 mm
  - Material: Natural Rubber
  - Compression Load: 154.8 kg
  - Metalwork: Zinc Plated Steel
  - Shore Hardness: 60 Shore A



1266369 Female Buffer

**RS PRO M12 ANTI VIBRATION MOUNT WITH 360KG COMPRESSION LOAD**

- 包装尺寸: 1 x EA
- Thread Size: M12
  - Diameter: 130 mm
  - Foot Height: 3 mm
  - Overall Height: 44 mm
  - Static Load Capacity: 360 kg
  - Material: Natural Rubber
  - Metalwork: Zinc Plated Steel
  - Shore Hardness: 60 Shore A



1623214 M12

**RS PRO M12 ANTI VIBRATION MOUNT WITH 290KG COMPRESSION LOAD**

- 包装尺寸: 1 x EA
- Thread Size: M12
  - Diameter: 130 mm
  - Foot Height: 3 mm
  - Overall Height: 44 mm
  - Static Load Capacity: 290 kg
  - Material: Natural Rubber
  - Metalwork: Zinc Plated Steel
  - Shore Hardness: 45 Shore A



1623215 M12

**RS PRO M8 ANTI VIBRATION MOUNT WITH 80KG COMPRESSION LOAD**

- 包装尺寸: 1 x EA
- Thread Size: M8
  - Diameter: 114 mm
  - Foot Height: 35 mm
  - Overall Height: 35 mm
  - Static Load Capacity: 80 kg
  - Material: Rubber
  - Metalwork: Zinc Plated Steel
  - Shore Hardness: 60 Shore A



1623217 M8

**RS PRO M10 ANTI VIBRATION MOUNT WITH 118KG COMPRESSION LOAD**

- 包装尺寸: 1 x EA
- Thread Size: M10
  - Diameter: 120 mm
  - Overall Height: 35 mm
  - Static Load Capacity: 118 kg
  - Material: Rubber
  - Compression Load: 118 kg
  - Metalwork: Zinc Plated Steel
  - Shore Hardness: 60 Shore A



1623218 M10

**RS PRO M6 ANTI VIBRATION MOUNT WITH 3.5KG COMPRESSION LOAD**

- 包装尺寸: 1 x EA
- Thread Size: M6
  - Diameter: 64 mm
  - Foot Height: 20 mm
  - Overall Height: 20 mm
  - Static Load Capacity: 3.5 kg
  - Material: Rubber
  - Metalwork: Zinc Plated Steel
  - Shore Hardness: 60 Shore A



1623219 M6

**RS PRO ROUND M12 ANTI VIBRATION MOUNT WITH 450KG COMPRESSION**

- 包装尺寸: 1 x EA
- Thread Size: M12
  - Diameter: 172 mm
  - Foot Height: 3 mm
  - Overall Height: 38 mm
  - Static Load Capacity: 450 kg
  - Material: Natural Rubber
  - Mounting Type: 2-Hole Flange
  - Foot Shape: Round



1623221 M12

**RS PRO ROUND M10 ANTI VIBRATION MOUNT WITH 0 COMPRESSION LOAD**

- 包装尺寸: 1 x EA
- Thread Size: M10
  - Diameter: 148 mm
  - Overall Height: 25 mm
  - Static Load Capacity: 0
  - Material: Natural Rubber
  - Mounting Type: 2-Hole Flange
  - Foot Shape: Round
  - Compression Load: 0



1623224 M10

**RS PRO M6 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 36.8KG**

- 包装尺寸: 8 x EA
- Anti Vibration Mount Type: Male Buffer Foot
  - Thread Size: M6
  - Diameter: 25 mm
  - Overall Height: 20 mm
  - Material: Natural Rubber
  - Shore Hardness: 60 Shore A
  - Compression Load: 36.8 kg
  - Metalwork: Zinc Plated Steel



1623225 Male Buffer Foot

**RS PRO M6 ANTI VIBRATION MOUNT WITH 60KG COMPRESSION LOAD**

- 包装尺寸: 1 x EA
- Thread Size: M6
  - Diameter: 85 mm
  - Foot Height: 25 mm
  - Overall Height: 25 mm
  - Static Load Capacity: 60 kg
  - Material: Rubber
  - Metalwork: Zinc Plated Steel
  - Shore Hardness: 60 Shore A



1623226 M6

**RS PRO RECTANGULAR M12 ANTI VIBRATION MOUNT, MARINE MOUNT**

- 包装尺寸: 1 x EA
- Anti Vibration Mount Type: Marine Mount
  - Thread Size: M12
  - Diameter: 120 mm
  - Overall Height: 40 mm
  - Static Load Capacity: 65 kg
  - Material: Natural Rubber
  - Mounting Type: Screw-in
  - Foot Shape: Rectangular



1623229 Marine Mount

**RS PRO ROUND M20 ANTI VIBRATION MOUNT, MARINE MOUNT WITH 900KG**

- 包装尺寸: 1 x EA
- Anti Vibration Mount Type: Marine Mount
  - Thread Size: M20
  - Diameter: 184 mm
  - Foot Height: 5 mm
  - Overall Height: 86 mm
  - Material: Natural Rubber
  - Metalwork: Metal
  - Compression Load: 900 kg



1623230 Marine Mount

**RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 63.5KG**

- 包装尺寸: 8 x EA
- Anti Vibration Mount Type: Male to Male Bobbin
  - Thread Size: M8
  - Diameter: 25 mm
  - Overall Height: 15 mm
  - Material: Natural Rubber
  - Shore Hardness: 70 Shore A
  - Compression Load: 63.5 kg
  - Metalwork: Zinc Plated Steel



1623234 Male to Male

## RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 22KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Shore Hardness: 60 Shore A
- Compression Load: 22 kg
- Metalwork: Zinc Plated Steel



1623235 Male to Male

## RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 351KG

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 60 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Shore Hardness: 70 Shore A
- Compression Load: 351 kg
- Metalwork: Zinc Plated Steel



1623236 Male to Male

## RS PRO M6 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 25.3KG

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Shore Hardness: 60 Shore A
- Compression Load: 25.3 kg
- Metalwork: Zinc Plated Steel



1623237 Female Buffer

## RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 59KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Shore Hardness: 60 Shore A
- Compression Load: 59 kg
- Metalwork: Zinc Plated Steel



1623238 Male to Male

## RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 25 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Shore Hardness: 70 Shore A
- Compression Load: 59.2 kg
- Metalwork: Zinc Plated Steel



1623239 Male to Female

## RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 164KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 40 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Shore Hardness: 70 Shore A
- Compression Load: 164 kg
- Metalwork: Zinc Plated Steel



1623240 Male to Male

## RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 180.2KG

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 40 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Shore Hardness: 70 Shore A
- Compression Load: 180.2 kg
- Metalwork: Zinc Plated Steel



1623243 Male to Male

## RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 24.6KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Shore Hardness: 60 Shore A
- Compression Load: 24.6 kg
- Metalwork: Zinc Plated Steel



1623245 Male to Male

## RS PRO M10 ANTI VIBRATION MOUNT, BUMP STOP

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Bump Stop
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 50 mm
- Static Load Capacity: 184 kg
- Material: Rubber
- Shore Hardness: 60 Shore A
- Series: DP



1623247 Bump Stop

## RS PRO M8 ANTI VIBRATION MOUNT WITH 42KG COMPRESSION LOAD

包装尺寸: 1 x EA

- Thread Size: M8
- Diameter: 49 mm
- Foot Height: 35 mm
- Overall Height: 35 mm
- Static Load Capacity: 42 kg
- Material: Rubber
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1623249 M8

## RS PRO M5 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 12KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M5
- Diameter: 15 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Shore Hardness: 60 Shore A
- Compression Load: 12 kg
- Metalwork: Zinc Plated Steel



1623251 Male to Male

## RS PRO M8 ANTI VIBRATION MOUNT WITH 40KG COMPRESSION LOAD

包装尺寸: 1 x EA

- Thread Size: M8
- Diameter: 46 mm
- Overall Height: 20 mm
- Static Load Capacity: 40 kg
- Material: Natural Rubber
- Compression Load: 40 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1623252 M8

## RS PRO M12 RUBBER ADJUSTABLE FOOT, 900KG STATIC LOAD

包装尺寸: 1 x EA

- Static Load Capacity: 900 kg
- Thread Size: M12
- Thread Length: 100 mm
- Tilt Angle: 3°
- Foot Material: Rubber
- Base Material: Zinc Plated Steel
- Shore Hardness: 70 Shore A
- Height: 118



1623253 900 kg

## RS PRO M3 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 1.65KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M3
- Diameter: 6 mm
- Overall Height: 7 mm
- Material: Natural Rubber
- Compression Load: 1.65 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1712566 Male to Male

## RS PRO M3 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 4.8KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M3
- Diameter: 8 mm
- Overall Height: 8 mm
- Material: Natural Rubber
- Compression Load: 4.8 kg
- Metalwork: Stainless Steel
- Shore Hardness: 50 Shore A



1712567 Male to Male

## RS PRO M5 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 11.76KG

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M5
- Diameter: 15 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 11.76 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 65 Shore A



1712569 Male to Male

**RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 22KG**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 22 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712570 Male to Male

**RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 66KG**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 25 mm
- Overall Height: 10 mm
- Material: Natural Rubber
- Compression Load: 66 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712572 Male to Male

**RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 36.8KG**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 25 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 36.8 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712573 Male to Male

**RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 34.2KG**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 34.2 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712575 Male to Male

**RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 49.6KG**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 30 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 49.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1712576 Male to Male

**RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 26.28KG**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 32 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 26.28 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 40 Shore A



1712579 Male to Male

**ZP MTOM MNT 40MM D 20MM H M8X20**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 80.26 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1712581 Male to Male

**RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 96.2KG**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 96.2 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712582 Male to Male

**RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 169.2KG**

包裝尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 169.2 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712583 Male to Male

**RS PRO M12 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 136.2KG**

包裝尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M12
- Diameter: 50 mm
- Overall Height: 50 mm
- Material: Natural Rubber
- Compression Load: 136.2 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1712584 Male to Male

**RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH**

包裝尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 60 mm
- Overall Height: 35 mm
- Material: Natural Rubber
- Compression Load: 197.92 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 55 Shore A



1712585 Male to Male

**RS PRO M16 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH**

包裝尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M16
- Diameter: 100 mm
- Overall Height: 40 mm
- Material: Natural Rubber
- Compression Load: 726.56 kg
- Metalwork: Stainless Steel
- Shore Hardness: 55 Shore A



1712589 Male to Male

**ZP MTOF MNT 10MM D 10MM H M4X6**

包裝尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M4
- Diameter: 10 mm
- Overall Height: 10 mm
- Material: Natural Rubber
- Shore Hardness: 60 Shore A
- Compression Load: 5.5 kg
- Metalwork: Zinc Plated Steel



1712591 Male to Female

**ZP MTOF MNT 15MM D 10MM H M4X6**

包裝尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M4
- Diameter: 15 mm
- Overall Height: 10 mm
- Material: Natural Rubber
- Compression Load: 16.19 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 55 Shore A



1712592 Male to Female

**ZP MTOF MNT 15MM D 15MM H M5X15**

包裝尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M5
- Diameter: 15 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 6.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1712593 Male to Female

**RS PRO M4 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M4
- Diameter: 15 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 13.2 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712594 Male to Female

## RS PRO M5 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M5
- Diameter: 20 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 17.18 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1712595 Male to Female

## RS PRO M6 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 37.62 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1712597 Male to Female

## RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 25 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 37.62 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712598 Male to Female

## RS PRO M6 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M6
- Diameter: 30 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 83.16 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1712599 Male to Female

## RS PRO M6 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M6
- Diameter: 30 mm
- Overall Height: 20 mm
- Material: EPDM
- Compression Load: 95.4 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 70 Shore A



1712600 Male to Female

## RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 54.56 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712601 Male to Female

## RS PRO M10 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M10
- Diameter: 30 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 27.28 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1712602 Male to Female

## RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 40 mm
- Material: Natural Rubber
- Compression Load: 25.63 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1712604 Male to Female

## RS PRO M10 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M10
- Diameter: 40 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 139.04 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712605 Male to Female

## RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 139.04 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1712606 Male to Female

## RS PRO M10 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 274.56 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1712608 Male to Female

## ZP MTOF MNT 50MM D 30MM H M10X25

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 186.12 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1712609 Male to Female

## RS PRO M10 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 2 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 40 mm
- Material: Natural Rubber
- Compression Load: 160.6 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712610 Male to Female

## RS PRO M12 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M12
- Diameter: 70 mm
- Overall Height: 50 mm
- Material: Natural Rubber
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A
- Compression Load: 313.06 kg



1712611 Male to Female

## RS PRO M16 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M16
- Diameter: 100 mm
- Overall Height: 40 mm
- Material: Natural Rubber
- Compression Load: 499.51 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1712614 Male to Female

## RS PRO M12 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M12
- Diameter: 75 mm
- Overall Height: 40 mm
- Material: Natural Rubber
- Compression Load: 447.04 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712612 Male to Female

**RS PRO M12 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH**

包裝尺寸: 1 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M12
- Diameter: 75 mm
- Overall Height: 50 mm
- Material: Natural Rubber
- Compression Load: 194.26 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1712613 Male to Female

**RS PRO M2.5 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M2.5
- Diameter: 6 mm
- Overall Height: 8 mm
- Material: Natural Rubber
- Compression Load: 4.7 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1712616 Female Buffer

**ZP FEMTOF MNT 10MM D 10MM H M4**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M4
- Diameter: 10 mm
- Overall Height: 8 mm
- Material: Natural Rubber
- Compression Load: 2.88 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1712617 Female Buffer

**RS PRO M6 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 42.32KG**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M6
- Diameter: 25 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 42.32 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712621 Female Buffer

**RS PRO M8 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 40.94KG**

包裝尺寸: 2 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M8
- Diameter: 25 mm
- Overall Height: 22 mm
- Material: Natural Rubber
- Compression Load: 40.94 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712622 Female Buffer

**RS PRO M6 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 43.09KG**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M6
- Diameter: 30 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 43.09 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1712623 Female Buffer

**RS PRO M8 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 67.86KG**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 67.86 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1712624 Female Buffer

**RS PRO M10 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 113.16KG**

包裝尺寸: 2 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M10
- Diameter: 40 mm
- Overall Height: 28 mm
- Material: Natural Rubber
- Compression Load: 113.16 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712628 Female Buffer

**RS PRO M8 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 110.64KG**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 110.64 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1712629 Female Buffer

**ZP FEMTOF MNT 50MM D 25MM H M10**

包裝尺寸: 2 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 224.48 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1712630 Female Buffer

**RS PRO M10 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 167.9KG**

包裝尺寸: 2 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 40 mm
- Material: Natural Rubber
- Compression Load: 167.9 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1712633 Female Buffer

**RS PRO M12 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH**

包裝尺寸: 1 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M12
- Diameter: 75 mm
- Overall Height: 50 mm
- Material: Natural Rubber
- Compression Load: 257.92 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1712635 Female Buffer

**RS PRO M16 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH**

包裝尺寸: 1 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M16
- Diameter: 100 mm
- Overall Height: 55 mm
- Material: Natural Rubber
- Compression Load: 794.66 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1712637 Female Buffer

**RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 126.4KG**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M10
- Diameter: 40 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 126.4 kg
- Metalwork: Stainless Steel
- Shore Hardness: 60 Shore A



1712638 Male Buffer Foot

**RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 48.1KG**

包裝尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 48.1 kg
- Metalwork: Stainless Steel
- Shore Hardness: 45 Shore A



1712639 Male Buffer Foot

**RS PRO M14 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 412KG**

包裝尺寸: 1 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M14
- Diameter: 80 mm
- Overall Height: 75 mm
- Material: Natural Rubber
- Compression Load: 412 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 70 Shore A



1712641 Male Buffer Foot

## RS PRO SQUARE M10 ANTI VIBRATION MOUNT WITH 40KG COMPRESSION

- 包装尺寸: 1 x EA
- Thread Size: M10
  - Diameter: 85 mm
  - Foot Height: 25 mm
  - Overall Height: 25 mm
  - Static Load Capacity: 40 kg
  - Material: Natural Rubber
  - Metalwork: Stainless Steel
  - Foot Shape: Square



1712643 M10

## RS PRO RECTANGULAR ANTI VIBRATION MOUNT WITH 180

- 包装尺寸: 1 x EA
- Diameter: 108 mm
  - Foot Height: 38 mm
  - Overall Height: 43 mm
  - Static Load Capacity: 180
  - Material: Natural Rubber
  - Compression Load: 180
  - Metalwork: Zinc Plated Steel
  - Shore Hardness: 50 Shore A



1712645 108 mm

## RS PRO RECTANGULAR ANTI VIBRATION MOUNT WITH 280

- 包装尺寸: 1 x EA
- Diameter: 108 mm
  - Foot Height: 38 mm
  - Overall Height: 43 mm
  - Static Load Capacity: 280
  - Material: Natural Rubber
  - Compression Load: 280
  - Metalwork: Zinc Plated Steel
  - Shore Hardness: 60 Shore A



1712646 108 mm

## RS PRO RECTANGULAR ANTI VIBRATION MOUNT WITH 450

- 包装尺寸: 1 x EA
- Diameter: 168 mm
  - Foot Height: 38 mm
  - Overall Height: 43 mm
  - Static Load Capacity: 450
  - Material: Natural Rubber
  - Compression Load: 450
  - Metalwork: Zinc Plated Steel
  - Shore Hardness: 50 Shore A



1712647 168 mm

## RS PRO RECTANGULAR ANTI VIBRATION MOUNT WITH 1030

- 包装尺寸: 1 x EA
- Diameter: 168 mm
  - Foot Height: 38 mm
  - Overall Height: 43 mm
  - Static Load Capacity: 1030
  - Material: Natural Rubber
  - Compression Load: 1030
  - Metalwork: Zinc Plated Steel
  - Shore Hardness: 70 Shore A



1712649 168 mm

## RS PRO HEXAGONAL M6 ANTI VIBRATION MOUNT WITH 3.75KG

- 包装尺寸: 4 x EA
- Thread Size: M6
  - Diameter: 15.2 mm
  - Foot Height: 16 mm
  - Overall Height: 16 mm
  - Static Load Capacity: 3.75 kg
  - Material: Natural Rubber
  - Mounting Type: Screw-in
  - Foot Shape: Hexagonal



1712650 M6

## RS PRO HEXAGONAL M6 ANTI VIBRATION MOUNT WITH 6.7KG

- 包装尺寸: 4 x EA
- Thread Size: M6
  - Diameter: 15.2 mm
  - Foot Height: 16 mm
  - Overall Height: 16 mm
  - Static Load Capacity: 6.7 kg
  - Material: Natural Rubber
  - Mounting Type: Screw-in
  - Foot Shape: Hexagonal



1712651 M6

## RS PRO HEXAGONAL M6 ANTI VIBRATION MOUNT WITH 10KG

- 包装尺寸: 4 x EA
- Thread Size: M6
  - Diameter: 20.7 mm
  - Foot Height: 19 mm
  - Overall Height: 19 mm
  - Static Load Capacity: 10 kg
  - Material: Natural Rubber
  - Mounting Type: Screw-in
  - Foot Shape: Hexagonal



1712652 M6

## RS PRO HEXAGONAL M8 ANTI VIBRATION MOUNT WITH 14KG

- 包装尺寸: 4 x EA
- Thread Size: M8
  - Diameter: 20.7 mm
  - Foot Height: 19 mm
  - Overall Height: 19 mm
  - Static Load Capacity: 14 kg
  - Mounting Type: Screw-in
  - Foot Shape: Hexagonal
  - Compression Load: 14 kg



1712653 M8

## RS PRO HEXAGONAL M8 ANTI VIBRATION MOUNT WITH 8KG

- 包装尺寸: 4 x EA
- Thread Size: M8
  - Diameter: 20.7 mm
  - Foot Height: 19 mm
  - Overall Height: 19 mm
  - Static Load Capacity: 8 kg
  - Material: Natural Rubber
  - Mounting Type: Screw-in
  - Foot Shape: Hexagonal



1712654 M8

## RS PRO HEXAGONAL M8 ANTI VIBRATION MOUNT WITH 22KG

- 包装尺寸: 4 x EA
- Thread Size: m8
  - Diameter: 31.8 mm
  - Foot Height: 26.4 mm
  - Overall Height: 26.4 mm
  - Static Load Capacity: 22 kg
  - Material: Natural Rubber
  - Mounting Type: Screw-in
  - Foot Shape: Hexagonal



1712655 m8

## RS PRO CYLINDRICAL M16 ANTI VIBRATION MOUNT WITH 380KG

- 包装尺寸: 1 x EA
- Thread Size: M16
  - Diameter: 105 mm
  - Foot Height: 40 mm
  - Overall Height: 40 mm
  - Static Load Capacity: 380 kg
  - Material: Natural Rubber
  - Mounting Type: Screw-in
  - Foot Shape: Cylindrical



1712659 M16

## RS PRO CYLINDRICAL M16 ANTI VIBRATION MOUNT WITH 230KG

- 包装尺寸: 1 x EA
- Thread Size: M16
  - Diameter: 105 mm
  - Overall Height: 55 mm
  - Static Load Capacity: 230 kg
  - Foot Shape: Cylindrical
  - Compression Load: 230 kg
  - Metalwork: Zinc Plated Steel
  - Shore Hardness: 50 Shore A



1712660 M16

## RS PRO 590MM ANTI-VIBRATION PAD RUBBER +70°C -10°C 590 X 590 X

- 包装尺寸: 1 x EA
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
  - Material: Rubber
  - Thickness: 10 mm
  - Size: 590 x 590 x 10 mm
  - Length: 590 mm
  - Maximum Operating Temperature: +70 °C
  - Minimum Operating Temperature: -10 °C
  - Width: 590 mm



1712670 Anti-Vibration

## RS PRO 500MM ANTI-VIBRATION PAD RUBBER +70°C -10°C 500 X 500 X

- 包装尺寸: 1 x EA
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
  - Material: Rubber
  - Thickness: 10 mm
  - Size: 500 x 500 x 10 mm
  - Length: 500 mm
  - Maximum Operating Temperature: +70 °C
  - Minimum Operating Temperature: -10 °C
  - Width: 500 mm



1712671 Anti-Vibration

## ALUMINIUM CABLE CLIPS

- 包装尺寸: 100 x EA
- Cable Clip/Clamp Style: Cable Clip
  - Maximum Bundle Diameter: 6.4 mm
  - Affixing Method: Screw
  - Material: Aluminium
  - Colour: Silver
  - Width: 9.5 mm



1720823 Cable Clip

**RS PRO SILVER ALUMINIUM, 7.9MM MAX. BUNDLE**

包裝尺寸: 100 x EA

- Maximum Bundle Diameter: 7.9 mm
- Material: Aluminium
- Colour: Silver
- Width: 9.5 mm



1720824 7.9 mm

**ALUMINIUM CABLE CLIPS**

包裝尺寸: 100 x EA

- Cable Clip/Clamp Style: Cable Clip
- Maximum Bundle Diameter: 9.5 mm
- Affixing Method: Screw
- Material: Aluminium
- Colour: Silver
- Width: 9.5 mm



1720825 Cable Clip

**RS PRO SILVER ALUMINIUM CABLE CLIP, 11.1MM MAX. BUNDLE**

包裝尺寸: 100 x EA

- Cable Clip/Clamp Style: Cable Clip
- Maximum Bundle Diameter: 11.1 mm
- Affixing Method: Screw
- Material: Aluminium
- Colour: Silver
- Width: 9.5 mm



1720827 Cable Clip

**RS PRO SILVER ALUMINIUM, 12.7MM MAX. BUNDLE**

包裝尺寸: 100 x EA

- Maximum Bundle Diameter: 12.7 mm
- Material: Aluminium
- Colour: Silver
- Width: 9.5 mm



1720828 12.7 mm

**RS PRO SILVER ALUMINIUM CABLE CLIP, 14.3MM MAX. BUNDLE**

包裝尺寸: 100 x EA

- Cable Clip/Clamp Style: Cable Clip
- Maximum Bundle Diameter: 14.3 mm
- Affixing Method: Screw
- Material: Aluminium
- Colour: Silver
- Width: 9.5 mm



1720829 Cable Clip

**RS PRO BLACK RUBBER, STEEL CABLE CLAMP, 4.76MM MAX. BUNDLE**

包裝尺寸: 100 x EA

- Cable Clip/Clamp Style: Cable Clamp
- Maximum Bundle Diameter: 4.76 mm
- Affixing Method: Screw
- Material: Rubber, Steel
- Colour: Black
- Width: 12.7 mm



1720840 Cable Clamp

**RS PRO BLACK RUBBER, STEEL CABLE CLAMP, 6.35MM MAX. BUNDLE**

包裝尺寸: 100 x EA

- Cable Clip/Clamp Style: Cable Clamp
- Maximum Bundle Diameter: 6.35 mm
- Affixing Method: Screw
- Material: Rubber, Steel
- Colour: Black
- Width: 12.7 mm



1720841 Cable Clamp

**RS PRO BLACK RUBBER, STEEL CABLE CLAMP, 7.94MM MAX. BUNDLE**

包裝尺寸: 100 x EA

- Cable Clip/Clamp Style: Cable Clamp
- Maximum Bundle Diameter: 7.94 mm
- Affixing Method: Screw
- Material: Rubber, Steel
- Colour: Black
- Width: 12.7 mm



1720842 Cable Clamp

**CABLE CLIPS**

包裝尺寸: 100 x EA

- Cable Clip/Clamp Style: Cable Clamp
- Maximum Bundle Diameter: 9.53 mm
- Affixing Method: Screw
- Material: Rubber, Steel
- Colour: Black
- Width: 12.7 mm



1720843 Cable Clamp

**RS PRO BLACK RUBBER, STEEL CABLE CLAMP, 11.12MM MAX. BUNDLE**

包裝尺寸: 100 x EA

- Cable Clip/Clamp Style: Cable Clamp
- Maximum Bundle Diameter: 11.12 mm
- Affixing Method: Screw
- Material: Rubber, Steel
- Colour: Black
- Width: 12.7 mm



1720844 Cable Clamp

**RS PRO NATURAL NYLON CABLE CLIP, 6MM MAX. BUNDLE**

包裝尺寸: 100 x EA

- Cable Clip/Clamp Style: Cable Clip
- Maximum Bundle Diameter: 6 mm
- Affixing Method: Screw
- Material: Nylon 66
- Colour: Natural
- Length: 21.2 mm
- Width: 10.3 mm
- Dimensions [L x W (x D)]: 21.2 x 10.3 mm



1720846 Cable Clip

**RS PRO NATURAL NYLON CABLE CLIP, 9.2MM MAX. BUNDLE**

包裝尺寸: 100 x EA

- Cable Clip/Clamp Style: Cable Clip
- Maximum Bundle Diameter: 9.2 mm
- Affixing Method: Screw
- Material: Nylon 66
- Colour: Natural
- Length: 20 mm
- Width: 10.2 mm
- Dimensions [L x W (x D)]: 20 x 10.2 mm



1720847 Cable Clip

**RS PRO NATURAL NYLON CABLE CLIP, 12.7MM MAX. BUNDLE**

包裝尺寸: 100 x EA

- Cable Clip/Clamp Style: Cable Clip
- Maximum Bundle Diameter: 12.7 mm
- Affixing Method: Screw
- Material: Nylon 66
- Colour: Natural
- Length: 29.5 mm
- Width: 10.2 mm
- Dimensions [L x W (x D)]: 29.5 x 10.2 mm



1720848 Cable Clip

**RS PRO NATURAL NYLON CABLE CLIP, 19.1MM MAX. BUNDLE**

包裝尺寸: 100 x EA

- Cable Clip/Clamp Style: Cable Clip
- Maximum Bundle Diameter: 19.1 mm
- Affixing Method: Screw
- Material: Nylon 66
- Colour: Natural
- Length: 32.54 mm
- Width: 12.7 mm
- Dimensions [L x W (x D)]: 32.54 x 12.7 mm



1720849 Cable Clip

**FAST FITTING FEET, TYPE 3 20MM DIA X 10MM H**

包裝尺寸: 50 x EA

- Anti Vibration Mount Type: Rubber Foot
- Diameter: 20 mm
- Foot Height: 10 mm
- Overall Height: 15.5 mm
- Foot Shape: Round



1720852 Rubber Foot

**RS PRO ROUND ANTI VIBRATION MOUNT, RUBBER FOOT**

包裝尺寸: 50 x EA

- Anti Vibration Mount Type: Rubber Foot
- Diameter: 25 mm
- Foot Height: 5 mm
- Overall Height: 10 mm
- Foot Shape: Round



1720853 Rubber Foot



## FAST FITTING FEET, TYPE 2 21MM DIA X 6MM H

包装尺寸: 50 x EA

- Anti Vibration Mount Type: Rubber Foot
- Diameter: 21 mm
- Foot Height: 6 mm
- Overall Height: 6 mm
- Foot Shape: Round



1720854 Rubber Foot

## RS PRO RIVET FAN MOUNT

包装尺寸: 50 x EA

- Mount Type: Rivet



1720881 Rivet

## GREY STICK ON , 7.9MM H X 15.7MM DIA

包装尺寸: 64 x EA

- Mounting Type: Adhesive
- Thickness: 7.9 mm
- Shape: Hemispherical
- Colour: Grey
- Diameter: 15.7 mm
- Material: PUR
- Maximum Operating Temperature: +65.6 °C
- Minimum Operating Temperature: -40 °C



1735940 Adhesive

## RS PRO HEMISPHERICAL PUR SELF ADHESIVE FEET, 15.7MM DIAMETER X

包装尺寸: 64 x EA

- Mounting Type: Adhesive
- Thickness: 7.9 mm
- Shape: Hemispherical
- Colour: Grey
- Diameter: 15.7 mm
- Material: PUR
- Maximum Operating Temperature: +65.6 °C
- Minimum Operating Temperature: -40 °C



1735941 Adhesive

## BLACK STICK ON , 10.2MM H X 22.3MM DIA

包装尺寸: 36 x EA

- Mounting Type: Adhesive
- Thickness: 10.2 mm
- Shape: Circular
- Colour: Black
- Diameter: 22.3 mm
- Material: PUR
- Maximum Operating Temperature: +65.6 °C
- Minimum Operating Temperature: -40 °C



1735942 Adhesive

## BLACK STICK ON SQ, 2.5MM H X 10.2MM DIA

包装尺寸: 121 x EA

- Mounting Type: Adhesive
- Thickness: 2.5 mm
- Shape: Square
- Colour: Black
- Diameter: 10.2 mm
- Material: PUR
- Maximum Operating Temperature: +65.6 °C
- Minimum Operating Temperature: -40 °C



1735944 Adhesive

## BLACK STICK ON SQ, 3MM H X 12.7MM DIA

包装尺寸: 100 x EA

- Mounting Type: Adhesive
- Thickness: 3 mm
- Shape: Square
- Colour: Black
- Diameter: 12.7 mm
- Material: PUR
- Maximum Operating Temperature: +65.6 °C
- Minimum Operating Temperature: -40 °C



1735945 Adhesive

## GREY STICK ON SQ, 3MM H X 12.7MM DIA

包装尺寸: 100 x EA

- Mounting Type: Adhesive
- Thickness: 3 mm
- Shape: Square
- Colour: Grey
- Diameter: 12.7 mm
- Material: PUR
- Maximum Operating Temperature: +65.6 °C
- Minimum Operating Temperature: -40 °C



1735946 Adhesive

## BLACK STICK ON SQ, 5.8MM H X 12.7MM DIA

包装尺寸: 100 x EA

- Mounting Type: Adhesive
- Thickness: 5.8 mm
- Shape: Square
- Colour: Black
- Diameter: 12.7 mm
- Material: PUR
- Maximum Operating Temperature: +65.6 °C
- Minimum Operating Temperature: -40 °C



1735947 Adhesive

## BLACK STICK ON SQ, 7.6MM H X 20.6MM DIA

包装尺寸: 49 x EA

- Mounting Type: Adhesive
- Thickness: 7.6 mm
- Shape: Square
- Colour: Black
- Diameter: 20.6 mm
- Material: PUR
- Maximum Operating Temperature: +65.6 °C
- Minimum Operating Temperature: -40 °C



1735948 Adhesive

## RS PRO SQUARE PUR SELF ADHESIVE FEET, 12.7MM DIAMETER X 5.8MM

包装尺寸: 100 x EA

- Mounting Type: Adhesive
- Thickness: 5.8 mm
- Shape: Square
- Colour: Grey
- Diameter: 12.7 mm
- Material: PUR
- Maximum Operating Temperature: +65.6 °C
- Minimum Operating Temperature: -40 °C




1735949 Adhesive

## GREY STICK ON SQ, 7.6MM H X 20.6MM DIA

包装尺寸: 49 x EA

- Mounting Type: Adhesive
- Thickness: 7.6 mm
- Shape: Square
- Colour: Grey
- Diameter: 20.6 mm
- Material: PUR
- Maximum Operating Temperature: +65.6 °C
- Minimum Operating Temperature: -40 °C



1735950 Adhesive

## RS PRO CYLINDRICAL PUR SELF ADHESIVE FEET, 9.5MM DIAMETER X

包装尺寸: 75 x EA

- Mounting Type: Adhesive
- Thickness: 3.2 mm
- Shape: Cylindrical
- Colour: White
- Diameter: 9.5 mm
- Material: PUR
- Maximum Operating Temperature: +65.6 °C
- Minimum Operating Temperature: -40 °C



1735951 Adhesive

## CLEAR STICK ON , 3.2MM H X 9.5MM DIA

包装尺寸: 75 x EA

- Mounting Type: Adhesive
- Thickness: 3.2 mm
- Shape: Cylindrical
- Colour: Clear
- Diameter: 9.5 mm
- Material: PUR
- Maximum Operating Temperature: +65.6 °C
- Minimum Operating Temperature: -40 °C



1735952 Adhesive

## BLACK STICK ON , 10.2MM H X 16.5MM DIA

包装尺寸: 64 x EA

- Mounting Type: Adhesive
- Thickness: 10.2 mm
- Shape: Cylindrical
- Colour: Black
- Diameter: 16.5 mm
- Material: PUR
- Maximum Operating Temperature: +65.6 °C
- Minimum Operating Temperature: -40 °C



1735954 Adhesive

## RS PRO CYLINDRICAL PUR SELF ADHESIVE FEET, 16.5MM DIAMETER X

包装尺寸: 64 x EA

- Mounting Type: Adhesive
- Thickness: 10.2 mm
- Shape: Cylindrical
- Colour: Clear
- Diameter: 16.5 mm
- Material: PUR
- Maximum Operating Temperature: +65.6 °C
- Minimum Operating Temperature: -40 °C



1735955 Adhesive

**RS PRO CYLINDRICAL PUR SELF ADHESIVE FEET, 20.6MM DIAMETER X**

- 包裝尺寸: **36 x EA**
- Mounting Type: Adhesive
  - Thickness: 3 mm
  - Shape: Cylindrical
  - Colour: Black
  - Diameter: 20.6 mm
  - Material: PUR
  - Maximum Operating Temperature: +65.6 °C
  - Minimum Operating Temperature: -40 °C



1735956 Adhesive

**RS PRO SQUARE PUR SELF ADHESIVE FEET, 20.6MM DIAMETER X 7.6MM**

- 包裝尺寸: **49 x EA**
- Mounting Type: Adhesive
  - Thickness: 7.6 mm
  - Shape: Square
  - Colour: Clear
  - Diameter: 20.6 mm
  - Material: PUR
  - Maximum Operating Temperature: +65.6 °C
  - Minimum Operating Temperature: -40 °C



1735957 Adhesive

**RS PRO CONICAL PUR SELF ADHESIVE FEET, 18.3MM DIAMETER X 14.2MM**

- 包裝尺寸: **25 x EA**
- Mounting Type: Adhesive
  - Thickness: 14.2 mm
  - Shape: Conical
  - Colour: Black
  - Diameter: 18.3 mm
  - Material: PUR
  - Maximum Operating Temperature: +65.6 °C
  - Minimum Operating Temperature: -40 °C



1735953 Adhesive

**RS PRO CIRCULAR PUR SELF ADHESIVE FEET, 22.3MM DIAMETER X**

- 包裝尺寸: **36 x EA**
- Mounting Type: Adhesive
  - Thickness: 10.2 mm
  - Shape: Circular
  - Colour: Clear
  - Diameter: 22.3 mm
  - Material: PUR
  - Maximum Operating Temperature: +65.6 °C
  - Minimum Operating Temperature: -40 °C



1735958 Adhesive

**CLEAR STICK ON , 3.5MM H X 12.7MM DIA**

- 包裝尺寸: **100 x EA**
- Mounting Type: Adhesive
  - Thickness: 3.5 mm
  - Shape: Cylindrical
  - Colour: Clear
  - Diameter: 12.7 mm
  - Material: PUR
  - Maximum Operating Temperature: +65.6 °C
  - Minimum Operating Temperature: -40 °C



1735960 Adhesive

**BLACK STICK ON , 9.6MM H X 17.8MM DIA**

- 包裝尺寸: **49 x EA**
- Mounting Type: Adhesive
  - Thickness: 9.6 mm
  - Shape: Hemispherical
  - Colour: Black
  - Diameter: 17.8 mm
  - Material: PUR
  - Maximum Operating Temperature: +65.6 °C
  - Minimum Operating Temperature: -40 °C



1735961 Adhesive

**RS PRO HEMISPHERICAL PUR SELF ADHESIVE FEET, 17.8MM DIAMETER X**

- 包裝尺寸: **49 x EA**
- Mounting Type: Adhesive
  - Thickness: 9.6 mm
  - Shape: Hemispherical
  - Colour: Grey
  - Diameter: 17.8 mm
  - Material: PUR
  - Maximum Operating Temperature: +65.6 °C
  - Minimum Operating Temperature: -40 °C



1735962 Adhesive

**BLACK STICK ON , 3.2MM H X 9.5MM DIA**

- 包裝尺寸: **75 x EA**
- Mounting Type: Adhesive
  - Thickness: 3.2 mm
  - Shape: Cylindrical
  - Colour: Black
  - Diameter: 9.5 mm
  - Material: PUR
  - Maximum Operating Temperature: +65.6 °C
  - Minimum Operating Temperature: -40 °C



1735963 Adhesive

**RS PRO CYLINDRICAL PUR SELF ADHESIVE FEET, 9.5MM DIAMETER X**


- 包裝尺寸: **100 x EA**
- Mounting Type: Adhesive
  - Thickness: 4.8 mm
  - Shape: Cylindrical
  - Colour: Grey
  - Diameter: 9.5 mm
  - Material: PUR
  - Maximum Operating Temperature: +65.6 °C
  - Minimum Operating Temperature: -40 °C



1735964 Adhesive

**BLACK STICK ON , 3.5MM H X 12.7MM DIA**

- 包裝尺寸: **100 x EA**
- Mounting Type: Adhesive
  - Thickness: 3.5 mm
  - Shape: Cylindrical
  - Colour: Black
  - Diameter: 12.7 mm
  - Material: PUR
  - Maximum Operating Temperature: +65.6 °C
  - Minimum Operating Temperature: -40 °C



1735965 Adhesive

**RS PRO CYLINDRICAL PUR SELF ADHESIVE FEET, 12.7MM DIAMETER X**

- 包裝尺寸: **100 x EA**
- Mounting Type: Adhesive
  - Thickness: 3.5 mm
  - Shape: Cylindrical
  - Colour: White
  - Diameter: 12.7 mm
  - Material: PUR
  - Maximum Operating Temperature: +65.6 °C
  - Minimum Operating Temperature: -40 °C



1735966 Adhesive

**BLACK STICK ON , 4.8MM H X 9.5MM DIA**

- 包裝尺寸: **100 x EA**
- Mounting Type: Adhesive
  - Thickness: 4.8 mm
  - Shape: Cylindrical
  - Colour: Black
  - Diameter: 9.5 mm
  - Material: PUR
  - Maximum Operating Temperature: +65.6 °C
  - Minimum Operating Temperature: -40 °C



1735967 Adhesive

**RS PRO CYLINDRICAL PUR SELF ADHESIVE FEET, 12.7MM DIAMETER X**

- 包裝尺寸: **100 x EA**
- Mounting Type: Adhesive
  - Thickness: 3.5 mm
  - Shape: Cylindrical
  - Colour: Grey
  - Diameter: 12.7 mm
  - Material: PUR
  - Maximum Operating Temperature: +65.6 °C
  - Minimum Operating Temperature: -40 °C



1735968 Adhesive

**BLACK STICK ON , 4.1MM H X 19.1MM DIA**

- 包裝尺寸: **49 x EA**
- Mounting Type: Adhesive
  - Thickness: 4.1 mm
  - Shape: Cylindrical
  - Colour: Black
  - Diameter: 19.1 mm
  - Material: PUR
  - Maximum Operating Temperature: +65.6 °C
  - Minimum Operating Temperature: -40 °C



1735969 Adhesive

**CLEAR STICK ON , 4.8MM H X 9.5MM DIA**

- 包裝尺寸: **100 x EA**
- Mounting Type: Adhesive
  - Thickness: 4.8 mm
  - Shape: Cylindrical
  - Colour: Clear
  - Diameter: 9.5 mm
  - Material: PUR
  - Maximum Operating Temperature: +65.6 °C
  - Minimum Operating Temperature: -40 °C



1735970 Adhesive

**CLEAR STICK ON , 2.2MM H X 7.9MM DIA**

- 包裝尺寸: **150 x EA**
- Mounting Type: Adhesive
  - Thickness: 2.2 mm
  - Shape: Hemispherical
  - Colour: Clear
  - Diameter: 7.9 mm
  - Material: PUR
  - Maximum Operating Temperature: +65.6 °C
  - Minimum Operating Temperature: -40 °C



1735972 Adhesive

## BLACK STICK ON , 5.1MM H X 19.8MM DIA

包装尺寸: 42 x EA

- Mounting Type: Adhesive
- Thickness: 5.1 mm
- Shape: Cylindrical
- Colour: Black
- Diameter: 19.8 mm
- Material: PUR
- Maximum Operating Temperature: +65.6 °C
- Minimum Operating Temperature: -40 °C



1735973 Adhesive

## RS PRO CYLINDRICAL PUR SELF ADHESIVE FEET, 19.1MM DIAMETER X

包装尺寸: 49 x EA

- Mounting Type: Adhesive
- Thickness: 4.1 mm
- Shape: Cylindrical
- Colour: Grey
- Diameter: 19.1 mm
- Material: PUR
- Maximum Operating Temperature: +65.6 °C
- Minimum Operating Temperature: -40 °C



1735974 Adhesive

## RS PRO CYLINDRICAL PUR SELF ADHESIVE FEET, 19.8MM DIAMETER X

包装尺寸: 42 x EA

- Mounting Type: Adhesive
- Thickness: 5.1 mm
- Shape: Cylindrical
- Colour: Grey
- Diameter: 19.8 mm
- Material: PUR
- Maximum Operating Temperature: +65.6 °C
- Minimum Operating Temperature: -40 °C



1735975 Adhesive

## GREY STICK ON , 10.2MM H X 22.3MM DIA

包装尺寸: 36 x EA

- Mounting Type: Adhesive
- Thickness: 10.2 mm
- Shape: Circular
- Colour: Grey
- Diameter: 22.3 mm
- Material: PUR
- Maximum Operating Temperature: +65.6 °C
- Minimum Operating Temperature: -40 °C



1735976 Adhesive

## RS PRO M10 ADJUSTABLE FOOT, 1100KG STATIC LOAD CAPACITY 30°

包装尺寸: 2 x EA

- Static Load Capacity: 1100 kg
- Thread Size: M10
- Thread Length: 75 mm
- Tilt Angle: 30 °
- Height: 108 mm
- Colour: Black



1854504 1100 kg

## RS PRO M12 STAINLESS STEEL ADJUSTABLE FOOT, 400KG STATIC

包装尺寸: 1 x EA

- Static Load Capacity: 400 kg
- Thread Size: M12
- Thread Length: 100 mm
- Tilt Angle: 10 °
- Foot Material: Stainless Steel
- Shore Hardness: 80 Shore A
- Height: 129 mm



1854516 400 kg

## RS PRO RUBBER BUSH

包装尺寸: 4 x EA

- Inside Diameter: 12 mm
- Outside Diameter: 26 mm
- Outer Length: 20 mm
- Inner Length: 24 mm



1893194 12 mm

## RS PRO RUBBER BUSH

包装尺寸: 4 x EA

- Inside Diameter: 12 mm
- Outside Diameter: 32 mm
- Outer Length: 34 mm
- Inner Length: 40 mm



1893200 12 mm

## RS PRO ANTI VIBRATION MOUNT, RUBBER BUSH

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Rubber Bush
- Diameter: 25 mm
- Overall Height: 50 mm



1893203 Rubber Bush

## RS PRO M5 ANTI VIBRATION MOUNT, RUBBER BOBBIN WITH 4.9KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Rubber Bobbin
- Thread Size: M5
- Diameter: 15 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 4.9 kg
- Shore Hardness: 45 Shore A
- Metalwork: Zinc Plated Steel



1893204 Rubber Bobbin

## RS PRO M8 ANTI VIBRATION MOUNT, BUMP STOP WITH 56KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Bump Stop
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 30 mm
- Material: Rubber
- Compression Load: 56 kg
- Shore Hardness: 60 Shore A
- Metalwork: Zinc Plated Steel



1893206 Bump Stop

## RS PRO M12 ANTI VIBRATION MOUNT, RUBBER BOBBIN WITH 834KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Rubber Bobbin
- Thread Size: M12
- Diameter: 75 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 834 kg
- Shore Hardness: 70 Shore A
- Metalwork: Zinc Plated Steel



1893209 Rubber Bobbin

## RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 97.8KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 40 mm
- Overall Height: 35 mm
- Material: Natural Rubber
- Compression Load: 97.8 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1893212 Male to Male

## RS PRO M5 ANTI VIBRATION MOUNT, RUBBER BOBBIN WITH 6KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Rubber Bobbin
- Thread Size: M5
- Diameter: 15 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 6 kg
- Shore Hardness: 45 Shore A
- Metalwork: Zinc Plated Steel



1893224 Rubber Bobbin

## RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 28.93 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1893232 Male to Female

## RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 67KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M8
- Diameter: 30 mm
- Overall Height: 17 mm
- Material: Natural Rubber
- Compression Load: 67 kg
- Shore Hardness: 60 Shore A
- Metalwork: Zinc Plated Steel



1893236 Male Buffer Foot

## RS PRO M10 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 112.5KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M10
- Diameter: 40 mm
- Overall Height: 35 mm
- Material: Natural Rubber
- Compression Load: 112.5 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1893244 Female Buffer

## RS PRO M8 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 69.52 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1893247 Male to Female

## RS PRO M12 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M12
- Diameter: 75 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 533.9 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 70 Shore A



1893266 Male to Male

## RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 70.1KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 50 mm
- Material: Natural Rubber
- Compression Load: 70.1 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1893275 Male to Male

## RS PRO M4 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 13.3KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M4
- Diameter: 16 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 13.3 kg
- Shore Hardness: 60 Shore A
- Metalwork: Zinc Plated Steel



1893248 Male Buffer Foot

## RS PRO M4 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 15.3KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M4
- Diameter: 16 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 15.3 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1893264 Female Buffer

## RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 146KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 50 mm
- Material: Natural Rubber
- Compression Load: 146 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1893250 Male to Male

## RS PRO M3 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 4.4KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M3
- Diameter: 8 mm
- Overall Height: 8 mm
- Material: Natural Rubber
- Compression Load: 4.4 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1893249 Male to Male

## RS PRO M6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 12.3KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 12.3 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1893280 Male to Male

## RS PRO M8 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 147KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 147 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 70 Shore A



1893283 Male to Male

## RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 97.6KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 25 mm
- Material: Natural Rubber
- Compression Load: 97.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1893288 Male to Male

## RS PRO M6 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M6
- Diameter: 20 mm
- Overall Height: 15 mm
- Material: Natural Rubber
- Compression Load: 28.05 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1893289 Male to Female

## RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 230.6KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 20 mm
- Material: Natural Rubber
- Compression Load: 230.6 kg
- Shore Hardness: 60 Shore A
- Metalwork: Zinc Plated Steel



1893296 Male Buffer Foot

## RS PRO M10 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN WITH

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M10
- Diameter: 40 mm
- Overall Height: 35 mm
- Material: Natural Rubber
- Compression Load: 46.31 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1893302 Male to Female

## RS PRO M10 ANTI VIBRATION MOUNT, MALE BUFFER FOOT

包装尺寸: 1 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M10
- Diameter: 92 mm
- Overall Height: 45 mm
- Material: Rubber
- Shore Hardness: 45 Shore A
- Compression Deflection: 4 mm



1893303 Male Buffer Foot

## RS PRO M10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH 159.8KG

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 33 mm
- Material: Natural Rubber
- Compression Load: 159.8 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1893313 Male to Male

**RS PRO M10 ANTI VIBRATION MOUNT, FEMALE BUFFER FOOT WITH 167.9KG**

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Female Buffer Foot
- Thread Size: M10
- Diameter: 50 mm
- Overall Height: 50 mm
- Material: Natural Rubber
- Compression Load: 167.9 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1893305 Female Buffer

**RS PRO M8 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH 48.1KG**

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M8
- Diameter: 40 mm
- Overall Height: 30 mm
- Material: Natural Rubber
- Compression Load: 48.1 kg
- Shore Hardness: 45 Shore A
- Metalwork: Zinc Plated Steel



1893323 Male Buffer Foot

**RS PRO M4X6 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH**

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M4X6
- Diameter: 10 mm
- Overall Height: 10 mm
- Material: Rubber
- Compression Load: 2.5 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 45 Shore A



1961319 Male to Male

**RS PRO M4X10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH**

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M4X10
- Diameter: 10 mm
- Overall Height: 10 mm
- Material: Rubber
- Compression Load: 7.7 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1961318 Male to Male

**RS PRO M4X10 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH**

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M4X10
- Diameter: 15 mm
- Overall Height: 15 mm
- Material: EPDM
- Compression Load: 6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 35 Shore A



1961321 Male to Male

**RS PRO M6X15 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH**

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6X15
- Diameter: 20 mm
- Overall Height: 10 mm
- Material: Rubber
- Compression Load: 25.9 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 55 Shore A



1961323 Male to Male

**RS PRO M6X15 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH**

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M6X15
- Diameter: 20 mm
- Overall Height: 15 mm
- Material: Rubber
- Compression Load: 20.4 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 55 Shore A



1961324 Male to Male

**RS PRO M8X20 ANTI VIBRATION MOUNT, MALE TO MALE BOBBIN WITH**

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Male Bobbin
- Thread Size: M8X20
- Diameter: 25 mm
- Overall Height: 22 mm
- Material: Rubber
- Compression Load: 22.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 50 Shore A



1961326 Male to Male

**RS PRO M4X10 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN**

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M4X10
- Diameter: 15 mm
- Overall Height: 10 mm
- Material: EPDM
- Compression Load: 16.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1961345 Male to Female

**RS PRO M5X12 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN**

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M5X12
- Diameter: 15 mm
- Overall Height: 15 mm
- Material: Rubber
- Compression Load: 14.6 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 60 Shore A



1961346 Male to Female

**RS PRO M6X12 ANTI VIBRATION MOUNT, MALE TO FEMALE BOBBIN**

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Male to Female Bobbin
- Thread Size: M6X12
- Diameter: 20 mm
- Overall Height: 15 mm
- Material: Rubber
- Compression Load: 41.2 kg
- Metalwork: Zinc Plated Steel
- Shore Hardness: 70 Shore A



1961348 Male to Female

**RS PRO M16 ADJUSTABLE FOOT, 1800KG STATIC LOAD CAPACITY 30°**

包装尺寸: 1 x PR

- Static Load Capacity: 1800 kg
- Thread Size: M16
- Thread Length: 100 mm
- Tilt Angle: 30°
- Base Material: Mild Steel
- Height: 132 mm
- Maximum Adjustment Height: 45 mm
- Minimum Adjustment Height: 115 mm



1965315 1800 kg

**RS PRO M10 ADJUSTABLE FOOT, 1000KG STATIC LOAD CAPACITY 30°**

包装尺寸: 1 x PR

- Static Load Capacity: 1000 kg
- Thread Size: M10
- Thread Length: 100 mm
- Tilt Angle: 30°
- Base Material: Stainless Steel
- Height: 130 mm
- Maximum Adjustment Height: 95 mm
- Minimum Adjustment Height: 35 mm



1965335 1000 kg

**RS PRO M12 STAINLESS STEEL ADJUSTABLE FOOT, 700KG STATIC**

包装尺寸: 1 x EA

- Static Load Capacity: 700 kg
- Thread Size: M12
- Thread Length: 150 mm
- Tilt Angle: 10°
- Foot Material: Stainless Steel
- Base Material: Stainless Steel
- Height: 182 mm
- Maximum Adjustment Height: 45 mm



1965351 700 kg

**RS PRO M3X6 ANTI VIBRATION MOUNT, MALE BUFFER FOOT WITH**

包装尺寸: 8 x EA

- Anti Vibration Mount Type: Male Buffer Foot
- Thread Size: M3X6
- Diameter: 8 mm
- Overall Height: 8 mm
- Material: Rubber
- Compression Load: 2.4 kg
- Shore Hardness: 45 Shore A
- Metalwork: Zinc Plated Steel



1961356 Male Buffer Foot

**RS PRO M6X18 ANTI VIBRATION MOUNT, BUMP STOP**

包装尺寸: 4 x EA

- Anti Vibration Mount Type: Bump Stop
- Thread Size: M6X18
- Diameter: 20 mm
- Overall Height: 15 mm
- Material: Rubber
- Shore Hardness: 60 Shore A



1961362 Bump Stop

## RS PRO M6 40MM DIA. POLYAMIDE ADJUSTABLE FOOT, 500KG STATIC

包装尺寸: 1 x EA

- Static Load Capacity: 500 kg
- Thread Size: M6
- Thread Length: 25 mm
- Tilt Angle: 30 °
- Foot Material: Polyamide
- Base Material: Mild Steel
- Diameter: 40 mm
- Height: 52 mm



2245785 500 kg

## RS PRO M12 50MM DIA. POLYAMIDE ADJUSTABLE FOOT, 1100KG STATIC

包装尺寸: 1 x EA

- Static Load Capacity: 1100 kg
- Thread Size: M12
- Thread Length: 125 mm
- Tilt Angle: 30 °
- Foot Material: Polyamide
- Base Material: Mild Steel
- Diameter: 50 mm
- Height: 156 mm



2245789 1100 kg

## RS PRO M12 50MM DIA. POLYAMIDE ADJUSTABLE FOOT, 1100KG STATIC

包装尺寸: 1 x EA

- Static Load Capacity: 1100 kg
- Thread Size: M12
- Thread Length: 150 mm
- Tilt Angle: 30 °
- Foot Material: Polyamide
- Base Material: Mild Steel
- Diameter: 50 mm
- Height: 181 mm



2245790 1100 kg

## RS PRO M16 100MM DIA. RUBBER ADJUSTABLE FOOT, 1500KG STATIC

包装尺寸: 1 x EA

- Static Load Capacity: 1500 kg
- Thread Size: M16
- Thread Length: 200 mm
- Tilt Angle: 10 °
- Foot Material: Rubber
- Base Material: Mild Steel
- Diameter: 100 mm
- Height: 237.5 mm



2245803 1500 kg

## RS PRO M16 80MM DIA. RUBBER ADJUSTABLE FOOT, 1000KG STATIC

包装尺寸: 1 x EA

- Static Load Capacity: 1000 kg
- Thread Size: M16
- Thread Length: 200 mm
- Tilt Angle: 10 °
- Foot Material: Rubber
- Base Material: Stainless Steel
- Diameter: 80 mm
- Height: 238 mm



2245826 1000 kg

## RS PRO M10 40MM DIA. RUBBER ADJUSTABLE FOOT, 300KG STATIC

包装尺寸: 1 x EA

- Static Load Capacity: 300 kg
- Thread Size: M10
- Thread Length: 75 mm
- Tilt Angle: 10 °
- Foot Material: Rubber
- Base Material: Stainless Steel
- Diameter: 40 mm
- Height: 101 mm



2245812 300 kg

## RS PRO SQUARE NYLON TUBE INSERT, 1200KG STATIC LOAD CAPACITY

包装尺寸: 4 x EA

- Static Load Capacity: 1200 kg
- Profile: Square
- Body Material: Nylon
- Bush Material: Nickel-Plated Brass



2351035 1200 kg

## RS PRO CIRCULAR NITRILE NON SLIP PAD, 38MM DIAMETER X 3MM HEIGHT

包装尺寸: 4 x EA

- Mounting Type: Adhesive
- Thickness: 3 mm
- Shape: Circular
- Diameter: 38 mm
- Material: Nitrile
- Maximum Operating Temperature: +70 °C
- Minimum Operating Temperature: -20 °C



3022902 Adhesive

## RS PRO CIRCULAR NITRILE NON SLIP PAD, 55MM DIAMETER X 3MM HEIGHT

包装尺寸: 4 x EA

- Mounting Type: Adhesive
- Thickness: 3 mm
- Shape: Circular
- Diameter: 55 mm
- Material: Nitrile
- Maximum Operating Temperature: +70 °C
- Minimum Operating Temperature: -20 °C



3022918 Adhesive

## RS PRO CIRCULAR NITRILE NON SLIP PAD, 100MM DIAMETER X 3MM

包装尺寸: 4 x EA

- Mounting Type: Adhesive
- Thickness: 3 mm
- Shape: Circular
- Diameter: 100 mm
- Material: Nitrile
- Maximum Operating Temperature: +70 °C
- Minimum Operating Temperature: -20 °C



3022930 Adhesive

## PAD,STICK ON,DYCHEM,SQUARE,20.5MM

包装尺寸: 24 x EA

- Mounting Type: Adhesive
- Shape: Square
- Thickness: 3 mm
- Material: Polymer
- Length: 20.5 mm
- Maximum Operating Temperature: +50 °C
- Width: 20.5 mm
- Minimum Operating Temperature: 0 °C



3023107 Adhesive

## RS PRO AAA BATTERY CONTACT

- 包装尺寸: 1 x EA
- For Battery Size: AAA
  - Terminal Contact Material: Nickel Plated Spring Steel



1854671 AAA

## RS PRO AAA BATTERY CONTACT

- 包装尺寸: 1 x EA
- For Battery Size: AAA
  - Terminal Contact Material: Nickel Plated Spring Steel



1854670 AAA

## RS PRO AA BATTERY CONTACT

- 包装尺寸: 1 x EA
- For Battery Size: AA



1854673 AA

## 9V BATTERY SNAP

- 包装尺寸: 1 x EA
- For Battery Size: 9V



1854775 9V

## RS PRO 9V BATTERY CONTACT

- 包装尺寸: 1 x EA
- For Battery Size: 9V



1854800 9V

## 9V BATTERY SNAP

- 包装尺寸: 1 x EA
- For Battery Size: 9V



1854788 9V

## RS PRO 9V BATTERY CONTACT

- 包装尺寸: 1 x EA
- For Battery Size: 9V



1854790 9V

## RS PRO AA BATTERY HOLDER

- 包装尺寸: 1 x EA
- For Battery Size: AA
  - Number of Cells: 1
  - Type: Battery Holder
  - Dimensions: 57 x 17 x 14 mm



1854605 AA

## RS PRO AA BATTERY HOLDER

- 包装尺寸: 1 x EA
- For Battery Size: AA
  - Number of Cells: 2
  - Mount: Wire Lead
  - Type: Battery Holder
  - Dimensions: 57 x 16.5 x 26 mm



1854604 AA

## RS PRO AA BATTERY HOLDER

- 包装尺寸: 1 x EA
- For Battery Size: AA
  - Number of Cells: 10
  - Mount: Snap-In
  - Type: Battery Holder
  - Dimensions: 78.5 x 58.5 x 29.8 mm



1854607 AA

## RS PRO AA BATTERY HOLDER, SOLDER TAG CONTACT

- 包装尺寸: 1 x EA
- For Battery Size: AA
  - Number of Cells: 10
  - Type: Battery Holder
  - Dimensions: 78.5 x 58.5 x 29.8 mm
  - Terminal Contact Type: Solder Tag



1854606 AA

## AA X 10 WITH LEAD WIRE 150MM

- 包装尺寸: 1 x EA
- For Battery Size: AA
  - Number of Cells: 10
  - Mount: Wire Lead
  - Type: Battery Holder
  - Dimensions: 78.5 x 58.5 x 29.8 mm



1854608 AA

## RS PRO C BATTERY HOLDER

- 包装尺寸: 1 x EA
- For Battery Size: C
  - Number of Cells: 2
  - Mount: Snap-In
  - Type: Battery Holder
  - Dimensions: 62.6 x 55.8 x 23.5 mm



1854613 C

## AA X 2 WITH SNAP TERMINAL

- 包装尺寸: 1 x EA
- For Battery Size: AA
  - Number of Cells: 2
  - Mount: Snap-In
  - Type: Battery Holder
  - Dimensions: 57 x 16.5 x 26 mm



1854615 AA

## RS PRO C BATTERY HOLDER

- 包装尺寸: 1 x EA
- For Battery Size: C
  - Number of Cells: 4
  - Mount: Snap-In
  - Type: Battery Holder
  - Dimensions: 109 x 54.5 x 24 mm



1854620 C

## RS PRO C BATTERY HOLDER, SOLDER TAG CONTACT

- 包装尺寸: 1 x EA
- For Battery Size: C
  - Number of Cells: 3
  - Type: Battery Holder
  - Dimensions: 82 x 59 x 24 mm
  - Terminal Contact Type: Solder Tag



1854621 C

**RS PRO AA BATTERY HOLDER, SOLDER TAG CONTACT**

- 包裝尺寸: **1 x EA**
- For Battery Size: AA
  - Number of Cells: 4
  - Type: Battery Holder
  - Dimensions: 58 x 64 x 16 mm
  - Terminal Contact Type: Solder Tag



1854626 AA

**RS PRO C BATTERY HOLDER, SOLDER TAG CONTACT**

- 包裝尺寸: **1 x EA**
- For Battery Size: C
  - Number of Cells: 6
  - Type: Battery Holder
  - Dimensions: 159 x 57.3 x 24.9 mm
  - Terminal Contact Type: Solder Tag



1854616 C

**RS PRO AAA BATTERY HOLDER**

- 包裝尺寸: **1 x EA**
- For Battery Size: AAA
  - Number of Cells: 1
  - Mount: Wire Lead
  - Type: Battery Holder
  - Dimensions: 50 x 13 x 12 mm



1854630 AAA

**AA X 8 WITH TAG**

- 包裝尺寸: **1 x EA**
- For Battery Size: AA
  - Number of Cells: 8
  - Type: Battery Holder
  - Dimensions: 63 x 57.8 x 28.5 mm
  - Terminal Contact Type: Solder Tag



1854631 AA

**RS PRO AA BATTERY HOLDER**

- 包裝尺寸: **1 x EA**
- For Battery Size: AA
  - Number of Cells: 8
  - Mount: Snap-In
  - Type: Battery Holder
  - Dimensions: 57.8 x 63 x 28.5 mm



1854632 AA

**RS PRO AA BATTERY HOLDER**

- 包裝尺寸: **1 x EA**
- For Battery Size: AA
  - Number of Cells: 8
  - Mount: Wire Lead
  - Type: Battery Holder
  - Dimensions: 57.8 x 63 x 28.5 mm



1854633 AA

**RS PRO AA BATTERY HOLDER, SOLDER TAG CONTACT**

- 包裝尺寸: **1 x EA**
- For Battery Size: AA
  - Number of Cells: 6
  - Type: Battery Holder
  - Dimensions: 58 x 45 x 28 mm
  - Terminal Contact Type: Solder Tag



1854635 AA

**AA X 6 WIRE LEAD WIRE 150MM**

- 包裝尺寸: **1 x EA**
- For Battery Size: AA
  - Number of Cells: 6
  - Mount: Wire Lead
  - Type: Battery Holder
  - Dimensions: 58 x 45 x 28 mm



1854637 AA

**RS PRO AA BATTERY HOLDER**

- 包裝尺寸: **1 x EA**
- For Battery Size: AA
  - Number of Cells: 6
  - Mount: Snap-In
  - Type: Battery Holder
  - Dimensions: 58 x 45 x 28 mm



1854636 AA

**RS PRO AA BATTERY HOLDER**

- 包裝尺寸: **1 x EA**
- For Battery Size: AA
  - Number of Cells: 2
  - Type: Battery Holder
  - Dimensions: 57.1 x 32 x 15.7 mm



1854638 AA

**RS PRO AA BATTERY HOLDER**

- 包裝尺寸: **1 x EA**
- For Battery Size: AA
  - Number of Cells: 4
  - Type: Battery Holder
  - Dimensions: 58 x 64 x 16 mm



1854639 AA

**AA X 2 WITH LEAD WIRE 150MM**

- 包裝尺寸: **1 x EA**
- For Battery Size: AA
  - Number of Cells: 2
  - Mount: Wire Lead
  - Type: Battery Holder
  - Dimensions: 57 x 26 x 16.5 mm



1854641 AA

**AA X 4 WITH LEAD WIRE 150MM**

- 包裝尺寸: **1 x EA**
- For Battery Size: AA
  - Number of Cells: 4
  - Mount: Wire Lead
  - Type: Battery Holder
  - Dimensions: 58 x 63.1 x 16 mm



1854643 AA

**RS PRO AA BATTERY HOLDER**

- 包裝尺寸: **1 x EA**
- For Battery Size: AA
  - Number of Cells: 3
  - Mount: Snap-In
  - Type: Battery Holder
  - Dimensions: 58 x 48.3 x 17 mm



1854646 AA

**AA X 3 WITH TAG**

- 包裝尺寸: **1 x EA**
- For Battery Size: AA
  - Number of Cells: 3
  - Type: Battery Holder
  - Dimensions: 58 x 48.3 x 17 mm
  - Terminal Contact Type: Solder Tag



1854645 AA

**RS PRO AA BATTERY HOLDER**

- 包裝尺寸: **1 x EA**
- For Battery Size: AA
  - Number of Cells: 3
  - Mount: Wire Lead
  - Type: Battery Holder
  - Dimensions: 58 x 48.3 x 17 mm



1854647 AA



## AA X 2 WITH TAG

包裝尺寸: 1 x EA

- For Battery Size: AA
- Number of Cells: 2
- Type: Battery Holder
- Dimensions: 57 x 16.5 x 26 mm
- Terminal Contact Type: Solder Tag



1854649 AA

## RS PRO C BATTERY HOLDER

包裝尺寸: 1 x EA

- For Battery Size: C
- Number of Cells: 2
- Mount: Wire Lead
- Type: Battery Holder
- Dimensions: 62.6 x 55.8 x 23.5 mm



1854650 C

## AA X 4 WITH LEAD WIRE 150MM

包裝尺寸: 1 x EA

- For Battery Size: AA
- Number of Cells: 4
- Mount: Wire Lead
- Type: Battery Holder
- Dimensions: 58 x 32 x 28 mm



1854651 AA

## RS PRO CR2032 BATTERY HOLDER

包裝尺寸: 1 x EA

- For Battery Size: CR2032
- Type: Battery Holder
- Dimensions: 31 x 20 x 4 mm



1854652 CR2032

## RS PRO 1/2 AA BATTERY HOLDER

包裝尺寸: 1 x EA

- For Battery Size: 1/2 AA
- Type: Battery Holder
- Dimensions: 34.4 x 17.5 x 15 mm



1854654 1/2 AA

## 1/2AA WITH LEAD WIRE 150 MM

包裝尺寸: 1 x EA

- For Battery Size: 1/2 AA
- Mount: Wire Lead
- Type: Battery Holder
- Dimensions: 34.4 x 17.5 x 15 mm



1854655 1/2 AA

## RS PRO CR2450 BATTERY HOLDER

包裝尺寸: 1 x EA

- For Battery Size: CR2450
- Type: Battery Holder
- Dimensions: 26.9 x 22.6 x 8.4 mm



1854658 CR2450

## RS PRO CR2032 BATTERY HOLDER

包裝尺寸: 1 x EA

- For Battery Size: CR2032
- Type: Battery Holder
- Dimensions: 22.4 x 19.6 x 4 mm



1854664 CR2032

## RS PRO CR2032 BATTERY HOLDER

包裝尺寸: 1 x EA

- For Battery Size: CR2032
- Type: Battery Holder
- Dimensions: 24.6 x 15.87 x 7.5 mm



1854661 CR2032

## RS PRO D BATTERY HOLDER

包裝尺寸: 1 x EA

- For Battery Size: D
- Number of Cells: 2
- Mount: Wire Lead
- Type: Battery Holder
- Dimensions: 71.2 x 73.2 x 31.2 mm



1854665 D

## RS PRO CR2032 BATTERY HOLDER

包裝尺寸: 1 x EA

- For Battery Size: CR2032
- Type: Battery Holder
- Dimensions: 28.6 x 7 x 4.7 mm



1854675 CR2032

## RS PRO D BATTERY HOLDER, SOLDER TAG CONTACT

包裝尺寸: 1 x EA

- For Battery Size: D
- Number of Cells: 4
- Mount: Wire Lead
- Type: Battery Holder
- Dimensions: 133.5 x 74 x 32 mm
- Terminal Contact Type: Solder Tag



1854676 D

## RS PRO C BATTERY HOLDER, SOLDER TAG CONTACT

包裝尺寸: 1 x EA

- For Battery Size: C
- Number of Cells: 1
- Type: Battery Holder
- Dimensions: 62 x 30 x 24.5 mm
- Terminal Contact Type: Solder Tag



1854677 C

## RS PRO D BATTERY HOLDER, SOLDER TAG CONTACT

包裝尺寸: 1 x EA

- For Battery Size: D
- Number of Cells: 6
- Type: Battery Holder
- Dimensions: 195 x 73.5 x 32.8 mm
- Terminal Contact Type: Solder Tag



1854682 D

## RS PRO D BATTERY HOLDER, SOLDER TAG CONTACT

包裝尺寸: 1 x EA

- For Battery Size: D
- Number of Cells: 8
- Type: Battery Holder
- Dimensions: 142 x 73 x 62 mm
- Terminal Contact Type: Solder Tag



1854680 D

## RS PRO D BATTERY HOLDER

包裝尺寸: 1 x EA

- For Battery Size: D
- Number of Cells: 8
- Mount: Wire Lead
- Type: Battery Holder
- Dimensions: 142 x 73 x 62 mm



1854681 D

**RS PRO D BATTERY HOLDER**

- 包装尺寸: 1 x EA
- For Battery Size: D
  - Number of Cells: 6
  - Mount: Snap-In
  - Type: Battery Holder
  - Dimensions: 195 x 73.5 x 32.8 mm



1854683 D

**RS PRO D BATTERY HOLDER**

- 包装尺寸: 1 x EA
- For Battery Size: D
  - Number of Cells: 6
  - Mount: Wire Lead
  - Type: Battery Holder
  - Dimensions: 195 x 73.5 x 32 mm



1854685 D

**RS PRO D BATTERY HOLDER**

- 包装尺寸: 1 x EA
- For Battery Size: D
  - Number of Cells: 6
  - Mount: Snap-In
  - Type: Battery Holder
  - Dimensions: 106 x 70 x 55.6 mm



1854687 D

**RS PRO D BATTERY HOLDER**

- 包装尺寸: 1 x EA
- For Battery Size: D
  - Number of Cells: 6
  - Mount: Wire Lead
  - Type: Battery Holder
  - Dimensions: 69 x 37.3 x 27.5 mm



1854688 D

**RS PRO D BATTERY HOLDER**

- 包装尺寸: 1 x EA
- For Battery Size: D
  - Number of Cells: 4
  - Mount: Wire Lead
  - Type: Battery Holder
  - Dimensions: 141 x 73 x 31 mm



1854689 D

**RS PRO D BATTERY HOLDER**

- 包装尺寸: 1 x EA
- For Battery Size: D
  - Number of Cells: 4
  - Mount: Snap-In
  - Type: Battery Holder
  - Dimensions: 133.5 x 74 x 32 mm



1854692 D

**RS PRO D BATTERY HOLDER**

- 包装尺寸: 1 x EA
- For Battery Size: D
  - Number of Cells: 4
  - Mount: Wire Lead
  - Type: Battery Holder
  - Dimensions: 133.5 x 74 x 32 mm



1854693 D

**RS PRO D BATTERY HOLDER**

- 包装尺寸: 1 x EA
- For Battery Size: D
  - Number of Cells: 3
  - Mount: Wire Lead
  - Type: Battery Holder
  - Dimensions: 106 x 70 x 27.8 mm



1854695 D

**RS PRO D BATTERY HOLDER**

- 包装尺寸: 1 x EA
- For Battery Size: D
  - Number of Cells: 6
  - Mount: Wire Lead
  - Type: Battery Holder
  - Dimensions: 106 x 70 x 55.6 mm



1854701 D

**CR2032 HOLDER**

- 包装尺寸: 1 x EA
- For Battery Size: CR2032
  - Type: Battery Holder
  - Dimensions: 22.5 x 6.4 x 18.1 mm



1854702 CR2032

**RS PRO D BATTERY HOLDER, SOLDER TAG CONTACT**

- 包装尺寸: 1 x EA
- For Battery Size: D
  - Number of Cells: 3
  - Type: Battery Holder
  - Dimensions: 108 x 70 x 39 mm
  - Terminal Contact Type: Solder Tag



1854711 D

**CR2032 HOLDER**

- 包装尺寸: 1 x EA
- For Battery Size: CR2032
  - Type: Battery Holder
  - Dimensions: 27.8 x 22.8 mm
  - Body Material: PBT



1854712 CR2032

**RS PRO AA BATTERY HOLDER**

- 包装尺寸: 1 x EA
- For Battery Size: AA
  - Number of Cells: 3
  - Mount: Wire Lead
  - Type: Battery Holder
  - Dimensions: 68.5 x 48 x 18.5 mm



1854715 AA

**CR2032 HOLDER**

- 包装尺寸: 1 x EA
- For Battery Size: CR2032
  - Type: Battery Holder
  - Dimensions: 24.9 x 15.6 x 5.3 mm



1854716 CR2032

**RS PRO BATTERY HOLDER**

- 包装尺寸: 1 x EA
- Type: Battery Holder
  - Dimensions: 19.45 x 14.6 x 4.2 mm
  - Body Material: PPS



1854718 Battery Holder

**RS PRO CR2032 BATTERY HOLDER**

- 包装尺寸: 1 x EA
- For Battery Size: CR2032
  - Type: Battery Holder
  - Dimensions: 28.4 x 16 x 5.5 mm



1854717 CR2032

## RS PRO CR2450 BATTERY HOLDER

包裝尺寸: 1 x EA

- For Battery Size: CR2450
- Type: Battery Holder
- Dimensions: 29.35 x 26.75 x 9.5 mm



1854720 CR2450

## RS PRO CR2032 BATTERY HOLDER

包裝尺寸: 1 x EA

- For Battery Size: CR2032
- Type: Battery Holder
- Dimensions: 23 x 27 x 5.8 mm
- Body Material: PBT



1854721 CR2032

## RS PRO CR2032 BATTERY HOLDER

包裝尺寸: 1 x EA

- For Battery Size: CR2032
- Type: Battery Holder
- Dimensions: 22.9 x 23 x 5.7 mm



1854722 CR2032

## CR2032 HOLDER

包裝尺寸: 1 x EA

- For Battery Size: CR2032
- Type: Battery Holder
- Dimensions: 26 x 7.1 mm



1854723 CR2032

## RS PRO AAA BATTERY HOLDER

包裝尺寸: 1 x EA

- For Battery Size: AAA
- Number of Cells: 1
- Mount: Battery Holder
- Dimensions: 50 x 13 x 12 mm



1854724 AAA

## RS PRO 9V PP3 BATTERY HOLDER

包裝尺寸: 1 x EA

- For Battery Size: 9V PP3
- Type: Battery Holder
- Dimensions: 68.3 x 66.3 x 33.3 mm



1854728 9V PP3

## SAFETY BATTERY HOLDER , 9V WITH LEAD WIR

包裝尺寸: 1 x EA

- For Battery Size: 9V PP3
- Mount: Wire Lead
- Type: Battery Holder
- Dimensions: 68.3 x 33.3 x 21.1 mm



1854730 9V PP3

## SAFETY BATTERY HOLDER , 9V WITH LEAD WIR

包裝尺寸: 1 x EA

- For Battery Size: 9V PP3
- Mount: Wire Lead
- Type: Battery Holder
- Dimensions: 68.3 x 66.3 x 33.3 mm



1854731 9V PP3

## RS PRO AAA BATTERY HOLDER

包裝尺寸: 1 x EA

- For Battery Size: AAA
- Number of Cells: 3
- Mount: Wire Lead
- Type: Battery Holder
- Dimensions: 63 x 48.5 x 15 mm



1854733 AAA

## RS PRO AAA BATTERY HOLDER

包裝尺寸: 1 x EA

- For Battery Size: AAA
- Number of Cells: 3
- Type: Battery Holder
- Dimensions: 54 x 37.5 x 15.2 mm



1854736 AAA

## RS PRO AAA BATTERY HOLDER, SOLDER TAG CONTACT

包裝尺寸: 1 x EA

- For Battery Size: AAA
- Number of Cells: 3
- Type: Battery Holder
- Dimensions: 54 x 37.5 x 15.2 mm
- Terminal Contact Type: Solder Tag



1854737 AAA

## RS PRO C BATTERY HOLDER, SOLDER TAG CONTACT

包裝尺寸: 1 x EA

- For Battery Size: C
- Number of Cells: 3
- Type: Battery Holder
- Dimensions: 84 x 58.5 x 31 mm
- Terminal Contact Type: Solder Tag



1854738 C

## RS PRO AAA BATTERY HOLDER

包裝尺寸: 1 x EA

- For Battery Size: AAA
- Number of Cells: 3
- Mount: Wire Lead
- Type: Battery Holder
- Dimensions: 63 x 37 x 15.5 mm



1854739 AAA

## SAFETY BATTERY HOLDER , AA X 2 WITH LEAD

包裝尺寸: 1 x EA

- For Battery Size: AA
- Number of Cells: 2
- Mount: Wire Lead
- Type: Battery Holder
- Dimensions: 68 x 33 x 19 mm



1854740 AA

## SAFETY BATTERY HOLDER , AAA X 2 WITH LEA

包裝尺寸: 1 x EA

- For Battery Size: AAA
- Number of Cells: 2
- Mount: Wire Lead
- Type: Battery Holder
- Dimensions: 62.6 x 25.7 x 15.7 mm



1854742 AAA

## RS PRO AAA BATTERY HOLDER

包裝尺寸: 1 x EA

- For Battery Size: AAA
- Number of Cells: 2
- Mount: Wire Lead
- Type: Battery Holder
- Dimensions: 62.6 x 25.7 x 15.7 mm



1854743 AAA

**RS PRO AA BATTERY HOLDER, SOLDER TAG CONTACT**

- 包裝尺寸: 1 x EA
- For Battery Size: AA
  - Number of Cells: 6
  - Type: Battery Holder
  - Dimensions: 66 x 114.5 x 18.8 mm
  - Terminal Contact Type: Solder Tag



1854744 AA

**RS PRO AA BATTERY HOLDER**

- 包裝尺寸: 1 x EA
- For Battery Size: AA
  - Number of Cells: 6
  - Mount: Wire Lead
  - Type: Battery Holder
  - Dimensions: 66.8 x 114 x 18.7 mm



1854745 AA

**SAFETY BATTERY HOLDER , AA X 4 WITH LEAD**

- 包裝尺寸: 1 x EA
- For Battery Size: AA
  - Number of Cells: 4
  - Mount: Wire Lead
  - Type: Battery Holder
  - Dimensions: 68 x 65 x 19 mm



1854747 AA

**SAFETY BATTERY HOLDER , AA X 4 WITH LEAD**

- 包裝尺寸: 1 x EA
- For Battery Size: AA
  - Number of Cells: 4
  - Mount: Wire Lead
  - Type: Battery Holder
  - Dimensions: 68 x 65 x 19 mm



1854748 AA

**RS PRO AA BATTERY HOLDER**

- 包裝尺寸: 1 x EA
- For Battery Size: AA
  - Number of Cells: 3
  - Mount: Wire Lead
  - Type: Battery Holder
  - Dimensions: 68.5 x 48 x 18.7 mm



1854749 AA

**RS PRO CR2032 BATTERY HOLDER**

- 包裝尺寸: 1 x EA
- For Battery Size: CR2032
  - Type: Battery Holder
  - Dimensions: 23.5 x 7.6 mm



1854750 CR2032

**RS PRO AAA BATTERY HOLDER**

- 包裝尺寸: 1 x EA
- For Battery Size: AAA
  - Number of Cells: 3
  - Mount: Wire Lead
  - Type: Battery Holder
  - Dimensions: 54.4 x 37.5 x 5.3 mm



1854751 AAA

**RS PRO 9V PP3 BATTERY HOLDER, SOLDER TAG CONTACT**

- 包裝尺寸: 1 x EA
- For Battery Size: 9V PP3
  - Type: Battery Holder
  - Dimensions: 54 x 29.6 x 20.6 mm
  - Terminal Contact Type: Solder Tag



1854753 9V PP3

**RS PRO 9V PP3 BATTERY HOLDER**

- 包裝尺寸: 1 x EA
- For Battery Size: 9V PP3
  - Mount: Wire Lead
  - Type: Battery Holder
  - Dimensions: 54 x 29.6 x 20.6 mm



1854754 9V PP3

**9V HOUSE**

- 包裝尺寸: 1 x EA
- For Battery Size: 9V PP3
  - Type: Battery Holder
  - Dimensions: 49 x 29 x 20 mm



1854764 9V PP3

**RS PRO N BATTERY HOLDER**

- 包裝尺寸: 1 x EA
- For Battery Size: N
  - Number of Cells: 1
  - Mount: Wire Lead
  - Type: Battery Holder
  - Dimensions: 34.6 x 13.2 x 12.5 mm



1854765 N

**RS PRO AAA BATTERY HOLDER, SOLDER TAG CONTACT**

- 包裝尺寸: 1 x EA
- For Battery Size: AAA
  - Number of Cells: 4
  - Type: Battery Holder
  - Dimensions: 53 x 24.5 x 24.5 mm
  - Terminal Contact Type: Solder Tag



1854766 AAA

**AAA X 4 WITH SANP TERMINAL**

- 包裝尺寸: 1 x EA
- For Battery Size: AAA
  - Number of Cells: 4
  - Type: Battery Holder
  - Dimensions: 53 x 24.5 x 24 mm



1854767 AAA

**RS PRO AAA BATTERY HOLDER**

- 包裝尺寸: 1 x EA
- For Battery Size: AAA
  - Number of Cells: 4
  - Mount: Wire Lead
  - Type: Battery Holder
  - Dimensions: 53 x 24.5 x 24 mm



1854768 AAA

**RS PRO AAA BATTERY HOLDER**

- 包裝尺寸: 1 x EA
- For Battery Size: AAA
  - Number of Cells: 4
  - Mount: Snap-In
  - Type: Battery Holder
  - Dimensions: 53.8 x 5.05 x 12.8 mm



1854771 AAA

**RS PRO AAA BATTERY HOLDER**

- 包裝尺寸: 1 x EA
- For Battery Size: AAA
  - Number of Cells: 4
  - Mount: Wire Lead
  - Type: Battery Holder
  - Dimensions: 53.5 x 50 x 13 mm



1854772 AAA

## RS PRO AAA BATTERY HOLDER

- 包装尺寸: 1 x EA
- For Battery Size: AAA
  - Number of Cells: 2
  - Type: Battery Holder
  - Dimensions: 53 x 24,5 x 13 mm



1854773 AAA

## RS PRO CR2032 BATTERY HOLDER

- 包装尺寸: 1 x EA
- For Battery Size: CR2032
  - Type: Battery Holder
  - Dimensions: 23.1 x 5.8 x 13.1 mm



1854776 CR2032

## RS PRO CR2032 BATTERY HOLDER

- 包装尺寸: 1 x EA
- For Battery Size: CR2032
  - Type: Battery Holder
  - Dimensions: 24.3 x 7.4 mm
  - Body Material: PBT



1854780 CR2032

## RS PRO CR2032 BATTERY HOLDER

- 包装尺寸: 1 x EA
- For Battery Size: CR2032
  - Type: Battery Holder
  - Dimensions: 28.2 x 8.2 mm



1854781 CR2032

## RS PRO CR2032 BATTERY HOLDER

- 包装尺寸: 1 x EA
- For Battery Size: CR2032
  - Type: Battery Holder
  - Dimensions: 27.6 x 6.6 mm



1854782 CR2032

## CR2032 HOLDER

- 包装尺寸: 1 x EA
- For Battery Size: CR2032
  - Type: Battery Holder
  - Dimensions: 28.5 x 16.1 x 5.4 mm
  - Body Material: PBT



1854783 CR2032

## RS PRO CR2032 BATTERY HOLDER

- 包装尺寸: 1 x EA
- For Battery Size: CR2032
  - Type: Battery Holder
  - Dimensions: 32 x 16.1 x 5.4 mm
  - Body Material: PBT



1854786 CR2032

## RS PRO 9V PP3 BATTERY HOLDER

- 包装尺寸: 1 x EA
- For Battery Size: 9V PP3
  - Type: Battery Holder
  - Dimensions: 54 x 29.6 x 20.6 mm



1854789 9V PP3

## 9V WITH LEAD WIRE 150MM

- 包装尺寸: 1 x EA
- For Battery Size: 9V PP3
  - Mount: Wire Lead
  - Type: Battery Holder
  - Dimensions: 54.4 x 30.3 x 20.7 mm



1854795 9V PP3

## RS PRO 9V PP3 BATTERY HOLDER

- 包装尺寸: 1 x EA
- For Battery Size: 9V PP3
  - Mount: Wire Lead
  - Type: Battery Holder
  - Dimensions: 54 x 30 x 20.7 mm



1854798 9V PP3

## RS PRO ADHESIVE PVC ACOUSTIC INSULATION, 1M X 600MM X 2.6MM

包裝尺寸: 2 x EA

- Material: PVC
- Length: 1 m
- Width: 600 mm
- Thickness: 2.6 mm
- Adhesive Backing: Yes
- Maximum Operating Temperature: +130 °C
- Minimum Operating Temperature: -20 °C



293108 PVC \$ 391.09

## RS PRO ADHESIVE PUR FOAM ACOUSTIC INSULATION, 1M X 600MM

包裝尺寸: 2 x EA

- Material: PUR Foam
- Length: 1 m
- Width: 600 mm
- Thickness: 25 mm
- Adhesive Backing: Yes
- Maximum Operating Temperature: +107 °C
- Minimum Operating Temperature: -73 °C




293079 PUR Foam \$ 514.19

## SOUND,INSULATION,POLYURETHANE FOAM,TEDLAR FACED,SELF ADHESIVE

包裝尺寸: 2 x EA

- Material: PUR Foam
- Length: 1 m
- Width: 600 mm
- Thickness: 28 mm
- Adhesive Backing: Yes
- Maximum Operating Temperature: +130 °C
- Minimum Operating Temperature: -20 °C



293120 PUR Foam \$ 699.74

## RS PRO POLYETHYLENE (PE) ACOUSTIC INSULATION, 1.2M X

包裝尺寸: 1 x EA

- Material: Polyethylene (PE)
- Length: 1.2 m
- Width: 600 mm
- Thickness: 50 mm




1034067 Polyethylene (PE) \$ 963.21

## RS PRO NITRILE, PVC ACOUSTIC INSULATION, 1M X 1M X 6MM

包裝尺寸: 1 x EA

- Material: Nitrile, PVC
- Length: 1 m
- Width: 1 m
- Thickness: 6 mm
- Maximum Operating Temperature: +110 °C
- Minimum Operating Temperature: -30 °C



1034069 Nitrile, PVC \$ 600.66

## RS PRO POLYETHYLENE (PE) ACOUSTIC INSULATION, 1.2M X

包裝尺寸: 1 x EA

- Material: Polyethylene (PE)
- Length: 1.2 m
- Width: 600 mm
- Thickness: 25 mm




1034068 Polyethylene (PE) \$ 495.36

## RS PRO NITRILE, PVC ACOUSTIC INSULATION, 1M X 1M X 15MM

包裝尺寸: 1 x EA

- Material: Nitrile, PVC
- Length: 1 m
- Width: 1 m
- Thickness: 15 mm
- Maximum Operating Temperature: +110 °C
- Minimum Operating Temperature: -30 °C



1034072 Nitrile, PVC \$ 1,562.15

## RS PRO POLYETHYLENE (PE) ACOUSTIC INSULATION, 1M X 1M X

包裝尺寸: 1 x EA

- Material: Polyethylene (PE)
- Length: 1 m
- Width: 1 m
- Thickness: 12 mm
- Maximum Operating Temperature: +110 °C
- Minimum Operating Temperature: -30 °C



1034073 Polyethylene (PE) \$ 338.57

## RS PRO ADHESIVE POLYIMIDE ACOUSTIC INSULATION, 1M X 950MM

包裝尺寸: 1 x EA

- Material: Polyimide
- Length: 1 m
- Width: 950 mm
- Thickness: 3 mm
- Adhesive Backing: Yes
- Maximum Operating Temperature: +205 °C



1034074 Polyimide \$ 491.55

## PVA DAMPING SHEET,800X500X1.4MM

包裝尺寸: 1 x EA

- Length: 800 mm
- Width: 500 mm
- Thickness: 1.4 mm
- Adhesive Backing: Yes
- Maximum Operating Temperature: +100 °C
- Minimum Operating Temperature: -35 °C



1372242 800 mm \$ 436.48

## THINSULATE SAB 1000X600X21MM

包裝尺寸: 1 x EA

- Material: Thinsulate
- Length: 1 m
- Width: 600 mm
- Thickness: 21 mm
- Adhesive Backing: Yes
- Maximum Operating Temperature: +120 °C



8814551 Thinsulate \$ 138

## THINSULATE PLAIN, 1000X600X21MM

包裝尺寸: 1 x EA

- Material: Thinsulate
- Length: 1 m
- Width: 600 mm
- Thickness: 21 mm
- Maximum Operating Temperature: +120 °C



8814557 Thinsulate \$ 113.79

## RS PRO ADHESIVE VISCOSE-NYLON ACOUSTIC INSULATION, 50M X 10MM

包裝尺寸: 1 x EA

- Material: Viscose-Nylon
- Length: 50 m
- Width: 10 mm
- Thickness: 0.8 mm
- Adhesive Backing: Yes
- Maximum Operating Temperature: +100 °C
- Minimum Operating Temperature: -10 °C



8814560 Viscose-Nylon \$ 307.88

## RS PRO 75MM ANTI-VIBRATION PAD RUBBER +100°C -50°C 75 X 75MM

包裝尺寸: 8 x EA

- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
- Material: Rubber
- Thickness: 8 mm
- Size: 75 x 75 mm
- Length: 75 mm
- Maximum Operating Temperature: +100 °C
- Minimum Operating Temperature: -50 °C
- Width: 75 mm



2035152 Anti-Vibration \$ 18.784

## RS PRO 457MM ANTI-VIBRATION PAD RUBBER +100°C -50°C 457 X 457MM

包裝尺寸: 1 x EA

- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
- Material: Rubber
- Thickness: 8 mm
- Size: 457 x 457 mm
- Length: 457 mm
- Maximum Operating Temperature: +100 °C
- Minimum Operating Temperature: -50 °C
- Width: 457 mm



2035153 Anti-Vibration \$ 48.775

## RS PRO 100MM ANTI-VIBRATION PAD RUBBER +100°C -50°C 100 X 100MM

包裝尺寸: 4 x EA


- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
- Material: Rubber
- Thickness: 13 mm
- Size: 100 x 100 mm
- Length: 100 mm
- Maximum Operating Temperature: +100 °C
- Minimum Operating Temperature: -50 °C
- Width: 100 mm



2035154 Anti-Vibration \$ 51.363

**RS PRO 457MM ANTI-VIBRATION PAD RUBBER +100°C -50°C 457 X 457MM**


- 包裝尺寸: **1 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
  - Material: Rubber
  - Thickness: 13 mm
  - Size: 457 x 457 mm
  - Length: 457 mm
  - Maximum Operating Temperature: +100 °C
  - Minimum Operating Temperature: -50 °C
  - Width: 457 mm



**2035155** Anti-Vibration \$ 1,037.47

**RS PRO 50MM ANTI-VIBRATION PAD RUBBER +100°C -50°C 50 X 50MM**

- 包裝尺寸: **12 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
  - Material: Rubber
  - Thickness: 19 mm
  - Size: 50 x 50 mm
  - Length: 50 mm
  - Maximum Operating Temperature: +100 °C
  - Minimum Operating Temperature: -50 °C
  - Width: 50 mm



**2035156** Anti-Vibration \$ 20.928

**RS PRO 150MM ANTI-VIBRATION PAD RUBBER +100°C -50°C 150 X 150MM**

- 包裝尺寸: **1 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
  - Material: Rubber
  - Thickness: 19 mm
  - Size: 150 x 150 mm
  - Length: 150 mm
  - Maximum Operating Temperature: +100 °C
  - Minimum Operating Temperature: -50 °C
  - Width: 150 mm



**2035157** Anti-Vibration \$ 130.49

**RS PRO 457MM ANTI-VIBRATION PAD RUBBER +100°C -50°C 457 X 457MM**


- 包裝尺寸: **1 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
  - Material: Rubber
  - Thickness: 19 mm
  - Size: 457 x 457 mm
  - Length: 457 mm
  - Maximum Operating Temperature: +100 °C
  - Minimum Operating Temperature: -50 °C
  - Width: 457 mm



**2035160** Anti-Vibration \$ 1,147.7

**RS PRO 305MM ANTI-VIBRATION PAD RUBBER +100°C -50°C 305 X 305MM**

- 包裝尺寸: **1 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
  - Material: Rubber
  - Thickness: 19 mm
  - Size: 305 x 305 mm
  - Length: 305 mm
  - Maximum Operating Temperature: +100 °C
  - Minimum Operating Temperature: -50 °C
  - Width: 305 mm



**2035158** Anti-Vibration \$ 771.25

**RS PRO 75MM ANTI-VIBRATION PAD 250PSI NITRILE +100°C -50°C 75 X 75 X**

- 包裝尺寸: **4 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
  - Material: Nitrile
  - Load Rating: 250 psi
  - Thickness: 21 mm
  - Size: 75 x 75 mm
  - Length: 75 mm
  - Maximum Operating Temperature: +100 °C
  - Minimum Operating Temperature: -50 °C



**2035161** Anti-Vibration \$ 153.87

**RS PRO 100MM ANTI-VIBRATION PAD 250PSI NITRILE +100°C -50°C 100 X**

- 包裝尺寸: **4 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
  - Material: Nitrile
  - Load Rating: 250 psi
  - Thickness: 21 mm
  - Size: 100 x 100 mm
  - Length: 100 mm
  - Maximum Operating Temperature: +100 °C
  - Minimum Operating Temperature: -50 °C



**2035162** Anti-Vibration \$ 264.378

**RS PRO 150MM ANTI-VIBRATION PAD 250PSI NITRILE +100°C -50°C 150 X**


- 包裝尺寸: **1 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
  - Material: Nitrile
  - Load Rating: 250 psi
  - Thickness: 21 mm
  - Size: 150 x 150 mm
  - Length: 150 mm
  - Maximum Operating Temperature: +100 °C
  - Minimum Operating Temperature: -50 °C



**2035163** Anti-Vibration \$ 602.11

**RS PRO 50MM ANTI VIBRATION MAT 20PSI EVA FOAM +80°C -30°C 50 X**


- 包裝尺寸: **12 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
  - Material: EVA Foam
  - Load Rating: 20 psi
  - Thickness: 22 mm
  - Size: 50 x 50 mm
  - Length: 50 mm
  - Maximum Operating Temperature: +80 °C
  - Minimum Operating Temperature: -30 °C



**2035164** Anti-Vibration \$ 22.418

**RS PRO 100MM ANTI VIBRATION MAT 20PSI EVA FOAM +80°C -30°C 100 X**


- 包裝尺寸: **4 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
  - Material: EVA Foam
  - Load Rating: 20 psi
  - Thickness: 22 mm
  - Size: 100 x 100 mm
  - Length: 100 mm
  - Maximum Operating Temperature: +80 °C
  - Minimum Operating Temperature: -30 °C



**2035166** Anti-Vibration \$ 90.775

**RS PRO 305MM ANTI VIBRATION MAT 20PSI EVA FOAM +80°C -30°C 305 X**


- 包裝尺寸: **1 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
  - Material: EVA Foam
  - Load Rating: 20 psi
  - Thickness: 22 mm
  - Size: 305 x 305 mm
  - Length: 305 mm
  - Maximum Operating Temperature: +80 °C
  - Minimum Operating Temperature: -30 °C



**2035167** Anti-Vibration \$ 944.68

**RS PRO 457MM ANTI VIBRATION MAT 20PSI EVA FOAM +80°C -30°C 457 X**


- 包裝尺寸: **1 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
  - Material: EVA Foam
  - Load Rating: 20 psi
  - Thickness: 22 mm
  - Size: 457 x 457 mm
  - Length: 457 mm
  - Maximum Operating Temperature: +80 °C
  - Minimum Operating Temperature: -30 °C



**2035168** Anti-Vibration \$ 1,670.04

**100MM ANTI VIBRATION MAT 75PSI CORK +100°C -50°C 100 X 100MM**


- 包裝尺寸: **4 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
  - Material: Cork
  - Load Rating: 75 psi
  - Thickness: 22 mm
  - Size: 100 x 100 mm
  - Length: 100 mm
  - Maximum Operating Temperature: +100 °C
  - Minimum Operating Temperature: -50 °C



**2035170** Anti-Vibration \$ 82.993

**200MM ANTI VIBRATION MAT 75PSI CORK +100°C -50°C 200 X 200MM**


- 包裝尺寸: **1 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
  - Material: Cork
  - Load Rating: 75 psi
  - Thickness: 22 mm
  - Size: 200 x 200 mm
  - Length: 200 mm
  - Maximum Operating Temperature: +100 °C
  - Minimum Operating Temperature: -50 °C



**2035172** Anti-Vibration \$ 580.04

**305MM ANTI VIBRATION MAT 75PSI CORK +100°C -50°C 305 X 305MM**


- 包裝尺寸: **1 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
  - Material: Cork
  - Load Rating: 75 psi
  - Thickness: 22 mm
  - Size: 305 x 305 mm
  - Length: 305 mm
  - Maximum Operating Temperature: +100 °C
  - Minimum Operating Temperature: -50 °C



**2035173** Anti-Vibration \$ 861.88

**457MM ANTI VIBRATION MAT 75PSI CORK +100°C -50°C 457 X 457MM**

- 包裝尺寸: **1 x EA**
- Anti Vibration Pad Type: Anti-Vibration Isolation Pad
  - Material: Cork
  - Load Rating: 75 psi
  - Thickness: 22 mm
  - Size: 457 x 457 mm
  - Length: 457 mm
  - Maximum Operating Temperature: +100 °C
  - Minimum Operating Temperature: -50 °C



**2035174** Anti-Vibration \$ 1,688.71

## BRASS SHIM, 2.5M X 150MM X 0.3MM

- 包裝尺寸: 1 x EA
- Length: 2.5 m
  - Thickness: 0.3 mm
  - Width: 150 mm
  - Colour: Yellow



518712 2.5 m \$1,254.13

## BRASS SHIM, 2.5M X 150MM X 0.1MM

- 包裝尺寸: 1 x EA
- Length: 2.5 m
  - Thickness: 0.1 mm
  - Width: 150 mm
  - Colour: Yellow



518839 2.5 m \$ 855.04

## BRASS SHIM, 2.5M X 150MM X 0.15MM


- 包裝尺寸: 1 x EA
- Length: 2.5 m
  - Thickness: 0.15 mm
  - Width: 150 mm
  - Colour: Yellow



519084 2.5 m \$ 956.83

## CARBON FIBRE SHEET, 300MM X 300MM X 1MM

- 包裝尺寸: 1 x EA
- Material: Carbon Fibre Epoxy
  - Maximum Operating Temperature: +80 °C
  - Length: 300 mm
  - Width: 300 mm
  - Thickness: 1 mm
  - Colour: Black
  - Surface Pattern: Twill Weave
  - Compressive Strength: 570 MPa



7648703 Carbon Fibre \$ 1,138.61

## CARBON FIBRE SHEET, 300MM X 300MM X 1.3MM

- 包裝尺寸: 1 x EA
- Material: Carbon Fibre Epoxy
  - Maximum Operating Temperature: +80 °C
  - Length: 300 mm
  - Width: 300 mm
  - Thickness: 1.3 mm
  - Colour: Black
  - Surface Pattern: Twill Weave
  - Compressive Strength: 570 MPa



7648707 Carbon Fibre \$1,244.46

## CARBON FIBRE SHEET, 300MM X 300MM X 2MM

- 包裝尺寸: 1 x EA
- Material: Carbon Fibre Epoxy
  - Maximum Operating Temperature: +80 °C
  - Length: 300 mm
  - Width: 300 mm
  - Thickness: 2 mm
  - Colour: Black
  - Surface Pattern: Twill Weave
  - Compressive Strength: 570 MPa



7648716 Carbon Fibre \$1,492.45

## BEADS,CERAMIC,INSULATING,FISH SPINE,WHITE,1.5MM BORE

- 包裝尺寸: 870 x EA
- Bore Size: 1.5 mm
  - Material: Ceramic
  - Colour: White
  - Maximum Operating Temperature: +1200 °C



5364062 1.5 mm \$ 178.8

## BEADS,CERAMIC,INSULATING,FISH SPINE,WHITE,4.5MM BORE

- 包裝尺寸: 420 x EA
- Bore Size: 4.5 mm
  - Material: Ceramic
  - Colour: White
  - Maximum Operating Temperature: +1200 °C



5364078 4.5 mm \$ 251.37

## WHITE CERAMIC BEAD 2.5MM BORE SIZE +1200°C

- 包裝尺寸: 720 x EA
- Bore Size: 2.5 mm
  - Material: Ceramic
  - Colour: White
  - Maximum Operating Temperature: +1200 °C



5364090 2.5 mm \$ 152.9

## WHITE CERAMIC FISHPINE BEADS, 1MM BORE

- 包裝尺寸: 1200 x EA
- Bore Size: 1 mm
  - Material: Ceramic
  - Colour: White
  - Density: 2.6 g/cm<sup>3</sup>
  - Water Absorption: 0 %
  - Maximum Operating Temperature: +1200 °C



7648731 1 mm \$ 241.74

## FELT SHEET 3MM

- 包裝尺寸: 1 x EA
- Material: Viscose, Wool
  - Length: 1 m
  - Width: 500 mm
  - Thickness: 3 mm
  - Density: 250 kg/m<sup>3</sup>
  - Colour: White



7336775 Viscose, Wool \$ 277.74

## FELT SHEET 6MM

- 包裝尺寸: 1 x EA
- Material: Viscose, Wool
  - Length: 1 m
  - Width: 500 mm
  - Thickness: 6 mm
  - Density: 250 kg/m<sup>3</sup>
  - Colour: White



7336779 Viscose, Wool \$ 631.74

## VISCOSE, WOOL FELT SHEET, 1M X 500MM X 12.5MM

- 包裝尺寸: 1 x EA
- Material: Viscose, Wool
  - Length: 1 m
  - Width: 500 mm
  - Thickness: 12.5 mm
  - Density: 250 kg/m<sup>3</sup>
  - Colour: White



7336788 Viscose, Wool \$1,000.31

## RS PRO FLAME RETARDANT GLASS FIBRE ROPE, 30M X 15MM

- 包裝尺寸: 1 x EA
- Product Type: Glass Fibre Rope
  - Maximum Operating Temperature: +500 °C
  - Length: 30 m
  - Diameter: 15 mm
  - Flame Retardant: Yes



1034055 Glass Fibre Rope \$ 1,076.28

## RS PRO FLAME RETARDANT GLASS FIBRE ROPE, 30M X 25MM

- 包裝尺寸: 1 x EA
- Product Type: Glass Fibre Rope
  - Maximum Operating Temperature: +500 °C
  - Length: 30 m
  - Diameter: 25 mm
  - Flame Retardant: Yes



1034056 Glass Fibre Rope \$ 885.73

## RS PRO FLAME RETARDANT GLASS FIBRE ROPE, 30M X 32MM

- 包裝尺寸: 1 x EA
- Product Type: Glass Fibre Rope
  - Maximum Operating Temperature: +500 °C
  - Length: 30 m
  - Diameter: 32 mm
  - Flame Retardant: Yes



1034057 Glass Fibre Rope \$ 1,185.9



**RS PRO FLAME RETARDANT GLASS FIBRE ROPE, 30M X 12MM**

- 包裝尺寸: 1 x EA
- Material: Glass Fibre Yarn
  - Product Type: Glass Fibre Rope
  - Maximum Operating Temperature: +300 °C
  - Length: 30 m
  - Diameter: 12 mm
  - Flame Retardant: Yes



**7495124** Glass Fibre Yarn \$ 536.06

**RS PRO GLASS FIBRE ROPE, 30M X 20MM**

- 包裝尺寸: 1 x EA
- Material: Glass Fibre Yarn
  - Product Type: Glass Fibre Rope
  - Maximum Operating Temperature: +300 °C
  - Length: 30 m
  - Diameter: 20 mm



**7495127** Glass Fibre Yarn \$ 859.5

**RS PRO GLASS FIBRE ROPE, 5M X 12MM**

- 包裝尺寸: 1 x EA
- Product Type: Glass Fibre Rope
  - Maximum Operating Temperature: +550 °C
  - Length: 5 m
  - Diameter: 12 mm



**7757804** Glass Fibre Rope \$ 107.5

**RS PRO FLAME RETARDANT GLASS FIBRE ROPE, 5M X 20MM**

- 包裝尺寸: 1 x EA
- Product Type: Glass Fibre Rope
  - Maximum Operating Temperature: +550 °C
  - Length: 5 m
  - Diameter: 20 mm
  - Flame Retardant: Yes



**7757807** Glass Fibre Rope \$ 161.51

**RS PRO FLAME RETARDANT, 25M X 1.5MM X 25MM**

- 包裝尺寸: 1 x EA
- Maximum Operating Temperature: +600 °C
  - Length: 25 m
  - Width: 25 mm
  - Thickness: 1.5 mm
  - Flame Retardant: Yes



**2035134** +600 °C \$ 357.26

**RS PRO FLAME RETARDANT, 30M X 3MM X 40MM**

- 包裝尺寸: 1 x EA
- Maximum Operating Temperature: +550 °C
  - Length: 30 m
  - Width: 40 mm
  - Thickness: 3 mm
  - Flame Retardant: Yes



**2035135** +550 °C \$ 711.31

**RS PRO FLAME RETARDANT GLASS FIBRE TAPE, 30M X 3MM X 25MM**

- 包裝尺寸: 1 x EA
- Product Type: Glass Fibre Tape
  - Material: Glass Fibre Yarn
  - Maximum Operating Temperature: +300 °C
  - Length: 30 m
  - Width: 25 mm
  - Thickness: 3 mm
  - Flame Retardant: Yes
  - Thermal Conductivity: 0.05 W/mK



**7495111** Glass Fibre Tape \$ 600.32

**WOVEN GLASS WEBBING, 50MMX3MMX30M**

- 包裝尺寸: 1 x EA
- Product Type: Glass Fibre Tape
  - Material: Glass Fibre Yarn
  - Maximum Operating Temperature: +300 °C
  - Length: 30 m
  - Width: 50 mm
  - Thickness: 3 mm
  - Flame Retardant: Yes
  - Thermal Conductivity: 0.05 W/mK



**7495115** Glass Fibre Tape \$ 897.54

**RS PRO POLYESTER SHEET FILTER, G3 GRADE**

- 包裝尺寸: 1 x EA
- Filter Type: Sheet
  - Filter Grade: G3
  - Colour: Black
  - Media Material: Polyester
  - Actual Depth: 12 mm
  - Actual Height: 480 mm
  - Actual Width: 480 mm



**2035146** Sheet \$ 302.39

**RS PRO POLYESTER, G3 GRADE**

- 包裝尺寸: 1 x EA
- Filter Grade: G3
  - Media Material: Polyester
  - Actual Depth: 25 mm
  - Actual Height: 480 mm
  - Actual Width: 480 mm



**2035147** G3 \$ 549.24

**RS PRO FILTER MEDIA G3 GRADE, 480 X 480 X 12MM**

- 包裝尺寸: 1 x EA
- Filter Grade: G3
  - Initial Pressure Drop: 242 Pa



**2035149** G3 \$ 195.19

**RS PRO, G3 GRADE, 480MM**

- 包裝尺寸: 1 x EA
- Actual Dimensions: 480 mm x 480 mm
  - Filter Grade: G3
  - Initial Pressure Drop: 242 Pa



**2035151** 480 mm x 480 \$ 910.3

**NON FERROUS STOCK,ALUMINIUM,BS1470**

- 包裝尺寸: 3 x EA
- Length: 300 mm
  - Material: Aluminium
  - Construction: 1050A
  - Form: Solid
  - Width: 500 mm
  - Thickness: 3 mm
  - Material Grade: 1050A
  - Density: 2.71 g/cm<sup>3</sup>



**178239** 300 mm \$ 559.29

**ALUMINIUM SOLID METAL SHEET, 300MM L, 500MM W, 6MM**

- 包裝尺寸: 2 x EA
- Length: 300 mm
  - Material: Aluminium
  - Construction: 1050A
  - Form: Solid
  - Width: 500 mm
  - Thickness: 6 mm
  - Material Grade: 1050A
  - Density: 2.71 g/cm<sup>3</sup>



**183944** 300 mm \$ 1,264.23

**NON FERROUS STOCK,MACHINABLE,ALUMINIUM**

- 包裝尺寸: 3 x EA
- Length: 300 mm
  - Material: Aluminium
  - Construction: 6082
  - Form: Solid
  - Width: 500 mm
  - Thickness: 3 mm
  - Material Grade: 6082
  - Density: 2.7 g/cm<sup>3</sup>



**187328** 300 mm \$ 988.32

**ALUMINIUM SOLID METAL SHEET, 300MM L, 500MM W, 6MM**

- 包裝尺寸: 2 x EA
- Length: 300 mm
  - Material: Aluminium
  - Construction: 6082
  - Form: Solid
  - Width: 500 mm
  - Thickness: 6 mm
  - Material Grade: 6082
  - Density: 2.7 g/cm<sup>3</sup>



**188264** 300 mm \$ 964.24

## ALUMINIUM SOLID METAL SHEET, 300MM L, 500MM W, 8MM

- 包裝尺寸: 2 x EA
- Length: 300 mm
  - Material: Aluminium
  - Construction: 6082
  - Form: Solid
  - Width: 500 mm
  - Thickness: 8 mm
  - Material Grade: 6082
  - Density: 2.7 g/cm<sup>3</sup>



188292 300 mm \$ 1,200.67

## ALUMINIUM SOLID METAL SHEET, 300MM L, 500MM W, 10MM

- 包裝尺寸: 1 x EA
- Length: 300 mm
  - Material: Aluminium
  - Construction: 6082
  - Form: Solid
  - Width: 500 mm
  - Thickness: 10 mm
  - Material Grade: 6082
  - Density: 2.7 g/cm<sup>3</sup>



188321 300 mm \$ 2,359.8

## NON FERROUS STOCK,ALUMINIUM,BS1470

- 包裝尺寸: 5 x EA
- Length: 200 mm
  - Material: Aluminium
  - Construction: 1050A
  - Form: Solid
  - Width: 300 mm
  - Thickness: 1.2 mm
  - Material Grade: 1050A
  - Density: 2.71 g/cm<sup>3</sup>



434043 200 mm \$ 159.73

## ALUMINIUM SOLID METAL SHEET, 300MM L, 500MM W, 2MM

- 包裝尺寸: 5 x EA
- Length: 300 mm
  - Material: Aluminium
  - Construction: 1050A
  - Form: Solid
  - Width: 500 mm
  - Thickness: 2 mm
  - Material Grade: 1050A
  - Density: 2.71 g/cm<sup>3</sup>



434059 300 mm \$ 600.51

## 316 STAINLESS STEEL SOLID METAL SHEET, 500MM L, 300MM W, 3MM

- 包裝尺寸: 2 x EA
- Length: 500 mm
  - Material: 316 Stainless Steel
  - Form: Solid
  - Width: 300 mm
  - Thickness: 3 mm
  - Density: 8 g/cm<sup>3</sup>
  - Hardness: 95 HB
  - Colour: Silver



559111 500 mm \$ 1,868.82

## STAINLESS STEEL SOLID METAL SHEET, 500MM L, 300MM W, 1MM

- 包裝尺寸: 2 x EA
- Length: 500 mm
  - Material: Stainless Steel
  - Form: Solid
  - Width: 300 mm
  - Thickness: 1 mm
  - Density: 8 g/cm<sup>3</sup>
  - Hardness: 95 HB
  - Colour: Silver



559123 500 mm \$ 1,173.64

## 316 STAINLESS STEEL SOLID METAL SHEET, 500MM L, 300MM W, 0.5MM

- 包裝尺寸: 2 x EA
- Length: 500 mm
  - Material: 316 Stainless Steel
  - Form: Solid
  - Width: 300 mm
  - Thickness: 0.5 mm
  - Density: 8 g/cm<sup>3</sup>
  - Hardness: 95 HB
  - Colour: Silver



559199 500 mm \$ 736.26

## ST STEEL SHEET MIRROR,500X300X0.5MM

- 包裝尺寸: 2 x EA
- Length: 500 mm
  - Material: Stainless Steel
  - Form: Solid
  - Width: 300 mm
  - Thickness: 0.5 mm
  - Density: 8 g/cm<sup>3</sup>
  - Hardness: 95 HB
  - Colour: Silver



559206 500 mm \$ 647.3

## NON FERROUS STOCK,COPPER HDHC,BS2874/C101(1986),SHEET,0.3

- 包裝尺寸: 5 x EA
- Length: 300 mm
  - Material: Copper
  - Form: Solid
  - Width: 300 mm
  - Thickness: 0.35 mm
  - Colour: Natural
  - Tensile Strength: 240 N/mm<sup>2</sup>



680959 300 mm \$ 1,290.86

## NON FERROUS STOCK,COPPER HDHC,BS2874/C101(1986),SHEET,0.4

- 包裝尺寸: 5 x EA
- Length: 300 mm
  - Material: Copper
  - Form: Solid
  - Width: 300 mm
  - Thickness: 0.45 mm
  - Colour: Natural
  - Tensile Strength: 240 N/mm<sup>2</sup>



680965 300 mm \$ 1,801.86

## TINNED STEEL SOLID METAL SHEET, 500MM L, 300MM W, 0.2MM

- 包裝尺寸: 10 x EA
- Length: 500 mm
  - Material: Tinned Steel
  - Form: Solid
  - Width: 300 mm
  - Thickness: 0.2 mm
  - Colour: Silver



682444 500 mm \$ 557.68

## TINNED STEEL SOLID METAL SHEET, 500MM L, 300MM W, 0.3MM

- 包裝尺寸: 10 x EA
- Length: 500 mm
  - Material: Tinned Steel
  - Form: Solid
  - Width: 300 mm
  - Thickness: 0.3 mm
  - Colour: Silver



682450 500 mm \$ 710.05

## TINNED STEEL SHEET, 500MM L, 300MM W, 0.4MM THICKNESS

- 包裝尺寸: 10 x EA
- Length: 500 mm
  - Material: Tinned Steel
  - Width: 300 mm
  - Thickness: 0.4 mm



682466 500 mm \$ 948.07

## BRASS SOLID METAL SHEET, 600MM L, 300MM W, 1.6MM THICKNESS

- 包裝尺寸: 1 x EA
- Length: 600 mm
  - Material: Brass
  - Form: Solid
  - Width: 300 mm
  - Thickness: 1.6 mm
  - Colour: Natural



771077 600 mm \$ 1,884.83

## GALVANISED STEEL PERFORATED STEEL SHEET, 500MM L, 500MM W,

- 包裝尺寸: 2 x EA
- Length: 500 mm
  - Material: Galvanised Steel
  - Width: 500 mm
  - Thickness: 0.7 mm
  - Hole Diameter: 4.8 mm
  - Hole Layout: 60°
  - Open Area Percentage: 50 %
  - Pattern Number: 6



817353 500 mm \$ 209.635

## GALVANISED STEEL PERFORATED METAL SHEET, 500MM L, 500MM W,

- 包裝尺寸: 2 x EA
- Length: 500 mm
  - Material: Galvanised Steel
  - Form: Perforated
  - Width: 500 mm
  - Thickness: 0.7 mm
  - Hole Diameter: 8 mm
  - Hole Layout: 60°
  - Open Area Percentage: 68 %



817369 500 mm \$ 195.075

**GALVANISED STEEL PERFORATED METAL SHEET, 500MM L, 500MM W,**

- 包装尺寸: 2 x EA
- Length: 500 mm
  - Material: Galvanised Steel
  - Form: Perforated
  - Width: 500 mm
  - Thickness: 0.7 mm
  - Hole Diameter: 1.2 mm
  - Hole Layout: 60°
  - Open Area Percentage: 42 %



**817404** 500 mm \$ 193.475

**GALVANISED STEEL PERFORATED METAL SHEET, 500MM L, 500MM W,**

- 包装尺寸: 2 x EA
- Length: 500 mm
  - Material: Galvanised Steel
  - Form: Perforated
  - Width: 500 mm
  - Thickness: 0.7 mm
  - Hole Diameter: 2 mm
  - Hole Layout: 60°
  - Open Area Percentage: 47 %



**817432** 500 mm \$ 282.795

**STAINLESS STEEL PERFORATED METAL SHEET, 500MM L, 500MM W, 0.55MM**

- 包装尺寸: 2 x EA
- Length: 500 mm
  - Material: Stainless Steel
  - Form: Perforated
  - Width: 500 mm
  - Thickness: 0.55 mm
  - Hole Diameter: 2 mm
  - Hole Layout: 60°
  - Open Area Percentage: 47 %



**1828360** 500 mm \$ 392.91

**STAINLESS STEEL PERFORATED METAL SHEET, 500MM L, 500MM W, 0.55MM**

- 包装尺寸: 2 x EA
- Length: 500 mm
  - Material: Stainless Steel
  - Form: Perforated
  - Width: 500 mm
  - Thickness: 0.55 mm
  - Hole Diameter: 3 mm
  - Hole Layout: 60°
  - Open Area Percentage: 33 %



**1828382** 500 mm \$ 407.705

**STAINLESS STEEL PERFORATED METAL SHEET, 500MM L, 500MM W, 0.55MM**


- 包装尺寸: 2 x EA
- Length: 500 mm
  - Material: Stainless Steel
  - Form: Perforated
  - Width: 500 mm
  - Thickness: 0.55 mm
  - Hole Diameter: 4.8 mm
  - Hole Layout: 60°
  - Open Area Percentage: 50 %



**1828398** 500 mm \$ 401.745

**STAINLESS STEEL PERFORATED METAL SHEET, 500MM L, 500MM W, 0.55MM**

- 包装尺寸: 2 x EA
- Length: 500 mm
  - Material: Stainless Steel
  - Form: Perforated
  - Width: 500 mm
  - Thickness: 0.55 mm
  - Hole Diameter: 6 mm
  - Hole Layout: Square
  - Open Area Percentage: 62 %



**1828427** 500 mm \$ 397.105

**STAINLESS STEEL PERFORATED PERFORATED STEEL SHEET, 500MM L,**

- 包装尺寸: 2 x EA
- Length: 500 mm
  - Material: Stainless Steel
  - Form: Perforated
  - Width: 500 mm
  - Thickness: 0.55 mm
  - Hole Diameter: 6.4 mm
  - Hole Layout: 60°
  - Open Area Percentage: 43 %



**1828405** 500 mm \$ 420.88

**ALUMINIUM PERFORATED METAL SHEET, 500MM L, 500MM W, 0.6MM**


- 包装尺寸: 3 x EA
- Length: 500 mm
  - Material: Aluminium
  - Form: Perforated
  - Width: 500 mm
  - Thickness: 0.6 mm
  - Hole Diameter: 1.2 mm
  - Hole Layout: 60°
  - Open Area Percentage: 42 %



**2027861** 500 mm \$ 183.677

**ALUMINIUM PERFORATED METAL SHEET, 500MM L, 500MM W, 0.6MM**


- 包装尺寸: 3 x EA
- Length: 500 mm
  - Material: Aluminium
  - Form: Perforated
  - Width: 500 mm
  - Thickness: 0.6 mm
  - Hole Diameter: 1.5 mm
  - Hole Layout: 45°
  - Open Area Percentage: 22 %



**2027877** 500 mm \$ 232.963

**ALUMINIUM PERFORATED METAL SHEET, 500MM L, 500MM W, 0.6MM**

- 包装尺寸: 3 x EA
- Length: 500 mm
  - Material: Aluminium
  - Form: Perforated
  - Width: 500 mm
  - Thickness: 0.6 mm
  - Hole Diameter: 1.7 mm
  - Hole Layout: 60°
  - Open Area Percentage: 45 %



**2027883** 500 mm \$ 226.697

**ALUMINIUM PERFORATED METAL SHEET, 500MM L, 500MM W, 1.2MM**

- 包装尺寸: 2 x EA
- Length: 500 mm
  - Material: Aluminium
  - Form: Perforated
  - Width: 500 mm
  - Thickness: 1.2 mm
  - Hole Diameter: 2 mm
  - Hole Layout: 60°
  - Open Area Percentage: 47 %



**2027906** 500 mm \$ 377.51

**ALUMINIUM PERFORATED METAL SHEET, 500MM L, 500MM W, 1.2MM**


- 包装尺寸: 2 x EA
- Length: 500 mm
  - Material: Aluminium
  - Form: Perforated
  - Width: 500 mm
  - Thickness: 1.2 mm
  - Hole Diameter: 3 mm
  - Hole Layout: 60°
  - Open Area Percentage: 33 %



**2027912** 500 mm \$ 417.085

**ALUMINIUM PERFORATED METAL SHEET, 500MM L, 500MM W, 1.2MM**

- 包装尺寸: 2 x EA
- Length: 500 mm
  - Material: Aluminium
  - Form: Perforated
  - Width: 500 mm
  - Thickness: 1.2 mm
  - Hole Diameter: 8 mm
  - Hole Layout: 60°
  - Open Area Percentage: 68 %



**2027940** 500 mm \$ 464.615

**ALUMINIUM PERFORATED METAL SHEET, 500MM L, 500MM W, 1.2MM**


- 包装尺寸: 2 x EA
- Length: 500 mm
  - Material: Aluminium
  - Form: Perforated
  - Width: 500 mm
  - Thickness: 1.2 mm
  - Hole Diameter: 4.8 mm
  - Hole Layout: 60°
  - Open Area Percentage: 50 %



**2027928** 500 mm \$ 982.3

**ALUMINIUM PERFORATED METAL SHEET, 500MM L, 500MM W, 0.7MM**


- 包装尺寸: 3 x EA
- Length: 500 mm
  - Material: Aluminium
  - Form: Perforated
  - Width: 500 mm
  - Thickness: 0.7 mm
  - Hole Diameter: 6 mm
  - Hole Layout: Hexagonal
  - Open Area Percentage: 79 %



**2622652** 500 mm \$ 290

**STAINLESS STEEL PERFORATED METAL SHEET, 500MM L, 500MM W, 0.55MM**

- 包装尺寸: 2 x EA
- Length: 500 mm
  - Material: Stainless Steel
  - Form: Perforated
  - Width: 500 mm
  - Thickness: 0.55 mm
  - Hole Diameter: 6 mm
  - Hole Layout: 60°
  - Open Area Percentage: 79 %



**2626121** 500 mm \$ 405.44

## GALVANISED STEEL PERFORATED METAL SHEET, 500MM L, 500MM W,

包裝尺寸: 2 x EA

- Length: 500 mm
- Material: Galvanised Steel
- Form: Perforated
- Width: 500 mm
- Thickness: 0.7 mm
- Hole Diameter: 6 mm
- Hole Layout: 60°
- Open Area Percentage: 79 %



2626115 500 mm \$ 194.69

## 316 A4 STAINLESS STEEL SOLID METAL SHEET, 500MM L, 300MM W, 1.2MM

包裝尺寸: 2 x EA

- Length: 500 mm
- Material: 316 A4 Stainless Steel
- Form: Solid
- Width: 300 mm
- Thickness: 1.2 mm
- Density: 8 g/cm<sup>3</sup>
- Hardness: 95 HB
- Colour: Silver



2647257 500 mm \$ 1,213.68

## 316 A4 STAINLESS STEEL SOLID METAL SHEET, 500MM L, 300MM W, 1MM

包裝尺寸: 2 x EA

- Length: 500 mm
- Material: 316 A4 Stainless Steel
- Form: Solid
- Width: 300 mm
- Thickness: 1 mm
- Density: 8 g/cm<sup>3</sup>
- Hardness: 95 HB
- Colour: Silver



2647241 500 mm \$ 1,379.47

## 316 A4 STAINLESS STEEL SOLID METAL SHEET, 500MM L, 300MM W, 1.5MM

包裝尺寸: 1 x EA

- Length: 500 mm
- Material: 316 A4 Stainless Steel
- Form: Solid
- Width: 300 mm
- Thickness: 1.5 mm
- Density: 8 g/cm<sup>3</sup>
- Hardness: 95 HB
- Colour: Silver



2647263 500 mm \$ 1,075.73

## 316 A4 STAINLESS STEEL SOLID METAL SHEET, 500MM L, 300MM W, 2.5MM

包裝尺寸: 2 x EA

- Length: 500 mm
- Material: 316 A4 Stainless Steel
- Form: Solid
- Width: 300 mm
- Thickness: 2.5 mm
- Density: 8 g/cm<sup>3</sup>
- Hardness: 95 HB
- Colour: Silver




2647279 500 mm \$ 1,617.07

## STAINLESS STEEL PERFORATED METAL SHEET, 500MM L, 500MM W, 0.55MM

包裝尺寸: 2 x EA

- Length: 500 mm
- Material: Stainless Steel
- Form: Perforated
- Width: 500 mm
- Thickness: 0.55 mm
- Hole Diameter: 3 mm
- Hole Layout: 60°
- Open Area Percentage: 33 %




3406120 500 mm \$ 392.91

## STAINLESS STEEL PERFORATED METAL SHEET, 500MM L, 500MM W, 0.55MM

包裝尺寸: 2 x EA

- Length: 500 mm
- Material: Stainless Steel
- Form: Perforated
- Width: 500 mm
- Thickness: 0.55 mm
- Hole Diameter: 4.7 mm
- Hole Layout: Square
- Open Area Percentage: 35 %




3406158 500 mm \$ 442.96

## STAINLESS STEEL PERFORATED METAL SHEET, 500MM L, 500MM W, 0.55MM

包裝尺寸: 2 x EA

- Length: 500 mm
- Material: Stainless Steel
- Form: Perforated
- Width: 500 mm
- Thickness: 0.55 mm
- Hole Diameter: 6 mm
- Hole Layout: In Line
- Open Area Percentage: 62 %
- Pattern Number: 9




3406164 500 mm \$ 454

## STAINLESS STEEL PERFORATED METAL SHEET, 500MM L, 500MM W, 0.55MM

包裝尺寸: 2 x EA

- Length: 500 mm
- Material: Stainless Steel
- Form: Perforated
- Width: 500 mm
- Thickness: 0.55 mm
- Hole Diameter: 6 mm
- Hole Layout: 60°
- Open Area Percentage: 79 %



3406192 500 mm \$ 377.13

## FERROUS STOCK, STAINLESS STEEL 304, SHEET, 0.5X500X300MM

包裝尺寸: 2 x EA

- Length: 500 mm
- Material: 304S15 Stainless Steel
- Form: Solid
- Width: 300 mm
- Thickness: 0.5 mm
- Density: 8 g/cm<sup>3</sup>
- Hardness: 92 HB
- Colour: Silver



3656858 500 mm \$ 455.44

## MILD STEEL PERFORATED METAL SHEET, 500MM L, 500MM W, 0.7MM

包裝尺寸: 2 x EA

- Length: 500 mm
- Material: Mild Steel
- Form: Perforated
- Width: 500 mm
- Thickness: 0.7 mm
- Hole Diameter: 1.2 mm
- Hole Layout: 60°
- Open Area Percentage: 42 %



4475284 500 mm \$ 436.465

## GALVANISED STEEL PERFORATED METAL SHEET, 500MM L, 500MM W,

包裝尺寸: 2 x EA

- Length: 500 mm
- Material: Galvanised Steel
- Form: Perforated
- Width: 500 mm
- Thickness: 0.7 mm
- Hole Diameter: 1 mm
- Hole Layout: 60°
- Open Area Percentage: 46 %



4475313 500 mm \$ 209.205

## 304S15 STAINLESS STEEL SOLID METAL SHEET, 500MM L, 300MM W,

包裝尺寸: 2 x EA

- Length: 500 mm
- Material: 304S15 Stainless Steel
- Form: Solid
- Width: 300 mm
- Thickness: 1 mm
- Density: 8 g/cm<sup>3</sup>
- Hardness: 92 HB
- Colour: Silver



6614793 500 mm \$ 742.22

## 304S15 STAINLESS STEEL SOLID METAL SHEET, 500MM L, 300MM W,

包裝尺寸: 1 x EA

- Length: 500 mm
- Material: 304S15 Stainless Steel
- Form: Solid
- Width: 300 mm
- Thickness: 2.5 mm
- Density: 8 g/cm<sup>3</sup>
- Hardness: 92 HB
- Colour: Silver



6614800 500 mm \$ 967.57

## 304S15 STAINLESS STEEL SOLID METAL SHEET, 500MM L, 300MM W,

包裝尺寸: 2 x EA

- Length: 500 mm
- Material: 304S15 Stainless Steel
- Form: Solid
- Width: 300 mm
- Thickness: 1.2 mm
- Density: 8 g/cm<sup>3</sup>
- Hardness: 92 HB
- Colour: Silver



6614797 500 mm \$ 723.21

## 304S15 S/STEEL SHEET, 300X300X1MM

包裝尺寸: 2 x EA

- Length: 300 mm
- Material: 304S15 Stainless Steel
- Form: Solid
- Width: 300 mm
- Thickness: 1 mm
- Density: 8 g/cm<sup>3</sup>
- Hardness: 92 HB
- Colour: Silver



7702961 300 mm \$ 433.42

**304S15 STAINLESS STEEL SOLID METAL SHEET, 500MM L, 500MM W,**

- 包裝尺寸: **2 x EA**
- Length: 500 mm
  - Material: 304S15 Stainless Steel
  - Form: Solid
  - Width: 500 mm
  - Thickness: 1 mm
  - Density: 8 g/cm<sup>3</sup>
  - Hardness: 92 HB
  - Colour: Silver



**7702964** 500 mm \$ 1,113.58

**304S15 STAINLESS STEEL SOLID METAL SHEET, 1000MM L, 500MM W,**

- 包裝尺寸: **2 x EA**
- Length: 1000 mm
  - Material: 304S15 Stainless Steel
  - Form: Solid
  - Width: 500 mm
  - Thickness: 1 mm
  - Density: 8 g/cm<sup>3</sup>
  - Hardness: 92 HB
  - Colour: Silver



**7702968** 1000 mm \$ 2,227.17

**304S15 STAINLESS STEEL SOLID METAL SHEET, 1000MM L, 1000MM W,**

- 包裝尺寸: **1 x EA**
- Length: 1000 mm
  - Material: 304S15 Stainless Steel
  - Form: Solid
  - Width: 1000 mm
  - Thickness: 1 mm
  - Density: 8 g/cm<sup>3</sup>
  - Hardness: 92 HB
  - Colour: Silver



**7702977** 1000 mm \$ 2,226.17

**ALUMINIUM SOLID METAL SHEET, 300MM DIAMETER, 2.5MM**

- 包裝尺寸: **1 x EA**
- Material: Aluminium
  - Construction: 1050A
  - Form: Solid
  - Thickness: 2.5 mm
  - Material Grade: 1050
  - Colour: Silver



**7757817** Aluminium \$ 215.72

**ALUMINIUM HONEYCOMB COMPOSITE METAL SHEET, 600MM L,**

- 包裝尺寸: **1 x EA**
- Length: 600 mm
  - Material: Aluminium Honeycomb Composite
  - Width: 600 mm
  - Thickness: 6 mm
  - Hardness: HB-F
  - Suitability: Artistic Ceilings, Balconies, Facade Cladding, Roofing, Shelters
  - Colour: White
  - Adhesive Backing: No



**7781661** 600 mm \$ 1,144.36

**ALUMINIUM SOLID METAL SHEET, 600MM L, 600MM W, 10MM**

- 包裝尺寸: **1 x EA**
- Length: 600 mm
  - Material: Aluminium
  - Form: Solid
  - Width: 600 mm
  - Thickness: 10 mm
  - Hardness: HB-F
  - Colour: White
  - Suitability: Artistic Ceilings, Balconies, Facade Cladding, Roofing, Shelters



**7781664** 600 mm \$ 1,342.31

**ALUMINIUM SOLID METAL SHEET, 600MM L, 600MM W, 15MM**

- 包裝尺寸: **1 x EA**
- Length: 600 mm
  - Material: Aluminium
  - Form: Solid
  - Width: 600 mm
  - Thickness: 15 mm
  - Hardness: HB-F
  - Colour: White
  - Suitability: Artistic Ceilings, Balconies, Facade Cladding, Roofing, Shelters



**7781677** 600 mm \$ 1,771.6

**ALUMINIUM METAL SHEET, 600MM L, 600MM W, 3MM THICKNESS**

- 包裝尺寸: **1 x EA**
- Length: 600 mm
  - Material: Aluminium
  - Width: 600 mm
  - Thickness: 3 mm
  - Density: 3.5 kg/m<sup>2</sup>
  - Hardness: 3 H
  - Colour: Black
  - Suitability: Cladding, Fascia Panels, Folded Parts, Sign Trays



**7781692** 600 mm \$ 348.59

**ALUMINIUM SHEET METAL SHEET, 600MM L, 600MM W, 3MM**

- 包裝尺寸: **1 x EA**
- Length: 600 mm
  - Material: Aluminium
  - Form: Sheet
  - Width: 600 mm
  - Thickness: 3 mm
  - Density: 3.5 kg/m<sup>2</sup>
  - Hardness: 3 H
  - Colour: Yellow



**7781703** 600 mm \$ 560.56

**ALUMINIUM SOLID METAL SHEET, 600MM L, 600MM W, 3MM**

- 包裝尺寸: **1 x EA**
- Length: 600 mm
  - Material: Aluminium
  - Form: Solid
  - Width: 600 mm
  - Thickness: 3 mm
  - Density: 3.5 kg/m<sup>2</sup>
  - Hardness: 3 H
  - Colour: Red



**7781706** 600 mm \$ 345.21

**BRASS SOLID METAL SHEET, 600MM L, 300MM W, 0.9MM THICKNESS**

- 包裝尺寸: **1 x EA**
- Length: 600 mm
  - Material: Brass
  - Form: Solid
  - Width: 300 mm
  - Thickness: 0.9 mm
  - Material Grade: CW508L/CZ108
  - Density: 8.44 g/cm<sup>3</sup>
  - Hardness: 55 to 180 HV



**8411903** 600 mm \$ 948.42

**BRASS SOLID METAL SHEET, 600MM L, 300MM W, 0.45MM THICKNESS**

- 包裝尺寸: **3 x EA**
- Length: 600 mm
  - Material: Brass
  - Form: Solid
  - Width: 300 mm
  - Thickness: 0.45 mm
  - Material Grade: CW508L/CZ108
  - Density: 8.44 g/cm<sup>3</sup>
  - Hardness: 55 to 180 HV



**8411906** 600 mm \$ 1,182.4

**BRASS SOLID METAL SHEET, 600MM L, 300MM W, 0.7MM THICKNESS**

- 包裝尺寸: **1 x EA**
- Length: 600 mm
  - Material: Brass
  - Form: Solid
  - Width: 300 mm
  - Thickness: 0.7 mm
  - Material Grade: CW508L/CZ108
  - Density: 8.44 g/cm<sup>3</sup>
  - Hardness: 55 to 180 HV



**8411893** 600 mm \$ 802.28

**MILD STEEL PERFORATED METAL SHEET, 1000MM L, 500MM W, 1.5MM**

- 包裝尺寸: **2 x EA**
- Length: 1000 mm
  - Material: Mild Steel
  - Form: Perforated
  - Width: 500 mm
  - Thickness: 1.5 mm
  - Hole Diameter: 3 mm
  - Hole Layout: 60°
  - Open Area Percentage: 33 %



**9190694** 1000 mm \$ 840.85

**BRASS SOLID METAL SHEET, 600MM L, 300MM W, 1.2MM THICKNESS**

- 包裝尺寸: **1 x EA**
- Length: 600 mm
  - Material: Brass
  - Form: Solid
  - Width: 300 mm
  - Thickness: 1.2 mm
  - Material Grade: CW508L/CZ108
  - Density: 8.44 g/cm<sup>3</sup>
  - Hardness: 55 to 180 HV



**8732487** 600 mm \$ 1,413.18

**GALVANISED STEEL PERFORATED METAL SHEET, 1000MM L, 500MM W,**

- 包裝尺寸: **2 x EA**
- Length: 1000 mm
  - Material: Galvanised Steel
  - Form: Perforated
  - Width: 500 mm
  - Thickness: 1.5 mm
  - Hole Diameter: 3 mm
  - Hole Layout: 60°
  - Open Area Percentage: 33 %



**9190698** 1000 mm \$ 644.145

## GALVANISED STEEL PERFORATED METAL SHEET, 1000MM L, 500MM W,

- 包裝尺寸: 2 x EA
- Length: 1000 mm
  - Material: Galvanised Steel
  - Form: Perforated
  - Width: 500 mm
  - Thickness: 1.5 mm
  - Hole Diameter: 3 mm
  - Hole Layout: 60°
  - Open Area Percentage: 51 %



9190708 1000 mm \$ 649.405

## RECTANGULAR ALUMINIUM METAL TUBE, 1M L, 50MM W, 20MM H, 2MM

- 包裝尺寸: 5 x EA
- Material: Aluminium
  - Tube Form: Rectangular
  - Material Grade: T6
  - Length: 1 m
  - Height: 20 mm
  - Width: 50 mm
  - Thickness: 2 mm
  - Hardness: 95 HB



1368756 Aluminium \$ 826.8

## ROUND PHOSPHOR BRONZE METAL TUBE, 2IN OD, 1 1/2IN ID, 13IN L, 2IN


- 包裝尺寸: 1 x EA
- Tube Form: Round
  - Material: Phosphor Bronze
  - Length: 13 in
  - Width: 2 in
  - Inner Diameter: 1 1/2 in
  - Outer Diameter: 2 in
  - Thickness: 1/2 in
  - Tensile Strength: 420 N/mm<sup>2</sup>



110034 Round \$ 4,397.15

## RECTANGULAR ALUMINIUM METAL TUBE, 1M L, 60MM W, 40MM H, 2MM

- 包裝尺寸: 2 x EA
- Material: Aluminium
  - Tube Form: Rectangular
  - Material Grade: T6
  - Length: 1 m
  - Height: 40 mm
  - Width: 60 mm
  - Thickness: 2 mm
  - Hardness: 95 HB



1368757 Aluminium \$ 924.53

## ROUND ALUMINIUM METAL TUBE, 1/2IN OD, 3/8IN ID, 1M L, 16SWG

- 包裝尺寸: 5 x EA
- Material: Aluminium
  - Tube Form: Round
  - Length: 1 m
  - Material Grade: 6063-T6
  - Inner Diameter: 3/8 in
  - Outer Diameter: 1/2 in
  - Thickness: 16 SWG
  - Suitability: Architectural Applications, Doors, Extrusions, Shopfittings, Window Frames

SORRY  
IMAGE NOT  
AVAILABLE.

3047973 Aluminium \$ 396.38

## ROUND ALUMINIUM TUBE, 2IN OD, 1.75IN ID, 1M L, 10SWG THICKNESS

- 包裝尺寸: 1 x EA
- Tube Form: Round
  - Material Grade: 6063 T6
  - Length: 1 m
  - Inner Diameter: 1.75 in
  - Outer Diameter: 2 in
  - Thickness: 10 SWG
  - Suitability: Architectural Applications, Doors, Extrusions, Shopfittings, Window Frames
  - Tensile Strength: 230 MPa



3047995 Round \$ 539.53

## ROUND ALUMINIUM METAL TUBE, 1IN OD, 3/4IN ID, 1M L, 10SWG

- 包裝尺寸: 2 x EA
- Material: Aluminium
  - Tube Form: Round
  - Length: 1 m
  - Material Grade: 6063-T6
  - Inner Diameter: 3/4 in
  - Thickness: 10 SWG
  - Outer Diameter: 1 in
  - Suitability: Architectural Applications, Doors, Extrusions, Shopfittings, Window Frames



3048011 Aluminium \$ 627.11

## ROUND ALUMINIUM METAL TUBE, 10MM OD, 1M L, 10MM H, 1MM

- 包裝尺寸: 5 x EA
- Material: Aluminium
  - Tube Form: Round
  - Material Grade: 6063-T6
  - Length: 1 m
  - Height: 10 mm
  - Thickness: 1 mm
  - Outer Diameter: 10 mm



9186374 Aluminium \$ 200.596

## ROUND ALUMINIUM METAL TUBE, 20MM OD, 1M L, 3MM THICKNESS

- 包裝尺寸: 5 x EA
- Material: Aluminium
  - Tube Form: Round
  - Material Grade: 6063-T6
  - Length: 1 m
  - Thickness: 3 mm
  - Outer Diameter: 20 mm



9186383 Aluminium \$ 218.834

## PEEK 381G FILM, 200X305X0.025MM

- 包裝尺寸: 5 x EA
- Material: PEEK
  - Length: 200 mm
  - Width: 305 mm
  - Thickness: 0.025 mm
  - Dielectric Strength: 190 kV
  - Maximum Operating Temperature: +200 °C
  - Application: Aerospace, Automotive, Electronics, Energy Such as Oil & Gas, Food & Medical, Industrial, Semiconductors



7648719 PEEK \$ 304.55

## PEEK PLASTIC FILM, 200MM X 305MM X 0.05MM

- 包裝尺寸: 5 x EA
- Material: PEEK
  - Length: 200 mm
  - Width: 305 mm
  - Thickness: 0.05 mm
  - Dielectric Strength: 190 kV
  - Maximum Operating Temperature: +200 °C
  - Application: Aerospace, Automotive, Electronics, Energy Such as Oil & Gas, Food & Medical, Industrial, Semiconductors



7648713 PEEK \$ 409.65

## PEEK 381G FILM, 200X305X0.1MM

- 包裝尺寸: 5 x EA
- Material: PEEK
  - Length: 200 mm
  - Width: 305 mm
  - Thickness: 0.1 mm
  - Dielectric Strength: 190 kV
  - Maximum Operating Temperature: +200 °C
  - Application: Aerospace, Automotive, Electronics, Energy Such as Oil & Gas, Food & Medical, Industrial, Semiconductors



7648722 PEEK \$ 563.8

## PEEK PLASTIC FILM, 200MM X 305MM X 0.125MM

- 包裝尺寸: 5 x EA
- Material: PEEK
  - Length: 200 mm
  - Width: 305 mm
  - Thickness: 0.125 mm
  - Dielectric Strength: 190 kV
  - Maximum Operating Temperature: +200 °C
  - Application: Aerospace, Automotive, Electronics, Energy Such as Oil & Gas, Food & Medical, Industrial, Semiconductors



7648725 PEEK \$ 688.92

## GRADE 4 PRESS PAPER, 0.5MM

- 包裝尺寸: 5 x EA
- Material: Cotton
  - Length: 304 mm
  - Width: 200 mm
  - Thickness: 0.5 mm
  - Density: 1.05 to 1.2 g/cm<sup>3</sup>
  - Dielectric Strength: 74 to 88 kV/mm, 14 kV/cm
  - Application: Electrical



7757790 Cotton \$ 127.25

## FORMEX GK-17, 0.45MM

- 包裝尺寸: 5 x EA
- Material: Polypropylene
  - Length: 304 mm
  - Width: 200 mm
  - Thickness: 0.45 mm
  - Density: 1.035 g/cm<sup>3</sup>
  - Application: Electrical



7757797 Polypropylene \$ 206.77

## ELEPHANTIDE GRADE K, 1MM

- 包裝尺寸: 5 x EA
- Material: PET
  - Length: 304 mm
  - Width: 200 mm
  - Thickness: 1 mm
  - Maximum Operating Temperature: +120 °C
  - Application: Coil Separation, Phase Separation & Intercoll Insulations, Slot Liners



7757794 PET \$ 132.25

**MYLAR FILM 0.1MM, PACK OF 5**

包裝尺寸: **5 x EA**

- Material: Mylar
- Length: 304 mm
- Width: 200 mm
- Thickness: 0.1 mm
- Maximum Operating Temperature: +150 °C
- Application: Industrial



**7850792** Mylar \$ 203.6

**MYLAR FILM 0.050MM, PACK OF 5**

包裝尺寸: **5 x EA**

- Material: Mylar
- Length: 304 mm
- Width: 200 mm
- Thickness: 0.05 mm
- Maximum Operating Temperature: +150 °C
- Application: Industrial



**7850786** Mylar \$ 197.1

**MYLAR FILM 0.023MM, PACK OF 5**

包裝尺寸: **5 x EA**

- Material: Mylar
- Length: 304 mm
- Width: 200 mm
- Thickness: 0.023 mm
- Maximum Operating Temperature: +150 °C
- Application: Industrial



**7850782** Mylar \$ 198.18

**MYLAR FILM 0.075MM, PACK OF 5**

包裝尺寸: **5 x EA**

- Material: Mylar
- Length: 304 mm
- Width: 200 mm
- Thickness: 0.075 mm
- Maximum Operating Temperature: +150 °C
- Application: Industrial



**7850795** Mylar \$ 60.98

**MYLAR FILM 0.25MM, PACK OF 5**

包裝尺寸: **5 x EA**

- Material: Mylar
- Length: 304 mm
- Width: 200 mm
- Thickness: 0.25 mm
- Maximum Operating Temperature: +150 °C
- Application: Industrial



**7850802** Mylar \$ 370.81

**MYLAR PLASTIC FILM, 304MM X 200MM X 0.125MM**

包裝尺寸: **5 x EA**

- Material: Mylar
- Length: 304 mm
- Width: 200 mm
- Thickness: 0.125 mm
- Maximum Operating Temperature: +150 °C
- Application: Industrial



**7850798** Mylar \$ 294.84

**FORMEX BLACK 0.127MM, PACK OF 5**

包裝尺寸: **5 x EA**

- Material: Polypropylene
- Length: 304 mm
- Width: 200 mm
- Thickness: 0.127 mm
- Density: 1035 kg/m<sup>3</sup>
- Dielectric Strength: 1460 kV
- Application: Electrical



**7850805** Polypropylene \$ 124.76

**FORMEX BLACK 0.25MM, PACK OF 5**

包裝尺寸: **5 x EA**

- Material: Polypropylene
- Length: 304 mm
- Width: 200 mm
- Thickness: 0.25 mm
- Density: 1035 kg/m<sup>3</sup>
- Dielectric Strength: 1460 kV
- Application: Electrical



**7850809** Polypropylene \$ 152.13

**FORMEX BLACK 0.76MM, PACK OF 5**

包裝尺寸: **5 x EA**

- Material: Polypropylene
- Length: 304 mm
- Width: 200 mm
- Thickness: 0.76 mm
- Density: 1035 kg/m<sup>3</sup>
- Dielectric Strength: 1460 kV
- Application: Electrical



**7850811** Polypropylene \$ 380.5

**MICA FILM 0.2MM, PACK OF 5**

包裝尺寸: **5 x EA**

- Material: Mica
- Length: 304 mm
- Width: 200 mm
- Thickness: 0.2 mm
- Density: 2.15 g/cm<sup>3</sup>
- Dielectric Strength: 25 kV/mm
- Maximum Operating Temperature: +500 °C
- Application: Electrical



**7850815** Mica \$ 75.78

**FORMEX BLACK 0.45MM, PACK OF 5**

包裝尺寸: **5 x EA**

- Material: Polypropylene
- Length: 304 mm
- Width: 200 mm
- Thickness: 0.45 mm
- Density: 1035 kg/m<sup>3</sup>
- Dielectric Strength: 1460 kV
- Application: Electrical



**7850818** Polypropylene \$ 197.32

**MICA FILM 1.0MM, PACK OF 5**

包裝尺寸: **5 x EA**

- Material: Mica
- Length: 304 mm
- Width: 200 mm
- Thickness: 1 mm
- Density: 2.15 g/cm<sup>3</sup>
- Dielectric Strength: 25 kV/mm
- Maximum Operating Temperature: +500 °C
- Application: Electrical



**7850827** Mica \$ 419.41

**RS PRO BEIGE POLYETHERETHERKETONE PEEK ROD,**

包裝尺寸: **1 x EA**

- Colour: Beige
- Length: 300 mm
- Material: PEEK
- Form: Rod
- Rod Diameter: 30 mm
- Density: 1.32 g/cm<sup>3</sup>
- Tensile Strength: 95 MPa
- Maximum Operating Temperature: +260 °C



**129729** Beige \$ 947.89

**MICA FILM 0.5MM, PACK OF 5**

包裝尺寸: **5 x EA**

- Material: Mica
- Length: 304 mm
- Width: 200 mm
- Thickness: 0.5 mm
- Density: 2.15 g/cm<sup>3</sup>
- Dielectric Strength: 25 kV/mm
- Maximum Operating Temperature: +500 °C
- Application: Electrical



**7850824** Mica \$ 184.56

**RS PRO BEIGE POLYETHERETHERKETONE PEEK ROD,**

包裝尺寸: **1 x EA**

- Colour: Beige
- Length: 300 mm
- Material: PEEK
- Form: Rod
- Rod Diameter: 32 mm
- Density: 1.32 g/cm<sup>3</sup>
- Tensile Strength: 95 MPa
- Maximum Operating Temperature: +260 °C



**514354** Beige \$ 1,255.57

**PEEK 450G ROD STOCK,300MM L 12MM DIA**

包裝尺寸: **1 x EA**

- Colour: Beige
- Length: 300 mm
- Material: PEEK
- Form: Rod
- Rod Diameter: 12 mm
- Density: 1.32 g/cm<sup>3</sup>
- Tensile Strength: 95 MPa
- Maximum Operating Temperature: +260 °C



**514360** Beige \$ 187.35

## RS PRO WHITE ACETAL ROD, 1M X 10MM DIAMETER

包装尺寸: 5 x EA

- Colour: White
- Length: 1 m
- Material: Acetal
- Form: Rod
- Rod Diameter: 10 mm
- Density: 1.42 g/cm<sup>3</sup>
- Tensile Strength: 70 MPa
- Maximum Operating Temperature: +100 °C



514512 White \$ 36.66

## RS PRO WHITE ACETAL ROD, 1M X 56MM DIAMETER

包装尺寸: 1 x EA

- Colour: White
- Length: 1 m
- Material: Acetal
- Form: Rod
- Rod Diameter: 56 mm
- Density: 1.42 g/cm<sup>3</sup>
- Tensile Strength: 70 MPa
- Maximum Operating Temperature: +100 °C



514726 White \$ 1,087.8

## RS PRO WHITE NYLON ROD, 1M X 12MM DIAMETER

包装尺寸: 5 x EA

- Colour: White
- Length: 1 m
- Material: Nylon
- Form: Rod
- Rod Diameter: 12 mm
- Density: 1.14 g/cm<sup>3</sup>
- Tensile Strength: 60 (Wet) MPa, 80 (Dry) MPa
- Maximum Operating Temperature: +170 °C



514607 White \$ 62.006

## RS PRO NATURAL NYLON ROD, 500MM X 125MM DIAMETER

包装尺寸: 1 x EA

- Colour: Natural
- Length: 500 mm
- Material: Nylon
- Form: Rod
- Rod Diameter: 125 mm
- Density: 1.15 g/cm<sup>3</sup>
- Tensile Strength: 60 (Wet) MPa, 85 (Dry) MPa
- Maximum Operating Temperature: +180 °C



514619 Natural \$ 1,574.1

## TECAPEEK CF 30% CARBON ROD 300X30 D

包装尺寸: 1 x EA

- Colour: Black
- Length: 300 mm
- Material: PEEK
- Form: Rod
- Rod Diameter: 30 mm
- Density: 1.44 g/cm<sup>3</sup>
- Tensile Strength: 215 MPa
- Maximum Operating Temperature: +260 °C



514736 Black \$ 1,766.59

## PEEK 450G ROD STOCK, 300MM L 6MM DIA

包装尺寸: 1 x EA

- Colour: Beige
- Length: 300 mm
- Material: PEEK
- Form: Rod
- Rod Diameter: 6 mm
- Density: 1.32 g/cm<sup>3</sup>
- Tensile Strength: 95 MPa
- Maximum Operating Temperature: +260 °C



514748 Beige \$ 57.83

## RS PRO BEIGE POLYETHERETHERKETONE PEEK ROD,

包装尺寸: 1 x EA

- Colour: Beige
- Length: 300 mm
- Material: PEEK
- Form: Rod
- Rod Diameter: 50 mm
- Density: 1.49 g/cm<sup>3</sup>
- Tensile Strength: 180 MPa
- Maximum Operating Temperature: +260 °C



514764 Beige \$ 4,961.2

## RS PRO WHITE NYLON ROD, 1M X 32MM DIAMETER

包装尺寸: 1 x EA

- Colour: White
- Length: 1 m
- Material: Nylon
- Form: Rod
- Rod Diameter: 32 mm
- Density: 1.14 g/cm<sup>3</sup>
- Tensile Strength: 60 (Wet) MPa, 80 (Dry) MPa
- Maximum Operating Temperature: +170 °C



514805 White \$ 404.55

## RS PRO BEIGE POLYETHERETHERKETONE PEEK ROD,

包装尺寸: 1 x EA

- Colour: Beige
- Length: 300 mm
- Material: PEEK
- Form: Rod
- Rod Diameter: 80 mm
- Density: 1.32 g/cm<sup>3</sup>
- Tensile Strength: 95 MPa
- Maximum Operating Temperature: +260 °C



514770 Beige \$ 7,417.93

## PEEK 450G ROD STOCK, 300MM L 8MM DIA

包装尺寸: 1 x EA

- Colour: Beige
- Length: 300 mm
- Material: PEEK
- Form: Rod
- Rod Diameter: 8 mm
- Density: 1.32 g/cm<sup>3</sup>
- Tensile Strength: 95 MPa
- Maximum Operating Temperature: +260 °C



514776 Beige \$ 88.52

## RS PRO WHITE NYLON ROD, 1M X 20MM DIAMETER

包装尺寸: 2 x EA

- Colour: White
- Length: 1 m
- Material: Nylon
- Form: Rod
- Rod Diameter: 20 mm
- Density: 1.14 g/cm<sup>3</sup>
- Tensile Strength: 60 (Wet) MPa, 80 (Dry) MPa
- Maximum Operating Temperature: +170 °C



680268 White \$ 315.31

## RS PRO WHITE NYLON ROD, 1M X 10MM DIAMETER

包装尺寸: 5 x EA

- Colour: White
- Length: 1 m
- Material: Nylon
- Form: Rod
- Rod Diameter: 10 mm
- Density: 1.14 g/cm<sup>3</sup>
- Tensile Strength: 60 (Wet) MPa, 80 (Dry) MPa
- Flammability Rating: UL HB



680246 White \$ 223.53

## RS PRO OPAQUE FLUOROPLASTICS PTFE ROD, 1M X 15MM DIAMETER

包装尺寸: 3 x EA

- Colour: Opaque
- Length: 1 m
- Material: PTFE
- Form: Rod
- Rod Diameter: 15 mm
- Density: 2.18 → 2.21 g/cm<sup>3</sup>
- Tensile Strength: 25 MPa
- Maximum Operating Temperature: +260 °C



680634 Opaque \$ 645.63

## RS PRO OPAQUE FLUOROPLASTICS PTFE ROD, 1M X 20MM DIAMETER

包装尺寸: 2 x EA

- Colour: Opaque
- Length: 1 m
- Material: PTFE
- Form: Rod
- Rod Diameter: 20 mm
- Density: 2.18 → 2.21 g/cm<sup>3</sup>
- Tensile Strength: 25 MPa
- Maximum Operating Temperature: +260 °C



680640 Opaque \$ 753.11

## RS PRO GREY POLYVINYL CHLORIDE PVC ROD, 1M X 15MM DIAMETER

包装尺寸: 3 x EA

- Colour: Grey
- Length: 1 m
- Material: PVC
- Form: Rod
- Rod Diameter: 15 mm
- Density: 1.47 g/cm<sup>3</sup>
- Tensile Strength: 55 MPa
- Maximum Operating Temperature: +60 °C



680713 Grey \$ 128.29

## RS PRO GREY POLYVINYL CHLORIDE PVC ROD, 1M X 20MM DIAMETER

包装尺寸: 2 x EA

- Colour: Grey
- Length: 1 m
- Material: PVC
- Form: Rod
- Rod Diameter: 20 mm
- Density: 1.47 g/cm<sup>3</sup>
- Tensile Strength: 55 MPa
- Maximum Operating Temperature: +60 °C



680729 Grey \$ 156.32



**RS PRO OPAQUE FLUOROPLASTICS PTFE ROD, 1M X 25MM DIAMETER**

- 包裝尺寸: **2 x EA**
- Colour: Opaque
  - Length: 1 m
  - Material: PTFE
  - Form: Rod
  - Rod Diameter: 25 mm
  - Density: 2.18 → 2.21 g/cm<sup>3</sup>
  - Tensile Strength: 25 MPa
  - Maximum Operating Temperature: +260 °C



**680656** Opaque \$ 1,189.91

**RS PRO GREY POLYVINYL CHLORIDE PVC ROD, 1M X 25MM DIAMETER**

- 包裝尺寸: **2 x EA**
- Colour: Grey
  - Length: 1 m
  - Material: PVC
  - Form: Rod
  - Rod Diameter: 25 mm
  - Density: 1.43 g/cm<sup>3</sup>
  - Tensile Strength: 500 MPa
  - Maximum Operating Temperature: +60 °C



**680735** Grey \$ 230.58

**RS PRO OPAQUE FLUOROPLASTICS PTFE ROD, 1M X 40MM DIAMETER**

- 包裝尺寸: **1 x EA**
- Colour: Opaque
  - Length: 1 m
  - Material: PTFE
  - Form: Rod
  - Rod Diameter: 40 mm
  - Density: 2.18 → 2.21 g/cm<sup>3</sup>
  - Tensile Strength: 25 MPa
  - Flammability Rating: UL 94 V-0



**752600** Opaque \$ 1,396.99

**RS PRO WHITE ACETAL ROD, 1M X 12MM DIAMETER**

- 包裝尺寸: **5 x EA**
- Colour: White
  - Length: 1 m
  - Material: Delrin®
  - Form: Rod
  - Rod Diameter: 12 mm
  - Density: 1.42 g/cm<sup>3</sup>
  - Tensile Strength: 70 MPa
  - Maximum Operating Temperature: +100 °C



**770282** White \$ 319.11

**RS PRO WHITE ACETAL ROD, 1M X 16MM DIAMETER**

- 包裝尺寸: **3 x EA**
- Colour: White
  - Length: 1 m
  - Material: Delrin®
  - Form: Rod
  - Rod Diameter: 16 mm
  - Density: 1.42 g/cm<sup>3</sup>
  - Tensile Strength: 70 MPa
  - Maximum Operating Temperature: +100 °C



**770298** White \$ 333.3

**RS PRO WHITE ACETAL ROD, 1M X 20MM DIAMETER**

- 包裝尺寸: **2 x EA**
- Colour: White
  - Length: 1 m
  - Material: Delrin®
  - Form: Rod
  - Rod Diameter: 20 mm
  - Density: 1.42 g/cm<sup>3</sup>
  - Tensile Strength: 70 MPa
  - Maximum Operating Temperature: +100 °C



**770305** White \$ 357.3

**PLASTIC STOCK, VICTREX PEEK 450G, ROD, FAWN, 10 DIA X 300MM**

- 包裝尺寸: **1 x EA**
- Colour: Beige
  - Length: 300 mm
  - Material: PEEK
  - Form: Rod
  - Rod Diameter: 10 mm
  - Density: 1.32 g/cm<sup>3</sup>
  - Tensile Strength: 95 MPa
  - Flammability Rating: UL 94 V-0



**770670** Beige \$ 136.13

**PLASTIC STOCK, VICTREX PEEK 450G, ROD, FAWN, 16 DIA X 300MM**

- 包裝尺寸: **1 x EA**
- Colour: Beige
  - Length: 300 mm
  - Material: PEEK
  - Form: Rod
  - Rod Diameter: 16 mm
  - Density: 1.32 g/cm<sup>3</sup>
  - Tensile Strength: 95 MPa
  - Maximum Operating Temperature: +260 °C



**770686** Beige \$ 339.58

**PLASTIC STOCK, VICTREX PEEK 450G, ROD, FAWN, 20 DIA X 300MM**

- 包裝尺寸: **1 x EA**
- Colour: Beige
  - Length: 300 mm
  - Material: PEEK
  - Form: Rod
  - Rod Diameter: 20 mm
  - Density: 1.32 g/cm<sup>3</sup>
  - Tensile Strength: 95 MPa
  - Maximum Operating Temperature: +260 °C



**770692** Beige \$ 518.25

**PLASTIC STOCK, VICTREX PEEK 450G, ROD, FAWN, 25 DIA X 300MM**

- 包裝尺寸: **1 x EA**
- Colour: Beige
  - Length: 300 mm
  - Material: PEEK
  - Form: Rod
  - Rod Diameter: 25 mm
  - Density: 1.32 g/cm<sup>3</sup>
  - Tensile Strength: 95 MPa
  - Maximum Operating Temperature: +260 °C



**770709** Beige \$ 799.53

**RS PRO BEIGE POLYETHERETHERKETONE PEEK ROD,**

- 包裝尺寸: **1 x EA**
- Colour: Beige
  - Length: 300 mm
  - Material: PEEK
  - Form: Rod
  - Rod Diameter: 40 mm
  - Density: 1.32 g/cm<sup>3</sup>
  - Tensile Strength: 95 MPa
  - Maximum Operating Temperature: +260 °C



**770715** Beige \$ 1,898.47

**RS PRO BEIGE POLYETHERETHERKETONE PEEK ROD,**

- 包裝尺寸: **1 x EA**
- Colour: Beige
  - Length: 300 mm
  - Material: PEEK
  - Form: Rod
  - Rod Diameter: 50 mm
  - Density: 1.32 g/cm<sup>3</sup>
  - Tensile Strength: 95 MPa
  - Maximum Operating Temperature: +260 °C



**770721** Beige \$ 2,951.5

**RS PRO GREEN NYLON ROD, 1M X 15MM DIAMETER**

- 包裝尺寸: **3 x EA**
- Colour: Green
  - Length: 1 m
  - Material: Nylon
  - Form: Rod
  - Rod Diameter: 15 mm
  - Density: 1.15 g/cm<sup>3</sup>
  - Tensile Strength: 70 MPa
  - Maximum Operating Temperature: +180 °C



**771140** Green \$ 1,030.45

**RS PRO GREEN NYLON ROD, 1M X 35MM DIAMETER**

- 包裝尺寸: **1 x EA**
- Colour: Green
  - Length: 1 m
  - Material: Nylon
  - Form: Rod
  - Rod Diameter: 35 mm
  - Density: 1.15 g/cm<sup>3</sup>
  - Tensile Strength: 70 MPa
  - Maximum Operating Temperature: +180 °C



**771178** Green \$ 894.11

**RS PRO YELLOW NYLON ROD, 500MM X 65MM DIAMETER**

- 包裝尺寸: **1 x EA**
- Colour: Yellow
  - Length: 500 mm
  - Material: Nylon
  - Form: Rod
  - Rod Diameter: 65 mm
  - Density: 1.15 g/cm<sup>3</sup>
  - Tensile Strength: 60 (Wet) MPa, 85 (Dry) MPa
  - Flammability Rating: UL 94 HB



**1847074** Yellow \$ 351.5

**PLASTIC STOCK, ROD, NYLON, CAST, 0.5M**

- 包裝尺寸: **1 x EA**
- Colour: Natural
  - Length: 500 mm
  - Material: Nylon
  - Form: Rod
  - Rod Diameter: 70 mm
  - Density: 1.15 g/cm<sup>3</sup>
  - Tensile Strength: 60 (Wet) MPa, 85 (Dry) MPa
  - Maximum Operating Temperature: +180 °C



**1847080** Natural \$ 508.33

## PLASTIC STOCK,ROD,NYLON,CAST,0.5M

包裝尺寸: 1 x EA

- Colour: Natural
- Length: 500 mm
- Material: Nylon
- Form: Rod
- Rod Diameter: 75 mm
- Density: 1.15 g/cm<sup>3</sup>
- Tensile Strength: 60 (Wet) MPa, 85 (Dry) MPa
- Maximum Operating Temperature: +180 °C



1847096 Natural \$ 408.29

## RS PRO NATURAL NYLON ROD, 500MM X 80MM DIAMETER

包裝尺寸: 1 x EA

- Colour: Natural
- Length: 500 mm
- Material: Nylon
- Form: Rod
- Rod Diameter: 80 mm
- Density: 1.15 g/cm<sup>3</sup>
- Tensile Strength: 60 (Wet) MPa, 85 (Dry) MPa
- Maximum Operating Temperature: +180 °C



1847119 Natural \$ 640.23

## RS PRO NATURAL NYLON ROD, 500MM X 90MM DIAMETER

包裝尺寸: 1 x EA

- Colour: Natural
- Length: 500 mm
- Material: Nylon
- Form: Rod
- Rod Diameter: 90 mm
- Density: 1.15 g/cm<sup>3</sup>
- Tensile Strength: 60 (Wet) MPa, 85 (Dry) MPa
- Flammability Rating: UL 94 HB



1847131 Natural \$ 612.25

## RS PRO NATURAL NYLON ROD, 500MM X 110MM DIAMETER

包裝尺寸: 1 x EA

- Colour: Natural
- Length: 500 mm
- Material: Nylon
- Form: Rod
- Rod Diameter: 110 mm
- Density: 1.15 g/cm<sup>3</sup>
- Tensile Strength: 60 (Wet) MPa, 85 (Dry) MPa
- Maximum Operating Temperature: +180 °C



1847169 Natural \$ 760.31

## RS PRO BLACK NYLON ROD, 500MM X 65MM DIAMETER

包裝尺寸: 1 x EA

- Colour: Black
- Length: 500 mm
- Material: Nylon
- Form: Rod
- Rod Diameter: 65 mm
- Density: 1.15 g/cm<sup>3</sup>
- Tensile Strength: 75 MPa
- Flammability Rating: UL 94 HB



1935294 Black \$ 577.72

## RS PRO BLACK NYLON ROD, 500MM X 80MM DIAMETER

包裝尺寸: 1 x EA

- Colour: Black
- Length: 500 mm
- Material: Nylon
- Form: Rod
- Rod Diameter: 80 mm
- Density: 1.15 g/cm<sup>3</sup>
- Tensile Strength: 75 MPa
- Flammability Rating: UL 94 HB



1935323 Black \$ 838.34

## RS PRO BLACK NYLON ROD, 500MM X 90MM DIAMETER

包裝尺寸: 1 x EA

- Colour: Black
- Length: 500 mm
- Material: Nylon
- Form: Rod
- Rod Diameter: 90 mm
- Density: 1.15 g/cm<sup>3</sup>
- Tensile Strength: 75 MPa
- Flammability Rating: UL 94 HB



1935351 Black \$ 1,082.1

## RS PRO BLACK NYLON ROD, 500MM X 100MM DIAMETER

包裝尺寸: 1 x EA

- Colour: Black
- Length: 500 mm
- Material: Nylon
- Form: Rod
- Rod Diameter: 100 mm
- Density: 1.15 g/cm<sup>3</sup>
- Tensile Strength: 75 MPa
- Flammability Rating: UL 94 HB



1935373 Black \$ 1,128.42

## RS PRO BLACK NYLON ROD, 500MM X 75MM DIAMETER

包裝尺寸: 1 x EA

- Colour: Black
- Length: 500 mm
- Material: Nylon
- Form: Rod
- Rod Diameter: 75 mm
- Density: 1.15 g/cm<sup>3</sup>
- Tensile Strength: 75 MPa
- Flammability Rating: UL 94 HB



1935317 Black \$ 770.3

## RS PRO BLACK NYLON ROD, 500MM X 120MM DIAMETER

包裝尺寸: 1 x EA

- Colour: Black
- Length: 500 mm
- Material: Nylon
- Form: Rod
- Rod Diameter: 120 mm
- Density: 1.15 g/cm<sup>3</sup>
- Tensile Strength: 75 MPa
- Flammability Rating: UL 94 HB



1935424 Black \$ 1,640.97

## PLASTIC STOCK,PTFE,ROD,500X25MM DIA

包裝尺寸: 1 x EA

- Colour: Opaque
- Length: 500 mm
- Material: PTFE
- Form: Rod
- Rod Diameter: 25 mm
- Density: 2.18 → 2.21 g/cm<sup>3</sup>
- Tensile Strength: 25 MPa
- Maximum Operating Temperature: +260 °C



1969893 Opaque \$ 320.6

## PLASTIC STOCK,PTFE,ROD,500X38MM DIA

包裝尺寸: 1 x EA

- Colour: Opaque
- Length: 500 mm
- Material: PTFE
- Form: Rod
- Rod Diameter: 38 mm
- Density: 2.18 → 2.21 g/cm<sup>3</sup>
- Tensile Strength: 25 MPa
- Flammability Rating: UL 94 V-0



1969916 Opaque \$ 645.63

## PLASTIC STOCK,PTFE,ROD,500X40MM DIA

包裝尺寸: 1 x EA

- Colour: Opaque
- Length: 500 mm
- Material: PTFE
- Form: Rod
- Rod Diameter: 40 mm
- Density: 2.18 → 2.21 g/cm<sup>3</sup>
- Tensile Strength: 25 MPa
- Maximum Operating Temperature: +260 °C



1969922 Opaque \$ 704.94

## PLASTIC STOCK,PTFE,ROD,500X32MM DIA

包裝尺寸: 1 x EA

- Colour: Opaque
- Length: 500 mm
- Material: PTFE
- Form: Rod
- Rod Diameter: 32 mm
- Density: 2.18 → 2.21 g/cm<sup>3</sup>
- Tensile Strength: 25 MPa
- Maximum Operating Temperature: +260 °C



1969900 Opaque \$ 460.07

## RS PRO OPAQUE FLUOROPLASTICS PTFE ROD, 500MM X 45MM DIAMETER

包裝尺寸: 1 x EA

- Colour: Opaque
- Length: 500 mm
- Material: PTFE
- Form: Rod
- Rod Diameter: 45 mm
- Density: 2.18 → 2.21 g/cm<sup>3</sup>
- Tensile Strength: 25 MPa
- Maximum Operating Temperature: +260 °C



1969944 Opaque \$ 915.14

## RS PRO OPAQUE FLUOROPLASTICS PTFE ROD, 500MM X 65MM DIAMETER

包裝尺寸: 1 x EA

- Colour: Opaque
- Length: 500 mm
- Material: PTFE
- Form: Rod
- Rod Diameter: 65 mm
- Density: 2.18 → 2.21 g/cm<sup>3</sup>
- Tensile Strength: 25 MPa
- Maximum Operating Temperature: +260 °C



1969966 Opaque \$ 1,842.17

**PLASTIC STOCK,PTFE,ROD,500X50MM DIA**

- 包裝尺寸: **1 x EA**
- Colour: Opaque
  - Length: 500 mm
  - Material: PTFE
  - Form: Rod
  - Rod Diameter: 50 mm
  - Density: 2.18 → 2.21 g/cm<sup>3</sup>
  - Tensile Strength: 25 MPa
  - Maximum Operating Temperature: +260 °C



**1969950** Opaque \$ 1,109.33

**RS PRO OPAQUE FLUOROPLASTICS PTFE ROD, 300MM X 70MM DIAMETER**

- 包裝尺寸: **1 x EA**
- Colour: Opaque
  - Length: 300 mm
  - Material: PTFE
  - Form: Rod
  - Rod Diameter: 70 mm
  - Density: 2.18 → 2.21 g/cm<sup>3</sup>
  - Tensile Strength: 25 MPa
  - Maximum Operating Temperature: +260 °C



**1969972** Opaque \$ 1,438.9

**PLASTIC STOCK,PTFE,ROD,300X80MM DIA**

- 包裝尺寸: **1 x EA**
- Colour: Opaque
  - Length: 300 mm
  - Material: PTFE
  - Form: Rod
  - Rod Diameter: 80 mm
  - Density: 2.18 → 2.21 g/cm<sup>3</sup>
  - Tensile Strength: 25 MPa
  - Maximum Operating Temperature: +260 °C



**1969988** Opaque \$ 1,869.32

**RS PRO BROWN POLYAMIDE-IMIDE PAI ROD, 300MM X 12.7MM DIAMETER**

- 包裝尺寸: **1 x EA**
- Colour: Brown
  - Length: 300 mm
  - Material: PAI
  - Form: Rod
  - Rod Diameter: 12.7 mm
  - Density: 1.42 g/cm<sup>3</sup>
  - Tensile Strength: 192 MPa
  - Maximum Operating Temperature: +260 °C



**2577063** Brown \$ 1,076.12

**RS PRO BLACK POLYAMIDE-IMIDE PAI ROD, 300MM X 12.7MM DIAMETER**

- 包裝尺寸: **1 x EA**
- Colour: Black
  - Length: 300 mm
  - Material: PAI
  - Form: Rod
  - Rod Diameter: 12.7 mm
  - Density: 1.46 g/cm<sup>3</sup>
  - Tensile Strength: 164 MPa
  - Maximum Operating Temperature: +260 °C



**2577120** Black \$ 1,090.07

**RS PRO BLACK POLYAMIDE-IMIDE PAI ROD, 300MM X 19.049MM DIAMETER**

- 包裝尺寸: **1 x EA**
- Colour: Black
  - Length: 300 mm
  - Material: PAI
  - Form: Rod
  - Rod Diameter: 19.049 mm
  - Density: 1.46 g/cm<sup>3</sup>
  - Tensile Strength: 164 MPa
  - Maximum Operating Temperature: +260 °C



**2577136** Black \$ 2,347.52

**RS PRO BLACK NYLON ROD, 1M X 40MM DIAMETER**

- 包裝尺寸: **1 x EA**
- Colour: Black
  - Length: 1 m
  - Material: Nylon
  - Form: Rod
  - Rod Diameter: 40 mm
  - Density: 1.14 g/cm<sup>3</sup>
  - Tensile Strength: 75 MPa
  - Flammability Rating: UL 94 HB



**2577271** Black \$ 627.86

**RS PRO BLACK ACETAL ROD, 1M X 25MM DIAMETER**

- 包裝尺寸: **2 x EA**
- Colour: Black
  - Length: 1 m
  - Material: Acetal
  - Form: Rod
  - Rod Diameter: 25 mm
  - Density: 1.41 g/cm<sup>3</sup>
  - Tensile Strength: 55 MPa
  - Maximum Operating Temperature: +100 °C



**2820317** Black \$ 450.85

**RS PRO BLACK NYLON ROD, 1M X 30MM DIAMETER**

- 包裝尺寸: **2 x EA**
- Colour: Black
  - Length: 1 m
  - Material: Nylon
  - Form: Rod
  - Rod Diameter: 30 mm
  - Density: 1.14 g/cm<sup>3</sup>
  - Tensile Strength: 75 MPa
  - Flammability Rating: UL 94 HB



**2820676** Black \$ 491.84

**PLASTIC,STOCK,VICTREX PEEK,4506,ENGINEERING**

- 包裝尺寸: **1 x EA**
- Colour: Beige
  - Length: 300 mm
  - Material: PEEK
  - Form: Rod
  - Rod Diameter: 36 mm
  - Density: 1.32 g/cm<sup>3</sup>
  - Tensile Strength: 95 MPa
  - Flammability Rating: UL 94 V-0



**2820610** Beige \$ 1,510.72

**RS PRO BLACK NYLON ROD, 1M X 25MM DIAMETER**

- 包裝尺寸: **2 x EA**
- Colour: Black
  - Length: 1 m
  - Material: Nylon
  - Form: Rod
  - Rod Diameter: 25 mm
  - Density: 1.14 g/cm<sup>3</sup>
  - Tensile Strength: 75 MPa
  - Maximum Operating Temperature: +160 °C



**2820654** Black \$ 344.53

**PLASTIC STOCK,PEEK GF30,BEIGE,ROD,10MM DIA X 300MM**

- 包裝尺寸: **1 x EA**
- Colour: Beige
  - Length: 300 mm
  - Material: PEEK
  - Form: Rod
  - Rod Diameter: 10 mm
  - Density: 1.49 g/cm<sup>3</sup>
  - Tensile Strength: 180 MPa
  - Maximum Operating Temperature: +260 °C



**2970096** Beige \$ 196.95

**RS PRO BEIGE POLYETHERETHERKETONE PEEK ROD,**

- 包裝尺寸: **1 x EA**
- Colour: Beige
  - Length: 300 mm
  - Material: PEEK
  - Form: Rod
  - Rod Diameter: 16 mm
  - Density: 1.49 g/cm<sup>3</sup>
  - Tensile Strength: 180 MPa
  - Maximum Operating Temperature: +260 °C



**2970103** Beige \$ 466.99

**RS PRO BEIGE POLYETHERETHERKETONE PEEK ROD,**

- 包裝尺寸: **1 x EA**
- Colour: Beige
  - Length: 300 mm
  - Material: PEEK
  - Form: Rod
  - Rod Diameter: 40 mm
  - Density: 1.49 g/cm<sup>3</sup>
  - Tensile Strength: 180 MPa
  - Maximum Operating Temperature: +260 °C



**2970119** Beige \$ 2,658.96

**PLASTIC STOCK,PEEK,10% CARBON,GRAPHITE,PTFE,BLACK,ROD**

- 包裝尺寸: **1 x EA**
- Colour: Black
  - Length: 300 mm
  - Material: PEEK
  - Form: Rod
  - Rod Diameter: 10 mm
  - Density: 1.48 g/cm<sup>3</sup>
  - Tensile Strength: 130 MPa
  - Maximum Operating Temperature: +260 °C



**2970147** Black \$ 180.84

**RS PRO BLACK POLYETHERETHERKETONE PEEK ROD,**

- 包裝尺寸: **1 x EA**
- Colour: Black
  - Length: 300 mm
  - Material: PEEK
  - Form: Rod
  - Rod Diameter: 40 mm
  - Density: 1.48 g/cm<sup>3</sup>
  - Tensile Strength: 130 MPa
  - Maximum Operating Temperature: +260 °C



**2970153** Black \$ 2,476.48

## RS PRO BLACK POLYETHERETHERKETONE PEEK ROD,

包裝尺寸: 1 x EA

- Colour: Black
- Length: 300 mm
- Material: PEEK
- Form: Rod
- Rod Diameter: 20 mm
- Density: 1.48 g/cm<sup>3</sup>
- Tensile Strength: 130 MPa
- Maximum Operating Temperature: +260 °C



2970175 Black \$ 679.73

## RS PRO BLACK POLYPHENYLENE SULPHIDE (PPS) ROD, 500MM X 10MM

包裝尺寸: 1 x EA

- Colour: Black
- Length: 500 mm
- Material: PPS
- Form: Rod
- Rod Diameter: 10 mm
- Density: 1.64 g/cm<sup>3</sup>
- Tensile Strength: 160 MPa
- Maximum Operating Temperature: +230 °C



3257136 Black \$ 117.75

## RS PRO WHITE ACETAL ROD, 500MM X 80MM DIAMETER

包裝尺寸: 1 x EA

- Colour: White
- Length: 500 mm
- Material: Delrin®
- Form: Rod
- Rod Diameter: 80 mm
- Density: 1.42 g/cm<sup>3</sup>
- Tensile Strength: 70 MPa
- Maximum Operating Temperature: +100 °C



4083986 White \$ 1,336.38

## RS PRO NATURAL NYLON ROD, 500MM X 130MM DIAMETER

包裝尺寸: 1 x EA

- Colour: Natural
- Length: 500 mm
- Material: Nylon
- Form: Rod
- Rod Diameter: 130 mm
- Density: 1.15 g/cm<sup>3</sup>
- Tensile Strength: 60 (Wet) MPa, 85 (Dry) MPa
- Maximum Operating Temperature: +180 °C



4383703 Natural \$ 1,099.31

## RS PRO WHITE ACETAL ROD, 500MM X 80MM DIAMETER

包裝尺寸: 1 x EA

- Colour: White
- Length: 500 mm
- Material: Acetal
- Form: Rod
- Rod Diameter: 80 mm
- Density: 1.41 g/cm<sup>3</sup>
- Tensile Strength: 60 MPa
- Maximum Operating Temperature: +100 °C



4386235 White \$ 927.74

## RS PRO BLACK NYLON ROD, 500MM X 130MM DIAMETER

包裝尺寸: 1 x EA

- Colour: Black
- Length: 500 mm
- Material: Nylon
- Form: Rod
- Rod Diameter: 130 mm
- Density: 1.15 g/cm<sup>3</sup>
- Tensile Strength: 75 MPa
- Maximum Operating Temperature: +170 °C



4386421 Black \$ 1,792.29

## RS PRO WHITE ACETAL ROD, 500MM X 100MM DIAMETER

包裝尺寸: 1 x EA

- Colour: White
- Length: 500 mm
- Material: Acetal
- Form: Rod
- Rod Diameter: 100 mm
- Density: 1.41 g/cm<sup>3</sup>
- Tensile Strength: 60 MPa
- Maximum Operating Temperature: +100 °C



4386241 White \$ 1,714.55

## RS PRO BLACK ACETAL ROD, 500MM X 80MM DIAMETER

包裝尺寸: 1 x EA

- Colour: Black
- Length: 500 mm
- Material: Acetal
- Form: Rod
- Rod Diameter: 80 mm
- Density: 1.41 g/cm<sup>3</sup>
- Tensile Strength: 60 MPa
- Maximum Operating Temperature: +100 °C



4386263 Black \$ 1,107.31

## BEIGE PLASTIC SHEET, 500MM X 50MM X 12MM

包裝尺寸: 1 x EA

- Colour: Beige
- Form: Full
- Length: 500 mm
- Width: 50 mm
- Thickness: 12 mm
- Material: PEEK
- Laminated: No
- Density: 1.32 g/cm<sup>3</sup>



129836 Beige \$ 1,461.31

## BEIGE PLASTIC SHEET, 500MM X 50MM X 16MM

包裝尺寸: 1 x EA

- Colour: Beige
- Form: Full
- Length: 500 mm
- Width: 50 mm
- Thickness: 16 mm
- Material: PEEK
- Laminated: No
- Density: 1.32 g/cm<sup>3</sup>



129842 Beige \$ 2,125.82

## RS PRO BROWN POLYIMIDE PI ROD, 250MM X 13MM DIAMETER

包裝尺寸: 1 x EA

- Colour: Brown
- Length: 250 mm
- Material: Polyimide
- Form: Rod
- Rod Diameter: 13 mm
- Density: 1.38 g/cm<sup>3</sup>
- Impact Strength: 9.8 kJ/m<sup>2</sup>
- Tensile Strength: 118 MPa



6889391 Brown \$ 3,736.79

## RS PRO GREY POLYVINYL CHLORIDE PVC ROD, 1M X 60MM DIAMETER

包裝尺寸: 1 x EA

- Colour: Grey
- Length: 1 m
- Material: PVC
- Form: Rod
- Rod Diameter: 60 mm
- Density: 1.44 g/cm<sup>3</sup>
- Tensile Strength: 500 MPa
- Maximum Operating Temperature: +60 °C



7009855 Grey \$ 642.89

## WHITE PLASTIC SHEET, 500MM X 300MM X 40MM

包裝尺寸: 1 x EA

- Colour: White
- Form: Full
- Length: 500 mm
- Width: 300 mm
- Thickness: 40 mm
- Material: POM
- Laminated: No
- Density: 1.41 g/cm<sup>3</sup>



139619 White \$ 2,448.13

## PLASTIC STOCK, ACRYLIC, CLEAR, SHEET, PLATE

包裝尺寸: 1 x EA

- Colour: Clear
- Form: Full
- Length: 500 mm
- Width: 300 mm
- Thickness: 3 mm
- Material: PMMA
- Laminated: No
- Density: 1.41 g/cm<sup>3</sup>



434295 Clear \$ 126.94

## BEIGE PLASTIC SHEET, 300MM X 245MM X 5MM

包裝尺寸: 1 x EA

- Colour: Beige
- Form: Full
- Length: 300 mm
- Width: 245 mm
- Thickness: 5 mm
- Material: PEEK
- Laminated: No
- Density: 1.32 g/cm<sup>3</sup>




514300 Beige \$ 1,991.05

## WHITE PLASTIC SHEET, 500MM X 300MM X 20MM

包裝尺寸: 1 x EA

- Colour: White
- Form: Full
- Length: 500 mm
- Width: 300 mm
- Thickness: 20 mm
- Material: POM
- Laminated: No
- Density: 1.41 g/cm<sup>3</sup>



139580 White \$ 1,234.36

**WHITE PLASTIC SHEET, 500MM X 300MM X 30MM**

- 包裝尺寸: 1 x EA
- Colour: White
  - Form: Full
  - Length: 500 mm
  - Width: 300 mm
  - Thickness: 30 mm
  - Material: POM
  - Laminated: No
  - Density: 1.41 g/cm<sup>3</sup>



139596 White \$ 1,145.68

**BEIGE PLASTIC SHEET, 300MM X 245MM X 6MM**

- 包裝尺寸: 1 x EA
- Colour: Beige
  - Form: Full
  - Length: 300 mm
  - Width: 245 mm
  - Thickness: 6 mm
  - Material: PEEK
  - Laminated: No
  - Density: 1.32 g/cm<sup>3</sup>



514647 Beige \$ 2,354.93

**BEIGE PLASTIC SHEET, 500MM X 50MM X 6MM**

- 包裝尺寸: 1 x EA
- Colour: Beige
  - Form: Full
  - Length: 500 mm
  - Width: 50 mm
  - Thickness: 6 mm
  - Material: PEEK
  - Laminated: No
  - Density: 1.32 g/cm<sup>3</sup>



514657 Beige \$ 801.72

**BLACK PLASTIC SHEET, 500MM X 300MM X 10MM**

- 包裝尺寸: 1 x EA
- Colour: Black
  - Form: Full
  - Length: 500 mm
  - Width: 300 mm
  - Thickness: 10 mm
  - Material: PA
  - Laminated: No
  - Density: 1.14 g/cm<sup>3</sup>



514792 Black \$ 769.46

**PEEK 450G STRIP STOCK, 500X50X5MM**

- 包裝尺寸: 1 x EA
- Colour: Beige
  - Form: Full
  - Length: 500 mm
  - Width: 50 mm
  - Thickness: 5 mm
  - Material: PEEK
  - Laminated: No
  - Density: 1.32 g/cm<sup>3</sup>



514679 Beige \$ 678.51

**WHITE PLASTIC SHEET, 500MM X 300MM X 10MM**

- 包裝尺寸: 1 x EA
- Colour: White
  - Form: Full
  - Length: 500 mm
  - Width: 300 mm
  - Thickness: 10 mm
  - Material: POM
  - Laminated: No
  - Density: 1.41 g/cm<sup>3</sup>



680498 White \$ 633.75

**WHITE PLASTIC SHEET, 500MM X 300MM X 25MM**

- 包裝尺寸: 1 x EA
- Colour: White
  - Form: Full
  - Length: 500 mm
  - Width: 300 mm
  - Thickness: 25 mm
  - Material: POM
  - Laminated: No
  - Density: 1.41 g/cm<sup>3</sup>



680511 White \$ 1,530.01

**BEIGE PLASTIC SHEET, 500MM X 50MM X 25MM**

- 包裝尺寸: 1 x EA
- Colour: Beige
  - Form: Full
  - Length: 500 mm
  - Width: 50 mm
  - Thickness: 25 mm
  - Material: PEEK
  - Laminated: No
  - Density: 1.32 g/cm<sup>3</sup>



514782 Beige \$ 3,124.07

**BLACK PLASTIC SHEET, 500MM X 300MM X 6MM**

- 包裝尺寸: 2 x EA
- Colour: Black
  - Form: Full
  - Length: 500 mm
  - Width: 300 mm
  - Thickness: 6 mm
  - Material: PA
  - Laminated: No
  - Density: 1.14 g/cm<sup>3</sup>



514798 Black \$ 407.76

**WHITE PLASTIC SHEET, 960MM X 470MM X 4MM**

- 包裝尺寸: 2 x EA
- Colour: White
  - Form: Full
  - Length: 960 mm
  - Width: 470 mm
  - Thickness: 4 mm
  - Material: PEHD
  - Laminated: No
  - Density: 0.95 → 0.96 g/cm<sup>3</sup>



680577 White \$ 1,078.65

**WHITE PLASTIC SHEET, 960MM X 470MM X 8MM**

- 包裝尺寸: 1 x EA
- Colour: White
  - Form: Full
  - Length: 960 mm
  - Width: 470 mm
  - Thickness: 8 mm
  - Material: PEHD
  - Laminated: No
  - Density: 0.95 → 0.96 g/cm<sup>3</sup>



680583 White \$ 751.23

**WHITE PLASTIC SHEET, 1000MM X 500MM X 10MM**

- 包裝尺寸: 1 x EA
- Colour: White
  - Form: Full
  - Length: 1000 mm
  - Width: 500 mm
  - Thickness: 10 mm
  - Material: PEHD
  - Laminated: No
  - Density: 0.95 → 0.96 g/cm<sup>3</sup>



680599 White \$ 993.34

**WHITE PLASTIC SHEET, 600MM X 300MM X 3MM**

- 包裝尺寸: 2 x EA
- Colour: White
  - Form: Full
  - Length: 600 mm
  - Width: 300 mm
  - Thickness: 3 mm
  - Material: PTFE
  - Laminated: No
  - Density: 2.18 → 2.21 g/cm<sup>3</sup>



680678 White \$ 1,367.88

**WHITE PLASTIC SHEET, 1000MM X 500MM X 15MM**

- 包裝尺寸: 1 x EA
- Colour: White
  - Form: Full
  - Length: 1000 mm
  - Width: 500 mm
  - Thickness: 15 mm
  - Material: PEHD
  - Laminated: No
  - Density: 0.95 → 0.96 g/cm<sup>3</sup>



680606 White \$ 1,683.6

**GREY PLASTIC SHEET, 1000MM X 500MM X 4.5MM**

- 包裝尺寸: 3 x EA
- Colour: Grey
  - Form: Full
  - Length: 1000 mm
  - Width: 500 mm
  - Thickness: 4.5 mm
  - Material: PVC
  - Laminated: No
  - Density: 1.47 g/cm<sup>3</sup>



680757 Grey \$ 1,041.01

**WHITE PLASTIC SHEET, 600MM X 300MM X 1.6MM**

- 包裝尺寸: 3 x EA
- Colour: White
  - Form: Full
  - Length: 600 mm
  - Width: 300 mm
  - Thickness: 1.6 mm
  - Material: PTFE
  - Laminated: No
  - Density: 2.18 → 2.21 g/cm<sup>3</sup>



680662 White \$ 981.89

## WHITE PLASTIC SHEET, 600MM X 300MM X 6MM

- 包装尺寸: 1 x EA
- Colour: White
  - Form: Full
  - Length: 600 mm
  - Width: 300 mm
  - Thickness: 6 mm
  - Material: PTFE
  - Laminated: No
  - Density: 2.18 → 2.21 g/cm<sup>3</sup>



680684 White \$ 1,272.85

## GREY PLASTIC SHEET, 1000MM X 500MM X 3MM

- 包装尺寸: 5 x EA
- Colour: Grey
  - Form: Full
  - Length: 1000 mm
  - Width: 500 mm
  - Thickness: 3 mm
  - Material: PVC
  - Laminated: No
  - Density: 1.47 g/cm<sup>3</sup>



680741 Grey \$ 1,579.75

## GREY PLASTIC SHEET, 1000MM X 500MM X 6MM

- 包装尺寸: 2 x EA
- Colour: Grey
  - Form: Full
  - Length: 1000 mm
  - Width: 500 mm
  - Thickness: 6 mm
  - Material: PVC
  - Laminated: No
  - Density: 1.47 g/cm<sup>3</sup>



680763 Grey \$ 938.04

## BEIGE PLASTIC SHEET, 995MM X 495MM X 3MM

- 包装尺寸: 3 x EA
- Colour: Beige
  - Form: Full
  - Length: 995 mm
  - Width: 495 mm
  - Thickness: 3 mm
  - Material: PP
  - Laminated: No
  - Density: 0.91 g/cm<sup>3</sup>



682551 Beige \$ 712.74

## BEIGE PLASTIC SHEET, 995MM X 495MM X 9MM

- 包装尺寸: 1 x EA
- Colour: Beige
  - Form: Full
  - Length: 995 mm
  - Width: 495 mm
  - Thickness: 9 mm
  - Material: PP
  - Laminated: No
  - Density: 0.91 g/cm<sup>3</sup>



682589 Beige \$ 751.02

## WHITE PLASTIC SHEET, 500MM X 300MM X 5MM

- 包装尺寸: 3 x EA
- Colour: White
  - Form: Full
  - Length: 500 mm
  - Width: 300 mm
  - Thickness: 5 mm
  - Material: PMMA
  - Laminated: No
  - Density: 1.41 g/cm<sup>3</sup>



680892 White \$ 579.82

## PLASTIC STOCK, ACRYLIC, SHEET, PLATE, CLEAR

- 包装尺寸: 3 x EA
- Colour: Clear
  - Form: Full
  - Length: 500 mm
  - Width: 300 mm
  - Thickness: 6 mm
  - Material: PMMA
  - Laminated: No
  - Density: 1.41 g/cm<sup>3</sup>



680886 Clear \$ 531.94

## WHITE PLASTIC SHEET, 600MM X 300MM X 10MM


- 包装尺寸: 1 x EA
- Colour: White
  - Form: Full
  - Length: 600 mm
  - Width: 300 mm
  - Thickness: 10 mm
  - Material: PTFE
  - Laminated: No
  - Density: 2.18 → 2.21 g/cm<sup>3</sup>



752644 White \$ 1,976.05

## BLACK PLASTIC SHEET, 500MM X 305MM X 10MM, POLYAMIDE 6.6

- 包装尺寸: 1 x EA
- Colour: Black
  - Form: Full
  - Length: 500 mm
  - Width: 305 mm
  - Thickness: 10 mm
  - Material: GRP
  - Laminated: Yes
  - Density: 1.35 g/cm<sup>3</sup>



771869 Black \$ 1,364.61

## BLACK PLASTIC SHEET, 500MM X 305MM X 20MM, POLYAMIDE 6.6

- 包装尺寸: 1 x EA
- Colour: Black
  - Form: Full
  - Length: 500 mm
  - Width: 305 mm
  - Thickness: 20 mm
  - Material: GRP
  - Laminated: Yes
  - Density: 1.35 g/cm<sup>3</sup>



771875 Black \$ 2,628.83

## CLEAR PLASTIC SHEET, 500MM X 400MM X 1.5MM

- 包装尺寸: 3 x EA
- Colour: Clear
  - Form: Full
  - Length: 500 mm
  - Width: 400 mm
  - Thickness: 1.5 mm
  - Material: PMMA
  - Laminated: No
  - Density: 1.41 g/cm<sup>3</sup>



824480 Clear \$ 273.55

## CLEAR PLASTIC SHEET, 500MM X 400MM X 4MM

- 包装尺寸: 3 x EA
- Colour: Clear
  - Form: Full
  - Length: 500 mm
  - Width: 400 mm
  - Thickness: 4 mm
  - Material: PMMA
  - Laminated: No
  - Density: 1.41 g/cm<sup>3</sup>



824519 Clear \$ 436.49

## CLEAR PLASTIC SHEET, 500MM X 400MM X 2MM

- 包装尺寸: 3 x EA
- Colour: Clear
  - Form: Full
  - Length: 500 mm
  - Width: 400 mm
  - Thickness: 2 mm
  - Material: PMMA
  - Laminated: No
  - Density: 1.41 g/cm<sup>3</sup>



824496 Clear \$ 287.63

## CLEAR PLASTIC SHEET, 500MM X 400MM X 2.5MM

- 包装尺寸: 3 x EA
- Colour: Clear
  - Form: Full
  - Length: 500 mm
  - Width: 400 mm
  - Thickness: 2.5 mm
  - Material: PMMA
  - Laminated: No
  - Density: 1.41 g/cm<sup>3</sup>



824503 Clear \$ 347.11

## CLEAR PLASTIC SHEET, 500MM X 400MM X 5MM

- 包装尺寸: 3 x EA
- Colour: Clear
  - Form: Full
  - Length: 500 mm
  - Width: 400 mm
  - Thickness: 5 mm
  - Material: PMMA
  - Laminated: No
  - Density: 1.41 g/cm<sup>3</sup>



824525 Clear \$ 492.64

## CLEAR PLASTIC SHEET, 500MM X 400MM X 4MM

- 包装尺寸: 2 x EA
- Colour: Clear
  - Form: Full
  - Length: 500 mm
  - Width: 400 mm
  - Thickness: 4 mm
  - Material: PMMA
  - Laminated: No
  - Density: 1.41 g/cm<sup>3</sup>



824660 Clear \$ 342.62

**CLEAR PLASTIC SHEET, 500MM X 400MM X 5MM**

- 包裝尺寸: 2 x EA
- Colour: Clear
  - Form: Full
  - Length: 500 mm
  - Width: 400 mm
  - Thickness: 5 mm
  - Material: PMMA
  - Laminated: No
  - Density: 1.41 g/cm<sup>3</sup>



824676 Clear \$ 574.9

**CLEAR PLASTIC SHEET, 500MM X 400MM X 2MM**

- 包裝尺寸: 2 x EA
- Colour: Clear
  - Form: Full
  - Length: 500 mm
  - Width: 400 mm
  - Thickness: 2 mm
  - Material: PMMA
  - Laminated: No
  - Density: 1.41 g/cm<sup>3</sup>



824632 Clear \$ 192.37

**CLEAR PLASTIC SHEET, 500MM X 400MM X 3MM**

- 包裝尺寸: 2 x EA
- Colour: Clear
  - Form: Full
  - Length: 500 mm
  - Width: 400 mm
  - Thickness: 3 mm
  - Material: PMMA
  - Laminated: No
  - Density: 1.41 g/cm<sup>3</sup>



824654 Clear \$ 230.82

**CLEAR PLASTIC SHEET, 500MM X 400MM X 6MM**

- 包裝尺寸: 2 x EA
- Colour: Clear
  - Form: Full
  - Length: 500 mm
  - Width: 400 mm
  - Thickness: 6 mm
  - Material: PMMA
  - Laminated: No
  - Density: 1.41 g/cm<sup>3</sup>



825253 Clear \$ 454.09

**WHITE PLASTIC SHEET, 500MM X 500MM X 2MM**


- 包裝尺寸: 2 x EA
- Colour: White
  - Form: Perforated
  - Length: 500 mm
  - Width: 500 mm
  - Thickness: 2 mm
  - Material: PP
  - Laminated: No
  - Hole Size: 3 mm



852261 White \$ 216.655

**WHITE PLASTIC SHEET, 500MM X 500MM X 2MM**


- 包裝尺寸: 2 x EA
- Colour: White
  - Form: Perforated
  - Length: 500 mm
  - Width: 500 mm
  - Thickness: 2 mm
  - Material: PP
  - Laminated: No
  - Hole Size: 8 mm



852299 White \$ 213.18

**WHITE PLASTIC SHEET, 500MM X 500MM X 2MM**

- 包裝尺寸: 2 x EA
- Colour: White
  - Form: Perforated
  - Length: 500 mm
  - Width: 500 mm
  - Thickness: 2 mm
  - Material: PP
  - Laminated: No
  - Hole Size: 4.8 mm



852277 White \$ 206.615

**WHITE PLASTIC SHEET, 500MM X 500MM X 2MM**

- 包裝尺寸: 2 x EA
- Colour: White
  - Form: Perforated
  - Length: 500 mm
  - Width: 500 mm
  - Thickness: 2 mm
  - Material: PP
  - Laminated: No
  - Hole Size: 6.4 mm



852283 White \$ 211.58

**NATURAL PLASTIC SHEET, 500MM X 500MM X 20MM**

- 包裝尺寸: 1 x EA
- Colour: Natural
  - Form: Full
  - Length: 500 mm
  - Width: 500 mm
  - Thickness: 20 mm
  - Material: PA
  - Laminated: No
  - Density: 1.15 g/cm<sup>3</sup>



1847204 Natural \$ 1,259.83

**NATURAL PLASTIC SHEET, 500MM X 500MM X 10MM**

- 包裝尺寸: 1 x EA
- Colour: Natural
  - Form: Full
  - Length: 500 mm
  - Width: 500 mm
  - Thickness: 10 mm
  - Material: PA
  - Laminated: No
  - Density: 1.15 g/cm<sup>3</sup>



1847181 Natural \$ 751.57

**WHITE PLASTIC SHEET, 500MM X 500MM X 2MM**


- 包裝尺寸: 2 x EA
- Colour: White
  - Form: Perforated
  - Length: 500 mm
  - Width: 500 mm
  - Thickness: 2 mm
  - Material: PP
  - Laminated: No
  - Hole Size: 4.7 x 4.7 mm



852306 White \$ 206.305

**PLASTIC STOCK, PLATE, 30% GLASS FILLED, NYLON 66, 8X305X500MM**

- 包裝尺寸: 1 x EA
- Colour: Black
  - Form: Full
  - Length: 500 mm
  - Width: 305 mm
  - Thickness: 8 mm
  - Material: GRP
  - Laminated: Yes
  - Density: 1.35 g/cm<sup>3</sup>



1853439 Black \$ 1,090.34

**BLACK PLASTIC SHEET, 500MM X 305MM X 30MM, POLYAMIDE 6.6**

- 包裝尺寸: 1 x EA
- Colour: Black
  - Form: Full
  - Length: 500 mm
  - Width: 305 mm
  - Thickness: 30 mm
  - Material: GRP
  - Laminated: Yes
  - Density: 1.35 g/cm<sup>3</sup>



1853502 Black \$ 3,785.58

**BLACK PLASTIC SHEET, 305MM X 250MM X 40MM, POLYAMIDE 6.6**

- 包裝尺寸: 1 x EA
- Colour: Black
  - Form: Full
  - Length: 305 mm
  - Width: 250 mm
  - Thickness: 40 mm
  - Material: GRP
  - Laminated: Yes
  - Density: 1.35 g/cm<sup>3</sup>



1853524 Black \$ 2,115.51

**BLACK PLASTIC SHEET, 500MM X 500MM X 10MM**

- 包裝尺寸: 1 x EA
- Colour: Black
  - Form: Full
  - Length: 500 mm
  - Width: 500 mm
  - Thickness: 10 mm
  - Material: PA
  - Laminated: No
  - Density: 1.15 g/cm<sup>3</sup>



1935430 Black \$ 934.53

**PLASTIC STOCK, PTFE, PLATE, 300X300X6MM**

- 包裝尺寸: 1 x EA
- Colour: White
  - Form: Full
  - Length: 300 mm
  - Width: 300 mm
  - Thickness: 6 mm
  - Material: PTFE
  - Laminated: No
  - Density: 2.18 → 2.21 g/cm<sup>3</sup>



1970051 White \$ 665.04

## PLASTIC STOCK, PTFE, PLATE, 300X300X8MM

- 包裝尺寸: 1 x EA
- Colour: White
  - Form: Full
  - Length: 300 mm
  - Width: 300 mm
  - Thickness: 8 mm
  - Material: PTFE
  - Laminated: No
  - Density: 2.18 → 2.21 g/cm<sup>3</sup>



1970067 White \$ 798.53

## PLASTIC STOCK, PTFE, PLATE, 300X300X10MM

- 包裝尺寸: 1 x EA
- Colour: White
  - Form: Full
  - Length: 300 mm
  - Width: 300 mm
  - Thickness: 10 mm
  - Material: PTFE
  - Laminated: No
  - Density: 2.18 → 2.21 g/cm<sup>3</sup>



1970073 White \$ 993.22

## WHITE PLASTIC SHEET, 300MM X 300MM X 12MM

- 包裝尺寸: 1 x EA
- Colour: White
  - Form: Full
  - Length: 300 mm
  - Width: 300 mm
  - Thickness: 12 mm
  - Material: PTFE
  - Laminated: No
  - Density: 2.18 → 2.21 g/cm<sup>3</sup>



1970089 White \$ 1,193.16

## PLASTIC STOCK, PTFE, PLATE, 300X300X15MM

- 包裝尺寸: 1 x EA
- Colour: White
  - Form: Full
  - Length: 300 mm
  - Width: 300 mm
  - Thickness: 15 mm
  - Material: PTFE
  - Laminated: No
  - Density: 2.18 → 2.21 g/cm<sup>3</sup>



1970095 White \$ 1,579.61

## BLACK PLASTIC SHEET, 500MM X 330MM X 6MM

- 包裝尺寸: 2 x EA
- Colour: Black
  - Form: Full
  - Length: 500 mm
  - Width: 330 mm
  - Thickness: 6 mm
  - Material: POM
  - Laminated: No
  - Density: 1.42 g/cm<sup>3</sup>



1974435 Black \$ 959.95

## BLACK PLASTIC SHEET, 500MM X 330MM X 10MM

- 包裝尺寸: 1 x EA
- Colour: Black
  - Form: Full
  - Length: 500 mm
  - Width: 330 mm
  - Thickness: 10 mm
  - Material: POM
  - Laminated: No
  - Density: 1.42 g/cm<sup>3</sup>



1974441 Black \$ 786.12

## BLACK PLASTIC SHEET, 500MM X 330MM X 12MM

- 包裝尺寸: 1 x EA
- Colour: Black
  - Form: Full
  - Length: 500 mm
  - Width: 330 mm
  - Thickness: 12 mm
  - Material: POM
  - Laminated: No
  - Density: 1.42 g/cm<sup>3</sup>



1974457 Black \$ 1,202.54

## PP CLEAR SHEET 0.5MM THICK X 300 X 200

- 包裝尺寸: 50 x EA
- Colour: Clear
  - Form: Full
  - Length: 300 mm
  - Width: 200 mm
  - Thickness: 0.5 mm
  - Material: PP
  - Laminated: No
  - Density: 0.92 g/cm<sup>3</sup>



2012785 Clear \$ 6.931

## BROWN PLASTIC SHEET, 420MM X 297MM X 1.6MM, PHENOLIC RESIN,

- 包裝尺寸: 1 x EA
- Colour: Brown
  - Form: Full
  - Length: 420 mm
  - Width: 297 mm
  - Thickness: 1.6 mm
  - Material: SRBP
  - Laminated: Yes
  - Maximum Operating Temperature: +90 °C



2035346 Brown \$ 114.49

## BROWN PLASTIC SHEET, 420MM X 297MM X 0.8MM, PHENOLIC RESIN,

- 包裝尺寸: 1 x EA
- Colour: Brown
  - Form: Full
  - Length: 420 mm
  - Width: 297 mm
  - Thickness: 0.8 mm
  - Material: SRBP
  - Laminated: Yes
  - Maximum Operating Temperature: +90 °C



2035344 Brown \$ 77.61

## BROWN PLASTIC SHEET, 420MM X 297MM X 3MM, PHENOLIC RESIN,

- 包裝尺寸: 1 x EA
- Colour: Brown
  - Form: Full
  - Length: 420 mm
  - Width: 297 mm
  - Thickness: 3 mm
  - Material: SRBP
  - Laminated: Yes
  - Maximum Operating Temperature: +90 °C



2035347 Brown \$ 179.18

## BROWN PLASTIC SHEET, 420MM X 297MM X 6MM, PHENOLIC RESIN,

- 包裝尺寸: 1 x EA
- Colour: Brown
  - Form: Full
  - Length: 420 mm
  - Width: 297 mm
  - Thickness: 6 mm
  - Material: SRBP
  - Laminated: Yes
  - Maximum Operating Temperature: +90 °C



2035348 Brown \$ 423.61

## BROWN PLASTIC SHEET, 420MM X 297MM X 10MM, PHENOLIC RESIN,

- 包裝尺寸: 1 x EA
- Colour: Brown
  - Form: Full
  - Length: 420 mm
  - Width: 297 mm
  - Thickness: 10 mm
  - Material: SRBP
  - Laminated: Yes
  - Maximum Operating Temperature: +90 °C



2035349 Brown \$ 523.29

## BEIGE PLASTIC SHEET, 300MM X 245MM X 10MM

- 包裝尺寸: 1 x EA
- Colour: Beige
  - Form: Full
  - Length: 300 mm
  - Width: 245 mm
  - Thickness: 10 mm
  - Material: PEEK
  - Laminated: No
  - Density: 1.32 g/cm<sup>3</sup>



2377706 Beige \$ 3,998.02

## BEIGE PLASTIC SHEET, 300MM X 245MM X 16MM

- 包裝尺寸: 1 x EA
- Colour: Beige
  - Form: Full
  - Length: 300 mm
  - Width: 245 mm
  - Thickness: 16 mm
  - Material: PEEK
  - Laminated: No
  - Density: 1.32 g/cm<sup>3</sup>



2377728 Beige \$ 6,271.85

## BEIGE PLASTIC SHEET, 300MM X 245MM X 20MM

- 包裝尺寸: 1 x EA
- Colour: Beige
  - Form: Full
  - Length: 300 mm
  - Width: 245 mm
  - Thickness: 20 mm
  - Material: PEEK
  - Laminated: No
  - Density: 1.32 g/cm<sup>3</sup>



2377734 Beige \$ 7,750.92



**BLACK PLASTIC SHEET, 500MM X 300MM X 6MM**

- 包装尺寸: **2 x EA**
- Colour: Black
  - Form: Full
  - Length: 500 mm
  - Width: 300 mm
  - Thickness: 6 mm
  - Material: POM
  - Laminated: No
  - Density: 1.41 g/cm<sup>3</sup>



**2820159** Black \$ 639.15

**BLACK PLASTIC SHEET, 500MM X 300MM X 8MM**

- 包装尺寸: **1 x EA**
- Colour: Black
  - Form: Full
  - Length: 500 mm
  - Width: 300 mm
  - Thickness: 8 mm
  - Material: POM
  - Laminated: No
  - Density: 1.41 g/cm<sup>3</sup>



**2820171** Black \$ 447.61

**BLACK PLASTIC SHEET, 500MM X 300MM X 10MM**

- 包装尺寸: **1 x EA**
- Colour: Black
  - Form: Full
  - Length: 500 mm
  - Width: 300 mm
  - Thickness: 10 mm
  - Material: POM
  - Laminated: No
  - Density: 1.41 g/cm<sup>3</sup>



**2820187** Black \$ 550.72

**BLACK PLASTIC SHEET, 500MM X 300MM X 12MM**

- 包装尺寸: **1 x EA**
- Colour: Black
  - Form: Full
  - Length: 500 mm
  - Width: 300 mm
  - Thickness: 12 mm
  - Material: POM
  - Laminated: No
  - Density: 1.41 g/cm<sup>3</sup>



**2820193** Black \$ 667.37

**BLACK PLASTIC SHEET, 500MM X 300MM X 20MM**

- 包装尺寸: **1 x EA**
- Colour: Black
  - Form: Full
  - Length: 500 mm
  - Width: 300 mm
  - Thickness: 20 mm
  - Material: POM
  - Laminated: No
  - Density: 1.41 g/cm<sup>3</sup>



**2820216** Black \$ 754.02

**BLACK PLASTIC SHEET, 500MM X 300MM X 25MM**

- 包装尺寸: **1 x EA**
- Colour: Black
  - Form: Full
  - Length: 500 mm
  - Width: 300 mm
  - Thickness: 25 mm
  - Material: POM
  - Laminated: No
  - Density: 1.41 g/cm<sup>3</sup>



**2820238** Black \$ 1,332.82

**PLASTIC, STOCK, ACETAL, COPOLYMER, BLACK, PLATE, 30MM**

- 包装尺寸: **1 x EA**
- Colour: Black
  - Form: Full
  - Length: 500 mm
  - Width: 300 mm
  - Thickness: 30 mm
  - Material: POM
  - Laminated: No
  - Density: 1.41 g/cm<sup>3</sup>



**2820244** Black \$ 1,622.1

**WHITE PLASTIC SHEET, 600MM X 300MM X 1.5MM**

- 包装尺寸: **3 x EA**
- Colour: White
  - Form: Full
  - Length: 600 mm
  - Width: 300 mm
  - Thickness: 1.5 mm
  - Material: PTFE
  - Laminated: No
  - Density: 2.18 → 2.21 g/cm<sup>3</sup>



**2820575** White \$ 1,022.42

**NATURAL PLASTIC SHEET, 500MM X 500MM X 16MM**

- 包装尺寸: **1 x EA**
- Colour: Natural
  - Form: Full
  - Length: 500 mm
  - Width: 500 mm
  - Thickness: 16 mm
  - Material: PA
  - Laminated: No
  - Density: 1.15 g/cm<sup>3</sup>



**2820597** Natural \$ 1,053.39

**BLACK PLASTIC SHEET, 500MM X 300MM X 6MM**

- 包装尺寸: **1 x EA**
- Colour: Black
  - Form: Full
  - Length: 500 mm
  - Width: 300 mm
  - Thickness: 6 mm
  - Material: PA
  - Laminated: No
  - Density: 1.14 g/cm<sup>3</sup>



**2820711** Black \$ 365.7

**PLASTIC, STOCK, NYLON 6, BLACK, PLATE, 10X500X300MM**

- 包装尺寸: **1 x EA**
- Colour: Black
  - Form: Full
  - Length: 500 mm
  - Width: 300 mm
  - Thickness: 10 mm
  - Material: PA
  - Laminated: No
  - Density: 1.14 g/cm<sup>3</sup>



**2820733** Black \$ 395.49

**BLACK PLASTIC SHEET, 500MM X 300MM X 12MM**

- 包装尺寸: **1 x EA**
- Colour: Black
  - Form: Full
  - Length: 500 mm
  - Width: 300 mm
  - Thickness: 12 mm
  - Material: PA
  - Laminated: No
  - Density: 1.14 g/cm<sup>3</sup>



**2820749** Black \$ 730.02

**BLACK PLASTIC SHEET, 500MM X 300MM X 20MM**

- 包装尺寸: **1 x EA**
- Colour: Black
  - Form: Full
  - Length: 500 mm
  - Width: 300 mm
  - Thickness: 20 mm
  - Material: PA
  - Laminated: No
  - Density: 1.14 g/cm<sup>3</sup>



**2820761** Black \$ 1,205.25

**PLASTIC, STOCK, ACETAL, COPOLYMER, WHITE, PLATE, 16X305X500MM**


- 包装尺寸: **1 x EA**
- Colour: White
  - Form: Full
  - Length: 500 mm
  - Width: 300 mm
  - Thickness: 16 mm
  - Material: POM
  - Laminated: No
  - Tensile Strength: 65 MPa



**2822228** White \$ 990.87

**BEIGE PLASTIC SHEET, 1000MM X 500MM X 10MM**

- 包装尺寸: **1 x EA**
- Colour: Beige
  - Form: Full
  - Length: 1000 mm
  - Width: 500 mm
  - Thickness: 10 mm
  - Material: PP
  - Laminated: No
  - Tensile Strength: 35 MPa



**3136332** Beige \$ 724.9

**BEIGE PLASTIC SHEET, 1000MM X 500MM X 15MM**

- 包装尺寸: **1 x EA**
- Colour: Beige
  - Form: Full
  - Length: 1000 mm
  - Width: 500 mm
  - Thickness: 15 mm
  - Material: PP
  - Laminated: No
  - Tensile Strength: 35 MPa



**3136348** Beige \$ 1,063.76

## WHITE PLASTIC SHEET, 500MM X 330MM X 6MM

- 包装尺寸: 2 x EA
- Colour: White
  - Form: Full
  - Length: 500 mm
  - Width: 330 mm
  - Thickness: 6 mm
  - Material: POM
  - Laminated: No
  - Density: 1.42 g/cm<sup>3</sup>



3257057 White \$ 1,137.11

## WHITE PLASTIC SHEET, 500MM X 330MM X 20MM

- 包装尺寸: 1 x EA
- Colour: White
  - Form: Full
  - Length: 500 mm
  - Width: 330 mm
  - Thickness: 20 mm
  - Material: POM
  - Laminated: No
  - Density: 1.42 g/cm<sup>3</sup>



3257085 White \$ 2,067.48

## WHITE PLASTIC SHEET, 500MM X 330MM X 12MM

- 包装尺寸: 1 x EA
- Colour: White
  - Form: Full
  - Length: 500 mm
  - Width: 330 mm
  - Thickness: 12 mm
  - Material: POM
  - Laminated: No
  - Density: 1.42 g/cm<sup>3</sup>



3257079 White \$ 865.53

## WHITE PLASTIC SHEET, 500MM X 330MM X 8MM

- 包装尺寸: 1 x EA
- Colour: White
  - Form: Full
  - Length: 500 mm
  - Width: 330 mm
  - Thickness: 8 mm
  - Material: POM
  - Laminated: No
  - Density: 1.42 g/cm<sup>3</sup>



3257209 White \$ 776.43

## BLACK PLASTIC SHEET, 1000MM X 500MM X 3MM

- 包装尺寸: 3 x EA
- Colour: Black
  - Form: Full
  - Length: 1000 mm
  - Width: 500 mm
  - Thickness: 3 mm
  - Material: PEHD
  - Laminated: No
  - Density: 0.95 → 0.96 g/cm<sup>3</sup>



4083807 Black \$ 749.75

## BLACK PLASTIC SHEET, 1000MM X 500MM X 8MM

- 包装尺寸: 1 x EA
- Colour: Black
  - Form: Full
  - Length: 1000 mm
  - Width: 500 mm
  - Thickness: 8 mm
  - Material: PEHD
  - Laminated: No
  - Density: 0.95 → 0.96 g/cm<sup>3</sup>



4083835 Black \$ 717.74

## BLACK PLASTIC SHEET, 1000MM X 500MM X 10MM

- 包装尺寸: 1 x EA
- Colour: Black
  - Form: Full
  - Length: 1000 mm
  - Width: 500 mm
  - Thickness: 10 mm
  - Material: PEHD
  - Laminated: No
  - Density: 0.95 → 0.96 g/cm<sup>3</sup>



4083841 Black \$ 807.65

## BLACK PLASTIC SHEET, 1000MM X 500MM X 15MM

- 包装尺寸: 1 x EA
- Colour: Black
  - Form: Full
  - Length: 1000 mm
  - Width: 500 mm
  - Thickness: 15 mm
  - Material: PEHD
  - Laminated: No
  - Density: 0.95 → 0.96 g/cm<sup>3</sup>



4083857 Black \$ 1,161.64

## GREY PLASTIC SHEET, 1000MM X 500MM X 1MM

- 包装尺寸: 5 x EA
- Colour: Grey
  - Form: Full
  - Length: 1000 mm
  - Width: 500 mm
  - Thickness: 1 mm
  - Material: PVC
  - Laminated: No
  - Density: 1.47 g/cm<sup>3</sup>



4386370 Grey \$ 676.15

## BLACK PLASTIC SHEET, 500MM X 500MM X 20MM

- 包装尺寸: 1 x EA
- Colour: Black
  - Form: Full
  - Length: 500 mm
  - Width: 500 mm
  - Thickness: 20 mm
  - Material: PEHD
  - Laminated: No
  - Density: 0.95 → 0.96 g/cm<sup>3</sup>



4083863 Black \$ 797.26

## NATURAL PLASTIC SHEET, 500MM X 305MM X 5MM

- 包装尺寸: 2 x EA
- Colour: Natural
  - Form: Full
  - Length: 500 mm
  - Width: 305 mm
  - Thickness: 5 mm
  - Material: PA
  - Laminated: No
  - Density: 1.14 g/cm<sup>3</sup>



4083936 Natural \$ 902

## GREY PLASTIC SHEET, 1000MM X 500MM X 12MM

- 包装尺寸: 1 x EA
- Colour: Grey
  - Form: Full
  - Length: 1000 mm
  - Width: 500 mm
  - Thickness: 12 mm
  - Material: PVC
  - Laminated: No
  - Density: 1.47 g/cm<sup>3</sup>



4386409 Grey \$ 988.23

## WHITE PLASTIC SHEET, 500MM X 330MM X 10MM

- 包装尺寸: 1 x EA
- Colour: White
  - Form: Full
  - Length: 500 mm
  - Width: 330 mm
  - Thickness: 10 mm
  - Material: POM
  - Laminated: No
  - Density: 1.42 g/cm<sup>3</sup>



4846175 White \$ 892.52

## MIRROR PLASTIC SHEET, 600MM X 600MM X 3MM

- 包装尺寸: 1 x EA
- Colour: Mirror
  - Form: Full
  - Length: 600 mm
  - Width: 600 mm
  - Thickness: 3 mm
  - Material: PMMA
  - Laminated: No
  - Water Absorption: 0.4 %



7481302 Mirror \$ 1,132.16

## CLEAR PLASTIC SHEET, 305MM X 625MM X 1MM

- 包装尺寸: 3 x EA
- Colour: Clear
  - Form: Full
  - Length: 305 mm
  - Width: 625 mm
  - Thickness: 1 mm
  - Material: PC
  - Laminated: No
  - Density: 1.2 g/cm<sup>3</sup>



7698720 Clear \$ 213.51

## NATURAL PLASTIC SHEET, 1000MM X 500MM X 6.7MM

- 包装尺寸: 1 x EA
- Colour: Natural
  - Form: Full
  - Length: 1000 mm
  - Width: 500 mm
  - Thickness: 6.7 mm
  - Material: PA
  - Laminated: No
  - Density: 1.14 g/cm<sup>3</sup>



7048147 Natural \$ 1,538.35

**CLEAR PLASTIC SHEET, 305MM X 625MM X 1.5MM**

- 包裝尺寸: **3 x EA**
- Colour: Clear
  - Form: Full
  - Length: 305 mm
  - Width: 625 mm
  - Thickness: 1.5 mm
  - Material: PC
  - Laminated: No
  - Density: 1.2 g/cm<sup>3</sup>



**7698724** Clear \$ 277.45

**CLEAR PLASTIC SHEET, 305MM X 625MM X 4MM**

- 包裝尺寸: **1 x EA**
- Colour: Clear
  - Form: Full
  - Length: 305 mm
  - Width: 625 mm
  - Thickness: 4 mm
  - Material: PC
  - Laminated: No
  - Density: 1.2 g/cm<sup>3</sup>



**7698730** Clear \$ 216.27

**CLEAR PLASTIC SHEET, 305MM X 625MM X 2MM**

- 包裝尺寸: **2 x EA**
- Colour: Clear
  - Form: Full
  - Length: 305 mm
  - Width: 625 mm
  - Thickness: 2 mm
  - Material: PC
  - Laminated: No
  - Density: 1.2 g/cm<sup>3</sup>



**7698733** Clear \$ 172.75

**CLEAR PLASTIC SHEET, 305MM X 625MM X 3MM**

- 包裝尺寸: **1 x EA**
- Colour: Clear
  - Form: Full
  - Length: 305 mm
  - Width: 625 mm
  - Thickness: 3 mm
  - Material: PC
  - Laminated: No
  - Density: 1.2 g/cm<sup>3</sup>



**7698736** Clear \$ 205.09

**CLEAR PLASTIC SHEET, 305MM X 625MM X 6MM**

- 包裝尺寸: **1 x EA**
- Colour: Clear
  - Form: Full
  - Length: 305 mm
  - Width: 625 mm
  - Thickness: 6 mm
  - Material: PC
  - Laminated: No
  - Density: 1.2 g/cm<sup>3</sup>



**7698742** Clear \$ 250.31

**CLEAR PLASTIC SHEET, 305MM X 625MM X 8MM**

- 包裝尺寸: **1 x EA**
- Colour: Clear
  - Form: Full
  - Length: 305 mm
  - Width: 625 mm
  - Thickness: 8 mm
  - Material: PC
  - Laminated: No
  - Density: 1.2 g/cm<sup>3</sup>



**7698746** Clear \$ 311.1

**CLEAR PLASTIC SHEET, 305MM X 625MM X 5MM**

- 包裝尺寸: **1 x EA**
- Colour: Clear
  - Form: Full
  - Length: 305 mm
  - Width: 625 mm
  - Thickness: 5 mm
  - Material: PC
  - Laminated: No
  - Density: 1.2 g/cm<sup>3</sup>



**7698749** Clear \$ 291.62

**WHITE PLASTIC SHEET, 600MM X 600MM X 2.5MM**

- 包裝尺寸: **1 x EA**
- Colour: White
  - Form: Full
  - Length: 600 mm
  - Width: 600 mm
  - Thickness: 2.5 mm
  - Material: PVC
  - Laminated: No
  - Tensile Strength: 54 MPa



**8099695** White \$ 304.8

**WHITE PLASTIC SHEET, 600MM X 600MM X 2.5MM**

- 包裝尺寸: **1 x EA**
- Colour: White
  - Form: Full
  - Length: 600 mm
  - Width: 600 mm
  - Thickness: 2.5 mm
  - Material: PVC
  - Laminated: No
  - Tensile Strength: 54 MPa



**8099698** White \$ 263.01

**CORAL VINYL PLASTIC SHIM, 20IN X 5IN X 0.762MM**

- 包裝尺寸: **1 x EA**
- Material: Vinyl
  - Thickness: 0.762 mm
  - Length: 20 in
  - Width: 5 in
  - Colour: Coral



**519030** Vinyl \$ 171.34

**BLUE POLYESTER PLASTIC SHIM, 457MM X 305MM X 0.05MM**

- 包裝尺寸: **8 x EA**
- Material: Polyester
  - Thickness: 0.05 mm
  - Length: 457 mm
  - Width: 305 mm
  - Colour: Blue



**770737** Polyester \$ 165.91

**GREEN POLYESTER PLASTIC SHIM, 457MM X 305MM X 0.08MM**

- 包裝尺寸: **8 x EA**
- Material: Polyester
  - Thickness: 0.08 mm
  - Length: 457 mm
  - Width: 305 mm
  - Colour: Green



**770743** Polyester \$ 200.9

**ORANGE POLYESTER PLASTIC SHIM, 457MM X 305MM X 0.1MM**

- 包裝尺寸: **8 x EA**
- Material: Polyester
  - Thickness: 0.1 mm
  - Length: 457 mm
  - Width: 305 mm
  - Colour: Orange



**770759** Polyester \$ 217.81

**BROWN POLYESTER PLASTIC SHIM, 457MM X 305MM X 0.13MM**

- 包裝尺寸: **8 x EA**
- Material: Polyester
  - Thickness: 0.13 mm
  - Length: 457 mm
  - Width: 305 mm
  - Colour: Brown



**770765** Polyester \$ 353.05

**TRANSPARENT POLYESTER PLASTIC SHIM, 457MM X 305MM X 0.19MM**

- 包裝尺寸: **8 x EA**
- Material: Polyester
  - Thickness: 0.19 mm
  - Length: 457 mm
  - Width: 305 mm
  - Colour: Transparent



**770771** Polyester \$ 388.26

**WHITE POLYESTER PLASTIC SHIM, 457MM X 305MM X 0.25MM**

- 包裝尺寸: **8 x EA**
- Material: Polyester
  - Thickness: 0.25 mm
  - Length: 457 mm
  - Width: 305 mm
  - Colour: White



**770787** Polyester \$ 451.78

## RED POLYPROPYLENE PLASTIC SHIM, 457MM X 305MM X 0.38MM

包裝尺寸: 8 x EA

- Material: Polypropylene
- Thickness: 0.38 mm
- Length: 457 mm
- Width: 305 mm
- Colour: Red



770793 Polypropylene \$ 528.91

## RS PRO BROWN ROUND PAPER LAMINATED PLASTIC, 1.4M X 8MM OD

包裝尺寸: 1 x EA

- Colour: Brown
- Length: 1.4 m
- Material: Laminated Plastic
- Laminated: Yes
- Tube Form: Round
- Inner Diameter: 6.1 mm
- Outer Diameter: 8 mm
- Thickness: 1.9 mm



2035352 Brown \$ 360.23

## YELLOW POLYPROPYLENE PLASTIC SHIM, 457MM X 305MM X 0.51MM

包裝尺寸: 8 x EA

- Material: Polypropylene
- Thickness: 0.51 mm
- Length: 457 mm
- Width: 305 mm
- Colour: Yellow



770800 Polypropylene \$ 833.94

## RS PRO BROWN ROUND PAPER LAMINATED PLASTIC, 1.2M X 22.2MM

包裝尺寸: 1 x EA

- Colour: Brown
- Length: 1.2 m
- Material: Laminated Plastic
- Laminated: Yes
- Tube Form: Round
- Inner Diameter: 15.8 mm
- Outer Diameter: 22.2 mm
- Thickness: 6.4 mm



2035354 Brown \$ 643.63

## RS PRO CLEAR ROUND ACRYLIC TUBE, 1M X 12MM OD X 8MM ID

包裝尺寸: 1 x EA

- Colour: Clear
- Length: 1 m
- Material: Acrylic
- Tube Form: Round
- Inner Diameter: 8 mm
- Outer Diameter: 12 mm
- Density: 1.18 g/cm<sup>3</sup>
- Water Absorption: 0 %



4084018 Clear \$ 75.18

## RS PRO BEIGE ROUND PEEK TUBING, 300MM X 56MM OD X 40MM ID

包裝尺寸: 1 x EA

- Colour: Beige
- Length: 300 mm
- Material: PEEK
- Tube Form: Round
- Inner Diameter: 40 mm
- Outer Diameter: 56 mm
- Density: 1.32 g/cm<sup>3</sup>
- Water Absorption: 0.5 %




7781731 Beige \$ 2,984.9

## RS PRO BLACK RUBBER SHEET, 1M X 2M X 25MM

包裝尺寸: 1 x EA

- Material: Neoprene
- Colour: Black
- Density: 170 kg/m<sup>3</sup>
- Length: 1 m
- Width: 2 m
- Adhesive Backing: Yes
- Thickness: 25 mm
- Maximum Operating Temperature: +80 °C



1034059 Neoprene \$ 2,048.38

## RS PRO WHITE RUBBER SHEET, 2M X 1M X 3MM

包裝尺寸: 1 x EA

- Material: EPDM
- Colour: White
- Length: 2 m
- Width: 1 m
- Thickness: 3 mm
- Maximum Operating Temperature: +100 °C
- Minimum Operating Temperature: -40 °C



1034061 EPDM \$ 351.73

## RS PRO WHITE RUBBER SHEET, 2M X 1M X 6MM

包裝尺寸: 1 x EA

- Material: EPDM
- Colour: White
- Length: 2 m
- Width: 1 m
- Thickness: 6 mm
- Maximum Operating Temperature: +100 °C
- Minimum Operating Temperature: -40 °C



1034062 EPDM \$ 693.97

## BLACK RUBBER SHEET, 1.4M X 1M X 1.5MM

包裝尺寸: 1 x EA

- Material: Nitrile
- Colour: Black
- Density: 1.25 g/cm<sup>3</sup>
- Length: 1.4 m
- Width: 1 m
- Adhesive Backing: No
- Thickness: 1.5 mm
- Maximum Operating Temperature: 110 °C



2035138 Nitrile \$ 1,238.46

## RS PRO BLACK RUBBER SHEET, 600MM X 600MM X 1.5MM

包裝尺寸: 1 x EA

- Material: Fluorocarbon
- Colour: Black
- Length: 600 mm
- Width: 600 mm
- Thickness: 1.5 mm
- Suitability: Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Oil
- Maximum Operating Temperature: +204 °C
- Minimum Operating Temperature: -18 °C



5062974 Fluorocarbon \$ 1,769.2

## RS PRO BLACK RUBBER SHEET, 1M X 600MM X 6MM

包裝尺寸: 1 x EA

- Material: Natural
- Colour: Black
- Density: 1.5 g/cm<sup>3</sup>
- Length: 1 m
- Width: 600 mm
- Thickness: 6 mm
- Suitability: Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Oil
- Maximum Operating Temperature: +70 °C



5063006 Natural \$ 312.3

## RS PRO BLACK RUBBER SHEET, 1M X 600MM X 10MM

包裝尺寸: 1 x EA

- Material: Natural
- Colour: Black
- Density: 1.5 g/cm<sup>3</sup>
- Length: 1 m
- Width: 600 mm
- Thickness: 10 mm
- Suitability: Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Oil
- Maximum Operating Temperature: +70 °C



5063028 Natural \$ 707.44

## RS PRO BLACK RUBBER SHEET, 1M X 600MM X 12MM

包裝尺寸: 1 x EA

- Material: Natural
- Colour: Black
- Density: 1.5 g/cm<sup>3</sup>
- Length: 1 m
- Width: 600 mm
- Thickness: 12 mm
- Suitability: Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Oil
- Maximum Operating Temperature: +70 °C



5063012 Natural \$ 741.78

## RS PRO BLACK RUBBER SHEET, 1M X 600MM X 1.5MM

包裝尺寸: 1 x EA

- Material: Natural
- Colour: Black
- Density: 1.5 g/cm<sup>3</sup>
- Length: 1 m
- Width: 600 mm
- Thickness: 1.5 mm
- Suitability: Cold Water, Ethylene Glycol, Hot Water
- Maximum Operating Temperature: +70 °C



5063078 Natural \$ 127.66

## RS PRO BLACK RUBBER SHEET, 1M X 600MM X 3MM

包裝尺寸: 1 x EA

- Material: Natural
- Colour: Black
- Density: 1.5 g/cm<sup>3</sup>
- Length: 1 m
- Width: 600 mm
- Thickness: 3 mm
- Suitability: Cold Water, Ethylene Glycol, Hot Water
- Maximum Operating Temperature: +70 °C



5063090 Natural \$ 201.58

**RS PRO BEIGE RUBBER SHEET, 1M X 1M X 3MM**

包裝尺寸: 1 x EA

- Material: Natural
- Colour: Beige
- Length: 1 m
- Width: 1 m
- Thickness: 3 mm
- Suitability: Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Oil
- Maximum Operating Temperature: +70 °C
- Minimum Operating Temperature: +0 °C



**5063034** Natural \$ 853.17

**RS PRO BLACK RUBBER SHEET, 1M X 600MM X 6MM**

包裝尺寸: 1 x EA

- Material: Natural
- Colour: Black
- Density: 1.5 g/cm<sup>3</sup>
- Length: 1 m
- Width: 600 mm
- Thickness: 6 mm
- Suitability: Cold Water, Ethylene Glycol, Hot Water
- Maximum Operating Temperature: +70 °C



**5063084** Natural \$ 386.86

**RS PRO BLACK RUBBER SHEET, 1M X 1.2M X 1.5MM**

包裝尺寸: 1 x EA

- Material: Neoprene
- Colour: Black
- Density: 1.4 g/cm<sup>3</sup>
- Length: 1 m
- Width: 1.2 m
- Thickness: 1.5 mm
- Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
- Maximum Operating Temperature: +70 °C



**5063107** Neoprene \$ 290.87

**RS PRO BLACK RUBBER SHEET, 1M X 600MM X 6MM**

包裝尺寸: 1 x EA

- Material: Neoprene
- Colour: Black
- Density: 1.4 g/cm<sup>3</sup>
- Length: 1 m
- Width: 600 mm
- Thickness: 6 mm
- Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
- Maximum Operating Temperature: +70 °C



**5063141** Neoprene \$ 415.7

**RS PRO BLACK RUBBER SHEET, 1M X 600MM X 3MM**

包裝尺寸: 1 x EA

- Material: Neoprene
- Colour: Black
- Density: 1.4 g/cm<sup>3</sup>
- Length: 1 m
- Width: 600 mm
- Thickness: 3 mm
- Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
- Maximum Operating Temperature: +70 °C



**5063157** Neoprene \$ 217.99

**NEOPRENE RUBBER SHEET, BLACK, 1000 X 600 X 1.5MM**

包裝尺寸: 1 x EA

- Material: Neoprene
- Colour: Black
- Density: 1.4 g/cm<sup>3</sup>
- Length: 1 m
- Width: 600 mm
- Thickness: 1.5 mm
- Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
- Maximum Operating Temperature: +70 °C



**5063163** Neoprene \$ 145.38

**RS PRO BLACK RUBBER SHEET, 1M X 1.2M X 3MM**

包裝尺寸: 1 x EA

- Material: Neoprene
- Colour: Black
- Density: 1.4 g/cm<sup>3</sup>
- Length: 1 m
- Width: 1.2 m
- Thickness: 3 mm
- Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
- Maximum Operating Temperature: +70 °C



**5063208** Neoprene \$ 415.61

**RS PRO BLACK RUBBER SHEET, 1.2M X 600MM X 3MM**

包裝尺寸: 1 x EA

- Material: EPDM
- Colour: Black
- Density: 1.13 g/cm<sup>3</sup>
- Length: 1.2 m
- Width: 600 mm
- Thickness: 3 mm
- Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Hot Water, Vegetable Oil
- Maximum Operating Temperature: +100 °C



**5063214** EPDM \$ 451.57

**RS PRO WHITE RUBBER SHEET, 1.5M X 500MM X 1.5MM**

包裝尺寸: 1 x EA

- Material: Nitrile
- Colour: White
- Density: 1.5 g/cm<sup>3</sup>
- Length: 1.5 m
- Width: 500 mm
- Thickness: 1.5 mm
- Suitability: Fatty Food
- Maximum Operating Temperature: +80 °C



**5063242** Nitrile \$ 478.8

**RS PRO WHITE RUBBER SHEET, 1.5M X 500MM X 3MM**

包裝尺寸: 1 x EA

- Material: Nitrile
- Colour: White
- Density: 1.5 g/cm<sup>3</sup>
- Length: 1.5 m
- Width: 500 mm
- Thickness: 3 mm
- Suitability: Fatty Food
- Maximum Operating Temperature: +80 °C



**5063258** Nitrile \$ 912.37

**RS PRO WHITE RUBBER SPONGE SHEET, 1.2M X 600MM X 1.5MM**

包裝尺寸: 1 x EA

- Material: Silicone
- Colour: White
- Density: 1.25 g/cm<sup>3</sup>
- Length: 1.2 m
- Width: 600 mm
- Thickness: 1.5 mm
- Suitability: Cold Water, Hot Water
- Maximum Operating Temperature: +200 °C



**5063292** Silicone \$ 1,034.98

**RS PRO WHITE RUBBER SPONGE SHEET, 600MM X 600MM X 1.5MM**

包裝尺寸: 1 x EA

- Material: Silicone
- Colour: White
- Density: 1.25 g/cm<sup>3</sup>
- Length: 600 mm
- Width: 600 mm
- Thickness: 1.5 mm
- Suitability: Cold Water, Hot Water
- Maximum Operating Temperature: +200 °C



**5063264** Silicone \$ 564.58

**RS PRO WHITE RUBBER SPONGE SHEET, 600MM X 600MM X 3MM**

包裝尺寸: 1 x EA

- Material: Silicone
- Colour: White
- Density: 1.25 g/cm<sup>3</sup>
- Length: 600 mm
- Width: 600 mm
- Thickness: 3 mm
- Suitability: Cold Water, Hot Water
- Maximum Operating Temperature: +200 °C



**5063315** Silicone \$ 1,035.14

**RS PRO BLACK RUBBER SHEET, 1M X 2M X 3MM**

包裝尺寸: 1 x EA

- Material: Polyethylene
- Colour: Black
- Density: 45 kg/m<sup>3</sup>
- Length: 1 m
- Width: 2 m
- Adhesive Backing: Yes
- Thickness: 3 mm
- Maximum Operating Temperature: +110 °C



**7336703** Polyethylene \$ 257.78

**RS PRO WHITE RUBBER SPONGE SHEET, 1M X 600MM X 3MM**

包裝尺寸: 1 x EA

- Material: Silicone
- Colour: White
- Density: 0.25 g/cm<sup>3</sup>
- Length: 1 m
- Width: 600 mm
- Thickness: 3 mm
- Suitability: Cold Water, Ethylene Glycol, Hot Water
- Maximum Operating Temperature: +200 °C



**7336713** Silicone \$ 996.86

**SILICONE SPONGE, 1.5MM**

包裝尺寸: 1 x EA

- Material: Silicone
- Colour: White
- Density: 0.25 g/cm<sup>3</sup>
- Length: 1 m
- Width: 600 mm
- Thickness: 1.5 mm
- Suitability: Cold Water, Ethylene Glycol, Hot Water
- Maximum Operating Temperature: +200 °C



**7336719** Silicone \$ 568.68

## RS PRO WHITE RUBBER SPONGE SHEET, 1M X 600MM X 6MM

包裝尺寸: 1 x EA

- Material: Silicone
- Colour: White
- Density: 0.25 g/cm<sup>3</sup>
- Length: 1 m
- Width: 600 mm
- Thickness: 6 mm
- Suitability: Cold Water, Ethylene Glycol, Hot Water
- Maximum Operating Temperature: +200 °C



**7336722** Silicone \$ 2,785.79

## SILICONE SPONGE SAB, 1.5MM

包裝尺寸: 1 x EA

- Material: Silicone
- Colour: White
- Density: 0.25 g/cm<sup>3</sup>
- Length: 1 m
- Width: 600 mm
- Adhesive Backing: Yes
- Suitability: Cold Water, Ethylene Glycol, Hot Water
- Thickness: 1.5 mm



**7336725** Silicone \$ 760.1

## RS PRO WHITE RUBBER SPONGE SHEET, 1M X 600MM X 3MM

包裝尺寸: 1 x EA

- Material: Silicone
- Colour: White
- Density: 0.25 g/cm<sup>3</sup>
- Length: 1 m
- Width: 600 mm
- Adhesive Backing: Yes
- Suitability: Cold Water, Ethylene Glycol, Hot Water
- Thickness: 3 mm



**7336729** Silicone \$ 1,388.9

## RS PRO BLACK RUBBER SHEET, 1M X 2M X 1.5MM

包裝尺寸: 1 x EA

- Material: Neoprene
- Colour: Black
- Density: 122 kg/m<sup>3</sup>
- Length: 1 m
- Width: 2 m
- Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
- Thickness: 1.5 mm
- Maximum Operating Temperature: +85 °C




**7336731** Neoprene \$ 159.24

## RS PRO BLACK RUBBER SHEET, 1M X 2M X 3MM

包裝尺寸: 1 x EA

- Material: Neoprene
- Colour: Black
- Density: 122 kg/m<sup>3</sup>
- Length: 1 m
- Width: 2 m
- Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
- Thickness: 3 mm
- Maximum Operating Temperature: +85 °C



**7336735** Neoprene \$ 216.27

## RS PRO WHITE RUBBER SPONGE SHEET, 1M X 600MM X 6MM

包裝尺寸: 1 x EA

- Material: Silicone
- Colour: White
- Density: 0.25 g/cm<sup>3</sup>
- Length: 1 m
- Width: 600 mm
- Adhesive Backing: Yes
- Suitability: Cold Water, Ethylene Glycol, Hot Water
- Thickness: 6 mm




**7336738** Silicone \$ 3,522.64

## RS PRO BLACK RUBBER SHEET, 1M X 2M X 6MM

包裝尺寸: 1 x EA

- Material: Neoprene
- Colour: Black
- Density: 122 kg/m<sup>3</sup>
- Length: 1 m
- Width: 2 m
- Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
- Thickness: 6 mm
- Maximum Operating Temperature: +85 °C



**7336744** Neoprene \$ 709.38

## RS PRO BLACK RUBBER SPONGE SHEET, 1M X 2M X 10MM

包裝尺寸: 1 x EA

- Material: Neoprene Sponge
- Colour: Black
- Density: 122 kg/m<sup>3</sup>
- Length: 1 m
- Width: 2 m
- Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
- Thickness: 10 mm
- Maximum Operating Temperature: +85 °C



**7336747** Neoprene Sponge \$ 939.58

## RS PRO BLACK RUBBER SHEET, 1M X 2M X 20MM

包裝尺寸: 1 x EA

- Material: Neoprene
- Colour: Black
- Density: 122 kg/m<sup>3</sup>
- Length: 1 m
- Width: 2 m
- Thickness: 20 mm
- Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
- Maximum Operating Temperature: +85 °C




**7336750** Neoprene \$ 1,392.9

## RS PRO BLACK RUBBER SHEET, 1M X 2M X 1.5MM

包裝尺寸: 1 x EA

- Material: Neoprene
- Colour: Black
- Density: 122 kg/m<sup>3</sup>
- Length: 1 m
- Width: 2 m
- Adhesive Backing: Yes
- Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
- Thickness: 1.5 mm




**7336753** Neoprene \$ 183.8

## RS PRO BLACK RUBBER SHEET, 1M X 2M X 3MM

包裝尺寸: 1 x EA

- Material: Neoprene
- Colour: Black
- Density: 122 kg/m<sup>3</sup>
- Length: 1 m
- Width: 2 m
- Adhesive Backing: Yes
- Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
- Thickness: 3 mm




**7336757** Neoprene \$ 320.93

## RS PRO BLACK RUBBER SHEET, 1M X 2M X 20MM

包裝尺寸: 1 x EA

- Material: Neoprene
- Colour: Black
- Density: 122 kg/m<sup>3</sup>
- Length: 1 m
- Width: 2 m
- Adhesive Backing: Yes
- Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
- Thickness: 20 mm



**7336763** Neoprene \$ 1,966.5

## RS PRO BLACK RUBBER SHEET, 1M X 2M X 6MM

包裝尺寸: 1 x EA

- Material: Neoprene
- Colour: Black
- Density: 122 kg/m<sup>3</sup>
- Length: 1 m
- Width: 2 m
- Adhesive Backing: Yes
- Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
- Thickness: 6 mm



**7336766** Neoprene \$ 835.85

## RS PRO BLACK RUBBER SHEET, 1M X 2M X 10MM

包裝尺寸: 1 x EA

- Material: Neoprene
- Colour: Black
- Density: 122 kg/m<sup>3</sup>
- Length: 1 m
- Width: 2 m
- Adhesive Backing: Yes
- Suitability: Animal Oil, Cold Water, Dilute Acid, Dilute Alkali, Ethylene Glycol, Fuel, Hot Water, Vegetable Oil
- Thickness: 10 mm



**7336769** Neoprene \$ 753.36

## RS PRO BLACK RUBBER SHEET, 1.2M X 600MM X 1.5MM

包裝尺寸: 1 x EA

- Material: EPDM
- Colour: Black
- Density: 1.13 g/cm<sup>3</sup>
- Length: 1.2 m
- Width: 600 mm
- Thickness: 1.5 mm
- Suitability: WRAS approved for use with potable water
- Maximum Operating Temperature: +100 °C



**8405523** EPDM \$ 548.8

## RS PRO BLACK RUBBER SHEET, 1.2M X 1.2M X 1.5MM

包裝尺寸: 1 x EA

- Material: EPDM
- Colour: Black
- Density: 1.13 g/cm<sup>3</sup>
- Length: 1.2 m
- Width: 1.2 m
- Thickness: 1.5 mm
- Suitability: WRAS approved for use with potable water
- Maximum Operating Temperature: +100 °C



**8405532** EPDM \$ 881.61

**RS PRO BLACK RUBBER SHEET, 1.2M X 600MM X 6MM**

- 包裝尺寸: 1 x EA
- Material: EPDM
  - Colour: Black
  - Density: 1.13 g/cm<sup>3</sup>
  - Length: 1.2 m
  - Width: 600 mm
  - Thickness: 6 mm
  - Suitability: WRAS approved for use with potable water
  - Maximum Operating Temperature: +100 °C



**8405535** EPDM \$ 1,779.48

**TRANSLUCENT SILICONE RUBBER 600X600X1.5MM**

- 包裝尺寸: 1 x EA
- Material: Silicone
  - Colour: Translucent
  - Density: 1.2 g/cm<sup>3</sup>
  - Length: 600 mm
  - Width: 600 mm
  - Thickness: 1.5 mm
  - Suitability: FDA and WRAS approval for use with food and drink
  - Maximum Operating Temperature: +230 °C



**8405541** Silicone \$ 1,136.2

**RS PRO BLACK RUBBER SHEET, 1M X 600MM X 3MM**

- 包裝尺寸: 1 x EA
- Material: Natural
  - Colour: Black
  - Density: 1.5 g/cm<sup>3</sup>
  - Length: 1 m
  - Width: 600 mm
  - Thickness: 3 mm
  - Suitability: All purpose rubber for use with non food applications
  - Maximum Operating Temperature: +70 °C



**8405548** Natural \$ 149.85

**RS PRO TRANSLUCENT RUBBER SPONGE SHEET, 600MM X 600MM X**

- 包裝尺寸: 1 x EA
- Material: Silicone
  - Colour: Translucent
  - Density: 1.2 g/cm<sup>3</sup>
  - Length: 600 mm
  - Width: 600 mm
  - Thickness: 6 mm
  - Maximum Operating Temperature: +230 °C
  - Minimum Operating Temperature: -60 °C



**8788571** Silicone \$ 1,544.63

**RS PRO TRANSLUCENT RUBBER SPONGE SHEET, 600MM X 600MM X**

- 包裝尺寸: 1 x EA
- Material: Silicone
  - Colour: Translucent
  - Density: 1.2 g/cm<sup>3</sup>
  - Length: 600 mm
  - Width: 600 mm
  - Thickness: 3 mm
  - Maximum Operating Temperature: +230 °C
  - Minimum Operating Temperature: -60 °C



**8788578** Silicone \$ 1,980.55

**RS PRO SHIM KIT, BRASS - YELLOW**

- 包裝尺寸: 1 x EA
- Material: Brass
  - Thickness: 0.05 → 0.8 mm
  - Length: 300 mm
  - Width: 150 mm
  - Number of Sheets: 10
  - Colour: Yellow



**518728** Brass \$ 2,484.86

**RS PRO SHIM KIT, PLASTIC - ASSORTED**

- 包裝尺寸: 1 x EA
- Material: Plastic
  - Thickness: 0.0005 → 0.030 in
  - Length: 20 in
  - Width: 5 in
  - Number of Sheets: 14
  - Colour: Assorted



**518778** Plastic \$ 1,250.65

**RS PRO SHIM KIT, STEEL - GREEN**

- 包裝尺寸: 1 x EA
- Material: Steel
  - Thickness: 0.05 → 0.8 mm
  - Length: 300 mm
  - Width: 150 mm
  - Number of Sheets: 10
  - Colour: Green



**518867** Steel \$ 1,970.52

**RS PRO SHIM KIT, STEEL - GREEN**

- 包裝尺寸: 1 x EA
- Material: Steel
  - Thickness: 0.001 → 0.015 in
  - Length: 12 in
  - Width: 6 in
  - Number of Sheets: 12
  - Colour: Green



**518891** Steel \$ 1,265.4

**RS PRO SHIM KIT, STAINLESS STEEL - RED**

- 包裝尺寸: 1 x EA
- Material: Stainless Steel
  - Thickness: 0.05 → 0.5 mm
  - Length: 300 mm
  - Width: 150 mm
  - Number of Sheets: 8
  - Colour: Red



**518946** Stainless Steel \$ 3,016.95

**RS PRO SHIM KIT, BRASS - YELLOW**

- 包裝尺寸: 1 x EA
- Material: Brass
  - Thickness: 0.001 → 0.015 in
  - Length: 12 in
  - Width: 6 in
  - Number of Sheets: 12
  - Colour: Yellow



**519018** Brass \$ 1,811.43

**RS PRO SHIM KIT, STEEL - NATURAL**

- 包裝尺寸: 8 x EA
- Material: Steel
  - Thickness: 0.002 in, 0.003 in, 0.004 in, 0.005 in, 0.006 in, 0.008 in, 0.01 in, 0.015 in
  - Length: 305 mm
  - Width: 102 mm
  - Number of Sheets: 8
  - Colour: Natural



**680145** Steel \$ 832.62

**RS PRO SHIM KIT, BRASS - NATURAL**


- 包裝尺寸: 8 x EA
- Material: Brass
  - Thickness: 0.002 in, 0.003 in, 0.004 in, 0.005 in, 0.006 in, 0.008 in, 0.01 in, 0.015 in
  - Length: 305 mm
  - Width: 102 mm
  - Number of Sheets: 8
  - Colour: Natural



**681249** Brass \$ 1,252.05

**SHIM, STOCK, PLASTIC, ASSORTED KIT**

- 包裝尺寸: 8 x EA
- Material: Plastic
  - Thickness: 0.05 mm, 0.08 mm, 0.1 mm, 0.13 mm, 0.19 mm, 0.25 mm, 0.38 mm, 0.51 mm
  - Length: 305 mm
  - Width: 152 mm
  - Number of Sheets: 8
  - Colour: Blue, Brown, Green, Orange, Red, Transparent, White, Yellow



**681407** Plastic \$ 212.98

**RS PRO SHIM KIT, PLASTIC - BLACK, BLUE, GREEN, GREY, NATURAL,**

- 包裝尺寸: 8 x EA
- Material: Plastic
  - Thickness: 0.05 mm, 0.08 mm, 0.1 mm, 0.13 mm, 0.19 mm, 0.25 mm, 0.38 mm, 0.51 mm
  - Length: 457 mm
  - Width: 305 mm
  - Number of Sheets: 8
  - Colour: Black, Blue, Green, Grey, Natural, Orange, Red, Yellow



**770816** Plastic \$ 486.73

**FERROUS STOCK, SPRING STEEL, KIT, 6X12IN**

- 包裝尺寸: 1 x SET
- Material: Spring Steel
  - Thickness: 0.01 in, 0.015 in, 0.018 in, 0.02 in, 0.022 in
  - Length: 12 in
  - Width: 0.625 in, 1.5 in
  - Number of Sheets: 6



**3140527** Spring Steel \$ 754.03

## STEEL SHIM, 100IN X 6IN X 0.254MM

包裝尺寸: 1 x EA

- Material: Steel
- Thickness: 0.254 mm
- Length: 100 in
- Width: 6 in



518750 Steel \$ 363.66

## STEEL SHIM, 100IN X 6IN X 0.203MM

包裝尺寸: 1 x EA

- Material: Steel
- Thickness: 0.203 mm
- Length: 100 in
- Width: 6 in



518756 Steel \$ 336.66

## STEEL SHIM, 1.25M X 150MM X 0.2MM

包裝尺寸: 1 x EA

- Material: Stainless Steel
- Thickness: 0.2 mm
- Length: 1.25 m
- Width: 150 mm



518762 Stainless Steel \$ 987.82

## STEEL SHIM, 1.25M X 150MM X 0.1MM

包裝尺寸: 1 x EA

- Material: Stainless Steel
- Thickness: 0.1 mm
- Length: 1.25 m
- Width: 150 mm



518801 Stainless Steel \$ 843.09

## STEEL SHIM, 50IN X 6IN X 0.127MM

包裝尺寸: 1 x EA

- Material: Stainless Steel
- Thickness: 0.127 mm
- Length: 50 in
- Width: 6 in



518829 Stainless Steel \$ 914.15

## STEEL SHIM, 2.5M X 150MM X 0.25MM

包裝尺寸: 1 x EA

- Material: Steel
- Thickness: 0.25 mm
- Length: 2.5 m
- Width: 150 mm



518841 Steel \$ 576.78

## STEEL SHIM, 2.5M X 150MM X 0.5MM

包裝尺寸: 1 x EA

- Material: Steel
- Thickness: 0.5 mm
- Length: 2.5 m
- Width: 150 mm



518863 Steel \$ 536.67

## STEEL SHIM, 1.25M X 150MM X 0.25MM

包裝尺寸: 1 x EA

- Material: Stainless Steel
- Thickness: 0.25 mm
- Length: 1.25 m
- Width: 150 mm



518857 Stainless Steel \$ 1,015.88

## STEEL SHIM, 2.5M X 150MM X 0.2MM

包裝尺寸: 1 x EA

- Material: Steel
- Thickness: 0.2 mm
- Length: 2.5 m
- Width: 150 mm



518879 Steel \$ 419.15

## STEEL SHIM, 100IN X 6IN X 0.787MM

包裝尺寸: 1 x EA

- Material: Steel
- Thickness: 0.787 mm
- Length: 100 in
- Width: 6 in



518902 Steel \$ 435.57

## STEEL SHIM, 2.5M X 150MM X 0.1MM

包裝尺寸: 1 x EA

- Material: Steel
- Thickness: 0.1 mm
- Length: 2.5 m
- Width: 150 mm



518918 Steel \$ 442.22

## STEEL SHIM, 1.25M X 150MM X 0.8MM

包裝尺寸: 1 x EA

- Material: Stainless Steel
- Thickness: 0.8 mm
- Length: 1.25 m
- Width: 150 mm



518942 Stainless Steel \$ 1,808.67

## STEEL SHIM, 1.25M X 150MM X 0.3MM

包裝尺寸: 1 x EA

- Material: Stainless Steel
- Thickness: 0.3 mm
- Length: 1.25 m
- Width: 150 mm



518980 Stainless Steel \$ 1,058.17

## STEEL SHIM, 1.25M X 150MM X 0.05MM

包裝尺寸: 1 x EA

- Material: Stainless Steel
- Thickness: 0.05 mm
- Length: 1.25 m
- Width: 150 mm



519024 Stainless Steel \$ 899.3

## STEEL SHIM, 100IN X 6IN X 0.025MM

包裝尺寸: 1 x EA

- Material: Steel
- Thickness: 0.025 mm
- Length: 100 in
- Width: 6 in



519034 Steel \$ 568.36

## STEEL SHIM, 1.25M X 150MM X 0.4MM

包裝尺寸: 1 x EA

- Material: Stainless Steel
- Thickness: 0.4 mm
- Length: 1.25 m
- Width: 150 mm



519062 Stainless Steel \$ 1,156.88



## STEEL SHIM, 50IN X 6IN X 0.025MM

包装尺寸: 1 x EA

- Material: Stainless Steel
- Thickness: 0.025 mm
- Length: 50 in
- Width: 6 in



519074 Stainless Steel

## STEEL SHIM, 50IN X 6IN X 0.051MM

包装尺寸: 1 x EA

- Material: Stainless Steel
- Thickness: 0.051 mm
- Length: 50 in
- Width: 6 in



519096 Stainless Steel

## STEEL SHIM, 1.25M X 150MM X 0.5MM

包装尺寸: 1 x EA

- Material: Stainless Steel
- Thickness: 0.5 mm
- Length: 1.25 m
- Width: 150 mm




519119 Stainless Steel

## PAI THERMAL INSULATING FILM, 420MM X 297MM X 1.6MM

包装尺寸: 1 x EA

- Material: PAI
- Maximum Operating Temperature: +160 °C
- Length: 420 mm
- Width: 297 mm
- Thickness: 1.6 mm




2035175 PAI

## THERMAL INSULATING FILM, 420MM X 297MM X 3MM

包装尺寸: 1 x EA

- Maximum Operating Temperature: +160 °C
- Length: 420 mm
- Width: 297 mm
- Thickness: 3 mm




2035176 +160 °C

## THERMAL INSULATING FILM, 420MM X 297MM X 6MM

包装尺寸: 1 x EA

- Maximum Operating Temperature: +160 °C
- Length: 420 mm
- Width: 297 mm
- Thickness: 6 mm



2035177 +160 °C

## RS PRO FLAME RETARDANT MICROPOROUS BOARD THERMAL

包装尺寸: 1 x EA

- Material: Microporous Board
- Maximum Operating Temperature: +950 °C
- Form: Sheet
- Length: 595 mm
- Width: 495 mm
- Thickness: 20 mm
- Density: 200 to 250 kg/m<sup>3</sup>
- Flame Retardant: Yes



1034077 Microporous

## RS PRO AEROGEL MIROPOROUS BLANKET THERMAL INSULATING

包装尺寸: 1 x EA

- Material: Aerogel Miroporous Blanket
- Form: Sheet
- Maximum Operating Temperature: +650 °C
- Length: 1 m
- Width: 700 mm
- Thickness: 10 mm
- Density: 0.18 g/cm<sup>3</sup>



1034078 Aerogel

## RS PRO NON-CERAMIC MILLBOARD THERMAL INSULATING SHEET, 1M X 1M

包装尺寸: 1 x EA

- Material: Non-Ceramic Millboard
- Maximum Operating Temperature: +1000 °C
- Form: Sheet
- Length: 1 m
- Width: 1 m
- Thickness: 3 mm
- Density: 1,000 kg/m<sup>3</sup>
- Flame Retardant: No



2035131 Non-Ceramic

## RS PRO THERMAL INSULATING SHEET, 1M X 1M X 6MM

包装尺寸: 1 x EA

- Maximum Operating Temperature: +1000 °C
- Form: Sheet
- Length: 1 m
- Width: 1 m
- Thickness: 6 mm
- Density: 1,000 kg/m<sup>3</sup>
- Flame Retardant: No
- Thermal Shock Resistant: Yes



2035132 +1000 °C

## RS PRO FLAME RETARDANT EPOXY GLASS THERMAL INSULATING SHEET,

包装尺寸: 1 x EA

- Material: Epoxy Glass
- Maximum Operating Temperature: +130 °C
- Form: Sheet
- Length: 420 mm
- Width: 297 mm
- Thickness: 2.4 mm
- Density: 1.85 g/cm<sup>3</sup>
- Flame Retardant: Yes



2035179 Epoxy Glass

## RS PRO FLAME RETARDANT EPOXY GLASS THERMAL INSULATING SHEET,

包装尺寸: 1 x EA

- Material: Epoxy Glass
- Maximum Operating Temperature: +130 °C
- Form: Sheet
- Length: 420 mm
- Width: 297 mm
- Thickness: 0.2 mm
- Density: 1.85 g/cm<sup>3</sup>
- Flame Retardant: Yes



2035180 Epoxy Glass

## RS PRO FLAME RETARDANT EPOXY GLASS THERMAL INSULATING SHEET,

包装尺寸: 1 x EA

- Material: Epoxy Glass
- Form: Sheet
- Maximum Operating Temperature: +130 °C
- Length: 420 mm
- Width: 297 mm
- Thickness: 0.5 mm
- Flame Retardant: Yes




2035181 Epoxy Glass

## RS PRO EPOXY GLASS THERMAL INSULATING SHEET, 420MM X 297MM

包装尺寸: 1 x EA

- Material: Epoxy Glass
- Maximum Operating Temperature: +130 °C
- Length: 420 mm
- Width: 297 mm
- Thickness: 1 mm



2035182 Epoxy Glass

## NOMEX PAPER 0.25MM, 5 SHEETS

包装尺寸: 5 x EA

- Material: Nomex
- Form: Sheet
- Maximum Operating Temperature: +300 °C
- Length: 304 mm
- Width: 200 mm
- Thickness: 0.25 mm
- Density: 0.96 g/cm<sup>3</sup>



7757469 Nomex

## RS PRO BLOW TORCH MT/770 MINI GAS TORCH

包装尺寸: 1 x EA

- Accessory Type: Soldering Nozzle
- For Use With: MT/770 Mini Gas Torch



467456 Soldering Nozzle

**RS PRO STEEL WIRE 0.8MM DIAMETER**

包装尺寸: 1 x EA

- Accessory Type: Steel Wire
- For Use With: MIG Welding Process
- Weight: 5 kg
- Wire Diameter: 0.8 mm



**623158** Steel Wire

**RS PRO STAINLESS STEEL WIRE 0.6MM DIAMETER**

包装尺寸: 1 x EA

- Accessory Type: Stainless Steel Wire
- For Use With: MIG Welding Process
- Weight: 0.5 kg
- Wire Diameter: 0.6 mm



**1828770** Stainless Steel

**RS PRO STAINLESS STEEL WIRE 0.8MM DIAMETER**

包装尺寸: 1 x EA

- Accessory Type: Stainless Steel Wire
- For Use With: MIG Welding Process
- Weight: 0.5 kg
- Wire Diameter: 0.8 mm



**1828786** Stainless Steel

**RS PRO WELDING CURTAIN 300MM 2M**

包装尺寸: 1 x EA

- Thickness: 2 mm
- Length: 2 m
- Width: 300 mm



**3250854** 2 mm

**COTTAM GREEN 37MM STEEL WIRE BRUSH, FOR ENGINEERING, GENERAL**

包装尺寸: 1 x EA

- Application: Engineering, General Cleaning, Rust Remover
- Brush Type: Heavy Duty Brush
- Bristle Material: Steel
- Bristle Length: 37 mm
- Number of Rows: 3
- Colour: Green



**822608** Engineering,

**COTTAM GREEN 25MM BRASS WIRE BRUSH, FOR ENGINEERING, GENERAL**

包装尺寸: 1 x EA

- Application: Engineering, General Cleaning, Rust Remover
- Brush Type: Heavy Duty Brush
- Bristle Material: Brass
- Bristle Length: 25 mm
- Brush Diameter or Width: 80 mm
- Brush Depth: 270 mm
- Number of Rows: 4
- Colour: Green



**822636** Engineering,

**COTTAM BLUE 30MM STEEL WIRE BRUSH, FOR SURFACE PREPARATION**

包装尺寸: 1 x EA

- Application: Surface Preparation
- Brush Type: Heavy Duty Brush
- Bristle Material: Steel
- Bristle Length: 30 mm
- Brush Diameter or Width: 130 mm
- Brush Depth: 280 mm
- Number of Rows: 3
- Colour: Blue



**822642** Surface

**COTTAM BLUE 30MM STEEL WIRE BRUSH, FOR SURFACE PREPARATION**

包装尺寸: 1 x EA

- Application: Surface Preparation
- Brush Type: Heavy Duty Brush
- Bristle Material: Steel
- Bristle Length: 30 mm
- Brush Diameter or Width: 130 mm
- Brush Depth: 280 mm
- Number of Rows: 4
- Colour: Blue



**822658** Surface





**RS PRO MALE 6.35MM STEREO JACK TO MALE 6.35MM STEREO JACK AUX**

包裝尺寸: 1 x EA

- Connector 1: 6.35mm Stereo Jack
- Connector 2: 6.35mm Stereo Jack
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 5 m
- Sheath Colour: Black
- Connector B: 6.35mm Stereo Jack
- Connector B Gender: Male



1924456 6.35mm Stereo

**RS PRO MALE 6.35MM STEREO JACK TO MALE 6.35MM STEREO JACK AUX**

包裝尺寸: 1 x EA

- Connector 1: 6.35mm Stereo Jack
- Connector 2: 6.35mm Stereo Jack
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 3 m
- Sheath Colour: Black
- Connector B: 6.35mm Stereo Jack
- Connector B Gender: Male



1924457 6.35mm Stereo

**RS PRO MALE 6.35MM STEREO JACK TO MALE 6.35MM STEREO JACK AUX**

包裝尺寸: 1 x EA

- Connector 1: 6.35mm Stereo Jack
- Connector 2: 6.35mm Stereo Jack
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- Sheath Colour: Black
- Connector B: 6.35mm Stereo Jack
- Connector B Gender: Male



1924458 6.35mm Stereo

**RS PRO MALE 6.35MM STEREO JACK TO MALE 6.35MM STEREO JACK AUX**

包裝尺寸: 1 x EA

- Connector 1: 6.35mm Stereo Jack
- Connector 2: 6.35mm Stereo Jack
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1 m
- Sheath Colour: Black
- Connector B: 6.35mm Stereo Jack
- Connector B Gender: Male



1924459 6.35mm Stereo

**RS PRO MALE 6.35MM STEREO JACK TO MALE 6.35MM STEREO JACK AUX**

包裝尺寸: 1 x EA

- Connector 1: 6.35mm Stereo Jack
- Connector 2: 6.35mm Stereo Jack
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 10 m
- Sheath Colour: Black
- Outer Sheath Material: PVC
- Connector B: 6.35mm Stereo Jack



1924463 6.35mm Stereo

**RS PRO MALE 6.35MM STEREO JACK TO MALE 6.35MM STEREO JACK AUX**

包裝尺寸: 1 x EA

- Connector 1: 6.35mm Stereo Jack
- Connector 2: 6.35mm Stereo Jack
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 6 m
- Sheath Colour: Black
- Connector B: 6.35mm Stereo Jack
- Connector B Gender: Male



1924464 6.35mm Stereo

**RS PRO MALE 6.35MM STEREO JACK TO MALE 6.35MM STEREO JACK AUX**

包裝尺寸: 1 x EA

- Connector 1: 6.35mm Stereo Jack
- Connector 2: 6.35mm Stereo Jack
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 5 m
- Sheath Colour: Black
- Connector B: 6.35mm Stereo Jack
- Connector B Gender: Male



1924465 6.35mm Stereo

**RS PRO MALE 6.35MM STEREO JACK TO MALE 6.35MM STEREO JACK AUX**

包裝尺寸: 1 x EA

- Connector 1: 6.35mm Stereo Jack
- Connector 2: 6.35mm Stereo Jack
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 3 m
- Sheath Colour: Black
- Connector B: 6.35mm Stereo Jack
- Connector B Gender: Male



1924466 6.35mm Stereo

**RS PRO MALE 6.35MM STEREO JACK TO MALE 6.35MM STEREO JACK AUX**

包裝尺寸: 1 x EA

- Connector 1: 6.35mm Stereo Jack
- Connector 2: 6.35mm Stereo Jack
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- Sheath Colour: Black
- Connector B: 6.35mm Stereo Jack
- Connector B Gender: Male



1924467 6.35mm Stereo

**RS PRO MALE 6.35MM STEREO JACK TO MALE 6.35MM STEREO JACK AUX**

包裝尺寸: 1 x EA

- Connector 1: 6.35mm Stereo Jack
- Connector 2: 6.35mm Stereo Jack
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1 m
- Sheath Colour: Black
- Connector B: 6.35mm Stereo Jack
- Connector B Gender: Male



1924468 6.35mm Stereo

**RS PRO MALE 6.35MM STEREO JACK TO MALE 6.35MM STEREO JACK AUX**

包裝尺寸: 1 x EA

- Connector 1: 6.35mm Stereo Jack
- Connector 2: 6.35mm Stereo Jack
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 500 mm
- Sheath Colour: Black
- Outer Sheath Material: PVC
- Connector B: 6.35mm Stereo Jack



1924469 6.35mm Stereo

**RS PRO MALE 3.5MM STEREO JACK TO MALE RCA X 2 AUX CABLE, BLACK,**

包裝尺寸: 1 x EA

- Connector 1: 3.5mm Stereo Jack
- Connector 2: RCA x 2
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 200 mm
- Sheath Colour: Black
- Outer Sheath Material: PVC
- Connector B: RCA x 2



1924470 3.5mm Stereo

**RS PRO MALE 3.5MM STEREO JACK TO FEMALE 3.5MM STEREO JACK AUX**

包裝尺寸: 1 x EA

- Connector 1: 3.5mm Stereo Jack
- Connector 2: 3.5mm Stereo Jack
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 2 m
- Connector B: 3.5mm Stereo Jack
- Connector B Gender: Female
- Connector A: 3.5mm Stereo Jack



2369050 3.5mm Stereo

**CONNECTOR, DVI-I FEMALE TO VGA MALE, ADAPTOR**

包裝尺寸: 1 x EA

- Type: Adapter
- Converts From Type: DVH
- Converts To Type: VGA
- Converts From Gender: Female
- Converts To Gender: Male
- Body Orientation: Straight
- Contact Material: Nickel Plated
- Colour: Black



489355 Adapter

**15CM HDMI M SOURCE - VGA M DISPLAY CABLE**

包裝尺寸: 1 x EA

- Type: HDMI to VGA Adapter
- Converts From Type: HDMI
- Converts To Type: VGA
- Length: 150 mm
- Converts From Gender: Male
- Converts To Gender: Female
- Colour: Black



1828478 HDMI to VGA

**RS PRO AV ADAPTER, MALE DVI TO FEMALE VGA**

包裝尺寸: 1 x EA

- Converts From Type: DVI
- Converts To Type: VGA
- Converts From Gender: Male
- Length: 55 mm
- Converts To Gender: Female
- Body Orientation: Straight
- Housing Material: PVC
- Colour: Black



1828557 DVI

**DVI-D SINGLE LINK F - HDMI M ADAPTOR - B**

包裝尺寸: 1 x EA

- Type: Video
- Converts From Type: HDMI
- Converts To Type: DVI-D
- Converts From Gender: Male
- Converts To Gender: Female
- Body Orientation: Straight
- Housing Material: PVC
- Colour: Black



1828558 Video

**RS PRO AV ADAPTER, FEMALE RCA TO MALE XLR**

包裝尺寸: 1 x EA

- Type: For sound, video and lighting equipment
- Converts From Type: RCA
- Converts To Type: XLR
- Converts From Gender: Female
- Converts To Gender: Male
- Body Orientation: Straight



1924471 For sound, video

**RS PRO AV ADAPTER, MALE RCA TO MALE XLR**

包裝尺寸: 1 x EA

- Type: For sound, video and lighting equipment
- Converts From Type: RCA
- Converts To Type: XLR
- Converts From Gender: Male
- Converts To Gender: Male
- Body Orientation: Straight
- Colour: Silver



1924472 For sound, video

**RS PRO AV ADAPTER, FEMALE XLR TO FEMALE XLR**

包裝尺寸: 1 x EA

- Type: For sound, video and lighting equipment
- Converts From Type: XLR
- Converts To Type: XLR
- Converts From Gender: Female
- Converts To Gender: Female
- Body Orientation: Straight
- Colour: Silver



1924475 For sound, video

**RS PRO AV ADAPTER, MALE 6.35 MM STEREO TO MALE XLR**

包裝尺寸: 1 x EA

- Type: For sound, video and lighting equipment
- Converts From Type: 6.35 mm Stereo
- Converts To Type: XLR
- Converts From Gender: Male
- Converts To Gender: Male
- Body Orientation: Straight



1924476 For sound, video

**RS PRO AV ADAPTER, MALE 6.35 MM STEREO TO FEMALE XLR**

包裝尺寸: 1 x EA

- Type: For sound, video and lighting equipment
- Converts From Type: 6.35 mm Stereo
- Converts To Type: XLR
- Converts From Gender: Male
- Converts To Gender: Female
- Body Orientation: Straight



1924477 For sound, video

**15CM ACTIVE DISPLAY PORT M - HDMI F**

包裝尺寸: 1 x EA

- Converts From Type: HDMI
- Converts To Type: DisplayPort
- Converts From Gender: Female
- Length: 150 mm
- Converts To Gender: Male
- Colour: Black



1954279 HDMI

**RS PRO HDMI ADAPTER, FEMALE HDMI, DVI, VGA TO MALE MINI**

包裝尺寸: 1 x EA

- Converts From Type: HDMI, DVI, VGA
- Converts To Type: Mini DisplayPort
- Converts From Gender: Female
- Length: 500 mm
- Converts To Gender: Male
- Colour: White



1954281 HDMI, DVI, VGA

**15CM HDMI M-VGA (DISPLAY) F+AUD+POWER**

包裝尺寸: 1 x EA

- Type: HDMI
- Converts From Type: HDMI
- Converts To Type: VGA
- Converts From Gender: Male
- Converts To Gender: Female



1954343 HDMI

**RS PRO AV ADAPTER, MALE VGA TO FEMALE HDMI**

包裝尺寸: 1 x EA

- Type: HDMI Splitter
- Converts From Type: VGA
- Converts To Type: HDMI
- Converts From Gender: Male
- Converts To Gender: Female
- Colour: Black



1954344 HDMI Splitter

**RS PRO ADAPTER, MALE HDMI TO FEMALE DVI-D**

包裝尺寸: 1 x EA

- End 1: Male HDMI (1)
- End 2: Female DVI-D
- Type: Adapter
- Converts From Type: HDMI
- Converts To Type: DVI-D
- Converts From Gender: Male
- Converts To Gender: Female
- Body Orientation: Straight



2206487 Male HDMI (1)

**15CM HDMI M TO VGA (DISPLAY) F - AUDIO**

包裝尺寸: 1 x EA

- Type: HDMI
- Converts From Type: HDMI
- Converts To Type: VGA
- Converts From Gender: Male
- Converts To Gender: Female



1954345 HDMI

**RS PRO HDMI ADAPTER, MALE DISPLAYPORT TO FEMALE HDMI**

包裝尺寸: 1 x EA

- Converts From Type: DisplayPort
- Converts To Type: HDMI
- Converts From Gender: Male
- Length: 15 cm
- Converts To Gender: Female
- Colour: Black



2206490 DisplayPort

**RS PRO ADAPTER DVI-D VGA**

包裝尺寸: 1 x EA

- End 1: Male DVID (1)
- End 2: Female VGA (1)
- Type: Monitor Adaptor
- Converts From Type: DVI-D
- Converts To Type: VGA



2369105 Male DVID (1)

**RS PRO ADAPTER DVI-I VGA**

包裝尺寸: 1 x EA

- End 1: Female DVI-I (1)
- End 2: VGA
- Type: Monitor Adaptor
- Converts From Type: DVI-I
- Converts To Type: VGA



2369106 Female DVI-I (1)

**RS PRO ADAPTER DVI-I DVI-I**

包裝尺寸: 1 x EA

- End 1: Female DVI-I (1)
- End 2: Female DVI (1)
- Type: Adaptor
- Converts From Type: DVI-I
- Converts To Type: DVI-I



2369107 Female DVI-I (1)

**RS PRO ADAPTER MINI HDMI HDMI**

包裝尺寸: 1 x EA

- End 1: Male Mini HDMI
- End 2: Female HDMI (1)
- Type: Adaptor
- Converts From Type: Mini HDMI
- Converts To Type: HDMI



2369122 Male Mini HDMI

**HDMI M SOURCE - SVGA F DISPLAY ADAPTOR**

包裝尺寸: 1 x EA

- End 1: Male HDMI (1)
- End 2: Female VGA (1)
- Type: Display Adaptor
- Converts From Type: HDMI
- Converts To Type: VGA



2369126 Male HDMI (1)

**RS PRO MALE TV AERIAL CONNECTOR TO MALE TV AERIAL CONNECTOR TV**

包裝尺寸: 1 x EA

- Terminated/Unterminated: Terminated
- Connector 1: TV Aerial Connector
- Connector 2: TV Aerial Connector
- Coaxial Type: RF
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Outer Diameter: 5 mm
- Characteristic Impedance: 75 Ω



1924478 Terminated

**RS PRO MALE TV AERIAL CONNECTOR TO MALE TV AERIAL CONNECTOR TV**

包裝尺寸: 1 x EA

- Connector 1: TV Aerial Connector
- Terminated/Unterminated: Terminated
- Coaxial Type: RF
- Connector 2: TV Aerial Connector
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Outer Diameter: 5 mm
- Characteristic Impedance: 75 Ω



1924482 TV Aerial

**RS PRO MALE TV AERIAL CONNECTOR TO MALE TV AERIAL CONNECTOR TV**

包裝尺寸: 1 x EA

- Terminated/Unterminated: Terminated
- Connector 1: TV Aerial Connector
- Connector 2: TV Aerial Connector
- Coaxial Type: RF
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Outer Diameter: 5 mm
- Characteristic Impedance: 75 Ω



1924483 Terminated

**RS PRO MALE TV AERIAL CONNECTOR TO MALE TV AERIAL CONNECTOR TV**

包裝尺寸: 1 x EA

- Connector 1: TV Aerial Connector
- Terminated/Unterminated: Terminated
- Connector 2: TV Aerial Connector
- Coaxial Type: RF
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Outer Diameter: 5 mm
- Characteristic Impedance: 75 Ω



1924484 TV Aerial

**RS PRO MALE TV AERIAL CONNECTOR TO MALE TV AERIAL CONNECTOR TV**

包裝尺寸: 1 x EA

- Terminated/Unterminated: Terminated
- Connector 1: TV Aerial Connector
- Connector 2: TV Aerial Connector
- Coaxial Type: RF
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Outer Diameter: 5 mm
- Characteristic Impedance: 75 Ω



1924485 Terminated

**RS PRO MALE TV AERIAL CONNECTOR TO MALE TV AERIAL CONNECTOR TV**

包裝尺寸: 1 x EA

- Terminated/Unterminated: Terminated
- Connector 1: TV Aerial Connector
- Connector 2: TV Aerial Connector
- Coaxial Type: RF
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Outer Diameter: 5 mm
- Characteristic Impedance: 75 Ω



1924486 Terminated

**RS PRO MALE TV AERIAL CONNECTOR TO MALE TV AERIAL CONNECTOR TV**

包裝尺寸: 1 x EA

- Connector 1: TV Aerial Connector
- Terminated/Unterminated: Terminated
- Coaxial Type: RF
- Connector 2: TV Aerial Connector
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Outer Diameter: 5 mm
- Characteristic Impedance: 75 Ω



1924487 TV Aerial

**RS PRO MALE TV AERIAL CONNECTOR TO MALE TV AERIAL CONNECTOR TV**

包裝尺寸: 1 x EA

- Terminated/Unterminated: Terminated
- Connector 1: TV Aerial Connector
- Connector 2: TV Aerial Connector
- Coaxial Type: RF
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Outer Diameter: 5 mm
- Characteristic Impedance: 75 Ω



1924488 Terminated

**RS PRO MALE TV AERIAL CONNECTOR TO MALE TV AERIAL CONNECTOR TV**

包裝尺寸: 1 x EA

- Terminated/Unterminated: Terminated
- Connector 1: TV Aerial Connector
- Connector 2: TV Aerial Connector
- Coaxial Type: RF
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Outer Diameter: 5 mm
- Characteristic Impedance: 75 Ω



1924491 Terminated

**RS PRO MALE TV AERIAL CONNECTOR TO MALE TV AERIAL CONNECTOR TV**

包裝尺寸: 1 x EA

- Terminated/Unterminated: Terminated
- Connector 1: TV Aerial Connector
- Connector 2: TV Aerial Connector
- Coaxial Type: RF
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Outer Diameter: 5 mm
- Characteristic Impedance: 75 Ω



1924492 Terminated

**RS PRO MALE TV AERIAL CONNECTOR TO MALE TV AERIAL CONNECTOR TV**

包裝尺寸: 1 x EA

- Terminated/Unterminated: Terminated
- Connector 1: TV Aerial Connector
- Connector 2: TV Aerial Connector
- Coaxial Type: RF
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Outer Diameter: 5 mm
- Characteristic Impedance: 75 Ω



1924495 Terminated

**RS PRO MALE TV AERIAL CONNECTOR TO MALE TV AERIAL CONNECTOR TV**

包裝尺寸: 1 x EA

- Terminated/Unterminated: Terminated
- Connector 1: TV Aerial Connector
- Connector 2: TV Aerial Connector
- Coaxial Type: RF
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Outer Diameter: 5 mm
- Characteristic Impedance: 75 Ω



1924500 Terminated

**GENDER,CHANGER,MIN,9-25 WAY,ADAPTOR,MALE-MALE,SP/SP**

包裝尺寸: 1 x EA

- Converts From Gender: Male
- Converts From Type: 9 Way D-Sub
- Converts To Gender: Male
- Converts To Type: 25 Way D-Sub



218251 Male

**RS PRO D-SUB ADAPTER FEMALE 9 WAY D-SUB TO MALE 25 WAY D-SUB**

包裝尺寸: 1 x EA

- Converts From Gender: Female
- Converts From Type: 9 Way D-Sub
- Converts To Gender: Male
- Converts To Type: 25 Way D-Sub



218273 Female

**RS PRO D-SUB ADAPTER MALE 9 WAY D-SUB TO FEMALE 25 WAY D-SUB**

包裝尺寸: 1 x EA

- Converts From Gender: Male
- Converts From Type: 9 Way D-Sub
- Converts To Gender: Female
- Converts To Type: 25 Way D-Sub



218289 Male

**GENDER,CHANGER,MIN,9-25 WAY,ADAPTOR,MALE-FEMALE,LP/SP**

包裝尺寸: 1 x EA

- Converts From Gender: Male
- Converts From Type: 9 Way D-Sub
- Converts To Gender: Female
- Converts To Type: 25 Way D-Sub



174763 Male

**ADAPTOR,THUMBSCREW,9 WAY,F THUMBSCREW,25 WAY M**

包裝尺寸: 1 x EA

- Converts From Gender: Female
- Converts From Type: 9 Way D-Sub
- Converts To Gender: Male
- Converts To Type: 25 Way D-Sub



210100♀ Female

**RS PRO D-SUB ADAPTER FEMALE 9 WAY D-SUB TO FEMALE 25 WAY D-**

包裝尺寸: 1 x EA

- Converts From Gender: Female
- Converts From Type: 9 Way D-Sub
- Converts To Gender: Female
- Converts To Type: 25 Way D-Sub



2101010 Female

**RS PRO D-SUB ADAPTER MALE 15 WAY D-SUB TO FEMALE 15 WAY D-SUB**

包裝尺寸: 1 x EA

- Converts From Gender: Male
- Converts From Type: 15 Way D-Sub
- Converts To Gender: Female
- Converts To Type: 15 Way D-Sub



2338925 Male

**SUB-D HD15F/15F CHANGER**

包裝尺寸: 1 x EA

- Converts From Gender: Female
- Converts From Type: VGA
- Converts To Gender: Female
- Converts To Type: VGA



4081924 Female

**RS PRO MALE MINI DISPLAYPORT TO MALE HDMI CABLE, 4.5M**

包裝尺寸: 1 x EA

- Connector 1: Mini DisplayPort
- Connector 2: HDMI
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 4.5 m
- Outer Sheath Material: PVC
- Sheath Colour: Black
- Shielding: Shielded



1448608 Mini DisplayPort

**RS PRO MALE DISPLAYPORT TO MALE HDMI CABLE, 1080P, 5M**

包裝尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: HDMI
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 5 m
- Maximum Resolution: 1080p
- Outer Sheath Material: PVC
- Sheath Colour: Black



1828791 DisplayPort

**RS PRO MALE DISPLAYPORT TO MALE HDMI CABLE, 4K, 3M**

包裝尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: HDMI
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 3 m
- Maximum Resolution: 4K
- Connector B: HDMI
- Connector B Gender: Male



1828921 DisplayPort

**RS PRO MALE MINI DISPLAYPORT TO MALE DISPLAYPORT CABLE, 4K, 1M**

包裝尺寸: 1 x EA

- Connector 1: Mini DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1 m
- Maximum Resolution: 4K
- Outer Sheath Material: PVC
- Sheath Colour: Black



1863018 Mini DisplayPort

**RS PRO MALE MINI DISPLAYPORT TO MALE DISPLAYPORT CABLE, 1080P,**

包裝尺寸: 1 x EA

- Connector 1: Mini DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 5 m
- Maximum Resolution: 1080p
- Outer Sheath Material: PVC
- Sheath Colour: Black



1863019 Mini DisplayPort

**RS PRO MALE DISPLAYPORT TO MALE DISPLAYPORT CABLE, 4K, 500MM**

包裝尺寸: 1 x EA

- Connector 1: Mini DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 500 mm
- Maximum Resolution: 4K
- Outer Sheath Material: PVC
- Sheath Colour: Black



1863022 DisplayPort

**RS PRO MALE DISPLAYPORT TO MALE HDMI CABLE, 4K, 1M**

包裝尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: HDMI
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1 m
- Maximum Resolution: 4K
- Outer Sheath Material: PVC
- Sheath Colour: Black



1863034 DisplayPort

**RS PRO MALE DISPLAYPORT TO MALE HDMI CABLE, 1080P, 2M**

包裝尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: HDMI
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- Maximum Resolution: 1080p
- Outer Sheath Material: PVC
- Sheath Colour: Black



1863035 DisplayPort

**RS PRO MALE DISPLAYPORT TO MALE HDMI CABLE, 1080P, 3M**

包裝尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: HDMI
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 3 m
- Maximum Resolution: 1080p
- Outer Sheath Material: PVC
- Sheath Colour: Black



1863036 DisplayPort

**RS PRO MALE DISPLAYPORT TO MALE VGA CABLE, 1080P, 1M**

包裝尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: VGA
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1 m
- Maximum Resolution: 1080p
- Outer Sheath Material: PVC
- Sheath Colour: Black



1863037 DisplayPort



**RS PRO MALE DISPLAYPORT TO MALE VGA CABLE, 1080P, 2M**

包装尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: VGA
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- Maximum Resolution: 1080p
- Outer Sheath Material: PVC
- Sheath Colour: Black



1863038 DisplayPort

**RS PRO MALE DISPLAYPORT TO MALE VGA CABLE, 1080P, 3M**

包装尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: VGA
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 3 m
- Maximum Resolution: 1080p
- Outer Sheath Material: PVC
- Sheath Colour: Black



1863039 DisplayPort

**RS PRO MALE DISPLAYPORT TO MALE VGA CABLE, 1080P, 5M**

包装尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: VGA
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 5 m
- Maximum Resolution: 1080p
- Outer Sheath Material: PVC
- Sheath Colour: Black



1863040 DisplayPort

**RS PRO MALE MINI DISPLAYPORT TO MALE MINI DISPLAYPORT CABLE, 4K,**

包装尺寸: 1 x EA

- Connector 1: Mini DisplayPort
- Connector 2: Mini DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 500 mm
- Maximum Resolution: 4K
- Outer Sheath Material: PVC
- Sheath Colour: Black



1863041 Mini DisplayPort

**RS PRO MALE MINI DISPLAYPORT TO MALE MINI DISPLAYPORT CABLE,**

包装尺寸: 1 x EA

- Connector 1: Mini DisplayPort
- Connector 2: Mini DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1 m
- Maximum Resolution: 1080p
- Outer Sheath Material: PVC
- Sheath Colour: Black



1863042 Mini DisplayPort

**RS PRO MALE MINI DISPLAYPORT TO MALE VGA CABLE, 1080P, 1M**

包装尺寸: 1 x EA

- Connector 1: Mini DisplayPort
- Connector 2: VGA
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1 m
- Maximum Resolution: 1080p
- Outer Sheath Material: PVC
- Sheath Colour: Black



1863044 Mini DisplayPort

**RS PRO MALE MINI DISPLAYPORT TO MALE DVI-D DUAL LINK CABLE, 4K, 1M**

包装尺寸: 1 x EA

- Connector 1: Mini DisplayPort
- Connector 2: DVI-D Dual Link
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1 m
- Maximum Resolution: 4K
- Outer Sheath Material: PVC
- Sheath Colour: Black



1863047 Mini DisplayPort

**RS PRO MALE MINI DISPLAYPORT TO MALE DVI-D DUAL LINK CABLE, 1080P,**

包装尺寸: 1 x EA

- Connector 1: Mini DisplayPort
- Connector 2: DVI-D Dual Link
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- Maximum Resolution: 1080p
- Outer Sheath Material: PVC
- Sheath Colour: Black



1863049 Mini DisplayPort

**RS PRO MALE MINI DISPLAYPORT TO MALE DVI-D DUAL LINK CABLE, 1080P,**

包装尺寸: 1 x EA

- Connector 1: Mini DisplayPort
- Connector 2: DVI-D Dual Link
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 3 m
- Maximum Resolution: 1080p
- Outer Sheath Material: PVC
- Sheath Colour: Black



1863050 Mini DisplayPort

**RS PRO MALE MINI DISPLAYPORT TO MALE DISPLAYPORT CABLE, 4K, 1M**

包装尺寸: 1 x EA

- Connector 1: Mini DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1 m
- Maximum Resolution: 4K
- Outer Sheath Material: PVC
- Sheath Colour: White



1863059 Mini DisplayPort

**RS PRO MALE MINI DISPLAYPORT TO MALE DISPLAYPORT CABLE, 4K, 2M**

包装尺寸: 1 x EA

- Connector 1: Mini DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- Maximum Resolution: 4K
- Outer Sheath Material: PVC
- Sheath Colour: White



1863060 Mini DisplayPort

**RS PRO MALE MINI DISPLAYPORT TO MALE DISPLAYPORT CABLE, 1080P,**

包装尺寸: 1 x EA

- Connector 1: Mini DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 3 m
- Maximum Resolution: 1080p
- Outer Sheath Material: PVC
- Sheath Colour: White



1863061 Mini DisplayPort

**RS PRO MALE MINI DISPLAYPORT TO MALE DISPLAYPORT CABLE, 1080P,**

包装尺寸: 1 x EA

- Connector 1: Mini DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 5 m
- Maximum Resolution: 1080p
- Outer Sheath Material: PVC
- Sheath Colour: White



1863062 Mini DisplayPort

**RS PRO MALE MINI DISPLAYPORT TO MALE MINI DISPLAYPORT CABLE, 4K,**

包装尺寸: 1 x EA

- Connector 1: Mini DisplayPort
- Connector 2: Mini DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- Maximum Resolution: 4K
- Outer Sheath Material: PVC
- Connector B: Mini DisplayPort



1924520 Mini DisplayPort

**RS PRO MALE MINI DISPLAYPORT TO MALE MINI DISPLAYPORT CABLE,**

包装尺寸: 1 x EA

- Connector 1: Mini DisplayPort
- Connector 2: Mini DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 3 m
- Maximum Resolution: 1080p
- Outer Sheath Material: PVC
- Connector B: Mini DisplayPort



1924521 Mini DisplayPort

**RS PRO MALE DISPLAYPORT TO FEMALE MINI DISPLAYPORT CABLE,**

包装尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: Mini DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 36.5 mm
- Connector B: Mini DisplayPort
- Connector B Gender: Female
- Connector A: DisplayPort



1924522 DisplayPort

**RS PRO MALE USB C TO MALE DISPLAYPORT CABLE, 4K, 2M**

包装尺寸: 1 x EA

- Connector 1: USB C
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- Maximum Resolution: 4K
- Outer Sheath Material: PVC
- Connector B: DisplayPort



1924680 USB C

**RS PRO MALE DISPLAYPORT TO MALE USB C CABLE, 4K, 3M**

包装尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: USB C
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 3 m
- Maximum Resolution: 4K
- Outer Sheath Material: PVC
- Connector B: USB C



1924681 DisplayPort

**RS PRO MALE USB C TO MALE DISPLAYPORT CABLE, 4K, 5M**

包装尺寸: 1 x EA

- Connector 1: USB C
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 5 m
- Maximum Resolution: 4K
- Outer Sheath Material: PVC
- Connector B: DisplayPort



1924682 USB C

**RS PRO MALE MINI DISPLAYPORT TO MALE DISPLAYPORT CABLE, 8K,**

包装尺寸: 1 x EA

- Connector 1: Mini DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 500 mm
- Maximum Resolution: 8K
- Connector B: DisplayPort
- Connector B Gender: Male



1954903 Mini DisplayPort

**RS PRO MALE MINI DISPLAYPORT TO MALE DISPLAYPORT CABLE, 8K, 1M**

包装尺寸: 1 x EA

- Connector 1: Mini DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1 m
- Maximum Resolution: 8K
- Connector B: DisplayPort
- Connector B Gender: Male



1954904 Mini DisplayPort

**RS PRO MALE MINI DISPLAYPORT TO MALE DISPLAYPORT CABLE, 8K, 2M**

包装尺寸: 1 x EA

- Connector 1: Mini DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- Maximum Resolution: 8K
- Connector B: DisplayPort
- Connector B Gender: Male



1954905 Mini DisplayPort

**RS PRO MALE DISPLAYPORT TO MALE DISPLAYPORT CABLE, 8K, 500MM**

包装尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 500 mm
- Maximum Resolution: 8K
- Connector B: DisplayPort
- Connector B Gender: Male



1954906 DisplayPort

**RS PRO MALE DISPLAYPORT TO MALE DISPLAYPORT CABLE, 8K, 1M**

包装尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1 m
- Maximum Resolution: 8K
- Connector B: DisplayPort
- Connector B Gender: Male



1954907 DisplayPort

**RS PRO MALE DISPLAYPORT TO MALE DISPLAYPORT CABLE, 8K, 2M**

包装尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- Maximum Resolution: 8K
- Connector B: DisplayPort
- Connector B Gender: Male



1954909 DisplayPort

**RS PRO MALE DISPLAYPORT TO MALE USB C CABLE, 8K, 1M**

包装尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: USB C
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- DisplayPort Version: 1.4
- Length: 1 m
- Maximum Resolution: 8K
- Connector B: USB C



2299974 DisplayPort

**RS PRO MALE DISPLAYPORT TO MALE DISPLAYPORT CABLE, 8K, 3M**

包装尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 3 m
- Maximum Resolution: 8K
- Connector B: DisplayPort
- Connector B Gender: Male



1954910 DisplayPort

**RS PRO MALE DISPLAYPORT TO MALE USB C CABLE, 8K, 2M**

包装尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: USB C
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- DisplayPort Version: 1.4
- Length: 2 m
- Maximum Resolution: 8K
- Connector B: USB C



2299975 DisplayPort

**RS PRO MALE DISPLAYPORT TO MALE USB C CABLE, 1M**

包装尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: USB C
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- DisplayPort Version: 1.2
- Length: 1 m
- Connector B: USB C
- Connector B Gender: Male



2299979 DisplayPort

**RS PRO MALE DISPLAYPORT TO MALE DISPLAYPORT CABLE, 4K, 2M**

包装尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- DisplayPort Version: 1.2
- Length: 2 m
- Maximum Resolution: 4K
- Shielding: Braid



2369095 DisplayPort

**RS PRO MALE DISPLAYPORT TO MALE DISPLAYPORT CABLE, 4K, 3M**

包装尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- DisplayPort Version: 1.2
- Length: 3 m
- Maximum Resolution: 4K
- Shielding: Braid



2369096 DisplayPort

**RS PRO MALE DISPLAYPORT TO MALE DISPLAYPORT CABLE, 4K, 5M**

包装尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- DisplayPort Version: 1.2
- Length: 5 m
- Maximum Resolution: 4K
- Shielding: Braid



2369097 DisplayPort

**RS PRO MALE DISPLAYPORT TO MALE DISPLAYPORT CABLE, 8K, 500MM**

包装尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- DisplayPort Version: 1.4
- Length: 500 mm
- Maximum Resolution: 8K
- Connector B: DisplayPort



2369101 DisplayPort

**RS PRO MALE DISPLAYPORT TO MALE DISPLAYPORT CABLE, 8K, 1M**

包装尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- DisplayPort Version: 1.4
- Length: 1 m
- Maximum Resolution: 8K
- Connector B: DisplayPort



2369102 DisplayPort

**RS PRO MALE DISPLAYPORT TO MALE DISPLAYPORT CABLE, 8K, 2M**

包装尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- DisplayPort Version: 1.4
- Length: 2 m
- Maximum Resolution: 8K
- Connector B: DisplayPort



2369103 DisplayPort

**RS PRO MALE DISPLAYPORT TO MALE DISPLAYPORT CABLE, 8K, 3M**

包装尺寸: 1 x EA

- Connector 1: DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- DisplayPort Version: 1.4
- Length: 3 m
- Maximum Resolution: 8K
- Connector B: DisplayPort



2369104 DisplayPort

**RS PRO MALE HDMI TO FEMALE DISPLAYPORT CABLE, 1080P, 150MM**

包装尺寸: 1 x EA

- Connector 1: HDMI
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- DisplayPort Version: 1.2
- Length: 150 mm
- Maximum Resolution: 1080P
- Connector B: DisplayPort



2369124 HDMI

**RS PRO MALE MINI DISPLAYPORT TO FEMALE DISPLAYPORT CABLE, 4K,**

包装尺寸: 1 x EA

- Connector 1: Mini DisplayPort
- Connector 2: DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- DisplayPort Version: 1.2
- Length: 150 mm
- Maximum Resolution: 4K
- Connector B: DisplayPort



2369125 Mini DisplayPort

**RS PRO, MALE DVI-D SINGLE LINK TO MALE DVI-D SINGLE LINK CABLE, 1M**

包装尺寸: 1 x EA

- Connector 1: DVI-D Single Link
- Connector 2: DVI-D Single Link
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1 m
- Outer Sheath Material: PVC
- Sheath Colour: Black
- Size of Strands: 30 AWG



1863023 DVI-D Single Link

**RS PRO, MALE DVI-D SINGLE LINK TO MALE DVI-D SINGLE LINK CABLE, 2M**

包装尺寸: 1 x EA

- Connector 1: DVI-D Single Link
- Connector 2: DVI-D Single Link
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- Outer Sheath Material: PVC
- Sheath Colour: Black
- Size of Strands: 30 AWG



1863024 DVI-D Single Link

**RS PRO, MALE DVI-D SINGLE LINK TO MALE DVI-D SINGLE LINK CABLE, 3M**

包装尺寸: 1 x EA

- Connector 1: DVI-D Single Link
- Connector 2: DVI-D Single Link
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 3 m
- Outer Sheath Material: PVC
- Sheath Colour: Black
- Size of Strands: 30 AWG



1863025 DVI-D Single Link

**RS PRO, MALE DVI-D SINGLE LINK TO MALE DVI-D SINGLE LINK CABLE, 10M**

包装尺寸: 1 x EA

- Connector 1: DVI-D Single Link
- Connector 2: DVI-D Single Link
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 10 m
- Outer Sheath Material: PVC
- Sheath Colour: Black
- Size of Strands: 30 AWG



1863027 DVI-D Single Link

**RS PRO, MALE DVI-D DUAL LINK TO FEMALE HDMI CABLE, 150MM**

包装尺寸: 1 x EA

- Connector 1: DVI-D Dual Link
- Connector 2: HDMI
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 150 mm
- Connector B: HDMI
- Connector B Gender: Female
- Connector A: DVI-D



2369108 DVI-D Dual Link

**RS PRO, MALE DVI-D DUAL LINK TO MALE DVI-D DUAL LINK CABLE, 15M**

包装尺寸: 1 x EA

- Connector 1: DVI-D Dual Link
- Connector 2: DVI-D Dual Link
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 15 m
- Connector B: DVI-D
- Connector B Gender: Male
- Connector A: DVI-D



2369111 DVI-D Dual Link

**RS PRO, MALE DVI-D DUAL LINK TO FEMALE DVI-D DUAL LINK CABLE, 2M**

包装尺寸: 1 x EA

- Connector 1: DVI-D Dual Link
- Connector 2: DVI-D Dual Link
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 2 m
- Connector B: DVI-D
- Connector B Gender: Female
- Connector A: DVI-D



2369114 DVI-D Dual Link

**RS PRO CAT6 MALE RJ45 TO MALE RJ45 ETHERNET CABLE, WHITE, 2M**

包装尺寸: 1 x EA

- Connector 1: RJ45
- LAN Category: Cat6
- Terminated/Unterminated: Terminated
- Connector 2: RJ45
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Wiring Configuration: Straight Through
- Length: 2 m



2369132 RJ45

**RS PRO CAT6 MALE RJ45 TO MALE RJ45 ETHERNET CABLE, PURPLE, 2M**

包装尺寸: 1 x EA

- Connector 1: RJ45
- LAN Category: Cat6
- Terminated/Unterminated: Terminated
- Connector 2: RJ45
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Wiring Configuration: Straight Through
- Length: 2 m



2369131 RJ45

**RS PRO FEMALE FIREWIRE TO FEMALE FIREWIRE CABLE, GREY, 2M**

包装尺寸: 1 x EA

- Connector 1: Firewire
- Connector 2: Firewire
- Connector 1 Gender: Female
- Connector 2 Gender: Female
- Length: 2 m
- Sheath Colour: Grey
- Shielding: Shielded
- Connector B: Female



3319329 Firewire

**RS PRO MALE HDMI TO MALE HDMI CABLE, 1M**

- 包装尺寸: 1 x EA
- Connector 1: HDMI
  - Connector 2: HDMI
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 1 m
  - Sheath Colour: Black
  - HDMI Version: High Speed
  - Standards Met: UL 20276



1212779 HDMI

**RS PRO MALE HDMI TO MALE HDMI CABLE, 2M**

- 包装尺寸: 1 x EA
- Connector 1: HDMI
  - Connector 2: HDMI
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 2 m
  - Sheath Colour: Black
  - HDMI Version: High Speed
  - Standards Met: UL 20276



1212780 HDMI

**RS PRO MALE HDMI TO MALE HDMI CABLE, 3M**

- 包装尺寸: 1 x EA
- Connector 1: HDMI
  - Connector 2: HDMI
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 3 m
  - Sheath Colour: Black
  - HDMI Version: High Speed
  - Standards Met: UL 20276



1212781 HDMI

**RS PRO MALE HDMI TO MALE HDMI CABLE, 5M**

- 包装尺寸: 1 x EA
- Connector 1: HDMI
  - Connector 2: HDMI
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 5 m
  - Sheath Colour: Black
  - HDMI Version: High Speed
  - Standards Met: UL 20276



1212782 HDMI

**RS PRO MALE HDMI TO MALE HDMI CABLE, 10M**

- 包装尺寸: 1 x EA
- Connector 1: HDMI
  - Connector 2: HDMI
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 10 m
  - Sheath Colour: Black
  - HDMI Version: High Speed
  - Standards Met: UL 20276



1212783 HDMI

**RS PRO 4K MALE HDMI TO MALE HDMI CABLE, 500MM**

- 包装尺寸: 1 x EA
- Connector 1: HDMI
  - Connector 2: HDMI
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Maximum Resolution: 4K
  - Length: 500 mm
  - Sheath Colour: Black
  - Outer Sheath Material: PVC



1828768 HDMI

**RS PRO 4K MALE HDMI TO MALE DVI-D SINGLE LINK CABLE, 20M**

- 包装尺寸: 1 x EA
- Connector 1: HDMI
  - Connector 2: DVI-D Single Link
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Maximum Resolution: 4K
  - Length: 20 m
  - Sheath Colour: Black
  - Outer Sheath Material: PVC



1863028 HDMI

**RS PRO MALE HDMI TO MALE VGA CABLE, 1M**

- 包装尺寸: 1 x EA
- Connector 1: HDMI
  - Connector 2: VGA
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 1 m
  - Connector B: VGA
  - Connector B Gender: Male
  - Connector A: HDMI



1924517 HDMI

**RS PRO MALE HDMI TO MALE VGA CABLE, 1M**

- 包装尺寸: 1 x EA
- Connector 1: HDMI
  - Connector 2: VGA
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 1 m
  - Connector B: VGA
  - Connector B Gender: Male
  - Connector A: HDMI



1924515 HDMI

**RS PRO MALE HDMI TO MALE VGA CABLE, 1.8M**

- 包装尺寸: 1 x EA
- Connector 1: HDMI
  - Connector 2: VGA
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 1.8 m
  - Connector B: VGA
  - Connector B Gender: Male
  - Connector A: HDMI



1924518 HDMI

**RS PRO 8K MALE HDMI TO MALE HDMI CABLE, 500MM**

- 包装尺寸: 1 x EA
- Connector 1: HDMI
  - Connector 2: HDMI
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Maximum Resolution: 8K
  - Length: 500 mm
  - Connector B: HDMI
  - Connector B Gender: Male



1954882 HDMI

**RS PRO 8K MALE HDMI TO MALE HDMI CABLE, 500MM**

- 包装尺寸: 1 x EA
- Connector 1: HDMI
  - Connector 2: HDMI
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Maximum Resolution: 8K
  - Length: 500 mm
  - Connector B: HDMI
  - Connector B Gender: Male



1954883 HDMI

**RS PRO 8K MALE HDMI TO MALE HDMI CABLE, 500MM**

- 包装尺寸: 1 x EA
- Connector 1: HDMI
  - Connector 2: HDMI
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Maximum Resolution: 8K
  - Length: 500 mm
  - Connector B: HDMI
  - Connector B Gender: Male



1954884 HDMI

**RS PRO 8K MALE HDMI TO MALE HDMI CABLE, 1M**

- 包装尺寸: 1 x EA
- Connector 1: HDMI
  - Connector 2: HDMI
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Maximum Resolution: 8K
  - Length: 1 m
  - Connector B: HDMI
  - Connector B Gender: Male



1954887 HDMI

**RS PRO 8K MALE HDMI TO MALE HDMI CABLE, 500MM**

- 包装尺寸: 1 x EA
- Connector 1: HDMI
  - Connector 2: HDMI
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Maximum Resolution: 8K
  - Length: 500 mm
  - Connector B: HDMI
  - Connector B Gender: Male



1954886 HDMI

**RS PRO 8K MALE HDMI TO MALE HDMI CABLE, 1M**

- 包装尺寸: 1 x EA
- Connector 1: HDMI
  - Connector 2: HDMI
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Maximum Resolution: 8K
  - Length: 1 m
  - Connector B: HDMI
  - Connector B Gender: Male



1954888 HDMI



**RS PRO 4K MALE HDMI TO MALE HDMI CABLE, 3M**

- 包装尺寸: 1 x EA
- Connector 1: HDMI
  - Connector 2: HDMI
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Maximum Resolution: 4K
  - Length: 3 m
  - Connector B: HDMI
  - Connector B Gender: Male



2369091 HDMI

**RS PRO 1080 MALE HDMI TO MALE DVI-D DUAL LINK CABLE, 1.5M**

- 包装尺寸: 1 x EA
- Connector 1: HDMI
  - Connector 2: DVI-D Dual Link
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Maximum Resolution: 1080
  - Length: 1.5 m
  - Connector B: DVI-D
  - Connector B Gender: Male



2369113 HDMI

**RS PRO 4K MALE HDMI TO MALE MICRO HDMI CABLE, 3M**

- 包装尺寸: 1 x EA
- Connector 1: HDMI
  - Connector 2: Micro HDMI
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - HDMI Cable Speed: High Speed
  - Maximum Resolution: 4K
  - Length: 3 m
  - Connector B: Micro HDMI



2369116 HDMI

**RS PRO 4K MALE HDMI TO MALE MICRO HDMI CABLE, 5M**

- 包装尺寸: 1 x EA
- Connector 1: HDMI
  - Connector 2: Micro HDMI
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - HDMI Cable Speed: High Speed
  - Maximum Resolution: 4K
  - Length: 5 m
  - Connector B: Micro HDMI



2369117 HDMI

**RS PRO MALE HDMI TO MALE HDMI CABLE, 10M**

- 包装尺寸: 1 x EA
- Connector 1: HDMI
  - Connector 2: HDMI
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 10 m
  - Sheath Colour: Black
  - Series: Thin Wire
  - Connector B: HDMI



8525257 HDMI

**RS PRO MALE HDMI TO MALE HDMI CABLE, 3M**

- 包装尺寸: 1 x EA
- Connector 1: HDMI
  - Connector 2: HDMI
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 3 m
  - Sheath Colour: Black
  - Connector B: HDMI
  - Connector B Gender: Male



8525273 HDMI

**RS PRO MALE HDMI TO MALE HDMI CABLE, 1M**

- 包装尺寸: 1 x EA
- Connector 1: HDMI
  - Connector 2: HDMI
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 1 m
  - Sheath Colour: Black
  - Connector B: HDMI
  - Connector B Gender: Male



8525279 HDMI

**RS PRO MALE HDMI TO MALE HDMI CABLE, 5M**

- 包装尺寸: 1 x EA
- Connector 1: HDMI
  - Connector 2: HDMI
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 5 m
  - Sheath Colour: Black
  - Connector B: HDMI
  - Connector B Gender: Male



8525282 HDMI

**RS PRO MALE HDMI TO MALE HDMI CABLE, 10M**

- 包装尺寸: 1 x EA
- Connector 1: HDMI
  - Connector 2: HDMI
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 10 m
  - Sheath Colour: Black
  - Connector B: HDMI
  - Connector B Gender: Male



8525285 HDMI

**RS PRO MALE HDMI TO MALE HDMI CABLE, 7.5M**

- 包装尺寸: 1 x EA
- Connector 1: HDMI
  - Connector 2: HDMI
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 7.5 m
  - Sheath Colour: Black
  - Series: Thin Wire
  - Connector B: HDMI



9134821 HDMI

**RS PRO MALE HDMI TO MALE HDMI CABLE, 7.5M**

- 包装尺寸: 1 x EA
- Connector 1: HDMI
  - Connector 2: HDMI
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 7.5 m
  - Sheath Colour: White
  - Connector B: HDMI
  - Connector B Gender: Male



9134828 HDMI

**RS PRO MALE HDMI TO MALE HDMI CABLE, 7.5M**

- 包装尺寸: 1 x EA
- Connector 1: HDMI
  - Connector 2: HDMI
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 7.5 m
  - Sheath Colour: Black
  - Connector B: HDMI
  - Connector B Gender: Male



9134834 HDMI

**RS PRO MALE HDMI TO MALE HDMI CABLE, 7.5M**

- 包装尺寸: 1 x EA
- Connector 1: HDMI
  - Connector 2: HDMI
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 7.5 m
  - Sheath Colour: Grey
  - Connector B: HDMI
  - Connector B Gender: Male



9134846 HDMI

**RS PRO MALE HDMI TO MALE HDMI CABLE, 3M**

- 包装尺寸: 1 x EA
- Connector 1: HDMI
  - Connector 2: HDMI
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 3 m
  - Sheath Colour: Blue
  - Size of Strands: 30 AWG
  - Shielding: Braid



9134859 HDMI

**RS PRO MALE HDMI TO MALE HDMI CABLE, 7.5M**

- 包装尺寸: 1 x EA
- Connector 1: HDMI
  - Connector 2: HDMI
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 7.5 m
  - Sheath Colour: Blue
  - Size of Strands: 30 AWG
  - Shielding: Braid



9134856 HDMI

**RS PRO MALE HDMI TO MALE HDMI CABLE, 7.5M**

- 包装尺寸: 1 x EA
- Connector 1: HDMI
  - Connector 2: HDMI
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 7.5 m
  - Sheath Colour: Red
  - Size of Strands: 30 AWG
  - Shielding: Braid



9134871 HDMI

**RS PRO MALE HDMI TO MALE HDMI CABLE, 7.5M**

包装尺寸: 1 x EA

- Connector 1: HDMI
- Connector 2: HDMI
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 7.5 m
- Sheath Colour: Green
- Size of Strands: 30 AWG
- Shielding: Braid



9134880 HDMI

**RS PRO MALE HDMI TO MALE HDMI CABLE, 2M**

包装尺寸: 1 x EA

- Connector 1: HDMI
- Connector 2: HDMI
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- Sheath Colour: Black
- Size of Strands: 0.23 mm
- Outer Sheath Material: PVC



9134975 HDMI

**RS PRO EARPHONES WITH BUILT IN MICROPHONE**

包装尺寸: 1 x EA

- Headphone Type: Earphones with Built in Microphone



1954876 Earphones with

**RS PRO BLACK, RED WIRED ON EAR HEADSET**

包装尺寸: 1 x EA

- Headphone Type: On Ear Headset
- Wired/Wireless: Wired
- Colour: Black, Red
- Connectivity: Jack Plug



2013520 On Ear Headset

**RS PRO WHITE WIRED ON EAR HEADSET**

包装尺寸: 1 x EA

- Headphone Type: On Ear Headset
- Wired/Wireless: Wired
- Colour: White
- Connectivity: Jack Plug



2013523 On Ear Headset

**RS PRO 3 A DVI-I TO MALE DVI-I CABLE**

包装尺寸: 1 x EA

- Connector A: DVI-I
- Connector A Gender: Female
- Connector B: DVI-I
- Connector B Gender: Male
- Current Rating: 3 A
- Outer Sheath Material: PVC
- Sheath Colour: Black



489343 DVI-I

**RS PRO BLACK WIRED ON EAR HEADSET**

包装尺寸: 1 x EA

- Headphone Type: On Ear Headset
- Wired/Wireless: Wired
- Colour: Black
- Connectivity: Jack Plug



2013524 On Ear Headset

**RS PRO INTERFACE ADAPTER**

包装尺寸: 1 x EA

- Cable Type: DisplayPort
- Connector A Gender: Male
- Connector A Type: Mini DisplayPort
- Connector B Gender: Female
- Connector B Type: DisplayPort
- Length: 45 mm



1924523 DisplayPort

**RS PRO USB SERIAL CABLE ADAPTER**

包装尺寸: 1 x EA

- Input Port: USB
- Output Port: RS232
- Number of Ports: 2
- Bus Type: USB 2.0



1445699 USB

**RS PRO USB C TO USB MICRO USB ADAPTER**

包装尺寸: 1 x EA

- Connector A: USB C
- Connector B: USB Micro
- Connector A Gender: Male
- Connector B Gender: Female
- USB Standard: USB 3.0



1954881 USB C

**RS PRO DB-9 MALE TO USB INTERFACE ADAPTER**

包装尺寸: 1 x EA

- Connector A: DB-9 Male
- Connector B: USB
- Connector A Gender: Male
- Connector B Gender: Male



2206494 DB-9 Male

**80CM USB 2.0 USB AM-4XDB9 RS232 M BLACK**

包装尺寸: 1 x EA

- Input Port: USB
- Output Port: DB 9
- Number of Ports: 4
- Bus Type: USB 2.0



2206501 USB

**CONNECTOR, ADAPTOR, GENDER CHANGER, USB A (F) - USB A**

包装尺寸: 1 x EA

- Connector A: USB Female
- Connector B: USB Female
- Connector A Gender: Female
- Connector B Gender: Female



4955336 USB Female

**CONNECTOR, ADAPTOR, GENDER CHANGER, USB A (F) - USB B**

包装尺寸: 1 x EA

- Connector A: USB Female
- Connector B: USB B Male
- Connector A Gender: Female
- Connector B Gender: Male



4955342 USB Female

**CONNECTOR, ADAPTOR, GENDER CHANGER, USB A (M) - USB B**

包装尺寸: 1 x EA

- Connector A: USB A Male
- Connector B: USB B Female
- Connector A Gender: Male
- Connector B Gender: Female



4955358 USB A Male

**CONNECTOR, ADAPTOR, GENDER CHANGER, USB A (F) - USB B**

包装尺寸: 1 x EA

- Connector A: USB Female
- Connector B: USB B Female
- Connector A Gender: Female
- Connector B Gender: Female



4955364 USB Female

**CONNECTOR, ADAPTOR, GENDER CHANGER, USB A (M) - USB A**

包裝尺寸: 1 x EA

- Connector A: USB Male
- Connector B: USB Male
- Connector A Gender: Male
- Connector B Gender: Male



5142610 USB Male

**RS PRO WALL MOUNTING MONITOR ARM FOR 1 X SCREEN**

包裝尺寸: 1 x EA

- Product Type: Monitor Arm
- Mounting Surface: Wall
- Number of Displays Supported: 1
- Maximum Load: 25 kg
- VESA Configurations: 100 x 100 mm, 75 x 75 mm
- Height: 100 mm
- Width: 100 mm
- Depth: 15 mm



1418304 Monitor Arm

**RS PRO WALL MOUNTING MONITOR ARM FOR 1 X SCREEN**

包裝尺寸: 1 x EA

- Product Type: Monitor Arm
- Mounting Surface: Wall
- Number of Displays Supported: 1
- Maximum Load: 25 kg
- Extension Arm: Yes
- VESA Configurations: 75 x 75 mm, 100 x 100 mm, 200 x 100 mm, 200 x 200 mm
- Height: 224 mm
- Width: 224 mm



1418306 Monitor Arm

**RS PRO WALL MOUNTING MONITOR ARM FOR 1 X SCREEN**

包裝尺寸: 1 x EA

- Product Type: Monitor Arm
- Mounting Surface: Wall
- Number of Displays Supported: 1
- Maximum Load: 8 kg
- Extension Arm: Yes
- VESA Configurations: 100 x 100 mm, 75 x 75 mm
- Height: 100 mm
- Width: 75 mm



1418307 Monitor Arm

**RS PRO WALL MOUNTING MONITOR ARM FOR 1 X SCREEN**

包裝尺寸: 1 x EA

- Product Type: Monitor Arm
- Mounting Surface: Wall
- Number of Displays Supported: 1
- Maximum Load: 10 kg
- Extension Arm: Yes
- VESA Configurations: 100 x 100 mm, 75 x 75 mm
- Depth: 305 mm



1418308 Monitor Arm

**RS PRO WALL MOUNTING MONITOR ARM FOR 1 X SCREEN**

包裝尺寸: 1 x EA

- Product Type: Monitor Arm
- Mounting Surface: Wall
- Number of Displays Supported: 1
- Maximum Load: 15 kg
- Extension Arm: Yes
- VESA Configurations: 100 x 100 mm, 75 x 75 mm
- Height: 126 mm
- Width: 126 mm



1418309 Monitor Arm

**RS PRO MONITOR ARM FOR 1 X SCREEN**

包裝尺寸: 1 x EA

- Product Type: Monitor Arm
- Number of Displays Supported: 1
- Extension Arm: Yes
- VESA Configurations: 75 x 75 mm, 100 x 100 mm
- Colour: Silver



1763376 Monitor Arm

**RS PRO WALL MOUNTING MONITOR ARM FOR 1 X SCREEN**

包裝尺寸: 1 x EA

- Product Type: Monitor Arm
- Mounting Surface: Wall
- Number of Displays Supported: 1



1763379 Monitor Arm

**RS PRO WALL MOUNTING MONITOR ARM FOR 1 X SCREEN, 24 IN SCREEN**

包裝尺寸: 1 x EA

- Product Type: Monitor Arm
- Mounting Surface: Wall
- Number of Displays Supported: 1
- Extension Arm: Yes
- Maximum Screen Size: 24 in
- VESA Configurations: 75 x 75 mm, 100 x 100 mm
- Colour: Black



1763380 Monitor Arm

**RS PRO WALL MOUNTING MONITOR ARM FOR 1 X SCREEN, 24 IN SCREEN**

包裝尺寸: 1 x EA

- Product Type: Monitor Arm
- Mounting Surface: Wall
- Number of Displays Supported: 1
- Extension Arm: Yes
- Maximum Screen Size: 24 in
- VESA Configurations: 75 x 75 mm, 100 x 100 mm
- Colour: Black



1763381 Monitor Arm

**RS PRO MALE TOSLINK TO MALE TOSLINK OPTICAL AUDIO CABLE,**

包裝尺寸: 1 x EA

- Connector 1: Toslink
- Connector 2: Toslink
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 0.5 m
- Connector B: TOSLINK
- Connector B Gender: Male
- Connector A: TOSLINK



1924505 Toslink

**RS PRO MALE TOSLINK TO MALE TOSLINK OPTICAL AUDIO CABLE, 1M**

包裝尺寸: 1 x EA

- Connector 1: Toslink
- Connector 2: Toslink
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1 m
- Connector B: TOSLINK
- Connector B Gender: Male
- Connector A: TOSLINK



1924506 Toslink

**RS PRO MALE TOSLINK TO MALE TOSLINK OPTICAL AUDIO CABLE, 1.5M**

包裝尺寸: 1 x EA

- Connector 1: Toslink
- Connector 2: Toslink
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1.5 m
- Connector B: TOSLINK
- Connector B Gender: Male
- Connector A: TOSLINK



1924507 Toslink

**RS PRO MALE TOSLINK TO MALE TOSLINK OPTICAL AUDIO CABLE, 2M**

包裝尺寸: 1 x EA

- Connector 1: Toslink
- Connector 2: Toslink
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- Connector B: TOSLINK
- Connector B Gender: Male
- Connector A: TOSLINK



1924508 Toslink

**RS PRO MALE TOSLINK TO MALE TOSLINK OPTICAL AUDIO CABLE,**

包裝尺寸: 1 x EA

- Connector 1: Toslink
- Connector 2: Toslink
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2.5 m
- Connector B: TOSLINK
- Connector B Gender: Male
- Connector A: TOSLINK



1924509 Toslink

**RS PRO MALE TOSLINK TO MALE TOSLINK OPTICAL AUDIO CABLE, 3M**

包裝尺寸: 1 x EA

- Connector 1: Toslink
- Connector 2: Toslink
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 3 m
- Connector B: TOSLINK
- Connector B Gender: Male
- Connector A: TOSLINK



1924510 Toslink



**RS PRO MALE TOSLINK TO MALE TOSLINK OPTICAL AUDIO CABLE, 5M**

包裝尺寸: 1 x EA

- Connector 1: Toslink
- Connector 2: Toslink
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 5 m
- Connector B: TOSLINK
- Connector B Gender: Male
- Connector A: TOSLINK



1924511 Toslink

**RS PRO MALE TOSLINK TO MALE TOSLINK OPTICAL AUDIO CABLE, 10M**

包裝尺寸: 1 x EA

- Connector 1: Toslink
- Connector 2: Toslink
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 10 m
- Connector B: TOSLINK
- Connector B Gender: Male
- Connector A: TOSLINK



1924512 Toslink

**RS PRO MALE TOSLINK TO MALE TOSLINK OPTICAL AUDIO CABLE, 15M**

包裝尺寸: 1 x EA

- Connector 1: Toslink
- Connector 2: Toslink
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 15 m
- Connector B: TOSLINK
- Connector B Gender: Male
- Connector A: TOSLINK



1924513 Toslink

**RS PRO MALE TOSLINK TO MALE TOSLINK OPTICAL AUDIO CABLE, 20M**

包裝尺寸: 1 x EA

- Connector 1: Toslink
- Connector 2: Toslink
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 20 m
- Connector B: TOSLINK
- Connector B Gender: Male
- Connector A: TOSLINK



1924514 Toslink

**RS PRO MALE GPIB TO MALE GPIB PARALLEL CABLE, 4M, GREY SHEATH**

包裝尺寸: 1 x EA

- Connector 1: GPIB
- Connector 2: GPIB
- Connector 2 Gender: Male
- Length: 4 m
- Sheath Colour: Grey
- Outer Sheath Material: PVC
- Standards Met: IEEE488
- Current Rating: 2 A



2177865 GPIB

**RS PRO MALE PS/2 TO MALE PS/2, PS/2 CABLE ASSEMBLY 2M**

包裝尺寸: 1 x EA

- Connector 1: PS/2
- Connector 2: PS/2
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Sheath Colour: Grey
- Length: 2 m
- Connector B: PS/2
- Connector B Gender: Male



2369120 PS/2

**RS PRO FEMALE SATA POWER TO MALE LP4 CABLE, 150MM**

包裝尺寸: 1 x EA

- Connector 1: SATA Power
- Connector 2: LP4
- Connector 1 Gender: Female
- Connector 2 Gender: Male
- Connector 1 Number of Contacts: 15
- Connector 2 Number of Contacts: 4
- Length: 150 mm
- Connector 1 Orientation: Straight



6665060 SATA Power

**RS PRO SATA POWER X 2 TO MALE LP4 CABLE, 120MM**

包裝尺寸: 1 x EA

- Connector 1: SATA Power x 2
- Connector 2: LP4
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Connector 1 Number of Contacts: 15
- Connector 2 Number of Contacts: 4
- Length: 120 mm
- Connector 1 Orientation: Straight
- Connector 2 Orientation: Straight



6665066 SATA Power x 2

**RS PRO SATA POWER TO MALE LP4 CABLE, 100MM**

包裝尺寸: 1 x EA

- Connector 1: SATA Power
- Connector 2: LP4
- Connector 2 Gender: Male
- Connector 1 Number of Contacts: 15
- Connector 2 Number of Contacts: 4
- Length: 100 mm
- Connector 1 Orientation: Right Angle
- Connector 2 Orientation: Straight



6665079 SATA Power

**RS PRO MALE 25 PIN D-SUB TO FEMALE 25 PIN D-SUB SERIAL CABLE, 5M**

包裝尺寸: 1 x EA

- Connector 1: 25 Pin D-sub
- Connector 2: 25 Pin D-sub
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 3 m
- Connector B: 25 pin D-sub
- Connector B Gender: Female
- Connector A: 25 pin D-sub



489942 25 Pin D-sub

**RS PRO MALE 9 PIN D-SUB TO MALE USB A SERIAL CABLE, 200MM**

包裝尺寸: 1 x EA

- Connector 1: 9 Pin D-sub
- Connector 2: USB A
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 200 mm
- Sheath Colour: Black
- Outer Sheath Material: PVC
- Connector B: USB A



1954915 9 Pin D-sub

**RS PRO MALE 9 PIN D-SUB TO FEMALE 9 PIN D-SUB SERIAL CABLE, 500MM**

包裝尺寸: 1 x EA

- Connector 1: 9 Pin D-sub
- Connector 2: 9 Pin D-sub
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 500 mm
- Sheath Colour: Black
- Outer Sheath Material: PVC
- Connector B: 9 pin D-sub



2369118 9 Pin D-sub

**RS PRO MALE 9 PIN D-SUB TO FEMALE 9 PIN D-SUB SERIAL CABLE, 1M**

包裝尺寸: 1 x EA

- Connector 1: 9 Pin D-sub
- Connector 2: 9 Pin D-sub
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 1 m
- Sheath Colour: Black
- Outer Sheath Material: PVC
- Connector B: 9 pin D-sub



2369119 9 Pin D-sub

**RS PRO MALE 25 PIN D-SUB TO MALE 25 PIN D-SUB SERIAL CABLE, 5M**

包裝尺寸: 1 x EA

- Connector 1: 25 Pin D-sub
- Connector 2: 25 Pin D-sub
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 5 m
- Connector B: 25 pin D-sub
- Connector B Gender: Male
- Connector A: 25 pin D-sub



2369138 25 Pin D-sub

**RS PRO MALE 25 PIN D-SUB TO FEMALE 25 PIN D-SUB SERIAL CABLE, 5M**

包裝尺寸: 1 x EA

- Connector 1: 25 Pin D-sub
- Connector 2: 25 Pin D-sub
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 3 m
- Connector B: 25 pin D-sub
- Connector B Gender: Female
- Connector A: 25 pin D-sub



2369140 25 Pin D-sub

**RS PRO MALE 25 PIN D-SUB TO FEMALE 25 PIN D-SUB SERIAL CABLE, 5M**

包裝尺寸: 1 x EA

- Connector 1: 25 Pin D-sub
- Connector 2: 25 Pin D-sub
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 5 m
- Connector B: 25 pin D-sub
- Connector B Gender: Female
- Connector A: 25 pin D-sub



2369141 25 Pin D-sub

**RS PRO MALE 15 PIN D-SUB TO FEMALE 15 PIN D-SUB SERIAL CABLE,**

包装尺寸: 1 x EA

- Connector 1: 15 Pin D-sub
- Connector 2: 15 Pin D-sub
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 1 m
- Connector B: 15 pin D-sub
- Connector B Gender: Female
- Connector A: 15 pin D-sub



**2369142** 15 Pin D-sub

**RS PRO MALE 15 PIN D-SUB TO FEMALE 15 PIN D-SUB SERIAL CABLE,**

包装尺寸: 1 x EA

- Connector 1: 15 Pin D-sub
- Connector 2: 15 Pin D-sub
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 1.5 m
- Connector B: 15 pin D-sub
- Connector B Gender: Female
- Connector A: 15 pin D-sub



**2369144** 15 Pin D-sub

**RS PRO MALE 15 PIN D-SUB TO FEMALE 15 PIN D-SUB SERIAL CABLE,**

包装尺寸: 1 x EA

- Connector 1: 15 Pin D-sub
- Connector 2: 15 Pin D-sub
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 3 m
- Connector B: 15 pin D-sub
- Connector B Gender: Female
- Connector A: 15 pin D-sub



**2369145** 15 Pin D-sub

**RS PRO 3W SPEAKER SET, 90 → 18KHZ**

包装尺寸: 1 x EA

- Speaker Type: PC Speaker
- Nominal Rated Power: 3 W, 5 W
- Frequency Response: 90 → 18KHz



**2013518** PC Speaker

**RS PRO MALE USB A TO MALE USB C CABLE, USB 3.1, 1M**

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: USB C
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1 m
- USB Version: USB 3.1
- Sheath Colour: Black



**1169372** USB Cable

**RS PRO MALE USB A TO MALE LIGHTNING CABLE, USB 2.0, 150MM**

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: Lightning
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 150 mm
- USB Version: USB 2.0
- Sheath Colour: Black



**1448587** USB Cable

**RS PRO MALE USB A TO MALE USB C CABLE, USB 3.1, 1M**

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: USB C
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1 m
- USB Version: USB 3.1
- Sheath Colour: White



**1448617** USB Cable

**RS PRO MALE MICRO USB B TO UNTERMINATED CABLE, 500MM**

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: Micro USB B
- Connector 2: USB C
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 500 mm
- Sheath Colour: Black
- Standards Met: UL2464
- Connector B: Untermated



**1733530** USB Cable

**RS PRO MALE MICRO USB B TO UNTERMINATED CABLE, 1.8M**

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: Micro USB B
- Connector 2: Untermated
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1.8 m
- Sheath Colour: Black
- Standards Met: UL2464
- Connector B: Untermated



**1733531** USB Cable

**RS PRO MALE USB A TO MALE MINI USB B CABLE, USB 2.0, 200MM**

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: Mini USB B
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 200 mm
- USB Version: USB 2.0
- Sheath Colour: Black



**1784179** USB Cable

**RS PRO MALE USB C TO MALE USB A CABLE, USB 3.0, 1M**

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB C
- Connector 2: USB A
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1 m
- USB Version: USB 3.0
- Sheath Colour: Black



**1828847** USB Cable

**RS PRO MALE USB C TO MALE USB A CABLE, USB 2.0, 1M**

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB C
- Connector 2: USB A
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1 m
- USB Version: USB 2.0
- Sheath Colour: Black



**1828848** USB Cable

**RS PRO MALE USB A TO MALE LIGHTNING CABLE, USB 2.0, 2M**

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: Lightning
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- USB Version: USB 2.0
- Sheath Colour: White



**1828908** USB Cable

**RS PRO MALE USB A TO FEMALE USB A USB EXTENSION CABLE, USB 3.0, 1.8M**

包装尺寸: 1 x EA

- USB Cable Type: USB Extension Cable
- Connector 1: USB A
- Connector 2: USB A
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 1.8 m
- USB Version: USB 3.0
- Sheath Colour: White



**1828913** USB Extension

**RS PRO MALE USB A TO MALE 9 PIN D-SUB CABLE, 1.2M**

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: 9 Pin D-sub
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1.2 m
- Sheath Colour: Black
- Connector B: 9 pin D-sub



**1860518** USB Cable

**RS PRO MALE USB A TO MALE USB A CABLE, USB 2.0, 500MM**

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: USB A
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 500 mm
- USB Version: USB 2.0
- Sheath Colour: Black



**1863011** USB Cable

**RS PRO MALE USB A TO FEMALE USB A CABLE, USB 2.0, 500MM**

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: USB A
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 500 mm
- USB Version: USB 2.0
- Sheath Colour: Black



1863012 USB Cable

**RS PRO MALE USB A TO FEMALE USB A USB EXTENSION CABLE, USB 2.0, 1.8M**

包装尺寸: 1 x EA

- USB Cable Type: USB Extension Cable
- Connector 1: USB A
- Connector 2: USB A
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 1.8 m
- USB Version: USB 2.0
- Sheath Colour: Black



1863013 USB Extension

**RS PRO MALE USB A TO FEMALE USB A USB EXTENSION CABLE, USB 3.0, 2M**

包装尺寸: 1 x EA

- USB Cable Type: USB Extension Cable
- Connector 1: USB A
- Connector 2: USB A
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 2 m
- USB Version: USB 3.0
- Sheath Colour: Blue



1863051 USB Extension

**RS PRO MALE USB A TO FEMALE USB A USB EXTENSION CABLE, USB 2.0, 3M**

包装尺寸: 1 x EA

- USB Cable Type: USB Extension Cable
- Connector 1: USB A
- Connector 2: USB A
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 3 m
- USB Version: USB 2.0
- Sheath Colour: Black



1863014 USB Extension

**RS PRO MALE USB A TO MALE USB C CABLE, USB 3.0, USB 3.1, 2M**

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: USB C
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- USB Version: USB 3.0, USB 3.1
- Sheath Colour: Black



1863053 USB Cable

**RS PRO MALE USB A TO MALE USB A CABLE, USB 3.0, 2M**

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: USB A
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- USB Version: USB 3.0
- Sheath Colour: Blue



1863052 USB Cable

**RS PRO MALE USB A TO MALE USB C CABLE, USB 3.0, USB 3.1, 2M**

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: USB C
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- USB Version: USB 3.0, USB 3.1
- Sheath Colour: Black



1863055 USB Cable

**RS PRO MALE USB A TO MALE USB C CABLE, USB 2.0, 3M**

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: USB C
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 3 m
- USB Version: USB 2.0
- Sheath Colour: Black



1863056 USB Cable

**RS PRO MALE USB C TO FEMALE USB A CABLE, USB 3.0, USB 3.1, 500MM**

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB C
- Connector 2: USB A
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 500 mm
- USB Version: USB 3.0, USB 3.1
- Sheath Colour: Black



1863057 USB Cable

**RS PRO MALE USB C TO FEMALE USB A CABLE, USB 3.0, USB 3.1, 1M**

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB C
- Connector 2: USB A
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 1 m
- USB Version: USB 3.0, USB 3.1
- Sheath Colour: Black



1863058 USB Cable

**RS PRO MALE USB C TO MALE HDMI CABLE, USB 3.1, 1M**

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB C
- Connector 2: HDMI
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1 m
- USB Version: USB 3.1
- Sheath Colour: Black



1924696 USB Cable

**RS PRO MALE USB C TO MALE HDMI CABLE, USB 3.1, 2M**

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB C
- Connector 2: HDMI
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- USB Version: USB 3.1
- Sheath Colour: Black



1924697 USB Cable

**RS PRO MALE USB C TO MALE HDMI CABLE, USB 3.1, 3M**

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB C
- Connector 2: HDMI
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 3 m
- USB Version: USB 3.1
- Sheath Colour: Black



1924698 USB Cable

**RS PRO MALE USB C TO MALE HDMI CABLE, USB 3.1, 5M**

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB C
- Connector 2: HDMI
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 5 m
- USB Version: USB 3.1
- Sheath Colour: Black



1924699 USB Cable

**RS PRO MALE USB C TO MALE MINI DISPLAYPORT**

包装尺寸: 1 x EA

- Connector 1: USB C
- Connector 2: Mini DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Connector B: Mini DisplayPort
- Connector A Gender: Male
- Connector A: USB C
- Connector B Gender: Male



1924709 USB C

**RS PRO MALE USB C TO MALE MINI DISPLAYPORT**

包装尺寸: 1 x EA

- Connector 1: USB C
- Connector 2: Mini DisplayPort
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Connector B: Mini DisplayPort
- Connector A Gender: Male
- Connector A: USB C
- Connector B Gender: Male



1924710 USB C

**RS PRO MALE USB C TO MALE USB C CABLE, USB 3.1, 1.5M**

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
  - Connector 1: USB C
  - Connector 2: USB C
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 1.5 m
  - USB Version: USB 3.1
  - Sheath Colour: Black



1924724 USB Cable

**RS PRO MALE USB C TO MALE USB A CABLE, USB 3.1, 500MM**

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
  - Connector 1: USB C
  - Connector 2: USB A
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 500 mm
  - USB Version: USB 3.1
  - Sheath Colour: Black



1924726 USB Cable

**RS PRO MALE USB C TO MALE USB B CABLE, USB 2.0, 3M**

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
  - Connector 1: USB C
  - Connector 2: USB B
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 3 m
  - USB Version: USB 2.0
  - Sheath Colour: Black



1924728 USB Cable

**RS PRO MALE USB C TO MALE USB B CABLE, USB 2.0, 2M**

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
  - Connector 1: USB C
  - Connector 2: USB B
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 2 m
  - USB Version: USB 2.0
  - Sheath Colour: Black



1924729 USB Cable

**RS PRO MALE USB C TO MALE USB B CABLE, USB 2.0, 1M**

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
  - Connector 1: USB C
  - Connector 2: USB B
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 1 m
  - USB Version: USB 2.0
  - Sheath Colour: Black



1924730 USB Cable

**RS PRO MALE USB C TO MALE MICRO USB B CABLE, USB 2.0, 3M**

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
  - Connector 1: USB C
  - Connector 2: Micro USB B
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 3 m
  - USB Version: USB 2.0
  - Sheath Colour: Black



1924731 USB Cable

**RS PRO MALE USB C TO MALE MICRO USB B CABLE, USB 2.0, 2M**

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
  - Connector 1: USB C
  - Connector 2: Micro USB B
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 2 m
  - USB Version: USB 2.0
  - Sheath Colour: Black



1924732 USB Cable

**RS PRO MALE USB C TO MALE MICRO USB B CABLE, USB 2.0, 1M**

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
  - Connector 1: USB C
  - Connector 2: Micro USB B
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 1 m
  - USB Version: USB 2.0
  - Sheath Colour: Black



1924734 USB Cable

**RS PRO MALE USB C TO 3.5MM STEREO JACK CABLE, 150MM**

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
  - Connector 1: USB C
  - Connector 2: 3.5mm Stereo Jack
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 150 mm
  - Sheath Colour: Black
  - Standards Met: CE, REACH, RoHS
  - Connector B: 3.5mm Stereo Jack



1954877 USB Cable

**RS PRO MALE USB A TO MALE USB B USB EXTENSION BOOSTER CABLE,**

- 包装尺寸: 1 x EA
- USB Cable Type: USB Extension Booster Cable
  - Connector 1: USB A
  - Connector 2: USB B
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 10 m
  - USB Version: USB 2.0
  - Sheath Colour: Black



2206498 USB Extension

**RS PRO MALE USB A TO MALE USB B USB EXTENSION BOOSTER CABLE,**

- 包装尺寸: 1 x EA
- USB Cable Type: USB Extension Booster Cable
  - Connector 1: USB A
  - Connector 2: USB B
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 15 m
  - USB Version: USB 2.0
  - Sheath Colour: Clear



2206499 USB Extension

**RS PRO MALE USB A TO MALE CENTRONICS CABLE, USB 1.1, 1M**

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
  - Connector 1: USB A
  - Connector 2: Centronics
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 1 m
  - USB Version: USB 1.1
  - Sheath Colour: Black



2299956 USB Cable

**RS PRO MALE USB C TO MALE HDMI CABLE, 2M**

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
  - Connector 1: USB C
  - Connector 2: HDMI
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 2 m
  - Sheath Colour: Black
  - Connector B: HDMI



2299977 USB Cable

**RS PRO MALE USB A TO MALE USB A CABLE, USB 2.0, 1.8M**

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
  - Connector 1: USB A
  - Connector 2: USB A
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 1.8 m
  - USB Version: USB 2.0
  - Connector B: USB A



2369066 USB Cable

**RS PRO MALE USB A TO MALE USB A CABLE, USB 2.0, 3M**

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
  - Connector 1: USB A
  - Connector 2: USB A
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 3 m
  - USB Version: USB 2.0
  - Connector B: USB A



2369067 USB Cable

**RS PRO MALE USB A TO MALE USB A CABLE, USB 2.0, 5M**

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
  - Connector 1: USB A
  - Connector 2: USB A
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 5 m
  - USB Version: USB 2.0
  - Connector B: USB A



2369068 USB Cable

**RS PRO MALE USB A TO MALE MINI USB B CABLE, USB 2.0, 150MM**

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
  - Connector 1: USB A
  - Connector 2: Mini USB B
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 150 mm
  - USB Version: USB 2.0
  - Connector B: Mini USB B



2369071 USB Cable

**RS PRO MALE USB A TO MALE MINI USB B CABLE, USB 2.0, 0.5M**

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
  - Connector 1: USB A
  - Connector 2: Mini USB B
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 0.5 m
  - USB Version: USB 2.0
  - Connector B: Mini USB B



2369072 USB Cable

**RS PRO MALE USB A TO MALE MINI USB B CABLE, USB 2.0, 5M**

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
  - Connector 1: USB A
  - Connector 2: Mini USB B
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 5 m
  - USB Version: USB 2.0
  - Connector B: Mini USB B



2369073 USB Cable

**RS PRO MALE USB A TO MALE USB B CABLE, USB 2.0, 1M**

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
  - Connector 1: USB A
  - Connector 2: USB B
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 1 m
  - USB Version: USB 2.0
  - Connector B: USB B



2369074 USB Cable

**RS PRO MALE USB A TO MALE USB B CABLE, USB 2.0, 1.8M**

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
  - Connector 1: USB A
  - Connector 2: USB B
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 1.8 m
  - USB Version: USB 2.0
  - Connector B: USB B



2369075 USB Cable

**RS PRO MALE USB A TO MALE USB B CABLE, USB 2.0, 3M**

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
  - Connector 1: USB A
  - Connector 2: USB B
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 3 m
  - USB Version: USB 2.0
  - Connector B: USB B



2369076 USB Cable

**RS PRO MALE USB A TO MALE USB B CABLE, USB 2.0, 4.5M**

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
  - Connector 1: USB A
  - Connector 2: USB B
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 4.5 m
  - USB Version: USB 2.0
  - Connector B: USB B



2369077 USB Cable

**RS PRO MALE USB A TO MALE MICRO USB B CABLE, USB 2.0, 0.5M**

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
  - Connector 1: USB A
  - Connector 2: Micro USB B
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 0.5 m
  - USB Version: USB 2.0
  - Connector B: Micro USB B



2369078 USB Cable

**RS PRO MALE USB A TO MALE MICRO USB B CABLE, USB 2.0, 0.5M**

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
  - Connector 1: USB A
  - Connector 2: Micro USB B
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 0.5 m
  - USB Version: USB 2.0
  - Connector B: Micro USB B



2369079 USB Cable

**RS PRO MALE USB A TO MALE MICRO USB B CABLE, USB 2.0, 5M**

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
  - Connector 1: USB A
  - Connector 2: Micro USB B
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 5 m
  - USB Version: USB 2.0
  - Connector B: Micro USB B



2369081 USB Cable

**RS PRO MALE MICRO USB B TO MALE MICRO USB B CABLE, USB 2.0,**

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
  - Connector 1: Micro USB B
  - Connector 2: Micro USB B
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 200 mm
  - USB Version: USB 2.0
  - Connector B: Micro USB B



2369082 USB Cable

**RS PRO MALE USB A TO MALE MICRO USB B CABLE, USB 2.0, 2M**

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
  - Connector 1: USB A
  - Connector 2: Micro USB B
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 2 m
  - USB Version: USB 2.0
  - Connector B: Micro USB B



2369083 USB Cable

**RS PRO MALE MINI USB A TO MALE MINI USB B CABLE, USB 2.0, 1M**

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
  - Connector 1: Mini USB A
  - Connector 2: Mini USB B
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 1 m
  - USB Version: USB 2.0
  - Connector B: Mini USB B



2369084 USB Cable

**RS PRO MALE USB A TO MALE USB B CABLE, USB 3.0, 2M**

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
  - Connector 1: USB A
  - Connector 2: USB B
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 2 m
  - USB Version: USB 3.0
  - Connector B: USB B



2369087 USB Cable

**RS PRO MALE USB A TO MALE LIGHTNING CABLE, USB 2.0, 3M**

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
  - Connector 1: USB A
  - Connector 2: Lightning
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 3 m
  - USB Version: USB 2.0
  - Connector B: Lightning



2369128 USB Cable

**RS PRO MALE USB A TO MALE 9 PIN D-SUB CABLE, USB 2.0, 1.8M**

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
  - Connector 1: USB A
  - Connector 2: 9 Pin D-sub
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 1.8 m
  - USB Version: USB 2.0
  - Connector B: 9 pin D-sub



2369134 USB Cable

**RS PRO MALE USB A TO FEMALE USB B CABLE, USB 2.0, 5M**

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: USB B
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 5 m
- USB Version: USB 2.0
- Connector B: USB B



2369151 USB Cable

**RS PRO MALE USB A TO MALE USB B CABLE, USB 2.0, 2M**

包装尺寸: 1 x EA

- Connector 1: USB A
- USB Cable Type: USB Cable
- Connector 2: USB B
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- USB Version: USB 2.0
- Connector B: USB B



2369152 USB A

**RS PRO MALE USB A TO MALE USB B CABLE, USB 3.0, 2M**

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: USB B
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- USB Version: USB 3.0
- Connector B: USB B



2369155 USB Cable

**RS PRO MALE USB C TO MALE USB A CABLE, USB 2.0, 0.5M**

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB C
- Connector 2: USB A
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 0.5 m
- USB Version: USB 2.0
- Connector B: USB A



2369157 USB Cable

**RS PRO FEMALE USB C TO MALE USB A CABLE, USB 3.0, 150MM**

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB C
- Connector 2: USB A
- Connector 1 Gender: Female
- Connector 2 Gender: Male
- Length: 150 mm
- USB Version: USB 3.0
- Connector B: USB A



2369158 USB Cable

**RS PRO MALE USB A TO MALE MICRO USB B CABLE, USB 3.0, 2M**

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: Micro USB B
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- USB Version: USB 3.0
- Connector B: Micro USB B



2369161 USB Cable

**RS PRO MALE USB A TO MALE MICRO USB B CABLE, USB 3.0, 2M**

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: Micro USB B
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- USB Version: USB 3.0
- Connector B: Micro USB B



2369162 USB Cable

**RS PRO MALE USB A TO MALE USB B CABLE, USB 3.0, 3M**

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: USB A
- Connector 2: USB B
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 3 m
- USB Version: USB 3.0
- Sheath Colour: White



7903697 USB Cable

**RS PRO FEMALE 20 PIN SOCKET TO FEMALE USB A X 2 CABLE, USB 3.0,**

包装尺寸: 1 x EA

- USB Cable Type: USB Cable
- Connector 1: 20 Pin Socket
- Connector 2: USB A x 2
- Connector 1 Gender: Female
- Connector 2 Gender: Female
- Length: 900 mm
- USB Version: USB 3.0
- Sheath Colour: Black



7966825 USB Cable

**RS PRO STRAIGHT, MALE TO FEMALE TYPE USB A PS/2 1.1 USB CONNECTOR**

包装尺寸: 1 x EA

- Gender: Male to Female
- USB Type: USB A PS/2
- USB Version: 1.1
- Body Orientation: Straight



2369149 Male to Female

**RS PRO STRAIGHT, FEMALE TO MALE TYPE USB A PS/2 1.1 USB CONNECTOR**

包装尺寸: 1 x EA

- Gender: Female to Male
- USB Type: USB A PS/2
- USB Version: 1.1
- Body Orientation: Straight



2369150 Female to Male

**USB 2.0 ACTIVE REPEATER CABLE**

包装尺寸: 1 x EA

- USB Standard: USB 2.0
- Number of USB Ports: 1
- Extension Distance: 12 m
- Transmission Method: USB



1148000 USB 2.0

**RS PRO 1 PORT USB 2.0 OVER CATX EXTENDER UP TO 50M EXTENSION**

包装尺寸: 1 x EA

- USB Standard: USB 2.0
- Number of USB Ports: 1
- Extension Distance: 50 m
- Transmission Method: CATx
- Local Device Dimensions: 68.35 x 31 x 21 mm



2206495 USB 2.0

**RS PRO 1 PORT USB 2.0 USB ACTIVE BOOSTER CABLE UP TO 10M**

包装尺寸: 1 x EA

- USB Standard: USB 2.0
- Number of USB Ports: 1
- Extension Distance: 10 m
- Transmission Method: USB



2206500 USB 2.0

**RS PRO 1 PORT USB 3.0 USB ACTIVE BOOSTER CABLE UP TO 10M**

包装尺寸: 1 x EA

- USB Standard: USB 3.0
- Number of USB Ports: 1
- Extension Distance: 10 m
- Transmission Method: USB



2206504 USB 3.0

**RS PRO 1 PORT USB 1.1 OVER CATX EXTENDER UP TO 50M EXTENSION**

包装尺寸: 1 x EA

- USB Standard: USB 1.1
- Number of USB Ports: 1
- Extension Distance: 50 m
- Transmission Method: CATx
- Local Device Dimensions: 70 X 30 X 19 mm



2206506 USB 1.1

**RS PRO 1 PORT USB 1.1 EXTENDER UP TO 45M EXTENSION DISTANCE**

- 包装尺寸: 1 x EA
- USB Standard: USB 1.1
  - Number of USB Ports: 2
  - Extension Distance: 45 m



2299957 USB 1.1

**RS PRO 1 PORT USB 3.0 USB EXTENDER**

- 包装尺寸: 1 x EA
- USB Standard: USB 3.0
  - Number of USB Ports: 1
  - Transmission Method: USB
  - Local Device Dimensions: 60 x 30 x 20 mm



2369135 USB 3.0

**RS PRO 4 PORT USB 2.0 USB A HUB, USB BUS POWERED**

- 包装尺寸: 1 x EA
- USB Standard: USB 2.0
  - Number of USB Ports: 4
  - USB Connection Type: USB A
  - Power Source: USB Bus
  - Dimensions: 81.9 x 24 x 15 mm
  - Depth: 24 mm
  - Height: 15 mm
  - Width: 81.9 mm



1411989 USB 2.0

**RS PRO 1 PORT USB 3.1 USB C HUB, USB POWERED**

- 包装尺寸: 1 x EA
- USB Standard: USB 3.1
  - Number of USB Ports: 1
  - USB Connection Type: USB C
  - Network Connection Type: RJ45
  - Power Source: USB



1924693 USB 3.1

**RS PRO 2 PORT USB 3.0 USB C HUB, USB POWERED**

- 包装尺寸: 1 x EA
- USB Standard: USB 3.0
  - Number of USB Ports: 2
  - USB Connection Type: USB C
  - Power Source: USB



1924704 USB 3.0

**RS PRO 3 PORT USB 3.0 USB C HUB, USB POWERED**

- 包装尺寸: 1 x EA
- USB Standard: USB 3.0
  - Number of USB Ports: 3
  - USB Connection Type: USB C
  - Power Source: USB



1924706 USB 3.0

**RS PRO 4 PORT USB 3.1 USB C HUB, USB POWERED**

- 包装尺寸: 1 x EA
- USB Standard: USB 3.1
  - Number of USB Ports: 4
  - USB Connection Type: USB C
  - Power Source: USB



1924707 USB 3.1

**RS PRO 4 PORT USB 3.0 USB C HUB, USB POWERED**

- 包装尺寸: 1 x EA
- USB Standard: USB 3.0
  - Number of USB Ports: 4
  - USB Connection Type: USB C
  - Power Source: USB



1924708 USB 3.0

**RS PRO MALE USB C AUDIO SUPPORTED TO FEMALE USB A X 3**

- 包装尺寸: 1 x EA
- USB Cable Type: USB Cable
  - Connector A: USB C Audio supported
  - Connector A Gender: Male
  - Connector B: USB A x 3 Audio supported
  - Connector B Gender: Female
  - Length: 270 mm
  - USB Version: USB 3.0
  - Standards Met: CE, REACH, RoHS



1954880 USB Cable

**RS PRO 4 PORT USB 2.0 USB A HUB, USB POWERED**

- 包装尺寸: 1 x EA
- USB Standard: USB 2.0
  - Number of USB Ports: 4
  - USB Connection Type: USB A
  - Power Source: USB
  - Dimensions: 105 x 30 x 10 mm



2206492 USB 2.0

**RS PRO 4 PORT USB 3.0 USB A HUB, USB POWERED**

- 包装尺寸: 1 x EA
- USB Standard: USB 3.0
  - Number of USB Ports: 4
  - USB Connection Type: USB A
  - Power Source: USB



2369129 USB 3.0

**RS PRO PORT USB ETHERNET ADAPTER USB 2.0 USB 2.0 TO RJ45**

- 包装尺寸: 1 x EA
- USB Standard: USB 2.0
  - Connector A: USB 2.0
  - Connector B: RJ45
  - Connector B Gender: Female
  - Number of Ports: 1
  - Network Speed: 10/100 Mbit/s
  - Wake On LAN: Yes



1447998 USB 2.0

**RS PRO PORT USB ETHERNET ADAPTER USB 3.0 USB A TO RJ45**

- 包装尺寸: 1 x EA
- USB Standard: USB 3.0
  - Connector A: USB A
  - Connector B: RJ45
  - Connector B Gender: Female
  - Number of Ports: 1
  - Network Speed: 10/100/1000 Mbit/s
  - Wake On LAN: Yes



1447999 USB 3.0

**RS PRO USB NETWORK ADAPTER USB 1.1, USB 2.0 USB A X 2 TO ETHERNET**

- 包装尺寸: 1 x EA
- Connector A Gender: Male
  - USB Standard: USB 1.1, USB 2.0
  - Connector A: USB A x 2
  - Connector B: Ethernet
  - Connector B Gender: Female
  - Number of Ports: 1



1954911 Male

**RS PRO USB NETWORK ADAPTER USB 3.0 USB A TO ETHERNET**

- 包装尺寸: 1 x EA
- Connector A Gender: Male
  - USB Standard: USB 3.0
  - Connector A: USB A
  - Connector B: Ethernet
  - Connector B Gender: Female
  - Number of Ports: 1



1954912 Male

**RS PRO USB NETWORK ADAPTER USB 3.0 TO RJ45 FEMALE**

- 包装尺寸: 1 x EA
- Connector A Gender: Male
  - Connector A: USB 3.0
  - Connector B: RJ45 Female
  - Connector B Gender: Female



2369160 Male

**RS PRO USB C TO DISPLAYPORT ADAPTER CABLE, 1 SUPPORTED**

包裝尺寸: 1 x EA

- USB Connection Type: USB C
- Number of Displays Supported: 1
- Video Connection Type: DisplayPort
- Maximum Resolution: 4K



1924683 USB C

**RS PRO USB C TO DVI ADAPTER CABLE, 1 SUPPORTED DISPLAY(S) - 4K**

包裝尺寸: 1 x EA

- USB Connection Type: USB C
- Number of Displays Supported: 1
- Video Connection Type: DVI
- Maximum Resolution: 4K



1924685 USB C

**RS PRO USB C TO DVI ADAPTER CABLE, 1 SUPPORTED DISPLAY(S) - 4K**

包裝尺寸: 1 x EA

- USB Connection Type: USB C
- Number of Displays Supported: 1
- Video Connection Type: DVI
- Maximum Resolution: 4K



1924686 USB C

**RS PRO USB C TO DVI ADAPTER CABLE, 1 SUPPORTED DISPLAY(S)**

包裝尺寸: 1 x EA

- USB Connection Type: USB C
- Number of Displays Supported: 1
- Video Connection Type: DVI



1924689 USB C

**RS PRO USB C TO DVI-D ADAPTER CABLE, 1 SUPPORTED DISPLAY(S)**

包裝尺寸: 1 x EA

- USB Connection Type: USB C
- Number of Displays Supported: 1
- Video Connection Type: DVI-D



1924692 USB C

**RS PRO USB C ADAPTER, USB 3.1**

包裝尺寸: 1 x EA

- USB Standard: USB 3.1
- USB Connection Type: USB C



1924694 USB 3.1

**RS PRO USB C TO HDMI ADAPTER, USB 3.1, 1 SUPPORTED DISPLAY(S)**

包裝尺寸: 1 x EA

- USB Standard: USB 3.1
- USB Connection Type: USB C
- Number of Displays Supported: 1
- Video Connection Type: HDMI



1924700 USB 3.1

**RS PRO USB C TO HDMI ADAPTER, USB 3.1, 1 SUPPORTED DISPLAY(S)**

包裝尺寸: 1 x EA

- USB Standard: USB 3.1
- USB Connection Type: USB C
- Number of Displays Supported: 1
- Video Connection Type: HDMI



1924701 USB 3.1

**RS PRO USB C TO HDMI ADAPTER, USB 3.1, 1 SUPPORTED DISPLAY(S)**

包裝尺寸: 1 x EA

- USB Standard: USB 3.1
- USB Connection Type: USB C
- Number of Displays Supported: 1
- Video Connection Type: HDMI



1924702 USB 3.1

**RS PRO USB C TO HDMI ADAPTER, USB 3.1, 1 SUPPORTED DISPLAY(S)**

包裝尺寸: 1 x EA

- USB Standard: USB 3.1
- USB Connection Type: USB C
- Number of Displays Supported: 1
- Video Connection Type: HDMI



1924703 USB 3.1

**RS PRO USB C TO MINI DISPLAYPORT ADAPTER CABLE, USB 3.1, 1**

包裝尺寸: 1 x EA

- USB Standard: USB 3.1
- USB Connection Type: USB C
- Number of Displays Supported: 1
- Video Connection Type: Mini DisplayPort
- Maximum Resolution: 3840 x 2160



1924712 USB 3.1

**RS PRO USB C TO MINI DISPLAYPORT ADAPTER CABLE, USB 3.1, 1**

包裝尺寸: 1 x EA

- USB Standard: USB 3.1
- USB Connection Type: USB C
- Number of Displays Supported: 1
- Video Connection Type: Mini DisplayPort
- Maximum Resolution: 3840 x 2160



1924713 USB 3.1

**RS PRO USB C TO VGA ADAPTER CABLE, USB 3.1, 1 SUPPORTED**

包裝尺寸: 1 x EA

- USB Standard: USB 3.1
- USB Connection Type: USB C
- Number of Displays Supported: 1
- Video Connection Type: VGA
- Maximum Resolution: 1080p



1924714 USB 3.1

**RS PRO USB C TO VGA ADAPTER CABLE, USB 3.1, 1 SUPPORTED**

包裝尺寸: 1 x EA

- USB Standard: USB 3.1
- USB Connection Type: USB C
- Number of Displays Supported: 1
- Video Connection Type: VGA
- Maximum Resolution: 1080p



1924715 USB 3.1

**RS PRO USB C TO VGA ADAPTER CABLE, USB 3.1, 1 SUPPORTED**

包裝尺寸: 1 x EA

- USB Standard: USB 3.1
- USB Connection Type: USB C
- Number of Displays Supported: 1
- Video Connection Type: VGA
- Maximum Resolution: 1080p



1924716 USB 3.1

**RS PRO USB C TO VGA ADAPTER CABLE, USB 3.1, 1 SUPPORTED**

包裝尺寸: 1 x EA

- USB Standard: USB 3.1
- USB Connection Type: USB C
- Number of Displays Supported: 1
- Video Connection Type: VGA
- Maximum Resolution: 1080p



1924717 USB 3.1



**RS PRO USB C TO VGA ADAPTER, USB 3.1, 1 SUPPORTED DISPLAY(S)**

包装尺寸: 1 x EA

- USB Standard: USB 3.1
- USB Connection Type: USB C
- Number of Displays Supported: 1
- Video Connection Type: VGA



1924719 USB 3.1

**RS PRO USB C TO DVI, HDMI, VGA ADAPTER, USB 3.1, 1 SUPPORTED**

包装尺寸: 1 x EA

- USB Standard: USB 3.1
- USB Connection Type: USB C
- Number of Displays Supported: 1
- Video Connection Type: DVI, HDMI, VGA



1924722 USB 3.1

**RS PRO USB C TO DISPLAYPORT, DVI, HDMI ADAPTER, USB 3.1, 1**

包装尺寸: 1 x EA

- USB Standard: USB 3.1
- USB Connection Type: USB C
- Number of Displays Supported: 1
- Video Connection Type: DisplayPort, DVI, HDMI



1924723 USB 3.1

**RS PRO USB C TO HDMI, VGA ADAPTER, USB 3.0, 1 SUPPORTED**

包装尺寸: 1 x EA

- USB Standard: USB 3.0
- USB Connection Type: USB C
- Number of Displays Supported: 1
- Video Connection Type: HDMI, VGA
- Maximum Resolution: 1080



2206502 USB 3.0

**RS PRO USB A TO HDMI ADAPTER, USB 3.0, 1 SUPPORTED DISPLAY(S) -**

包装尺寸: 1 x EA

- USB Standard: USB 3.0
- USB Connection Type: USB A
- Number of Displays Supported: 1
- Video Connection Type: HDMI
- Maximum Resolution: 1600 X 1200



2206505 USB 3.0

**RS PRO USB C TO HDMI ADAPTER, USB C, 3 SUPPORTED DISPLAY(S) -**

包装尺寸: 1 x EA

- USB Standard: USB C
- USB Connection Type: USB C
- Number of Displays Supported: 3
- Video Connection Type: HDMI
- Maximum Resolution: 3840 x 2160



2368994 USB C

**RS PRO USB C TO HDMI ADAPTER, USB C, 3 SUPPORTED DISPLAY(S) -**

包装尺寸: 1 x EA

- USB Standard: USB C
- USB Connection Type: USB C
- Number of Displays Supported: 3
- Video Connection Type: HDMI
- Maximum Resolution: 3840 x 2160



2368995 USB C

**RS PRO USB C TO DISPLAYPORT ADAPTER, USB C, 2 SUPPORTED**

包装尺寸: 1 x EA

- USB Standard: USB C
- USB Connection Type: USB C
- Number of Displays Supported: 2
- Video Connection Type: DisplayPort
- Maximum Resolution: 3840 x 2160



2368996 USB C

**RS PRO USB C TO HDMI ADAPTER, USB C, 2 SUPPORTED DISPLAY(S) -**

包装尺寸: 1 x EA

- USB Standard: USB C
- USB Connection Type: USB C
- Number of Displays Supported: 2
- Video Connection Type: HDMI
- Maximum Resolution: 3840 x 2160



2368997 USB C

**RS PRO MALE VGA TO FEMALE VGA CABLE, 7M**

包装尺寸: 1 x EA

- Connector 1: VGA
- Connector 2: VGA
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 7 m
- Outer Sheath Material: PVC
- Sheath Colour: Black
- Size of Strands: 0.12 mm



1863020 VGA

**RS PRO MALE VGA TO FEMALE VGA CABLE, 30M**

包装尺寸: 1 x EA

- Connector 1: VGA
- Connector 2: VGA
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 30 m
- Outer Sheath Material: PVC
- Sheath Colour: Black
- Size of Strands: 0.12 mm



1863021 VGA

**RS PRO MALE VGA TO FEMALE VGA CABLE, 200MM**

包装尺寸: 1 x EA

- Connector 1: VGA
- Connector 2: VGA
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 200 mm
- Outer Sheath Material: PVC
- Sheath Colour: Black
- Connector B: VGA



1954277 VGA

**RS PRO MALE SVGA TO MALE SVGA CABLE, 2M**

包装尺寸: 1 x EA

- Connector 1: SVGA
- Connector 2: SVGA
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- Connector B: SVGA
- Connector B Gender: Male
- Connector A: SVGA



2369094 SVGA

**RS PRO MALE SVGA TO MALE SVGA CABLE, 1M**

包装尺寸: 1 x EA

- Connector 1: SVGA
- Connector 2: SVGA
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 1 m
- Outer Sheath Material: PVC
- Sheath Colour: Black
- Size of Strands: 0.23 mm



9135010 SVGA

**RS PRO MALE SVGA TO MALE SVGA CABLE, 2M**

包装尺寸: 1 x EA

- Connector 1: SVGA
- Connector 2: SVGA
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 2 m
- Outer Sheath Material: PVC
- Sheath Colour: Black
- Size of Strands: 0.23 mm



9135013 SVGA

**RS PRO MALE SVGA TO MALE SVGA CABLE, 3M**

包装尺寸: 1 x EA

- Connector 1: SVGA
- Connector 2: SVGA
- Connector 1 Gender: Male
- Connector 2 Gender: Male
- Length: 3 m
- Outer Sheath Material: PVC
- Sheath Colour: Black
- Size of Strands: 0.23 mm



9135017 SVGA

**RS PRO MALE SVGA TO MALE SVGA CABLE, 3M**

- 包裝尺寸: 1 x EA
- Connector 1: SVGA
  - Connector 2: SVGA
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 3 m
  - Outer Sheath Material: PVC
  - Sheath Colour: Black
  - Size of Strands: 0.23 mm



9135023 SVGA

**RS PRO MALE SVGA TO MALE SVGA CABLE, 5M**

- 包裝尺寸: 1 x EA
- Connector 1: SVGA
  - Connector 2: SVGA
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 5 m
  - Outer Sheath Material: PVC
  - Sheath Colour: Black
  - Size of Strands: 0.23 mm



9135026 SVGA

**RS PRO MALE SVGA TO MALE SVGA CABLE, 7.5M**

- 包裝尺寸: 1 x EA
- Connector 1: SVGA
  - Connector 2: SVGA
  - Connector 1 Gender: Male
  - Connector 2 Gender: Male
  - Length: 7.5 m
  - Outer Sheath Material: PVC
  - Sheath Colour: Black
  - Size of Strands: 0.23 mm



9135029 SVGA

**RS PRO 4 PORT 1 INPUT 3 OUTPUT MATRIX SWITCH 1080P**

- 包裝尺寸: 1 x EA
- Device Type: Matrix Switch
  - Number of Ports: 4
  - Number of Video Outputs: 3
  - Number of Video Inputs: 1
  - Maximum Resolution: 1080p



1828803 Matrix Switch

**RS PRO 2 PORT 2 INPUT 2 OUTPUT HDMI SWITCH 1080**

- 包裝尺寸: 1 x EA
- Device Type: Switch
  - Video Connection Type: HDMI
  - Number of Ports: 2
  - Number of Video Inputs: 2
  - Number of Video Outputs: 2
  - Maximum Resolution: 1080



2369133 Switch

**RS PRO 720P USB WEBCAM**

- 包裝尺寸: 1 x EA
- Maximum Resolution: 1080 x 720
  - Built-In Microphone: Yes
  - Effective Pixels: 0.8 MP
  - Frame Rate: 30 fps



2013517 1080 x 720

**RS PRO 4 WAY MALE 4 PIN MOLEX TO 4 WAY FEMALE 4 PIN MOLEX WIRE TO**

- 包裝尺寸: 1 x EA
- Connector 1: 4 Pin Molex
  - Connector 2: 4 Pin Molex
  - Connector 1 Gender: Male
  - Connector 2 Gender: Female
  - Connector 1 Number of Contacts: 4
  - Connector 2 Number of Contacts: 4
  - Sheath Colour: Black/Red/Yellow
  - Cable Length: 2 m



6665063 4 Pin Molex

**RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 0.5M**

- 包裝尺寸: 1 x EA
- Connector 1: 3 Pin XLR
  - Connector 2: 3 Pin XLR
  - Connector 1 Gender: Male
  - Connector 2 Gender: Female
  - Length: 0.5 m
  - Sheath Colour: Black
  - Outer Sheath Material: PVC
  - Connector B: 3 pin XLR



1924432 3 Pin XLR

**RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 1M**

- 包裝尺寸: 1 x EA
- Connector 1: 3 Pin XLR
  - Connector 2: 3 Pin XLR
  - Connector 1 Gender: Male
  - Connector 2 Gender: Female
  - Length: 1 m
  - Sheath Colour: Black
  - Series: 2XLR-SV
  - Outer Sheath Material: PVC



1924433 3 Pin XLR

**RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 2M**

- 包裝尺寸: 1 x EA
- Connector 1: 3 Pin XLR
  - Connector 2: 3 Pin XLR
  - Connector 1 Gender: Male
  - Connector 2 Gender: Female
  - Length: 2 m
  - Sheath Colour: Black
  - Series: 2XLR-SV
  - Outer Sheath Material: PVC



1924434 3 Pin XLR

**RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 3M**

- 包裝尺寸: 1 x EA
- Connector 1: 3 Pin XLR
  - Connector 2: 3 Pin XLR
  - Connector 1 Gender: Male
  - Connector 2 Gender: Female
  - Length: 3 m
  - Sheath Colour: Black
  - Series: 2XLR-SV
  - Outer Sheath Material: PVC



1924435 3 Pin XLR

**RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 5M**

- 包裝尺寸: 1 x EA
- Connector 1: 3 Pin XLR
  - Connector 2: 3 Pin XLR
  - Connector 1 Gender: Male
  - Connector 2 Gender: Female
  - Length: 5 m
  - Sheath Colour: Black
  - Series: 2XLR-SV
  - Outer Sheath Material: PVC



1924436 3 Pin XLR

**RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 10M**

- 包裝尺寸: 1 x EA
- Connector 1: 3 Pin XLR
  - Connector 2: 3 Pin XLR
  - Connector 1 Gender: Male
  - Connector 2 Gender: Female
  - Length: 10 m
  - Sheath Colour: Black
  - Outer Sheath Material: PVC
  - Connector B: 3 pin XLR



1924438 3 Pin XLR

**RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 15M**

- 包裝尺寸: 1 x EA
- Connector 1: 3 Pin XLR
  - Connector 2: 3 Pin XLR
  - Connector 1 Gender: Male
  - Connector 2 Gender: Female
  - Length: 15 m
  - Sheath Colour: Black
  - Series: 2XLR-SV
  - Outer Sheath Material: PVC



1924439 3 Pin XLR

**RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 20M**

- 包裝尺寸: 1 x EA
- Connector 1: 3 Pin XLR
  - Connector 2: 3 Pin XLR
  - Connector 1 Gender: Male
  - Connector 2 Gender: Female
  - Length: 20 m
  - Sheath Colour: Black
  - Series: 2XLR-SV
  - Outer Sheath Material: PVC



1924440 3 Pin XLR

**RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 0.5M**

- 包裝尺寸: 1 x EA
- Connector 1: 3 Pin XLR
  - Connector 2: 3 Pin XLR
  - Connector 1 Gender: Male
  - Connector 2 Gender: Female
  - Length: 0.5 m
  - Sheath Colour: Black
  - Outer Sheath Material: PVC
  - Connector B: 3 pin XLR



1924441 3 Pin XLR

**RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 1M**

包装尺寸: 1 x EA

- Connector 1: 3 Pin XLR
- Connector 2: 3 Pin XLR
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 1 m
- Sheath Colour: Black
- Series: 2XLR-BK
- Outer Sheath Material: PVC



1924442 3 Pin XLR

**RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 5M**

包装尺寸: 1 x EA

- Connector 1: 3 Pin XLR
- Connector 2: 3 Pin XLR
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 5 m
- Sheath Colour: Black
- Series: 2XLR-BK
- Outer Sheath Material: PVC



1924445 3 Pin XLR

**RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 2M**

包装尺寸: 1 x EA

- Connector 1: 3 Pin XLR
- Connector 2: 3 Pin XLR
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 2 m
- Sheath Colour: Black
- Series: 2XLR-BK
- Outer Sheath Material: PVC



1924443 3 Pin XLR

**RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 3M**

包装尺寸: 1 x EA

- Connector 1: 3 Pin XLR
- Connector 2: 3 Pin XLR
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 3 m
- Sheath Colour: Black
- Series: 2XLR-BK
- Outer Sheath Material: PVC



1924444 3 Pin XLR

**RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 6M**

包装尺寸: 1 x EA

- Connector 1: 3 Pin XLR
- Connector 2: 3 Pin XLR
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 6 m
- Sheath Colour: Black
- Series: 2XLR-BK
- Outer Sheath Material: PVC



1924447 3 Pin XLR

**RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 15M**

包装尺寸: 1 x EA

- Connector 1: 3 Pin XLR
- Connector 2: 3 Pin XLR
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 15 m
- Sheath Colour: Black
- Series: 2XLR-BK
- Outer Sheath Material: PVC



1924449 3 Pin XLR

**RS PRO MALE 3 PIN XLR TO FEMALE 3 PIN XLR CABLE, BLACK, 20M**

包装尺寸: 1 x EA

- Connector 1: 3 Pin XLR
- Connector 2: 3 Pin XLR
- Connector 1 Gender: Male
- Connector 2 Gender: Female
- Length: 20 m
- Sheath Colour: Black
- Shielding: Copper Braid
- Outer Sheath Material: PVC



1924450 3 Pin XLR

## CONDUCTIVE PP BRUSH, 144x50x20MM

包裝尺寸: 1 x EA

- Material: Nylon
- Shape: Flat
- Length: 164 mm
- Dissipative: Yes
- Conductive: Yes
- Cleanroom: No
- Complies with EN 61340-5-1: Yes
- Handle Length: 144 mm



1250302 Nylon

## CIRCULAR ANTI STATIC BRUSH, PLASTIC

包裝尺寸: 1 x EA

- Material: Plastic
- Shape: Circular
- Length: 152 mm
- Dissipative: No
- Conductive: Yes
- Cleanroom: No
- Complies with EN 61340-5-1: Yes
- Handle Length: 140 mm



2878170 Plastic

## BRUSH, CIRCULAR, ANTISTATIC, C/W HANDLE, 60MM

包裝尺寸: 1 x EA

- Material: Plastic
- Shape: Rectangular
- Length: 245 mm
- Dissipative: No
- Conductive: Yes
- Cleanroom: No
- Complies with EN 61340-5-1: Yes
- Handle Length: 225 mm



2878186 Plastic

## ANTI-SPLASH PUMP DISPENSER, 240ML (8OZ)

包裝尺寸: 1 x EA

- Dispenser Type: Bottle
- Capacity: 240 ml
- Dissipative: Yes
- Conductive: No
- Anti-Static: No
- Cleanroom: No
- Complies with EN 61340-5-1: Yes



7989332 Bottle

## RS PRO 227ML ESD BOTTLE

包裝尺寸: 1 x EA

- Dispenser Type: Bottle
- Capacity: 227 ml
- Dissipative: Yes
- Conductive: No
- Anti-Static: Yes
- Cleanroom: Yes



1846689 Bottle

## CLEANROOM DRY WIPES, 9X9IN.100

包裝尺寸: 100 x EA

- Dispenser Type: Wipe
- Capacity: 100
- Dissipative: No
- Conductive: No
- Anti-Static: No
- Cleanroom: Yes
- Complies with EN 61340-5-1: No



8295120 Wipe

## RS PRO 150 CLEANROOM WIPES

包裝尺寸: 100 x EA

- Dispenser Type: Wipe
- Capacity: 150
- Dissipative: No
- Conductive: No
- Anti-Static: No
- Cleanroom: Yes
- Complies with EN 61340-5-1: No



8295124 Wipe

## RS PRO 150 CLEANROOM WIPES

包裝尺寸: 150 x EA

- Dispenser Type: Wipe
- Capacity: 150
- Dissipative: No
- Conductive: No
- Anti-Static: No
- Cleanroom: Yes
- Complies with EN 61340-5-1: No



8295133 Wipe

## CLEANROOM POLY/CELLULOSE DRY WIPES, 100

包裝尺寸: 100 x EA

- Dispenser Type: Wipe
- Capacity: 100
- Dissipative: No
- Conductive: No
- Anti-Static: No
- Cleanroom: Yes
- Complies with EN 61340-5-1: No



8295136 Wipe

## RS PRO 100 CLEANROOM WIPES

包裝尺寸: 100 x EA

- Dispenser Type: Wipe
- Capacity: 100
- Dissipative: No
- Conductive: No
- Anti-Static: No
- Cleanroom: Yes
- Complies with EN 61340-5-1: No



8295142 Wipe

## RS PRO 100 CLEANROOM WIPES

包裝尺寸: 100 x EA

- Dispenser Type: Wipe
- Capacity: 100
- Dissipative: No
- Conductive: No
- Anti-Static: No
- Cleanroom: Yes
- Complies with EN 61340-5-1: No



8295146 Wipe

## RS PRO 200 CLEANROOM WIPES

包裝尺寸: 200 x EA

- Dispenser Type: Wipe
- Capacity: 200
- Dissipative: No
- Conductive: No
- Anti-Static: No
- Cleanroom: Yes
- Complies with EN 61340-5-1: No



8295149 Wipe

## RS PRO 100 CLEANROOM WIPES

包裝尺寸: 100 x EA

- Dispenser Type: Wipe
- Capacity: 100
- Dissipative: No
- Conductive: No
- Anti-Static: No
- Cleanroom: Yes
- Complies with EN 61340-5-1: No



8295155 Wipe

## HAND, PROTECTION, ANTISTATIC, GLOVES, POLYESTER, C/W SUPER GRIP, M

包裝尺寸: 1 x PR

- Size: 8 - M
- Material: PET
- Latex Free: Yes
- Number of Gloves: 2
- Reusable/Disposable: Reusable
- Complies with EN 61340-5-1: No



3562208 8 - M

## HAND, PROTECTION, ANTISTATIC, GLOVES, POLYESTER, C/W SUPER GRIP, XL

包裝尺寸: 1 x PR

- Size: 10 - XL
- Material: PET
- Latex Free: Yes
- Number of Gloves: 2
- Reusable/Disposable: Reusable
- Complies with EN 61340-5-1: No



3562220 10 - XL

## HAND, PROTECTION, ANTISTATIC, GLOVES, POLYESTER, C/W SUPER GRIP, L

包裝尺寸: 1 x PR

- Size: 9 - L
- Material: PET
- Latex Free: Yes
- Number of Gloves: 2
- Reusable/Disposable: Reusable
- Complies with EN 61340-5-1: No



3562214 9 - L

**RS PRO 8 - M PET ANTI-STATIC GLOVES**

包裝尺寸: 1 x PR

- Size: 8 - M
- Material: PET
- Latex Free: Yes
- Number of Gloves: 2
- Reusable/Disposable: Reusable
- Complies with EN 61340-5-1: No



3562236 8 - M

**HAND, PROTECTION, ANTI-STATIC, GLOVES, POLYESTER, C/W PVC SMOOTH**

包裝尺寸: 1 x PR

- Size: 9 - L
- Material: PET
- Latex Free: Yes
- Number of Gloves: 2
- Reusable/Disposable: Reusable
- Complies with EN 61340-5-1: No



3562258 9 - L

**BENCH/FLOOR ESD-SAFE MAT, 380MM X 500MM**

包裝尺寸: 1 x EA

- Use Type: Bench, Floor
- Suitable For: Bench, Floor Mat
- Length: 380 mm
- Width: 500 mm
- Surface Texture Type: Smooth
- Complies with EN 61340-5-1: Yes
- Number of Material Layers: 2



3407640 Bench, Floor

**BENCH/FLOOR ESD-SAFE MAT, 1.2M X 600MM X 3.2MM**

包裝尺寸: 1 x EA

- Use Type: Bench, Floor
- Suitable For: Chemical Resistance, Continuous Monitoring, Soldering
- Thickness: 3.2 mm
- Length: 1.2 m
- Width: 600 mm
- Surface Texture Type: Smooth
- Complies with EN 61340-5-1: Yes
- Number of Material Layers: 3



4661643 Bench, Floor

**GREY BENCH/FLOOR ESD-SAFE MAT, 1.2M X 600MM X 3.2MM**

包裝尺寸: 1 x EA

- Use Type: Bench, Floor
- Suitable For: Chemical Resistance, Continuous Monitoring, Soldering
- Thickness: 3.2 mm
- Colour: Grey
- Length: 1.2 m
- Width: 600 mm
- Surface Texture Type: Smooth
- Complies with EN 61340-5-1: Yes



4661659 Bench, Floor

**BENCH ESD-SAFE MAT, 1.2M X 600MM X 2MM**

包裝尺寸: 1 x EA

- Use Type: Bench
- Thickness: 2 mm
- Suitable For: Bench
- Length: 1.2 m
- Width: 600 mm
- Surface Texture Type: Smooth
- Complies with EN 61340-5-1: No
- Resistance: 4.4 x 1,000,000 Ω



7873114 Bench

**CLEANROOM TACKY MAT, 1.14M X 460MM X 1.65MM**

包裝尺寸: 8 x EA

- Use Type: Cleanroom
- Suitable For: Standard Shoes
- Thickness: 1.65 mm
- Length: 1.14 m
- Width: 460 mm
- Surface Texture Type: Smooth
- Complies with EN 61340-5-1: No
- Number of Material Layers: 30



8295281 Cleanroom

**CLEANROOM TACKY MAT, 1.14M X 460MM X 1.65MM**

包裝尺寸: 8 x EA

- Use Type: Cleanroom
- Suitable For: Standard Shoes
- Thickness: 1.65 mm
- Length: 1.14 m
- Width: 460 mm
- Surface Texture Type: Smooth
- Complies with EN 61340-5-1: No
- Number of Material Layers: 30



8295287 Cleanroom

**CLEANROOM TACKY MAT, 1.14M X 660MM X 1.65MM**

包裝尺寸: 8 x EA

- Use Type: Cleanroom
- Suitable For: Standard Shoes
- Thickness: 1.65 mm
- Length: 1.14 m
- Width: 660 mm
- Surface Texture Type: Smooth
- Complies with EN 61340-5-1: No
- Number of Material Layers: 30



8295290 Cleanroom

**CLEANROOM TACKY MAT, 1.14M X 660MM X 1.65MM**

包裝尺寸: 8 x EA

- Use Type: Cleanroom
- Suitable For: Standard Shoes
- Thickness: 1.65 mm
- Length: 1.14 m
- Width: 660 mm
- Surface Texture Type: Smooth
- Complies with EN 61340-5-1: No
- Number of Material Layers: 30



8295293 Cleanroom

**CLEANROOM TACKY MAT, 910MM X 910MM X 1.65MM**

包裝尺寸: 8 x EA

- Use Type: Cleanroom
- Suitable For: Standard Shoes
- Thickness: 1.65 mm
- Colour: White
- Length: 910 mm
- Width: 910 mm
- Surface Texture Type: Smooth
- Complies with EN 61340-5-1: No



8295297 Cleanroom

**CLEANROOM TACKY MAT, 1.14M X 910MM X 1.65MM**

包裝尺寸: 8 x EA

- Use Type: Cleanroom
- Suitable For: Standard Shoes
- Thickness: 1.65 mm
- Length: 1.14 m
- Width: 910 mm
- Surface Texture Type: Smooth
- Complies with EN 61340-5-1: No
- Number of Material Layers: 30



8295300 Cleanroom

**BLUE CLEANROOM TACKY MAT, 910MM X 910MM X 1.65MM**

包裝尺寸: 8 x EA

- Use Type: Cleanroom
- Suitable For: Standard Shoes
- Thickness: 1.65 mm
- Colour: Blue
- Length: 910 mm
- Width: 910 mm
- Surface Texture Type: Smooth
- Complies with EN 61340-5-1: No



8295307 Cleanroom

**RS PRO BLACK CONDUCTIVE BAG 203MM(W)X 127MM(L)**

包裝尺寸: 10 x EA

- Packaging Type: Black Conductive Bag
- Type: Bag
- Colour: Black
- Length: 127 mm
- Thickness: 0.075 mm
- Width: 203 mm
- Quantity Per Package: 10
- Dissipative: No



550072 Black Conductive

**RS PRO BLACK CONDUCTIVE BAG 254MM(W)X 203MM(L)**

包裝尺寸: 10 x EA

- Packaging Type: Black Conductive Bag
- Type: Bag
- Colour: Black
- Length: 203 mm
- Thickness: 0.075 mm
- Width: 254 mm
- Quantity Per Package: 10
- Dissipative: No



550088 Black Conductive

**RS PRO BLACK CONDUCTIVE BAG 305MM(W)X 252MM(L)**

包裝尺寸: 10 x EA

- Packaging Type: Black Conductive Bag
- Type: Bag
- Colour: Black
- Length: 252 mm
- Thickness: 0.075 mm
- Width: 305 mm
- Quantity Per Package: 10
- Dissipative: No



550094 Black Conductive

## ANTISTATIC,ELECTRICALLY CONDUCTIVE,STORAGE

包裝尺寸: 10 x EA

- Packaging Type: Black Conductive Bag
- Type: Bag
- Colour: Black
- Length: 305 mm
- Thickness: 0.075 mm
- Width: 406 mm
- Quantity Per Package: 10
- Dissipative: No



550101 Black Conductive

## ANTISTATIC,ELECTRICALLY CONDUCTIVE,STORAGE

包裝尺寸: 10 x EA

- Packaging Type: Black Conductive Bag
- Type: Bag
- Colour: Black
- Length: 406 mm
- Thickness: 0.075 mm
- Width: 508 mm
- Quantity Per Package: 10
- Dissipative: No



550117 Black Conductive

## DISSIPATIVE CLEAR ZIP BAG,100X150MM,100

包裝尺寸: 100 x EA

- Packaging Type: ESD Ultra Clear Bag
- Type: Bag
- Colour: Clear
- Length: 150 mm
- Thickness: 0.09 mm
- Width: 100 mm
- Quantity Per Package: 100
- Dissipative: Yes



1229154 ESD Ultra Clear

## DISSIPATIVE CLEAR ZIP BAG,150X200MM,100

包裝尺寸: 100 x EA

- Packaging Type: ESD Ultra Clear Bag
- Type: Bag
- Colour: Clear
- Length: 200 mm
- Thickness: 0.09 mm
- Width: 150 mm
- Quantity Per Package: 100
- Dissipative: Yes



1229155 ESD Ultra Clear

## DISSIPATIVE CLEAR ZIP BAG,200X250MM,100

包裝尺寸: 100 x EA

- Packaging Type: ESD Ultra Clear Bag
- Type: Bag
- Colour: Clear
- Length: 250 mm
- Thickness: 0.09 mm
- Width: 200 mm
- Quantity Per Package: 100
- Dissipative: Yes



1229156 ESD Ultra Clear

## RS PRO ESD ULTRA CLEAR BAG 250MM(W)X 300MM(L)

包裝尺寸: 100 x EA

- Packaging Type: ESD Ultra Clear Bag
- Type: Bag
- Colour: Clear
- Length: 300 mm
- Thickness: 0.09 mm
- Width: 250 mm
- Quantity Per Package: 100
- Dissipative: Yes



1229157 ESD Ultra Clear

## DISSIPATIVE CLEAR ZIP BAG,75X125MM,100

包裝尺寸: 100 x EA

- Packaging Type: ESD Ultra Clear Bag
- Type: Bag
- Colour: Clear
- Length: 125 mm
- Thickness: 0.09 mm
- Width: 75 mm
- Quantity Per Package: 100
- Dissipative: Yes



1229158 ESD Ultra Clear

## RS PRO GUSSETED SHROUD 1250MM(W)X 1.85M(L)

包裝尺寸: 1 x EA

- Packaging Type: Gusseted Shroud
- Type: Cover
- Colour: Pink
- Length: 1.85 m
- Thickness: 0.08 mm
- Width: 1250 mm
- Dissipative: Yes
- Conductive: No



1252348 Gusseted Shroud

## RS PRO GUSSETED SHROUD 1250MM(W)X 1.6M(L)

包裝尺寸: 1 x EA

- Packaging Type: Gusseted Shroud
- Type: Cover
- Colour: Pink
- Length: 1.6 m
- Thickness: 0.08 mm
- Width: 1250 mm
- Dissipative: Yes
- Conductive: No



1252349 Gusseted Shroud

## RS PRO GUSSETED SHROUD 579MM(W)X 745MM(L)

包裝尺寸: 1 x EA

- Packaging Type: Gusseted Shroud
- Type: Cover
- Colour: Pink
- Length: 745 mm
- Thickness: 0.08 mm
- Width: 579 mm
- Dissipative: Yes
- Conductive: No



1252350 Gusseted Shroud

## RS PRO TUBE 100MM(W)X 250M(L)

包裝尺寸: 1 x EA

- Packaging Type: Tube
- Type: Tube
- Colour: Pink
- Length: 250 m
- Thickness: 0.09 mm
- Width: 100 mm
- Dissipative: Yes
- Conductive: No



1252351 Tube

## RS PRO TUBE 102MM(W)X 152M(L)

包裝尺寸: 1 x EA

- Packaging Type: Tube
- Type: Tube
- Colour: Black
- Length: 152 m
- Thickness: 0.1 mm
- Width: 102 mm
- Dissipative: No
- Conductive: Yes



1252359 Tube

## RS PRO TUBE 76MM(W)X 152M(L)

包裝尺寸: 1 x EA

- Packaging Type: Tube
- Type: Tube
- Colour: Black
- Length: 152 m
- Thickness: 0.1 mm
- Width: 76 mm
- Dissipative: No
- Conductive: Yes



1252358 Tube

## RS PRO STRAP 25.4MM(W)X 508MM(L)

包裝尺寸: 1 x EA

- Packaging Type: Strap
- Type: Strap
- Colour: Black
- Length: 508 mm
- Thickness: 0.5 mm
- Width: 25.4 mm
- Dissipative: Yes
- Conductive: No



1252399 Strap

## BAG,STATIC SHIELDED,SSC 0305

包裝尺寸: 100 x EA

- Packaging Type: Static Shielding Bag
- Type: Bag
- Colour: Silver
- Length: 127 mm
- Thickness: 0.07 mm
- Width: 76 mm
- Quantity Per Package: 100
- Dissipative: Yes



1828792 Static Shielding

## BAG,STATIC SHIELDED,SSC 0406

包裝尺寸: 100 x EA

- Packaging Type: Static Shielding Bag
- Type: Bag
- Colour: Silver
- Length: 152 mm
- Thickness: 0.07 mm
- Width: 102 mm
- Quantity Per Package: 100
- Dissipative: Yes



1828809 Static Shielding

**RS PRO STATIC SHIELDING BAG  
127MM(W)X 203MM(L)**

- 包裝尺寸: **100 x EA**
- Packaging Type: Static Shielding Bag
  - Type: Bag
  - Colour: Silver
  - Length: 203 mm
  - Thickness: 0.07 mm
  - Width: 127 mm
  - Quantity Per Package: 100
  - Dissipative: Yes



**1828815** Static Shielding

**RS PRO STATIC SHIELDING BAG  
152MM(W)X 254MM(L)**

- 包裝尺寸: **100 x EA**
- Packaging Type: Static Shielding Bag
  - Type: Bag
  - Colour: Silver
  - Length: 254 mm
  - Thickness: 0.07 mm
  - Width: 152 mm
  - Quantity Per Package: 100
  - Dissipative: Yes



**1828821** Static Shielding

**BAG,STATIC SHIELDED,SSC 0810**

- 包裝尺寸: **100 x EA**
- Packaging Type: Static Shielding Bag
  - Type: Bag
  - Colour: Silver
  - Length: 254 mm
  - Thickness: 0.07 mm
  - Width: 203 mm
  - Quantity Per Package: 100
  - Dissipative: Yes



**1828837** Static Shielding

**BAG,STATIC SHIELDED,SSC 1012**


- 包裝尺寸: **100 x EA**
- Packaging Type: Static Shielding Bag
  - Type: Bag
  - Colour: Silver
  - Length: 305 mm
  - Thickness: 0.07 mm
  - Width: 254 mm
  - Quantity Per Package: 100
  - Dissipative: Yes



**1828843** Static Shielding

**RS PRO STATIC SHIELDING BAG  
355MM(W)X 405MM(L)**


- 包裝尺寸: **100 x EA**
- Packaging Type: Static Shielding Bag
  - Type: Bag
  - Colour: Black
  - Length: 405 mm
  - Thickness: 0.07 mm
  - Width: 355 mm
  - Quantity Per Package: 100
  - Dissipative: Yes



**1908423** Static Shielding

**RS PRO ESD ULTRA CLEAR BAG  
76MM(W)X 127MM(L)**

- 包裝尺寸: **100 x EA**
- Packaging Type: ESD Ultra Clear Bag
  - Type: Bag
  - Colour: Clear
  - Length: 127 mm
  - Thickness: 0.09 mm
  - Width: 76 mm
  - Quantity Per Package: 100
  - Dissipative: Yes



**1908426** ESD Ultra Clear

**RS PRO STATIC SHIELDING BAG  
150MM(W)X 230MM(L)**

- 包裝尺寸: **100 x EA**
- Packaging Type: Static Shielding Bag
  - Type: Bag
  - Colour: Black
  - Length: 230 mm
  - Thickness: 0.07 mm
  - Width: 150 mm
  - Quantity Per Package: 100
  - Dissipative: Yes



**1908427** Static Shielding

**RS PRO STATIC SHIELDING BAG  
505MM(W)X 610MM(L)**

- 包裝尺寸: **100 x EA**
- Packaging Type: Static Shielding Bag
  - Type: Bag
  - Colour: Black
  - Length: 610 mm
  - Thickness: 0.07 mm
  - Width: 505 mm
  - Quantity Per Package: 100
  - Dissipative: Yes



**1908428** Static Shielding

**RS PRO STATIC SHIELDING BAG  
610MM(W)X 914MM(L)**


- 包裝尺寸: **100 x EA**
- Packaging Type: Static Shielding Bag
  - Type: Bag
  - Colour: Black
  - Length: 914 mm
  - Thickness: 0.07 mm
  - Width: 610 mm
  - Quantity Per Package: 100
  - Dissipative: Yes



**1908429** Static Shielding

**RS PRO STATIC SHIELDING BAG  
50MM(W)X 75MM(L)**

- 包裝尺寸: **100 x EA**
- Packaging Type: Static Shielding Bag
  - Type: Bag
  - Colour: Black
  - Length: 75 mm
  - Thickness: 0.07 mm
  - Width: 50 mm
  - Quantity Per Package: 100
  - Dissipative: Yes



**1908430** Static Shielding

**RS PRO STATIC SHIELDING BAG  
75MM(W)X 125MM(L)**

- 包裝尺寸: **100 x EA**
- Packaging Type: Static Shielding Bag
  - Type: Bag
  - Colour: Black
  - Length: 125 mm
  - Thickness: 0.07 mm
  - Width: 75 mm
  - Quantity Per Package: 100
  - Dissipative: Yes



**1908431** Static Shielding

**RS PRO STATIC SHIELDING BAG  
125MM(W)X 200MM(L)**

- 包裝尺寸: **100 x EA**
- Packaging Type: Static Shielding Bag
  - Type: Bag
  - Colour: Black
  - Length: 200 mm
  - Thickness: 0.07 mm
  - Width: 125 mm
  - Quantity Per Package: 100
  - Dissipative: Yes



**1908432** Static Shielding

**RS PRO STATIC SHIELDING BAG  
150MM(W)X 255MM(L)**

- 包裝尺寸: **100 x EA**
- Packaging Type: Static Shielding Bag
  - Type: Bag
  - Colour: Black
  - Length: 255 mm
  - Thickness: 0.07 mm
  - Width: 150 mm
  - Quantity Per Package: 100
  - Dissipative: Yes



**1908433** Static Shielding

**RS PRO STATIC SHIELDING BAG  
200MM(W)X 255MM(L)**

- 包裝尺寸: **100 x EA**
- Packaging Type: Static Shielding Bag
  - Type: Bag
  - Colour: Black
  - Length: 255 mm
  - Thickness: 0.07 mm
  - Width: 200 mm
  - Quantity Per Package: 100
  - Dissipative: Yes



**1908434** Static Shielding

**RS PRO STATIC SHIELDING BAG  
255MM(W)X 355MM(L)**

- 包裝尺寸: **100 x EA**
- Packaging Type: Static Shielding Bag
  - Type: Bag
  - Colour: Black
  - Length: 355 mm
  - Thickness: 0.07 mm
  - Width: 255 mm
  - Quantity Per Package: 100
  - Dissipative: Yes



**1908435** Static Shielding

**RS PRO STATIC SHIELDING BAG  
305MM(W)X 455MM(L)**

- 包裝尺寸: **100 x EA**
- Packaging Type: Static Shielding Bag
  - Type: Bag
  - Colour: Black
  - Length: 455 mm
  - Thickness: 0.07 mm
  - Width: 305 mm
  - Quantity Per Package: 100
  - Dissipative: Yes



**1908436** Static Shielding

## RS PRO STATIC SHIELDING BAG 355MM(W)X 455MM(L)

包裝尺寸: 100 x EA

- Packaging Type: Static Shielding Bag
- Type: Bag
- Colour: Black
- Length: 455 mm
- Thickness: 0.07 mm
- Width: 355 mm
- Quantity Per Package: 100
- Dissipative: Yes



1908437 Static Shielding

## RS PRO MOISTURE BARRIER BAG 305MM(W)X 405MM(L)

包裝尺寸: 100 x EA

- Packaging Type: Moisture Barrier Bag
- Type: Bag
- Colour: Silver
- Length: 405 mm
- Thickness: 0.09 mm
- Width: 305 mm
- Quantity Per Package: 100
- Dissipative: Yes



1908442 Moisture Barrier

## RS PRO MOISTURE BARRIER BAG 380MM(W)X 455MM(L)

包裝尺寸: 100 x EA

- Packaging Type: Moisture Barrier Bag
- Type: Bag
- Colour: Silver
- Length: 455 mm
- Thickness: 0.09 mm
- Width: 380 mm
- Quantity Per Package: 100
- Dissipative: Yes



1908444 Moisture Barrier

## RS PRO MOISTURE BARRIER BAG 405MM(W)X 455MM(L)

包裝尺寸: 100 x EA

- Packaging Type: Moisture Barrier Bag
- Type: Bag
- Colour: Silver
- Length: 455 mm
- Thickness: 0.09 mm
- Width: 405 mm
- Quantity Per Package: 100
- Dissipative: Yes



1908445 Moisture Barrier

## BAG,ANTISTATIC,SHIELDING,152X203 MM

包裝尺寸: 100 x EA

- Packaging Type: Static Shielding Bag
- Type: Bag
- Colour: Silver
- Length: 203 mm
- Thickness: 0.07 mm
- Width: 152 mm
- Quantity Per Package: 100
- Dissipative: Yes



2877739 Static Shielding

## RS PRO STATIC SHIELDING BAG 254MM(W)X 356MM(L)

包裝尺寸: 100 x EA

- Packaging Type: Static Shielding Bag
- Type: Bag
- Colour: Silver
- Length: 356 mm
- Thickness: 0.07 mm
- Width: 254 mm
- Quantity Per Package: 100
- Dissipative: Yes



2877767 Static Shielding

## RS PRO STATIC SHIELDING BAG 457MM(W)X 610MM(L)

包裝尺寸: 100 x EA

- Packaging Type: Static Shielding Bag
- Type: Bag
- Colour: Silver
- Length: 610 mm
- Thickness: 0.07 mm
- Width: 457 mm
- Quantity Per Package: 100
- Dissipative: Yes



2877773 Static Shielding

## BAG,ANTISTATIC,PINK,76X122MM

包裝尺寸: 100 x EA

- Packaging Type: Anti Static Bag
- Type: Bag
- Colour: Pink
- Length: 75 mm
- Thickness: 0.075 mm
- Width: 125 mm
- Quantity Per Package: 100
- Dissipative: No



2877852 Anti Static Bag

## BAG,ANTISTATIC,PINK,101X152MM

包裝尺寸: 100 x EA

- Packaging Type: Anti Static Bag
- Type: Bag
- Colour: Pink
- Length: 100 mm
- Thickness: 0.075 mm
- Width: 155 mm
- Quantity Per Package: 100
- Dissipative: No



2877868 Anti Static Bag

## BAG,ANTISTATIC,PINK,152X203MM

包裝尺寸: 100 x EA

- Packaging Type: Anti Static Bag
- Type: Bag
- Colour: Pink
- Length: 152 mm
- Thickness: 0.075 mm
- Width: 203 mm
- Quantity Per Package: 100
- Dissipative: No



2877874 Anti Static Bag

## BAG,ANTISTATIC,PINK,152X229MM

包裝尺寸: 100 x EA

- Packaging Type: Anti Static Bag
- Type: Bag
- Colour: Pink
- Length: 152 mm
- Thickness: 0.075 mm
- Width: 229 mm
- Quantity Per Package: 100
- Dissipative: No



2877880 Anti Static Bag

## BAG,ANTISTATIC,PINK,203X305MM

包裝尺寸: 100 x EA

- Packaging Type: Anti Static Bag
- Type: Bag
- Colour: Pink
- Length: 305 mm
- Thickness: 0.075 mm
- Width: 205 mm
- Quantity Per Package: 100
- Dissipative: No



2877903 Anti Static Bag

## BAG,ANTISTATIC,PINK,203X254MM

包裝尺寸: 100 x EA

- Packaging Type: Anti Static Bag
- Type: Bag
- Colour: Pink
- Length: 205 mm
- Thickness: 0.075 mm
- Width: 255 mm
- Quantity Per Package: 100
- Dissipative: No



2877919 Anti Static Bag

## BAG,ANTISTATIC,PINK,254X356MM

包裝尺寸: 100 x EA

- Packaging Type: Anti Static Bag
- Type: Bag
- Colour: Pink
- Length: 254 mm
- Thickness: 0.075 mm
- Width: 356 mm
- Quantity Per Package: 100
- Dissipative: No



2877925 Anti Static Bag

## BAG,ANTISTATIC,PINK,305X406MM

包裝尺寸: 100 x EA

- Packaging Type: Anti Static Bag
- Type: Bag
- Colour: Pink
- Length: 305 mm
- Thickness: 0.075 mm
- Width: 406 mm
- Quantity Per Package: 100
- Dissipative: No



2877931 Anti Static Bag

## BAG,ANTISTATIC,SHIELDING,287X305 MM

包裝尺寸: 100 x EA

- Packaging Type: Static Shielding Bag
- Type: Bag
- Colour: Silver
- Length: 305 mm
- Thickness: 0.07 mm
- Width: 203 mm
- Quantity Per Package: 100
- Dissipative: Yes



2878221 Static Shielding



**RS PRO STATIC SHIELDING BAG  
305MM(W)X 457MM(L)**

- 包裝尺寸: **100 x EA**
- Packaging Type: Static Shielding Bag
  - Type: Bag
  - Colour: Silver
  - Length: 457 mm
  - Thickness: 0.07 mm
  - Width: 305 mm
  - Quantity Per Package: 100
  - Dissipative: Yes



**2909375** Static Shielding

**BAG,ANTISTATIC,GUSSETTED,PINK,46  
0X640X630MM**

- 包裝尺寸: **20 x EA**
- Packaging Type: Anti Static Gussetted Bag
  - Type: Bag
  - Colour: Pink
  - Length: 630 mm
  - Thickness: 0.075 mm
  - Width: 460 mm, 610 mm
  - Quantity Per Package: 20
  - Dissipative: No



**3562179** Anti Static

**BAG,ANTISTATIC,GUSSETTED,PINK,46  
0X750X1080MM**

- 包裝尺寸: **20 x EA**
- Packaging Type: Anti Static Gussetted Bag
  - Type: Bag
  - Colour: Pink
  - Length: 1080 mm
  - Thickness: 0.075 mm
  - Width: 460 mm, 750 mm
  - Quantity Per Package: 20
  - Dissipative: No



**3562191** Anti Static

**RS PRO BUBBLE WRAP 500MM(W)X  
50M(L)**

- 包裝尺寸: **50 x MTR**
- Packaging Type: Bubble Wrap
  - Type: Roll
  - Colour: Pink
  - Length: 50 m
  - Thickness: 6 mm
  - Width: 500 mm
  - Dissipative: Yes
  - Conductive: No



**3562315** Bubble Wrap

**BAG,ANTISTATIC,BUBBLEWRAP,PINK,  
100X135MM**

- 包裝尺寸: **50 x EA**
- Packaging Type: Anti Static Bubble Bag
  - Type: Bag
  - Colour: Pink
  - Length: 100 mm
  - Width: 135 mm
  - Quantity Per Package: 50
  - Dissipative: No
  - Conductive: No



**3562343** Anti Static Bubble

**BAG,ANTISTATIC,BUBBLEWRAP,PINK,  
180X235MM**

- 包裝尺寸: **50 x EA**
- Packaging Type: Anti Static Bubble Bag
  - Type: Bag
  - Colour: Pink
  - Length: 180 mm
  - Width: 235 mm
  - Quantity Per Package: 50
  - Dissipative: No
  - Conductive: No



**3562365** Anti Static Bubble

**BAG,ANTISTATIC,BUBBLEWRAP,PINK,  
230X285MM**

- 包裝尺寸: **50 x EA**
- Packaging Type: Anti Static Bubble Bag
  - Type: Bag
  - Colour: Pink
  - Length: 230 mm
  - Width: 285 mm
  - Quantity Per Package: 50
  - Dissipative: No
  - Conductive: No



**3562371** Anti Static Bubble

**BAG,ANTISTATIC,BUBBLEWRAP,PINK,  
130X185MM**

- 包裝尺寸: **50 x EA**
- Packaging Type: Anti Static Bubble Bag
  - Type: Bag
  - Colour: Pink
  - Length: 130 mm
  - Width: 185 mm
  - Quantity Per Package: 50
  - Dissipative: No
  - Conductive: No



**3562359** Anti Static Bubble

**RS PRO ANTI STATIC BUBBLE BAG  
435MM(W)X 305MM(L)**

- 包裝尺寸: **50 x EA**
- Packaging Type: Anti Static Bubble Bag
  - Type: Bag
  - Colour: Pink
  - Length: 305 mm
  - Width: 435 mm
  - Quantity Per Package: 50
  - Dissipative: No
  - Conductive: No



**3562393** Anti Static Bubble

**RS PRO ANTI STATIC BUBBLE BAG  
435MM(W)X 380MM(L)**

- 包裝尺寸: **50 x EA**
- Packaging Type: Anti Static Bubble Bag
  - Type: Bag
  - Colour: Pink
  - Length: 380 mm
  - Width: 435 mm
  - Quantity Per Package: 50
  - Dissipative: No
  - Conductive: No



**3562400** Anti Static Bubble

**RS PRO STATIC SHIELDING BAG  
305MM(W)X 406MM(L)**

- 包裝尺寸: **100 x EA**
- Packaging Type: Static Shielding Bag
  - Type: Bag
  - Colour: Silver
  - Length: 406 mm
  - Thickness: 0.07 mm
  - Width: 305 mm
  - Quantity Per Package: 100
  - Dissipative: Yes



**3876406** Static Shielding

**RS PRO STATIC SHIELDING BAG  
356MM(W)X 457MM(L)**

- 包裝尺寸: **100 x EA**
- Packaging Type: Static Shielding Bag
  - Type: Bag
  - Colour: Silver
  - Length: 457 mm
  - Thickness: 0.07 mm
  - Width: 356 mm
  - Quantity Per Package: 100
  - Dissipative: Yes



**3876412** Static Shielding

**BAG,ANTISTATIC,GUSSETTED,300X50  
0X650MM**

- 包裝尺寸: **20 x EA**
- Packaging Type: Anti Static Gussetted Bag
  - Type: Bag
  - Colour: Pink
  - Length: 650 mm
  - Thickness: 0.075 mm
  - Width: 300 mm, 500 mm
  - Quantity Per Package: 20
  - Dissipative: No



**3974291** Anti Static

**BAG,ANTISTATIC,GUSSETTED,750X10  
00X1200MM**

- 包裝尺寸: **10 x EA**
- Packaging Type: Anti Static Gussetted Bag
  - Type: Bag
  - Colour: Pink
  - Length: 1200 mm
  - Thickness: 0.075 mm
  - Width: 750 mm, 1000 mm
  - Quantity Per Package: 10
  - Dissipative: No



**3974308** Anti Static

**RS PRO STATIC SHIELDING BAG  
457MM(W)X 457MM(L)**

- 包裝尺寸: **100 x EA**
- Packaging Type: Static Shielding Bag
  - Type: Bag
  - Colour: Silver
  - Length: 457 mm
  - Thickness: 0.07 mm
  - Width: 457 mm
  - Quantity Per Package: 100
  - Dissipative: Yes



**4157009** Static Shielding

**BAG,ANTISTATIC,ZIPPER,SHIELDED,X1  
00,102X152MM**

- 包裝尺寸: **100 x EA**
- Packaging Type: Static Shielding Bag
  - Type: Bag
  - Colour: Silver
  - Length: 152 mm
  - Thickness: 0.07 mm
  - Width: 102 mm
  - Quantity Per Package: 100
  - Dissipative: Yes



**4319538** Static Shielding

## BAG, ANTISTATIC, ZIPPER, SHIELDED, X1 00, 152X203MM

- 包装尺寸: 100 x EA
- Packaging Type: Static Shielding Bag
  - Type: Bag
  - Colour: Silver
  - Length: 203 mm
  - Thickness: 0.07 mm
  - Width: 152 mm
  - Quantity Per Package: 100
  - Dissipative: Yes



4319544 Static Shielding

## RS PRO STATIC SHIELDING BAG 279MM(W)X 381MM(L)

- 包装尺寸: 100 x EA
- Packaging Type: Static Shielding Bag
  - Type: Bag
  - Colour: Silver
  - Length: 381 mm
  - Thickness: 0.07 mm
  - Width: 279 mm
  - Quantity Per Package: 100
  - Dissipative: Yes



4156977 Static Shielding

## BAG, ANTISTATIC, ZIPPER, SHIELDED, X1 00, 254X305MM

- 包装尺寸: 100 x EA
- Packaging Type: Static Shielding Bag
  - Type: Bag
  - Colour: Silver
  - Length: 305 mm
  - Thickness: 0.07 mm
  - Width: 254 mm
  - Quantity Per Package: 100
  - Dissipative: Yes



4319550 Static Shielding

## BAG, ANTISTATIC, ZIPPER, SHIELDED, X1 00, 305X406MM

- 包装尺寸: 100 x EA
- Packaging Type: Static Shielding Bag
  - Type: Bag
  - Colour: Silver
  - Length: 406 mm
  - Thickness: 0.07 mm
  - Width: 305 mm
  - Quantity Per Package: 100
  - Dissipative: Yes



4319566 Static Shielding

## RS PRO STATIC SHIELDING BAG 457MM(W)X 457MM(L)

- 包装尺寸: 100 x EA
- Packaging Type: Static Shielding Bag
  - Type: Bag
  - Colour: Silver
  - Length: 457 mm
  - Thickness: 0.07 mm
  - Width: 457 mm
  - Quantity Per Package: 100
  - Dissipative: Yes



4319572 Static Shielding

## BAG, ANTISTATIC, PINK, 152X254MM

- 包装尺寸: 100 x EA
- Packaging Type: Anti Static Bag
  - Type: Bag
  - Colour: Pink
  - Length: 155 mm
  - Thickness: 0.075 mm
  - Width: 254 mm
  - Quantity Per Package: 100
  - Dissipative: No



4849073 Anti Static Bag

## RS PRO BUBBLE WRAP 500MM(W)X 25M(L)

- 包装尺寸: 25 x MTR
- Packaging Type: Bubble Wrap
  - Type: Roll
  - Colour: Pink
  - Length: 25 m
  - Thickness: 12 mm
  - Width: 500 mm
  - Dissipative: Yes
  - Conductive: No



6281772 Bubble Wrap

## RS PRO SHIELDING BUBBLE BAGS 505MM(W)X 405MM(L)

- 包装尺寸: 5 x EA
- Packaging Type: Shielding Bubble Bags
  - Type: Bag
  - Colour: Pink
  - Length: 405 mm
  - Width: 505 mm
  - Quantity Per Package: 5
  - Dissipative: Yes
  - Conductive: Yes



8153483 Shielding Bubble

## SHIELDING BUBBLE BAG, 305X405MM, PACK OF 5

- 包装尺寸: 5 x EA
- Packaging Type: Shielding Bubble Bags
  - Type: Bag
  - Colour: Pink
  - Length: 405 mm
  - Width: 305 mm
  - Quantity Per Package: 5
  - Dissipative: Yes
  - Conductive: Yes



8153486 Shielding Bubble

## RS PRO FILM 500MM(W)X 300M(L)

- 包装尺寸: 1 x EA
- Packaging Type: Film
  - Type: Film
  - Colour: Pink
  - Length: 300 m
  - Thickness: 0.025 mm
  - Width: 500 mm
  - Dissipative: Yes
  - Conductive: No



8157012 Film

## HIGH DENSITY CONDUCTIVE FOAM, 6X305X305MM

- 包装尺寸: 9 x EA
- Packaging Type: High Density ESD Foam
  - Type: Foam
  - Colour: Black
  - Length: 305 mm
  - Thickness: 6 mm
  - Width: 305 mm
  - Dissipative: No
  - Conductive: Yes



8153509 High Density ESD

## RS PRO 80MM ANTI STATIC ROLLER REFILL

- 包装尺寸: 1 x EA
- Type: Refill
  - Roller Width: 80 mm



2664224 Refill

## RS PRO 228.6MM ANTI STATIC ROLLER EXTENSION HANDLE

- 包装尺寸: 1 x EA
- Type: Extension Handle
  - Roller Width: 228.6 mm, 457.2 mm



8295326 Extension Handle

## RS PRO 80MM ANTI STATIC ROLLER HANDLE AND REFILL

- 包装尺寸: 1 x EA
- Type: Handle and Refill
  - Roller Width: 80 mm



2664347 Handle and Refill

## CONDUCTIVE ESD BOX

- 包装尺寸: 10 x EA
- Material Properties: Conductive
  - Height: 38 mm
  - Length: 175 mm
  - Width: 127 mm
  - Dissipative: No
  - Conductive: Yes
  - Anti-Static: No
  - Static Shielding: Yes



233496 Conductive

## BOX, TRANSIT, ANTISTATIC, CONDUCTIVE, 229X191X64MM

- 包装尺寸: 5 x EA
- Material Properties: Conductive
  - Height: 64 mm
  - Length: 229 mm
  - Width: 191 mm
  - Dissipative: No
  - Conductive: Yes
  - Anti-Static: No
  - Static Shielding: Yes



233503 Conductive

**CONDUCTIVE ESD BOX**

包裝尺寸: 1 x EA

- Material Properties: Conductive
- Height: 64 mm
- Length: 521 mm
- Width: 394 mm
- Dissipative: No
- Conductive: Yes
- Anti-Static: No
- Static Shielding: Yes



233519 Conductive

**CONDUCTIVE ESD BOX**

包裝尺寸: 10 x EA

- Material Properties: Conductive
- Height: 64 mm
- Length: 267 mm
- Width: 216 mm
- Dissipative: No
- Conductive: Yes
- Anti-Static: No
- Static Shielding: Yes



539227 Conductive

**CONDUCTIVE ESD BOX**

包裝尺寸: 10 x EA

- Material Properties: Conductive
- Height: 64 mm
- Length: 394 mm
- Width: 318 mm
- Dissipative: No
- Conductive: Yes
- Anti-Static: No
- Static Shielding: Yes



539233 Conductive

**BIN, STORAGE, CONDUCTIVE, 100X90X50MM**

包裝尺寸: 5 x EA

- Material Properties: Conductive
- Material: Plastic
- Height: 50 mm
- Length: 90 mm
- Width: 100 mm
- Dissipative: Yes
- Conductive: Yes
- Anti-Static: Yes



550319 Conductive

**CONDUCTIVE PLASTIC ESD BIN**

包裝尺寸: 5 x EA

- Material Properties: Conductive
- Material: Plastic
- Height: 130 mm
- Length: 150 mm
- Width: 240 mm
- Dissipative: Yes
- Conductive: Yes
- Anti-Static: Yes



550331 Conductive

**IC, ANTISTATIC, STORAGE BOX, 40X40X13.5MM**

包裝尺寸: 10 x EA

- Material Properties: Conductive
- Height: 13.5 mm
- Length: 40 mm
- Width: 40 mm
- Dissipative: No
- Conductive: Yes
- Anti-Static: No
- Static Shielding: Yes



550864 Conductive

**IC, CONDUCTIVE, STORAGE BOX, 77X55X19MM**

包裝尺寸: 5 x EA

- Material Properties: Conductive
- Height: 19 mm
- Length: 77 mm
- Width: 55 mm
- Dissipative: No
- Conductive: Yes
- Anti-Static: No
- Static Shielding: Yes



550870 Conductive

**BIN, STORAGE, CONDUCTIVE, 101X167X76MM**

包裝尺寸: 5 x EA

- Material Properties: Conductive
- Material: Plastic
- Height: 75 mm
- Length: 165 mm
- Width: 100 mm
- Dissipative: Yes
- Conductive: Yes
- Anti-Static: Yes



550325 Conductive

**BOX, CONDUCTIVE, 111X86X17MM**

包裝尺寸: 5 x EA

- Material Properties: Conductive
- Height: 17 mm
- Length: 111 mm
- Width: 86 mm
- Dissipative: No
- Conductive: Yes
- Anti-Static: No
- Static Shielding: Yes



550886 Conductive

**CONDUCTIVE ESD BOX**

包裝尺寸: 1 x EA

- Material Properties: Conductive
- Height: 33 mm
- Length: 232 mm
- Width: 130 mm
- Dissipative: No
- Conductive: Yes
- Anti-Static: No
- Static Shielding: Yes



820810 Conductive

**BOX, STORAGE, COMPONENT, LARGE, I C, SIZE B**

包裝尺寸: 1 x EA

- Material Properties: Conductive
- Height: 38 mm
- Length: 140 mm
- Width: 106 mm
- Dissipative: No
- Conductive: Yes
- Anti-Static: No
- Static Shielding: Yes



2179221 Conductive

**CONDUCTIVE ESD BOX**

包裝尺寸: 5 x EA

- Material Properties: Conductive
- Height: 16 mm
- Length: 89 mm
- Width: 64 mm
- Dissipative: No
- Conductive: Yes
- Anti-Static: No
- Static Shielding: Yes



2878091 Conductive

**CONDUCTIVE ESD BOX**

包裝尺寸: 1 x EA

- Material Properties: Conductive
- Height: 32 mm
- Length: 229 mm
- Width: 127 mm
- Dissipative: No
- Conductive: Yes
- Anti-Static: No
- Static Shielding: Yes



2878108 Conductive

**CONDUCTIVE ESD BOX**

包裝尺寸: 1 x EA

- Material Properties: Conductive
- Height: 23 mm
- Length: 229 mm
- Width: 126 mm
- Dissipative: No
- Conductive: Yes
- Anti-Static: No
- Static Shielding: Yes



4201386 Conductive

**CONDUCTIVE ESD BOX**

包裝尺寸: 10 x EA

- Material Properties: Conductive
- Height: 64 mm
- Length: 318 mm
- Width: 267 mm
- Dissipative: No
- Conductive: Yes
- Anti-Static: No
- Static Shielding: Yes



2878237 Conductive

**IC, CONDUCTIVE, STORAGE BOX, 229X126X42MM**

包裝尺寸: 1 x EA

- Material Properties: Conductive
- Height: 42 mm
- Length: 229 mm
- Width: 126 mm
- Dissipative: No
- Conductive: Yes
- Anti-Static: No
- Static Shielding: Yes



4201409 Conductive

## CONDUCTIVE POLYPROPYLENE ESD BOX

包裝尺寸: 1 x EA

- Material Properties: Conductive
- Material: Polypropylene
- Height: 16 mm
- Length: 15 mm
- Width: 12 mm
- Dissipative: No
- Conductive: Yes
- Anti-Static: No



8157003 Conductive

## STATIC SAFE, STORAGE, DOCUMENT WALLETS

包裝尺寸: 100 x EA

- Type: Document Sleeve
- Quantity Included: 100
- Width: 220 mm
- Paper Size: A4
- Height: 297 mm
- Dissipative: No
- Conductive: No
- Anti-Static: Yes



733952 Document Sleeve

## RS PRO RING BINDER SPINE 40MM X 320MM

包裝尺寸: 1 x EA

- Type: Ring Binder
- Quantity Included: 1
- Width: Spine 40 mm
- Depth: Ring 25 mm
- Paper Size: A4
- Height: 320 mm
- Dissipative: Yes
- Conductive: No



733946 Ring Binder

## RS PRO WASTE BIN 330MM X 530MM

包裝尺寸: 1 x EA

- Type: Waste Bin
- Quantity Included: 1
- Width: 330 mm
- Depth: 530 mm
- Height: 530 mm
- Dissipative: No
- Conductive: Yes
- Anti-Static: No



1252403 Waste Bin

## RS PRO WASTE BAG 330MM X 750MM

包裝尺寸: 10 x EA

- Type: Waste Bag
- Quantity Included: 10
- Width: 330 mm
- Depth: 530 mm
- Height: 750 mm
- Dissipative: No
- Conductive: No
- Anti-Static: Yes



1252404 Waste Bag

## RS PRO SCISSOR 178MM X 8MM

包裝尺寸: 1 x EA

- Type: Scissor
- Quantity Included: 1
- Width: 178 mm
- Depth: 70 mm
- Height: 8 mm
- Conductive: Yes
- Anti-Static: Yes
- Cleanroom: Yes



1846690 Scissor

## RS PRO X 178MM

包裝尺寸: 1 x EA

- Type: Pen
- Quantity Included: 1
- Height: 178 mm
- Conductive: Yes
- Anti-Static: Yes
- Cleanroom: Yes
- Complies with EN 61340-5-1: Yes



1846691 Pen

## RS PRO CLEAR BINDER 235MM X 315MM

包裝尺寸: 5 x EA

- Type: Clear Binder
- Quantity Included: 5
- Width: 235 mm
- Depth: 4 mm
- Height: 315 mm
- Paper Size: A4
- Dissipative: No
- Conductive: No



4439840 Clear Binder

## RS PRO WASTE BIN 285MM X 320MM

包裝尺寸: 1 x EA

- Type: Waste Bin
- Quantity Included: 1
- Width: 285 mm
- Height: 320 mm
- Dissipative: No
- Conductive: No
- Anti-Static: Yes
- Cleanroom: No



8157006 Waste Bin

## RS PRO AUTOCLAVEABLE PAPER 235MM X 315MM

包裝尺寸: 250 x EA

- Type: Autoclaveable Paper
- Quantity Included: 250
- Width: 235 mm
- Depth: 255 mm
- Paper Size: A4
- Height: 315 mm
- Dissipative: No
- Conductive: No



8295180 Autoclaveable

## RS PRO AUTOCLAVEABLE PAPER 235MM X 315MM

包裝尺寸: 250 x EA

- Type: Autoclaveable Paper
- Quantity Included: 250
- Width: 235 mm
- Depth: 255 mm
- Paper Size: A4
- Height: 315 mm
- Dissipative: No
- Conductive: No



8295199 Autoclaveable

## RS PRO 265MM X 325MM

包裝尺寸: 12 x EA

- Type: Pen
- Quantity Included: 12
- Width: 265 mm
- Depth: 102 mm
- Height: 325 mm
- Dissipative: No
- Conductive: No
- Anti-Static: No



8295203 Pen

## CLEANROOM A4 TECHNICAL PAPER WHITE

包裝尺寸: 250 x EA

- Type: Technical Paper
- Quantity Included: 250
- Width: 235 mm
- Depth: 210 mm
- Paper Size: A4
- Height: 297 mm
- Dissipative: No
- Conductive: No



8295212 Technical Paper

## CLEANROOM A4 TECHNICAL PAPER BLUE

包裝尺寸: 250 x EA

- Type: Technical Paper
- Quantity Included: 250
- Width: 235 mm
- Depth: 210 mm
- Paper Size: A4
- Height: 297 mm
- Dissipative: No
- Conductive: No



8295215 Technical Paper

## RS PRO 210MM X 148MM

包裝尺寸: 1 x EA

- Type: Notebook
- Quantity Included: 50
- Width: 210 mm
- Depth: 100 mm
- Paper Size: A5
- Height: 148 mm
- Dissipative: No
- Conductive: No



8295221 Notebook

## RS PRO TECHNICAL PAPER 235MM X 297MM

包裝尺寸: 250 x EA

- Type: Technical Paper
- Quantity Included: 250
- Width: 235 mm
- Depth: 210 mm
- Paper Size: A4
- Height: 297 mm
- Dissipative: No
- Conductive: No



8295225 Technical Paper

**RS PRO 297MM X 210MM**

- 包装尺寸: **1 x EA**
- Type: Notebook
  - Quantity Included: 50
  - Width: 297 mm
  - Depth: 100 mm
  - Paper Size: A4
  - Height: 210 mm
  - Dissipative: No
  - Conductive: No



**8295228** Notebook

**RS PRO TECHNICAL PAPER 235MM X 297MM**

- 包装尺寸: **250 x EA**
- Type: Technical Paper
  - Quantity Included: 250
  - Width: 235 mm
  - Depth: 210 mm
  - Paper Size: A4
  - Height: 297 mm
  - Dissipative: No
  - Conductive: No



**8295234** Technical Paper

**ABECO 587AS ANTISTATIC DESOLDERING TOOL**

- 包装尺寸: **1 x EA**
- Desoldering Tool Type: Solder Sucker
  - Overall Length: 190 mm



**557878** Solder Sucker

**DESOLDERING,PUMP,ANTISTATIC,FLEXIBLE CONNECTOR**

- 包装尺寸: **1 x EA**
- Desoldering Tool Type: Solder Sucker
  - Overall Length: 200 mm



**3437253** Solder Sucker

**DESOLDERING PUMP,STANDARD**

- 包装尺寸: **1 x EA**
- Desoldering Tool Type: Solder Sucker
  - Overall Length: 190 mm



**4794197** Solder Sucker

**DESOLDERING TOOL,HAND OPERATED,ANTISTATIC,MINI**

- 包装尺寸: **1 x EA**
- Desoldering Tool Type: Solder Sucker
  - Overall Length: 154 mm



**4795904** Solder Sucker

**RS DE-SELLERING PUMP**

- 包装尺寸: **1 x EA**
- Desoldering Tool Type: Solder Sucker
  - Model Number: SC-50



**7719543** Solder Sucker

**RS PRO DESOLDERING NOZZLE FOR USE WITH VARIOUS DESOLDERING**

- 包装尺寸: **5 x EA**
- Desoldering Tool Type: Desoldering Nozzle
  - Type: Desoldering
  - For Use With: Abeco Mini Anti-Static DSG Desoldering Gun



**4795932** Desoldering

**TIP,REPLACEMENT,DESOLDERING TOOL**

- 包装尺寸: **5 x EA**
- Desoldering Tool Type: Desoldering Nozzle
  - Type: Desoldering
  - For Use With: Abeco DSG PRM Desoldering Gun



**4794204** Desoldering

**RS PRO DESOLDERING NOZZLE FOR USE WITH VARIOUS DESOLDERING**

- 包装尺寸: **5 x EA**
- Desoldering Tool Type: Desoldering Nozzle
  - Type: Desoldering
  - For Use With: Abeco Anti-Static DSG Desoldering Gun



**4795926** Desoldering

**ANTI-SPLASH PUMP DISPENSER,180ML (6OZ)**

- 包装尺寸: **1 x EA**
- For Use With: Cleaner
  - Product Capacity: 180 ml
  - Colour: Blue



**7989323** Cleaner

**ANTI-SPLASH PUMP DISPENSER,120ML (4OZ)**

- 包装尺寸: **1 x EA**
- For Use With: Cleaner
  - Product Capacity: 120 ml
  - Colour: Blue



**7989329** Cleaner

**RS PRO 18 DRAWER ESD DRAWER**

- 包装尺寸: **1 x EA**
- Type: Drawer
  - Drawers per Cabinet: 18
  - Compartments per Insert: 18
  - Drawer Height: 20 mm
  - Drawer Depth: 275 mm
  - Drawer Length: 20 mm
  - Complies with EN 61340-5-1: Yes
  - Drawer Width: 250 mm



**575728** Drawer

**RS PRO ESD-SAFE DRAWER DIVIDER**

- 包装尺寸: **24 x EA**
- Type: Divider
  - Compartments per Insert: 24
  - Drawer Height: 87 mm
  - Drawer Depth: 2 mm
  - Complies with EN 61340-5-1: Yes
  - Drawer Length: 87 mm
  - Drawer Width: 49 mm



**4849607** Divider

**RS PRO ESD RACK, 155 X 390 X 250MM**

- 包装尺寸: **1 x EA**
- Type: Rack
  - Compartments per Insert: 20



**1212704** Rack

**RS PRO RACK DIVIDER**

- 包装尺寸: **1 x EA**
- Type: Divider



**1212705** Divider

## RS PRO 48 DRAWER ESD CABINET, 550 X 310 X 180MM

包裝尺寸: 1 x EA

- Type: Cabinet
- Drawers per Cabinet: 48
- Compartments per Insert: 1
- Drawer Height: 40 mm
- Drawer Depth: 170 mm
- Drawer Length: 170 mm
- Complies with EN 61340-5-1: Yes
- Drawer Width: 69 mm



9096980 Cabinet

## RS PRO 24 DRAWER ESD CABINET, 550 X 310 X 180MM

包裝尺寸: 1 x EA

- Type: Cabinet
- Drawers per Cabinet: 24
- Compartments per Insert: 1
- Drawer Height: 62 mm
- Drawer Depth: 170 mm
- Drawer Length: 170 mm
- Complies with EN 61340-5-1: Yes
- Drawer Width: 92 mm



9096984 Cabinet

## RS PRO 24 DRAWER ESD CABINET, 290 X 310 X 180MM

包裝尺寸: 1 x EA

- Type: Cabinet
- Drawers per Cabinet: 24
- Compartments per Insert: 1
- Drawer Height: 40 mm
- Drawer Depth: 170 mm
- Drawer Length: 170 mm
- Complies with EN 61340-5-1: Yes
- Drawer Width: 69 mm



9096978 Cabinet

## RS PRO 12 DRAWER ESD CABINET, 290 X 310 X 180MM

包裝尺寸: 1 x EA

- Type: Cabinet
- Drawers per Cabinet: 12
- Compartments per Insert: 1
- Drawer Height: 62 mm
- Drawer Depth: 170 mm
- Drawer Length: 170 mm
- Complies with EN 61340-5-1: Yes
- Drawer Width: 92 mm



9096987 Cabinet

## RS PRO ESD EARTH BONDING BOX WITH 10 MM STUD X 2

包裝尺寸: 1 x EA

- Accessory Type: Earth Bonding Box
- Connector Type: 10 mm Stud x 2
- Termination Type: Ring Terminal
- Complies with EN 61340-5-1: Yes
- Resistance: 1 mΩ
- Cord Style: Straight
- Cord Length: 2 m



392135 Earth Bonding

## BONDING, POINT, ANTISTATIC, RACK CABINET

包裝尺寸: 1 x EA

- Accessory Type: Rack Bonding Point
- Connector Type: 10 mm Stud
- Complies with EN 61340-5-1: Yes
- Stud Size: 10 mm



392141 Rack Bonding

## WRISTSTRAP, ANTISTATIC, ADJ, FABRIC C

包裝尺寸: 1 x EA

- Accessory Type: Anti Static Wrist Strap
- Connector Type: 10 mm Stud
- Termination Type: Press Stud
- Complies with EN 61340-5-1: Yes
- Stud Size: 10 mm
- Reusable/Disposable: Reusable
- Wrist Strap Size: Adjustable
- Band Material: Fabric



392163 Anti Static Wrist

## EARTH STUD, KIT, ANTISTATIC

包裝尺寸: 1 x KT

- Accessory Type: Earth Stud Kit
- Connector Type: 10mm Studs & Post
- Complies with EN 61340-5-1: Yes
- Stud Size: 10 mm



539205 Earth Stud Kit

## WRISTSTRAP, ANTISTATIC, LARGE

包裝尺寸: 1 x EA

- Accessory Type: Anti Static Wrist Strap
- Connector Type: 10 mm Stud
- Termination Type: Press Stud
- Complies with EN 61340-5-1: Yes
- Stud Size: 10 mm
- Reusable/Disposable: Reusable
- Wrist Strap Size: Large
- Band Material: Fabric



552876 Anti Static Wrist

## WRISTSTRAP, ANTISTATIC, SMALL

包裝尺寸: 1 x EA

- Accessory Type: Anti Static Wrist Strap
- Connector Type: 10 mm Stud
- Termination Type: Press Stud
- Complies with EN 61340-5-1: Yes
- Wrist Strap Size: Small
- Reusable/Disposable: Reusable
- Stud Size: 10 mm
- Band Material: Fabric



552882 Anti Static Wrist

## CONNECTOR, COILED LEAD, ANTISTATIC, STUD-CLIP

包裝尺寸: 1 x EA

- Accessory Type: Grounding Cord
- Connector Type: 10 mm Socket
- Termination Type: Press Stud - Banana Plug/Croc Clip
- Complies with EN 61340-5-1: Yes
- Stud Size: 10 mm
- Resistance: 2 mΩ
- Cord Style: Coiled
- Cord Length: 1.8 m



552898 Grounding Cord

## WRISTSTRAP, ANTISTATIC, ADJ, STAINLESS STEEL CONDUCTIVE

包裝尺寸: 1 x EA

- Accessory Type: Anti Static Wrist Strap
- Connector Type: 10 mm Stud
- Termination Type: Press Stud
- Complies with EN 61340-5-1: Yes
- Wrist Strap Size: Adjustable
- Reusable/Disposable: Reusable
- Stud Size: 10 mm
- Band Material: Metal



663229 Anti Static Wrist

## RS PRO ESD DISSIPATIVE TURNTABLE

包裝尺寸: 1 x EA

- Accessory Type: ESD Turntable
- Complies with EN 61340-5-1: Yes



1212710 ESD Turntable

## RS PRO ESD GROUNDING CORD WITH 10 MM SOCKET

包裝尺寸: 1 x EA

- Accessory Type: Grounding Cord
- Connector Type: 10 mm Socket
- Termination Type: Press Stud - Press Stud
- Complies with EN 61340-5-1: Yes
- Cord Length: 1.8 m
- Resistance: 4 mΩ
- Stud Size: 10 mm
- Cord Style: Coiled



552905 Grounding Cord

## RS PRO ESD DISSIPATIVE TURNTABLE

包裝尺寸: 1 x EA

- Accessory Type: ESD Turntable
- Complies with EN 61340-5-1: Yes



1212709 ESD Turntable

## RS PRO ESD GROUNDING CORD WITH 10 MM SOCKET

包裝尺寸: 1 x EA

- Accessory Type: Grounding Cord
- Connector Type: 10 mm Socket
- Termination Type: 4mm Banana Plug
- Complies with EN 61340-5-1: Yes
- Resistance: 1 mΩ
- Cord Style: Straight
- Cord Length: 4 m



1229153 Grounding Cord

**UNIVERSAL SNAP KIT, 10MM**

包裝尺寸: **1 x EA**

- Accessory Type: Universal Snap Kit
- Connector Type: 10 mm Socket, 10 mm Stud
- Termination Type: Screw Terminal
- Complies with EN 61340-5-1: Yes
- Stud Size: 10 mm



**1229148** Universal Snap

**DISPOSABLE HEEL GRINDER, PACK 100**

包裝尺寸: **100 x EA**

- Accessory Type: Heel Grinder
- Complies with EN 61340-5-1: Yes
- Reusable/Disposable: Disposable
- Attachment Type: Adhesive



**1229150** Heel Grinder

**RS PRO ESD FIELD KIT WITH 10 MM SOCKET, 10 MM STUD**

包裝尺寸: **1 x KT**

- Accessory Type: ESD Field Kit
- Connector Type: 10 mm Socket, 10 mm Stud
- Plug Type: UK
- Complies with EN 61340-5-1: Yes
- Cord Length: 2.4 m, 0.7 m
- Resistance: 1 mΩ
- Stud Size: 10 mm
- Mat Width: 450 mm



**1235614** ESD Field Kit

**RS PRO ESD EARTHING WIRE STUD WITH 10 MM BANANA SOCKET, 10 MM**

包裝尺寸: **1 x EA**

- Accessory Type: Earthing Wire Stud
- Connector Type: 10 mm Banana Socket, 10 mm Stud
- Complies with EN 61340-5-1: Yes
- Cord Length: 1 m
- Resistance: 1 mΩ
- Cord Style: Straight
- Stud Size: 10 mm



**1294931** Earthing Wire

**RS PRO ESD GROUNDING CORD WITH 10 MM SOCKET**

包裝尺寸: **1 x EA**

- Accessory Type: Grounding Cord
- Connector Type: 10 mm Socket
- Termination Type: Press Stud - Press Stud
- Complies with EN 61340-5-1: Yes
- Cord Length: 2 m
- Resistance: 1 mΩ
- Stud Size: 10 mm
- Cord Style: Straight



**1294874** Grounding Cord

**ANTISTATIC, PERSONAL GROUNDING, STUD FIX ADAPTOR**

包裝尺寸: **1 x EA**

- Accessory Type: Adaptor
- Connector Type: 10 mm Stud to 4 mm Banana Socket
- Complies with EN 61340-5-1: Yes



**1294947** Adaptor

**GROUNDING, ANTISTATIC, CONNECTOR CORDS, 1M OHM, 115MM**

包裝尺寸: **1 x EA**

- Cord Type: Connecting
- Termination Type: Press Stud - Press Stud
- Stud Size: 10 mm
- Cord Length: 0.115 m
- Cord Style: Straight
- Lead Resistance: 0 Ω
- Complies with EN 61340-5-1: Yes



**1294975** Connecting

**RS PRO ESD GROUNDING CORD WITH 10 MM SOCKET**

包裝尺寸: **1 x EA**

- Accessory Type: Grounding Cord
- Connector Type: 10 mm Socket
- Termination Type: Press Stud - Press Stud
- Complies with EN 61340-5-1: Yes
- Cord Length: 1 m
- Resistance: 1 mΩ
- Stud Size: 10 mm
- Cord Style: Straight



**1294969** Grounding Cord

**ANTI STATIC WRIST STRAP (WITH CORD)**

包裝尺寸: **1 x EA**

- Accessory Type: ESD Grounding Wrist Strap & Cord Set
- Connector Type: 10 mm Socket, 10 mm Stud
- Termination Type: Banana Plug - Croc Clip
- Complies with EN 61340-5-1: Yes
- Reusable/Disposable: Reusable
- Stud Size: 10 mm
- Resistance: 1 mΩ
- Wrist Strap Size: Adjustable



**1923678** ESD Grounding

**RS PRO ANTISTATIC HEEL GRINDER**

包裝尺寸: **2 x EA**

- Accessory Type: Heel Grinder
- Complies with EN 61340-5-1: Yes
- Resistance: <3.5 x 10<sup>7</sup> Ω
- Reusable/Disposable: Reusable
- Attachment Type: Elasticated Hook & Loop



**2179265** Heel Grinder

**CONNECTOR, CROCODILE CLIP, ANTISTATIC, LARGE, YELLOW**

包裝尺寸: **1 x EA**

- Accessory Type: Crocodile Clip
- Connector Type: 10 mm Stud
- Complies with EN 61340-5-1: Yes
- Stud Size: 10 mm



**2504144** Crocodile Clip

**RS PRO ESD FEMALE SNAP WITH 10 MM SNAP**

包裝尺寸: **12 x EA**

- Accessory Type: Female Snap
- Connector Type: 10 mm Snap
- Complies with EN 61340-5-1: Yes



**2640414** Female Snap

**RS PRO ESD GROUNDING CORD WITH 10 MM SOCKET**

包裝尺寸: **1 x EA**

- Accessory Type: Grounding Cord
- Connector Type: 10 mm Socket
- Termination Type: Press Stud - Banana Plug/Croc Clip
- Complies with EN 61340-5-1: Yes
- Cord Length: 1.8 m
- Resistance: 1 mΩ
- Stud Size: 10 mm
- Cord Style: Coiled



**2736701** Grounding Cord

**RS PRO ESD GROUNDING CORD WITH 10 MM SOCKET**

包裝尺寸: **1 x EA**

- Accessory Type: Grounding Cord
- Connector Type: 10 mm Socket
- Termination Type: Press Stud - Press Stud
- Complies with EN 61340-5-1: Yes
- Cord Length: 1.8 m
- Resistance: 1 mΩ
- Stud Size: 10 mm
- Cord Style: Coiled



**2736717** Grounding Cord

**RS PRO ESD GROUNDING WRIST STRAP & CORD SET WITH 10 MM**

包裝尺寸: **1 x EA**

- Accessory Type: ESD Grounding Wrist Strap & Cord Set
- Connector Type: 10 mm Socket, 10 mm Stud
- Termination Type: Banana Plug - Croc Clip
- Complies with EN 61340-5-1: Yes
- Cord Length: 1.8 m
- Resistance: 1 mΩ
- Stud Size: 10 mm
- Reusable/Disposable: Reusable



**2877379** ESD Grounding

**WRISTSTRAP, ANTISTATIC, ADJ, 10MM-10MM PRESS STUD**

包裝尺寸: **1 x EA**

- Accessory Type: ESD Grounding Wrist Strap & Cord Set
- Connector Type: 10 mm Socket, 10 mm Stud
- Termination Type: Press Stud
- Complies with EN 61340-5-1: Yes
- Reusable/Disposable: Reusable
- Stud Size: 10 mm
- Resistance: 1 mΩ
- Wrist Strap Size: Adjustable



**2877385** ESD Grounding

## RS PRO ESD GROUNDING CORD WITH 10 MM SOCKET

包装尺寸: 1 x EA

- Accessory Type: Grounding Cord
- Connector Type: 10 mm Socket
- Termination Type: Press Stud - Banana Plug/Croc Clip
- Complies with EN 61340-5-1: Yes
- Cord Length: 3.6 m
- Resistance: 2 mΩ
- Stud Size: 10 mm
- Cord Style: Coiled



2877391 Grounding Cord

## RS PRO ESD GROUNDING CORD WITH 10 MM SOCKET

包装尺寸: 1 x EA

- Accessory Type: Grounding Cord
- Connector Type: 10 mm Socket
- Termination Type: Press Stud - Press Stud
- Complies with EN 61340-5-1: Yes
- Cord Length: 0.18 m
- Resistance: 1 mΩ
- Stud Size: 10 mm
- Cord Style: Straight



2877470 Grounding Cord

## RS PRO ESD GROUNDING WRIST STRAP & CORD SET WITH 10 MM

包装尺寸: 1 x EA

- Accessory Type: ESD Grounding Wrist Strap & Cord Set
- Connector Type: 10 mm Socket, 10 mm Stud
- Termination Type: Banana Plug - Press Stud
- Complies with EN 61340-5-1: Yes
- Cord Length: 1.8 m
- Resistance: 1 mΩ
- Stud Size: 10 mm
- Reusable/Disposable: Reusable



2877414 ESD Grounding

## RS PRO ESD GROUNDING WRIST STRAP & CORD SET WITH 10 MM

包装尺寸: 1 x EA

- Accessory Type: ESD Grounding Wrist Strap & Cord Set
- Connector Type: 10 mm Socket, 10 mm Stud
- Termination Type: Press Stud - Press Stud
- Complies with EN 61340-5-1: Yes
- Cord Length: 1.8 m
- Resistance: 1 mΩ
- Stud Size: 10 mm
- Reusable/Disposable: Reusable



2877420 ESD Grounding

## EARTH BONDING MODULE, ANTISTATIC, 10MM

包装尺寸: 1 x EA

- Accessory Type: Earth Bonding Bracket
- Connector Type: 10 mm Stud x 3
- Termination Type: Ring Terminal
- Complies with EN 61340-5-1: Yes
- Stud Size: 10 mm
- Resistance: 1 mΩ
- Cord Style: Straight
- Cord Length: 3 m



2877492 Earth Bonding

## EARTH BONDING MODULE, ANTISTATIC, BANANA PLUG

包装尺寸: 1 x EA

- Accessory Type: Earth Bonding Bracket
- Connector Type: 4 mm Banana Stud x 3
- Termination Type: Ring Terminal
- Complies with EN 61340-5-1: Yes
- Stud Size: 4 mm
- Resistance: 1 mΩ
- Cord Style: Straight
- Cord Length: 2 m



2877509 Earth Bonding

## RS PRO ESD SNAP WITH 10 MM SOCKET

包装尺寸: 100 x EA

- Accessory Type: Snaps & Studs
- Connector Type: 10 mm Socket
- Complies with EN 61340-5-1: Yes



2877701 Snaps & Studs

## CONNECTOR, COMMON POINT, GROUND LEAD, ANTISTATIC, 1M

包装尺寸: 1 x EA

- Accessory Type: Earthing Wire Stud
- Connector Type: 10 mm Stud
- Termination Type: Press Stud
- Complies with EN 61340-5-1: Yes
- Stud Size: 10 mm
- Resistance: 1 mΩ
- Cord Style: Straight
- Cord Length: 4.5 m



2877486 Earthing Wire

## RS PRO ANTISTATIC HEEL GRINDER

包装尺寸: 1 x EA

- Accessory Type: Heel Grinder
- Complies with EN 61340-5-1: Yes
- Reusable/Disposable: Reusable
- Resistance: <math>3.5 \times 10^7 \Omega</math>
- Attachment Type: Elasticated Hook & Loop



2877565 Heel Grinder

## GROUNDING, ANTISTATIC, PRESS STUD, MALE

包装尺寸: 100 x EA

- Accessory Type: Snaps & Studs
- Connector Type: 10 mm Stud
- Complies with EN 61340-5-1: Yes
- Stud Size: 10 mm



2919596 Snaps & Studs

## RS PRO ESD EARTH STUD INSTALLATION TOOL

包装尺寸: 1 x EA

- Accessory Type: Earth Stud Installation Tool
- Complies with EN 61340-5-1: Yes



2919467 Earth Stud

## RS PRO ESD GROUNDING CORD WITH 10 MM SOCKET

包装尺寸: 1 x EA

- Accessory Type: Grounding Cord
- Connector Type: 10 mm Socket
- Termination Type: Press Stud - Press Stud
- Complies with EN 61340-5-1: Yes
- Cord Length: 1.8 m
- Resistance: 2 mΩ
- Stud Size: 10 mm
- Cord Style: Coiled



2919489 Grounding Cord

## RS PRO ESD EARTH BONDING BRACKET WITH 10 MM STUD, 4 MM

包装尺寸: 1 x EA

- Accessory Type: Earth Bonding Bracket
- Connector Type: 10 mm Stud, 4 mm Stud x 2
- Termination Type: Ring Terminal
- Complies with EN 61340-5-1: Yes
- Stud Size: 10 mm, 4 mm
- Resistance: 1 mΩ
- Cord Style: Straight
- Cord Length: 3 m



2983913 Earth Bonding

## RS PRO ESD EARTH BONDING BOX WITH 10 MM STUD, 4 MM SOCKET X 2

包装尺寸: 1 x EA

- Accessory Type: Earth Bonding Box
- Connector Type: 10 mm Stud, 4 mm Socket x 2
- Termination Type: Ring Terminal
- Complies with EN 61340-5-1: Yes
- Cord Style: Straight
- Resistance: 1 mΩ



2983941 Earth Bonding

## CONNECTOR, EARTH BONDING BRACKET, 3X10MM STUDS

包装尺寸: 1 x EA

- Accessory Type: Earth Bonding Box
- Connector Type: 10 mm Stud x 3
- Termination Type: Ring Terminal
- Complies with EN 61340-5-1: Yes
- Cord Style: Straight
- Resistance: 1 mΩ



2983957 Earth Bonding

## ANTISTATIC, PERSONAL GROUNDING, HEEL GRINDER, NON

包装尺寸: 1 x EA

- Accessory Type: Heel Grinder
- Complies with EN 61340-5-1: Yes
- Reusable/Disposable: Reusable
- Resistance: <math>3.5 \times 10^7 \Omega</math>
- Attachment Type: Elasticated Hook & Loop



3407606 Heel Grinder



**ANTISTATIC,GROUNDER,HEEL,DISPOSABLE,SELF ADHESIVE**

包裝尺寸: **20 x EA**

- Accessory Type: Heel Grounder
- Complies with EN 61340-5-1: Yes
- Reusable/Disposable: Disposable
- Attachment Type: Adhesive



**4668559** Heel Grounder

**RS PRO ESD EARTH BONDING BRACKET WITH GROUNDING POST X 1**

包裝尺寸: **1 x EA**

- Accessory Type: Earth Bonding Bracket
- Connector Type: Grounding Post x 1
- Termination Type: Ring Terminal
- Complies with EN 61340-5-1: Yes
- Cord Style: Straight



**2983963** Earth Bonding

**GROUNDING,ANTISTATIC,HEEL GOUNDER,1M OHM**

包裝尺寸: **1 x EA**

- Accessory Type: Heel Grounder
- Complies with EN 61340-5-1: Yes
- Reusable/Disposable: Reusable
- Resistance: <math>\sim 3.5 \times 10^7 \Omega</math>
- Attachment Type: Elasticated Hook & Loop



**3632931** Heel Grounder

**RS PRO ESD GROUNDING WRIST STRAP & CORD SET WITH 10 MM**

包裝尺寸: **1 x EA**

- Accessory Type: ESD Grounding Wrist Strap & Cord Set
- Connector Type: 10 mm Socket, 10 mm Stud
- Termination Type: Press Stud - Press Stud
- Complies with EN 61340-5-1: Yes
- Cord Length: 2 m
- Resistance: 2 m $\Omega$
- Stud Size: 10 mm
- Reusable/Disposable: Reusable



**7873101** ESD Grounding

**ADJUSTABLE METAL WRIST BAND**

包裝尺寸: **1 x EA**

- Accessory Type: Anti Static Wrist Strap
- Connector Type: 10 mm Stud
- Termination Type: Press Stud
- Complies with EN 61340-5-1: Yes
- Wrist Strap Size: Adjustable
- Reusable/Disposable: Reusable
- Stud Size: 10 mm
- Band Material: Metal



**7873108** Anti Static Wrist

**RS PRO ESD GROUNDING WRIST STRAP & CORD SET WITH 4 MM STUD**

包裝尺寸: **1 x EA**

- Accessory Type: ESD Grounding Wrist Strap & Cord Set
- Connector Type: 4 mm Stud
- Complies with EN 61340-5-1: Yes
- Cord Length: 1.8 m
- Resistance: 2 m $\Omega$
- Wrist Strap Size: Adjustable
- Cord Style: Coiled
- Reusable/Disposable: Reusable



**7989272** ESD Grounding

**RS PRO ESD GROUNDING WRIST STRAP & CORD SET WITH 10 MM**

包裝尺寸: **1 x EA**

- Accessory Type: ESD Grounding Wrist Strap & Cord Set
- Connector Type: 10 mm Socket, 10 mm Stud
- Complies with EN 61340-5-1: Yes
- Cord Length: 1.8 m
- Resistance: 1 m $\Omega$
- Wrist Strap Size: Adjustable
- Cord Style: Coiled
- Reusable/Disposable: Reusable



**7989275** ESD Grounding

**RS PRO ESD GROUNDING WRIST STRAP & CORD SET WITH 4 MM STUD**

包裝尺寸: **1 x EA**

- Accessory Type: ESD Grounding Wrist Strap & Cord Set
- Connector Type: 4 mm Stud
- Complies with EN 61340-5-1: Yes
- Cord Length: 1.8 m
- Resistance: 1 m $\Omega$
- Wrist Strap Size: Adjustable
- Cord Style: Coiled
- Reusable/Disposable: Reusable



**7989284** ESD Grounding

**RS PRO ESD GROUNDING WRIST STRAP WITH 10 MM STUD**

包裝尺寸: **1 x EA**

- Accessory Type: Anti Static Wrist Strap
- Connector Type: 10 mm Stud
- Termination Type: Press Stud
- Complies with EN 61340-5-1: Yes
- Resistance: 1 m $\Omega$
- Stud Size: 10 mm
- Reusable/Disposable: Reusable
- Wrist Strap Size: Adjustable



**7989278** Anti Static Wrist

**RS PRO ESD GROUNDING WRIST STRAP & CORD SET WITH 4 MM STUD**

包裝尺寸: **1 x EA**

- Accessory Type: ESD Grounding Wrist Strap & Cord Set
- Connector Type: 4 mm Stud
- Termination Type: Press Stud - Press Stud
- Complies with EN 61340-5-1: Yes
- Cord Length: 1 m
- Resistance: 1 m $\Omega$
- Stud Size: 4 mm
- Reusable/Disposable: Reusable



**7989281** ESD Grounding

**RS PRO ESD GROUNDING WRIST STRAP & CORD SET WITH 4 MM STUD**

包裝尺寸: **1 x EA**

- Accessory Type: ESD Grounding Wrist Strap & Cord Set
- Connector Type: 4 mm Stud
- Termination Type: Press Stud - Press Stud
- Complies with EN 61340-5-1: Yes
- Cord Length: 2 m
- Resistance: 1 m $\Omega$
- Stud Size: 4 mm
- Reusable/Disposable: Reusable



**7989288** ESD Grounding

**RS PRO ESD GROUNDING WRIST STRAP**

包裝尺寸: **1 x EA**

- Accessory Type: Anti Static Wrist Strap
- Termination Type: Press Stud
- Complies with EN 61340-5-1: Yes
- Resistance: 1 m $\Omega$
- Wrist Strap Size: Adjustable
- Reusable/Disposable: Reusable
- Stud Size: 4 mm
- Band Material: Fabric



**7989290** Anti Static Wrist

**RS PRO ESD GROUNDING CORD**

包裝尺寸: **1 x EA**

- Accessory Type: Grounding Cord
- Termination Type: Banana Plug
- Complies with EN 61340-5-1: Yes
- Cord Length: 2 m
- Resistance: 1 m $\Omega$
- Stud Size: 4 mm
- Reusable/Disposable: Reusable
- Cord Style: Coiled



**7989304** Grounding Cord

**RS PRO ESD GROUNDING WRIST STRAP**

包裝尺寸: **1 x EA**

- Accessory Type: Anti Static Wrist Strap
- Termination Type: Press Stud
- Complies with EN 61340-5-1: Yes
- Resistance: 1 m $\Omega$
- Wrist Strap Size: Adjustable
- Reusable/Disposable: Reusable
- Stud Size: 4 mm
- Band Material: Fabric



**7989294** Anti Static Wrist

**4-10MM STUD ADJUSTABLE WRIST STRAP+CORD**

包裝尺寸: **1 x EA**

- Accessory Type: ESD Grounding Wrist Strap & Cord Set
- Connector Type: 4 mm Stud
- Termination Type: Press Stud - Press Stud
- Complies with EN 61340-5-1: Yes
- Reusable/Disposable: Reusable
- Stud Size: 4 mm
- Resistance: 1 m $\Omega$
- Wrist Strap Size: Adjustable



**7989297** ESD Grounding

**RS PRO ESD GROUNDING CORD WITH 10 MM SOCKET**

包裝尺寸: **1 x EA**

- Accessory Type: Grounding Cord
- Connector Type: 10 mm Socket
- Termination Type: Press Stud
- Complies with EN 61340-5-1: Yes
- Cord Length: 2 m
- Resistance: 1 m $\Omega$
- Stud Size: 4 mm, 10 mm
- Reusable/Disposable: Reusable



**7989307** Grounding Cord

## RS PRO ESD GROUNDING CORD WITH 10 MM SOCKET

包装尺寸: 1 x EA

- Accessory Type: Grounding Cord
- Connector Type: 10 mm Socket
- Termination Type: Press Stud - Ring
- Complies with EN 61340-5-1: Yes
- Cord Length: 4,5 m
- Resistance: 1 mΩ
- Stud Size: 10 mm
- Cord Style: Straight



7989335 Grounding Cord

## TAPE, PACKAGING, ANTISTATIC, PVC, SELF ADHESIVE

包装尺寸: 1 x EA

- Length: 66 m
- Dissipative: No
- Width: 50 mm
- Conductive: No
- Anti-Static: Yes
- Cleanroom: No
- Text/Logo On Tape: Attention ESD Protected Area
- Colour: Black/Yellow



733980 66 m

## PACKING TAPE IN 3 LANGUAGES 66M

包装尺寸: 1 x EA

- Length: 66 m
- Dissipative: No
- Width: 50 mm
- Conductive: No
- Anti-Static: Yes
- Cleanroom: No
- Text/Logo On Tape: Attention
- Usage Type: Packaging



1252397 66 m

## ESD SAFE TAPE

包装尺寸: 1 x EA

- Usage Type: Masking
- Complies with EN 61340-5-1: Yes



1846695 Masking

## TAPE, FLOOR, MARKING, ANTISTATIC, 5 OMMX66M

包装尺寸: 1 x EA

- Length: 66 m
- Dissipative: No
- Width: 48 mm
- Conductive: No
- Anti-Static: No
- Cleanroom: No
- Text/Logo On Tape: ESD Protected Area
- Colour: Black/Yellow



3407533 66 m

## RS PRO WHITE UNISEX REUSABLE LAB COAT, M

包装尺寸: 1 x EA

- Size: M
- Reusable/Disposable: Reusable
- Gender: Unisex
- Colour: White
- Material Properties: Anti-Static
- Application: Laboratory
- Closure Type: Button
- Material: Cotton, Polyester



7898087 M

## ESD UNISEX LAB COAT, LARGE

包装尺寸: 1 x EA

- Size: L
- Reusable/Disposable: Reusable
- Gender: Unisex
- Colour: White
- Material Properties: Anti-Static
- Application: Laboratory
- Closure Type: Button
- Material: Cotton, Polyester



7898081 L

## RS PRO WHITE UNISEX REUSABLE LAB COAT, XXL

包装尺寸: 1 x EA

- Size: XXL
- Reusable/Disposable: Reusable
- Gender: Unisex
- Colour: White
- Material Properties: Anti-Static
- Application: Laboratory
- Closure Type: Button
- Material: Cotton, Polyester



7898093 XXL

## RS PRO WHITE UNISEX REUSABLE LAB COAT, S

包装尺寸: 1 x EA

- Size: S
- Reusable/Disposable: Reusable
- Gender: Unisex
- Colour: White
- Material Properties: Anti-Static
- Application: Laboratory
- Closure Type: Button
- Material: Cotton, Polyester



7898084 S

## ESD UNISEX LAB COAT, X LARGE

包装尺寸: 1 x EA

- Size: XL
- Reusable/Disposable: Reusable
- Gender: Unisex
- Colour: White
- Material Properties: Anti-Static
- Application: Laboratory
- Closure Type: Button
- Material: Cotton, Polyester



7898090 XL

## CONDUCTIVE, HOLDER, ANTISTATIC, BE NCH MOUNT

包装尺寸: 1 x EA

- Height: 14 mm
- Depth: 254 mm
- Dimensions: 353 x 254 x 14 mm
- Width: 353 mm
- Type: Holder
- Complies with EN 61340-5-1: Yes
- Material: Black Conductive Polypropylene
- Conductive: Yes



550016 14 mm

## RS PRO PCB RACK, 210 X 130 X 350MM

包装尺寸: 1 x EA

- Height: 350 mm
- Depth: 130 mm
- Dimensions: 210 x 130 x 350 mm
- Width: 210 mm
- Type: Rack
- Complies with EN 61340-5-1: Yes
- Conductive: Yes



2878085 350 mm

## RS PRO PCB RACK

包装尺寸: 1 x EA

- Type: Rack



550921 Rack

## RS PRO PCB RACK, 210 X 95 X 275MM

包装尺寸: 1 x EA

- Height: 275 mm
- Depth: 95 mm
- Dimensions: 210 x 95 x 275 mm
- Width: 210 mm
- Type: Rack
- Complies with EN 61340-5-1: Yes
- Conductive: Yes



2878079 275 mm

## RS PRO 2 MM STRAIGHT KNIFE SOLDERING IRON TIP FOR USE WITH

包装尺寸: 1 x EA

- Tip Shape: Straight Knife
- For Use With: DS90
- Tip Size: 2 mm
- Tip Series: DS



7998945 Straight Knife

## AT90DH-4 SOLDERING TIP

包装尺寸: 1 x EA

- Tip Shape: Conical Bevel
- For Use With: DS90
- Tip Size: 2,4 mm
- Tip Series: DS
- Tip Angle: 45°



7998951 Conical Bevel

**AT90DH-2 SOLDERING TIP**

- 包裝尺寸: **1 x EA**
- Tip Shape: Conical Sharp
  - For Use With: DS90
  - Tip Size: 0.25 mm
  - Tip Series: DS



**7998954** Conical Sharp

**AT90DH-3 SOLDERING TIP**

- 包裝尺寸: **1 x EA**
- Tip Shape: Conical Bevel
  - For Use With: DS90
  - Tip Size: 1.2 mm
  - Tip Series: DS
  - Tip Angle: 45 °



**7998957** Conical Bevel

**RS PRO 0.8 MM CONICAL CHISEL SOLDERING IRON TIP FOR USE WITH**

- 包裝尺寸: **1 x EA**
- Tip Shape: Conical Chisel
  - For Use With: DS90
  - Tip Size: 0.8 mm
  - Tip Series: DS



**7998967** Conical Chisel

**AT90DH-5 SOLDERING TIP**

- 包裝尺寸: **1 x EA**
- Tip Shape: Conical Chisel
  - For Use With: DS90
  - Tip Size: 1.6 mm
  - Tip Series: DS



**7998960** Conical Chisel

**AT60D&80D-1 SOLDERING TIP**

- 包裝尺寸: **1 x EA**
- Tip Shape: Conical Sharp
  - For Use With: AT60D, AT80D
  - Tip Size: 0.2 mm
  - Tip Series: AT



**7998976** Conical Sharp

**AT90DH-6 SOLDERING TIP**

- 包裝尺寸: **1 x EA**
- Tip Shape: Conical Chisel
  - For Use With: DS90
  - Tip Size: 0.8 mm
  - Tip Series: DS



**7998963** Conical Chisel

**AT60D&80D-4 SOLDERING TIP**

- 包裝尺寸: **1 x EA**
- Tip Shape: Conical Chisel
  - For Use With: AT60D, AT80D
  - Tip Size: 3.2 mm
  - Tip Series: AT



**7998982** Conical Chisel

**AT60D&80D-3 SOLDERING TIP**

- 包裝尺寸: **1 x EA**
- Tip Shape: Conical Chisel
  - For Use With: AT60D, AT80D
  - Tip Size: 2.4 mm
  - Tip Series: AT



**7998973** Conical Chisel

**AT60D&80D-2 SOLDERING TIP**

- 包裝尺寸: **1 x EA**
- Tip Shape: Conical Chisel
  - For Use With: AT60D, AT80D
  - Tip Size: 1.2 mm
  - Tip Series: AT



**7998979** Conical Chisel

**RS PRO SOLDERING ACCESSORY SOLDERING IRON STAND, FOR USE**

- 包裝尺寸: **1 x EA**
- Soldering Accessory Type: Soldering Iron Stand
  - For Use With: Soldering Stations



**1466439** Soldering Iron

**AT60D&80D-5 SOLDERING TIP**

- 包裝尺寸: **1 x EA**
- Tip Shape: Straight Conical
  - For Use With: AT60D, AT80D
  - Tip Size: 0.8 mm
  - Tip Series: AT



**7998985** Straight Conical

**AT60D&80D-6 SOLDERING TIP**

- 包裝尺寸: **1 x EA**
- Tip Shape: Conical Bevel
  - For Use With: AT60D, AT80D
  - Tip Size: 2 mm
  - Tip Series: AT
  - Tip Angle: 45 °



**7998989** Conical Bevel

**RS PRO SOLDERING ACCESSORY PCB WORK FRAME, FOR USE WITH**

- 包裝尺寸: **1 x EA**
- Soldering Accessory Type: PCB Work Frame
  - For Use With: PCB Soldering & Desoldering Rework



**1466440** PCB Work Frame

**RS PRO SOLDERING ACCESSORY SOLDERING AID TOOL, FOR USE WITH**

- 包裝尺寸: **1 x EA**
- Soldering Accessory Type: Soldering Aid Tool
  - For Use With: Electronics, Model Making



**1466441** Soldering Aid

**SOLDERING, TOOL SET**

- 包裝尺寸: **1 x KT**
- Soldering Accessory Type: Soldering Iron Soldering Tool Set
  - For Use With: Soldering Tools
  - Type: Soldering Tool Set



**2266331** Soldering Iron

**RS PRO TOOL CASE**

- 包裝尺寸: **1 x EA**
- Box Type: Tool Case
  - Tools Included: No



**600565** Tool Case

## HELPING HANDS MAGN & SOL IRON HOLDER

包装尺寸: 1 x EA

- Soldering Accessory Type: Soldering Iron Stand
- For Use With: Electronics, Model Making



1466442 Soldering Iron

## RS SOLDERING IRON STAND

包装尺寸: 1 x EA

- Soldering Accessory Type: Soldering Iron Stand
- For Use With: Soldering Irons
- Series: KP88
- Type: Soldering Iron Stand



7719546 Soldering Iron



**Contact us to learn more:**

**Orders:**

HKenquiry@rsgroup.com

**Order Line:**

852 2421 9898

**Office Location:**

Suite 1608, Level 16, Tower 1 Kowloon  
Commerce Centre, 51 Kwai Cheong  
Road, Kwai Chung, Hong Kong

