Elana

Digital Color Card



NE-02

NE-03

NE-04

NE-05



NE-06

NE-07

NE-08

NE-09

NE-10

NE-11

QUICK SHIP

** Colors shown are indicative references only and will vary dependent on screen resolution*

NUVRINO®
artistic synthetic leather
www.nuvrino.com

HEAD OFFICE : PT. BERKAT UNGGUL PRATAMA
Komplek Citta Graha, Jl. Panjang No. 26 Blok 2L | Jakarta 11520 - Indonesia | +62 21 5819089

SHOWROOM : LEDER HAUS
JAKARTA • Komplek Cipete Square, Jl. Cipete Raya 55 No.7 | Jakarta 12410 - Indonesia | +62 21 75900 679
BANDUNG • Komplek Batununggal Indah, Jl. Batununggal Indah Raya No. 415 | Bandung 40266 - Indonesia | +62 22 8730 7759
BALI • Komplek Istana Kuta Galeria, Jl. Patih Jelantik, Blok PM1 No.6 | Kuta, Badung, Bali 80361 - Indonesia | +62361 4752 806

©2024 Leder Haus. All Rights Reserved.

PATTERN ILLUSTRATION



APPLICATIONS

Dining Chair

Office Chair

Sofa

©2024 Leder Haus. All Rights Reserved.

ELANA

DESCRIPTION

Inspired by the Greek word for "light," Elana boasts a radiant, glossy finish that brings a touch of elegance to classic designs. This synthetic leather collection is perfectly suited for Chesterfield sofas, renowned for their deep tufting, ornate buttons, and sophisticated shine. Elana's luminous surface enhances the antique charm of these iconic pieces, blending timeless style with modern durability. Ideal for adding a touch of classic luxury to any interior.

SPECIFICATIONS

Thickness	1.00 mm
Width	137 cm
Special Surface Finish	Glossy
Composition	PVC & Knitted Polyester
Usage	Indoor Upholstery
Repeat	No

PERFORMANCE

Abrasion	15.000 rubs

Abrasion	ASTM - D4966	15.000 rubs
Tensile Strength	ASTM - D751	Warp: 40 kg/3 cm, Weft: 30 kg/3 cm
Elongation	ASTM - D751	Warp: Max. 100%, Weft: Max. 200%
Tear Strength	ASTM - D2261	Warp: 3.0 kg, Weft: 3.0 kg
Adhesion Strength	ASTM - D751	Warp: 1.1 kg/3 cm
Flexibility Strength	ASTM - D2097	400.000 Cycles
Bursting Test	ASTM - D3786	10.2 kg/cm²
Blocking Test	ASTM - D751	Grade 2
Color Fastness Test (Rubbing Test)	AATCC 8	Grade 4

** The above tests mentioned are guidelines for synthetic leather used in upholstery but do not necessarily indicate its lifespan. When used in different applications, factors such as the quality of craftsmanship, cleaning methods, proper placement, and handling will all impact its durability.*

NUVRINO® artistic synthetic leather
www.nuvrino.com

HEAD OFFICE : **PT. BERKAT UNGGUL PRATAMA**
Komplek Citta Graha, Jl. Panjang No. 26 Blok 2L | Jakarta 11520 - Indonesia | +62 21 5819089

SHOWROOM : **LEDER HAUS**
JAKARTA • Komplek Cipete Square, Jl. Cipete Raya 55 No.7 | Jakarta 12410 - Indonesia | +62 21 75900 679
BANDUNG • Komplek Batununggal Indah, Jl. Batununggal Indah Raya No. 415 | Bandung 40266 - Indonesia | +62 22 8730 7759
BALI • Komplek Istana Kuta Galeria, Jl. Patih Jelantik, Blok PM1 No.6 | Kuta, Badung, Bali 80361 - Indonesia | +62361 4752 806

©2024 Leder Haus. All Rights Reserved.

LEDER HAUS®

THE LEATHER SPECIALIST

HOW TO CARE FOR SYNTHETIC LEATHER

☑ DO's

What you **SHOULD** do

- Use a soft, damp cloth to clean the surface of the material
- Rub the surface slowly with intense
- If it is stained with a fairly intense dye, try to clean the area with a damp cloth as soon as possible
- If there are stains that are still left behind, use a special cleaner for synthetic leather to help remove the stains

☒ DONT's

What you **SHOULDN'T** do

- Do not use rough/sharp materials (such as a brush) to clean the surface
- Do not use harsh (chemical) cleaning products such as: bleach, detergent, thinner, and others

Note:

Ink, permanent marker, denim and other strong textile dyes may be difficult or cannot to remove perfectly, especially on light colored synthetic leather