

Ambra

Digital Color Card



NA-01



NA-02




NA-03



NA-04



NA-05



NA-06



NA-07



NA-08



NA-09



NA-10



NA-11



QUICK SHIP

** Colors shown are indicative references only and will vary dependent on screen resolution*

NUVRINO®
artistic synthetic leather


www.nuvrino.com

HEAD OFFICE : PT ESTETIKA TEKSTURA ADIWARNA
Komplek Citta Graha, Jl. Panjang No. 26 Blok 2L | Jakarta 11520 - Indonesia | +62 21 581 9089

SHOWROOM : LEDER HAUS
JAKARTA • Komplek Cipete Square, Jl. Cipete Raya 55 No.7 | Jakarta 12410 - Indonesia | +62 21 75900 679
BANDUNG • Komplek Batununggal Indah, Jl. Batununggal Indah Raya No. 415 | Bandung 40266 - Indonesia | +62 22 8730 7759
BALI • Komplek Istana Kuta Galeria, Jl. Patih Jelantik, Blok PM1 No.6 | Kuta, Badung, Bali 80361 - Indonesia | +62361 4752 806

© 2026 Leder Haus. All Rights Reserved.

PATTERN ILLUSTRATION



APPLICATIONS



Dining Chair



Office Chair



Sofa

AMBRA

DESCRIPTION

Named after the French word for "gem," Ambra dazzles with its gem-like shine on raised surface areas. This synthetic leather advances from traditional full-grain textures, often found in solid colors, by incorporating a two-tone effect. The result is a touch of sophistication with a hint of fanciness, maintaining a balance between elegance and contemporary flair.

SPECIFICATIONS

Thickness	1.20 mm
Width	137 cm
Special Surface Finish	Glossy
Composition	PVC & Knitted Polyester
Usage	Indoor Upholstery
Repeat	No

PERFORMANCE

Abrasion	25.000 rubs

Abrasion	ASTM - D4966	25.000 rubs
Tensile Strength	ASTM – D2209	Warp: 295 N/3 cm, Weft: 133 N/3 cm
Elongation	ASTM – D2209	Warp: 51.49%, Weft: 223.39%
Tear Strength	ASTM - D2261	Warp: 24 N, Weft: 39 N
Adhesion Strength	ASTM - D751	Warp: 20 N/3 cm
Flexibility Strength	ASTM - D2097	400.000 Cycles
Bursting Test	ASTM - D3786	11.2 kg/cm^2
Blocking Test	ASTM - D751	Grade 2
Color Fastness Test (Rubbing Test)	AATCC 8	Grade 4

** The above tests mentioned are guidelines for synthetic leather used in upholstery but do not necessarily indicate its lifespan. When used in different applications, factors such as the quality of craftsmanship, cleaning methods, proper placement, and handling will all impact its durability.*

NUVRINO®
artistic synthetic leather
www.nuvrino.com

HEAD OFFICE : PT ESTETIKA TEKSTURA ADIWARNA
Komplek Citta Graha, Jl. Panjang No. 26 Blok 2L | Jakarta 11520 - Indonesia | +62 21 581 9089

SHOWROOM : LEDER HAUS
JAKARTA • Komplek Cipete Square, Jl. Cipete Raya 55 No.7 | Jakarta 12410 - Indonesia | +62 21 75900 679
BANDUNG • Komplek Batununggal Indah, Jl. Batununggal Indah Raya No. 415 | Bandung 40266 - Indonesia | +62 22 8730 7759
BALI • Komplek Istana Kuta Galeria, Jl. Patih Jelantik, Blok PM1 No.6 | Kuta, Badung, Bali 80361 - Indonesia | +62361 4752 806

© 2026 Leder Haus. All Rights Reserved.

LEDER HAUS®

THE LEATHER SPECIALIST

HOW TO CARE FOR SYNTHETIC LEATHER

☑ DO's

What you **SHOULD** do

- Use a soft, damp cloth to clean the surface of the material
- Rub the surface slowly with intense
- If it is stained with a fairly intense dye, try to clean the area with a damp cloth as soon as possible
- If there are stains that are still left behind, use a special cleaner for synthetic leather to help remove the stains

☒ DONT's

What you **SHOULDN'T** do

- Do not use rough/sharp materials (such as a brush) to clean the surface
- Do not use harsh (chemical) cleaning products such as: bleach, detergent, thinner, and others

Note:

Ink, permanent marker, denim and other strong textile dyes may be difficult or cannot to remove perfectly, especially on light colored synthetic leather

