



# Southern Bleacher Company: Experience You Can Trust

 Silver Edition and Custom Angle Frame Bleachers



**WWW.SOUTHERNBLEACHER.COM**  
**800.433.0912**

10 Row Elevated Angle Frame



DETAILS

The top project featured on the cover is a 57' 10 Row Elevated Angle Frame bleacher that seats 296. Features an 8' x 18' pressbox. Note the galvanized steel framework and aluminum cross braces of the bleacher. Options include the pressbox and ADA ramp.

Photos © Todd Brasher

10 Row Angle Frame



DETAILS

The bottom project featured on the cover is a 50' 10 Row Non-Elevated Angle Frame bleacher that seats 252. This Angle Frame bleacher features our optional Vertical Rail instead of 9-gauge chain link. Roof by others. Photo © Barney's Studio

5 Row Elevated Silver Edition



DETAILS

87' 5 Row Elevated Silver Edition bleacher that seats 240. Features an optional ADA ramp and wheelchair seating. Photos © Todd Brasher



DETAILS

10 Row Non-Elevated Angle Frame bleacher that seats 277. Features optional colored backrests and risers. Due to budget constraints, the bleacher has a 10' x 18' press platform.

Photos © Eleakis & Elder Photography

10 Row Custom Angle Frame



**Southern Bleacher's Angle Frame and Silver Edition bleachers ensure exceptional comfort for every spectator and are a solid investment.**

**SOUTHERN BLEACHER** engineers its frame-type bleachers to meet the applicable code requirements. Quality controlled through an AISC approved facility and licensed welders, ensures safety for the spectator and peace of mind for every owner. Southern Bleacher's standard guardrail system meets major building codes. Unlike other guardrail systems that create large gaps, our system provides superior closure on both sides and the back to protect even the smallest fans. On our non-elevated units, the guardrail begins at the first row, which adds optimum protection to spectator seating. Silver Edition frame-type bleachers provide code compliant aisles to allow spectators to move throughout the unit with ease. The sturdy handrails of smooth, anodized aluminum provide added support, and the contrasting color aluminum aisle nose clearly marks the steps and enhances the bleacher appearance. Silver Edition units also address wheelchair bound fans. An optional 74-inch return landing is also available. The landing extends from the front walkway and allows the ramp to run perpendicular to the bleacher unit. The ramp has a 1 in 12 slope which meets ADA guidelines. Seven decades of innovations in our industry makes Southern Bleacher your best choice for frame-type bleachers. Utilize our experience to make your project be the best. After all, Southern Bleacher has the experience that you can trust.



**Silver Edition Combination**



**DETAILS**  
 Baseball Complex Silver Edition bleachers. Center bleacher is 15' 5 Row Non Elevated bleacher that seats 35. Note the end aisle for wheelchair seating. First and third base bleachers are 21' 10 Row and seat 98 each. Features optional vinyl coated chain link. Photos © Todd Brasher



**Angle Frame Combination**




**DETAILS**

Baseball Complex Angle Frame bleachers. Center bleacher is 33' 10 Row Non Elevated with a 8' x 12' pressbox. First and third base bleachers are 51' 6 Row. Total seating capacity is 492. Features a continuous front walkway between the three bleachers. With optional ADA ramp. Photos © Todd Brasher



**10 Row Custom Angle Frame**

**DETAILS**  
 155' 10 Row Custom Angle Frame bleacher seats 807. Note the color seating in addition to the risers. Added color, means added team spirit. Southern Bleacher angle frame bleachers are a perfect fit for any venue. Photos © Todd Brasher



**2 Row Angle Frame**

**DETAILS**  
 10' 2 Row Back to Back Non Elevated Angle Frame bleacher seats 24. Perfect seating for tennis courts. Photo © Glen Davis Legendary Portraits



**10 Row Custom Angle Frame**




**DETAILS**  
 Softball Complex Angle Frame bleachers. Center bleacher is 33' 10 Row Non Elevated bleacher that seats 170. First and third base bleachers are 33' 9 Row and seat 156 each. Photos © Todd Brasher

Using the best materials and the most innovative designs, Southern Bleacher has made the most significant changes in the bleacher industry. Our frame type bleachers exemplify features sought by quality and safety conscious owners.

**SOUTHERN BLEACHER'S** Angle Frame bleacher is the most cost effective way to obtain seating for your track, field or court. Every Silver Edition unit is code compliant. Our Angle Frame bleachers come in several choices of row count and length. We can readily customize our Angle Frame bleachers to any desired size. Southern Bleacher's Silver Edition angle frame bleachers have set the benchmark for the seating industry. Our Angle Frame bleachers are by far the most functional, well designed and cost competitive seating systems you will find anywhere. Interested? Call us at 800-433-0912 or visit online at [www.southernbleacher.com](http://www.southernbleacher.com).

CALL TOLL FREE: 1.800.433.0912  
 or VISIT OUR WEB SITE: [www.southernbleacher.com](http://www.southernbleacher.com)

5 Row Silver Edition



DETAILS

27' 5 Row Non-Elevated Silver Edition bleacher that seats 65. Features optional wheelchair seating.

Photo © Todd Brasher

10 Row Silver Edition



DETAILS

50' 10 Row Non-Elevated Silver Edition bleacher that seats 272. School districts across the country are making due with less funding. This Silver Edition unit features mud sills as there was no budget for a concrete slab.

Fan Favorite Seating



Elite Seats

DETAILS

Our 5 Row Non Elevated Angle Frame bleacher features our optional Elite Seat. This bleacher is 16' 1" long and seats 42 with a comfortable 18" wide Elite Seat in team color. Note the color risers and aisle at the end of the bleacher. Roof structure by others.

Photos © Glen Davis Legendary Portraits



Stadium Chairs

DETAILS

Even the simplest bleacher can offer comfort and style. The 25' 10" long 4 Row Non Elevated Angle Frame bleacher seats 42 with the comfort of 20" wide team color stadium chairs.

Note the color risers. Roof structure by others.

Photos © Glen Davis Legendary Portraits

10 Row Elevated Angle Frames



DETAILS

Football home side is a 111' 10 Row Elevated Angle Frame bleacher that seats 585. Features an optional sloped front 8' x 30' pressbox. Visitor's side is a 69' 10 Row Elevated Angle Frame bleacher that seats 377. Both bleachers offer optional wheelchair seating and ADA ramps.

Photos © Lane Anderson



Team Favorite Seating



Maverick



All American

DETAILS

Southern Bleacher's team benches are extruded aluminum with clear-anodized finish, eliminating all concerns of water staining or residue powder on team uniforms. Our team bench seats a minimum of eight players and is available in any length - seating 10, 15, 20 or more. Southern Bleacher team benches feature a 2" x 12" raised slope seat plank. Our All American Team Bench is a light-weight, durable self-supporting portable team bench suitable for any surface. Our Maverick and All American team benches can also include a 2" x 6" backrest, also in clear anodized aluminum or paint in team color. Photos © Glen Davis Legendary Portraits



**Southern Bleacher's small teams of highly skilled representatives care for our customers from beginning to end. From the first call through project design to the final quality checks, we make sure that every detail is right.**

**SOUTHERN BLEACHER'S** in-house aluminum inventory, steel fabrication and our system of quality checks, assures that everything we need to complete your project arrives on-site as planned – with an experienced crew ready to start. When it comes to fabrication, we've spent more than 70 years refining our process and equipment, including developing custom machines that exist nowhere but Southern Bleacher, designed to our processes so we can pass on those efficiencies to you. Those systems and machines are run by skilled craftsmen and technicians with the highest industry certifications. From the smallest team bench to the largest custom Angle Frame, Southern Bleacher is a trusted team player that will see your job to completion with every detail right.

CALL TOLL FREE: 1.800.433.0912  
or VISIT OUR WEB SITE: [www.southernbleacher.com](http://www.southernbleacher.com)

# Silver Edition and Custom Angle Frame Bleachers

## MODEL · SIZE · SEAT COUNT

NON-ELEVATED TYPE				
MODEL	SIZE	SEAT COUNT	CONCRETE PAD SIZE	AISLES
521 NE	5 row x 21'	54	295 sq. feet	1
527 NE	5 row x 27'	74	380 sq. feet	1
533 NE	5 row x 33'	94	465 sq. feet	1
539 NE	5 row x 39'	114	550 sq. feet	1
545 NE	5 row x 45'	122	615 sq. feet	2
1021 NE	10 row x 21'	104	505 sq. feet	1
1027 NE	10 row x 27'	144	650 sq. feet	1
1033 NE	10 row x 33'	184	800 sq. feet	1
1039 NE	10 row x 39'	224	950 sq. feet	1
1045 NE	10 row x 45'	237	1,100 sq. feet	2
1521 NE	15 row x 21'	154	715 sq. feet	1
1527 NE	15 row x 27'	214	920 sq. feet	1
1533 NE	15 row x 33'	274	1,125 sq. feet	1
1539 NE	15 row x 39'	334	1,330 sq. feet	1
1545 NE	15 row x 45'	352	1,535 sq. feet	2

AISLES - Required number listed

### EXPERIENCE YOU CAN TRUST:

Since 1946, Southern Bleacher has set the standard for high school bleachers, college stadiums, fairgrounds, speedways and more. Fans in every U.S. state and Canada cheer from Southern Bleacher grandstands.

With more than three million seats to our name in the past five years alone, no one comes close to our experience. Financially sound with no influence from investors, our customers rest easy knowing we'll be here for decades to come.

By not outsourcing our aluminum or steel fabrication, we control both quality and schedule and a veteran project manager is your single point of contact, your advisor and ally, from your complimentary design through your stadium build and beyond.



Post Office Box One, Graham, Texas 76450-9976

CALL TOLL FREE: 1.800.433.0912  
and VISIT OUR WEB SITE: [www.southernbleacher.com](http://www.southernbleacher.com)



FIVE ROW ELEVATED TYPE				
MODEL		SEAT COUNT	CONCRETE PAD SIZE	
521 E	2 Stairs	46	425 sq. feet	1
521 E-R	1 Stair and 1 Ramp	38	635 sq. feet	
527 E	2 Stairs	62	515 sq. feet	1
527 E-R	1 Stair and 1 Ramp	58	725 sq. feet	
533 E	2 Stairs	94	605 sq. feet	1
533 E-R	1 Stair and 1 Ramp	78	815 sq. feet	
539 E	2 Stairs	114	695 sq. feet	1
539 E-R	1 Stair and 1 Ramp	98	905 sq. feet	
545 E	2 Stairs	104	785 sq. feet	2
545 E-R	1 Stair and 1 Ramp	106	995 sq. feet	

AISLES - Required number listed

TEN ROW ELEVATED TYPE				
MODEL		SEAT COUNT	CONCRETE PAD SIZE	AISLES
1021 E	2 Stairs	96	635 sq. feet	1
1021 E-R	1 Stair and 1 Ramp	88	955 sq. feet	1
1027 E	2 Stairs	132	785 sq. feet	1
1027 E-R	1 Stair and 1 Ramp	128	1,105 sq. feet	1
1033 E	2 Stairs	164	935 sq. feet	1
1033 E-R	1 Stair and 1 Ramp	168	1,255 sq. feet	1
1039 E	2 Stairs	204	1,085 sq. feet	1
1039 E-R	1 Stair and 1 Ramp	208	1,405 sq. feet	1
1045 E	2 Stairs	219	1,235 sq. feet	2
1045 E-R	1 Stair and 1 Ramp	221	1,555 sq. feet	2

AISLES - Required number listed

FIFTEEN ROW ELEVATED TYPE				
MODEL		SEAT COUNT	CONCRETE PAD SIZE	AISLES
1521 E	2 Stairs	146	810 sq. feet	1
1521 E-R	1 Stair and 1 Ramp	138	1,030 sq. feet	1
1527 E	2 Stairs	202	1,030 sq. feet	1
1527 E-R	1 Stair and 1 Ramp	198	1,150 sq. feet	1
1533 E	2 Stairs	254	1,150 sq. feet	1
1533 E-R	1 Stair and 1 Ramp	258	1,360 sq. feet	1
1539 E	2 Stairs	314	1,360 sq. feet	1
1539 E-R	1 Stair and 1 Ramp	308	1,570 sq. feet	1
1545 E	2 Stairs	334	1,570 sq. feet	2
1545 E-R	1 Stair and 1 Ramp	328	1,780 sq. feet	2

AISLES - Required number listed

**NOTE:** All Elevated Front Walkways are 74" wide and 30" tall.

### PLEASE NOTE:

It is highly recommended that frame type bleachers be securely anchored to a flat, level concrete slab due to wind loads.