


Fiche technique | Référence: 2854-302/000-021

Boîtier de distribution station météo, type 2; Modbus®; 2 x BE (24 V DC); 1 x RS-232/-485

<https://www.wago.com/2854-302/000-021>



Identique à la figure

System Distribution Box for Recording and Evaluating Weather Sensors

WAGO Weather Station makes all relevant sensor data, such as temperature, precipitation, wind speed and light intensity, available for further processing and display in a visualization or a management system. Weather sensors from different manufacturers can be recorded on digital inputs and analog inputs and via RS-485.

Function

Digital sensors: reserve, central sun protection command UP via 2-channel digital input (750-400)

General Information

Power supply (1-phase), 1st phase: controller

Network (Ethernet) 2 x RJ-45 (Cat.6)

Controller PFC200 (750-8212)

Interface for operation RS-485 interface (750-652)

Supply voltage

for controller/field devices: 24 VDC / 2.5 A via switched-mode power supply (787-1712)

Power loss (components): 9.6 W

Item includes

 Réf.: 750-652 Borne d'interface série RS-232/485	1	 Réf.: 770-785 Connecteurs femelles encastrables; 5 pôles; Cod. B; 4,00 mm ² ; rose	1	 Réf.: 787-1712 Alimentation à découpage primaire; ECO; monophasé; Tension de sortie 24 V DC; Courant de sortie 2,5 A; LED DC OK	1	 Réf.: 770-744 Connecteurs femelles encastrables; 4 pôles; Cod. B; 4,00 mm ² ; gris	2
 Réf.: 770-713/007-000 Connecteurs mâles encastrables; avec contact direct de mise à la terre; 3 pôles; Cod. A; 4,00 mm ² ; noir	1	 Réf.: 750-400 Entrée digitale à 2 canaux; DC 24 V; 3 ms	1	 Réf.: 750-8212 Contrôleurs PFC200; 2ème génération; 2 x ETHERNET, RS-232/-485	1		

Données géométriques

Largeur	350 mm / 13.7795 inch
Hauteur	250 mm / 9.84252 inch
Profondeur	100 mm / 3.93701 inch

Données du matériau

Charge calorifique	429,082 MJ
Poids	13149,8 g

Données commerciales

Unité d'emb. (SUE)	1 pce(s)
Pays d'origine	DE
GTIN	4066966228779
Numéro du tarif douanier	85371091990

Conformité environnementale du produit

CAS-No.	1303-86-2 1317-36-8 693-98-1 7439-92-1 79-94-7
REACH Candidate List Substance	2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol 2-methylimidazole Diboron trioxide Lead Lead monoxide Perfluorobutane sulfonic acid (PFBS) and its salts
RoHS Compliance Status	Compliant,With Exemption
RoHS Exemption	6(c) 7(a) 7(c)-I 7(c)-II
SCIP notification number (Austria)	b74bda6f-575f-45bf-b2b5-971c2e7f8d15
SCIP notification number (Belgium)	a2d5303a-8670-4cd1-bd26-0392a2c1d6be
SCIP notification number (Bulgaria)	f33c1390-9800-4e2e-a4dc-1cdd9fceee08
SCIP notification number (Czech Republic)	fe302de8-7bc5-46af-b57e-c617729d43d6
SCIP notification number (Denmark)	eacef74d-b6e3-4e2c-b2e7-bbd0db0069c6
SCIP notification number (Finland)	4b942991-353e-4f85-8c34-4d605e6d6b8e
SCIP notification number (France)	8e1d9453-d1bf-4bb3-ae8-e902e0c6bd6b
SCIP notification number (Germany)	a0430043-3fb0-4681-8a3a-b9b57ec7f649
SCIP notification number (Hungary)	20304973-3af8-4180-87a3-7d2537fa6c57
SCIP notification number (Italy)	7a92de45-7940-44bb-81bc-f5133e7a3920
SCIP notification number (Netherlands)	88f888d7-9646-4191-8ffd-7cb82c517b2f
SCIP notification number (Poland)	a50499d0-8aba-4e26-ba03-8dcb97cb90a2
SCIP notification number (Romania)	a21d0490-c138-4f64-8413-7f564c659b54
SCIP notification number (Sweden)	f5e41b45-f3f8-428b-b280-e38bbe110e69

Téléchargements

Conformité environnementale du produit

Recherche de conformité

Environmental Product
Compliance
2854-302/000-021

