

PRODUCT-DETAILS

JSB/S 1.1

JSB/S1.1 Shutter Control Unit, MDRC



Informations générales

Extension du type de produit	JSB/S 1.1
Code de produit	GHQ6310084R0111
EAN	4016779579933
Description courte	JSB/S1.1 Shutter Control Unit, MDRC
Description longue	Controls shutter and blind actuators according to the position of the sun. The shutter control unit contains the functions of anti-glare protection and daylight redirection for up to 4 facades. Automatic shading can be implemented for every building and climatic control can be supported by the comprehensive range of parameter settings in the ETS.

Installation

Instructions et manuels	GHQ6307086P0003
Installing and Commissioning Manual	2CDC506017D0202

Technique

Fiche produit, informations techniques	2CDC506032D0201
Type de courant	DC

Power Loss	0.3 W
Nombre de LED	1
Number of Input Channels	0
Compatible Bus Systems	KNX (TP)
Product Range	KNX
Type de montage	DIN-Rail
Manual Operation	Non
Couleur	light grey
Nombre de batteries	0
Application Function	Blind / Shutter / Shading Control

Environnement

Indice de protection	IP20
Statut RoHS	Following EU Directive 2011/65/EU
Informations RoHS	2CDK506010D2701
REACH Declaration	9AKK107492A1906
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Width in Number of Modular Spacings	2
Produit Largeur Net	36 mm
Produit Hauteur Net	90 mm
Produit Longueur Net	64.5 mm
Poids net	0.091 kg
Profondeur d'encastrement (t ₂)	64.5 mm
Schéma dimensionnel	2CDC072025F0017

Certificats et Déclarations (Numéro de document)

Déclaration de Conformité - CE	2CDK506010D2701
KNX Certificate	9AKK105710A0061

Classifications

ETIM 8	EC001330 - Shutting actuator for bus system
ETIM 9	EC001330 - Shutting actuator for bus system
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8538 90 91
eClass	V11.0 : 27143128

Code de classification
d'objet

A

Accessories

Identifiant	Description	Type	Quantity	Unit Of Measure
2CDG110028R0011	JA/S4.SMI.1M SMI Shutter Actuator, 4-fold, Manual Operation, MDRC	JA/S4.SMI.1M	1	piece
2CDG110120R0011	JRA/S2.230.2.1 Blind/Roller Shutter Act, 2-f, 230 V AC, Manual Operation, MDRC	JRA/S 2.230.2.1	1	piece
2CDG110121R0011	JRA/S4.230.2.1 Blind/Roller Shutter Act 4-f, 230 V AC, Manual Operation, MDRC	JRA/S4.230.2. 1	1	piece
2CDG110122R0011	JRA/S8.230.2.1 Blind/Roller Shutter Act, 8-f, 230 V AC, Manual Operation, MDRC	JRA/S8.230.2. 1	1	piece
2CDG110124R0011	JRA/S2.230.5.1 Blind/Roller Shutter Act, Travel Det, 2-f, 230 V AC, Man Op, MDRC	JRA/S 2.230.5.1	1	piece
2CDG110125R0011	JRA/S4.230.5.1 Blind/Roller Shutter Act, Travel Det, 4-f, 230 V AC, Man Op, MDRC	JRA/S 4.230.5.1	1	piece
2CDG110126R0011	JRA/S8.230.5.1 Blind/Roller Shutter Act, Travel Det, 8-f, 230 V AC, Man Op, MDRC	JRA/S 8.230.5.1	1	piece
2CDG110128R0011	JRA/S4.24.5.1 Blind/Roller Shutter Act, Travel Det, 4-f, 24 V DC, Man Op, MDRC	JRA/S 4.24.5.1	1	piece
2CDG110129R0011	JRA/S2.230.1.1 Blind/Roller Shutter Actuator, 2-fold, 230 V AC, MDRC	JRA/S 2.230.1.1	1	piece
2CDG110130R0011	JRA/S4.230.1.1 Blind/Roller Shutter Actuator, 4-fold, 230 V AC, MDRC	JRA/S 4.230.1.1	1	piece
2CDG110131R0011	JRA/S8.230.1.1 Blind/Roller Shutter Actuator, 8-fold, 230 V AC, MDRC	JRA/S 8.230.1.1	1	piece
2CDG110143R0011	SJR/S4.24.2.1 SMI Blind/Roller Shutter Actuator, LoVo, 4-fold, MDRC	SJR/S 4.24.2.1	1	piece
2CDG110208R0011	JRA/S6.230.3.1 Blind/Roller Shutter Actuator with Binary Inputs, 6-f, MDRC	JRA/S6.230.3. 1	1	piece

Catégories

Produits basse tension → Home and Building Automation → KNX → Shading Control → Shading Control Units

