

Fiche produit

Article n° 05.507.4353.0

Fiche SA M 40 x 1,5



Article n°	05.507.4353.0
EAN	4015573646124
Unité de commande	1 Piece(s)


certificats/approbations

Données techniques

général

Taille du filetage M	40
----------------------	----

Dessin technique

<p>These dimensions will be especially checked at delivery Only inspection dimensions</p> <p>These dimensions will be especially checked at delivery Only inspection dimensions</p> <p>These dimensions will be especially checked at delivery Only inspection dimensions</p>	 <p>O-Ring nur bei Messingverschlussschraube/ o-seal only on brass locking screw</p>	<p>Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind ohne schriftliche Genehmigung des Herstellers ist nicht zulässig. The production, distribution, use, as well as the communication of its contents to others without express authorization is prohibited.</p>																																																																								
<p>Diese Maße werden bei Abnahme besonders geprüft Ausschließlich Prüfmaße</p> <p>Diese Maße werden bei Abnahme besonders geprüft Ausschließlich Prüfmaße</p>	<p>* ca. Maße herstellerbedingt unterschiedlich * circa dimension may vary due to the manufacturer</p>																																																																									
	<p>Farbschlüssel für Polyamid/ color key for polyamide:</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2"></th> <th>.0=Farbe grau/grey RAL 7035</th> <th>.1=Farbe schwarz/black RAL 9005</th> <th>.6=Farbe blau/blue RAL 5012</th> <th></th> </tr> </thead> <tbody> <tr> <td>05.507.4353.0</td> <td rowspan="2">M40x1,5</td> <td rowspan="2">12-15</td> <td>8-10</td> <td>46-55</td> <td>Polyamid/polyamide</td> </tr> <tr> <td>05.507.4321.0</td> <td>8-9</td> <td>43-50</td> <td>MS vern./ brass nickel-plated</td> </tr> <tr> <td>05.507.4253.0</td> <td rowspan="2">M32x1,5</td> <td rowspan="2">12-13,5</td> <td>8</td> <td>37-44</td> <td>Polyamid/polyamide</td> </tr> <tr> <td>05.507.4221.0</td> <td>8</td> <td>35-39</td> <td>MS vern./ brass nickel-plated</td> </tr> <tr> <td>05.507.4153.0</td> <td rowspan="2">M25x1,5</td> <td rowspan="2">11-13</td> <td>8</td> <td>30-33</td> <td>Polyamid/polyamide</td> </tr> <tr> <td>05.507.4121.0</td> <td>7</td> <td>28-30</td> <td>MS vern./ brass nickel-plated</td> </tr> <tr> <td>05.507.4053.0</td> <td rowspan="2">M20x1,5</td> <td rowspan="2">9,5-10,5</td> <td>6</td> <td>24-27</td> <td>Polyamid/polyamide</td> </tr> <tr> <td>05.507.4021.0</td> <td>6-6,5</td> <td>22-24</td> <td>MS vern./ brass nickel-plated</td> </tr> <tr> <td>05.507.3953.0</td> <td rowspan="2">M16x1,5</td> <td rowspan="2">8-10,5</td> <td>6</td> <td>20-22</td> <td>Polyamid/polyamide</td> </tr> <tr> <td>05.507.3921.0</td> <td>5-6</td> <td>18-20</td> <td>MS vern./ brass nickel-plated</td> </tr> <tr> <td>05.507.3853.0</td> <td rowspan="2">M12x1,5</td> <td rowspan="2">7,5-10</td> <td>6</td> <td>15</td> <td>Polyamid/polyamide</td> </tr> <tr> <td>05.507.3821.0</td> <td>5</td> <td>14-16</td> <td>MS vern./ brass nickel-plated</td> </tr> <tr> <td>Teile-Nr./part-No.</td> <td>AG</td> <td>H</td> <td>GL</td> <td>D</td> <td>Material/ material</td> </tr> </tbody> </table>				.0=Farbe grau/grey RAL 7035	.1=Farbe schwarz/black RAL 9005	.6=Farbe blau/blue RAL 5012		05.507.4353.0	M40x1,5	12-15	8-10	46-55	Polyamid/polyamide	05.507.4321.0	8-9	43-50	MS vern./ brass nickel-plated	05.507.4253.0	M32x1,5	12-13,5	8	37-44	Polyamid/polyamide	05.507.4221.0	8	35-39	MS vern./ brass nickel-plated	05.507.4153.0	M25x1,5	11-13	8	30-33	Polyamid/polyamide	05.507.4121.0	7	28-30	MS vern./ brass nickel-plated	05.507.4053.0	M20x1,5	9,5-10,5	6	24-27	Polyamid/polyamide	05.507.4021.0	6-6,5	22-24	MS vern./ brass nickel-plated	05.507.3953.0	M16x1,5	8-10,5	6	20-22	Polyamid/polyamide	05.507.3921.0	5-6	18-20	MS vern./ brass nickel-plated	05.507.3853.0	M12x1,5	7,5-10	6	15	Polyamid/polyamide	05.507.3821.0	5	14-16	MS vern./ brass nickel-plated	Teile-Nr./part-No.	AG	H	GL	D	Material/ material
		.0=Farbe grau/grey RAL 7035	.1=Farbe schwarz/black RAL 9005	.6=Farbe blau/blue RAL 5012																																																																						
05.507.4353.0	M40x1,5	12-15	8-10	46-55	Polyamid/polyamide																																																																					
05.507.4321.0			8-9	43-50	MS vern./ brass nickel-plated																																																																					
05.507.4253.0	M32x1,5	12-13,5	8	37-44	Polyamid/polyamide																																																																					
05.507.4221.0			8	35-39	MS vern./ brass nickel-plated																																																																					
05.507.4153.0	M25x1,5	11-13	8	30-33	Polyamid/polyamide																																																																					
05.507.4121.0			7	28-30	MS vern./ brass nickel-plated																																																																					
05.507.4053.0	M20x1,5	9,5-10,5	6	24-27	Polyamid/polyamide																																																																					
05.507.4021.0			6-6,5	22-24	MS vern./ brass nickel-plated																																																																					
05.507.3953.0	M16x1,5	8-10,5	6	20-22	Polyamid/polyamide																																																																					
05.507.3921.0			5-6	18-20	MS vern./ brass nickel-plated																																																																					
05.507.3853.0	M12x1,5	7,5-10	6	15	Polyamid/polyamide																																																																					
05.507.3821.0			5	14-16	MS vern./ brass nickel-plated																																																																					
Teile-Nr./part-No.	AG	H	GL	D	Material/ material																																																																					
<p>Tolerierung nach DIN 7167/Tolerance system acc. to DIN 7167. (This DIN-standard describes the envelope principle. According to the envelope principle the deviations of form and parallelism are limited by the size tolerances).</p>		<p>ja/yes <input checked="" type="checkbox"/> Stoffverbots- und Deklarationsliste nach WM 5020.010 ist einzuhalten. Conformity with Wieland document WN 5020.010_e (list of prohibited / declarable hazardous substances) to be declared!</p>																																																																								
<p>Freitoleranz nach General tolerance</p>		<p>CAD - Zeichnung, keine manuellen Änderungen CAD - drawing, no manual modifications allowed</p>																																																																								
<p>1. Verwendung: - First Use:</p>		<p>Blatt: 1 von 1 Sheet: of 1</p>																																																																								
<p>Werkstoff/Material</p>		<p>Zeichnung Nr./Drawing No.</p>																																																																								
<p>2010 Tag/Date Name</p>		<p>T 05.507.3821.0 01K</p>																																																																								
<p>gezeichnet drawn geprüft checked Wartgepr. Stand. check</p>		<p>Maße in mm/Dimensions are in mm</p>																																																																								
<p>Vol. mm³ Offl./Surf. mm²</p>		<p>Ersatz für/Replacement for: -</p>																																																																								
<p>wieland Elektrische Verbindungen</p>		<p>VERSCHLUSSSCHRAUBE für metrische Gewinde/locking screw for metric thread</p>																																																																								
<p>Index Datum / Blatt Date / Sheet</p>		<p>Änderung/Revision</p>																																																																								

055073821001K_4 CAD/2025 Winkler 2010-11-26/11:4:500 1:000

