

PRODUCT-DETAILS

Q855B620

Q855B620 Cabinet, Rows: 13, 2049 mm x 612 mm x 250 mm, Grounded (Class I), IP55



Informations générales

Extension du type de produit	Q855B620
Code de produit	1SZE550800B0160
EAN	3800161600869
Description courte	Q855B620 Cabinet, Rows: 13, 2049 mm x 612 mm x 250 mm, Grounded (Class I), IP55
Description longue	Floor standing cabinet, Type System pro E energy M, Basic structure, Mountingtype: Wallhanging, for indoor installation, Flatpack, Protection form I (Earthed), Protectclass IP55 (with door) IP30, without door, Acc.Norm: IEC 61439-1, IEC 61439-2, IEC 61439-3; IEC62208, IK08 for housing, IK07 for glass-door and knock-out, powdercoated RAL 7035, Sheet steel material, Door needs to be added seperately, Door can be mounted Left or Right, Door opening 135°, Backplate sheet steel, Top and Bottom need to be added sepretey, Cable entry by flange of big Cable entry, dimensions in mm (H x W x D) 2000 x 600 x 250, No.Mod.DIN 312 (H=150 mm), prepared for extention side-by-side, prepared for interior fitting System pro E energy Combi (up to 800A)

Technique

Courant nominal (I_n)	800 A
Power Loss	$\Delta t = 25K$ 94 W $\Delta t = 30K$ 134 W $\Delta t = 35K$ 176 W $\Delta t = 40K$ 221 W
Number of Flange Openings	4
Number of Rows	13
Cover Plate Type	Optional

Type de montage	Surface mounting
Door Type	Single
Finition de surface	Powder coating
Qualité du matériau	Steel
RAL Number	RAL 7035 - Gris clair
Couleur	Grey
Nombre de batteries	0

Environnement

Indice de protection	IP55
Classe de protection	Grounded (Class I)
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informations RoHS	1STC860120 9AKK108467A5062
REACH Declaration	1STE000078
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Width in Number of Modular Spacings	24
Produit Largeur Net	612 mm
Produit Hauteur Net	2049 mm
Produit Longueur Net	250 mm
Poids net	34.65 kg
Profondeur d'encastrement (t ₂)	230 mm
Thickness	Cabinet Plate 1.5 mm Door Plate 1.5 mm

Commande

Emballage Niveau 1 Unités	box 1 pièce
Emballage Niveau 1 Poids	38.5 kg

Certificats et Déclarations (Numéro de document)

Déclaration de Conformité - CE	1STC860120
--------------------------------	------------

Installation

Instructions et manuels	No document needed
-------------------------	--------------------

Downloads Préférés

Fiche produit, informations techniques	No document needed
--	--------------------

Building Information
Modeling - BIM

9AKK107680A9001

Classifications

ETIM 8	EC000058 - Empty cabinet
ETIM 9	EC000058 - Empty cabinet
Catégorie DEEE	Product Not in WEEE Scope
WEEE B2C / B2B	Business To Consumer
CN8	85381000
eClass	V11.0 : 27142408
Code de classification d'objet	U

Catégories

Produits basse tension → Tableaux, Coffrets et Armoires → Tableaux Divisionnaires → Sub Distribution Boards → System pro E energy M

