

Part number

CGMA 16



Male crimp contact, CG series, 100 A, turned silver plated, wire cross section 16 mm², AWG 6 - 5


Product description		Material properties	
Product type	Crimp contact	Main material	Copper alloy
Series	CG		Compliant with exemption 6(c): copper alloy containing up to 4% lead by weight
Gender	Male	RoHs conformity	
Technical data		China RoHs - EFUP	50
Current	100 A	REACH SVHC substances	Yes Lead
Wire cross-section	16,00 mm ²	SCIP number	C0979fba-9907-458f-a94a-db781440f273
AWG size	6 - 5	Approvals / Standards	
Contact type	Turned silver plated	Certifications	CSA, EAC
Further technical details		UL	ECBT2
Weight	19,80 g	cUL	ECBT8
General ordering information			
EAN13 code	8015747122696	ETIM 7.0	EC000796
eCl@ss 8.1	27440204	Packaging Information	
Packaging length	132,00 mm	Packaging length	132,00 mm
Packaging height	108,00 mm	Packaging height	108,00 mm
Packaging width	210,00 mm	Packaging width	210,00 mm
Packaging weight	3,50 kg	Packaging weight	3,50 kg
Packaging volume	2,99 dm ³	Packaging volume	2,99 dm ³
Packaging description	Carton box	Packaging description	Carton box
Packaging quantity	150 Pcs	Packaging quantity	150 Pcs
Packaging EAN code	8015747225571	Packaging EAN code	8015747225571
Sub-packaging length	1,00 mm	Sub-packaging length	1,00 mm
Sub-packaging height	1,00 mm	Sub-packaging height	1,00 mm
Sub-packaging width	1,00 mm	Sub-packaging width	1,00 mm
Sub-packaging weight	0,70 kg	Sub-packaging weight	0,70 kg
Sub-packaging description	Plastic box	Sub-packaging description	Plastic box
Sub-packaging quantity	30 Pcs	Sub-packaging quantity	30 Pcs
Sub-packaging EAN barcode	8015747122726	Sub-packaging EAN barcode	8015747122726

Part number

CGMA 16



Catalogue drawings



CGF and CGM contacts

conductor section (mm ²)	conductor slot			conductor stripping length (mm)
	ø A (mm)	ø B (mm)	ø C (mm)	
8-10	4,3	4,3	13	15
16	5,5	5,5	13	15
25	7,0	7,0	13	15
35	7,9	8,2	12,5	15

Notes

Dimensions shown in mm are not binding and may be changed without notice.

California Proposition 65 Information



WARNING

This product can expose you to lead and its compounds, known to the State of California to cause cancer and/or reproductive toxicity. For more information go to www.P65Warnings.ca.gov.

