

PRODUCT-DETAILS

AR108H33

AR108H33 ARIA 108 WITH HANDLE



Informations générales

| | |
|------------------------------|--|
| Extension du type de produit | AR108H33 |
| Code de produit | 4TBA831111C0100 |
| EAN | 5411815234347 |
| Description courte | AR108H33 ARIA 108 WITH HANDLE |
| Description longue | The cabinets are made of light grey (RAL 7035), through-dyed, hot-pressed, glass-fibre reinforced polyester. Threaded bolts are available for mounting the mounting plate and mounting frame. ARIA cabinets offer optimum safety for both users and equipment, thanks to the protective insulation and the high degree of protection of up to IP66. ARIA cabinets withstand continuous temperatures up to 70°C (peak temperatures up to 130°C). Self-extinguishing and halogen-free. Rated insulation voltage $U_i = 1000V$. PA1085 Cabinet 1035x835x300 ARIA, swivelling lever handle, 3-point lock IP66, IK08 |

Technique

| | |
|-----------------------------|-----------------|
| Number of Flange Openings | 0 |
| Number of Conduit Inlets | 0 |
| Number of Rows | 0 |
| Cover Plate Type | Door |
| Classe de protection (NEMA) | Type12 |
| Type de montage | Surface mounted |
| Door Type | Single |
| Finition de surface | Untreated |

| | |
|---------------------|-----------------------|
| Qualité du matériau | Plastic |
| Style de cache | Closed |
| RAL Number | RAL 7035 - Gris clair |
| Couleur | Grey |

Environnement

| | |
|---|--|
| Indice de protection | IP66 |
| Classe de protection | Isolated (Class II) |
| Statut RoHS | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| Informations RoHS | 9AJK000579 |
| REACH Declaration | 9AJK000617 |
| SCIP | c9b18eba-d321-4906-b760-864cab38d40d Belgium (BE) |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108468A3363 |

Dimensions

| | |
|-------------------------------------|---------------------------------------|
| Width in Number of Modular Spacings | 0 |
| Produit Largeur Net | 835 mm |
| Produit Hauteur Net | 1035 mm |
| Produit Longueur Net | 300 mm |
| Poids net | 23 kg |
| Thickness | Cabinet Plate 3 mm Door Plate 3 mm |

Commande

| | |
|---------------------------|-------------|
| Emballage Niveau 1 Unités | box 1 pièce |
| Emballage Niveau 1 Poids | 24.3 kg |

Certificats et Déclarations (Numéro de document)

| | |
|--------------------------------|------------|
| Déclaration de Conformité - CE | 9AJK000579 |
|--------------------------------|------------|

Installation

| | |
|-------------------------|--------------------|
| Instructions et manuels | No document needed |
|-------------------------|--------------------|

Downloads Préférés

| | |
|--|--------------------|
| Fiche produit, informations techniques | No document needed |
|--|--------------------|

Classifications

| | |
|--------|--------------------------|
| ETIM 8 | EC000058 - Empty cabinet |
|--------|--------------------------|

| | |
|----------------|---------------------------|
| ETIM 9 | EC000058 - Empty cabinet |
| Catégorie DEEE | Product Not in WEEE Scope |
| WEEE B2C / B2B | Business To Business |
| eClass | V11.0 : 27142408 |

Catégories

Produits basse tension → Tableaux, Coffrets et Armoires → Tableaux d'abonné encastrés IP40 → GRP cabinets → ARIA

