1SET411020R0000 ACTIVE

ENTRELEC

TE Internal #: 1SET411020R0000

Wiring Duct, PVC, Height 100 mm [3.937 in], Length 2000 mm [78.74

in], Width 80 mm [3.15 in], -5 - 60 °C [23 - 140 °F]

View on TE.com >





Wire Protection & Management > Wiring Ducts & Accessories > Wiring Ducts & Covers











Wiring Duct Product Type: Wiring Duct
Wiring Duct & Accessory Material: PVC

Product Height: 100 mm [3.937 in]

Product Length: 2000 mm [78.74 in]

Product Width: 80 mm [3.15 in]

Features

Product Type Features

Wiring Duct Product Type	Wiring Duct
Body Features	
Primary Product Color	Gray
Housing Features	
Wiring Duct & Accessory Material	PVC
Dimensions	
Product Height	100 mm[3.937 in]
Product Length	2000 mm[78.74 in]
Product Width	80 mm[3.15 in]
Usage Conditions	
Operating Temperature Range	-5 - 60 °C[23 - 140 °F]
Packaging Features	
Packaging Quantity	12



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





















TE Part # 1SET411308R0000 WD-1-RT-8060



TE Part # 1SET411311R0000 WD-1-RT-8080



TE Part # 1SET411312R0000 WD-1-RT-8010



TE Part # 1SET411401R0000 WD-1-TL-0001



TE Part # 1SET411402R0000 WD-1-TL-0002



TE Part # 1SET411403R0000 WD-1-TL-0003



TE Part # 1SET411404R0000 WD-1-TL-0004



TE Part # 1SET411407R0000 WD-1-TL-0007

Customers Also Bought



TE Part #1SNK905302R0000



TE Part #1SET411019R0000 WD-1-DP-GR6080



TE Part #1SET411022R0000 WD-1-DP-GR8060



TE Part #1SNA115414R0200 MB6/8.L3

TE Part #1SNA166760R1300 PO-D-VA

TE Part #1SNA166896R1100 DEF-D-VA



TE Part #1SNA116861R1300 M30-D-PWA

TE Part #1SSA327211R2000 CONN F WRA 7.62 DIN

Documents



Product Drawings

WD-1-DP-GR8010

French

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1SET411020R0000_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1SET411020R0000_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1SET411020R0000_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Infographic - entrelec ews-linecard

English

Datasheet - ENTRELEC-wiring-duct-DS

English

Datasheet - Entrelec Electrical-Solutions

Essential Entrelec Terminal Blocks

French

Essential Entrelec Terminal Blocks

English

Agency Approvals

UL

English