

PRODUCT-DETAILS

UK624NB

UK624NB Consumer unit , 472 mm x 362 mm x 97 mm, Flush mounting, 24 SU, IP30, Without Door



Informations générales

Extension du type de produit	UK624NB
Code de produit	2CPX031375R9999
EAN	4011617313755
Description courte	UK624NB Consumer unit , 472 mm x 362 mm x 97 mm, Flush mounting, 24 SU, IP30, Without Door
Description longue	Consumer unit, series UK600, Expansion option: Lateral and bottom, for the internal use, without closed cover without door, class of protection II (double insulated), degree of protection IP30, applicable standards: EN 60670-24, IK code 7, Rated operational voltage 400V AC 50/60 Hz, rated current 63 A, Glow wire resistance 850°C, in RAL 9016, enclosure out of thermoplast, without frame and without door, cable entry on top via cable entry slide part is pre-punched, on bottom via cable entry slide part is pre-punched, on side via pre-punched, rear wall pre-punched, dimensions in mm (H x W x D): 472 x 362 x 97, Space units 24, Row distance in mm: 125, covers out of Plastic, 90 degree press and turn closure, with N/PE Quick-terminal, cable fastening rail integrated, assembled with device carrier, device support removable

Technique

Normes et standards	DIN 43871
Tension	Maximum 400 V
Operational Voltage	400 V
Courant nominal (I_n)	63 A
Power Loss	$\Delta t = 30K 45 W$
Number of Rows	2

Configuration Type	assembled with device carrier
Cover Plate Type	optional
Type de boîtier	Consumer unit
Type de montage	Flush mounting
Door Type	Without Door
Qualité du matériau	Plastic
Style de cache	Closed
DIN Place Units	24
RAL Number	RAL 9016 - Blanc signalisation
Couleur	Traffic white
Type de borne	Quick-Terminal

Environnement

Indice de protection	IP30
Classe de protection	Isolated (Class II)
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informations RoHS	2CPC100018X0201
REACH Declaration	2CPC100005X0201
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Width in Number of Modular Spacings	12
Produit Largeur Net	362 mm
Produit Hauteur Net	472 mm
Produit Longueur Net	97 mm
Poids net	2.048 kg
Profondeur d'encastrement (t ₂)	75 mm
Schéma dimensionnel	2CPC000001D0201 2CPC000002D0201 2CPC000007D0201

Commande

Emballage Niveau 1 Unités	pack 1 pièce
Emballage Niveau 1 Poids	2.13 kg
E-Number (Sweden)	2201239

Certificats et Déclarations (Numéro de document)

Déclaration de Conformité - CE	2CPC100018X0201
--------------------------------	-----------------

Installation

Instructions et manuels	2CPC129380M5601
-------------------------	-----------------

Downloads Préférés

Fiche produit, informations techniques	2CPC000001C0101 2CPC000002C0101
Building Information Modeling - BIM	9AKK107046A7947

Classifications

ETIM 8	EC000214 - Small distribution board
ETIM 9	EC000214 - Small distribution board
Catégorie DEEE	4. Large Equipment (Any External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85381000
eClass	V11.0 : 27142409
Code de classification d'objet	U

Accessories

Identifiant	Description	Type	Quantity	Unit Of Measure
2CPX031434R9999	UZ91P4 Enclosure accessories	UZ91P4	1	piece
2CPX062745R9999	ZK50BT Terminals	ZK50BT	1	piece
2CPX030892R9999	ZK507 Terminals	ZK507	1	piece
2CPX031413R9999	UZT4 Enclosure accessories	UZT4	1	piece
2CPX031412R9999	UZT3 Enclosure accessories	UZT3	1	piece
2CPX031794R9999	BL620D Enclosure accessories	BL620D	1	piece
2CPX031095R9999	BL620W Trim frame with door	BL620W	1	piece
2CPX031091R9999	BL620V Trim frame with door	BL620V	1	piece
2CPX031403R9999	AP624 Enclosure accessories	AP624	1	piece
2CPX061178R9999	ZX29 Interior fitting system	ZX29	1	piece
2CPX061177R9999	ZE225 Customized electrical components	ZE225	1	piece
2CPX031408R9999	UZB2 Enclosure accessories	UZB2	1	piece
2CPX061211R9999	ZE227 Customized electrical components	ZE227	1	piece
2CPX031087R9999	BL621 Trim frame with door	BL621	1	piece
2CPX031082R9999	BL620 Trim frame with door	BL620	1	piece
2CPX031427R9999	ZE224 Customized electrical components	ZE224	1	piece
2CPX031409R9999	UZB3 Enclosure accessories	UZB3	1	piece

Catégories

Produits basse tension → Tableaux, Coffrets et Armoires → Petit coffret modulaires → Tableaux d'abonné encastrés → UK600

