

## Features

Use: Indoor  
Type of installation: SUSPENDED, CEILING MOUNTED  
Emission: DIRECT  
Colour: WHITE  
Emergency: NO  
L: 1689mm  
A: 60mm  
H: 80mm  
Made in: ITALY  
Warranty: 5 years  
Weight: 4.92kg

## Tech data

IP: 40  
Insulation class: I  
Supply voltage: 220-240V 50/60Hz

## Compliance

CEI EN 60598-1:2015 + A11:2009. IEC 60598-2:2015 2-1

[View more product info](#)

## COMPLETION ACCESSORIES


---



TEK: ALIM. TESTA 9 POLI BI

**107008.01**


---



TEK: GIUNTO/ALIM. "L" 9 POLI BI

**107010.01**


---



TEK: GIUNTO/ALIM. "T" 9 POLI BI

**107011.01**


---



TEK: TESTATA TERMINALE BI

**107013.01**

---



TEK: GIUNTO/ALIM. CENTR. 9 POLI BI

**107009.01**

---

## MOUNTING ACCESSORIES

---




HERO: SOSPL3000 1PZ. TESTA/CODA

**108685.99**

---

TEK: KIT SOSPENSIONE GIUNZIONE

**107015.99**



KIT ALIMENTAZIONE L3000 5P BIA

**108922.01**



KIT ALIMENTAZIONE L3000 3P BIA

**108920.01**