



THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.




**FRONT VIEW**  
SHOWN W/O DUSTCAPS

SEE SHEETS 2 AND 3 FOR ARTWORK DETAILS

**NOTES:**

1. SEE CURRENT CATALOG FOR PART NUMBER SUFFIXES TO INDICATE COLOR AND/OR PACKAGE QUANTITIES.
2. SEE CATALOG FOR COMPLETE LIST OF PARTS APPLICABLE FOR USE WITH THIS PRODUCT.
3. PART NUMBERS:
  - A. SEE SHEET 2 FOR METHOD A.
  - B. SEE SHEET 3 FOR MODIFIED METHOD A, PAIR FLIPPED.
4. METHOD A CASSETTES COMPLY WITH ANSI/TIA-568-C.0. SEE ANSI/TIA-568-C.0 FOR POLARITY DETAILS AND EXAMPLES OF A BASIC LINK.
5. MATERIALS:
  - A. BOX AND LID: PLASTIC
  - B. ADAPTER: COMPOSITE PLASTIC
6. CASSETTE WEIGHT: 4.16oz [118g]
7. DIMENSIONS IN BRACKETS ARE METRIC.




REV	DATE	BY	CHK	APR	DESCRIPTION	ECN
07C	6/14/21	JSP	JGD	EJH	C. UPDATED DRAWING, ADDED FC2WO-24-10AF AND FC2WO-24-10AS	10F113AB-DC
07B	05-28-19	SAT	DWW	EJH	B. ADDED P/N FC29N-24-LAAS & FC29N-24-LAAF.	10F113AB-DC
07A	10-31-17	SAT	JGD	EJH	A. ADDED P/N FC2WA-24-10AS & FC2WA-24-10AF.	10F113AB-DC
R	10-10-12	SAT	TMSE		RELEASED TO PRODUCTION	10F113AB-DC

TITLE 24 FIBER DUPLEX LC CASSETTE METHOD A AND MODIFIED METHOD A, PAIR FLIPPED						
CUSTOMER DRAWING						
ITEM REVISION NAME 10F113AB/07					<b>PANDUIT</b>	
DATASET FILE NAME 10F113AB_DC/07C						
UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm]						
.x ± .03 [ .8 ]		.xxx ± .005 [ .127 ]		MATERIAL:  SEE NOTES		
.xx ± .01 [ .25 ]		ANGLES ± 5 °				
DRAWN BY SAT			DATE 10-01-12		DRAWING NUMBER: 10F113AB-DC	
CHK TMSE			SCALE NONE		SIZE A	
SHT 1 OF 3						

## 24 FIBER DUPLEX LC CASSETTE - METHOD A

PART NUMBER	DESCRIPTION
FC2Z0-24-10AS	24 FIBER 50/125um OM4 OPTIMIZED
FC2ZN-24-10AS	24 FIBER 50/125um OM4
FC2X0-24-10AS	24 FIBER 50/125um OM3 OPTIMIZED
FC2XN-24-10AS	24 FIBER 50/125um OM3
FC25N-24-10AS	24 FIBER 50/125um OM2
FC26N-24-10AS	24 FIBER 62.5/125um OM1
FC29N-24-10AS	24 FIBER 9/125um OS1/OS2
FC2SA-24-10AS	24 FIBER 50/125um OM4+, SIGNATURE CORE
FC2WA-24-10AS	24 FIBER 50/125um OM5
FC2W0-24-10AS	24 FIBER 50/125um OM5 OPTIMIZED
FC29N-24-LAAS	24 FIBER OS2 LC/APC, STANDARD LOSS



METHOD A - FIBER LAYOUT

REV	DATE	BY	CHK	APR	DESCRIPTION	ECN	DRAWN BY	DATE	CHK	SCALE	SHT 2 OF 3	SIZE
							SAT	10-01-12	TMSE	NONE		A

TITLE <h3 style="text-align: center;">24 FIBER DUPLEX LC CASSETTE METHOD A</h3> CUSTOMER DRAWING ITEM REVISION NAME 10F113AB/07 DATASET FILE NAME 10F113AB_DC/07C UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN (mm) .x ± .03 ( .8 )      .xxx ± .005 ( .127 ) .xx ± .01 ( .25 )      ANGLES ± 5 ° SEE SHEET 1 FOR REVISION HISTORY THIRD ANGLE PROJECTION	MATERIAL: SEE NOTES SHEET 1 DRAWING NUMBER: 10F113AB-DC
---	--


2

1

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

24 FIBER DUPLEX LC CASSETTE - MODIFIED METHOD A, PAIR FLIPPED

PART NUMBER	DESCRIPTION
FC2Z0-24-10AF	24 FIBER 50/125um OM4 OPTIMIZED
FC2ZN-24-10AF	24 FIBER 50/125um OM4
FC2X0-24-10AF	24 FIBER 50/125um OM3 OPTIMIZED
FC2XN-24-10AF	24 FIBER 50/125um OM3
FC25N-24-10AF	24 FIBER 50/125um OM2
FC26N-24-10AF	24 FIBER 62.5/125um OM1
FC29N-24-10AF	24 FIBER 9/125um OS1/OS2
FC2SA-24-10AF	24 FIBER 50/125um OM4+, SIGNATURE CORE
FC2WA-24-10AF	24 FIBER 50/125um OM5
FC2W0-24-10AF	24 FIBER 50/125um OM5 OPTIMIZED
FC29N-24-LAAF	24 FIBER OS2 LC/APC, STANDARD LOSS



DUPLEX ADAPTER PORT IDENTIFICATION

FIBER INPUT/OUTPUT CHANNELS

MODIFIED METHOD A, PAIR FLIPPED

MODIFIED METHOD A, PAIR FLIPPED - FIBER LAYOUT

				SEE SHEET 1 FOR REVISION HISTORY	

**TITLE**  
 24 FIBER DUPLEX LC CASSETTE  
 MODIFIED METHOD A, PAIR FLIPPED  
 CUSTOMER DRAWING

ITEM REVISION NAME  
 10F113AB/07

DATASET FILE NAME  
 10F113AB\_DC/07C

UNLESS OTHERWISE SPECIFIED,  
 DIMENSIONAL TOLERANCES ARE: IN [mm]  
 .x ± .03 [ .8 ]      .xxx ± .005 [ .127 ]  
 .xx ± .01 [ .25 ]      ANGLES ± 5 °

THIRD ANGLE PROJECTION

**MATERIAL:**  
 SEE NOTES SHEET 1

DRAWING NUMBER:  
 10F113AB-DC

**REV** | **DATE** | **BY** | **CHK** | **APR** | **DESCRIPTION** | **ECN**

SAT | 10-01-12 | TMSE | NONE | SHT 3 OF 3 | A

2

1