

PRODUCT-DETAILS

Q855B820

Q855B820 Cabinet, Rows: 13, 2049 mm x 828 mm x 250 mm, Grounded (Class I), IP55



Informations générales

Extension du type de produit	Q855B820
Code de produit	1SZE550800B0240
EAN	3800161600944
Description courte	Q855B820 Cabinet, Rows: 13, 2049 mm x 828 mm x 250 mm, Grounded (Class I), IP55
Description longue	Floor standing cabinet, Type System pro E energy M, Basic structure, Mountingtype: Wallhanging, for indoor installation, Flatpack, Protection form I (Earthed), Protectklass IP55 (with door) IP30, without door, Acc.Norm: IEC 61439-1, IEC 61439-2, IEC 61439-3; IEC62208, IK08 for housing, IK07 for glass-door and knock-out, powdercoated RAL 7035, Sheet steel material, Door needs to be added seperately, Door can be mounted Left or Right, Door opening 135°, Backplate sheet steel, Top and Bottom need to be added sepretely, Cable entry by flange of big Cable entry, dimensions in mm (H x W x D) 2000 x 800 (816) x 250, No.Mod.DIN 468 (H=150 mm), prepared for extention side-by-side, prepared for interior fitting System pro E energy Combi (up to 800A)

Technique

Courant nominal (I_n)	800 A
Power Loss	$\Delta t = 25K$ 119 W $\Delta t = 30K$ 170 W $\Delta t = 35K$ 225 W $\Delta t = 40K$ 282 W
Number of Flange Openings	6

Number of Rows	13
Cover Plate Type	Optional
Type de montage	Surface mounting
Door Type	Single
Finition de surface	Powder coating
Qualité du matériau	Steel
RAL Number	RAL 7035 - Gris clair
Couleur	Grey
Nombre de batteries	0

Environnement

Indice de protection	IP55
Classe de protection	Grounded (Class I)
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informations RoHS	1STC860120 9AKK108467A5062
REACH Declaration	1STE000078
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Width in Number of Modular Spacings	36
Produit Largeur Net	828 mm
Produit Hauteur Net	2049 mm
Produit Longueur Net	250 mm
Poids net	41.43 kg
Profondeur d'encastrement (t ₂)	230 mm
Thickness	Cabinet Plate 1.5 mm Door Plate 1.5 mm

Commande

Emballage Niveau 1 Unités	carton 1 pièce
Emballage Niveau 1 Poids	46.1 kg

Certificats et Déclarations (Numéro de document)

Déclaration de Conformité - CE	1STC860120
--------------------------------	------------

Installation

Instructions et manuels

No document needed

Downloads Préférés

Fiche produit, informations techniques

No document needed

Building Information Modeling – BIM

9AKK107680A9001

Classifications

ETIM 8

EC000058 - Empty cabinet

ETIM 9

EC000058 - Empty cabinet

Catégorie DEEE

Product Not in WEEE Scope

WEEE B2C / B2B

Business To Consumer

CN8

85381000

eClass

V11.0 : 27142408

Code de classification d'objet

U

Catégories

Produits basse tension → Tableaux, Coffrets et Armoires → Tableaux Divisionnaires → Sub Distribution Boards → System pro E energy M

