

PRODUCT-DETAILS

MSA-F-1.1.1-84-WL

MSA-F-1.1.1-84-WL WL-Mov. detector/act. 1g



Informations générales

Extension du type de produit	MSA-F-1.1.1-84-WL
Code de produit	2CKA006200A0086
EAN	4011395215760
Description courte	MSA-F-1.1.1-84-WL WL-Mov. detector/act. 1g
Description longue	With select lens for detection with animal access. Communication with the free@home system is carried out wireless. For automatic switching of ABB-free@home® actuators dependent on movement and brightness. Switch-off delay of the actuator can be programmed via the web interface of the System Access Point. For switching 230 V~ consumers. With integrated switch actuator. Switching function is available also without prior programming (pre-configured). Configuration can be changed later via the web interface (groups, scenes, etc.). 3 wire connection (neutral conductor required). With 230 V extension unit input (On/Off). With fixing claws.

Installation

Instructions et manuels	No document needed
-------------------------	--------------------

Technique

Fiche produit, informations techniques	2CKA001473B9110
Tension nominale (U _n)	230 V
Auxiliary Voltage AC/DC	230 V AC/DC

Courant nominal (I _n)	10 A
Fréquence assignée (f)	50 ... 60 Hz
Maximum Switching Power	2300 W
Nombre de sorties	1
Number of Channels	1
Compatible Bus Systems	free@home
Product Range	free@home
Design Range	63x63 future linear Busch-axcent Busch-axcent pur carat solo future
Minimum Switching Time	Switch-On 30 second [unit of time]
Type de charge	ohmic
Type de montage	Flush Mounted
Finition de surface	Surface protection: Untreated Surface finishing: Glossy
Matériau	Thermoplastic
Type d'encastrement	vertical
Model Number	Movement sensor
RAL Number	RAL 9016 - Blanc signalisation
Couleur	studio white
Nombre de batteries	0
Application Function	Electrical Load and Light Control

Environnement

Température de l'air ambiant	Operation -5 ... +45 °C
Indice de protection	IP20
Statut RoHS	Following EU Directive 2011/65/EU
Informations RoHS	2CKA200000E7845
REACH Declaration	2CKA309999E9999
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Produit Largeur Net	71 mm
Produit Hauteur Net	71 mm
Produit Longueur Net	56 mm
Poids net	0.2 kg
Profondeur d'encastrement (t ₂)	32 mm

Commande

ID Produit de remplacement (NOUVEAU)	2CKA006800A3042 2CKA006200A0172
ID du produit remplacé	6200-0-0086

Certificats et Déclarations (Numéro de document)

Déclaration de Conformité
- CE

2CKA100000E0617

Classifications

ETIM 8	EC001582 - Movement sensor for bus system
ETIM 9	EC001582 - Movement sensor for bus system
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8536 50 80
eClass	V11.0 : 27143144

Catégories

Produits basse tension → Home and Building Automation → free@home → User Operation → Solo → Motion Detectors

