


THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

NOTES:

1. HARNESS IS AVAILABLE IN PLUG PACK/CASSETTE OR LOOSE JACK AND PLUG/CASSETTE OR LOOSE JACK CONFIGURATIONS. SEE CHART ON SHEET 4 FOR PRODUCT OPTIONS.
2. PATCH CORDS ARE BUNDLED USING HLS VELCRO STRAPS AT 12" [305mm] SPACING.
3. EACH PATCH CORD IS SEQUENTIALLY NUMBERED AT BOTH ENDS WITH PORT I.D. LABELS.
4. PATCH CORD I.D. LABELS CONTAIN PATCH CORD PERFORMANCE, PART#, LENGTH (L), AND QC#.
5. PLUG PACK I.D. LABELS AND PLFIMA MARKER TIES ARE INCLUDED FOR CUSTOMER APPLIED SWITCH AND PORT IDENTIFICATION. FOR PRINTABLE LABEL OPTIONS, REFER TO PANDUIT C125X030FJJ, C125X030YPT AND C125X030FJC.
6. CORDS ARE 100% PERFORMANCE TESTED.
7. SEE CATALOG FOR OPTIONAL REMOVAL TOOL (QPPRT) AND LOCK-IN DEVICE (QPPLD*)



QPC*****
6-CABLE ASSEMBLY
PLUG PACK TO
CASSETTE SHOWN

| | |
|-------------------|-----------------------|
| PART NUMBER | PRODUCT SPEC/PKG SPEC |
| QPC*****;QPJ***** | N/A |
| I.I. NUMBER | WORK INSTRUCTION |
| N/A | N/A |

| | |
|--------------------|------------------------------|
| TITLE | QUICKNET SWITCH PORT HARNESS |
| CUSTOMER DRAWING | |
| ITEM REVISION NAME | M02802ES/01 |
| DATASET FILE NAME | M02802ES_DC43/01B |



| | |
|--|-----------|
| UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm] | MATERIAL: |
| .x ± .1 [2.54] .xxx ± .005 [.127] | |
| .xx ± .01 [.25] ANGLES ± 5 ° | |

| | | | | | |
|------------------------|-----------------|------|-------|-----------------|------|
| THIRD ANGLE PROJECTION | DRAWING NUMBER: | | | | |
| | 02802-43 | | | | |
| DRAWN BY | DATE | CHK | SCALE | DRAWING NUMBER: | SIZE |
| BJN | 12-19-13 | WFMI | NONE | SHT 1 OF 4 | A |

| | | | | | | |
|-----|---------|-----|------|-----|---|----------|
| 01B | 9-28-21 | BJN | ROJC | RWI | REVISED & REDRAWN PREVIOUS REVS REMOVED FOR CLARITY | 02802-43 |
| REV | DATE | BY | CHK | APR | DESCRIPTION | ECN |

D10100DA/14

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.




QPC*****
12-CABLE ASSEMBLY WITH
CASSETTES (SD CASSETTE SHOWN
FOR 28AWG CABLE ONLY)

| | |
|---------------------|-----------------------|
| PART NUMBER | PRODUCT SPEC/PKG SPEC |
| QPC***** ; QPJ***** | N/A |
| I.I. NUMBER | WORK INSTRUCTION |
| N/A | N/A |

| |
|-------------------------------------|
| TITLE |
| QUICKNET SWITCH PORT HARNESS |
| CUSTOMER DRAWING |

| | |
|--------------------|-------------------|
| ITEM REVISION NAME | M02802ES/01 |
| DATASET FILE NAME | M02802ES_DC43/01B |


| | |
|---|-----------------|
| UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN (mm) | MATERIAL: |
| .x ± .1 (2.54) .xxx ± .005 (.127) | |
| .xx ± .01 (.25) ANGLES ± 5 ° | |
|  THIRD ANGLE PROJECTION | DRAWING NUMBER: |
| | 02802 - 43 |

| | | | | | | |
|-----|---------|-----|------|-----|----------------------------------|----------|
| 01B | 9-28-21 | BJN | ROJC | RWI | SEE SHEET 1 FOR REVISION HISTORY | 02802-43 |
|-----|---------|-----|------|-----|----------------------------------|----------|


| REV | DATE | BY | CHK | APR | DESCRIPTION | ECN | DRAWN BY | DATE | CHK | SCALE | SHT 2 OF 4 | SIZE |
|-----|------|----|-----|-----|-------------|-----|----------|----------|-----|-------|------------|------|
| | | | | | | | BJN | 12-19-13 | WFM | NONE | | A |

D10100DA/14

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.



(QPJ*****) 6-CABLE ASSEMBLY PLUG PACK TO LOOSE JACKS SHOWN

| | | | |
|--|------------------|-------------------------------|---------------|
| PART NUMBER QPC***** ; QPJ***** | | PRODUCT SPEC/PKG SPEC N/A | |
| I.I. NUMBER N/A | | WORK INSTRUCTION N/A | |
| TITLE QUICKNET SWITCH PORT HARNESS | | | |
| CUSTOMER DRAWING | | | |
| ITEM REVISION NAME M02802ES/01 | | PANDUIT | |
| DATASET FILE NAME M02802ES_DC43/01B | | | |
| UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm] | | MATERIAL: | |
| .x ± .1 [2.54] .xxx ± .005 [.127] | | DRAWING NUMBER: 02802 - 43 | |
| .xx ± .01 [.25] ANGLES ± 5 ° | | | |
|  THIRD ANGLE PROJECTION | | | |
| DRAWN BY BJN | DATE 12-19-13 | CHK WFMI | SCALE NONE |
| REV | | SHT 3 OF 4 | |
| DATE | | SIZE A | |

| 01B | 9-28-21 | BJN | ROJC | RWI | SEE SHEET 1 FOR REVISION HISTORY | 02802-43 |
|-----|---------|-----|------|-----|----------------------------------|----------|
| REV | DATE | BY | CHK | APR | DESCRIPTION | ECN |

D10100DA/14

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.


QUICKNET SWITCH HARNESS (QPC/QPJ SERIES) - PART NUMBER SET-UP

BASIC PART NUMBER FORMAT

| POSITION IN P/N | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
|-----------------|---------------------------------------|---|---|-------------------------|--|---|---|------------------|------------------------|-------------------------|----|
| DESCRIPTION | QUICKNET HARNESS ASSEMBLY | | | CABLE PERFORMANCE LEVEL | CABLE FLAME/ SMOKE RATING | CABLE COLOR | PLUG PACK CONFIGURATION | PLUG PACK COLOR | JACK COLOR | ASSEMBLY LENGTH IN FT/M | |
| EXAMPLE | QPC | | | S | D | B | H | L | B | 05 | |
| OPTIONS | QPC QUICKNET PLUG TO CASSETTE HARNESS | | | S - CAT 6 28 AWG UTP | D - DUAL RATING (MEETS BOTH CM AND LSZH) | B - BLUE | H - 6 WAY (LOW PROFILE PLUG PACK) | L - BLACK | B - BLUE | 05=5 FEET | |
| | | | | U - CAT 6A 28 AWG UTP | | W - WHITE | L - 12 WAY (2 LOW PROFILE PLUG PACK) | X - NO PLUG PACK | W - WHITE | 07=7 FEET | |
| | QPJ QUICKNET PLUG TO JACK HARNESS | | | V - CAT 6A 28 AWG STP | | G - INTERNATIONAL GRAY (FOR STP ONLY) | J - 6-POSITION JUNIPER PLUG PACK) | | R - RED | 10=10 FEET | |
| | | | | | N - GREEN | M - 12 WAY (2) 6-POSITION JUNIPER PLUG PACK | L - BLACK (ANY STP JACKS TO BE BLACK) | 14=14 FEET | | | |
| | | | | | | R - RED | | | I - INTERNATIONAL GRAY | 20=20 FEET | |
| | | | | | | Y - YELLOW | | | G - GREEN | 2M=2 METERS | |
| | | | | | | O - ORANGE | D - 8 POSITION (FOR QPJ ONLY) | | Y - YELLOW | 3M=3 METERS | |
| | | | | | | V - VIOLET | 4 - 4 CABLES (IF NO PLUG PACK) (QPJ ONLY) | | O - ORANGE | 4M=4 METERS | |
| | | | | | | L - BLACK | 6 - 6 CABLES (IF NO PLUG PACK) | | V - VIOLET | 5M=5 METERS | |
| | | | | | | A - GRAY (FOR UTP 28 AWG ONLY) | 8 - 8 CABLES (IF NO PLUG PACK) (QPJ ONLY) | | X - NO JACKS | 6M=6 METERS | |
| | | | | | | K - PINK | W - 12 CABLES (IF NO PLUG PACK) | | | #=# FEET | |
| | | | | | | | | | | #M=# METERS | |

| PART NUMBER | DESCRIPTION |
|--------------|---|
| QPPRT | QuickNet Plug Pack Removal Tool |
| QUTPCASN | QuickNet UTP Cassette (as finished good) |
| QNSGCASSPK/N | QuickNet Small Gauge Cassette (for finished good) (100 qty bulk pack) |
| SP-QNFCBOX | QuickNet Copper Filber Demo Box |
| SP-QNCBOX | QuickNet Copper ONLY Box |
| QPPN-BAG | QuickNet Plug Pack Sample Bag |

*LENGTH TOLERANCE: +2'/-0" (+51mm/-0mm) FOR LENGTHS UP TO (& INCLUDING) 20 FEET (6.1m)
+3" / -0" (+76mm / -0mm) FOR LENGTHS GREATER THAN 20 FEET (6.1m)

| | | | | | | | | | | | | |
|---|---------------------|-----------------------|-------------------------------|-------|----------------------------------|----------|----------|----------|------|-------|------------|------|
| PART NUMBER | QPC***** ; QPJ***** | PRODUCT SPEC/PKG SPEC | N/A | | | | | | | | | |
| I.I. NUMBER | N/A | WORK INSTRUCTION | N/A | | | | | | | | | |
| TITLE | | | | | | | | | | | | |
| QUICKNET SWITCH PORT HARNESS | | | | | | | | | | | | |
| CUSTOMER DRAWING | | | | | | | | | | | | |
| ITEM REVISION NAME | M02802ES/01 | | | | | | | | | | | |
| DATASET FILE NAME | M02802ES_DC43/01B | | | | | | | | | | | |
| UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN (mm) | | | MATERIAL: | | | | | | | | | |
| .x ± .1 [2.54] .xxx ± .005 [.127] | | | DRAWING NUMBER: 02802 - 43 | | | | | | | | | |
| .xx ± .01 [.25] ANGLES ± 5 ° | | | | | | | | | | | | |
|  | | | | | | | | | | | | |
| THIRD ANGLE PROJECTION | | | | | | | | | | | | |
| REV | DATE | BY | CHK | SCALE | DESCRIPTION | ECN | DRAWN BY | DATE | CHK | SCALE | SHT 4 OF 4 | SIZE |
| 01B | 9-28-21 | BJN | ROJC | RWI | SEE SHEET 1 FOR REVISION HISTORY | 02802-43 | BJN | 12-19-13 | WFMI | NONE | | A |

D10100DA/14