

1SET111039R0000 ✓ ACTIVE

ENTRELEC

TE Internal #: 1SET111039R0000

Crimp Wire Pins, Tabs & Ferrules, Ferrule, Pin Diameter 5.8 mm, 6


AWG Wire Size, 16 mm<sup>2</sup> Wire Size, .229 in [5.8 mm] Barrel Inside

Diameter, Closed

[View on TE.com >](#)



Terminals & Splices > Crimp Wire Pins, Tabs & Ferrules



Crimp Wire Pin, Tab & Ferrule Terminal Type: **Ferrule**

Pin Diameter: **5.8 mm**

Accepts Wire Insulation Diameter Range: **8.7 mm, 8.8 mm [ .343 in, .347 in ]**

Wire Size: **16 mm<sup>2</sup>**

## Features

### Product Type Features

Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support

### Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

### Body Features

Double Wire	No
Insulation Color	Blue
Insulation Material	PP

### Contact Features

Terminal Length	12 mm [.468 in]
Crimp Wire Pin, Tab & Ferrule Terminal Type	Ferrule
Barrel Type	Closed
Terminal Plating Material	Tin



Terminal Orientation	Straight
----------------------	----------

### Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

### Dimensions

2-Wire Size	16 mm <sup>2</sup>
Strip Length	15 mm[.591 in]
Pin Diameter	5.8 mm
Accepts Wire Insulation Diameter Range	8.7 mm, 8.8 mm[.343 in][.347 in]
Wire Size	16 mm <sup>2</sup>
Barrel Inside Diameter	5.8 mm[.229 in]
Terminal Material Thickness	.2 mm[.007 in]
Overall Product Length	24 mm[.945 in]

### Usage Conditions

Insulation Option	Partially Insulated
Operating Temperature Range	105 °C[221 °F]

### Operation/Application

Heavy Duty	No
------------	----

### Packaging Features

Packaging Quantity	100
Packaging Method	Bag

### Other

Barrel Color	Blue
--------------	------

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2022 (224) Not Yet Reviewed
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

### Compatible Parts

 <p>TE Part # 1SNK712011R0000 ZK16-3P</p>	 <p>TE Part # 1SNK712063R0000 ZK16-PV</p>	 <p>TE Part # 1SNK712064R0000 ZK16-3P-PV</p>	 <p>TE Part # 1SNK712151R0000 ZK16-PE-3P</p>
 <p>TE Part # 1SNK512010R0000 ZS25</p>	 <p>TE Part # 1SNK512150R0000 ZS25-PE</p>	 <p>TE Part # 1SNK712010R0000 ZK16</p>	 <p>TE Part # 1SNK712150R0000 ZK16-PE</p>
 <p>TE Part # 1SNL308010R0000 DBL80</p>	 <p>TE Part # 1SNL312510R0000 DBL125</p>	 <p>TE Part # 6-1579014-5 HT FOR CABLE-END SLEEVES FRONT 0,08-16</p>	 <p>TE Part # 1SET191004R0000 FER-FL-HT</p>

### Customers Also Bought



## Documents

### Product Drawings

[WF160-12-BL](#)

English

### Datasheets & Catalog Pages

[Infographic - entrelec ews-linecard](#)

English

[ENTRELEC - INSULATED WIRE END FERRULES](#)

[ENTRELEC - INSULATED WIRE END FERRULES](#)

English

[ENTRELEC - INSULATED WIRE END FERRULES](#)

French

[Essential Entrelec Terminal Blocks](#)

French

[Essential Entrelec Terminal Blocks](#)

English

### Agency Approvals

1SET111039R0000

Crimp Wire Pins, Tabs & Ferrules, Ferrule, Pin Diameter 5.8 mm, 6 AWG Wire Size, 16 mm<sup>2</sup> Wire Size, .229 in [5.8 mm] Barrel Inside Diameter, Closed



[UL](#)

English