

PRODUCT-DETAILS

BI-S-1-64-WL

BI-S-1-64-WL Windowcontact Magnet



Informations générales

Extension du type de produit	BI-S-1-64-WL
Code de produit	2CKA006200A0102
EAN	4011395215913
Description courte	BI-S-1-64-WL Windowcontact Magnet

Description longue	<p>For monitoring and transmission of the state (open, closed) of dormer windows, skylights, doors and gates. Additional connection option for an external, potential-free sensor (choice of normally closed or normally open contact). The status can be visualized on the free@home panel and in the free@home app. Isolated evaluation and monitoring of channels. The universal detector and the magnets are fixed with adhesive film or screws. Accessories (adhesive foil, screws, magnet) included in delivery. Battery type: CR2 Notification in case of low battery capacity in the free@home app. External sensor max. wire length: 5 m External sensor terminal connection diameter : 0.14...0.5 mm² (single wire)</p>
--------------------	--

Installation

Instructions et manuels	No document needed
-------------------------	--------------------

Technique

Fiche produit, informations techniques	No document needed
--	--------------------

Nombre d'entrées numériques	1
Compatible Bus Systems	free@home
Product Range	free@home
Type de raccordement	Wireless
Type de montage	Miscellaneous
Couleur	studio white matt
Composition chimique de la batterie	Lithium
Type de batterie	Portable
Poids de la batterie	11 g
Nombre de batteries	1
Application Function	Safety and Security

Environnement

Température de l'air ambiant	Operation -5 ... +50 °C
Indice de protection	IP43
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informations RoHS	2CKA200000E4802
REACH Declaration	2CKA309999E9999
SCIP	6637f3ac-0254-40c9-8840-ec0f21ffe6a6 Germany (DE)
SCIP simplifié	6637f3ac-0254-40c9-8840-ec0f21ffe6a6 Germany (DE)
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Poids net	0.18 kg
-----------	---------

Commande

ID du produit remplacé	6200-0-0102
------------------------	-------------

Certificats et Déclarations (Numéro de document)

Déclaration de Conformité - CE	2CKA100000E2516
--------------------------------	-----------------

Classifications

ETIM 8	EC000926 - Physical sensor for bus system
ETIM 9	EC000926 - Physical sensor for bus system
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

CN8

8538 90 99

eClass

V11.0 : 27143137

Catégories

Produits basse tension → Home and Building Automation → free@home → Safety and Security

