


THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

12 FIBER DUPLEX SC CASSETTE - METHOD A	
PART NUMBER	DESCRIPTION
FC2Z0-12-03AS	12 FIBER 50/125um OM4 OPTIMIZED
FC2ZN-12-03AS	12 FIBER 50/125um OM4
FC2X0-12-03AS	12 FIBER 50/125um OM3 OPTIMIZED
FC2XN-12-03AS	12 FIBER 50/125um OM3
FC25N-12-03AS	12 FIBER 50/125um OM2
FC26N-12-03AS	12 FIBER 62.5/125um OM1
FC29N-12-03AS	12 FIBER 9/125um OS1/OS2
FC2SA-12-03AS	12 FIBER 50/125um OM4+, SIGNATURE CORE
FC29N-12-3GAS	12 FIBER 9/125um OS1/OS2 GREEN APC SC

A



METHOD A - FIBER LAYOUT


METHOD A 12F - CASSETTE (AS)												
MPO END / SC END	FIBER POSITION FROM MPO END TO SC END											
MPO POSITION	1	2	3	4	5	6	7	8	9	10	11	12
SC POSITION	1	2	3	4	5	6	7	8	9	10	11	12

TITLE		12 FIBER DUPLEX SC CASSETTE METHOD A	
CUSTOMER DRAWING			
ITEM REVISION NAME	10F113AC/02	PANDUIT TM	
DATASET FILE NAME	10F113AC_DC/02A		
UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN (mm)		MATERIAL:	
.x ± .03 (.8)	.xxx ± .005 (.127)	SEE NOTES SHEET 1	
.xx ± .01 (.25)	ANGLES ± 5 °	DRAWING NUMBER:	
THIRD ANGLE PROJECTION		10F113AC-DC	
DRAWN BY	DATE	CHK	SCALE
SAT	10-01-12	TMSE	NONE
REV		SIZE	
SHT 2 OF 3		A	

REV	DATE	BY	CHK	APR	DESCRIPTION	ECN
1	3/8/16	JSP	WJM	EJH	SEE SHEET 1 OF 3 FOR REVISIONS.	10F113AC-DC
R	10-10-12	SAT	TMSE		RELEASED TO PRODUCTION	10F113AC-DC

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

12 FIBER DUPLEX SC CASSETTE - MODIFIED METHOD A, PAIR FLIPPED	
PART NUMBER	DESCRIPTION
FC2Z0-12-03AF	12 FIBER 50/125um OM4 OPTIMIZED
FC2ZN-12-03AF	12 FIBER 50/125um OM4
FC2X0-12-03AF	12 FIBER 50/125um OM3 OPTIMIZED
FC2XN-12-03AF	12 FIBER 50/125um OM3
FC25N-12-03AF	12 FIBER 50/125um OM2
FC26N-12-03AF	12 FIBER 62.5/125um OM1
FC29N-12-03AF	12 FIBER 9/125um OS1/OS2
FC2SA-12-03AF	12 FIBER 50/125um OM4+, SIGNATURE CORE
FC2SA-12-3GAF	12 FIBER OM4+, SIGNATURE CORE GREEN APC SC



MODIFIED METHOD A, PAIR FLIPPED - FIBER LAYOUT

METHOD A 12F - CASSETTE (A FLIPPED)												
MPO END / SC END	FIBER POSITION FROM MPO END TO SC END											
MPO POSITION	1	2	3	4	5	6	7	8	9	10	11	12
SC POSITION	2	1	4	3	6	5	8	7	10	9	12	11

TITLE		12 FIBER DUPLEX SC CASSETTE MODIFIED METHOD A, PAIR FLIPPED	
CUSTOMER DRAWING			
ITEM REVISION NAME		10F113AC/02	
DATASET FILE NAME		10F113AC_DC/02A	
UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN (mm)			
.x ± .03 [.8]		.xxx ± .005 [.127]	
.xx ± .01 [.25]		ANGLES ± 5 °	
		THIRD ANGLE PROJECTION	
DRAWN BY		DATE	
SAT		10-01-12	
CHK		SCALE	
TMSE		NONE	
MATERIAL:		SEE NOTES SHEET 1	
DRAWING NUMBER:		10F113AC-DC	
REV		DATE	
SAT		10-10-12	
BY		APR	
JSP		EJH	
WJM		EJH	
TMSE		EJH	
DESCRIPTION		ECN	
SEE SHEET 1 OF 3 FOR REVISIONS.		10F113AC-DC	
RELEASED TO PRODUCTION		10F113AC-DC	
SHT 3 OF 3		A	

REV	DATE	BY	CHK	APR	DESCRIPTION	ECN
1	3/8/16	JSP	WJM	EJH	SEE SHEET 1 OF 3 FOR REVISIONS.	10F113AC-DC
R	10-10-12	SAT	TMSE		RELEASED TO PRODUCTION	10F113AC-DC