

PRODUCT-DETAILS

# P9MSCI0N95

## P9MSCI0N95 Key Operated Selector Switch



### Informations générales

Extension du type de produit	P9MSCI0N95
Code de produit	1SFA184405R9006
EAN	7320500521748
Description courte	P9MSCI0N95 Key Operated Selector Switch
Description longue	<p>The P9MSCI0N95 Key Operated Selector Switch is: Modular metal - Key Operated Selector Switch - 2-position - Maintained - Key - Black/Key=metal - Non-illuminated - Satin Chrome Metal</p> <p>This Key Operated Selector Switch is part of ABB's modular metal range designed for mining, construction and heavy industry applications, combining the highest reliability with the full flexibility of a modular range.</p>

### Commande

Quantité minimum	10 pièce
Code douanier	8536501990

### Downloads Préférés

Fiche produit, informations techniques	1SFC151007C02__
Instructions et manuels	1SFC151011M0201

---

**Dimensions**


---

Produit Largeur Net	29.7 mm
Produit Hauteur Net	44.5 mm
Produit Longueur Net	68.4 mm
Poids net	0.126 kg

---



---

**Technique**


---

Température de l'air ambiant	Operation -30 ... 70 °C Storage -40 ... +70 °C
Couleur	Black/Key=metal
Actuator Type	Key
Bezel Material	Satin Chrome Metal
Voyant	Non-illuminated
Fonction	Maintained
Sub-Function	2-position
Sub-Function 2	CAM I
Maintained Positions	B, C
Key Removal Positions	B, C
Key Code	Key code 95
Indice de protection	Front IP66
Classe de protection (NEMA)	Type1 Type12 Type13 Type3 Type3R Type3S Type4 Type4X

---



---

**Environnement**


---

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2022-006479
Informations RoHS	2CMT2019-005862
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
WEEE B2C / B2B	Business To Business
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)

---



---

**Certificats et Déclarations (Numéro de document)**


---

Certificat BV	2CMT2019-005867
CB Certificate	2CMT2019-005872
Certificat CSA	2CMT2019-005868
Déclaration de Conformité - CE	2CMT2019-005862
Declaration of Conformity - UKCA	2CMT2020-006121
DNV GL Certificate	2CMT2019-005876
Certificat RINA	2CMT2019-005866
Certificat UL	2CMT2019-005868

---

## Emballage

Emballage Niveau 1 Unités	box 1 pièce
Emballage Niveau 1 Largeur	41 mm
Emballage Niveau 1 Longueur	113 mm
Emballage Niveau 1 Hauteur	41 mm
Emballage Niveau 1 Poids	0.126 kg
Emballage Niveau 1 EAN	7320500521748

## Classifications

ETIM 7	EC000222 - Front element for selector switch
ETIM 8	EC000222 - Front element for selector switch
eClass	V11.0 : 27371213
UNSPSC	39122217
Code de catégorie granulaire IDÉA (IGCC)	5215 >> Selector Switch Complete Assemblies
E-Number (Finland)	2307557

## Catégories

Produits basse tension → Produits de Contrôle, Protection et sécurité machines → Unités de commande et de signalisation → Modular Metal Range P9M → P9M Selector Switches

