


PRODUCT-DETAILS

# SBA-F-2.1.1

## SBA-F-2.1.1 Sensor/Blind actuator 2/1g



### Informations générales

Extension du type de produit	SBA-F-2.1.1
Code de produit	2CKA006220A0129
EAN	4011395180174
Description courte	SBA-F-2.1.1 Sensor/Blind actuator 2/1g

Description longue

For controlling blind or awning motors. With integrated blind actuator. Blind function is available also without prior programming (left sensor channel is pre-configured). Configuration can be changed later via the web interface (groups, scenes, etc.). The right sensor channel for programming additional functions (groups, scenes, etc.). For contacting 2gang rocker 6230-2x-xxx, 6231-2x-xxx, 6232-2x-xxx, 6233-2x-xxx and 6234-2x-xxx. The bus can be connected via enclosed terminal block. When installing in the flush-mounted box, a spatial division between the bus cable and 127 V/230 V installation cable is to be adhered to! If this minimum distance is not possible, use electronic boxes or insulating tubes.

### Installation

Instructions et manuels	No document needed
-------------------------	--------------------

### Technique

Fiche produit, informations	2CKA001173B8557
-----------------------------	-----------------

## techniques

Type de courant	AC
Courant nominal ( $I_n$ )	4 A
Maximum Switching Current	Resistive Load 4 A
Maximum Switching Power	920 W
Nombre de sorties	2
Compatible Bus Systems	free@home
Product Range	free@home
Type de charge	Operation mode Blind
Type de montage	Flush Mounted
Nombre de batteries	0
Application Function	Blind / Shutter / Shading Control

---

**Environnement**

Température de l'air ambiant	Operation -5 ... +45 °C
Indice de protection	IP20
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informations RoHS	2CKA200000E4922
REACH Declaration	2CKA309999E9999
SCIP	9a834dc3-13b8-4438-8f82-41b0ae68f633 Germany (DE)
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

---

**Dimensions**

Produit Largeur Net	71 mm
Produit Hauteur Net	71 mm
Produit Longueur Net	43 mm
Poids net	55 g
Profondeur d'encastrement ( $t_2$ )	32 mm

---

**Commande**

ID du produit remplacé	6220-0-0129
------------------------	-------------

---

**Certificats et Déclarations (Numéro de document)**

Déclaration de Conformité - CE	2CKA100000E1374
--------------------------------	-----------------

---

**Classifications**

---

ETIM 8	EC001330 - Shutting actuator for bus system
ETIM 9	EC001330 - Shutting actuator for bus system
Catégorie DEEE	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8538 90 91
eClass	V11.0 : 27143128

---

---

## Catégories

---

Produits basse tension → Home and Building Automation → free@home → Shading Control → Blind Actuators 230 V AC

