



**CARACTERISTIQUES ELECTRIQUES
ELECTRICAL CHARACTERISTICS**

Type	Rechargeable Nickel Cadmium	
IEC Designation	1/2AA Flat Top	
Tension nominale / Nominal voltage	1.2V	
Tension mini en décharge / Mini discharge voltage	1V	
Charge standard 16h	30 mA (0.1C) at 20°C	
Capacité nominale / Nominal Capacity	300mAh	
Capacité mini / Minimal Capacity	270mAh	
Courant de décharge maxi / Max continuous discharge current	5700 mA (3C)	
Tension de charge maxi / Max continuous charge voltage	1,5V at 190 mA	
Cycle life at 80% DOD (0,5C)	> 500 (IEC standard)	
Resistance Interne / Internal Impedance (at 1000hz)	45 mΩ	
Température d'usage / Ambient temperature	Charge / Charging	0 to 35°C
	Décharge / Discharging	-20 to 60°C
Temperature de stockage / Storage temperature	-20 to 35°C (Humidity: 65 ± 20 %)	
Charge rapide / Fast charge	300mA (1C)	
Charge de maintient / Trickle charge	9.9 mA (0.03C) ~ 15 mA (0.05C)	

**CARACTERISTIQUES PHYSIQUES
PHYSICAL CHARACTERISTICS**

Accumulateur / Battery	
Dimension (mm)	23.9 x 13.9
Poids / Weight (g.)	9.1

