

# SAPPB2D-08X0040

Safe Robotics Area Protection

**SAFETY SYSTEMS FOR ROBOTS** 



SAFETY SYSTEMS FOR ROBOTS



### Ordering information

### sBot Speed

Safety con- troller in- cluded	Safety laser scanner included	Protective field range	Product type	Туре	Part no.
Flexi Soft (CPU1)	S300 Mi- ni Remote	3 m	Hardware	SAPPB2D- 08X0040	1093377

This system variant enables an automatic restart of the robot.

Other models and accessories -> www.sick.com/Safe\_Robotics\_Area\_Protection

### Detailed technical data

#### Features

Variant	sBot Speed	
Product type	Hardware	
Robot controller	Generic	
Stopping process of the robot	With speed reduction	
Robot restart	Automatic	
Interfaces		
Communication interface	Discrete I/Os	
Safe state in the event of a fault	The safety-related semiconductor outputs are in the OFF state.	
Safety laser scanners	S300 Mini Remote	
Protective field range	3 m	
Safety task	Hazardous area protection	
Ambient operating temperature	-10 °C +50 °C	
Storage temperature	-20 °C +50 °C	
Air humidity	90% at 50 °C (EN 61131-2)	
Safety controller included	Flexi Soft (CPU1)	
Safety controller type	Programmable	
Voltage supply		
Supply voltage V <sub>S</sub>	24 V DC (16.8 V DC 28.8 V DC)	
Performance level	PL d (ISO 13849-1)	
Items supplied	S300 Mini Remote safety laser scanner FX3-CPU1 Flexi Soft main module FX3-MPL0 Flexi Soft system plug FX3-XTI0 Flexi Soft I/O module UE410-4R04 Flexi Soft relay module Documentation (operating instructions, SISTEMA file, wiring diagram)	

#### Functions

stop
in the event of an emergency situa- tion

SAFETY SYSTEMS FOR ROBOTS

Prevent unexpected restarting after an emer- gency stop	1
Initiate a safety stop	
Automated reset	1
Safety-rated monitored speed	
Trigger safety-rated monitored speed	1
Switch field sets	1

### Classifications

ECLASS 5.0	27279090
ECLASS 5.1.4	27279090
ECLASS 6.0	27279090
ECLASS 6.2	27279090
ECLASS 7.0	27279090
ECLASS 8.0	27279090
ECLASS 8.1	27279090
ECLASS 9.0	27279090
ECLASS 10.0	27279090
ECLASS 11.0	27279090
ECLASS 12.0	27279090
ETIM 5.0	EC001449
ETIM 6.0	EC001449
ETIM 7.0	EC001449
ETIM 8.0	EC001449
UNSPSC 16.0901	32151705

SAFETY SYSTEMS FOR ROBOTS

#### Dimensional drawing (Dimensions in mm (inch))

FX3-XTIO, FX3-XTDI



1 Only valid for FX3-XTIO

UE410-2R04, UE410-4R04



① Only valid for UE410-4R04

SAFETY SYSTEMS FOR ROBOTS

FX3-CPU1, FX3-CPU2



① Approximate connector range

SAFETY SYSTEMS FOR ROBOTS

Laser scanner



# SICK AT A GLANCE

SICK is one of the leading manufacturers of intelligent sensors and sensor solutions for industrial applications. A unique range of products and services creates the perfect basis for controlling processes securely and efficiently, protecting individuals from accidents and preventing damage to the environment.

We have extensive experience in a wide range of industries and understand their processes and requirements. With intelligent sensors, we can deliver exactly what our customers need. In application centers in Europe, Asia and North America, system solutions are tested and optimized in accordance with customer specifications. All this makes us a reliable supplier and development partner.

Comprehensive services complete our offering: SICK LifeTime Services provide support throughout the machine life cycle and ensure safety and productivity.

For us, that is "Sensor Intelligence."

# WORLDWIDE PRESENCE:

Contacts and other locations -www.sick.com



Online data sheet

