


PRODUCT-DETAILS

# EH3C82S2

## EH3C82S2 PEDESTAL EH3/AP-2 ; EH3C82S2



### Informations générales

Extension du type de produit	EH3C82S2
Code de produit	4TBE843178C0100
EAN	5411815238673
Description courte	EH3C82S2 PEDESTAL EH3/AP-2 ; EH3C82S2

Description longue	<p>Cable distribution cabinet with profiled surface. They have a three-point lock with a swivelling lever handle for profile half cylinders. The cabinets are made of hot-pressed, glass-fibre reinforced polyester, dyed through in RAL 7035 light grey. They are corrosion-resistant and UV-resistant, making them suitable for outdoor use. The enclosures are suitable for ambient conditions from -35°C to +70°C. The open door can be easily disassembled by removing the hinge pins for optimal access to the cabinet. The door opening angle is greater than 180°. There are pressed-in core holes in the rear panel to accept M8 press-in nuts for mounting busbars, mounting frames or mounting plates. The enclosures are supplied with an open base, base plates are available as accessories. There are fixing points in the side panel for mounting horizontal busbars. The enclosures are designed for mounting on bases according to DIN 43629 with standard dimensions between the mounting points. EHP33 Cabinet AP size 3 875x1445x320 EH3, profiled with SHGIP44, IK10</p>
--------------------	--

### Technique

Cover Plate Type	Door
Type de montage	Floor installation
Door Type	Double
Finition de surface	Untreated
Qualité du matériau	Plastic
Style de cache	Closed

RAL Number	RAL 7035 - Gris clair
Couleur	Grey

## Environnement

Indice de protection	IP44
Classe de protection	Isolated (Class II)
Statut RoHS	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Informations RoHS	CEN-CE19/560 CEN-CE19/561 EH3-Equipped_GE_CE_GEN-CE19-565_L44
REACH Declaration	9AJK000617
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

## Dimensions

Produit Largeur Net	1115 mm
Produit Hauteur Net	320 mm
Produit Longueur Net	875 mm
Poids net	32.2 kg
Profondeur d'encastrement (t <sub>2</sub> )	972 mm
Thickness	Cabinet Plate 25 mm Door Plate 25 mm

## Commande

Emballage Niveau 1 Unités	box 1 pièce
Emballage Niveau 1 Poids	33.9 kg

## Certificats et Déclarations (Numéro de document)

Déclaration de Conformité - CE	CEN-CE19/560 CEN-CE19/561 EH3-Equipped_GE_CE_GEN-CE19-565_L44
--------------------------------	---

## Installation

Instructions et manuels	No document needed
-------------------------	--------------------

## Downloads Préférés

Fiche produit, informations techniques	No document needed
--	--------------------

## Classifications

ETIM 8	EC000058 - Empty cabinet
ETIM 9	EC000058 - Empty cabinet

Catégorie DEEE	Product Not in WEEE Scope
WEEE B2C / B2B	Business To Business
eClass	V11.0 : 27142408

---

## Catégories

---

Produits basse tension → Tableaux, Coffrets et Armoires → Tableaux d'abonné encastrés IP40 → Pedestals → EH3 Pedestals

