

Part number
CDFA 0.5



Female crimp contact, CD series, 10 A, turned silver plated, wire cross section 0,5 mm², AWG 20

Product description	
Product type	Crimp contact
Series	CD
Gender	Female
Technical data	
Current	10 A
Wire cross-section	0,50 mm ²
AWG size	20
Contact type	Turned silver plated
Further technical details	
Contact resistance	≤ 0,3 mΩ
Weight	0,70 g
Operating temperature range (min, max)	-40°C ... +125°C
Conductors stripping length	8 mm


Material properties	
Main material	Copper alloy
RoHs conformity	Compliant with exemption 6(c): copper alloy containing up to 4% lead by weight
China RoHs - EFUP	50
REACH SVHC substances	Yes Lead
SCIP number	C0979fba-9907-458f-a94a-db781440f273
Approvals / Standards	
Certifications	CSA, EAC
UL	ECBT2
General ordering information	
EAN13 code	8015747014533
eCl@ss 8.1	27440204
ETIM 7.0	EC000796
Packaging Information	
Packaging length	112,00 mm
Packaging height	95,00 mm
Packaging width	117,00 mm
Packaging weight	1,28 kg
Packaging volume	1,24 dm ³
Packaging description	Carton box
Packaging quantity	1600 Pcs
Packaging EAN code	8015747103961
Sub-packaging length	50,00 mm
Sub-packaging height	44,00 mm
Sub-packaging width	50,00 mm
Sub-packaging weight	0,16 kg
Sub-packaging volume	0,11 dm ³
Sub-packaging description	Plastic box
Sub-packaging quantity	200 Pcs
Sub-packaging EAN barcode	8015747014540

Part number

CDFA 0.5



Catalogue drawings



CDF and CDM contacts

conductor section mm ²	conductor slot $\varnothing A$ (mm)	conductors stripping length B (mm)
0,14-0,37	0,9	8
0,5	1,1	8
0,75	1,3	8
1,0	1,45	8
1,5	1,8	8
2,5	2,2	6

Notes

Dimensions shown in mm are not binding and may be changed without notice.

California Proposition 65 Information



WARNING

This product can expose you to lead and its compounds, known to the State of California to cause cancer and/or reproductive toxicity. For more information go to www.P65Warnings.ca.gov.
