75009712

DATA SHEET

Valid from: 28.03.2019 EPIC® SIGNAL M23 KIT A3 12 PINS SOLDER **TERMINATION**



Description

- Circular connector for servo cables and encoders
- Low-resistance screen contact
- Optimum EMC protection
- Use of high quality materials for increased reliability
- Complete connector with housing and insulation body, equipped with suitable solder contacts





Components of the combination

Article number of the combination 75009712

Housing SIGNAL M23 A3 (24420055)

Insert 12 Pin (P-Part) with solder termination (73002714)

General characteristics

Series SIGNAL M23

Type A3, angled panel mounted

Version Male

Connection type Solder termination

Coding Black (N) Pin-arrangement 12 (P-Part) Contact diameter 1 mm Termination cross section Up to 1 mm²

Mounting type Panel mount; through hole for: 4x M 2,5

Degree of protection IP 65 (latched)

Cycles of mechanical operation 100

Temperature range -25 °C to +125 °C

Materials and surfaces

Housing, base material Zinc die-cast

Housing, surface Blue chromated (CrVI free)

Sealing FPM/FKM

Insert PΑ Contact, base material **Brass** Contact, surface Gold

Electrical characteristics

Rated voltage 100 V Rated impulse voltage 1,5 kV Rated current 7 A < 4 mOhm Contact resistance

Verschmutzungsgrad

Creator: STKU3/PDP	Document: DB75009712EN	Page 1 of 3
Released: IVSE1/PDP	Version: 02	

75009712

DATA SHEET

Valid from: 28.03.2019 EPIC® SIGNAL M23 KIT A3 12 PINS SOLDER **TERMINATION**



Approvals

UL File Number

E249137




Standards


Safety Standard


IEC 61984; UL 1977; UL 2238; CSA 22.2 182.3

Technical Drawings


Housing







Insert



Creator: STKU3/PDP Document: DB75009712EN Page 2 of 3 Released: IVSE1/PDP Version: 02

75009712

DATA SHEET

Valid from: 28.03.2019

EPIC[®] SIGNAL M23 KIT A3 12 PINS SOLDER
TERMINATION





Good chemical resistance



Industrial machinery and plant engineering



Optimum strain relief



Mechanical resistance



Assembly time



Robust



Integrated SKINTOP® cable gland



Wind energy



Variety of approval certifications

Info

Robust metal connector with integrated EMC cable gland

Application range

Plant engineering Servo drives and Servo assemblies Measurement and control technology Apparatus construction

Remark

Photographs are not to scale and do not represent detailed images of the respective products.